



BRI-MAR TRAILERS

WWW.BRI-MAR.COM



CONTENTS



SERIES	TYPE	PAGE
DUMP		
R SERIES	SINGLE AND TANDEM AXLE DUMP TRAILERS	2
LPLE SERIES	TANDEM AXLE DUMP TRAILERS	3
LPLE 14K SERIES	TANDEM AXLE DUMP TRAILERS	4
LP SERIES	SINGLE AND TANDEM AXLE DUMP TRAILERS	5
LPHD SERIES	TANDEM AXLE DUMP TRAILERS	6
DP SERIES	TANDEM AXLE DECK OVER DUMP TRAILERS	7
EQUIPMENT HAULERS		
EHLE SERIES	TANDEM AXLE EQUIPMENT HAULERS	8
EH SERIES	TANDEM AXLE EQUIPMENT HAULERS	9
EH8 SERIES	TANDEM AXLE DECK OVER EQUIPMENT HAULERS	10
TILT		
T SERIES	SINGLE AND TANDEM AXLE TILT TRAILERS	11
HT SERIES	TANDEM AXLE HYDRAULIC TILT TRAILERS	12
CAR HAULERS		
CH SERIES	TANDEM AXLE CAR HAULERS	13
CHT SERIES	TANDEM AXLE CAR HAULER TILT TRAILERS	14
UTILITY		
UT SERIES	SINGLE AND TANDEM AXLE UTILITY TRAILERS	15
UTE SERIES	SINGLE AND TANDEM AXLE UTILITY TRAILERS	16
DUMP INSERT		
DI SERIES	DUMP INSERTS	17
OPTIONS		
		18

R SERIES

SINGLE AND TANDEM AXLE DUMP TRAILERS



Our R Series is a great entry level dump trailer for the homeowner, farmer or light duty landscaper. Great for mulch, yard cleanup and debris as well as stone and hauling jobs.

Standard Color Optional Colors



Standard Features

- Channel Main Frame
- 12 Gauge Floor
- 14 Gauge Sides
- Full Height Stake Pockets
- One-Piece Tailgate
- Bucher Power Unit
- Group 27 Battery
- EZ Lube Axles
- Nev-R-Adjust Brakes
- Double Eye Suspension
- 7-Way Plug
- DOT Lighting

Radial Tires (Now Standard)

Optional Features

- Battery Charger (5 amp/hr)
- Wireless Remote
- Tarp Kit
- Spare Tire Mount
- Spare Tire & Wheel
- 24" Side & Tailgate Extensions
- Landscape Gate (LP Only)
- Board Gusset Kit

MODEL	DTR508LP-3	DTR508LP-5	DTR510LP-5
BED SIZE	60" x 8'	60" x 8'	60" x 10'
VOLUME	1.9 CU YDS	1.9 CU YDS	2.3 CU YDS
GVWR	3,000 LBS	5,000 LBS	5,000 LBS
EMPTY WT.	1,180 LBS	1,270 LBS	1,440 LBS
DECK HEIGHT	25"	25"	25"
SIDE HEIGHT	15"	15"	15"
TIRES	ST205/75R15C	ST225/75R15D	ST225/75R15D
AXLE	3,500 LBS W/O Brakes	5,200 LBS	5,200 LBS
COUPLER	2" A Frame	2" A Frame	2" A Frame
JACK	2,000 LBS Top Wind	2,000 LBS Top Wind	2,000 LBS Top Wind
CYLINDER	3" Single	3" Single	3" Single

MODEL	DTR610LP-7	DTR610LP-10
BED SIZE	72" x 10'	72" x 10'
VOLUME	3.3 CU YDS	3.3 CU YDS
GVWR	7,000 LBS	10,000 LBS
EMPTY WT.	1,820 LBS	1,940 LBS
DECK HEIGHT	25"	26"
SIDE HEIGHT	17"	17"
TIRES	ST205/75R15C	ST225/75R15D
AXLE	3,500 LBS (2)	5,200 LBS (2)
COUPLER	2 5/16" A Frame	2 5/16" A Frame
JACK	5,000 LBS Top Wind	5,000 LBS Top Wind
CYLINDER	3" Single	4" Single

MODEL	DTR610D-7	DTR610D-10
BED SIZE	72" x 10'	72" x 10'
VOLUME	3.3 CU YDS	3.3 CU YDS
GVWR	7,000 LBS	10,000 LBS
EMPTY WT.	1,780 LBS	1,960 LBS
DECK HEIGHT	30"	31"
SIDE HEIGHT	17"	17"
TIRES	ST205/75R15C	ST225/75R15D
AXLE	3,500 LBS (2)	5,200 LBS (2)
COUPLER	2 5/16" A Frame	2 5/16" A Frame
JACK	5,000 LBS Top Wind	5,000 LBS Top Wind
CYLINDER	3" Single	3" Single

Visit www.bri-mar.com for additional specifications



LPLE SERIES

TANDEM AXLE DUMP TRAILERS



MODEL	DT610LP-LE-7	DT610LP-LE-10	DT612LP-LE-10
BED SIZE	72"X10'	72"X10'	72"X12'
VOLUME	3.9 CU YDS	3.9 CU YDS	4.6 CU YDS
GVWR	7,000 LBS	10,000 LBS	10,000 LBS
EMPTY WT.	2,080 LBS	2,160 LBS	2,540 LBS
DECK HEIGHT	26"	27"	27"
SIDE HEIGHT	20"	20"	20"
TIRES	ST205/75R15C	ST225/75R15D	ST225/75R15D
AXLE	3,500 LBS (2)	5,200 LBS (2)	5,200 LBS (2)
COUPLER	2 5/16" A Frame	2 5/16" A Frame	2 5/16" A Frame
JACK	5,000 LBS Top Wind	5,000 LBS Top Wind	5,000 LBS Top Wind
CYLINDER	3" Single	4" Single	4" Single

MODEL	DT712LP-LE-10	DT712LP-LE-12
BED SIZE	81.5"X12"	81.5"X12"
VOLUME	5.0 CU YDS	5.0 CU YDS
GVWR	10,000 LBS	12,000 LBS
EMPTY WT.	2,700 LBS	2,780 LBS
DECK HEIGHT	27"	28"
SIDE HEIGHT	20"	20"
TIRES	ST225/75R15D	ST235/80R16E
AXLE	5,200 LBS (2)	6,000 LBS (2)
COUPLER	2 5/16" A Frame	2 5/16" A Frame
JACK	5,000 LBS Top Wind	5,000 LBS Top Wind
CYLINDER	4" Single	4" Single

Standard Color

Optional Colors



Standard Features


- 6" Channel Main Frame
- 10 Gauge Floor
- 14 Gauge Sides
- Full Height Stake Pockets
- Full Length Tarp Rail
- One-Piece Tailgate
- Bucher Power Unit
- Group 27 Battery
- EZ Lube Axles
- Nev-R-Adjust Brakes
- Double Eye Suspension
- 7-Way Plug
- LED Rubber Mounted Lights

Radial Tires (Now Standard)

Optional Features

- Battery Charger (5 amp/hr)
- Wireless Remote
- Tarp Kit
- Spare Tire Mount
- Spare Tire & Wheel
- Adjustable Coupler & Drop Leg Jack
- 24" Side & Tailgate Extensions
- Combo Gate
- Ramps Under Bed (Steel or Aluminum)
- D-Rings
- Landscape Gate
- Board Gusset Kit

Visit www.bri-mar.com for additional specifications



Designed for light to regular commercial work, the LE Series is built to get the job done with available capacities starting at 7,000# GVWR through 14,000# GVWR.

LPLE SERIES 14K

TANDEM AXLE DUMP TRAILERS



Designed for light to regular commercial work, the LE Series is built to get the job done with available capacities starting at 7,000# GVWR through 14,000# GVWR.

Standard Color Optional Colors



Standard Features

- 6" Channel Main Frame
- 10 Gauge Steel Floor
- 14 Gauge Sides
- Full Height Stake Pockets
- Full Length Tarp Rail
- Combo Gate
- Ladder Ramps Under Bed
- Weld-on D-Rings (4)
- Bucher Power Unit
- Group 27 Battery
- EZ Lube Axles
- Nev-R-Adjust Electric Brakes
- Slipper Spring Suspension
- 7-Way Plug
- LED Rubber Mounted Lights

Optional Features

- Battery Charger (5 amp/hr)
- Wireless Remote
- Tarp Kit
- Spare Tire Mount
- Spare Tire & Wheel
- Adjustable Coupler
- Drop Leg Jack
- 24" Side & Tailgate Extensions
- Aluminum Ramps
- Board Gusset Kit

Model	DT712LP-LE-14	DT714LP-LE-14
Bed Size	81.5"X12"	81.5"X14"
Volume	5.0 CU YDS	5.9 CU YDS
GVWR	14,000 LBS	14,000 LBS
Empty Wt.	3,220 LBS	3,550 LBS
Deck Height	28"	28"
Side Height	20"	20"
TIRES	ST235/80R16E	ST235/80R16E
AXLE	7,000 LBS (2)	7,000 LBS (2)
COUPLER	2 5/16" A Frame	2 5/16" A Frame
JACK	5,000 LBS Top Wind	5,000 LBS Top Wind
CYLINDER	Twin Telescopic	Twin Telescopic

Visit www.bri-mar.com for additional specifications



LP SERIES

SINGLE AND TANDEM AXLE DUMP TRAILERS



10K Models Standard Features

- 10 Gauge Floor
- Combo Gate
- Ladder Ramps
- D Rings (4)

The Bri-Mar LP Series Dump Trailers are designed for regular commercial use. The DT508LP-5 dump trailer is perfect for light duty jobs. The DT610LP-10 and DT612LP-12 are perfect for medium weight materials and equipment transport.

MODEL	DT508LP-5
BED SIZE	60"X8"
VOLUME	2.2 CU YDS
GVWR	5,000 LBS
EMPTY WT	1,330 LBS
DECK HEIGHT	27"
SIDE HEIGHT	20"
TIRES	ST225/75R15D
AXLE	5,200 LBS
COUPLER	2 5/16" Adjustable
JACK	8,000 LBS Side Wind Drop Leg
CYLINDER	3" Single

MODEL	DT610LP-10	DT612LP-10
BED SIZE	72"X10'	72"X12'
VOLUME	3.9 CU YDS	4.6 CU YDS
GVWR	10,000 LBS	10,000 LBS
EMPTY WT	2,500 LBS	2,950 LBS
DECK HEIGHT	27"	27"
SIDE HEIGHT	20"	20"
TIRES	ST225/75R15D	ST225/75R15D
AXLE	5,200 LBS (2)	5,200 LBS (2)
COUPLER	2 5/16" Adjustable	2 5/16" Adjustable
JACK	8,000 LBS Side Wind Drop Leg	8,000 LBS Side Wind Drop Leg
CYLINDER	4" Single	4" Single

Standard Colors



Standard Features

- Tube Main Frame
- 12 Gauge Floor
- 14 Gauge Sides
- Full Height Stake Pockets
- Full Length Tarp Rail
- One-Piece Tailgate
- Bucher Power Unit
- Group 27 Battery
- EZ Lube Axles
- Nev-R-Adjust Brakes
- Double Eye Suspension
- 7-Way Plug
- LED Rubber Mounted Lights

Optional Features

- Battery Charger (5 amp/hr)
- Wireless Remote
- Tarp Kit
- Spare Tire Mount
- Spare Tire & Wheel
- 24" Side & Tailgate Extensions
- Landscape Gate
- Aluminum Ramps
- 44" Solid Sides w/ Barn Door
- Board Gusset Kit
- Aluminum Wheels
- Surge Brakes

Visit www.bri-mar.com for additional specifications



LPHD SERIES

TANDEM AXLE DUMP TRAILERS

Standard Colors



Standard Features

- Tube Main Frame
- 10 Gauge Floor
- 12 Gauge Sides
- Full Height Stake Pockets
- Full Length Tarp Rail
- Combo Gate
- Ladder Ramps
- D Rings (4)
- Bucher Power Unit
- Group 27 Battery
- EZ Lube Axles
- Nev-R-Adjust Brakes
- Slipper Spring Suspension
- 7-Way Plug
- LED Rubber Mounted Lights

Optional Features

- Battery Charger (5 amp/hr)
- Wireless Remote
- Tarp Kit
- Spare Tire Mount
- Spare Tire & Wheel
- 24" Side & Tailgate Extensions
- Aluminum Ramps
- 44" Solid Sides w/ Barn Door
- Board Gusset Kit
- Aluminum Wheels
- Surge Brakes

MODEL	DT712LPHD-12	DT714LPHD-14
BED SIZE	81.5"X12"	81.5"X14"
VOLUME	5.0 CU YDS	5.9 CU YDS
GVWR	12,000 LBS	14,000 LBS
EMPTY WT	3,560 LBS	4,230 LBS
DECK HEIGHT	23"	26"
SIDE HEIGHT	20"	20"
TIRES	ST235/80R16E	ST235/80R16E
AXLE	6,000 LBS (2)	7,000 LBS (2)
COUPLER	2.5/16" Adjustable	2.5/16" Adjustable
JACK	12,000 LBS Side Wind Drop Leg	12,000 LBS Side Wind Drop Leg
CYLINDER	Twin Telescopic	Twin Telescopic

MODEL	DT716LPHD-14
BED SIZE	81.5"X16"
VOLUME	6.6 CU YDS
GVWR	14,000 LBS
EMPTY WT	4,265 LBS
DECK HEIGHT	30"
SIDE HEIGHT	20"
TIRES	ST235/80R16E
AXLE	7,000 LBS (2)
COUPLER	2.5/16" Adjustable
JACK	12,000 LBS Side Wind Drop Leg
CYLINDER	Twin Telescopic

MODEL	DT716LPHD-21
BED SIZE	81.5"X16"
VOLUME	6.6 CU YDS
GVWR	21,000 LBS
EMPTY WT	4,905 LBS
DECK HEIGHT	30"
SIDE HEIGHT	20"
TIRES	ST235/80R16E
AXLE	7,000 LBS (3)
COUPLER	3" Adjustable Pintle
JACK	12,000 LBS Side Wind Drop Leg
CYLINDER	Twin Telescopic

Visit www.bri-mar.com for additional specifications



Available in 12', 14' and 16' models and built for the serious contractor, our LPHD Series dump trailers are ready for the toughest jobs. Need even more payload? Check out the 16' tri-axle model with a GVWR of 21,000#.



DP SERIES

TANDEM AXLE DECK OVER DUMP TRAILERS



MODEL DT610-10-DP
BED SIZE 72"x10'
VOLUME 3.9 CU YDS
GVWR 10,000 LBS
EMPTY WT 2,340 LBS
DECK HEIGHT 33"
SIDE HEIGHT 20"
TIRES ST225/75R15D
AXLE 5,200 LBS (2)
COUPLER 2 5/16" Adjustable
JACK 8,000 LBS Side Wind Drop Leg
CYLINDER 4" Single



MODEL DT712-10-DP
BED SIZE 86"x12'
VOLUME 5.4 CU YDS
GVWR 10,000 LBS
EMPTY WT 2,800 LBS
DECK HEIGHT 33"
SIDE HEIGHT 20"
TIRES ST225/75R15D
AXLE 5,200 LBS (2)
COUPLER 2 5/16" Adjustable
JACK 8,000 LBS Side Wind Drop Leg
CYLINDER 4" Single

Standard Colors



Standard Features

- Tube Main Frame
- 10 Gauge Floor
- 12 Gauge Fold Down Sides
- Full Height Stake Pockets
- Full Length Tarp Rail
- One-Piece Tailgate
- Bucher Power Unit
- Group 27 Battery
- EZ Lube Axles
- Nev-R-Adjust Brakes
- Slipper Spring Suspension
- 7-Way Plug
- LED Rubber Mounted Lights

Optional Features

- Battery Charger (5 amp/hr)
- Wireless Remote
- Tarp Kit
- Spare Tire Mount
- Spare Tire & Wheel
- Aluminum Wheels
- Surge Brakes

Need a little more ground clearance? A solid performer, great for hauling firewood, mulch and other landscaping material, the DP Series deck over dump trailer is the right application for you.

Visit www.bri-mar.com for additional specifications



EHLE SERIES

TANDEM AXLE EQUIPMENT HAULERS



HDLS Models Standard Features

- 12" Raised Landscape Rail
- Heavy Duty Split Landscape Ramps
- 4" Drop Axles

4" Channel Tongue

The EHLE Series is perfect for hauling light compact tractors, skid steers and similar equipment. The HDLS is designed for the serious landscaper with heavy duty split landscape ramps standard.

Standard Color Optional Colors



Standard Features

- 5" Channel Main Frame
- 5" Channel Tongue
- 3" Channel Cross Members
- Stake Pockets
- 2" Pressure Treated Deck
- 5" Ladder Ramps
- EZ Lube Axles
- Nev-R-Adjust Brakes
- Slipper Spring Suspension
- 7-Way Plug
- DOT Lighting

Radial Tires (Now Standard)

Optional Features

- 8K Drop Leg Jack (LE Only)
- Spare Tire
- Spare Tire Mount
- Wood Filled Ramps
- Landscape Ramps
- D Rings
- Additional Stake Pockets

MODEL	EH16-10LE	EH18-10LE	EH20-10LE
BED SIZE	80"x16"	80"x18"	80"x20"
GVWR	10,000 LBS	10,000 LBS	10,000 LBS
EMPTY WT	2,060 LBS	2,225 LBS	2,675 LBS
DECK HEIGHT	23"	23"	23"
TIRES	ST225/75R15D	ST225/75R15D	ST225/75R15D
AXLE	5,200 LBS (2)	5,200 LBS (2)	5,200 LBS (2)
COUPLER	2.5/16" Adjustable	2.5/16" Adjustable	2.5/16" Adjustable
JACK	2,000 LBS Top Wind	2,000 LBS Top Wind	2,000 LBS Top Wind

MODEL	EH18-10LE-HDLS	EH20-10LE-HDLS
BED SIZE	80"x18"	80"x20"
GVWR	10,000 LBS	10,000 LBS
EMPTY WT	2,425 LBS	2,875 LBS
DECK HEIGHT	23"	23"
TIRES	ST225/75R15D	ST225/75R15D
AXLE	5,200 LBS (2)	5,200 LBS (2)
COUPLER	2.5/16" Adjustable	2.5/16" Adjustable
JACK	2,000 LBS Top Wind	2,000 LBS Top Wind

MODEL	EH16-10ELE	EH18-10ELE
BED SIZE	84"x16"	84"x18"
GVWR	9,990 LBS	9,900 LBS
EMPTY WT.	1,900 LBS	2,100 LBS
DECK HEIGHT	23"	23"
TIRES	ST225/75R15D	ST225/75R15D
AXLE	5,200 LBS (2)	5,200 LBS (2)
COUPLER	2.5/16" A Frame	2.5/16" A Frame
JACK	2,000 LBS Top Wind	2,000 LBS Top Wind

Visit www.bri-mar.com for additional specifications



EH SERIES

TANDEM AXLE EQUIPMENT HAULERS



MODEL	EH16-10	EH18-10
BED SIZE	82"x16'	82"x18'
GVWR	10,000 LBS	10,000 LBS
EMPTY WT	2,495 LBS	2,540 LBS
DECK HEIGHT	20"	20"
TIRES	ST225/75R15D	ST225/75R15D
AXLE	5,200 LBS (2)	5,200 LBS (2)
COUPLER	2 5/16" Adjustable	2 5/16" Adjustable
JACK	8,000 LBS Side Wind Drop Leg	8,000 LBS Side Wind Drop Leg



MODEL	EH16-12	EH18-12
BED SIZE	82"x16'	82"x18'
GVWR	12,000 LBS	12,000 LBS
EMPTY WT	2,625 LBS	2,695 LBS
DECK HEIGHT	22"	22"
TIRES	ST235/80R16E	ST235/80R16E
AXLE	6,000 LBS (2)	6,000 LBS (2)
COUPLER	2 5/16" Adjustable	2 5/16" Adjustable
JACK	8,000 LBS Side Wind Drop Leg	8,000 LBS Side Wind Drop Leg



HD Models Standard Features

- 7" Channel Main Frame
- 7" Channel Tongue
- 4" Cross Members

MODEL	EH18-14-HD	EH20-14-HD	EH18-16-HD	EH20-16-HD
BED SIZE	82"x18'	82"x20'	81"x18'	81"x20'
GVWR	14,000 LBS	14,000 LBS	16,000 LBS	16,000 LBS
EMPTY WT	3,000 LBS	3,300 LBS	3,300 LBS	3,600 LBS
DECK HEIGHT	23"	23"	23"	23"
TIRES	ST235/80R16E	ST235/80R16E	LT215/75R17.5H	LT215/75R17.5H
AXLE	7,000 LBS (2)	7,000 LBS (2)	8,000 LBS (2)	8,000 LBS (2)
COUPLER	2 5/16" Adjustable	2 5/16" Adjustable	2 5/16" Adjustable	2 5/16" Adjustable
JACK	12,000 LBS Side Wind Drop Leg			

For hauling heavier equipment, skid steers, tractors and just about anything on wheels, our EH Series equipment trailers range from 10,000 GVWR to 14,000 GVWR. Carry up to 11,000 payload on our 14-HD units.

Standard Colors



Standard Features

- 6" Channel Main Frame
- 6" Channel Tongue
- 3" Channel Cross Members
- Stake Pockets w/ Rub Rail
- 2" Pressure Treated Deck
- 5' Ladder Ramps
- EZ Lube Axles
- 4" Drop Axles
- Nev-R-Adjust Brakes
- Slipper Spring Suspension
- 7-Way Plug
- LED Lighting

Optional Features

- 12K Drop Leg Jack
- Spare Tire
- Spare Tire Mount
- Pallet Fork Holder
- Gooseneck
- Wood Filled Ramps
- Landscaping Ramps
- Ramp Springs
- Additional D Rings
- Additional Stake Pockets
- Surge Brakes
- Aluminum Wheels

Visit www.bri-mar.com for additional specifications



EH8 SERIES

TANDEM AXLE DECK OVER EQUIPMENT HAULERS

Standard Colors



Standard Features

- 6" Channel Main Frame
- 6" Channel Tongue
- 3" Channel Cross Members
- Stake Pockets w/ Rub Rail
- 2" Pressure Treated Deck
- 6" Ladder Ramps
- EZ Lube Axles
- Nev-R-Adjust Brakes
- Slipper Spring Suspension
- 7-Way Plug
- LED Lighting

Radial Tires (Now Standard)

Optional Features

- Spare Tire
- Spare Tire Mount
- Gooseneck
- Wood Filled Ramps
- Landscape Ramps
- Hinged Beaver Tail
- Ramp Springs
- Additional D Rings
- Additional Stake Pockets
- Surge Brakes
- Aluminum Wheels

*Some options not available on LE

MODEL	EH820-10	EH820-14	EH824-14
BED SIZE	101"x20"	101"x20"	101"x24"
GVWR	10,000 LBS	14,000 LBS	14,000 LBS
EMPTY WT	3,660 LBS	3,740 LBS	4,500 LBS
DECK HEIGHT	32"	33"	33"
TIRES	ST225/75R15D	ST235/80R16E	ST235/80R16E
AXLE	5,200 LBS (2)	7,000 LBS (2)	7,000 LBS (2)
COUPLER	2 5/16" Adjustable	2 5/16" Adjustable	2 5/16" Adjustable
JACK	12,000 LBS Side Wind Drop Leg	12,000 LBS Side Wind Drop Leg	12,000 LBS Side Wind Drop Leg

MODEL	EH824-21K-TRI
BED SIZE	101"x24"
GVWR	21,000 LBS
EMPTY WT	4,980 LBS
DECK HEIGHT	33"
TIRES	ST235/80R16E
AXLE	7,000 LBS (3)
COUPLER	3" Adjustable Pintle
JACK	12,000 LBS Side Wind Drop Leg (2)

MODEL	EH816-10LE	EH818-10LE
BED SIZE	96"x16'	96"x18'
GVWR	9,990 LBS	9,990 LBS
EMPTY WT	2,600 LBS	2,800 LBS
DECK HEIGHT	32"	32"
TIRES	ST225/75R15D	ST225/75R15D
AXLE	5,200 LBS (2)	5,200 LBS (2)
COUPLER	2 5/16" A Frame	2 5/16" A Frame
JACK	5,000 LBS Top Wind	5,000 LBS Top Wind



21K Models Standard Features

6" Tube Main Frame



4" Channel Frame
4 D Rings
Standard Color Black



For equipment hauling needs exceeding 82" width look to our EH8 Series deck over models. A 4' dovetail and 6' ramps make loading simple. Up to 16,000 payload on our 24' tri-axle model.

Visit www.bri-mar.com for additional specifications



T SERIES

SINGLE AND TANDEM AXLE TILT TRAILERS



MODEL	T512-6	T712-6
BED SIZE	60"x12'	80"x12'
GVWR	6,000 LBS	6,000 LBS
EMPTY WT	1,360 LBS	1,620 LBS
DECK HEIGHT	17"	17"
LOAD ANGLE	13 DEGREE	13 DEGREE
TIRES	ST235/80R16E	ST235/80R16E
AXLE	6,000 LBS	6,000 LBS
COUPLER	2 5/16" Adjustable	2 5/16" Adjustable
JACK	8,000 LBS Side Wind Drop Leg	8,000 LBS Side Wind Drop Leg
CYLINDER	Hydraulic Cushion	Hydraulic Cushion



10K Models Standard Features

- 6" Angle Main Frame
- 6" Channel Tongue

MODEL	T16-10
BED SIZE	80"x16'
GVWR	10,000 LBS
EMPTY WT	3,020 LBS
DECK HEIGHT	17"
LOAD ANGLE	12 DEGREE
TIRES	ST225/75R15LRD
AXLE	5,200 LBS (2)
COUPLER	2 5/16" Adjustable
JACK	8,000 LBS Side Wind Drop Leg



14K Models Standard Features

- 3/16" Diamond Plate Deck

MODEL	T16-14
BED SIZE	80"x16'
GVWR	14,000 LBS
EMPTY WT	3,300 LBS
DECK HEIGHT	17"
LOAD ANGLE	10 DEGREE
TIRES	ST235/80R16LRE
AXLE	7,000 LBS (2)
COUPLER	2 5/16" Adjustable
JACK	8,000 LBS Side Wind Drop Leg

An affordable tilt trailer that saves your back. No more ramps to deal with, simply unlatch the deck and the bed tilts to the ground for a low 12 degree load angle.

Standard Colors



Standard Features

- 5" Angle Main Frame
- 4" Channel Tongue
- 3" Channel Cross Members
- Stake Pockets
- 2" Pressure Treated Deck
- EZ Lube Axles
- 4" Drop Axles
- Nev-R-Adjust Brakes
- Slipper Spring Suspension
- 7-Way Plug
- LED Lighting

Optional Features

- Spare Tire
- Spare Tire Mount
- Surge Brakes
- Aluminum Wheels

Visit www.bri-mar.com for additional specifications



HT SERIES

TANDEM AXLE HYDRAULIC TILT TRAILERS



Standard Colors



MODEL	HT18-14
BED SIZE	82"x18"
GVWR	14,000 LBS
EMPTY WT	3,490 LBS
DECK HEIGHT	22"
LOAD ANGLE	14 DEGREE
TIRES	ST235/80R16E
AXLE	7,000 LBS (2)
COUPLER	2.5/16" Adjustable
JACK	8,000 LBS Side Wind Drop Leg
CYLINDER	4" Single

Standard Features

- 6" Tube Main Frame
- 6" Channel Tongue
- 3" Channel Cross Members
- D Rings
- 2" Pressure Treated Deck
- Bucher Power Unit
- Group 27 Battery
- EZ Lube Axles
- 4" Drop Axles
- Nev-R-Adjust Brakes
- Slipper Spring Suspension
- 7-Way Plug
- LED Lighting

MODEL	HT20D-14HD
BED SIZE	82"x20' (4'+16")
GVWR	14,000 LBS
EMPTY WT	3,850 LBS
DECK HEIGHT	22"
LOAD ANGLE	14 DEGREE
TIRES	ST235/80R16E
AXLE	7,000 LBS (2)
COUPLER	2.5/16" Adjustable
JACK	8,000 LBS Side Wind Drop Leg
CYLINDER	4" Single

Optional Features

- Battery Charger (5amp/hr)
- Wireless Remote
- 12K Drop Leg Jack
- Spare Tire
- Spare Tire Mount
- Gooseneck
- Additional D Rings
- Surge Brakes
- Aluminum Wheels

Visit www.bri-mar.com for additional specifications

Our 14,000 GVWR power tilts give you 82" of deck width to load most any skid steer or small construction equipment. Heavy 6" tube frame construction, 14 degree load angle and over 10,000 of available payload.



CH SERIES

TANDEM AXLE CAR HAULERS



MODEL	CH16-7-FULL	CH18-7-FULL	CH18-10-FULL
BED SIZE	82"x16'	82"x18'	82"x18'
GVWR	7,000 LBS	7,000 LBS	10,000 LBS
EMPTY WT	1,990 LBS	2,105 LBS	2,255 LBS
DECK HEIGHT	20"	20"	20"
TIRES	ST205/75R15C	ST205/75R15C	ST225/75R15D
AXLE	3,500 LBS (2)	3,500 LBS (2)	5,200 LBS (2)
COUPLER	2 5/16" A Frame	2 5/16" A Frame	2 5/16" A Frame
JACK	5,000 LBS Top Wind	5,000 LBS Top Wind	5,000 LBS Top Wind

MODEL	CH16-7-OPEN
BED SIZE	82"x16'
GVWR	7,000 LBS
EMPTY WT	1,660 LBS
DECK HEIGHT	20"
TIRES	ST205/75R15C
AXLE	3,500 LBS (2)
COUPLER	2 5/16" A Frame
JACK	5,000 Top Wind

Standard Color

Optional Colors



Standard Features

- 4" Channel Main Frame
- 4" Channel Tongue
- 5" Channel Tongue (10K Models)
- 3" Channel Cross Members
- D Rings
- Diamond Plate Deck – FULL
- Diamond Plate Runners – OPEN
- Removable Fenders
- EZ Lube Axles
- New-R-Adjust Brakes
- Double Eye Suspension
- 7-Way Plug
- LED Lighting
- Radial Tires (Now Standard)

Optional Features

- Spare Tire
- Spare Tire Mount
- Winch Plate
- Aluminum Tool Box
- Additional D Rings
- Additional Stake Pockets
- Aluminum Wheels

Race car, antique vehicle or just need to haul the family car somewhere, we have an economical open deck car hauler and several full steel deck models to choose from in our CH Series. Removable fenders are standard.

Visit www.bri-mar.com for additional specifications



CHT SERIES

TANDEM AXLE CAR HAULER TILT TRAILERS



Make loading easier with our power CHT Series of tilt car haulers. Winch plate and 4 recessed D Rings along with a full diamond plate deck are standard. Remove either fender for easier vehicle access.

Standard Color Optional Colors



Standard Features

- 4" Tube Main Frame
- 5" Channel Tongue
- 3" Channel Cross Members
- Recessed D Rings
- Diamond Plate Deck
- Bucher Power Unit
- Group 27 Battery
- EZ Lube Axles
- Nev-R-Adjust Brakes
- Double Eye Suspension
- 7-Way Plug
- LED Lighting

Radial Tires (Now Standard)

Optional Features

- Battery Charger (5amp/hr)
- Wireless Remote
- Spare Tire
- Spare Tire Mount
- Additional D Rings
- Surge Brakes
- Aluminum Wheels

MODEL	CHT18-7	CHT20-10
BED SIZE	82"x18"	82"x20"
GVWR	7,000 LBS	10,000 LBS
EMPTY WT	2,645 LBS	2,770 LBS
DECK HEIGHT	18"	18"
LOAD ANGLE	10 DEGREE	10 DEGREE
TIRES	ST205/75R15C	ST225/75R15D
Wheels	Silver Directional	Silver Directional
AXLE	3,500 LBS (2)	5,200 LBS (2)
COUPLER	2.5/16" Adjustable	2.5/16" Adjustable
JACK	5,000 LB Swing Jack	5,000 LB Swing Jack
Cylinder	4" Single	4" Single

Visit www.bri-mar.com for additional specifications



UT SERIES

SINGLE AND TANDEM AXLE UTILITY TRAILERS



Available in single and tandem axle, 8' to 18'. Out Utility and Landscape Series are equipped with landscape ramps and tube rails for hauling your mower and other lawn and garden equipment.

MODEL	UT-508	UT-510
BED SIZE	60"x8"	60"x10"
GVWR	3,000 LBS	3,000 LBS
EMPTY WT	800 LBS	880 LBS
DECK HEIGHT	18"	18"
TIRES	ST205/75R15C	ST205/75R15C
AXLE	3,500 LBS	3,500 LBS
COUPLER	2" A Frame	2" A Frame
JACK	2,000 LBS Top Wind	2,000 LBS Top Wind

MODEL	UT-610	UT-612	UT-614
BED SIZE	76"x10"	76"x12"	76"x14"
GVWR	3,000 LBS	3,000 LBS	3,000 LBS
EMPTY WT	1,145 LBS	1,215 LBS	1,280 LBS
DECK HEIGHT	18"	18"	18"
TIRES	ST205/75R15C	ST205/75R15C	ST205/75R15C
AXLE	3,500 LBS	3,500 LBS	3,500 LBS
COUPLER	2" A Frame	2" A Frame	2" A Frame
JACK	2,000 LBS Top Wind	2,000 LBS Top Wind	2,000 LBS Top Wind

MODEL	UT-714	UT-716	UT-718
BED SIZE	82"x14'	82"x16'	82"x18'
GVWR	7,000 LBS	7,000 LBS	7,000 LBS
EMPTY WT	1,720 LBS	1,925 LBS	2,050 LBS
DECK HEIGHT	18"	18"	18"
TIRES	ST205/75R15C	ST205/75R15C	ST205/75R15C
AXLE	3,500 LBS (2)	3,500 LBS (2)	3,500 LBS (2)
COUPLER	2" A Frame	2.5/16" Adjustable	2.5/16" Adjustable
JACK	2,000 LBS Top Wind	2,000 LBS Top Wind	2,000 LBS Top Wind

Standard Color Optional Colors



Standard Features


- 3"x2" Angle Main Frame
- 3" Channel Tongue
- 4" Channel Tongue (714-718 Models)
- 3"x2" Angle Cross Members
- 3" Channel Cross Members (714-718 Models)
- 2" Pressure Treated Deck
- Stake Pockets
- Tube Rail
- Mesh Ramp/Gate
- Split Mesh Ramp/Gate (610-718 Models)
- EZ Lube Axles
- Nev-R-Adjust Brakes (Tandem Axle)
- Double Eye Suspension
- 7-Way Plug
- DOT Lighting

Radial Tires (Now Standard)

Optional Features

- Spare Tire
- Spare Tire Mount
- 12", 24" or 30" Expanded Metal Sides
- Mesh Side Ramp

Visit www.bri-mar.com for additional specifications



UTE SERIES

SINGLE AND TANDEM AXLE UTILITY TRAILERS

Standard Color

Standard Features

- 3"x2" Angle Main Frame
- 3" Channel Tongue
- 3"x2" Angle Cross Members
- 2"x2" Angle Top Rail
- 2" Pressure Treated Deck
- Tie Down Loops (4)
- One-Piece Mesh Ramp/Gate
- EZ Lube Axles
- Double Eye Suspension
- 4-Way Plug
- DOT Lighting

Radial Tires (Now Standard)

Optional Features

- Spare Tire
- Spare Tire Mount

MODEL	UTE-508	UTE-510
BED SIZE	60"x8"	60"x10"
GVWR	2,990 LBS	2,990 LBS
EMPTY WT	760 LBS	845 LBS
DECK HEIGHT	18"	18"
TIRES	ST205/75R15C	ST205/75R15C
AXLE	3,500 LBS	3,500 LBS
COUPLER	2" A Frame	2" A Frame
JACK	2,000 LBS Top Wind	2,000 LBS Top Wind

MODEL	UTE-610	UTE-612
BED SIZE	76"x10"	76"x12"
GVWR	2,990 LBS	2,990 LBS
EMPTY WT	1,100 LBS	1,200 LBS
DECK HEIGHT	18"	18"
TIRES	ST205/75R15C	ST205/75R15C
AXLE	3,500 LBS	3,500 LBS
COUPLER	2" A Frame	2" A Frame
JACK	2,000 LBS Top Wind	2,000 LBS Top Wind

MODEL	UTE-614	UTE-616
BED SIZE	76"x14"	76"x16"
GVWR	7,000 LBS	7,000 LBS
EMPTY WT	1,675 LBS	1,850 LBS
DECK HEIGHT	18"	18"
TIRES	ST205/75R15C	ST205/75R15C
AXLE	3,500 LBS (2)	3,500 LBS (2)
COUPLER	2.5/16" A Frame	2.5/16" A Frame
JACK	2,000 LBS Top Wind	2,000 LBS Top Wind



Our UTE Series is the perfect fit for the price conscious buyer. A well-built angle frame trailer with the same quality components and craftsmanship as our heavier UT series but designed with the homeowner in mind.

Visit www.bri-mar.com for additional specifications



DI SERIES

DUMP INSERTS



MODEL	DI-100-8	DI-100-6
BED SIZE	64"x101 3/4"	64"x76"
GVWR	6,000 LBS	6,000 LBS
EMPTY WT	770 LBS	680 LBS
VOLUME	2.0 CU YDS	1.5 CU YDS
CYLINDER	4" DOUBLE ACTING w/ HOIST	4" DOUBLE ACTING w/ HOIST

Standard Color

Optional Colors

Gloss White	Blue	JD Yellow
JD Green	Cat Yellow	Lime Green
Hammertone	Hammertone BLK	Red
Desert Tan	Kubota Orange	Dark Green

Standard Features


- 12 Gauge Steel Floor
- 14 Gauge Steel Sides
- One-Piece Gate
- Stake Pockets w/ Rub Rail
- Bucher Power Unit

Optional Features

- Wireless Remote
- Cab Protector
- Tarp Kit
- 20" Solid Side Extensions

Turn your pick-up into a dump truck with our 6' or 8' dump insert. Complete with a 4" double acting hoist, this dump insert can handle over 2 tons of payload. Perfect for mulch, stone and firewood.

Visit www.bri-mar.com for additional specifications



OPTIONS



Surge Brakes



110V Charger



Wireless Remote



Winch Mount



Dump Spare Mount



Equipment Spare Mount



Pallet Fork Holder



Landscape Gate



Gooseneck




Mesh Sides



Tarp Kit



Aluminum Wheels



QUALITY PRODUCTS MADE IN AMERICA

Bri-Mar Manufacturing, founded in 1995 in Chambersburg, PA has grown to be one of the largest manufacturers of hydraulic dump trailers in the country. In addition to our Dump Trailer line, Bri-Mar also manufactures a full line of Equipment Trailers, Utility Trailers, Tilt Trailers, Car Trailers and Pick-Up Truck Dump Inserts.

In the Fall of 2013 Bri-Mar became part of B Wise Manufacturing, LLC. Bri-Mar Trailers and B Wise Trailers are now built at the same facility on Wayne Avenue in Chambersburg. With 120 employees in a 375,000 square foot manufacturing facility, the strength of Bri-Mar lies not only in its diversified product line but also in its people.

We are proud to employ the highest quality personnel, placing emphasis on strong work ethics, high moral values, and strong employee benefits. Our people have the opportunity to impact their individual work areas as well as the overall performance of the company.

Bri-Mar has been a long term member of the National Association of Trailer Manufacturers (NATM) and the North American Trailer Dealer Association (NATDA) and meets or exceeds all standards for quality and safety across their product lines.

— The Bri-Mar Team

1002 Wayne Ave, Chambersburg, PA 17201 | (717) 261-0922

WWW.BRI-MAR.COM

