

French Doors

Index

Product Features:

Single	FD-2
Double	FD-5
Triple	FD-8
Sidelite	FD-11

Door Styles	FD-13
-------------------	-------

Elevations	FD-14
------------------	-------

Section Details:

Inswing Single 4 9/16"	FD-19
Inswing Single 6 9/16"	FD-20
Inswing Single 6 9/16" (1 1/4" Swinging Wood Screen)	FD-21
Inswing Single 7 1/16" (1 3/4" Swinging Wood Screen)	FD-23
Inswing Double 4 9/16" (Aluminum Screen)	FD-25
Inswing Double 6 9/16" (Aluminum Screen)	FD-27
Inswing Double 6 9/16" (1 1/4" Swinging Wood Screen)	FD-30
Inswing Double 7 1/16" (1 3/4" Swinging Wood Screen)	FD-31
Inswing Triple 4 9/16" (Aluminum Screen)	FD-33
Inswing Triple 6 9/16" (Aluminum Screen)	FD-35
Inswing Triple 6 9/16" (1 1/4" Swinging Wood Screen)	FD-37
Inswing Triple 7 1/16" (1 3/4" Swinging Wood Screen)	FD-39
Inswing Sidelite 4 9/16"	FD-41
Inswing Wall Section Details	FD-42

Outswing Single 4 9/16"	FD-44
Outswing Single 6 9/16"	FD-45
Outswing Single 6 9/16" (1 1/4" Swinging Wood Screen)	FD-46
Outswing Single 7 1/16" (1 3/4" Swinging Wood Screen)	FD-48
Outswing Double 6 9/16" (Aluminum Screen)	FD-50
Outswing Double 6 9/16" (1 1/4" Swinging Wood Screen)	FD-51
Outswing Double 7 1/16" (1 3/4" Swinging Wood Screen)	FD-53
Outswing Triple 6 9/16" (Aluminum Screen)	FD-55
Outswing Triple 6 9/16" (1 1/4" Swinging Wood Screen)	FD-57
Outswing Triple 7 1/16" (1 3/4" Swinging Wood Screen)	FD-59
Outswing 6 9/16" (Low Profile Sill)	FD-61
Outswing 8 9/16" (Low Profile Sill)	FD-61
Outswing Wall Section Details	FD-63

French Doors

Product Features - Single French & Front Entry

STANDARD FEATURES- FD:

- ~ Natural or prime time 2, eastern white pine
- ~ 1 3/4" thick door panel
- ~ 4 9/16" jamb
- ~ Tempered clear glass
- ~ Ovalo profile
- ~ Capri bright brass multi point hardware & hinges
- ~ 4 19/32" stiles & head rail, 7 3/8" sill rail
- ~ Bronze anodized sill c/w clear coat oak crown
- ~ EM600 casing
- ~ Inswing or outswing

STANDARD FEATURES- FE:

- ~ Natural or prime time 2, eastern white pine
- ~ 1 3/4" thick door panel
- ~ 4 9/16" jamb
- ~ Ovalo profile
- ~ Tempered clear glass
- ~ Capri bright brass multi point hardware & hinges
- ~ 5 5/8" stiles & head rail, 9 1/4" sill rail
- ~ Bronze anodized sill c/w clear coat oak crown
- ~ EM600 casing
- ~ Inswing or outswing

STYLES:

French doors are also available as half-round, camber top (center facing, left & right facing), quarter round & gothic. Custom styles available. Please contact a Norwood representative for more information.

SPECIFICATIONS:

FRAME:

- ~ 1 3/16" thick X 4 9/16" width/base jamb with clear solid interior & finger-joint pine exterior (or other wood species). Option for 1 3/4" thick jamb is available.
- ~ Jamb extension is 1 1/64" thick on inswing & 21/32" thick on outswing and is available up to 10 1/4" wide (some restrictions apply).
- ~ Frame is manufactured with compression weather-strip (black or beige).
- ~ 5 5/8" bronze anodized sill on 4 9/16" base jamb.
- ~ Bronze anodized sill extensions available up to 11 7/8" (some restrictions apply)
- ~ Bronze anodized low profile (handicap) sill available on outswing doors only.
- ~ Maximum frame width is 43 9/16" and minimum frame width is 20" on operating unit.
- ~ Maximum frame height is 120" and minimum frame height is 75" on operating unit.

DOOR PANEL:

- ~ 1 3/4" or 2 1/4" thick door panel with clear pine interior & exterior, finger-joint edges (please note that clear solid pine or other wood species will have clear solid edges).
- ~ 4 19/32" stiles & head rails with 7 3/8" sill rail is standard on 1 3/4" thick French door panel (custom stile & rail sizes available – some restrictions apply)
- ~ 5 5/8" stiles & head rail with 9 1/4" sill rail is standard on 1 3/4" thick Front entry door panel (custom stile & rail sizes available – some restrictions apply).
- ~ Inswing door panel is c/w wood drip cap (edge) & dark bronze sweep.

French Doors

Product Features - Single French & Front Entry

HARDWARE:

- Capri, Allegro, Romance & Viking handle styles from Ferco.
- ~ Bright brass (standard finish)
- ~ Oil rubbed bronze
- ~ Antique brass
- ~ Pewter
- ~ Brush chrome
- ~ Bronze
- ~ Bright chrome
- ~ Black (only available in Romance & Viking style)

Doors under 89" in height will have three hinges and 89" and over will have four hinges. Please note that Romance & Viking handles are only available in pewter & black finishes. Adjustable hinges and single point lock are available. Please contact a Norwood representative for more information.

SCREENS (wood swinging c/w hinges only):

- ~ Wood swinging screens are available on inswing & outswing doors.
- ~ 1 1/4" or 1 3/4" thick
- ~ 6 9/16" min. jamb required for 1 1/4" thick screen panel & 7 1/16" min. jamb required for 1 3/4" thick screen panel.
- ~ Option to match DLO of door panel.
- ~ Single pane tempered storm insert available.
- ~ Hinges are available in oil rubbed bronze, brass & stainless.

GRILLES:

SIMULATED DIVIDED LITE (SDL):

Exterior sdl available in putty & ovalo

- ~ 5/8"
- ~ 3/4" (putty only)
- ~ 7/8"
- ~ 1 1/4"
- ~ 1 3/4"
- ~ 2"
- ~ 2 1/4"

Interior sdl available in ovalo, restoration, heritage & legacy (legacy not available in 3/4", 5/8" & 7/8")

- ~ 5/8"
- ~ 3/4" (restoration only)
- ~ 7/8"
- ~ 1 1/4"
- ~ 1 3/4"
- ~ 2"
- ~ 2 1/4"

Restoration & ovalo interior profiling is available only on 1 3/4" thick panels & Heritage & Legacy profiles are available only on 2 1/4" thick panels.

French Doors

Product Features - Single French & Front Entry

TRUE DIVIDED LITE (TDL):

- ~ 15/16" (restoration & heritage only)
- ~ 1 1/4"
- ~ 1 3/4"
- ~ 2"
- ~ 2 1/4"

TDL is available with restoration & heritage profiles.

WOOD REMOVABLE GRILLES:

- ~ 7/8"
- ~ 1 1/4"

Wood removable grilles are complete with wood surround and are only available in oval profile. Wood removable grilles are not available on 2 1/4" thick French doors.

ALUMINUM GRILLES:





Aluminum grilles are located between the glass and are available rectangular. These grilles are available in white or white Georgian.

Pencil grilles are located between the glass and are available in 3/8" pewter or brass.

LEAD OVERLAY:

- ~ 1/4"
- ~ 3/8"
- ~ 1/2"

Lead overlay can be applied to one or multiple faces of glass, however, cannot be applied to the low e surface. Lead overlay is available in patina or silver lead. Custom patterns are available upon request.



French Doors

Product Features - Double French & Front Entry

STANDARD FEATURES- FD:

- ~ Natural or prime time 2, eastern white pine
- ~ 1 3/4" thick door panel
- ~ 4 9/16" jamb
- ~ Both panels operate with and active & passive panel
- ~ Tempered clear glass
- ~ Ovalo profile
- ~ Capri bright brass multi point hardware & hinges
- ~ 4 19/32" stiles & head rail, 7 3/8" sill rail
- ~ Bronze anodized sill c/w clear coat oak crown
- ~ EM600 casing
- ~ Inswing or outswing

STANDARD FEATURES- FE:

- ~ Natural or prime time 2, eastern white pine
- ~ 1 3/4" thick door panel
- ~ 4 9/16" jamb
- ~ Both panels operate with an active & passive panel
- ~ Tempered clear glass
- ~ Ovalo profile
- ~ Capri bright brass multi point hardware & hinges
- ~ 5 5/8" stiles & head rail, 9 1/4" sill rail
- ~ Bronze anodized sill c/w clear coat oak crown
- ~ Inswing or outswing

STYLES:

Double french doors are also available as half-round, camber top (center facing, left & right facing), quarter round & gothic. Custom styles available. Please contact a Norwood representative for more information.

SPECIFICATIONS:

FRAME:

- ~ 1 3/16" thick X 4 9/16" width/base jamb with clear solid interior & finger-joint pine exterior (or other wood species). Option for 1 3/4" thick jamb is available.
- ~ Jamb extension is 1 1/64" thick on inswing & 21/32" thick on outswing and is available up to 10 1/4" wide (some restrictions apply).
- ~ Frame is manufactured with compression weather-strip (black or beige).
- ~ 5 5/8" bronze anodized sill on 4 9/16" base jamb.
- ~ Bronze anodized sill extensions available up to 11 7/8" (some restrictions apply)
- ~ Low profile (handicap) sill available on outswing doors only
- ~ Maximum frame width is 86 1/4" and minimum frame width is 40" on operating unit.
- ~ Maximum frame height is 120" and minimum frame height is 75" on operating unit.

DOOR PANEL:

- ~ 1 3/4" or 2 1/4" thick door panel with clear pine interior & exterior, finger-joint edges (please note that clear solid pine or other wood species will have clear solid edges).
- ~ 4 19/32" stiles & head rails with 7 3/8" sill rail is standard on 1 3/4" thick French door panel (custom sizes available – some restrictions apply)
- ~ 5 5/8" stiles & head rail with 9 1/4" sill rail is standard on 2 1/4" thick Front entry door panel (custom sizes available – some restrictions apply).
- ~ Complete with astragal cap & divider applied to passive panel
- ~ Inswing door panels are c/w wood drip caps (edge) & dark bronze sweeps.

French Doors

Product Features - Double French & Front Entry

HARDWARE:

- Capri, Allegro, Romance & Viking handle styles from Ferco.
- ~ Bright brass (standard finish)
- ~ Oil rubbed bronze
- ~ Antique brass
- ~ Pewter
- ~ Brush chrome
- ~ Bronze
- ~ Bright chrome
- ~ Black (only available in Romance & Viking style)

Doors under 89" in height will have three hinges and 89" and over will have 4 hinges. Please note that Romance & Viking handles are only available in pewter & black finishes. Striker plate & keepers are only available in stainless steel finish. Adjustable hinges and single point lock are available. Please contact a Norwood representative for more information.

SCREENS (wood swinging c/w hinges only):

- ~ Wood swinging screens are available on inswing & outswing doors.
- ~ 1 1/4" or 1 3/4" thick screen panels available.
- ~ 6 9/16" min. jamb required for 1 1/4" thick screen panel & 7 1/16" min. jamb required for 1 3/4" thick screen panel.
- ~ Astragal & cap installed on passive panel.
- ~ Option to match DLO of door panel.
- ~ Single pane tempered storm insert available.
- ~ Hinges are available in oil rubbed bronze, brass & stainless.

SCREENS (aluminum sliding) – interior application on outswing & exterior application on inswing:

- ~ White (standard)
- ~ Coppertone (standard)
- ~ Option to match norcoat color
- ~ Min. 6 9/16" jamb required on outswing doors

GRILLES:

SIMULATED DIVIDED LITE (SDL):

- Exterior sdl available in putty & ovalo
- ~ 5/8"
- ~ 3/4" (putty only)
- ~ 7/8"
- ~ 1 1/4"
- ~ 1 3/4"
- ~ 2"
- ~ 2 1/4"
- Interior sdl available in ovalo, restoration, heritage & legacy (legacy not available in 3/4", 5/8" & 7/8")
- ~ 5/8"
- ~ 3/4" (restoration only)
- ~ 7/8"
- ~ 1 1/4"
- ~ 1 3/4"
- ~ 2"
- ~ 2 1/4"

Restoration & ovalo interior profiling is available only on 1 3/4" thick panels & Heritage & Legacy profiles are available only on 2 1/4" thick panels.

French Doors

Product Features - Double French & Front Entry

TRUE DIVIDED LITE (TDL):

- ~ 15/16" (restoration & heritage only)
 - ~ 1 1/4"
 - ~ 1 3/4"
 - ~ 2"
 - ~ 2 1/4"
- TDL is available with restoration & heritage profiles.

WOOD REMOVABLE GRILLES:

- ~ 7/8"
- ~ 1 1/4"

Wood removable grilles are complete with wood surround and are only available in oval profile. Wood removable grilles are not available on 2 1/4" thick French doors.

ALUMINUM GRILLES:





Aluminum grilles are located between the glass and are available rectangular. These grilles are available in white or white Georgian.

Pencil grilles are located between the glass and are available in 3/8" pewter or brass.

LEAD OVERLAY:

- ~ 1/4"
- ~ 3/8"
- ~ 1/2"

Lead overlay can be applied to one or multiple faces of glass, however, cannot be applied to the low e surface. Lead overlay is available in patina or silver lead. Custom patterns are available upon request.



French Doors

Product Features - Triple French & Front Entry

STANDARD FEATURES- FD:

- ~ Natural or prime time 2, eastern white pine
- ~ 1 3/4" thick door panel
- ~ 4 9/16" jamb
- ~ Tempered clear glass
- ~ Ovalo profile
- ~ Capri bright brass multi point hardware & hinges
- ~ 4 19/32" stiles & head rail, 7 3/8" sill rail
- ~ Bronze anodized sill c/w clear coat oak crown
- ~ EM600 casing
- ~ Inswing or outswing

STANDARD FEATURES- FE:

- ~ Natural or prime time 2, eastern white pine
- ~ 2 1/4" thick door panel
- ~ 4 9/16" jamb
- ~ Tempered clear glass
- ~ Heritage profile
- ~ Capri bright brass multi point hardware & hinges
- ~ 5 5/8" stiles & head rail, 9 1/4" sill rail
- ~ Bronze anodized sill c/w clear coat oak crown
- ~ Inswing or outswing

STYLES:

French doors are also available as half-round, camber top (center facing, left & right facing), quarter round & gothic. Custom styles available. Please contact a Norwood representative for more information.

SPECIFICATIONS:

FRAME:

- ~ 1 3/16" thick X 4 9/16" width/base jamb with clear solid interior & finger-joint pine exterior (or other wood species). Option for 1 3/4" thick jamb is available.
- ~ Jamb extension available up to 10 1/4" (some restrictions apply).
- ~ Frame is manufactured with compression weather-strip (black or beige).
- ~ 5 5/8" bronze anodized sill on 4 9/16" base jamb.
- ~ Bronze anodized sill extensions available up to 11 7/8" (some restrictions apply)
- ~ Low profile (handicap) sill available on outswing doors only
- ~ Maximum frame width is 129 3/8" and minimum frame width is 60"

DOOR PANEL:

- ~ 1 3/4" or 2 1/4" thick door panel with clear pine interior & exterior, finger-joint edges (please note that clear solid pine or other wood species will have clear solid edges).
- ~ 4 19/32" stiles & head rails with 7 3/8" sill rail is standard on 1 3/4" thick french door panel (custom sizes available – some restrictions apply)
- ~ 5 5/8" stiles & head rail with 9 1/4" sill rail is standard on 2 1/4" thick front entry panel (custom sizes available – some restrictions apply).
- ~ Complete with astragal cap & divider applied to passive panel
- ~ Inswing door panels are c/w wood drip caps (edge) & dark bronze sweeps.

French Doors

Product Features - Triple French & Front Entry

HARDWARE:

- Capri, Allegro, Romance & Viking handle styles from Ferco
- ~ Bright brass (standard finish)
- ~ Oil rubbed bronze
- ~ Antique brass
- ~ Pewter
- ~ Brush chrome
- ~ Bronze
- ~ Bright chrome
- ~ Black (only available in Romance & Viking style)

Doors under 89" in height will have three hinges and over 89" will have 4 hinges. Please note that Romance & Viking handles are only available in pewter & black finishes. Adjustable hinges and single point lock are available. Please contact a Norwood representative for more information.

SCREENS (wood swinging c/w hinges only) :

- ~ Wood swinging screens are available on inswing & outswing doors.
- ~ 1 1/4" or 1 3/4" thick screen panels available.
- ~ 6 9/16" min. jamb required for 1 1/4" thick screen panel & 7 1/16" min. jamb required for 1 3/4" thick screen panel.
- ~ Option to match DLO of door panel.
- ~ Single pane tempered storm insert available.
- ~ Hinges are available in oil rubbed bronze, brass & stainless.

SCREENS (aluminum sliding) – interior application on outswing & exterior application on inswing:

- ~ White (standard)
- ~ Coppertone (standard)
- ~ Option to match norcoat color
- ~ Min. 6 9/16" jamb required for outswing doors

GRILLES:

SIMULATED DIVIDED LITE (SDL):

Exterior sdl available in putty & ovalo

- ~ 5/8"
- ~ 3/4" (putty only)
- ~ 7/8"
- ~ 1 1/4"
- ~ 1 3/4"
- ~ 2"
- ~ 2 1/4"

Interior sdl available in ovalo, restoration, heritage & legacy (legacy not available in 3/4", 5/8" & 7/8")

- ~ 5/8"
- ~ 3/4" (restoration only)
- ~ 7/8"
- ~ 1 1/4"
- ~ 1 3/4"
- ~ 2"
- ~ 2 1/4"

Restoration & ovalo interior profiling is available only on 1 3/4" thick panels & Heritage & Legacy profiles are available only on 2 1/4" thick panels.

French Doors

Product Features - Triple French & Front Entry

TRUE DIVIDED LITE (TDL):

- ~ 15/16" (restoration & heritage only)
 - ~ 1 1/4"
 - ~ 1 3/4"
 - ~ 2"
 - ~ 2 1/4"
- TDL is available with restoration & heritage profiles.

WOOD REMOVABLE GRILLES:

- ~ 7/8"
- ~ 1 1/4"

Wood removable grilles are complete with wood surround and are only available in oval profile. Wood removable grilles are not available on 2 1/4" thick French doors.

ALUMINUM GRILLES:









Aluminum grilles are located between the glass and are available rectangular. These grilles are available in white or white Georgian.

Pencil grilles are located between the glass and are available in 3/8" pewter or brass.

LEAD OVERLAY:

- ~ 1/4"
- ~ 3/8"
- ~ 1/2"

Lead overlay can be applied to one or multiple faces of glass, however, cannot be applied to the low e surface. Lead overlay is available in patina or silver lead. Custom patterns are available upon request.



French Doors

Product Features - Sidelite

STANDARD FEATURES- FD FIXED SIDELITE:

- ~ Natural or prime time 2, eastern white pine
- ~ 1 3/4" thick panel
- ~ 4 9/16" jamb
- ~ Tempered clear glass
- ~ Ovalo profile
- ~ 2 5/8" stiles, 4 19/32" head rail, 7 3/8" sill rail
- ~ Bronze anodized sill
- ~ Inswing or outswing

STYLES:

Sidelites are also available as camber top (left & right facing) and half round. Custom styles available. Please contact a Norwood representative for more information.

SPECIFICATIONS:

FRAME:

- ~ 1 3/16" thick X 4 9/16" width/base jamb with clear solid interior & finger-joint pine exterior (or other wood species). Option for 1 3/4" thick jamb is available.
- ~ Jamb extension is 1 1/64" thick and available up to 10 1/4" wide (some restrictions apply).
- ~ 5 5/8" bronze anodized sill on 4 9/16" base jamb.
- ~ Bronze anodized sill extensions available up to 11 7/8" (some restrictions apply)
- ~ Bronze anodized low profile (handicap) sill available on outswing panels only.

SIDELITE PANEL:

- ~ 1 3/4" or 2 1/4" thick sidelite panel with clear pine interior & exterior (or other wood species)
- ~ 2 5/8" stiles, 4 19/32" head rails with 7 3/8" sill rail is standard on 1 3/4" thick sidelite panel (custom sizes available – some restrictions apply)
- ~ Inswing sidelite panel is c/w wood drip cap (edge).
- ~ Please note that 1 3/4" thick sidelites mulled to 2 1/4" thick door panels will have Restoration interior profiling to match more closely to the Heritage profiling on the door.

French Doors

Product Features - Sidelite

GRILLES:

SIMULATED DIVIDED LITE (SDL):

Exterior sdl available in putty & ovalo

~ 5/8"

~ 3/4" (putty only)

~ 7/8"

~ 1 1/4"

~ 1 3/4"

~ 2"

~ 2 1/4"

Interior sdl available in ovalo, restoration, heritage & legacy (legacy not available in 3/4", 5/8" & 7/8")

~ 5/8"

~ 3/4" (restoration only)

~ 7/8"

~ 1 1/4"

~ 1 3/4"

~ 2"

~ 2 1/4"

Restoration & ovalo interior profiling is available only on 1 3/4" thick panels & Heritage & Legacy profiles are available only on 2 1/4" thick panels.

TRUE DIVIDED LITE (TDL):

~ 15/16" (restoration & heritage only)

~ 1 1/4"

~ 1 3/4"

~ 2"

~ 2 1/4"

TDL is available with restoration & heritage profiles.

WOOD REMOVABLE GRILLES:

~ 7/8"

~ 1 1/4"

Wood removable grilles are complete with wood surround and are only available in ovalo profile. Wood removable grilles are not available on 2 1/4" thick sidelites.

ALUMINUM GRILLES:

Aluminum grilles are located between the glass and are available rectangular. These grilles are available in white or white Georgian.

Pencil grilles are located between the glass and are available in 3/8" pewter or brass.

LEAD OVERLAY:

~ 1/4"


~ 3/8"

~ 1/2"

Lead overlay can be applied to one or multiple faces of glass, however, cannot be applied to the low e surface. Lead overlay is available in patina or silver lead. Custom patterns are available upon request.

French Doors

Door Styles



French Doors

Elevations - Single & Double













						GLASS	M.O.	R.S.O.	BOX	15 5/8"	15 5/8"-2	19 5/8"	19 5/8"-2	21 5/8"	21 5/8"-2
						68"	84 1/8"	82 15/16"	82 3/16"	28 7/8"	53 9/16"	32 7/8"	61 9/16"	34 7/8"	65 9/16"
						73"	89 3/16"	88"	87 1/4"	26 9/16"	51 1/4"	30 9/16"	59 1/4"	32 9/16"	63 1/4"
						78 3/4"	94 7/8"	93 3/4"	92 31/32"	25 9/16"	50 1/4"	29 9/16"	58 1/4"	31 9/16"	62 1/4"
						81 3/4"	98"	96 3/4"	96"						

FD-15
2012

2012













French Doors

Elevations - Single & Double

				23 5/8" - 3	25 5/8" - 3	27 5/8" - 3
				102 1/4"	108 1/4"	114 1/4"
				99 15/16"	105 15/16"	111 15/16"
				98 15/16"	104 15/16"	110 15/16"
GLASS M.O. R.S.O. BOX	68"	84 1/8"	82 15/16"			
	73"	89 3/16"	88"			
	78 3/4"	94 7/8"	93 3/4"			
	81 3/4"	98"	96 3/4"			
						
						
						
						
						
						
						
						


French Doors

Elevations - Sidelites

				9-3/4"	11-3/4"	13-3/4"
GLASS				19-1/16"	21-1/16"	23-1/16"
M.O.				16-3/4"	18-3/4"	20-3/4"
R.S.O.				15-3/4"	17-3/4"	19-3/4"
BOX						
68"	84 1/8"	82 15/16"	82 3/16"			
				FDSL 1682	FDSL 1882	FDSL 2082
73"	89 3/16"	88"	87 1/4"			
				FDSL 1686	FDSL 1886	FDSL 2086
78 3/4"	94 7/8"	93 3/4"	92 31/32"			
				FDSL 1692	FDSL 1892	FDSL 2092
81 3/4"	98"	96 3/4"	96"			
				FDSL 1696	FDSL 1896	FDSL 2096


French Doors - Inswing

Section Details - Single 4 9/16" Jamb



French Doors - Inswing

Section Details - Single 6 9/16" Jamb




FD-20

2012

French Doors - Inswing

Section Details - Single 6 9/16" Jamb c/w 1 1/4" Swinging Wood Screen




Technical drawing of a window assembly showing dimensions and components. The drawing includes the following labels and dimensions:

- ROUGH OPENING**: The overall width of the opening.
- BOX**: The width of the box, shown as $1/2"$ [13mm] on both sides.
- DAYLIGHT OPENING**: The width of the daylight opening, shown as $4 \frac{19}{32}"$ [117mm] on both sides.
- SCREEN INSERT**: The width of the screen insert, shown as $4 \frac{19}{32}"$ [117mm] on both sides.
- STORM INSERT**: The width of the storm insert, shown as $4 \frac{19}{32}"$ [117mm] on both sides.
- Vertical Dimensions**:
 - Top: $5 \frac{13}{32}"$ [137mm] (twice)
 - Bottom: $6 \frac{1}{2}"$ [165mm] (left side), $11 \frac{1}{16}"$ [17mm] (right side)
 - Internal: $1 \frac{3}{4}"$ [44mm] (twice), $1 \frac{1}{4}"$ [32mm] (bottom right)


French Doors - Inswing

Section Details - Single 7 1/16" Jamb c/w 1 3/4" Swinging Wood Screen




French Doors - Inswing

Section Details - Single 7 1/16" Jamb c/w 1 3/4" Swinging Wood Screen




French Doors - Inswing

Section Details - Double 4 9/16" Jamb c/w Aluminum Screen




French Doors - Inswing

Section Details - Double 4 9/16" Jamb c/w Aluminum Screen




French Doors - Inswing

Section Details - Double 6 9/16" Jamb c/w Aluminum Screen




French Doors - Inswing

Section Details - Double 6 9/16" Jamb c/w Aluminum Screen




French Doors - Inswing

Section Details - Double 6 9/16" Jamb c/w 1 1/4" Swinging Wood Screen




French Doors - Inswing

Section Details - Double 6 9/16" Jamb c/w 1 1/4" Swinging Wood Screen




French Doors - Inswing

Section Details - Double 7 1/16" Jamb c/w 1 3/4" Swinging Wood Screen




French Doors - Inswing

Section Details - Double 7 1/16" Jamb c/w 1 3/4" Swinging Wood Screen




French Doors - Inswing

Section Details - Triple 4 9/16" Jamb c/w Aluminum Screen




French Doors - Inswing

Section Details - Triple 4 9/16" Jamb c/w Aluminum Screen




French Doors - Inswing

Section Details - Triple 6 9/16" Jamb c/w Aluminum Screen



French Doors - Inswing

Section Details - Triple 6 9/16" Jamb c/w Aluminum Screen



Technical drawing of a window assembly showing cross-sections and dimensions. The drawing includes labels for components and their dimensions in inches and millimeters.

Labels:


- STORM INSERT
- SCREEN INSERT
- DAYLIGHT OPENING
- BOX
- ROUGH OPENING

Dimensions:

- Top horizontal dimension: $6 \frac{1}{2}"$ [165mm]
- Top right vertical dimension: $\frac{3}{4}"$ [19mm]
- Top right horizontal dimension: $\frac{11}{16}"$ [17mm]
- Top center horizontal dimension: $1 \frac{3}{16}"$ [30mm]
- Left vertical dimension: $4 \frac{19}{32}"$ [117mm]
- Center vertical dimension: $1 \frac{1}{4}"$ [32mm]
- Right vertical dimension: $1 \frac{3}{4}"$ [44mm]
- Right vertical dimension: $5 \frac{13}{32}"$ [137mm]
- Right vertical dimension: $4 \frac{19}{32}"$ [117mm]
- Bottom left vertical dimension: $2 \frac{1}{8}"$ [54mm]
- Bottom left vertical dimension: $8 \frac{9}{16}"$ [218mm]
- Bottom left horizontal dimension: $1 \frac{3}{16}"$ [30mm]
- Bottom right vertical dimension: $7 \frac{3}{8}"$ [187mm]
- Bottom right vertical dimension: $9 \frac{3}{4}"$ [248mm]
- Bottom right horizontal dimension: $2 \frac{3}{8}"$ [60mm]


French Doors - Inswing

Section Details - Triple 6 9/16" Jamb c/w 1 1/4" Swinging Wood Screen





French Doors - Inswing

Section Details - Triple 7 1/16" Jamb c/w 1 3/4" Swinging Wood Screen





French Doors - Inswing

Section Details - Triple 7 1/16" Jamb c/w 1 3/4" Swinging Wood Screen




French Doors - Inswing

Section Details - Sidelite 4 9/16" Jamb




French Doors - Inswing

Wall Section Detail




French Doors - Inswing

Wall Section Detail





French Doors - Outswing

Section Details - Single 4 9/16" Jamb



French Doors - Outswing

Section Details - Single 6 9/16" Jamb




FD-45

2012


French Doors - Outswing

Section Details - Single 6 9/16" Jamb c/w 1 1/4" Swinging Wood Screen



French Doors - Outswing

Section Details - Single 6 9/16" Jamb c/w 1 1/4" Swinging Wood Screen



Technical drawing of a window assembly showing cross-sections and dimensions. The drawing includes labels for various components and their dimensions in inches and millimeters.

Dimensions:

- Top left: 5 13/32" [137mm]
- Top center: 7" [178mm]
- Top right: 3/4" [19mm]
- Left side (top): 4 19/32" [117mm]
- Left side (bottom): 8 11/16" [221mm]
- Bottom left: 7 3/8" [187mm]
- Bottom center: 1 3/4" [44mm]
- Bottom right: 7 3/8" [187mm]
- Right side (top): 4 19/32" [117mm]
- Right side (bottom): 1 5/16" [33mm]
- Right side (middle): 2 1/8" [54mm]

Labels:


- DAYLIGHT OPENING
- SCREEN INSERT
- STORM INSERT
- BOX
- ROUGH OPENING

Technical drawing of a window assembly showing dimensions and components. The drawing includes the following labels and dimensions:

- ROUGH OPENING**: Overall width dimension.
- BOX**: Overall width dimension.
- 1/2" [13mm]**: Dimension for the rough opening and box on the left and right sides.
- 4 19/32" [117mm]**: Dimension for the storm insert and screen insert on the left and right sides.
- STORM INSERT**: Label for the storm insert component.
- SCREEN INSERT**: Label for the screen insert component.
- 1 3/4" [44mm]**: Dimension for the storm insert and screen insert on the left and right sides.
- 7" [178mm]**: Dimension for the storm insert and screen insert on the left side.
- 1 3/16" [30mm]**: Dimension for the storm insert and screen insert on the right side.
- 11/16" [17mm]**: Dimension for the storm insert and screen insert on the right side.
- DAYLIGHT OPENING**: Overall width dimension.
- 5 13/32" [137mm]**: Dimension for the daylight opening on the left and right sides.

Technical drawing of a window assembly showing dimensions and components. The drawing includes the following dimensions and labels:

- Top horizontal dimension: $6 \frac{1}{2}"$ [165mm]
- Top right vertical dimension: $\frac{3}{4}"$ [19mm]
- Top left horizontal dimension: $11/16"$ [17mm]
- Top center horizontal dimension: $1 \frac{3}{16}"$ [30mm]
- Left vertical dimension (top section): $5 \frac{13}{32}"$ [137mm]
- Left vertical dimension (middle section): $4 \frac{19}{32}"$ [117mm]
- Label: DAYLIGHT OPENING
- Left vertical dimension (bottom section): $8 \frac{11}{16}"$ [221mm]
- Right vertical dimension (bottom section): $7 \frac{3}{8}"$ [187mm]
- Right vertical dimension (total): BOX
- Right vertical dimension (rough opening): ROUGH OPENING
- Bottom horizontal dimension: $1 \frac{3}{4}"$ [44mm]
- Bottom left horizontal dimension: $1 \frac{5}{16}"$ [33mm]




Technical drawing of a window assembly showing cross-sections and dimensions. The drawing includes labels for components and their dimensions in inches and millimeters.

Labels and Dimensions:

- Top Section:**
 - Top Right: $3/4"$ [19mm]
 - Top Center: $6 1/2"$ [165mm]
 - Top Left: $11/16"$ [17mm]
 - Top Center (Inset): $1 3/16"$ [30mm]
- Left Section:**
 - Top Left: $5 13/32"$ [137mm]
 - Top Left (Inset): $4 19/32"$ [117mm]
- Right Section:**
 - Top Right: $5 13/32"$ [137mm]
- Bottom Section:**
 - Bottom Left: $8 11/16"$ [221mm]
 - Bottom Left (Inset): $7 3/8"$ [187mm]
 - Bottom Center (Inset): $1 3/4"$ [44mm]
 - Bottom Right (Inset): $1 1/4"$ [32mm]
 - Bottom Right: $7 3/8"$ [187mm]
 - Bottom Right (Inset): $2 1/8"$ [54mm]
 - Bottom Right (Inset): $1 5/16"$ [33mm]
- Labels:**
 - DAYLIGHT OPENING
 - SCREEN INSERT
 - STORM INSERT
 - BOX
 - ROUGH OPENING

French Doors - Outswing

Section Details - Double 6 9/16" c/w 1 1/4" Swinging Wood Screen




Technical drawing of a window assembly showing cross-sections and dimensions. The drawing includes the following dimensions and labels:

- Top right corner: $3/4"$ [19mm]
- Top center: $7"$ [178mm]
- Top left: $11/16"$ [17mm]
- Top center-left: $1\ 3/16"$ [30mm]
- Left side (top to bottom): $5\ 13/32"$ [137mm], $4\ 19/32"$ [117mm]
- Right side (top to bottom): $4\ 19/32"$ [117mm]
- Center (bottom to top): $2\ 1/8"$ [54mm]
- Bottom left: $8\ 11/16"$ [221mm]
- Bottom center-left: $7\ 3/8"$ [187mm]
- Bottom center-right: $1\ 3/4"$ [44mm]
- Bottom right: $7\ 3/8"$ [187mm]
- Bottom center: $1\ 5/16"$ [33mm]
- Bottom right: $1\ 5/16"$ [33mm]
- Labels: SCREEN INSERT, STORM INSERT, BOX, ROUGH OPENING


French Doors - Outswing

Section Details - Double 7 1/16" c/w 1 3/4" Swinging Wood Screen




French Doors - Outswing

Section Details - Triple 6 9/16" c/w Aluminum Screen




French Doors - Outswing

Section Details - Triple 6 9/16" c/w Aluminum Screen




French Doors - Outswing

Section Details - Triple 6 9/16" c/w 1 1/4" Swinging Wood Screen



French Doors - Outswing

Section Details - Triple 6 9/16" c/w 1 1/4" Swinging Wood Screen




FD-58

2012


French Doors - Outswing

Section Details - Triple 7 1/16" c/w 1 3/4" Swinging Wood Screen



French Doors - Outswing

Section Details - Triple 7 1/16" c/w 1 3/4" Swinging Wood Screen




FD-60

2012

French Doors - Outswing

Section Details - 6 9/16" Jamb c/w Low Profile Sill





FD-61

2012

French Doors - Outswing

Section Details - 8 9/16" Jamb c/w Low Profile Sill




FD-62

2012

French Doors - Outswing

Wall Section Detail



French Doors - Outswing

Wall Section Detail

