

PRODUCT	NFCR CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON			Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN		
Awning - Outswing	NCW-K-4-00066-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.47	29	0.36	0.54	54	SB12	Z1	Z2	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00066-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.43	27	0.36	0.49	54	SB12	Z1	-	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00066-00003	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.43	27	0.36	0.49	54	SB12	Z1	-	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00066-00004	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.30	1.70	0.39	25	0.36	0.44	54	SB12	Z1	-	-	-	NC	-	-		
Awning - Outswing	NCW-K-4-00066-00005	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.30	1.70	0.43	27	0.36	0.49	54	SB12	Z1	-	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00067-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.30	1.70	0.43	27	0.36	0.49	54	SB12	Z1	-	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00068-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.47	29	0.36	0.54	56	SB12	Z1	Z2	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00068-00002	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.42	26	0.36	0.49	56	SB12	Z1	-	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00068-00003	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.42	26	0.36	0.49	56	SB12	Z1	-	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00069-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.38	23	0.36	0.44	56	SB12	-	-	-	-	-	-	-		
Awning - Outswing	NCW-K-4-00070-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.31	1.76	0.42	25	0.36	0.49	56	SB12	Z1	-	-	-	-	-	-		
Awning - Outswing	NCW-K-4-00071-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.30	1.70	0.42	26	0.36	0.49	56	SB12	Z1	-	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00072-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.47	29	0.36	0.54	54	SB12	Z1	Z2	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00072-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.43	27	0.36	0.49	54	SB12	Z1	-	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00073-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.32	1.82	0.39	22	0.36	0.44	54	SB12	-	-	-	-	-	-	-		
Awning - Outswing	NCW-K-4-00074-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.33	1.87	0.43	23	0.36	0.49	54	SB12	-	-	-	-	-	-	-		
Awning - Outswing	NCW-K-4-00075-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.32	1.82	0.43	24	0.36	0.49	54	SB12	-	-	-	-	-	-	-		
Awning - Outswing	NCW-K-4-00076-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.43	26	0.36	0.49	54	SB12	Z1	-	-	-	-	-	-		
Awning - Outswing	NCW-K-4-00077-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.47	29	0.36	0.54	53	SB12	Z1	Z2	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00077-00002	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.42	26	0.36	0.49	53	SB12	Z1	-	-	N	-	-	-		
Awning - Outswing	NCW-K-4-00078-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.32	1.82	0.38	21	0.36	0.44	53	SB12	-	-	-	-	-	-	-		
Awning - Outswing	NCW-K-4-00078-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.33	1.87	0.42	23	0.36	0.49	53	SB12	-	-	-	-	-	-	-		
Awning - Outswing	NCW-K-4-00080-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.32	1.82	0.42	24	0.36	0.49	53	SB12	-	-	-	-	-	-	-		
Awning - Outswing	NCW-K-4-00081-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.42	25	0.36	0.49	53	SB12	Z1	-	-	-	-	-	-		
Awning - Outswing	NCW-K-4-00082-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.26	19	0.36	0.47	55	SB12	Z1	-	-	-	NC	-	-		
Awning - Outswing	NCW-K-4-00082-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.28	1.59	0.24	18	0.36	0.42	55	SB12	Z1	-	-	-	NC	SC	S		

PRODUCT	NFCR CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON				Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN			
Awning - Outswing	NCW-K-4-00082-00003	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.24	18	0.36	0.42	55	SB12	Z1	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00082-00004	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.28	1.59	0.22	17	0.36	0.38	55	SB12	Z1	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00082-00005	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.28	1.59	0.24	18	0.36	0.42	55	SB12	Z1	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00083-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.29	1.65	0.24	17	0.36	0.42	55	-	-	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00084-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.26	19	0.36	0.47	57	SB12	Z1	-	-	-	NC	-	-			
Awning - Outswing	NCW-K-4-00084-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.28	1.59	0.24	18	0.36	0.42	57	SB12	Z1	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00084-00003	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.24	18	0.36	0.42	57	SB12	Z1	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00085-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.29	1.65	0.21	15	0.36	0.38	57	-	-	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00086-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.29	1.65	0.24	17	0.36	0.42	57	-	-	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00087-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.29	1.65	0.24	17	0.36	0.42	57	-	-	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00088-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.26	18	0.36	0.47	55	-	-	-	-	-	NC	-	-			
Awning - Outswing	NCW-K-4-00088-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.24	17	0.36	0.42	55	-	-	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00089-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.22	13	0.36	0.38	55	-	-	-	-	-	-	-	S			
Awning - Outswing	NCW-K-4-00090-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.32	1.82	0.24	13	0.36	0.42	55	-	-	-	-	-	-	-	S			
Awning - Outswing	NCW-K-4-00091-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.31	1.76	0.24	15	0.36	0.42	55	-	-	-	-	-	-	-	S			
Awning - Outswing	NCW-K-4-00092-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.24	16	0.36	0.42	55	-	-	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00093-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.26	18	0.36	0.47	54	-	-	-	-	-	NC	-	-			
Awning - Outswing	NCW-K-4-00093-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.24	17	0.36	0.42	54	-	-	-	-	-	NC	SC	S			
Awning - Outswing	NCW-K-4-00094-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.22	13	0.36	0.38	54	-	-	-	-	-	-	-	S			
Awning - Outswing	NCW-K-4-00095-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.32	1.82	0.24	13	0.36	0.42	54	-	-	-	-	-	-	-	S			
Awning - Outswing	NCW-K-4-00096-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.31	1.76	0.24	15	0.36	0.42	54	-	-	-	-	-	-	-	S			
Awning - Outswing	NCW-K-4-00097-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.24	16	0.36	0.42	54	-	-	-	-	-	NC	SC	S			
Awning - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.26	1.48	0.25	21	0.36	0.46	51	SB12	Z1	-	-	N	NC	SC	S			
Awning - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.26	1.48	0.23	20	0.36	0.41	51	SB12	Z1	-	-	N	NC	SC	S			
Awning - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.26	1.48	0.23	20	0.36	0.41	51	SB12	Z1	-	-	N	NC	SC	S			
Awning - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.26	1.48	0.21	19	0.36	0.37	51	SB12	Z1	-	-	N	NC	SC	S			

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON			Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN		
Awning - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	3/4"-1" SDL w/ Grille	0.26	1.48	0.23	20	0.36	0.41	51	SB12	Z1	-	-	N	NC	SC	S		
Awning - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	5/8" SDL w/ Grille	0.26	1.48	0.23	20	0.36	0.41	51	SB12	Z1	-	-	N	NC	SC	S		
Awning - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	-	0.25	1.42	0.25	23	0.36	0.45	46	SB12	Z1	-	-	N	NC	SC	S		
Awning - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	Interior Grille Only	0.25	1.42	0.23	21	0.36	0.41	46	SB12	Z1	-	-	N	NC	SC	S		
Awning - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	Lead Overlay	0.25	1.42	0.23	21	0.36	0.41	46	SB12	Z1	-	-	N	NC	SC	S		
Awning - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	1-1/4" SDL w/ Grille	0.26	1.48	0.21	19	0.36	0.37	46	SB12	Z1	-	-	N	NC	SC	S		
Awning - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	5/8" SDL w/ Grille	0.26	1.48	0.23	20	0.36	0.41	46	SB12	Z1	-	-	N	NC	SC	S		
Awning - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	3/4"-1" SDL w/ Grille	0.26	1.48	0.23	20	0.36	0.41	46	SB12	Z1	-	-	N	NC	SC	S		
Casement - French - Outswing	NCW-K-18-00039-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.44	27	0.08	0.50	58	SB12	Z1	-	-	-	-	-	-		
Casement - French - Outswing	NCW-K-18-00039-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.40	24	0.08	0.45	58	SB12	-	-	-	-	-	-	-		
Casement - French - Outswing	NCW-K-18-00039-00003	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.40	24	0.08	0.45	58	SB12	-	-	-	-	-	-	-		
Casement - French - Outswing	NCW-K-18-00040-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.32	1.82	0.36	21	0.08	0.40	58	SB12	-	-	-	-	-	-	-		
Casement - French - Outswing	NCW-K-18-00041-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.32	1.82	0.40	23	0.08	0.45	58	SB12	-	-	-	-	-	-	-		
Casement - French - Outswing	NCW-K-18-00042-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.32	1.82	0.40	23	0.08	0.45	58	SB12	-	-	-	-	-	-	-		
Casement - French - Outswing	NCW-K-18-00043-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.43	26	0.08	0.49	56	SB12	Z1	-	-	-	-	-	-		
Casement - French - Outswing	NCW-K-18-00043-00002	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.39	24	0.08	0.44	56	SB12	-	-	-	-	-	-	-		
Casement - French - Outswing	NCW-K-18-00044-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.32	1.82	0.39	23	0.08	0.44	56	SB12	-	-	-	-	-	-	-		
Casement - French - Outswing	NCW-K-18-00045-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.24	16	0.08	0.43	59	-	-	-	-	-	NC	SC	S		
Casement - French - Outswing	NCW-K-18-00045-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.22	15	0.08	0.39	59	-	-	-	-	-	NC	SC	S		
Casement - French - Outswing	NCW-K-18-00045-00003	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.22	15	0.08	0.39	59	-	-	-	-	-	NC	SC	S		
Casement - French - Outswing	NCW-K-18-00046-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.20	13	0.08	0.35	59	-	-	-	-	-	-	-	S		
Casement - French - Outswing	NCW-K-18-00047-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.31	1.76	0.22	14	0.08	0.39	59	-	-	-	-	-	-	-	S		
Casement - French - Outswing	NCW-K-18-00048-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.30	1.70	0.22	15	0.08	0.39	59	-	-	-	-	-	NC	SC	S		
Casement - French - Outswing	NCW-K-18-00049-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.24	16	0.08	0.43	57	-	-	-	-	-	NC	SC	S		
Casement - French - Outswing	NCW-K-18-00049-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.22	15	0.08	0.39	57	-	-	-	-	-	NC	SC	S		
Casement - French - Outswing	NCW-K-18-00050-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.22	14	0.08	0.39	57	-	-	-	-	-	-	-	S		

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON				Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN			
Casement - French - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	-	0.27	1.53	0.23	20	0.08	0.42	48	SB12	Z1	-	-	N	NC	SC	S			
Casement - French - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.27	1.53	0.21	18	0.08	0.38	48	SB12	Z1	-	-	N	NC	SC	S			
Casement - French - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	Lead Overlay	0.27	1.53	0.21	18	0.08	0.38	48	SB12	Z1	-	-	N	NC	SC	S			
Casement - French - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.28	1.59	0.19	16	0.08	0.34	48	SB12	Z1	-	-	N	NC	SC	S			
Casement - French - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.27	1.53	0.21	18	0.08	0.38	48	SB12	Z1	-	-	N	NC	SC	S			
Casement - French - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.27	1.53	0.21	18	0.08	0.38	48	SB12	Z1	-	-	N	NC	SC	S			
Casement - Outswing	NCW-K-3-00111-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.50	31	0.22	0.57	58	SB12	Z1	Z2	-	N	-	-	-			
Casement - Outswing	NCW-K-3-00111-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.45	28	0.22	0.52	58	SB12	Z1	-	-	N	-	-	-			
Casement - Outswing	NCW-K-3-00111-00003	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.45	28	0.22	0.52	58	SB12	Z1	-	-	N	-	-	-			
Casement - Outswing	NCW-K-3-00111-00004	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.30	1.70	0.41	26	0.22	0.47	58	SB12	Z1	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00111-00005	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.30	1.70	0.45	28	0.22	0.52	58	SB12	Z1	-	-	N	-	-	-			
Casement - Outswing	NCW-K-3-00112-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.31	1.76	0.45	27	0.22	0.52	58	SB12	Z1	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00113-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.49	31	0.22	0.57	57	SB12	Z1	Z2	-	N	-	-	-			
Casement - Outswing	NCW-K-3-00113-00002	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.45	28	0.22	0.51	57	SB12	Z1	-	-	N	-	-	-			
Casement - Outswing	NCW-K-3-00113-00003	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.45	28	0.22	0.51	57	SB12	Z1	-	-	N	-	-	-			
Casement - Outswing	NCW-K-3-00114-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.41	25	0.22	0.46	57	SB12	Z1	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00115-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.31	1.76	0.45	27	0.22	0.51	57	SB12	Z1	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00116-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.31	1.76	0.45	27	0.22	0.51	57	SB12	Z1	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00117-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.50	31	0.22	0.57	56	SB12	Z1	Z2	-	N	-	-	-			
Casement - Outswing	NCW-K-3-00117-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.45	28	0.22	0.52	56	SB12	Z1	-	-	N	-	-	-			
Casement - Outswing	NCW-K-3-00118-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.33	1.87	0.41	22	0.22	0.47	56	SB12	-	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00119-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.33	1.87	0.45	25	0.22	0.52	56	SB12	Z1	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00120-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.33	1.87	0.45	25	0.22	0.52	56	SB12	Z1	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00121-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.45	27	0.22	0.52	56	SB12	Z1	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00122-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.49	31	0.22	0.57	55	SB12	Z1	Z2	-	N	-	-	-			
Casement - Outswing	NCW-K-3-00122-00002	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.45	28	0.22	0.51	55	SB12	Z1	-	-	N	-	-	-			

PRODUCT	NFCR CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON				Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN			
Casement - Outswing	NCW-K-3-00123-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.33	1.87	0.40	22	0.22	0.46	55	SB12	-	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00124-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.33	1.87	0.45	25	0.22	0.51	55	SB12	Z1	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00125-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.33	1.87	0.45	25	0.22	0.51	55	SB12	Z1	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00126-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.45	27	0.22	0.51	55	SB12	Z1	-	-	-	-	-	-			
Casement - Outswing	NCW-K-3-00127-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.27	20	0.22	0.50	59	SB12	Z1	-	-	-	-	NC	-	-		
Casement - Outswing	NCW-K-3-00127-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.28	1.59	0.25	19	0.22	0.45	59	SB12	Z1	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00127-00003	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.25	19	0.22	0.45	59	SB12	Z1	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00127-00004	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.28	1.59	0.23	18	0.22	0.40	59	SB12	Z1	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00127-00005	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.28	1.59	0.25	19	0.22	0.45	59	SB12	Z1	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00128-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.29	1.65	0.25	20	0.22	0.45	59	-	-	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00129-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.27	20	0.22	0.49	58	SB12	Z1	-	-	-	-	NC	-	-		
Casement - Outswing	NCW-K-3-00129-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.28	1.59	0.25	19	0.22	0.45	58	SB12	Z1	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00129-00003	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.25	19	0.22	0.45	58	SB12	Z1	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00130-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.30	1.70	0.23	16	0.22	0.40	58	-	-	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00131-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.29	1.65	0.25	18	0.22	0.45	58	-	-	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00132-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.29	1.65	0.25	18	0.22	0.45	58	-	-	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00133-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.27	19	0.22	0.50	57	-	-	-	-	-	-	NC	-	-		
Casement - Outswing	NCW-K-3-00133-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.25	18	0.22	0.45	57	-	-	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00134-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.23	14	0.22	0.40	57	-	-	-	-	-	-	-	-	S		
Casement - Outswing	NCW-K-3-00135-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.32	1.82	0.25	14	0.22	0.45	57	-	-	-	-	-	-	-	-	S		
Casement - Outswing	NCW-K-3-00136-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.31	1.76	0.25	15	0.22	0.45	57	-	-	-	-	-	-	-	-	S		
Casement - Outswing	NCW-K-3-00137-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.25	17	0.22	0.45	57	-	-	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00138-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.27	19	0.22	0.49	56	-	-	-	-	-	-	NC	-	-		
Casement - Outswing	NCW-K-3-00138-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.25	18	0.22	0.45	56	-	-	-	-	-	-	NC	SC	S		
Casement - Outswing	NCW-K-3-00139-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.23	14	0.22	0.40	56	-	-	-	-	-	-	-	-	S		
Casement - Outswing	NCW-K-3-00140-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.32	1.82	0.25	14	0.22	0.45	56	-	-	-	-	-	-	-	-	S		

PRODUCT	NFCR CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	Canada ENERGY STAR				U.S. ENERGY STAR			
															ON SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN
Casement - Outswing	NCW-K-3-00141-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.31	1.76	0.25	15	0.22	0.45	56	-	-	-	-	-	-	S	
Casement - Outswing	NCW-K-3-00142-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.25	17	0.22	0.45	56	-	-	-	-	NC	SC	S	
Casement - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.25	1.42	0.27	24	0.22	0.48	48	SB12	Z1	-	-	N	NC	-	-
Casement - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.25	1.42	0.24	22	0.22	0.44	48	SB12	Z1	-	-	N	NC	SC	S
Casement - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.25	1.42	0.24	22	0.22	0.44	48	SB12	Z1	-	-	N	NC	SC	S
Casement - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.25	1.42	0.22	21	0.22	0.39	48	SB12	Z1	-	-	N	NC	SC	S
Casement - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.25	1.42	0.24	22	0.22	0.44	48	SB12	Z1	-	-	N	NC	SC	S
Casement - Outswing		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.26	1.48	0.24	21	0.22	0.44	48	SB12	Z1	-	-	N	NC	SC	S
Casement - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.25	1.42	0.26	23	0.22	0.48	47	SB12	Z1	-	-	N	NC	-	-
Casement - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.25	1.42	0.24	22	0.22	0.43	47	SB12	Z1	-	-	N	NC	SC	S
Casement - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.25	1.42	0.24	22	0.22	0.43	47	SB12	Z1	-	-	N	NC	SC	S
Casement - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.26	1.48	0.22	20	0.22	0.39	47	SB12	Z1	-	-	N	NC	SC	S
Casement - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.26	1.48	0.24	21	0.22	0.43	47	SB12	Z1	-	-	N	NC	SC	S
Casement - Outswing		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.26	1.48	0.24	21	0.22	0.43	47	SB12	Z1	-	-	N	NC	SC	S
Casement - Outswing - Roll Down Screen	NCW-K-23-00049-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.44	28	0.22	0.51	58	SB12	Z1	-	-	N	-	-	-
Casement - Outswing - Roll Down Screen	NCW-K-23-00049-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.40	25	0.22	0.45	58	SB12	Z1	-	-	-	NC	-	-
Casement - Outswing - Roll Down Screen	NCW-K-23-00049-00003	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.40	25	0.22	0.45	58	SB12	Z1	-	-	-	NC	-	-
Casement - Outswing - Roll Down Screen	NCW-K-23-00049-00004	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.30	1.70	0.36	23	0.22	0.41	58	SB12	-	-	-	-	NC	-	-
Casement - Outswing - Roll Down Screen	NCW-K-23-00049-00005	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.30	1.70	0.40	25	0.22	0.45	58	SB12	Z1	-	-	-	NC	-	-
Casement - Outswing - Roll Down Screen	NCW-K-23-00050-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.31	1.76	0.40	24	0.22	0.45	58	SB12	-	-	-	-	-	-	-
Casement - Outswing - Roll Down Screen	NCW-K-23-00051-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.44	28	0.22	0.50	57	SB12	Z1	-	-	N	-	-	-
Casement - Outswing - Roll Down Screen	NCW-K-23-00051-00002	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.39	25	0.22	0.45	57	SB12	Z1	-	-	-	NC	-	-
Casement - Outswing - Roll Down Screen	NCW-K-23-00051-00003	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.39	25	0.22	0.45	57	SB12	Z1	-	-	-	NC	-	-
Casement - Outswing - Roll Down Screen	NCW-K-23-00052-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.36	22	0.22	0.40	57	SB12	-	-	-	-	-	-	-
Casement - Outswing - Roll Down Screen	NCW-K-23-00053-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.31	1.76	0.39	24	0.22	0.45	57	SB12	-	-	-	-	-	-	-
Casement - Outswing - Roll Down Screen	NCW-K-23-00054-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.31	1.76	0.39	24	0.22	0.45	57	SB12	-	-	-	-	-	-	-

PRODUCT	NFCR CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON				Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN			
Casement - Outswing - Roll Down Screen	NCW-K-23-00055-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.44	28	0.22	0.51	56	SB12	Z1	-	-	N	-	-	-			
Casement - Outswing - Roll Down Screen	NCW-K-23-00055-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.40	25	0.22	0.45	56	SB12	Z1	-	-	-	NC	-	-			
Casement - Outswing - Roll Down Screen	NCW-K-23-00056-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.32	1.82	0.36	21	0.22	0.41	56	SB12	-	-	-	-	-	-				
Casement - Outswing - Roll Down Screen	NCW-K-23-00057-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.33	1.87	0.40	22	0.22	0.45	56	SB12	-	-	-	-	-	-				
Casement - Outswing - Roll Down Screen	NCW-K-23-00058-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.32	1.82	0.40	23	0.22	0.45	56	SB12	-	-	-	-	-	-				
Casement - Outswing - Roll Down Screen	NCW-K-23-00059-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.40	24	0.22	0.45	56	SB12	-	-	-	-	-	-				
Casement - Outswing - Roll Down Screen	NCW-K-23-00060-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.43	27	0.22	0.50	55	SB12	Z1	-	-	N	-	-	-			
Casement - Outswing - Roll Down Screen	NCW-K-23-00060-00002	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.39	25	0.22	0.45	55	SB12	Z1	-	-	-	NC	-	-			
Casement - Outswing - Roll Down Screen	NCW-K-23-00061-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.32	1.82	0.35	20	0.22	0.40	55	SB12	-	-	-	-	-	-				
Casement - Outswing - Roll Down Screen	NCW-K-23-00062-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.33	1.87	0.39	21	0.22	0.45	55	SB12	-	-	-	-	-	-				
Casement - Outswing - Roll Down Screen	NCW-K-23-00063-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.32	1.82	0.39	22	0.22	0.45	55	SB12	-	-	-	-	-	-				
Casement - Outswing - Roll Down Screen	NCW-K-23-00064-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.39	24	0.22	0.45	55	SB12	-	-	-	-	-	-				
Casement - Outswing - Roll Down Screen	NCW-K-23-00065-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.29	1.65	0.24	17	0.22	0.44	59	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00065-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo/Heritage	Interior Grille Only	0.29	1.65	0.22	16	0.22	0.39	59	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00065-00003	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo/Heritage	Lead Overlay	0.29	1.65	0.22	16	0.22	0.39	59	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00065-00004	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo/Heritage	1-1/4" SDL w/ Grille	0.29	1.65	0.20	15	0.22	0.35	59	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00065-00005	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo/Heritage	3/4"-1" SDL w/ Grille	0.29	1.65	0.22	16	0.22	0.39	59	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00066-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo/Heritage	5/8" SDL w/ Grille	0.29	1.65	0.22	16	0.22	0.39	59	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00067-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo/Heritage	-	0.29	1.65	0.24	17	0.22	0.43	58	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00067-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo/Heritage	Interior Grille Only	0.29	1.65	0.22	16	0.22	0.39	58	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00067-00003	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo/Heritage	Lead Overlay	0.29	1.65	0.22	16	0.22	0.39	58	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00068-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo/Heritage	1-1/4" SDL w/ Grille	0.30	1.70	0.20	14	0.22	0.35	58	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00069-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo/Heritage	5/8" SDL w/ Grille	0.29	1.65	0.22	16	0.22	0.39	58	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00070-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo/Heritage	3/4"-1" SDL w/ Grille	0.29	1.65	0.22	16	0.22	0.39	58	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00071-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.24	17	0.22	0.44	57	-	-	-	-	NC	SC	S				
Casement - Outswing - Roll Down Screen	NCW-K-23-00071-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.22	16	0.22	0.39	57	-	-	-	-	NC	SC	S				

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/ft ² (L/s-m ²)	VT	CR	ON				Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN			
Casement - Outswing - Roll Down Screen	NCW-K-23-00072-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.20	13	0.22	0.35	57	-	-	-	-	-	-	-	-	-	S	
Casement - Outswing - Roll Down Screen	NCW-K-23-00073-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.32	1.82	0.22	12	0.22	0.39	57	-	-	-	-	-	-	-	-	-	S	
Casement - Outswing - Roll Down Screen	NCW-K-23-00074-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.31	1.76	0.22	14	0.22	0.39	57	-	-	-	-	-	-	-	-	-	S	
Casement - Outswing - Roll Down Screen	NCW-K-23-00075-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.22	15	0.22	0.39	57	-	-	-	-	-	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen	NCW-K-23-00076-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.24	17	0.22	0.43	56	-	-	-	-	-	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen	NCW-K-23-00076-00002	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.22	16	0.22	0.39	56	-	-	-	-	-	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen	NCW-K-23-00077-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.31	1.76	0.20	13	0.22	0.35	56	-	-	-	-	-	-	-	-	-	S	
Casement - Outswing - Roll Down Screen	NCW-K-23-00078-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.32	1.82	0.22	12	0.22	0.39	56	-	-	-	-	-	-	-	-	-	S	
Casement - Outswing - Roll Down Screen	NCW-K-23-00079-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.31	1.76	0.22	14	0.22	0.39	56	-	-	-	-	-	-	-	-	-	S	
Casement - Outswing - Roll Down Screen	NCW-K-23-00080-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.22	15	0.22	0.39	56	-	-	-	-	-	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	-	0.26	1.48	0.24	21	0.22	0.42	48	SB12	Z1	-	-	N	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	Interior Grille Only	0.26	1.48	0.22	20	0.22	0.38	48	SB12	Z1	-	-	N	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	Lead Overlay	0.26	1.48	0.22	20	0.22	0.38	48	SB12	Z1	-	-	N	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	1-1/4" SDL w/ Grille	0.26	1.48	0.20	19	0.22	0.34	48	SB12	Z1	-	-	N	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	3/4"-1" SDL w/ Grille	0.26	1.48	0.22	20	0.22	0.38	48	SB12	Z1	-	-	N	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	5/8" SDL w/ Grille	0.26	1.48	0.22	20	0.22	0.38	48	SB12	Z1	-	-	N	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	-	0.26	1.48	0.24	21	0.22	0.42	47	SB12	Z1	-	-	N	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	Interior Grille Only	0.26	1.48	0.21	19	0.22	0.38	47	SB12	Z1	-	-	N	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	Lead Overlay	0.26	1.48	0.21	19	0.22	0.38	47	SB12	Z1	-	-	N	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	1-1/4" SDL w/ Grille	0.27	1.53	0.19	17	0.22	0.34	47	SB12	Z1	-	-	N	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	5/8" SDL w/ Grille	0.26	1.48	0.21	19	0.22	0.38	47	SB12	Z1	-	-	N	NC	SC	-	-	S	
Casement - Outswing - Roll Down Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo/Heritage	3/4"-1" SDL w/ Grille	0.26	1.48	0.21	19	0.22	0.38	47	SB12	Z1	-	-	N	NC	SC	-	-	S	
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.32	1.82	0.50	28	0.39	0.57	51	SB12	Z1	-	-	-	-	-	-	-	-	
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.33	1.87	0.44	24	0.39	0.50	51	SB12	-	-	-	-	-	-	-	-	-	
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.32	1.82	0.44	25	0.39	0.50	51	SB12	Z1	-	-	-	-	-	-	-	-	
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.36	2.04	0.44	20	0.39	0.50	51	-	-	-	-	-	-	-	-	-	-	

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	Canada ENERGY STAR				U.S. ENERGY STAR			
															ON SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.35	1.99	0.44	21	0.39	0.50	51	SB12	-	-	-	-	-	-	-
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.36	2.04	0.39	17	0.39	0.44	51	-	-	-	-	-	-	-	-
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.32	1.82	0.49	28	0.39	0.56	51	SB12	Z1	-	-	-	-	-	-
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.33	1.87	0.44	24	0.39	0.50	51	SB12	-	-	-	-	-	-	-
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.32	1.82	0.44	25	0.39	0.50	51	SB12	Z1	-	-	-	-	-	-
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.36	2.04	0.44	20	0.39	0.50	51	-	-	-	-	-	-	-	-
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.35	1.99	0.44	21	0.39	0.50	51	SB12	-	-	-	-	-	-	-
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.36	2.04	0.39	17	0.39	0.44	51	-	-	-	-	-	-	-	-
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.28	17	0.39	0.49	52	-	-	-	-	-	-	-	-
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.32	1.82	0.25	14	0.39	0.44	52	-	-	-	-	-	-	-	S
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.25	15	0.39	0.44	52	-	-	-	-	-	-	-	S
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.34	1.93	0.25	11	0.39	0.44	52	-	-	-	-	-	-	-	S
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.33	1.87	0.25	13	0.39	0.44	52	-	-	-	-	-	-	-	S
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.34	1.93	0.22	10	0.39	0.38	52	-	-	-	-	-	-	-	S
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.27	16	0.39	0.49	52	-	-	-	-	-	-	-	-
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.32	1.82	0.25	14	0.39	0.43	52	-	-	-	-	-	-	-	S
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.25	15	0.39	0.43	52	-	-	-	-	-	-	-	S
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.34	1.93	0.25	11	0.39	0.43	52	-	-	-	-	-	-	-	S
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.33	1.87	0.25	13	0.39	0.43	52	-	-	-	-	-	-	-	S
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.34	1.93	0.22	10	0.39	0.38	52	-	-	-	-	-	-	-	S
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.50	28	0.39	0.57	54	SB12	Z1	-	-	-	-	-	-
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.32	1.82	0.44	25	0.39	0.50	54	SB12	Z1	-	-	-	-	-	-
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.44	25	0.39	0.50	54	SB12	Z1	-	-	-	-	-	-
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.33	1.87	0.44	24	0.39	0.50	54	SB12	-	-	-	-	-	-	-
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.32	1.82	0.44	25	0.39	0.50	54	SB12	Z1	-	-	-	-	-	-
Double Hung		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.32	1.82	0.39	22	0.39	0.44	54	SB12	-	-	-	-	-	-	-

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Int/bxft (L/s-m ²)	VT	CR	ON	Canada ENERGY STAR			U.S. ENERGY STAR				
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN	
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.49	28	0.39	0.56	53	SB12	Z1	-	-	-	-	-	-	
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.32	1.82	0.44	25	0.39	0.50	53	SB12	Z1	-	-	-	-	-	-	-
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.44	25	0.39	0.50	53	SB12	Z1	-	-	-	-	-	-	-
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.33	1.87	0.44	24	0.39	0.50	53	SB12	-	-	-	-	-	-	-	-
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.33	1.87	0.44	24	0.39	0.50	53	SB12	-	-	-	-	-	-	-	-
Double Hung		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.33	1.87	0.39	21	0.39	0.44	53	SB12	-	-	-	-	-	-	-	-
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.27	18	0.39	0.49	55	-	-	-	-	-	NC	-	-	
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.25	16	0.39	0.44	55	-	-	-	-	-	NC	SC	S	
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.25	16	0.39	0.44	55	-	-	-	-	-	NC	SC	S	
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.31	1.76	0.25	15	0.39	0.44	55	-	-	-	-	-	-	-	S	
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.30	1.70	0.25	16	0.39	0.44	55	-	-	-	-	-	NC	SC	S	
Double Hung		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.30	1.70	0.22	15	0.39	0.38	55	-	-	-	-	-	NC	SC	S	
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.27	18	0.39	0.49	54	-	-	-	-	-	NC	-	-	
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.24	16	0.39	0.43	54	-	-	-	-	-	NC	SC	S	
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.24	16	0.39	0.43	54	-	-	-	-	-	NC	SC	S	
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.31	1.76	0.24	15	0.39	0.43	54	-	-	-	-	-	-	-	S	
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.31	1.76	0.24	15	0.39	0.43	54	-	-	-	-	-	-	-	S	
Double Hung		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.32	1.82	0.22	12	0.39	0.38	54	-	-	-	-	-	-	-	S	
Double Hung		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.27	1.53	0.27	21	0.39	0.48	45	SB12	Z1	-	-	N	NC	-	-	
Double Hung		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.27	1.53	0.24	20	0.39	0.42	45	SB12	Z1	-	-	N	NC	SC	S	
Double Hung		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.27	1.53	0.24	20	0.39	0.42	45	SB12	Z1	-	-	N	NC	SC	S	
Double Hung		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.28	1.59	0.24	18	0.39	0.42	45	SB12	Z1	-	-	-	NC	SC	S	
Double Hung		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.27	1.53	0.24	20	0.39	0.42	45	SB12	Z1	-	-	N	NC	SC	S	
Double Hung		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.27	1.53	0.21	18	0.39	0.37	45	SB12	Z1	-	-	N	NC	SC	S	
Double Hung		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.27	1.53	0.26	21	0.39	0.47	44	SB12	Z1	-	-	N	NC	-	-	
Double Hung		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.27	1.53	0.24	20	0.39	0.42	44	SB12	Z1	-	-	N	NC	SC	S	

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Int/box (L/s-m ²)	VT	CR	ON				Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN			
Double Hung		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.27	1.53	0.24	20	0.39	0.42	44	SB12	Z1	-	-	N	NC	SC	S			
Double Hung		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.28	1.59	0.24	18	0.39	0.42	44	SB12	Z1	-	-	-	NC	SC	S			
Double Hung		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.28	1.59	0.24	18	0.39	0.42	44	SB12	Z1	-	-	-	NC	SC	S			
Double Hung		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.28	1.59	0.21	17	0.39	0.37	44	SB12	Z1	-	-	-	NC	SC	S			
Double Hung - Roll Up Screen		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.48	28	0.39	0.55	54	SB12	Z1	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.43	26	0.39	0.49	54	SB12	Z1	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.43	26	0.39	0.49	54	SB12	Z1	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.32	1.82	0.43	24	0.39	0.49	54	SB12	-	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.31	1.76	0.43	26	0.39	0.49	54	SB12	Z1	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.38	23	0.39	0.43	54	SB12	-	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.48	28	0.39	0.55	53	SB12	Z1	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.42	25	0.39	0.48	53	SB12	Z1	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.42	25	0.39	0.48	53	SB12	Z1	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.32	1.82	0.42	24	0.39	0.48	53	SB12	-	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.32	1.82	0.42	24	0.39	0.48	53	SB12	-	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.33	1.87	0.38	20	0.39	0.42	53	SB12	-	-	-	-	-	-	-			
Double Hung - Roll Up Screen		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.27	18	0.39	0.48	55	-	-	-	-	-	NC	-	-			
Double Hung - Roll Up Screen		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.24	16	0.39	0.42	55	-	-	-	-	-	NC	SC	S			
Double Hung - Roll Up Screen		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.24	16	0.39	0.42	55	-	-	-	-	-	NC	SC	S			
Double Hung - Roll Up Screen		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.31	1.76	0.24	15	0.39	0.42	55	-	-	-	-	-	-	-	S			
Double Hung - Roll Up Screen		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.30	1.70	0.24	16	0.39	0.42	55	-	-	-	-	-	NC	SC	S			
Double Hung - Roll Up Screen		Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.30	1.70	0.21	14	0.39	0.37	55	-	-	-	-	-	NC	SC	S			
Double Hung - Roll Up Screen		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.26	17	0.39	0.47	54	-	-	-	-	-	NC	-	-			
Double Hung - Roll Up Screen		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.24	16	0.39	0.42	54	-	-	-	-	-	NC	SC	S			
Double Hung - Roll Up Screen		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.24	16	0.39	0.42	54	-	-	-	-	-	NC	SC	S			
Double Hung - Roll Up Screen		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.31	1.76	0.24	15	0.39	0.42	54	-	-	-	-	-	-	-	S			

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Int/box (L/s-m ²)	VT	CR	ON			Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN		
Double Hung - Roll Up Screen		Double, 4mm	7036 #2	Thermoplastic	Argon	Oval	3/4"-1" SDL w/ Grille	0.31	1.76	0.24	15	0.39	0.42	54	-	-	-	-	-	-	-	S		
Double Hung - Roll Up Screen		Double, 4mm	7036 #2	Thermoplastic	Argon	Oval	1-1/4" SDL w/ Grille	0.31	1.76	0.21	13	0.39	0.37	54	-	-	-	-	-	-	-	S		
Double Hung - Roll Up Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	-	0.27	1.53	0.26	21	0.39	0.46	45	SB12	Z1	-	-	N	NC	-	-		
Double Hung - Roll Up Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	Interior Grille Only	0.27	1.53	0.23	19	0.39	0.41	45	SB12	Z1	-	-	N	NC	SC	S		
Double Hung - Roll Up Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	Lead Overlay	0.27	1.53	0.23	19	0.39	0.41	45	SB12	Z1	-	-	N	NC	SC	S		
Double Hung - Roll Up Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	5/8" SDL w/ Grille	0.27	1.53	0.23	19	0.39	0.41	45	SB12	Z1	-	-	N	NC	SC	S		
Double Hung - Roll Up Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	3/4"-1" SDL w/ Grille	0.27	1.53	0.23	19	0.39	0.41	45	SB12	Z1	-	-	N	NC	SC	S		
Double Hung - Roll Up Screen		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	1-1/4" SDL w/ Grille	0.27	1.53	0.21	18	0.39	0.36	45	SB12	Z1	-	-	N	NC	SC	S		
Double Hung - Roll Up Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	-	0.27	1.53	0.26	21	0.39	0.46	44	SB12	Z1	-	-	N	NC	-	-		
Double Hung - Roll Up Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	Interior Grille Only	0.27	1.53	0.23	19	0.39	0.41	44	SB12	Z1	-	-	N	NC	SC	S		
Double Hung - Roll Up Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	Lead Overlay	0.27	1.53	0.23	19	0.39	0.41	44	SB12	Z1	-	-	N	NC	SC	S		
Double Hung - Roll Up Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	5/8" SDL w/ Grille	0.28	1.59	0.23	18	0.39	0.41	44	SB12	Z1	-	-	-	NC	SC	S		
Double Hung - Roll Up Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	3/4"-1" SDL w/ Grille	0.28	1.59	0.23	18	0.39	0.41	44	SB12	Z1	-	-	-	NC	SC	S		
Double Hung - Roll Up Screen		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	1-1/4" SDL w/ Grille	0.28	1.59	0.21	17	0.39	0.36	44	SB12	Z1	-	-	-	NC	SC	S		
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Oval	-	0.35	1.99	0.24	10	0.40	0.27	-	-	-	-	-	-	-	-	-		
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Oval	Interior Grille Only	0.35	1.99	0.22	8	0.40	0.24	-	-	-	-	-	-	-	-	-		
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Oval	Lead Overlay	0.35	1.99	0.22	8	0.40	0.24	-	-	-	-	-	-	-	-	-		
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Oval	1-1/4" SDL w/ Grille	0.35	1.99	0.20	7	0.40	0.23	-	-	-	-	-	-	-	-	-		
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Oval	3/4"-1" SDL w/ Grille	0.35	1.99	0.22	8	0.40	0.24	-	-	-	-	-	-	-	-	-		
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Oval	5/8" SDL w/ Grille	0.35	1.99	0.22	8	0.40	0.24	-	-	-	-	-	-	-	-	-		
Frenh Door - 3/4 Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.35	1.99	0.24	10	0.40	0.27	-	-	-	-	-	-	-	-	-		
Frenh Door - 3/4 Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.35	1.99	0.22	8	0.40	0.24	-	-	-	-	-	-	-	-	-		
Frenh Door - 3/4 Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.35	1.99	0.22	8	0.40	0.24	-	-	-	-	-	-	-	-	-		
Frenh Door - 3/4 Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.35	1.99	0.21	8	0.40	0.23	-	-	-	-	-	-	-	-	-		
Frenh Door - 3/4 Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.35	1.99	0.22	8	0.40	0.24	-	-	-	-	-	-	-	-	-		
Frenh Door - 3/4 Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.35	1.99	0.22	8	0.40	0.24	-	-	-	-	-	-	-	-	-		

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air In/Exf (L/s-m ²)	VT	CR	ON			Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN		
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.35	1.99	0.24	10	0.40	0.27	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.35	1.99	0.22	8	0.40	0.24	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.36	2.04	0.20	6	0.40	0.23	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.36	2.04	0.22	7	0.40	0.24	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.36	2.04	0.22	7	0.40	0.24	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.35	1.99	0.22	8	0.40	0.24	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.34	1.93	0.13	4	0.40	0.23	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.34	1.93	0.12	4	0.40	0.21	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.34	1.93	0.12	4	0.40	0.21	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.34	1.93	0.11	3	0.40	0.20	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.34	1.93	0.12	4	0.40	0.21	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.34	1.93	0.12	4	0.40	0.21	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	-	0.35	1.99	0.25	10	0.40	0.25	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.35	1.99	0.23	9	0.40	0.23	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.35	1.99	0.23	9	0.40	0.23	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.35	1.99	0.21	8	0.40	0.21	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.35	1.99	0.23	9	0.40	0.23	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.35	1.99	0.23	9	0.40	0.23	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.34	1.93	0.13	4	0.40	0.23	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.34	1.93	0.12	4	0.40	0.21	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.34	1.93	0.12	4	0.40	0.21	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.35	1.99	0.12	3	0.40	0.20	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.34	1.93	0.12	4	0.40	0.21	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.34	1.93	0.12	4	0.40	0.21	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.34	1.93	0.13	4	0.40	0.23	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.34	1.93	0.12	4	0.40	0.21	-	-	-	-	-	-	-	-	-	-	

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON				Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN			
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.36	2.04	0.12	1	0.40	0.20	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.36	2.04	0.12	1	0.40	0.21	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.35	1.99	0.12	3	0.40	0.21	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.35	1.99	0.12	3	0.40	0.21	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	-	0.35	1.99	0.25	10	0.40	0.25	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.35	1.99	0.23	9	0.40	0.22	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.35	1.99	0.23	9	0.40	0.22	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.36	2.04	0.21	7	0.40	0.21	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.36	2.04	0.23	8	0.40	0.22	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.36	2.04	0.23	8	0.40	0.22	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	-	0.36	2.04	0.25	9	0.40	0.25	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.36	2.04	0.23	8	0.40	0.23	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.37	2.10	0.21	5	0.40	0.21	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.37	2.10	0.23	6	0.40	0.23	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.36	2.04	0.23	8	0.40	0.23	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.36	2.04	0.23	8	0.40	0.23	-	-	-	-	-	-	-	-	-	-	-	
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	-	0.21	1.19	0.21	25	0.40	0.24	-	SB12	Z1	Z2	Z3	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.21	1.19	0.19	24	0.40	0.22	-	SB12	Z1	Z2	Z3	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.21	1.19	0.19	24	0.40	0.22	-	SB12	Z1	Z2	Z3	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.21	1.19	0.18	23	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.21	1.19	0.19	24	0.40	0.22	-	SB12	Z1	Z2	Z3	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.21	1.19	0.19	24	0.40	0.22	-	SB12	Z1	Z2	Z3	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.22	26	0.40	0.25	-	SB12	Z1	Z2	Z3	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.20	25	0.40	0.22	-	SB12	Z1	Z2	Z3	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.20	25	0.40	0.22	-	SB12	Z1	Z2	Z3	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.22	1.25	0.18	22	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S			

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Int/box (L/s-m ²)	VT	CR	ON			Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.21	1.19	0.20	25	0.40	0.22	-	SB12	Z1	Z2	Z3	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.21	1.19	0.20	25	0.40	0.22	-	SB12	Z1	Z2	Z3	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.21	25	0.40	0.24	-	SB12	Z1	Z2	Z3	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.19	24	0.40	0.22	-	SB12	Z1	Z2	Z3	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.22	1.25	0.18	22	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.22	1.25	0.19	23	0.40	0.22	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.22	1.25	0.19	23	0.40	0.22	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.22	1.25	0.19	23	0.40	0.22	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	-	0.21	1.19	0.13	21	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.21	1.19	0.12	20	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.21	1.19	0.12	20	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.21	1.19	0.11	19	0.40	0.18	-	SB12	Z1	-	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.21	1.19	0.12	20	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.21	1.19	0.12	20	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	-	0.21	1.19	0.22	26	0.40	0.23	-	SB12	Z1	Z2	Z3	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.21	1.19	0.20	25	0.40	0.21	-	SB12	Z1	Z2	Z3	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.21	1.19	0.20	25	0.40	0.21	-	SB12	Z1	Z2	Z3	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.21	1.19	0.19	24	0.40	0.19	-	SB12	Z1	Z2	Z3	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.21	1.19	0.20	25	0.40	0.21	-	SB12	Z1	Z2	Z3	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.22	1.25	0.20	23	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.13	21	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.12	20	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.12	20	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.21	1.19	0.11	19	0.40	0.18	-	SB12	Z1	-	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.21	1.19	0.12	20	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S		
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.21	1.19	0.12	20	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S		

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON				Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.14	21	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.12	20	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.22	1.25	0.12	19	0.40	0.18	-	SB12	Z1	-	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.22	1.25	0.12	19	0.40	0.19	-	SB12	Z1	-	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.22	1.25	0.12	19	0.40	0.19	-	SB12	Z1	-	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.12	20	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.16	22	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.22	26	0.40	0.23	-	SB12	Z1	Z2	Z3	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.20	25	0.40	0.21	-	SB12	Z1	Z2	Z3	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.20	25	0.40	0.21	-	SB12	Z1	Z2	Z3	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.22	1.25	0.19	23	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.22	1.25	0.20	23	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.22	1.25	0.20	23	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	-	0.22	1.25	0.22	25	0.40	0.23	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.22	1.25	0.20	23	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.23	1.31	0.19	22	0.40	0.19	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.23	1.31	0.20	22	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.22	1.25	0.20	23	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - 3/4 Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.22	1.25	0.20	23	0.40	0.21	-	SB12	Z1	Z2	-	N	NC	SC	S			
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.32	1.82	0.42	24	0.40	0.48	59	SB12	-	-	-	-	-	-	-			
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.32	1.82	0.36	20	0.40	0.41	59	SB12	-	-	-	-	-	-	-			
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.32	1.82	0.36	20	0.40	0.41	59	SB12	-	-	-	-	-	-	-			
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.32	1.82	0.31	17	0.40	0.35	59	SB12	-	-	-	-	-	-	-			
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.32	1.82	0.36	20	0.40	0.41	59	SB12	-	-	-	-	-	-	-			
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.33	1.87	0.36	19	0.40	0.41	59	SB12	-	-	-	-	-	-	-			
Frenh Door - Full Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.32	1.82	0.43	24	0.40	0.48	58	SB12	-	-	-	-	-	-	-			

PRODUCT	NFRC CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON			Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN		
Frenh Door - Full Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.32	1.82	0.37	21	0.40	0.41	58	SB12	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.32	1.82	0.37	21	0.40	0.41	58	SB12	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.34	1.93	0.32	15	0.40	0.35	58	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.33	1.87	0.37	20	0.40	0.41	58	SB12	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.33	1.87	0.37	20	0.40	0.41	58	SB12	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.32	1.82	0.42	24	0.40	0.48	56	SB12	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.32	1.82	0.36	20	0.40	0.41	56	SB12	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.36	2.04	0.31	12	0.40	0.35	56	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.36	2.04	0.36	15	0.40	0.41	56	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.35	1.99	0.36	16	0.40	0.41	56	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.34	1.93	0.36	18	0.40	0.41	56	SB12	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.23	14	0.40	0.42	60	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.20	12	0.40	0.36	60	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.20	12	0.40	0.36	60	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.18	11	0.40	0.30	60	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.31	1.76	0.20	12	0.40	0.36	60	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.32	1.82	0.20	11	0.40	0.36	60	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.24	16	0.40	0.42	60	-	-	-	-	N	NC	SC	S		
Frenh Door - Full Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.21	14	0.40	0.36	60	-	-	-	-	N	NC	SC	S		
Frenh Door - Full Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.21	14	0.40	0.36	60	-	-	-	-	N	NC	SC	S		
Frenh Door - Full Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.32	1.82	0.18	10	0.40	0.30	60	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.32	1.82	0.21	12	0.40	0.36	60	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.32	1.82	0.21	12	0.40	0.36	60	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.24	15	0.40	0.42	58	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.21	13	0.40	0.36	58	-	-	-	-	-	-	-	-		
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.35	1.99	0.18	6	0.40	0.30	58	-	-	-	-	-	-	-	-		

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	Canada ENERGY STAR				U.S. ENERGY STAR			
															ON SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.35	1.99	0.21	8	0.40	0.36	58	-	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.34	1.93	0.21	9	0.40	0.36	58	-	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.32	1.82	0.21	12	0.40	0.36	58	-	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	-	0.33	1.87	0.44	24	0.40	0.45	58	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.33	1.87	0.38	20	0.40	0.38	58	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.33	1.87	0.38	20	0.40	0.38	58	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.33	1.87	0.33	17	0.40	0.32	58	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.33	1.87	0.38	20	0.40	0.38	58	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.34	1.93	0.38	19	0.40	0.38	58	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	-	0.33	1.87	0.45	24	0.40	0.44	57	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.33	1.87	0.39	21	0.40	0.38	57	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.33	1.87	0.39	21	0.40	0.38	57	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.35	1.99	0.33	15	0.40	0.32	57	-	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.34	1.93	0.39	19	0.40	0.38	57	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 3mm	CS73 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.34	1.93	0.39	19	0.40	0.38	57	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	-	0.33	1.87	0.44	24	0.40	0.45	55	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.33	1.87	0.38	20	0.40	0.38	55	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.37	2.10	0.33	12	0.40	0.32	55	-	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.37	2.10	0.38	15	0.40	0.38	55	-	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.36	2.04	0.38	16	0.40	0.38	55	-	-	-	-	-	-	-	-
Frenh Door - Full Lite		Double, 4mm	CS73 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.35	1.99	0.38	18	0.40	0.38	55	SB12	-	-	-	-	-	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	-	0.21	1.19	0.27	29	0.40	0.31	-	SB12	Z1	Z2	Z3	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.21	1.19	0.25	28	0.40	0.28	-	SB12	Z1	Z2	Z3	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.21	1.19	0.25	28	0.40	0.28	-	SB12	Z1	Z2	Z3	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.21	1.19	0.23	26	0.40	0.27	-	SB12	Z1	Z2	Z3	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.21	1.19	0.25	28	0.40	0.28	-	SB12	Z1	Z2	Z3	N	NC	SC	S

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	Canada ENERGY STAR				U.S. ENERGY STAR			
															ON SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	8070 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.21	1.19	0.25	28	0.40	0.28	-	SB12	Z1	Z2	Z3	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.27	29	0.40	0.32	-	SB12	Z1	Z2	Z3	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.25	28	0.40	0.29	-	SB12	Z1	Z2	Z3	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.25	28	0.40	0.29	-	SB12	Z1	Z2	Z3	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.22	1.25	0.23	25	0.40	0.27	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.21	1.19	0.25	28	0.40	0.29	-	SB12	Z1	Z2	Z3	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	8070 #5	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.21	1.19	0.25	28	0.40	0.29	-	SB12	Z1	Z2	Z3	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.27	29	0.40	0.31	-	SB12	Z1	Z2	Z3	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.25	28	0.40	0.28	-	SB12	Z1	Z2	Z3	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.23	1.31	0.23	24	0.40	0.27	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.23	1.31	0.25	25	0.40	0.28	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.22	1.25	0.25	26	0.40	0.28	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ Storm Panel	8070 #5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.22	1.25	0.25	26	0.40	0.28	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	-	0.20	1.14	0.17	24	0.40	0.27	-	SB12	Z1	Z2	Z3	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.20	1.14	0.15	23	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.20	1.14	0.15	23	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.20	1.14	0.14	22	0.40	0.23	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.20	1.14	0.15	23	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.21	1.19	0.15	22	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	-	0.21	1.19	0.28	29	0.40	0.29	-	SB12	Z1	Z2	Z3	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.21	1.19	0.26	28	0.40	0.27	-	SB12	Z1	Z2	Z3	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	Lead Overlay	0.21	1.19	0.26	28	0.40	0.27	-	SB12	Z1	Z2	Z3	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.21	1.19	0.24	27	0.40	0.25	-	SB12	Z1	Z2	Z3	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.21	1.19	0.26	28	0.40	0.27	-	SB12	Z1	Z2	Z3	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.22	1.25	0.26	27	0.40	0.27	-	SB12	Z1	Z2	-	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	-	0.20	1.14	0.17	24	0.40	0.27	-	SB12	Z1	Z2	Z3	N	NC	SC	S

PRODUCT	NFRCPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	Canada ENERGY STAR				U.S. ENERGY STAR			
															ON SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.20	1.14	0.15	23	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	Lead Overlay	0.20	1.14	0.15	23	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.21	1.19	0.14	21	0.40	0.23	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.21	1.19	0.15	22	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.21	1.19	0.15	22	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.17	23	0.40	0.27	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.16	22	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.22	1.25	0.15	21	0.40	0.23	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.22	1.25	0.16	21	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	7036 #4	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.22	1.25	0.16	21	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	-	0.21	1.19	0.29	30	0.40	0.29	-	SB12	Z1	Z2	Z3	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.21	1.19	0.26	28	0.40	0.26	-	SB12	Z1	Z2	Z3	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	Lead Overlay	0.21	1.19	0.26	28	0.40	0.26	-	SB12	Z1	Z2	Z3	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.22	1.25	0.24	26	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.22	1.25	0.26	27	0.40	0.26	-	SB12	Z1	Z2	-	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 3mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.22	1.25	0.26	27	0.40	0.26	-	SB12	Z1	Z2	-	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	-	0.22	1.25	0.28	28	0.40	0.29	-	SB12	Z1	Z2	-	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.22	1.25	0.26	27	0.40	0.27	-	SB12	Z1	Z2	-	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.23	1.31	0.24	24	0.40	0.25	-	SB12	Z1	Z2	-	N	NC	SC	S
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.23	1.31	0.26	26	0.40	0.27	-	SB12	Z1	Z2	-	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.23	1.31	0.26	26	0.40	0.27	-	SB12	Z1	Z2	-	N	NC	-	-
Frenh Door - Full Lite w/ Storm Panel		Double, 4mm w/ storm panel	CS73 #5	Thermoplastic	Argon	Restoration	Interior Grille Only	0.22	1.25	0.26	27	0.40	0.27	-	SB12	Z1	Z2	-	N	NC	-	-
Picture	NCW-K-27-00010-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	-	-	0.29	1.65	0.63	40	0.00	0.72	58	SB12	Z1	Z2	Z3	N	-	-	-
Picture	NCW-K-27-00011-00001	Double, 4mm	8070 #3	Thermoplastic	Argon	-	-	0.28	1.59	0.61	40	0.00	0.71	57	SB12	Z1	Z2	Z3	N	-	-	-
Picture	NCW-K-27-00012-00001	Double, 5mm	8070 #3	Thermoplastic	Argon	-	-	0.29	1.65	0.60	39	0.00	0.71	55	SB12	Z1	Z2	Z3	N	-	-	-
Picture	NCW-K-27-00013-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	-	-	0.27	1.53	0.34	26	0.00	0.62	60	SB12	Z1	-	-	N	NC	-	-

PRODUCT	NFCR CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON				Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN			
Picture	NCW-K-27-00014-00001	Double, 4mm	7036 #2	Thermoplastic	Argon	-	-	0.26	1.48	0.34	27	0.00	0.62	59	SB12	Z1	-	-	N	NC	-	-			
Picture	NCW-K-27-00015-00001	Double, 5mm	7036 #2	Thermoplastic	Argon	-	-	0.27	1.53	0.34	26	0.00	0.62	56	SB12	Z1	-	-	N	NC	-	-			
Picture		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	-	0.23	1.31	0.33	30	0.00	0.61	49	SB12	Z1	Z2	-	N	NC	-	-			
Picture		Double, 4mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	-	0.22	1.25	0.33	32	0.00	0.60	48	SB12	Z1	Z2	-	N	NC	-	-			
Picture		Double, 5mm	7036 #2 + IS20 #4	Thermoplastic	Argon	-	-	0.23	1.31	0.33	30	0.00	0.60	45	SB12	Z1	Z2	-	N	NC	-	-			
Transom - 1.56 Stile	NCW-K-5-00129-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.30	1.70	0.51	32	0.30	0.58	54	SB12	Z1	Z2	-	N	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00129-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.46	29	0.30	0.52	54	SB12	Z1	Z2	-	N	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00129-00003	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.46	29	0.30	0.52	54	SB12	Z1	Z2	-	N	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00129-00004	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.30	1.70	0.41	26	0.30	0.47	54	SB12	Z1	-	-	-	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00129-00005	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.30	1.70	0.46	29	0.30	0.52	54	SB12	Z1	Z2	-	N	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00130-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.30	1.70	0.46	29	0.30	0.52	54	SB12	Z1	Z2	-	N	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00131-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.50	31	0.30	0.58	54	SB12	Z1	Z2	-	N	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00131-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.46	29	0.30	0.52	54	SB12	Z1	Z2	-	N	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00132-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.33	1.87	0.41	22	0.30	0.47	54	SB12	-	-	-	-	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00133-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.33	1.87	0.46	25	0.30	0.52	54	SB12	Z1	-	-	-	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00134-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.32	1.82	0.46	26	0.30	0.52	54	SB12	Z1	-	-	-	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00135-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.46	27	0.30	0.52	54	SB12	Z1	-	-	-	-	-	-			
Transom - 1.56 Stile	NCW-K-5-00150-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.28	1.59	0.28	21	0.30	0.50	55	SB12	Z1	-	-	-	NC	-	-			
Transom - 1.56 Stile	NCW-K-5-00150-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.28	1.59	0.25	19	0.30	0.45	55	SB12	Z1	-	-	-	NC	SC	S			
Transom - 1.56 Stile	NCW-K-5-00150-00003	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.28	1.59	0.25	19	0.30	0.45	55	SB12	Z1	-	-	-	NC	SC	S			
Transom - 1.56 Stile	NCW-K-5-00150-00004	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.28	1.59	0.23	18	0.30	0.40	55	SB12	Z1	-	-	-	NC	SC	S			
Transom - 1.56 Stile	NCW-K-5-00150-00005	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.28	1.59	0.25	19	0.30	0.45	55	SB12	Z1	-	-	-	NC	SC	S			
Transom - 1.56 Stile	NCW-K-5-00151-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.29	1.65	0.25	18	0.30	0.45	55	-	-	-	-	-	NC	SC	S			
Transom - 1.56 Stile	NCW-K-5-00152-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.29	1.65	0.28	20	0.30	0.50	55	-	-	-	-	-	NC	-	-			
Transom - 1.56 Stile	NCW-K-5-00152-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.29	1.65	0.25	18	0.30	0.45	55	-	-	-	-	-	NC	SC	S			
Transom - 1.56 Stile	NCW-K-5-00153-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.32	1.82	0.23	13	0.30	0.40	55	-	-	-	-	-	-	-	S			

PRODUCT	NFCR CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON				Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN			
Transom - 1.56 Stile	NCW-K-5-00154-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.32	1.82	0.25	14	0.30	0.45	55	-	-	-	-	-	-	-	-	-	S	
Transom - 1.56 Stile	NCW-K-5-00155-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.31	1.76	0.25	15	0.30	0.45	55	-	-	-	-	-	-	-	-	-	S	
Transom - 1.56 Stile	NCW-K-5-00156-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.30	1.70	0.25	17	0.30	0.45	55	-	-	-	-	-	NC	SC	-	S		
Transom - 1.56 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.25	1.42	0.27	24	0.30	0.49	47	SB12	Z1	-	-	N	NC	-	-			
Transom - 1.56 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.25	1.42	0.24	22	0.30	0.44	47	SB12	Z1	-	-	N	NC	SC	S			
Transom - 1.56 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.25	1.42	0.24	22	0.30	0.44	47	SB12	Z1	-	-	N	NC	SC	S			
Transom - 1.56 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.25	1.42	0.22	21	0.30	0.39	47	SB12	Z1	-	-	N	NC	SC	S			
Transom - 1.56 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.25	1.42	0.24	22	0.30	0.44	47	SB12	Z1	-	-	N	NC	SC	S			
Transom - 1.56 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.26	1.48	0.24	21	0.30	0.44	47	SB12	Z1	-	-	N	NC	SC	S			
Transom - 2.53 Stile	NCW-K-5-00136-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	-	0.31	1.76	0.44	26	0.30	0.50	55	SB12	Z1	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00136-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.31	1.76	0.40	24	0.30	0.45	55	SB12	-	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00136-00003	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	Lead Overlay	0.31	1.76	0.40	24	0.30	0.45	55	SB12	-	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00136-00004	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.31	1.76	0.36	22	0.30	0.40	55	SB12	-	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00136-00005	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.31	1.76	0.40	24	0.30	0.45	55	SB12	-	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00137-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.31	1.76	0.40	24	0.30	0.45	55	SB12	-	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00138-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.44	26	0.30	0.50	55	SB12	Z1	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00138-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.40	24	0.30	0.45	55	SB12	-	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00139-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.34	1.93	0.35	17	0.30	0.40	55	SB12	-	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00140-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.34	1.93	0.40	20	0.30	0.45	55	SB12	-	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00141-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.33	1.87	0.40	21	0.30	0.45	55	SB12	-	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00142-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.32	1.82	0.40	23	0.30	0.45	55	SB12	-	-	-	-	-	-	-	-		
Transom - 2.53 Stile	NCW-K-5-00157-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	-	0.29	1.65	0.24	17	0.30	0.44	56	-	-	-	-	-	NC	SC	-	S		
Transom - 2.53 Stile	NCW-K-5-00157-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.29	1.65	0.22	16	0.30	0.39	56	-	-	-	-	-	NC	SC	-	S		
Transom - 2.53 Stile	NCW-K-5-00157-00003	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.29	1.65	0.22	16	0.30	0.39	56	-	-	-	-	-	NC	SC	-	S		
Transom - 2.53 Stile	NCW-K-5-00157-00004	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.29	1.65	0.20	15	0.30	0.35	56	-	-	-	-	-	NC	SC	-	S		
Transom - 2.53 Stile	NCW-K-5-00157-00005	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.29	1.65	0.22	16	0.30	0.39	56	-	-	-	-	-	NC	SC	-	S		

PRODUCT	NFCR CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILL OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	ON				Canada ENERGY STAR			U.S. ENERGY STAR			
															SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN			
Transom - 2.53 Stile	NCW-K-5-00158-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Oval	5/8" SDL w/ Grille	0.30	1.70	0.22	15	0.30	0.39	56	-	-	-	-	-	NC	SC	S			
Transom - 2.53 Stile	NCW-K-5-00159-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.24	16	0.30	0.44	56	-	-	-	-	-	NC	SC	S			
Transom - 2.53 Stile	NCW-K-5-00159-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.22	15	0.30	0.39	56	-	-	-	-	-	NC	SC	S			
Transom - 2.53 Stile	NCW-K-5-00160-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.33	1.87	0.20	10	0.30	0.35	56	-	-	-	-	-	-	-	S			
Transom - 2.53 Stile	NCW-K-5-00161-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.33	1.87	0.22	11	0.30	0.39	56	-	-	-	-	-	-	-	S			
Transom - 2.53 Stile	NCW-K-5-00162-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.32	1.82	0.22	12	0.30	0.39	56	-	-	-	-	-	-	-	S			
Transom - 2.53 Stile	NCW-K-5-00163-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.22	14	0.30	0.39	56	-	-	-	-	-	-	-	S			
Transom - 2.53 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	-	0.27	1.53	0.24	20	0.30	0.42	48	SB12	Z1	-	-	N	NC	SC	S			
Transom - 2.53 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	Interior Grille Only	0.27	1.53	0.21	18	0.30	0.38	48	SB12	Z1	-	-	N	NC	SC	S			
Transom - 2.53 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	Lead Overlay	0.27	1.53	0.21	18	0.30	0.38	48	SB12	Z1	-	-	N	NC	SC	S			
Transom - 2.53 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	1-1/4" SDL w/ Grille	0.27	1.53	0.19	17	0.30	0.34	48	SB12	Z1	-	-	N	NC	SC	S			
Transom - 2.53 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	3/4"-1" SDL w/ Grille	0.27	1.53	0.21	18	0.30	0.38	48	SB12	Z1	-	-	N	NC	SC	S			
Transom - 2.53 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Oval	5/8" SDL w/ Grille	0.27	1.53	0.21	18	0.30	0.38	48	SB12	Z1	-	-	N	NC	SC	S			
Transom - 2.75 Stile	NCW-K-5-00143-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Oval	-	0.31	1.76	0.43	26	0.30	0.49	55	SB12	Z1	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00143-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Oval	Interior Grille Only	0.31	1.76	0.38	23	0.30	0.43	55	SB12	-	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00143-00003	Double, 3mm	8070 #3	Thermoplastic	Argon	Oval	Lead Overlay	0.31	1.76	0.38	23	0.30	0.43	55	SB12	-	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00143-00004	Double, 3mm	8070 #3	Thermoplastic	Argon	Oval	1-1/4" SDL w/ Grille	0.31	1.76	0.34	20	0.30	0.38	55	-	-	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00143-00005	Double, 3mm	8070 #3	Thermoplastic	Argon	Oval	3/4"-1" SDL w/ Grille	0.31	1.76	0.38	23	0.30	0.43	55	SB12	-	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00144-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Oval	5/8" SDL w/ Grille	0.31	1.76	0.38	23	0.30	0.43	55	SB12	-	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00145-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	-	0.31	1.76	0.43	26	0.30	0.49	55	SB12	Z1	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00145-00002	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Lead Overlay	0.31	1.76	0.38	23	0.30	0.43	55	SB12	-	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00146-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.34	1.93	0.34	17	0.30	0.38	55	-	-	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00147-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.34	1.93	0.38	19	0.30	0.43	55	SB12	-	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00148-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.33	1.87	0.38	20	0.30	0.43	55	SB12	-	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00149-00001	Double, 3mm	8070 #3	Thermoplastic	Argon	Restoration	Interior Grille Only	0.32	1.82	0.38	22	0.30	0.43	55	SB12	-	-	-	-	-	-	-			
Transom - 2.75 Stile	NCW-K-5-00164-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Oval	-	0.30	1.70	0.23	15	0.30	0.42	56	-	-	-	-	-	NC	SC	S			

PRODUCT	NFCR CPD	PANES	GLASS TYPE	SPACER	GAS FILL	STYLE	GRILLE OPTION	U-FACTOR	U-FACTOR Metric	SHGC	ER - Canada	Air Infiltration (L/s-m ²)	VT	CR	Canada ENERGY STAR				U.S. ENERGY STAR			
															ON SB12	ZONE 1	ZONE 2	ZONE 3	NORTHERN	N. CENTRAL	S. CENTRAL	SOUTHERN
Transom - 2.75 Stile	NCW-K-5-00164-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.30	1.70	0.21	14	0.30	0.38	56	-	-	-	-	-	NC	SC	S
Transom - 2.75 Stile	NCW-K-5-00164-00003	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	Lead Overlay	0.30	1.70	0.21	14	0.30	0.38	56	-	-	-	-	-	NC	SC	S
Transom - 2.75 Stile	NCW-K-5-00164-00004	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.30	1.70	0.19	13	0.30	0.33	56	-	-	-	-	-	NC	SC	S
Transom - 2.75 Stile	NCW-K-5-00164-00005	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.30	1.70	0.21	14	0.30	0.38	56	-	-	-	-	-	NC	SC	S
Transom - 2.75 Stile	NCW-K-5-00165-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.30	1.70	0.21	14	0.30	0.38	56	-	-	-	-	-	NC	SC	S
Transom - 2.75 Stile	NCW-K-5-00166-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	-	0.30	1.70	0.24	16	0.30	0.42	56	-	-	-	-	-	NC	SC	S
Transom - 2.75 Stile	NCW-K-5-00166-00002	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Lead Overlay	0.30	1.70	0.21	14	0.30	0.38	56	-	-	-	-	-	NC	SC	S
Transom - 2.75 Stile	NCW-K-5-00167-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	1-1/4" SDL w/ Grille	0.33	1.87	0.19	9	0.30	0.33	56	-	-	-	-	-	-	-	S
Transom - 2.75 Stile	NCW-K-5-00168-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	5/8" SDL w/ Grille	0.33	1.87	0.21	11	0.30	0.38	56	-	-	-	-	-	-	-	S
Transom - 2.75 Stile	NCW-K-5-00169-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	3/4"-1" SDL w/ Grille	0.32	1.82	0.21	12	0.30	0.38	56	-	-	-	-	-	-	-	S
Transom - 2.75 Stile	NCW-K-5-00170-00001	Double, 3mm	7036 #2	Thermoplastic	Argon	Restoration	Interior Grille Only	0.31	1.76	0.21	13	0.30	0.38	56	-	-	-	-	-	-	-	S
Transom - 2.75 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	-	0.27	1.53	0.23	19	0.30	0.41	48	SB12	Z1	-	-	N	NC	SC	S
Transom - 2.75 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Interior Grille Only	0.27	1.53	0.21	18	0.30	0.36	48	SB12	Z1	-	-	N	NC	SC	S
Transom - 2.75 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	Lead Overlay	0.27	1.53	0.21	18	0.30	0.36	48	SB12	Z1	-	-	N	NC	SC	S
Transom - 2.75 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	1-1/4" SDL w/ Grille	0.27	1.53	0.19	17	0.30	0.32	48	SB12	Z1	-	-	N	NC	SC	S
Transom - 2.75 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	3/4"-1" SDL w/ Grille	0.27	1.53	0.21	18	0.30	0.36	48	SB12	Z1	-	-	N	NC	SC	S
Transom - 2.75 Stile		Double, 3mm	7036 #2 + IS20 #4	Thermoplastic	Argon	Ovalo	5/8" SDL w/ Grille	0.27	1.53	0.21	18	0.30	0.36	48	SB12	Z1	-	-	N	NC	SC	S
									0.00		40											
									0.00		40											