





MATERIAL HANDLING & STORAGE



Hand Trucks	782 - 789
Platform Trucks	790 - 796
Panel Trucks	797 - 798
Pipe & Bar Carts	799
Shelf Trucks & Utility Carts	800 - 808
Wire Reel Caddies & Wire Mesh Trucks	809 - 811
Box Trucks	812 - 813
Tilt Trucks & Hoppers	814 - 815
Dollies & Rollers	816 - 819
Pallet Trucks	820 - 825
Lifting Tables	826 - 831
Pallet Lifters	832 - 834
Cranes	835 - 837
Lifting Clamps & Magnets	838 - 840
Hoists	841
Slings	842 - 843
Chains, Hooks & Cables	844 - 847
Dock Equipment	848 - 860
Warning Systems	861 - 863
Conveyors	864 - 865
Casters & Wheels	866 - 875
Drums & Drum Equipment	876 - 893
Drum Pumps & Pumps	894 - 905
Ladders & Scaffolding	906 - 923
Workbenches	924 - 941
Storage Cabinets	942 - 952
Lockers	953 - 959
Racking and Shelving	960-963, 969 - 985
Pallets & Tarps	964 - 968
Wire Shelving	986 - 996
Barriers, Partitions & Folding Gates	997 - 1001
Enclosures	1002 - 1011
Bins & Supports	1012 - 1026
Stack & Nest Containers	1027 - 1032
Distribution Containers & ESD Bins	1033 - 1035
Food Approved Bottles & Containers	1036 - 1039
Small Parts Storage	1040 - 1053
Bulk Containers	1054 - 1055

KLETON

**QUANTUM™
STORAGE
SYSTEMS**

Vestil
We've Got It!

DURHAM MFG™
Est. 1922

CHECKERS®
INDUSTRIAL SAFETY PRODUCTS, INC.

METALWARE

HAND TRUCKS

RUBBER WHEEL HAND TRUCKS

- Constructed of 1", 16-gauge steel tubing
- Nose plate 7-gauge steel
- Overall width: 19-1/2"
- Wheel dimensions: 8" x 2"
- Powder-coated



KLETON

Model No.	Description	Overall Height"	Nose Plate Dim. W" x D"	Capacity lbs.	Wt. lbs.	Price /Each
MK728	Continuous Handle	46	14 x 8 1/2	600	23	83.50
MK729	Dual Handle	48	14 x 8 1/2	600	24	83.50
MN103	P-handle	51	14 x 9	600	24	81.90
ML812	Replacement wheels	-	- - -	-	-	13.60



MK729

MK728

MN103

PNEUMATIC WHEEL HAND TRUCKS

- Constructed of 1", 16-gauge steel tubing
- Nose plate 8-gauge steel
- Overall width: 21-1/2"
- Wheel dimensions: 10" x 3"
- Powder-coated



KLETON

Model No.	Description	Overall Height"	Nose Plate Dim. W" x D"	Capacity lbs.	Wt. lbs.	Price /Each
MH300	Dual Handle	46	14 x 9	600	20	94.45
MH301	Continuous Handle	48	14 x 9	600	22	94.45
MH302	P-handle	51	14 x 9	600	22	94.45
ML810	Replacement wheels	-	- - -	-	-	15.10



MH301

MH300

MH302

FLAT FREE WHEEL HAND TRUCKS

- Constructed of 1", 16-gauge steel tubing
- Nose plate 8-gauge steel
- Overall width: 22"
- Wheel dimensions: 10" x 3 1/2"
- Powder-coated



KLETON

Model No.	Description	Overall Height"	Nose Plate Dim. W" x D"	Capacity lbs.	Wt. lbs.	Price /Each
MN389	Dual Handle	46	14 x 9	600	20	137.00
MN390	Continuous Handle	48	14 x 9	600	22	137.00
MN391	P-Handle	51	14 x 9	600	22	137.00
MN378	Replacement wheels	-	- - -	-	-	35.30



MN389

MN390

MN391

HEAVY-DUTY HAND TRUCKS

- All welded construction
- Constructed of 1-1/4", 14 gauge steel tube
- Nose plate 6-gauge steel
- Overall Width: 20"
- Powder-coated paint
- Durable Kleton blue enamel finish



KLETON

Model No.	Description	Overall Height"	Nose Plate Dim. W" x D"	Capacity lbs.	Wt. lbs.	Price /Each
10" X 3" PNEUMATIC WHEELS						
MK731	Dual Handle	46	14 x 8	800	36	135.00
MO120	Continuous Handle	50	14 x 8-3/4	800	28	135.00
MO122	P-Handle	50-3/4	14 x 8-3/4	800	29	135.00
ML811	Replacement wheels	-	- - -	-	-	20.40
8" X 2" MOLD-ON RUBBER WHEELS						
MK730	Dual Handle	46	14 x 8	1000	36	121.00
MO119	Continuous Handle	50	14 x 8-3/4	1000	28	121.00
MO121	P-Handle	50-3/4	14 x 8-3/4	1000	29	121.00
ML813	Replacement wheels	-	- - -	-	-	18.05



MK730

MO120

MO122

HAND TRUCK ATTACHMENTS

- Constructed of 1", 14-gauge steel tubing
- Allows extra versatility to adapt to changing material handling requirements without the extra cost
- Easy to install
- Designed to fit most hand trucks with a 14" frame width
- Durable Kleton blue enamel finish



KLETON

Model No.	Description	Wt. lbs.	Price /Each
MA378	Chair Mover Attachment	15	222.00
MA385	Table Mover Attachment	25	265.00



MA378



MA385

CONVERTIBLE DELUXE STEEL HAND TRUCKS


- Quickly converts from a 2-wheel hand truck to a 4-wheel platform truck
- Constructed of 1" round 14-gauge steel tubing
- 8" x 14" nose plate
- Comes with 2 welded-on stair glides
- Two 10" full pneumatic wheels and two 3" bolted-on casters
- Hand truck capacity: 600 lbs.; platform truck capacity: 800 lbs.
- Durable Kleton blue enamel finish



Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.	Price /Each
ML320	14 x 43 x 45	58	469.00

DELUXE 12" NOSE PLATE HAND TRUCKS


- Constructed of 1" round 14-gauge steel tubing
- Transport short to tall loads easily
- P handle ideal for one hand control
- Strong 12" x 14" x 3/16" thick nose plate
- Double welded 3/16" x 1 1/2" cross bars
- Add a folding nose extension to be able to transport larger loads
- Two 10" full pneumatic wheels
- Capacity: 700 lbs.
- Durable Kleton blue enamel finish



ML323
Nose Extension



ML321



ML322

HEAVY-DUTY SPADE TRUCKS

- Constructed of double-welded 1 1/4" round 14-gauge steel tubing
- Oversized nose plate and easy grip frame helps with the balancing of larger items
- Tapered 22" x 1/4" x 13" deep thick nose plate
- Two 10" mould-on rubber wheels
- Durable Kleton blue enamel finish



Model No.	Dimensions W" x H"	Cap lbs.	Wt. lbs.	Price /Each
ML324	22" x 53"	1200	92	339.00

Model No.	Description	Overall Dimensions W" x H"	Wt. lbs.	Price /Each
ML321	Lo-Boy	23 x 50	55	212.00
ML322	Hi-Boy	23 x 72	60	264.00
ML323	Nose extension	12 x 22" Nose Length	7.75	99.99

HEAVY-DUTY DUAL HANDLE HAND TRUCKS

- Constructed of 1 1/4", 14-gauge steel tubing
- Nose plate 6-gauge steel
- Overall height: 46"
- Overall width: 20"
- 8" x 12" nose plate
- Powder-coated



Model No.	Wheel Size"	Capacity lbs.	Wt. lbs.	Price /Each
MA376	10 x 2	1000	40	379.00



MA376

LOAD RETENTION HAND TRUCKS

- Constructed of 1" round 14-gauge steel tubing
- 18 1/2" x 53" load retention grill to safely handle wide and awkward loads
- 7-gauge steel nose plate
- 18 1/2" W x 9 3/4" D nose plate
- Two 10" full pneumatic wheels
- Capacity: 600 lbs.
- Durable Kleton blue enamel finish

Model No. MN412
Price/Each \$349.00



REPLACEMENT PARTS & WHEELS

Model No.	Description	Price /Each
MN694	Rubber Wheel	33.90
ML030	Hand Grip	5.10

HAND TRUCKS

RUBBER WHEEL ALUMINUM HAND TRUCKS

- Strong lightweight hand truck provides exceptional durability and versatility
- Weld-free construction for easy maintenance
- Wheel Size: 8" H x 2" W
- Capacity: 500 lbs.
- Shipped knocked down



KLETON



Model No.	Wheel Material	Overall Dimensions			Nose Plate Dimensions			Price /Each
		W"	x	H"	W"	x	D"	
DUAL HANDLE								
MO891	Mold-On Rubber	20	x	52	18	x	7-1/2	252.00
P-HANDLE								
MO073	Rubber	14	x	52	14	x	7-1/2	256.00
MN027	Mold-On Rubber	21	x	48	18	x	7-1/2	254.00
CONTINUOUS HANDLE								
MN024	Mold-On Rubber	16	x	48	14	x	7-1/2	236.00
MN025	Mold-On Rubber	20	x	48	18	x	7-1/2	257.00
MO892	Mold-On Rubber	20	x	48	18	x	7-1/2	247.00

FOLDING HAND TRUCK

- Lightweight and durable aluminum construction
- Convenient folding construction permits storage in small spaces
- Comfortable ergonomic handle
- Elastic straps help to secure load
- 5" x 1 1/4" non-marking and shock-absorbing rubber wheels
- 15 1/4" W x 11" D nose plate
- Capacity: 175 lbs.
- Overall Dimensions: 15-1/2" W x 39-5/8" H
- Weight: 9 lbs.

Model No. ML447
Price/Each \$100.00

KLETON



Can't find what
you're looking for?
Call us today!



HAND TRUCK ACCESSORIES

FRAME EXTENSIONS

- Size: 17"
Model No. MN021
Price/Each \$15.55
- Size: 23"
Model No. MN022
Price/Each \$20.50



MN021



MN022

STAIR CLIMBERS

Model No. MN015
Price/Each \$49.10



MN015

NOSE EXTENSIONS

- Size: 20"
 - Only compatible with cast nose plates
- Model No. MN019
Price/Each \$41.00



MN019

KLETON

REPLACEMENT WHEELS

- 10" Pneumatic
Model No. MN012
Price/Each \$28.05
- 8" Mold-on rubber
Model No. MN013
Price/Each \$27.20
- 10" Flat-free
Model No. MN014
Price/Each \$37.40



MN012



MN013



MN014



HAND TRUCKS

FLAT-FREE WHEEL ALUMINUM HAND TRUCKS

- Strong lightweight hand truck provides exceptional durability and versatility
- Weld-free construction for easy maintenance
- Wheel Size: 10" H x 3" W
- Capacity: 500 lbs.
- Shipped knocked down



KLETON



Model No.	Handle Type	Overall Dimensions W" x H"	Nose Plate Dimensions W" x D"	Price /Each
MO078	Continuous	14 x 48	14 x 7-1/2	243.00
MO896	Continuous	18 x 48	18 x 7-1/2	254.00
MO077	Continuous	18 x 48	18 x 10	273.00
MO075	Continuous	14 x 52	14 x 7-1/2	251.00

Model No.	Handle Type	Overall Dimensions W" x H"	Nose Plate Dimensions W" x D"	Price /Each
MO072	Dual Handle	18 x 52	18 x 7-1/2	268.00
MN032	Dual Handle	18 x 52	18 x 10	327.00
MO898	P-Handle	16 x 52	14 x 7-1/2	303.00
MO080	P-Handle	18 x 52	18 x 7-1/2	280.00
MN029	P-Handle	18 x 52	18 x 7-1/2	306.00

PNEUMATIC WHEEL ALUMINUM HAND TRUCKS

- Strong lightweight hand truck provides exceptional durability and versatility
- Weld-free construction for easy maintenance
- Wheel Size: 10" H x 3" W
- Capacity: 500 lbs.
- Shipped knocked down



KLETON



Model No.	Handle Type	Overall Dimensions W" x H"	Nose Plate Dimensions W" x D"	Price /Each
MO074	P-Handle	14 x 52	14 x 7-1/2	246.00
MO079	P-Handle	18 x 52	18 x 7-1/2	270.00
MN028	P-Handle	18 x 52	18 x 7-1/2	271.00
MO894	P-Handle	18 x 52	18 x 7-1/2	260.00
MO893	Continuous	16 x 48	14 x 7-1/2	251.00
MO895	Continuous	16 x 48	14 x 7-1/2	242.00

Model No.	Handle Type	Overall Dimensions W" x H"	Nose Plate Dimensions W" x D"	Price /Each
MN026	Continuous	16 x 52	14 x 7-1/2	292.00
MO076	Continuous	18 x 48	18 x 10	255.00
MN030	Dual Handle	16 x 52	18 x 7-1/2	275.00
MO071	Dual Handle	18 x 52	18 x 7-1/2	253.00
MN031	Dual Handle	18 x 52	18 x 10	293.00
MN033	Dual Handle	21 x 52	18 x 7-1/2	270.00

HAND TRUCKS

ALUMINUM HAND TRUCKS

- Strength, durability and versatility in a lightweight truck
- Totally modular trucks have no welds to break
- 500-lb. capacity on all models
- Shipped knocked down.



MAGLINER®



	Model No.	Nose Plate W" x D"	Overall Height"	Wheels	Wt. lbs.	Price /Each
A.	MA250	14 x 7 1/2	48	8" Mold-On	18	299.00
B.	MA269	18 x 7 1/2	48	8" Mold-On	19	369.00
C.	MA275*	14 x 7 1/2	48	10" Pneumatic	21	399.00
D.	MA258	14 x 7 1/2	52	8" Mold-On	19	369.00
D.	MA255	14 x 7 1/2	52	10" Pneumatic	21	399.00
E.	MA263**	14 x 7 1/2	48	8" Mold-On	21	399.00
E.	MA261**	14 x 7 1/2	48	10" Pneumatic	24	419.00

** Includes stair climbers

	Model No.	Nose Plate W" x D"	Overall Height"	Wheels	Wt. lbs.	Price /Each
F.	MA271	18 x 9	48	8" Mold-On	19	379.00
F.	MA270	18 x 9	48	10" Pneumatic	22	409.00
G.	MA266	18 x 7 1/2	52	8" Mold-On	19	339.00
G.	MA265	18 x 7 1/2	52	10" Pneumatic	22	379.00
H.	MA268	18 x 7 1/2	52	8" Mold-On	19	379.00
H.	MA267	18 x 7 1/2	55	10" Pneumatic	22	399.00

* Frame has a curved back for cylindrical or flat loads

ACCESSORIES

FRAME EXTENSIONS

- 16" High U-frame extension

Model No. MD439
Price/Each \$25.10

- 23" High U-frame extension

Model No. MD438
Price/Each \$31.70

- 32" High U-frame extension

Model No. MD437
Price/Each \$42.70



STAIR CLIMBERS

- Aluminum with replaceable low-friction polymer skid bars

Model No. MA315
Price/Each \$68.00



FOLDING EXTENSIONS

- 20" extruded channel nose extension
- 30" extruded channel nose extension
- 24" formed plate extension, low plate profile for sliding under loads

Model No. XZ273 Price/Each \$86.70
Model No. MA317 Price/Each \$87.80
Model No. XZ272 Price/Each \$149.00



SELF-STABILIZING ALUMINUM HAND TRUCK CONVERSION KIT

- Kit includes wheel brackets, axle, all hardware, support arms, lift bar, kickstand, double or triple row multi-directional wheels, and assembly instructions

MAGLINER®



Model No.	Caster Type	For Wheel Size	Stair Climbers	Price /Each
FOR INDOOR CONTROLLED ENVIRONMENTS				
MO529	Double Row	8"	Not Included	439.00
MO531	Double Row	10"	Not Included	439.00
MO533	Double Row	10"	Included	529.00
FOR OUTDOOR RUGGED ENVIRONMENTS				
MO530	Triple Row	8"	Not Included	509.00
MO532	Triple Row	10"	Not Included	509.00
MO534	Triple Row	10"	Included	609.00



HAND TRUCKS

CONVERTIBLE HAND TRUCKS

- Converts easily from a 2-wheel hand truck to a 4-wheel platform truck
- Lightweight aluminum construction
- 5" polyurethane casters and 10" flat-free wheels
- Weight: 46.5 lbs.
- Shipped assembled



KLETON

Model No.	Nose Plate W" x D"	Hand Truck Cap. lbs.	Hand Truck Ht."	Platform Truck Cap. lbs.	Platform Truck L" x W"	Price /Each
MP503	18 x 10	600	52	1250	43 x 12	510.00

CONVERTIBLE HAND TRUCKS

- Converts easily from a 2-wheel hand truck to a 4-wheel platform truck
- 5" polyurethane casters and 10" pneumatic tires
- Frame Material: Aluminum
- Wheel Material: Pneumatic
- Wheel Size: 10" H x 2" W
- Weight: 42 lbs.
- Shipped assembled



KLETON

Model No.	Nose Plate W" x D"	Hand Truck Cap. lbs.	Hand Truck H"	Platform Truck Cap. lbs.	Platform Truck L" x W"	Price /Each
MP504	18 x 7-1/2	550	62	800	56 x 20	394.00

SELF-STABILIZING ALUMINUM HAND TRUCK

- Strength, durability and versatility in a lightweight truck
- Totally modular trucks have no welds to break
- Keeps the same stability with heavy loads
- Can be used in very confined areas
- No need to support load when stationary
- Frame Material: Aluminum
- Nose Plate Dimensions: 18" W x 7-1/2" D
- Wheel Material: Micro-Foam
- Wheel Size: 10" H x 3.5" W
- Capacity: 500 lbs
- Overall Width: 21"
- Shipped knocked down



MAGLINER®

Model No.	Handle Type	Caster Type	Frame Type	Price /Each
MO524	Continuous	Double Row	Straight	809.00
MO525	Dual Handle	Triple Row	Straight	939.00
MO526	P-handle	Double Row	Curved	879.00
MO527	P-handle	Double Row	Straight	869.00
MO528	Dual Handle	Double Row	Curved	839.00

GEMINI® CONVERTIBLE ALUMINUM TRUCKS

MAGLINER®



- Converts in seconds from a 2-wheel hand truck to a 4-wheel platform truck
- Lightweight, high strength aluminum construction
- Balanced to assure easier wheeling and positive load control
- 18" wide x 7 1/2" deep rugged cast aluminum nose plate
- 5" swivel casters
- 10" x 3 1/2" full pneumatic wheels
- 16 5/8" frame width, 20 1/2" O.A. width
- Shipped knocked down



Gemini Jr.

Gemini Sr.

Model No.	Hand Truck Cap.	Hand Truck Ht."	Platform Truck Cap. lbs.	Platform Truck Ht."	Length"	Wt. lbs.	Price /Each
MA319	500 lbs.	51	1000	40	38	44	549.00
MA320	500 lbs.	61	1000	45 1/8	51	45	549.00
OPTIONAL SNAP-ON DECK							Price/Each
MB198			43 1/4" For Gemini Jr.		5		149.00
MB197			56" For Gemini Sr.		6		159.00

THREE-POSITION SPARTAN III™ CONVERTIBLE HAND TRUCKS

- Can be used to transport all your needs, from general use items to bulky equipment
- 3 Positions: Vertical - 2 wheel, 45 Degree - 4 wheel, Platform - 4 wheel
- 7.5" W x 27" L recessed folding nose extension
- Handle type: Continuous handle
- Handle height: 48"
- 5" x 1.25 swivel casters
- 10" pneumatic wheels
- Capacity vertical 2 wheel: 500 lbs.
- Capacity 45 degree 4 wheel: 500 lbs.
- Capacity 4 wheel Platform: 750 lbs.
- Frame bed: 12" W x 51" L
- Shipped knocked down, boxed



WESCO®

Model No.	Frame Material	Nose Plate Dimensions W" x D"	Overall Dimensions W" x H"	Colour	Wt. lbs.	Price /Each
MN680	Aluminum	18 x 7.5	21.5 x 52	Aluminum	42	489.00

SPARTAN ALUMINUM ECONOMY CONVERTIBLE TRUCKS

- Converts easily from 2-wheel to 4-wheel
- 10" pneumatic wheels & 5" casters
- Frame Material: Aluminum
- Nose Plate Dimensions: 18" W x 7-1/2" D
- Hand Truck Capacity: 500 lbs.
- Platform Truck Capacity: 1000 lbs.
- Shipped knocked down



MH257



WESCO®

Model No.	Description	Size"	Price /Each
MH257	Jr.	52	539.00
MH258	Sr.	61-1/2	479.00

HAND TRUCKS

INDUSTRIAL DUTY APPLIANCE TRUCK

- Move large appliances easily
- Heavy-duty all-welded industrial construction
- Vinyl bumpers on face of truck to prevent damage to appliances
- Heavy-duty continuous stair climbers for easy climbing/descending
- 8" solid rubber wheels
- Ratchet mechanism for easy fastening of loads
- Overall dimensions: 14 1/2" L x 24" W x 59" H
- Capacity: 550 lbs.
- Weight: 46 lbs.

Model No. ML616
Price/Each \$407.00

KLETON



VENDING MACHINE APPLIANCE TRUCK

- Move large appliances easily
- Heavy-duty all-welded industrial construction
- Vinyl bumpers on face of truck to prevent damage to appliances
- Heavy-duty continuous stair climbers for easy climbing/descending
- Fold out rear legs with two 4" swivel casters
- 8" solid rubber front wheels
- Ratchet mechanism for easy fastening of loads
- Overall dimensions: 14 1/2" L x 24" W x 66" H
- Capacity: 850 lbs.
- Weight: 65 lbs.

Model No. ML617
Price/Each \$567.00

KLETON



VENDING MACHINE APPLIANCE TRUCK

- Retractable moldon rubber casters (3.5" diameter) help support load
- Heavy duty 8" cast iron center moldon rubber wheels with roller bearings
- Auto-rewind belt tightening system
- 66" O.A.H. / 24" O.A.W.
- 28.5" from nose plate to center of belt
- Material: Heavy-duty all welded steel
- Wheel type: Solid rubber
- Handle type: Dual Continuous Handle
- Capacity: 1200 lbs.

Model No. LT666
Mfg. No. 230018
Price/Each \$749.00

WESCO



HEAVY-DUTY APPLIANCE HAND TRUCK

- 1" heavy-duty pipe frame
- Wheel guards standard
- Dual handle design
- Kick out four wheel model
- Frame Material: Steel
- Includes 3.5" mold-on rubber swivel casters



WESCO

Model No.	Overall Dimensions			Nose Plate Dimensions			Capacity lbs.	Price /Each
	W"	x	H"	W"	x	D"		
M0147	20-1/2	x	50-1/4	16-1/2	x	10	1000	989.00

LIFTKAR® ALUMINUM STAIR CLIMBING HAND TRUCKS

- Battery-powered stair climbing hand trucks help reduce worker fatigue and the risk of injury, as well as reduce the number of employees needed to deliver cargo
- Pivoting and fixed ergonomic handle configurations available to handle a wide variety of cargo
- Lift wheels are uni-directional to help prevent cargo from accidentally rolling down the stairs
- Dual speed control on all models to fit your application
- Electronic overload protection protects operating components if capacity is exceeded
- 10" pneumatic wheels
- Capacity: 375 lbs.
- Quick-change battery and charger included
- **Nose plates sold separately**



Ergo Handle Type



Fold Handle Type



Uni Handle Type



Fold-L Handle Type

WESCO

Model No.	Frame Type	Dimensions			Price /Each
		W"	x	H"	
MN247	Ergo	18 1/2	x	63	8669.00
MN248	Fold	18	x	61 (40 Folded)	8909.00
MN249	Uni	17 1/2	x	59	8299.00
MN250	Fold-L	19	x	64 1/2 (51 Folded)	9269.00

NOSE PLATES

Model No.	Description	Dimensions			Price /Each
		W"	x	D"	
MN727	Grooved	16.5	x	13.4	459.00
MN728	Grooved	18.8	x	9.4	449.00
MN729	Smooth	18.45	x	10.9	439.00
MN730	Smooth	18.74	x	9.4	379.00
MN731	Smooth	17.7	x	7.5	389.00
MN732	Grooved	14	x	7	279.00
MN733	Grooved	23.25	x	7	429.00

Note: Each unit is capable of being customized with various options (i.e. wheel type and nose plate size). Also available in 240-lb. and 300-lb. capacities.

NYLON MOVING STRAPS

- Allows for safe movement of appliances and larger items
- Movers can constantly stay in an upright position during the move, reducing the risk of back injuries
- Capacity: 5000 lbs.
- Includes two transport straps and two adjustable straps

Model No. MD223
Price/Each \$375.00





HAND TRUCKS

NYLON LITE HAND TRUCKS

- Lighter than aluminum trucks
- Glass-filled nylon frame will not mar products or damage goods
- Steel handle, 7" x 14" steel base plate
- 10" x 3 1/2" pneumatic wheels
- 12" frame width
- 48" overall height
- Capacity: 500 lbs.
- Weight: 22 lbs.

Model No. MD642
Price/Each \$239.00



NYLON CONVERTIBLE HAND TRUCKS

- Glass-filled nylon frame
- Steel handle and 14 1/2" W x 7" D steel base plate
- Lighter than equivalent aluminum trucks
- Converts in seconds from 2-wheel hand truck to 4-wheel platform truck
- 5" swivel casters, 10" x 3 1/2" pneumatic wheels
- 12" frame width and 20 1/2" overall width
- Capacity: 600 lbs., two wheels; 700 lbs., four wheels



Model No.	Hand Truck Cap. lbs.	Hand Truck Ht"	Platform/Truck Ht"	Platform/Truck Length"	Wt. lbs.	Price /Each
MD643	600	49 1/2	36	40	25	449.00

FOLDING HAND TRUCKS

- Heavy-duty construction
- Easy to use latch system may be engaged with one hand
- 8" mold-on rubber wheels
- Comfort grip handle
- 14" x 7" locking folding nose plate
- Overall height: 48"
- Capacity: 500 lbs.
- Weight: 22 lbs.

Model No. MN117
Price/Each \$619.00

MAGLINER®



HAND TRUCKS WITH SWIVEL CASTERS

- 4" rear poly casters allow small diameter turns in tight areas
- Combination two handle and utility bar design reduces strain of lifting, lowering and transporting
- 8" deep nose plate
- 10" x 2 3/4" semi-pneumatic front wheels
- Overall dimensions: 20 1/2" W x 47 1/2" H
- Capacity: 800 lbs.
- Weight: 53 lbs.

Model No. MD758
Price/Each \$579.00

WESCO®



Y-CABLE BRAKE HAND TRUCKS

- Provides safer load control and reduces operator's accumulated muscle strain
- Easy ergonomic self-equalizing brake actuators
- 18" x 9" nose plate
- 10" pneumatic wheels
- Stair climber included
- Overall height: 60"
- Capacity: 500 lbs.
- Weight: 38 lbs.


Model No. MN119
Price/Each \$759.00

MAGLINER®



PORTABLE POLY HAND TRUCK DOCK PLATES

- Lightweight, ergonomic design is easy to use
- Beveled entry and exit edges
- For use with two and four-wheeled dollies, hand trucks and carts
- Raised surface for excellent traction in all weather conditions
- Aluminum legs for durability and strength
- Constructed of yellow HDPE



MO110

Model No.	Width Inside Curbs"	Overall Dimensions				Capacity lbs.	Price /Each
		W"	x	L"	x	H"	
MO110	35	35	x	36	x	5	750 382.00
MO111	45	45	x	36	x	5	750 488.00

HAND TRUCK CURB RAMPS

- Lightweight with two handles for easy pickup, carrying and handling
- Provides an ergonomically correct method to move heavy loads over curbs or up steps
- For use with hand trucks or wheeled carts
- Constructed of yellow HDPE



Model No.	Height"		Overall Dimensions		Capacity lbs.	Price /Each
	Min	Max	W"	x L"		
MO109	24	7	27	x 2-1/4	1000	152.00

SHIPPING CONTAINER RAMPS

- For use with hand trucks and dollies for loading and unloading
- Features a hook rail that attaches to the doorkeepers for secure, three-point contact and support




Model No.	Height"		Overall Dimensions		Capacity lbs.	Price /Each
	Min	Max	W"	x L"		
MO113	6-21/23	10	35	x 3	750	353.00

PLATFORM TRUCKS

STEEL DECK PLATFORM TRUCKS

- Choose from the largest selection of platform size and casters to meet your application
- All-welded design 14-gauge steel base
- Two turned down lip and reinforced channels underneath
- Double welded sockets
- Removable 1 1/4" chrome handle can be inserted in either end
- Two swivel and two rigid bolted-on casters
- Shipped knocked-down
- Kleton blue powder coat finish

KLETON



5" POLYOLEFIN CASTERS

- 900-lb. capacity evenly distributed

Model No.	Platform Size W" x L"	Deck Height"	Handle Height"	Wt. lbs.	Price /Each
MB238	24 x 36	8	36	61	292.00
MB246	24 x 48	8	36	74	333.00
MD427	30 x 48	8	36	80	366.00
MB254	30 x 60	8	36	94	440.00

REPLACEMENT PARTS & CASTERS

Model No.	Description	Price/Each
ML396	5" Rigid Polyolefin Caster	10.55
ML395	5" Swivel Polyolefin Caster	12.65
MB218	24" Chrome Handle	48.09
MB221	30" Chrome Handle	50.69



8" HIGH-TEMP NYLON CASTERS

- 1400-lb. capacity evenly distributed

Model No.	Platform Size W" x L"	Deck Height"	Handle Height"	Wt. lbs.	Price /Each
MB233	24 x 36	11	39	87	398.00
MB241	24 x 48	11	39	100	439.00
MD422	30 x 48	11	39	106	473.00
MB249	30 x 60	11	39	120	547.00

REPLACEMENT PARTS & CASTERS

Model No.	Description	Price/Each
ML865	8" Rigid High-Temp Nylon Caster	54.00
ML864	8" Swivel High-Temp Nylon Caster	64.15
MB218	24" Chrome Handle	48.09
MB221	30" Chrome Handle	50.69



5" NON-MARKING RUBBER CASTERS

- 1200-lb. capacity evenly distributed

Model No.	Platform Size W" x L"	Deck Height"	Handle Height"	Wt. lbs.	Price /Each
MB237	24 x 36	8	36	63	317.00
MB245	24 x 48	8	36	76	358.00
MD426	30 x 48	8	36	82	393.00
MB253	30 x 60	8	36	96	466.00

REPLACEMENT PARTS & CASTERS

Model No.	Description	Price/Each
ML338	5" Rigid Non-Marking Rubber Caster	22.25
ML337	5" Swivel Non-Marking Rubber Caster	24.15
MB218	24" Chrome Handle	48.09
MB221	30" Chrome Handle	50.69



8" MOLD-ON RUBBER CASTERS

- 1400-lb. capacity evenly distributed

Model No.	Platform Size W" x L"	Deck Height"	Handle Height"	Wt. lbs.	Price /Each
MB236	24 x 36	11	39	96	350.00
MB244	24 x 48	11	39	109	393.00
MD425	30 x 48	11	39	115	426.00
MB252	30 x 60	11	39	129	499.00

REPLACEMENT PARTS & CASTERS

Model No.	Description	Price/Each
ML853	8" Rigid Mold-On Rubber Caster	33.20
ML852	8" Swivel Mold-On Rubber Caster	40.15
MB218	24" Chrome Handle	48.09
MB221	30" Chrome Handle	50.69



6" HIGH-TEMP NYLON CASTERS

- 1300-lb. capacity evenly distributed

Model No.	Platform Size W" x L"	Deck Height"	Handle Height"	Wt. lbs.	Price /Each
MB232	24 x 36	9	37	77	365.00
MB240	24 x 48	9	37	90	407.00
MD421	30 x 48	9	37	96	440.00
MB248	30 x 60	9	37	110	514.00

REPLACEMENT PARTS & CASTERS

Model No.	Description	Price/Each
ML862	6" Rigid High-Temp Nylon Caster	40.55
ML861	6" Swivel High-Temp Nylon Caster	49.00
MB218	24" Chrome Handle	48.09
MB221	30" Chrome Handle	50.69



8" FULL PNEUMATIC CASTERS

- 1000-lb. capacity evenly distributed

Model No.	Platform Size W" x L"	Deck Height"	Handle Height"	Wt. lbs.	Price /Each
MB234	24 x 36	11	39	79	343.00
MB242	24 x 48	11	39	92	386.00
MD423	30 x 48	11	39	98	419.00
MB250	30 x 60	11	39	112	492.00

REPLACEMENT PARTS & CASTERS


Model No.	Description	Price/Each
MN221	8" Rigid Pneumatic Caster	23.45
MN222	8" Swivel Pneumatic Caster	26.60
MB218	24" Chrome Handle	48.09
MB221	30" Chrome Handle	50.69



HEAVY-DUTY PLATFORM TRUCKS

- Steel deck made of a heavy-duty all-welded 11-gauge steel with reinforced channel formed deck
- Wood deck features a sturdy 2" x 2" angle iron frame with quality hardwood decking
- Removable 1 1/4" chrome handle can be placed at either end
- Double-welded sockets
- Available in standard caster or diamond tilt placement
- Various casters are available to meet your specific application
- Two rigid and two swivel bolted-on casters
- Durable Kleton blue enamel finish

KLETON



8" MOLD-ON RUBBER CASTERS

- 2000-lb. capacity evenly distributed

Platform Size"	Deck Height"	Handle Height"	Wood Deck						Steel Deck					
			Standard Corner	Wt. lbs.	Price /Each	Diamond Tilt	Wt. lbs.	Price /Each	Standard Corner	Wt. lbs.	Price /Each	Diamond Tilt	Wt. lbs.	Price /Each
24 x 48	11	40	MB296	110	599.00	MB298	115	639.00	MB295	110	509.00	MB297	120	539.00
30 x 48	11	40	MB304	125	679.00	MB306	130	679.00	MB303	125	529.00	MD331	135	569.00
30 x 60	11	40	MB308	140	709.00	MD332	145	729.00	MB307	140	539.00	MB309	150	569.00
36 x 72	11	40	MB320	180	849.00	MB322	190	889.00	MB319	180	669.00	MB321	195	719.00
48 x 96	11	40	MB324	240	1639.00	MB326	250	1679.00	MB323	240	1329.00	MB325	260	1479.00



8" HIGH-TEMP NYLON CASTERS

- 2500-lb. capacity evenly distributed

Platform Size"	Deck Height"	Handle Height"	Wood Deck					Steel Deck						
			Standard Corner	Wt. lbs.	Price /Each	Diamond Tilt	Wt. lbs.	Price /Each	Standard Corner	Wt. lbs.	Price /Each	Diamond Tilt	Wt. lbs.	Price /Each
24 x 48	11	40	MB130	110	629.00	MB133	115	659.00	MB131	110	519.00	MB132	120	549.00
30 x 48	11	40	MB138	125	649.00	MB141	130	679.00	MB139	125	539.00	MB140	135	559.00
30 x 60	11	40	MB142	140	719.00	MB145	145	729.00	MB143	140	559.00	MB144	150	569.00
36 x 72	11	40	MB155	180	859.00	MB157	190	929.00	MB154	180	679.00	MB156	195	699.00
48 x 96	11	40	MB166	240	1529.00	MB169	250	1679.00	MB167	240	1419.00	MB168	260	1379.00



10" FULL PNEUMATIC CASTERS


- 1200-lb. capacity evenly distributed

Platform Size"	Deck Height"	Handle Height"	Wood Deck					Steel Deck						
			Standard Corner	Wt. lbs.	Price /Each	Diamond Tilt	Wt. lbs.	Price /Each	Standard Corner	Wt. lbs.	Price /Each	Diamond Tilt	Wt. lbs.	Price /Each
24 x 48	13	42	MB256	110	709.00	MB258	115	719.00	MB255	110	629.00	MB257	120	649.00
30 x 48	13	42	MB264	125	779.00	MB266	130	799.00	MB263	125	659.00	MB265	135	669.00
30 x 60	13	42	MB267	140	829.00	MB270	145	839.00	MB268	140	669.00	MB269	150	679.00
36 x 72	13	42	MB279	180	969.00	MB282	190	1049.00	MB280	180	819.00	MB281	195	789.00
48 x 96	13	42	MB284	240	1749.00	MB286	250	1799.00	MB283	240	1539.00	MB285	260	1599.00




CASTER PLACEMENT

- Standard corner pattern is 2 swivel casters in the back and 2 rigid casters in the front of the platform truck
- Diamond tilt pattern allows the truck to tilt-balance slightly on the centre side casters, allowing the truck to turn in its own length



Corner standard



Diamond Tilt

REPLACEMENT CASTERS

Model No.	Description	Price/Each
ML853	8" Rigid Mold-On Rubber Casterr	33.20
ML852	8" Swivel Mold-On Rubber Caster	40.15
ML865	8" Rigid High-Temp Nylon Caster	54.00
ML864	8" Swivel High-Temp Nylon Caster	64.15
MN223	10" Pneumatic Rigid Caster	26.50
MN224	10" Pneumatic Swivel Caster	28.20

REPLACEMENT HANDLES

Model No.	Description	Price/Each
MB218	24" Chrome Handle	48.09
MB221	30" Chrome Handle	50.69
MB224	36" Chrome Handle	80.09
MB226	48" Chrome Handle	90.99

PLATFORM TRUCKS

SPECIALIZED PLATFORM DECKS

SEMI LIVE SKIDS

- Ideal solution for removable temporary storage
- Heavy 11-gauge steel deck with reinforced channels
- 3/16" x 2" x 2" angle frame with hardwood deck
- 52" jack handle (sold separately) engages skids and converts them to portable truck
- Skids and handle roll on 8" Mold-On rubber wheels
- Can be stacked away when not in use
- 2000-lb. capacity evenly distributed
- Durable Kleton blue enamel finish



Model No.	Deck Size W" x L"	Deck Type	Deck Height"	Wt. lbs.	Price /Each
MB327	24 x 48	Steel	12	110	499.00
MB328	24 x 48	Wood	12	115	569.00
MB329	30 x 48	Steel	12	130	509.00
MB330	30 x 48	Wood	12	135	609.00
MB331	30 x 60	Steel	12	140	529.00
MB332	30 x 60	Wood	12	145	669.00
MB337	36 x 72	Steel	12	175	659.00
MB338	36 x 72	Wood	12	180	819.00
MB348	51" long	Jack Handle		30	233.00

REPLACEMENT CASTERS

Model No.	Description	Price/Each
ML853	8" Rigid Mold-On Rubber Caster	33.20



DEAD SKIDS

- Tough and durable platforms for temporary storage and handling of material
- Heavy 11-gauge steel deck with reinforced channels
- 3/16" x 2" x 2" angle frame with hardwood deck
- Available with steel or hardwood decks
- Four sturdy steel legs keep loads off the floor
- Can be stacked when not in use
- 2500-lb. capacity evenly distributed
- Durable Kleton blue enamel finish



Model No.	Deck Dimensions W" x L"	Platform Type	Deck Height"	Wt. lbs.	Price /Each
ML071	24 x 48	Steel	12	110	529.00
ML072	24 x 48	Wood	12	115	629.00
ML073	30 x 48	Steel	12	130	539.00
ML074	30 x 48	Wood	12	135	669.00
ML075	30 x 60	Steel	12	140	559.00
ML076	30 x 60	Wood	12	145	719.00
ML077	36 x 72	Steel	12	175	709.00
ML078	36 x 72	Wood	12	180	889.00

PLATFORM TRUCKS

ALL WOOD DECK PLATFORM TRUCKS

- Made of quality 7/8" hardwood with 5" x 1 5/8" hardwood sidewall
- Hardwood surface will not mar or scratch loads
- Removable 1 1/4" tubular chrome handle
- Mounted on two 12" wheels and two 6" swivel high-temp nylon casters
- 3000-lb. capacity evenly distributed



Model No.	Platform Size W" x L"	Deck Height"	Handle Height"	Wt. lbs.	Price /Each
MB122	24 x 48	15	44	150	1069.00
MB123	30 x 48	15	44	170	1079.00
MB124	30 x 60	15	44	195	1239.00
MB125	36 x 60	15	44	210	1299.00
MB126	36 x 72	15	44	230	1449.00

REPLACEMENT PARTS & CASTERS

Model No.	Description	Price/Each
MC340	12" Phenolic Wheel	72.70
ML861	6" Swivel High-Temp Nylon Caster	49.00
MB218	24" Chrome Handle	48.09
MB221	30" Chrome Handle	50.69
MB224	36" Chrome Handle	80.09

ERGONOMIC PLATFORM WAGON TRUCKS

- Flush deck allows for easy loading/unloading of cargo
- Steel deck made of an all-welded 11-gauge steel
- Quality hardwood deck features a 2" x 2" angle iron frame
- Handle can be raised up to 45"
- Fifth wheel design allows for easier manoeuvring
- T-handle with vinyl handgrips
- Rolls on four 10" pneumatic wheels
- 1000-lb. capacity evenly distributed
- Durable Kleton blue enamel finish



Steel Deck Model No.	Wt. lbs.	Price /Each	Wood Deck Model No.	Wt. lbs.	Price /Each	Size W" x L"	Platform Deck Height"
MD187	130	779.00	MD186	120	869.00	24 x 48	14 1/4
MD189	170	869.00	MD188	150	959.00	30 x 60	14 1/4
MD193	210	1039.00	MD192	190	1229.00	36 x 72	14 1/4

REPLACEMENT PARTS & WHEELS

Model No.	Description	Price/Each
MA382	Hand Grip	1.41
ML069	10" Pneumatic Wheel	25.50

ERGONOMIC PLATFORM TRUCKS

- Ergonomic handle is placed at a comfortable working height to alleviate back strains
- Picking list holder eliminates the need to handle loose papers
- Deck is constructed from 14-gauge all welded steel with a turned down lip and reinforced channels
- Two swivel and two rigid 8" mold-on rubber casters
- 48" L x 24" W
- Capacity: 1200 lbs. evenly distributed
- Kleton powder coat finish

Model No. ML892
Price/Each \$462.00



KLETON



ELEVATED PLATFORM TRUCKS

- All-welded steel construction, ready-to-use
- 11-gauge steel deck with 2" square tube frames
- 1 1/4" round tube handle extends 14" above deck
- Removable handle
- Durable Kleton blue enamel finish

MN413



KLETON

Model No.	Platform Dimensions W" x D"	Deck Height	Wheel Type	Capacity lbs.	Price /Each
MN413	24 x 48	28	8" Hi-Temp Nylon	2000	669.00
MN414	30 x 60	28	8" Hi-Temp Nylon	2000	689.00
MN415	24 x 48	28	8" Mold-On Rubber	1800	659.00
MN416	30 x 60	28	8" Mold-On Rubber	1800	689.00
MN417	24 x 48	31	10" Pneumatic	1000	769.00
MN418	30 x 60	31	10" Pneumatic	1000	809.00

ALUMINUM PLATFORM TRUCKS

- 40% lighter on average, than steel or wood-and-steel platform trucks
- Corrosion resistant for extra long life
- Box frame made of high strength all-welded aluminum channel
- Corner sockets at both ends allow handles to be used on either end of the truck
- Rubber corner bumpers prevent damage to walls and furniture
- Wide variety of casters to suit any application

8" PNEUMATIC CASTERS

Platform Size"	Capacity lbs.	Smooth Deck Model No.	Wt. lbs.	Price /Each	Tread Plate Deck Model No.	Wt. lbs.	Price /Each
24x36	1400	ML901	51	476.00	ML904	52	504.00
24x48	1400	ML902	55	504.00	ML905	57	540.00
30x60	1400	ML903	66	578.00	ML906	68	629.00

10" PNEUMATIC CASTERS

Platform Size"	Capacity lbs.	Smooth Deck Model No.	Wt. lbs.	Price /Each	Tread Plate Deck Model No.	Wt. lbs.	Price /Each
24x36	1600	ML907	56	528.00	ML910	57	565.00
24x48	1600	ML908	60	565.00	ML911	62	604.00
30x60	1600	ML909	71	646.00	ML912	73	702.00

8" FLAT-FREE CASTERS

Platform Size"	Capacity lbs.	Smooth Deck Model No.	Wt. lbs.	Price /Each	Tread Plate Deck Model No.	Wt. lbs.	Price /Each
24x36	1100	ML913	54	546.00	ML916	55	583.00
24x48	1100	ML914	58	583.00	ML917	60	624.00
30x60	1100	ML915	69	663.00	ML918	71	723.00

10" FLAT-FREE CASTERS

Platform Size"	Capacity lbs.	Smooth Deck Model No.	Wt. lbs.	Price /Each	Tread Plate Deck Model No.	Wt. lbs.	Price /Each
24x36	1200	ML919	58	604.00	ML922	59	646.00
24x48	1200	ML920	62	644.00	ML923	64	693.00
30x60	1200	ML921	73	740.00	ML924	75	807.00

8" MOLD-ON RUBBER CASTERS

Platform Size"	Capacity lbs.	Smooth Deck Model No.	Wt. lbs.	Price /Each	Tread Plate Deck Model No.	Wt. lbs.	Price /Each
24x36	2000	ML925	64	463.00	ML928	65	494.00
24x48	2000	ML926	68	494.00	ML929	70	528.00
30x60	2000	ML927	79	601.00	ML930	71	622.00

6" POLYURETHANE CASTERS

Platform Size"	Capacity lbs.	Smooth Deck Model No.	Wt. lbs.	Price /Each	Tread Plate Deck Model No.	Wt. lbs.	Price /Each
24x36	3400	ML931	48	512.00	ML934	49	540.00
24x48	3400	ML932	52	540.00	ML935	54	583.00
30x60	3400	ML933	63	622.00	ML936	65	680.00

8" POLYURETHANE CASTERS

Platform Size"	Capacity lbs.	Smooth Deck Model No.	Wt. lbs.	Price /Each	Tread Plate Deck Model No.	Wt. lbs.	Price /Each
24x36	4000	ML937	53	533.00	ML940	54	570.00
24x48	4000	ML938	57	567.00	ML941	59	605.00
30x60	4000	ML939	68	646.00	ML942	70	710.00

KLETON



ML901



ML910



ML916



ML925



ML922



ML940



ML931

PLATFORM TRUCKS

FOLDABLE PLATFORM TRUCKS

- Interlocking aluminum frame has a dual length platform: 16" x 20" or 16" x 28"
- Ideal when a solid, portable platform truck is required
- Folds down to a compact 9 1/2" x 16" x 20"
- Comes standard with vinyl corner bumpers
- Handle height is 32"
- 4" rubber casters
- Capacity: 300 lbs. evenly distributed



KLETON

Model No.	Cap lbs.	Wt. lbs.	Price /Each
MK990	300	18	129.00

FOLDING HANDLE PLATFORM TRUCKS

- Move supplies, forms and light equipment around the shop or office
- Quick-release handle folds flat for easy storage
- Heavy-gauge steel construction; non-skid vinyl-coated deck
- 33" handle height
- Vinyl, wrap around bumper protects walls and furniture



KLETON

Model No.	Platform Size W" x D"	Cap. lbs.	Caster Type	Wt. lbs.	Price /Each
MK988	19 x 29	400	4" Rubber	28	103.00
MK989	23 x 35	660	5" Rubber	42	143.00

HEAVY-DUTY PLATFORM TRUCKS

- Ideal for moving large and heavy loads
- Ergonomic handle design improves control and worker safety
- Powder-coated steel handle with retainer clips prevents unintended removal
- Steel reinforced deck for enhanced durability
- Molded-in-tie-down slots for load security
- Textured deck for enhanced durability
- Perimeter deck channel retains small items
- 2 fixed and 2 swivel casters
- Colour: Black
- Assembly required

ML565



Rubbermaid
Commercial Products®



Model No.	Overall Dimensions				Caster Type	Capacity lbs.	Wt. lbs.	Price /Each
	W" x L"	x	x	H"				
ML565	24 x 36	x	40		6" Rubber	1000	58	1001.18
ML566	24 x 36	x	40		6" Polyolefin	2000	63	1049.46
ML567	24 x 48	x	42		8" Rubber	2000	76	1118.40
ML568	24 x 48	x	42		8" Pneumatic	1200	76	1264.26
ML569	24 x 48	x	42		8" Polyolefin	2500	80	1142.76
ML570	30 x 60	x	42		8" Rubber	2000	87	1282.52
ML571	30 x 60	x	42		8" Pneumatic	1200	87	1425.38
ML572	30 x 60	x	42		8" Polyolefin	2500	100	1323.20

PLASTIC PLATFORM TRUCKS

- HDPE-molded structural plastic for strength and long-term durability
- Lightweight, easy to clean, chemical resistant and resists damage from long-term exposure to weather conditions
- Non-skid deck surface
- Removable steel handle
- Other caster options and capacities available upon request
- Caster assembly required

MN428



KLETON

Model No.	Caster Type	Platform Size W" x L"	Deck Height"	Handle Height"	Capacity lbs.	Wt. lbs.	Price /Each
MN428	8" Mold-On Rubber	24 x 48	11	39	2000	90	643.00
MN429	8" Mold-On Rubber	30 x 60	11	39	2000	117	858.00
MN430	8" Polyurethane	24 x 48	11	39	2500	79	673.00
MN431	8" Polyurethane	30 x 60	11	39	2500	106	889.00
MN432	10" Pneumatic	24 x 48	13	41	1200	84	598.00
MN433	10" Pneumatic	30 x 60	13	41	1200	111	813.00
MN434	10" Flat-Free	24 x 48	13	41	1000	85	663.00
MN435	10" Flat-Free	30 x 60	13	41	1000	117	879.00
MN436	8" Pneumatic	24 x 48	11	39	1000	79	589.00
MN437	8" Pneumatic	30 x 60	11	39	1000	106	804.00
MN438	8" Flat-Free	24 x 48	11	39	900	80	627.00
MN439	8" Flat-Free	30 x 60	11	39	900	107	842.00

INSTITUTIONAL PLATFORM TRUCKS

- Ideal truck for institutional applications - hospitals, restaurants, shopping centres, offices, industry and anywhere else a quiet ride and professional appearance is required
- 14-gauge steel deck with 2" lip underneath
- Non-skid rubber surface means product will not shift during use
- Rubber corner bumpers protect walls and furniture
- 1 1/4" tubular chrome handle with end panel contains small packages
- 5" non-marking rubber casters for a smooth, quiet ride; two rigid/two swivel
- 1200-lb. capacity evenly distributed
- Shipped knocked down

Chrome Handle!



KLETON

Model No.	Dimensions L" x W"	Wt lbs.	Price /Each
MB190	36 x 24	64	579.00
MB208	48 x 24	70	609.00
MB207	48 x 30	88	759.00
MB209	60 x 30	100	779.00

K
CUSTOM

FOLDING ERGO-HANDLE PLATFORM TRUCK

- Deck Width: 24"
- Deck Length: 35-1/2"
- Handle Height: 41"
- Capacity: 660 lbs.
- Wheel Material: Mold-on Rubber
- Deck Type: Tread Plate
- Corner bumpers
- Ergonomic European style handle
- Includes (2) 7" swivel (2) 7" rigid casters

Model No. MO097
Price/Each \$379.00

WESCO®



WOOD DECK/STEEL FRAME U-BOATS

- Removable handles
- 2 rigid center casters and 4 swivel end casters allow trucks to turn on their own radius
- Provides easy maneuverability in narrow aisles and confined areas
- Handle Height: 60"
- Caster Placement: Corner Standard



WESCO®

Model No.	Mfg. No.	Deck Width"	Deck Length"	Capacity lbs.	Wheel Diameter"	Wheel Material	Price /Each
M0128	273294	16	60	1750	8	Mold-On Rubber	549.00

TRIPLE™ TROLLEYS

- Three position handle lets users push, pull or fold flat for space efficient storage
- Non-skid surface helps prevent load shifting
- Durable, structural foam deck won't rust, dent or bend
- 5" mark resistant casters give stability over rough surfaces
- Colour: Black



Rubbermaid®
Commercial Products

Model No.	Description	Size W" x L" x H"	Cap. lbs.	Wt. lbs.	Price /Each
MH708	Standard Trolley	20 1/2 x 32 1/2 x 37 3/4	500	25	350.84

ALUMINUM U-BOAT PLATFORM TRUCKS

- Removable handles
- 2 rigid center casters and 4 swivel end casters allow trucks to turn on their own radius
- Provides easy maneuverability in narrow aisles and confined areas
- Open deck design
- Deck Width: 16"
- Deck Length: 63"
- Handle Height: 61"
- Capacity: 1322 lbs.
- Caster Placement: Corner Standard
- Wheel Diameter: 5"
- Wheel Material: Polyurethane
- Deck Type: Smooth

Model No. M0195
Mfg. No. 270339
Price/Each \$689.00



WESCO®

TROLLEYS

- Durable construction resistant to chipping and peeling
- Three convenient handle positions: up, 45° angle and folded down
- 5" casters are resistant to marking
- Deck width 20-1/2"
- Deck length 31-3/4"
- Handle height: 27"
- Capacity: 500 lbs.
- Wheel diameter: 5"
- Wheel type: rubber
- Deck height: 6"

Model No. JH489
Price/Each \$142.00

KLETON



KLETON



**CANADA'S LEADING
MATERIAL HANDLING SUPPLIER**

PLATFORM TRUCKS

SIDE PANEL PLATFORM TRUCKS

- Ideal for transporting and retaining small packages and materials
- Ergonomic handle design improves control and worker safety
- Side panels easily remove to accommodate oversize loads
- Side panel cut outs allows for ergonomic access of contents
- Steel reinforced deck for enhanced durability
- Molded-in tie-down slots for load security
- Textured deck surface reduces load slippage
- Perimeter deck channel retains small items
- Heavy-duty steel wire panels with 3" x 3" grid
- 2 fixed and 2 swivel casters
- Colour: Black
- Assembly required



Model No.	Overall Dimensions			Caster	Capacity Type	Wt. lbs.	lbs.	Price /Each
	W"	L"	H"					
ML608	24	48	41		8" Rubber	2000	105	1677.40

U-BOAT PLATFORM TRUCKS

- Tilt design allows truck to turn within its own radius
- 11-gauge steel deck is only 10" off the ground for easy loading
- Removable end racks constructed of 1 1/4" round steel tube
- Two 8" x 2" bolted-on rigid casters and four 5" swivel casters
- Capacity: 1500 lbs. evenly distributed
- Durable Kleton blue enamel finish



MK970

Model No.	Overall Dimensions					Wt. lbs.	Price /Each
	W"	x	D"	x	H"		
MK970	18	x	48	x	72	115	619.00
MK971	18	x	60	x	72	125	649.00

ALUMINUM U-BOAT FOLDING UTILITY CARTS

- Ideal for transporting heavy loads from the back room to the floor area or cooler
- Big enough to stock a complete area with one trip
- Completely Portable - Six wheel design allows the unit to turn on a dime
- Lifetime Guarantee against rust and corrosion
- Stores upright (on-end) to maximize available storage space
- Open deck format for easy cleaning and drainage
- Includes four 5" x 1-1/4" and two 6" x 2" polyurethane casters
- Deck Width: 16"
- Deck Length: 60"
- Handle Height: 64"
- Capacity: 1500 lbs.
- Caster Placement: Corner Standard
- Deck Type: Smooth
- Overall Height: 64"
- Folded Dimensions: 64-3/4" L x 16"W x 14"H
- Weight: 76 lbs.

Model No. MO448
Price/Each \$1389.00



GALVANIZED STEEL U-BOAT PLATFORM TRUCKS

- Removable handles
- 2 rigid center casters and 4 swivel end casters allow trucks to turn on their own radius
- Provides easy maneuverability in narrow aisles and confined areas
- Capacity: 1750 lbs.
- Wheel Material: Polyurethane

MO094



Model No.	Deck Width"	Deck Length"	Overall Height"	Price /Each
MO092	16	60	60	469.00
MO093	18	60	60	529.00
MO094	24	60	60	539.00

ALUMINUM U-BOAT FOLDING BULK DELIVERY CART

- Folds up and stores on end to save storage space
- Big enough to stock a complete area with one trip
- Completely Portable - Six wheel design allows the unit to turn on a dime
- Lifetime Guarantee against rust and corrosion
- Stores upright (on-end) to maximize available storage space
- Open deck format for easy cleaning and drainage
- Includes six 8" x 2" polyurethane casters (2 Rigid, 4 swivel)
- Deck Width: 18"
- Deck Length: 61"
- Capacity: 1200 lbs.
- Overall Height: 63"
- Folded Dimensions: 18"W x 17"H x 61"L
- Weight: 104 lbs.

Model No. MO449
Price/Each \$1659.00



SAFETY PRODUCTS
FOR INDUSTRY

DRYWALL CARTS

- All-welded multi-purpose cart is ideal for transporting drywall, wood or metal sheets
- 1 1/4" tubular rail handle and thick 11-gauge steel platform
- Two rigid and two swivel 8" bolted-on casters
- Deck Dimensions: 15" W x 44" L x 14" H
- Overall Dimensions: 24" W x 44" L x 44" H
- Deck angle: 80°
- Kleton blue enamel finish



KLETON

ML139



Model No.	Cap. lbs.	Caster Type	Wt. lbs.	Price /Each
ML139	2000	8" Mold-on Rubber	105	549.00
MD214	3500	8" Polyurethane	100	559.00

LUMBER CARTS

- All-welded cart is ideal for transporting long and bulky items
- Welded 14-gauge 12" x 38" steel shelf
- Grey rubber bumpers protect walls and equipment
- Two rigid and two swivel bolted-on casters
- Kleton blue enamel finish
- 1200-lb. capacity evenly distributed



KLETON

MB729



Model No.	Deck Size. W" x L" x H"	Shelf Height"	Overall Size. W" x L" x H"	Caster Type	Wt. lbs.	Price /Each
MB729	24 x 36 x 8	34	26 x 39 x 42	5" Rubber	80	679.00
ML140	24 x 36 x 10	36	26 x 39 x 45	6" Rubber	100	879.00

EASY-MOVE PANEL CART

- Ergonomically designed for quickly and easily moving sheets of plywood or drywall down small aisles or through doorways
- To prevent tipping, casters have been added to the front and back of the unit for support
- Includes (2) 10" x 21/2" hard rubber wheels and (2) 4" steel casters standard
- Two fixed and two swivel with brake 8" polyolefine casters
- Overall Height: 58-3/8"
- Overall Length: 50-5/16"
- Overall Width: 27"
- Capacity: 750 lbs.

Model No. MO516
Price/Each \$690.00



HORIZONTAL PANEL CART

- Two tier cart is great for handling panels and small items
- The top dock is 40-15/16" high while the bottom dock is 11-2/3" off the ground
- Four sliding posts can be locked in the up position to prevent products from sliding
- Rolls on (4) 5" x 1-1/2" swivel and (2) 8" x 2" rigid casters
- Overall base size: 28-1/2" W x 54" L x 11-2/3" H
- Overall Height: 40-15/16"
- Overall Length: 63-7/16"
- Overall Width: 28-1/2"
- Capacity: 2000 lbs.

Model No. MO515
Price/Each \$1132.00



VULCANIZED RUBBER HANDLE

DROP FORGED HEAD

SPRING STEEL BARS

INDESTRUCTIBLE HAMMER

aurora tools

PANEL TRUCKS

KNOCKED-DOWN PANEL TRUCK

- Move tables, drywall, plywood, tables, artwork at ease
- Move light to heavy duty objects at ease with (4) 5" non-marking blue elastic swivel casters
- Removable upright panel bars fit any size load
- Ships knocked-down for freight savings and damage avoidance
- Capacity is based on evenly distributed weight
- Overall Height: 43"
- Overall Length: 30"
- Overall Width: 27"
- Capacity: 1000 lbs.
- Wheel Diameter: 5"
- Wheel Material: Rubber

Model No. MO522 - Open-Deck
Price/Each \$359.00

Model No. MO523 - Carpet-Deck
Price/Each \$459.00



MO523



SINGLE LEVEL RAILS HEAVY-DUTY PANEL MOVER TRUCKS

- Ideal for transporting large sheets and long parts
- All-welded construction made from 1 1/4" round tubing and reinforced 11-gauge deck
- Uprights extend 33" above deck
- Deck is 12" off the floor
- Overall height is 45"
- 8" clear space between tubes
- Two swivel and two rigid 8" casters
- Capacity is based on evenly distributed weight
- Durable Kleton blue enamel finish




ML549



Model No.	Overall Dimensions W" x D" x H"	Caster Type	Capacity lbs.	Wt. lbs.	Price /Each
ML549	30 x 48 x 45	8" Mold-On Rubber	2000	139	769.00
ML550	30 x 48 x 45	8" Polyurethane	2500	139	869.00
ML551	30 x 60 x 45	8" Mold-On Rubber	2000	161	819.00
ML552	30 x 60 x 45	8" Polyurethane	2500	161	1029.00

FLAT BED LUMBER CARTS

- All-welded cart is ideal for transporting large panel or sheets in a horizontal position
- Four 6" swivel and two 6" rigid bolted-on non-marking polyurethane casters
- Durable Kleton blue enamel finish



Model No.	Overall Dimensions W" x L" x H"	Wt. lbs.	Cap lbs.	Price /Each
ML141	30 x 60 x 33	160	2500	1409.00

SHEET & PANEL TRUCK MOVERS

- Ideal for moving large, hard-to handle items such as sheet goods, doors, lumber, tables and piping
- Three removable powder coated steel vertical frames provide support for hard-to-handle loads
- Vertical frame retainer clips prevent unintended removal
- Steel reinforced deck for enhanced durability
- Molded-in tie-down slots for load slippage
- Textured deck surface reduces load slippage
- Perimeter deck channel retains small items
- 2 fixed and 2 swivel casters
- Colour: Black
- Assembly required



Model No.	Overall Dimensions W" x L" x H"	Caster Type	Capacity lbs.	Wt. lbs.	Price /Each
ML583	24 x 51 x 40	8" Polyolefin	2000	74	1160.08

HEAVY-DUTY PANEL MOVER TRUCKS

- Ideal for transporting of large sheets and long parts
- All-welded construction made from a 1 1/4" round tubing and 11-gauge deck
- Uprights extend 21" and 33" above deck
- Deck is 12" off the floor
- 8" clear space between tubes
- Two swivel and two rigid 8" casters
- Capacity is based on evenly distributed weight
- Durable Kleton blue enamel finish



ML360



Model No.	Overall Dimensions W" x D" x H"	Caster Type	Capacity lbs.	Wt. lbs.	Price /Each
ML360	30 x 48 x 45	Mold-On Rubber	2000	160	819.00
ML361	30 x 48 x 45	Polyurethane	2500	175	949.00
ML362	30 x 60 x 45	Mold-On Rubber	2000	160	859.00
ML363	30 x 60 x 45	Polyurethane	2500	175	1019.00

A-FRAME SHEET/PANEL TRUCKS

- Ideal for handling long, flat, awkward loads
- Frame is constructed of all-welded 2" angle
- Available with open or closed base
- Four bolted-on 5" non-marking rubber swivel casters
- Durable Kleton blue enamel finish
- 1200-lb. capacity evenly distributed



MD217



ML064



Model No.	Overall Dimensions W" x L" x H"	Base Type	Wt. lbs.	Price /Each
MD216	24 x 36 x 55	Open	50	459.00
ML063	24 x 36 x 55	Closed	60	569.00
MD217	30 x 42 x 55	Open	60	469.00
ML064	30 x 42 x 55	Closed	75	599.00
MD218	36 x 72 x 55	Open	85	559.00
ML065	36 x 72 x 55	Closed	110	779.00

ADJUST-A-TRAY TRUCKS

- A portable material handling system for all work areas
- Base frame made of 1 1/2" x 1 1/2" x 3/16" angle
- Slotted uprights made of 11 ga. steel formed channel and punched on 3 1/2" centres
- Hook-on trays made of 16 ga. steel (sold separately)
- Wire drop handles supplied on all trays
- Features four 6" x 2" plastic casters (two rigid/two swivel) (welded to base)
- Capacity is based on evenly distributed weight
- Grey finish

Shown with
hook-on trays
(sold separately)



MH014



Model No.	Description	Dimensions W" x D" x H"	Capacity lbs.	Max No. of trays	Wt. lbs.	Price /Each
TRUCKS						
MH011	Single-sided	38 x 18 x 64	1500	7	110	719.00
MH012	Single-sided	38 x 24 x 64	1500	7	115	749.00
MH013	Double-sided	38 x 30 x 64	2500	14	120	839.00
MH014	Double-sided	38 x 40 x 64	2500	14	130	889.00

HOOK-ON TRAYS

MH015	Open front	36 x 9 x 3	-	-	20	119.00
MH016	Open front	36 x 15 x 6	-	-	22	159.00
MH017	3" Closed front	36 x 9 x 3	-	-	20	149.00
MH018	3" Closed front	36 x 15 x 6	-	-	22	159.00

MOBILE PIPE & BAR RACKS

- Capacity: 3000 lbs.
- Cart Material: Steel
- Wheel Material: Polyurethane
- All-welded steel construction, ready to use
- 3 double sided storage levels with 7" high uprights to secure load
- Useable space per side 6"-11"-15" (top-middle-bottom)
- Durable Kleton blue enamel finish
- Capacity is based on evenly distributed weight



MO249



Model No.	Dimensions W" x D" x H"	Price /Each
M0248	48 x 36 x 60	889.00
M0249	72 x 36 x 60	959.00

A-FRAME BAR & PIPE CART

- Ideal for storage and transporting pipe, conduit and other types of bar material
- Storage arms extend 12" beyond frame with a clearance of 71/4" between arms
- Unit rolls on (2) rigid and (2) swivel 5" poly-on-steel casters with brakes
- Storage rack is 72-1/2"H with 8 storage levels
- Capacity: 2000 lbs.
- Cart Material: Steel
- Overall Width: 36-3/4"
- Overall Height: 72-1/2"
- Overall Depth: 73-3/4"
- Construction: Knocked Down

Model No. MO514
Price/Each \$1235.00



MOBILE PIPE & BAR RACKS

- Safely stores up to 1000 lbs. of material
- Folds to compact size of 61" x 34" x 15 1/2"
- Features 4 rack levels with curved edges to prevent pipe from rolling off
- Constructed of structural square tubing
- 2 swivel and 2 rigid, 6" hard rubber casters
- O.A. Dim.: 58 1/2" W x 34" D x 58" H
- Weight: 100 lbs.
- Blue enamel finish

Model No. RB951
Price/Each \$915.00



BAR CRADLE TRUCKS

- Designed for efficient handling of long material
- Tilt design allows truck to turn within its own radius
- Cradle design facilitates loading and unloading
- Two 12" phenolic wheels and four 6" swivel phenolic bolt-on casters
- Capacity: 5000 lbs.
- Durable Kleton blue enamel finish



ML131



Model No.	Overall Dimensions W" x D" x H"	No. of Cradles	Wt. lbs.	Price /Each
ML128	28 x 60 x 29	2	215	1479.00
ML130	28 x 96 x 29	3	300	1779.00
ML131	28 x 120 x 29	3	365	2059.00

PIPE & BAR CRADLE TRUCKS

- All-welded steel construction, ready to use
- Raised ergonomic bed height of 20" is ideal for shop environment
- Cradle is 19-1/2"W x 14"H
- 6" heavy-duty swivel casters allow for greater maneuverability in tight spaces and can turn on their axes
- Single units are ideal for shorter loads and must be centered on the truck; multiple units can be combined for greater capacity and to support longer loads
- Recessed side decks allow for loading and unloading with a lift truck
- Durable Kleton blue enamel finish
- Capacity: 2500 lbs.
- Wheel Material: Polyurethane




MP038



Model No.	Overall Dimensions W" x D" x H"	Wt. lbs.	Price /Each
MP037	24 x 24 x 34	92	479.00
MP038	36 x 24 x 34	107	509.00
MP039	48 x 24 x 34	120	539.00

HEAVY-DUTY SHELF TRUCKS

- Durable Kleton blue enamel finish



HEAVY-DUTY SHELF CARTS

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves are available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish



Lip Up Model No.	Lip Down Model No.	W"	Shelf Size x D"	No. Shelves	Clearance Between Shelves"	Handle Height"	W"	x	Overall Dimensions D" x H"	Wt. lbs.	Price /Each
36" OVERALL HEIGHT											
MB445	MB444	18	x 30	2	27	36	18	x 33	x 36	60	309.00
MB447	MB446	24	x 36	2	27	36	24	x 39	x 36	65	349.00
MB449	MB448	24	x 48	2	27	36	24	x 51	x 36	100	369.00
MB456	MB455	18	x 30	3	12	36	18	x 33	x 36	75	349.00
MB459	MB458	24	x 36	3	12	36	24	x 39	x 36	85	389.00
MB461	MB460	24	x 48	3	12	36	24	x 51	x 36	110	429.00
48" OVERALL HEIGHT											
ML084	ML083	18	x 30	3	18	42	18	x 33	x 48	80	429.00
ML086	ML085	24	x 36	3	18	42	24	x 39	x 48	90	469.00
ML088	ML087	24	x 48	3	18	42	24	x 51	x 48	115	479.00
ML090	ML089	18	x 30	4	12	42	18	x 33	x 48	110	519.00
ML092	ML091	24	x 36	4	12	42	24	x 39	x 48	135	579.00
ML094	ML093	24	x 48	4	12	42	24	x 51	x 48	160	619.00
61" OVERALL HEIGHT											
MB468	MB467	18	x 30	4	16	42	18	x 33	x 61	115	479.00
MB470	MB469	24	x 36	4	16	42	24	x 39	x 61	140	509.00
MB472	MB471	24	x 48	4	16	42	24	x 51	x 61	165	549.00
MB474	MB473	18	x 30	5	11	42	18	x 33	x 61	125	529.00
MB476	MB475	24	x 36	5	11	42	24	x 39	x 61	155	609.00
MB478	MB477	24	x 48	5	11	42	24	x 51	x 61	184	629.00

REPLACEMENT CASTERS/PARTS

Model No.	Description	Price /Each
ML338	5" Rigid Non-Marking Rubber Casters	22.25
ML337	5" Swivel Non-Marking Rubber Casters	24.15
MC043	Corner Bumpers	6.15

Note: Other casters available upon request



ML338



ML337



MC043

KNOCKED-DOWN SHELF TRUCKS

- 16-gauge steel shelves with 2 1/2" high lip
- 1 1/2" x 1 1/2" x 12-gauge formed steel posts
- 1 1/4" diameter tubular steel handle
- Top and middle shelves can be installed lip up or down
- Two rigid and two swivel bolted-on casters
- Easy-to-assemble shipped knocked-down design
- Capacity: 900 lbs. evenly distributed
- Durable Kleton blue powder coat finish

KLETON



MB492



ML146



ML151



MB496

2-SHELF UTILITY CARTS

Model No.	Shelf Dim. W" x D"	Shelf Clearance"	Post Height"	Overall Height"	Weight lbs.	Price /Each
5" BLUE ELASTIC RUBBER CASTERS						
MB492	18 x 30	25	30	36	43	198.00
MB493	24 x 36	25	30	36	54	240.00
MB494	24 x 48	25	30	36	69	261.00
5" POLYOLEFIN CASTERS						
MB482	18 x 30	25	30	36	42	192.00
MB483	24 x 36	25	30	36	53	233.00
MB484	24 x 48	25	30	36	68	254.00
8" PNEUMATIC CASTERS						
MB488	24 x 36	25	30	40	60	303.00
MB489	24 x 48	25	30	40	75	336.00

4-SHELF UTILITY CARTS

Model No.	Shelf Dim. W" x D"	Shelf Clearance"	Post Height"	Overall Height"	Weight lbs.	Price /Each
5" BLUE ELASTIC RUBBER CASTERS						
ML145	18 x 30	10	42	48	66	326.00
ML146	24 x 36	10	42	48	85	391.00
ML147	24 x 48	10	42	48	115	435.00
ML148	18 x 30	15	55	61	68	336.00
ML149	24 x 36	15	55	61	87	418.00
ML150	24 x 48	15	55	61	117	450.00
5" POLYOLEFIN CASTERS						
MN148	18 x 30	10	42	48	65	279.00
MN149	24 x 36	10	42	48	84	373.00
MN150	24 x 48	10	42	48	114	435.00
MN151	18 x 30	15	55	61	67	293.00
MN152	24 x 36	15	55	61	86	378.00
MN153	24 x 48	15	55	61	116	450.00
8" PNEUMATIC CASTERS						
MN154	24 x 36	10	42	52	90	441.00
MN155	24 x 48	10	42	52	120	517.00
MN156	24 x 36	15	55	65	92	456.00
MN157	24 x 48	15	55	65	122	538.00

3-SHELF UTILITY CARTS

Model No.	Shelf Dim. W" x D"	Shelf Clearance"	Post Height"	Overall Height"	Weight lbs.	Price /Each
5" BLUE ELASTIC RUBBER CASTERS						
MB495	18 x 30	11	30	36	54	245.00
MB496	24 x 36	11	30	36	70	301.00
MB497	24 x 48	11	30	36	93	331.00
ML142	18 x 30	17	42	48	56	282.00
ML143	24 x 36	17	42	48	72	326.00
ML144	24 x 48	17	42	48	95	370.00
5" POLYOLEFIN CASTERS						
MB485	18 x 30	11	30	36	53	233.00
MB486	24 x 36	11	30	36	69	273.00
MB487	24 x 48	11	30	36	92	315.00
MN143	18 x 30	17	42	48	55	254.00
MN144	24 x 36	17	42	48	71	293.00
MN145	24 x 48	17	42	48	94	331.00
8" PNEUMATIC CASTERS						
MB490	24 x 36	11	30	40	77	331.00
MB491	24 x 48	11	30	40	100	377.00
MN146	24 x 36	17	42	52	79	382.00
MN147	24 x 48	17	42	52	102	414.00

5-SHELF UTILITY CARTS

Model No.	Shelf Dim. W" x D"	Shelf Clearance"	Post Height"	Overall Height"	Weight lbs.	Price /Each
5" BLUE ELASTIC RUBBER CASTERS						
ML151	18 x 30	10	55	61	80	391.00
ML152	24 x 36	10	55	61	100	484.00
ML153	24 x 48	10	55	61	135	523.00
5" POLYOLEFIN CASTERS						
MN158	18 x 30	10	55	61	79	340.00
MN159	24 x 36	10	55	61	99	435.00
MN160	24 x 48	10	55	61	134	507.00
8" PNEUMATIC CASTERS						
MN161	24 x 36	10	55	65	105	517.00
MN162	24 x 48	10	55	65	140	590.00



HEAVY-DUTY LOW PROFILE SHOP CARTS

- All-welded cart with low shelf means less distance to lift heavy objects
- Two 14-gauge steel shelves with a 1 1/2" lip down
- 1 1/4" diameter tubular steel handle
- Two rigid and two swivel bolted-on casters
- Durable Kleton blue enamel finish

5" RUBBER CASTERS

- Non-marking casters are quiet rolling and ideal for both institutional and industrial applications
- Casters are resistant to wet and corrosive chemical conditions
- Clearance between shelves: 16"
- Handle height: 40"
- Top shelf height: 26"
- Capacity: 1200 lbs. evenly distributed



MB425

Model No.	Shelf Size W" x D"	Overall Dimensions W" x D" x H"	Wt. lbs.	Price /Each
MB421	18 x 30	18 x 34 x 40	90	449.00
MB425	24 x 36	24 x 40 x 40	110	469.00
MB429	24 x 48	24 x 52 x 40	125	519.00
ML097	24 x 60	24 x 64 x 40	155	679.00
ML098	30 x 48	30 x 52 x 40	155	759.00
MB434	30 x 60	30 x 64 x 40	165	759.00
ML099	30 x 72	30 x 76 x 40	175	969.00

KLETON



6" HI-TEMP NYLON OR POLYURETHANE CASTERS

- Solid black hi-temp nylon casters handle heavy loads easily
- Solid polyurethane casters are non-marking and are highly resistant to wear
- Best choice in uneven floor applications
- Clearance between shelves: 16"
- Handle height: 41"
- Top shelf height: 27"
- Capacity: 2400 lbs. evenly distributed



MB426

6" Nylon Model No.	Price /Each	6" Polyurethane Model No.	Price /Each	Shelf Size W" x D"	Overall Dimensions W" x D" x H"	Wt. lbs.
MB422	629.00	ML103	789.00	18 x 30	18 x 34 x 41	100
MB426	659.00	ML104	839.00	24 x 36	24 x 40 x 41	130
MB430	719.00	ML105	919.00	24 x 48	24 x 52 x 41	145
ML100	899.00	ML106	959.00	24 x 60	24 x 64 x 41	155
ML101	999.00	ML107	979.00	30 x 48	30 x 52 x 41	155
MB435	929.00	ML108	1229.00	30 x 60	30 x 64 x 41	165
ML102	1239.00	ML109	1299.00	30 x 72	30 x 76 x 41	175

SHELF & PLATFORM TRUCKS

- An efficient 2-in-1 shelf and platform truck design
- Features two front corner bumpers and a removable 11-gauge top shelf to convert to a platform truck
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Shelf clearance: 24"
- Handle height: 40"
- Top shelf height: 32"
- Capacity: 1300 lbs., 500 lbs. top shelf/800 lbs. bottom shelf evenly distributed
- Durable Kleton blue enamel finish



KLETON

Model No.	Shelf Size W" x D"	Overall Dimensions W" x D" x H"	Wt. lbs.	Price /Each
MB391	24 x 36	26 x 38 x 40	105	519.00

DEEP-LIPPED SERVICE CARTS

- All-welded design, ready-to-use
- Deep shelf lips for retention
- Two 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel posts
- 1" diameter tubular ergonomic handle
- Two rigid and two swivel 5" non-marking rubber casters
- Overall dimensions: 24" W x 42" D x 47" H
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish



MN393



KLETON

Model No.	Shelf Size W" x D"	Shelf Lip Depth	Clearance Between Shelves	Wt. lbs.	Price /Each
MN393	24 x 36	Top 6"/Bottom 1 1/2"	22 1/2	85	539.00
MN394	24 x 36	Top 12"/Bottom 1 1/2"	16	90	549.00
MN395	24 x 36	Top 6"/Bottom 6"	18	90	569.00

ERGONOMIC SHELF TRUCKS

- All-welded 16-gauge construction ready to use
- All-welded ergonomic handle placed at a comfortable working height
- Two rigid and two swivel 5" casters
- Durable Kleton blue enamel finish
- 800-lb. capacity evenly distributed



ML561

KLETON



Model No.	Number of Shelves	Caster Type	Overall Dimensions W" x D" x H"	Price /Each
ML561	2	Blue Rubber	20 x 32 x 37	398.00
MN056	2	Blue Rubber	26 x 38 x 37	454.00
ML562	3	Blue Rubber	20 x 32 x 37	442.00
MN055	3	Blue Rubber	26 x 38 x 37	518.00
ML563	2	Polyolefin	20 x 32 x 37	354.00
ML883	2	Polyolefin	26 x 38 x 37	410.00
ML564	3	Polyolefin	20 x 32 x 37	398.00
ML884	3	Polyolefin	26 x 38 x 37	531.00

MOBILE SERVICE CARTS

- All welded design, ready to use
- Lockable drawer for supplies
- Two 14 gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel posts
- 1" diameter tubular handle
- Two rigid and two swivel with brake bolted-on 5" non-marking rubber casters
- Durable Kleton blue enamel finish
- No. of Shelves: 2
- Overall Dim.: 24" W x 40" D x 57" H
- Cart Material: Steel
- Lip Configuration: Lip Down/Lip Up
- Wheel Material: Blue Rubber
- Capacity: 1200 lbs.



Model No.	Panel	Price /Each
MN396	Louvered Panel for Small Parts Bins	629.00
MP084	Pegboard Panel for Hanging Tools	609.00
MP085	Half Pegboard and Half Louvered Panel	629.00



MP085

ORDER PICKING CARTS

- All-welded design, ready to use
- Picking list holder eliminates the need to handle loose papers
- 14-gauge steel shelves with 1 1/2" lip, configured up
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish



Model No.	Shelf Size		Number of Shelves	Clearance Between Shelves"	Handle Height"	Overall Dimensions			Wt. lbs.	Price /Each
	W"	D"				W"	D"	H"		
MB440	18	30	2	27	36	18	46	36	70	429.00
MB441	24	36	2	27	36	24	52	36	80	459.00
ML095	24	48	2	27	36	24	64	36	110	509.00
MB442	18	30	3	12	36	18	46	36	85	469.00
MB443	24	36	3	12	36	24	52	36	100	509.00
ML096	24	48	3	12	36	24	64	36	120	629.00



MB442

HEAVY-DUTY SHELF CARTS WITH DRAWER

- All-welded design, ready to use
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Drawer dimensions: 15 1/4" W x 20" L x 6" H, 100-lb. capacity
- Available in models with 2 or 3 shelves with 1 1/2" lip configured up
- Two rigid and two swivel bolted-on 5" non-marking casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish



Model No.	Shelf Size		Number of Shelves	Clearance Between Shelves"	Drawer to Shelf Clearance"	Handle Height"	Overall Dimensions			Wt. lbs.	Price /Each
	W"	D"					W"	D"	H"		
MH255	24	36	2	27	18	36	24	39	36	75	509.00
MH256	24	36	3	12	3	36	24	39	36	95	549.00
ML081	24	48	2	27	18	36	24	51	36	110	629.00
ML082	24	48	3	12	3	36	24	51	36	120	679.00



MH255

STOCK PICKING CARTS

- All-welded design, ready to use
- Pick and transport stock without the need for a separate ladder
- Slip-resistant steps and positive locking engagement for safety
- 14-gauge steel shelves with 1 1/2" lip, configured up
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish



Model No.	Shelf Size		Number of Steps	Number of Shelves	Clearance Between Shelves"	Step Size		Step Rise"	Overall Dimensions			Wt. lbs.	Price /Each
	W"	D"				W"	D"		W"	D"	H"		
MD441	24	36	3	3	12	22	4	9 1/2	24	52	61	135	679.00
MB507	24	48	3	3	12	22	4	9 1/2	24	64	61	140	729.00
MD442	24	36	5	3	12	22	4	9 1/2	24	52	78	145	749.00
MB508	24	48	5	3	12	22	4	9 1/2	24	64	78	150	829.00



MB507

STAINLESS STEEL SHELF CARTS

- 430 stainless steel shelves and frame construction
- NSF approved
- 4 swivel, zinc plated casters with non-marking rubber tread, polyurethane hub wheels
- Top and centre shelf include a 3 sided 1" lip
- Bottom shelf is flat with no lip
- Protection bumpers on legs and handles
- Shelves have reinforced hemmed front
- Overall capacity based upon evenly distributed weight
- Number of shelves: 3
- Construction: All-welded
- Wheel material: Rubber



MO251



MO254

Model No.	Distance Between Shelves"	Caster Size"	Dimensions				Load Capacity per Shelf lbs.	Capacity lbs.	Price /Each	
			W"	x	D"	x	H"			
MO250	12-3/4 (Top & Bottom)	3-1/2	15-1/2	x	24	x	32-1/8	100	300	449.00
MO251	13-1/4 (Top & Bottom)	3-1/2	17-5/8	x	27-1/8	x	33	100	300	509.00
MO252	12-1/2 (Top)/14-5/8 (Bottom)	4	15-3/4	x	24	x	32	166	500	529.00
MO253	13 (Top)/14-1/2 (Bottom)	4	18	x	27-3/8	x	32	166	500	529.00
MO254	14-3/8 (Top)/14-1/2 (Bottom)	5	21	x	35-1/8	x	37-1/4	166	500	1029.00

INDUSTRIAL GRADE SHELF CART

- Features a sturdy tubular push handle
- Four 6" x 2" polyurethane casters; 2 rigid and 2 swivel
- Overall dimensions includes handle
- Made from industrial, 16 gauge stainless steel
- All 1-1/2" lip
- Cart Material: Stainless Steel
- Construction: All-Welded
- Lip Configuration: Lip Up
- Wheel Material: Polyurethane
- Capacity: 1200 lbs.



MO974

INDUSTRIAL GRADE SHELF CART

- Features a sturdy tubular push handle
- Four 5" x 1-1/4" polyurethane casters; 2 rigid and 2 swivel with side brakes
- All 1-1/2" lip up except in the front
- Overall dimensions includes handle
- Made from industrial, 16 gauge stainless steel
- Cart Material: Stainless Steel
- Construction: All-Welded
- Lip Configuration: Lip Up
- Wheel Material: Polyurethane
- Capacity: 1200 lbs.



MO976

DURHAM MFG
Est. 1922

DURHAM MFG
Est. 1922

Model No.	Mfg. No.	No. of Shelves	Overall Dimensions					Weight lbs.	Price /Each
			W"	x	D"	x	H"		
MO967	SRSC1624362ALU6PU	2	24-1/8	x	42	x	36	97	1059.00
MO974	SRSC1618363ALU6PU	3	18-1/8	x	42	x	47	101	1109.00
MO972	SRSC1618304ALU6PU	4	18-1/8	x	53	x	36	107	1169.00
MO980	SRSC1624484ALU6PU	4	24-1/8	x	53	x	54	154	1539.00

Model No.	Mfg. No.	No. of Shelves	Overall Dimensions				Weight x lbs.	Price /Each	
			W	x	D	x	H		
M0976	SRSC1624362FLD5PU	2	24-1/8	x	42	x	35	86	839.00
M0979	SRSC1624482FLD5PU	2	24-1/8	x	54	x	35	95	929.00
M0969	SRSC1618242FLD5PU	3	18-1/8	x	30	x	35	52	639.00
M0979	SRSC1624482FLD5PU	2	24-1/8	x	54	x	35	95	929.00
M0971	SRSC1618303FLD5PU	3	18-1/8	x	36	x	35	83	829.00
M0977	SRSC1624363FLD5PU	3	24-1/8	x	42	x	35	103	1019.00
M0982	SRSC1630603FLD5PU	3	30-1/8	x	66	x	35	155	1429.00

STAINLESS STEEL EQUIPMENT STANDS

- Ideal for transporting equipment which needs to be used in many different areas
- Versatile mobile equipment stands are available with or without drawers
- Stainless steel construction provides for easy sanitation and corrosion resistance
- Four swivel casters for mobility
- Capacity: 300 lbs. evenly distributed



MK978



MK979



MK980

LAKESIDE
MATERIAL HANDLING

Model No.	No. of Shelves	Caster Size"	No. of Drawer	Dimensions					Wt. lbs.	Price /Each
				W"	x	D"	x	H"		
MK978	3	3 1/2	-	16 3/4	x	18 3/4	x	30 1/8	25	911.00
MK979	3	3 1/2	1	16 3/4	x	18 3/4	x	30 1/8	36	1761.00
MK980	3	4	2	20 1/8	x	36 3/8	x	35	76	3610.00

ALUMINUM MERCHANDISE CART

- Folds up and stores on end to save storage space
- Has 6-3/4 square feet of deck space... Takes up 2-1/4 square feet of storage space
- For transporting heavy loads from the back room to the floor
- Open deck format for easy cleaning and drainage
- Lifetime Guarantee against rust and corrosion



NEWAGE
INDUSTRIAL

Model No.	Mfg. No.	Deck Dimensions W" x L" x H"	Handle Height"	Capacity lbs.	Wt. lbs.	Price /Each
M0446	95370	20 x 55-1/4 x 9	52	1200	53	1363.00

ALUMINUM TUBULAR DECK CART

- Double-deck cart moves product at a convenient, workable height from the floor
- Perfect for narrow aisles with a width of 19"
- All-welded construction provides for heavy duty stocking operations
- Lifetime Guarantee against rust and corrosion
- Accepted for use in Canadian food facilities
- NSF Approved



NEWAGE
INDUSTRIAL

Model No.	Mfg. No.	Dimensions W" x D" x H"	Top Shelf Height"	Shelf Spacing"	Capacity lbs.	Wt. lbs.	Price /Each
M0452	96134BH	19 x 46 x 42	30	20-5/8	700	35	1081.00

ALUMINUM PICKING CART

- Designed for transporting heavy loads
- Steel document shelf allows you to use magnets to hold picking sheets
- Top shelf is designed with a tube back stop for added safety
- Lifetime Guarantee against rust and corrosion
- Can be custom built to your individual picking needs
- Number of shelves: 3
- Shelf Size: 56"W x 24-1/2"D
- Casters: two 5" swivels and two 5" rigid casters



NEWAGE
INDUSTRIAL

Model No.	Mfg. No.	Dimensions W" x D" x H"	Clearance Between Shelves"	Capacity lbs.	Wt. lbs.	Price /Each
M0453	97476	59 x 26 x 67-1/2	20	1000	126	2228.00

ALUMINUM STOCK PICKING LADDER CART

- Easy-Load flat top shelves
- Continuous grip handle for ascending and descending
- Extended reach bar on top
- Extra wide steps are welded and bolted in place
- Fitted with non-slip tape for safety
- Spring loaded, full contact ladder stops
- Caster mounts are welded to the frame
- Construction: All-Welded
- Lip Configuration: Lip Down
- Lifetime Guarantee against rust and corrosion



NEWAGE
INDUSTRIAL

Model No.	Mfg. No.	Dimensions W" x D" x H"	Shelf Spacing"	Capacity lbs.	Wt. lbs.	Price /Each
M0458	99640	22 x 51-1/2 x 69-1/2	21-3/4	800	198	3978.00

ALUMINUM UTILITY CART

- Strength and durability of stainless steel at much less the cost
- Lifetime Guarantee against rust and corrosion
- Ideal three shelf unit, shelves have three lips up to contain product
- Accepted for use in Canadian food facilities
- NSF Approved



NEWAGE
INDUSTRIAL

Model No.	Mfg. No.	Dimensions W" x D" x H"	Shelf Size W" x D"	Shelf Spacing"	Capacity lbs.	Wt. lbs.	Price /Each
M0450	NS745	18-1/2 x 32-1/2 x 39	18-1/2 x 28-3/4	13	350	35	881.00
M0451	1440	16-1/2 x 27-3/4 x 39	16-1/2 x 24	13	350	29	924.00

ALUMINUM SHELF CART

- Ideal multipurpose rack for all departments
- Accepts many sizes of platters, pans, and containers
- All welded construction with 5" platform type casters
- Lifetime Guarantee against rust and corrosion
- Accepted for use in Canadian food facilities
- Number of shelves: 6
- NSF Approved



NEWAGE
INDUSTRIAL

Model No.	Mfg. No.	Dimensions W" x D" x H"	No. of Shelves	Shelf Spacing"	Capacity lbs.	Wt. lbs.	Price /Each
M0460	1356	20-7/8 x 27 x 67	6	10-1/2	450	47	983.00
M0461	1357	28-1/2 x 32 x 69	7	9	525	78	1604.00
M0462	1358	20-7/8 x 27 x 67	8	7-1/4	600	53	1148.00

DON'T COMPROMISE... CUSTOMIZE! CALL US TODAY FOR YOUR NEXT ALUMINUM SOLUTION

NEWAGE
INDUSTRIAL

CARTS

PLASTIC UTILITY SERVICE CARTS

- Durable structural foam construction will not dent, rust or bend
- Non-marking 5" casters
- Capacity: 500 lbs. evenly distributed

KLETON



ML619

Model No.	Overall Dimensions					Price /Each
	W"	x	D"	x	H"	
ML618	17 1/2	x	34 1/2	x	32 1/2	209.00
ML619	25 1/2	x	40 1/2	x	32 1/2	258.00

PLASTIC FLAT SHELF UTILITY SERVICE CARTS

- Durable structural foam construction will not dent, rust or bend
- Non-marking 5" casters
- Flat top shelf makes loading and unloading of heavy boxes easy
- Capacity: 500 lbs. evenly distributed

KLETON



Model No.	Overall Dimensions					Price /Each
	W"	x	D"	x	H"	
ML620	25 1/2	x	40 1/2	x	32 1/2	262.00

FLAT SHELF UTILITY CARTS

- Ergonomic handle design improves control and worker safety
- Flat design makes loading and unloading of heavy boxes and parts easier
- Easy to reach tool/accessory hooks and storage area enhances productivity and organization
- Constructed from sturdy structural foam that will not rust, dent, chip nor splinter
- 2 swivel and 2 fixed 5" non-marking TPR casters
- Capacity is based on evenly distributed weight



Rubbermaid
Commercial Products



ML456

Model No.		Capacity	Dimensions					Wt.	Price
Black	Beige	lbs.	W"	x	D"	x	H"	lbs.	/Each
ML456	ML457	500	17 1/4	x	38 1/2	x	38 1/4	33	387.60
ML458	ML459	500	25 7/8	x	43 9/10	x	33 3/10	42	437.46
ML460	-	750	25 1/4	x	54	x	36	52	810.62

HEAVY-DUTY UTILITY CARTS

- Ergonomic handle design improves control and worker safety
- Easy to reach tool / accessory hooks and storage area enhances productivity and organization
- 2 3/4" deep top shelf securely holds contents
- Constructed from sturdy structural foam that will not rust, dent, chip nor splinter
- 2 swivel and 2 fixed casters
- Capacity is based on evenly distributed weight



Rubbermaid
Commercial Products



ML448

Model No.		Caster	Capacity	Dimensions			Wt.	Price
Black	Beige	Type	/lbs.	W"	x D"	x H"	lbs.	/Each
ML448	ML449	5" Non-Marking TPR	500	17 1/8 x 39	x 38 1/4		31	288.36
ML450	ML451	5" Non-Marking TPR	500	25 7/8 x 45 1/4	x 38 1/4		44	410.40
ML453	-	5" Non-Marking TPR	750	26 x 55	x 33 1/4		52	837.14

EXECUTIVE SERVICE CARTS

- Sleek, contemporary styling ideal for office use
- Rounded handles improve cart manoeuvrability
- Dimensions: 20" W x 39" D x 38" H
- Capacity per shelf: 100 lbs. evenly distributed
- Solid rounded bumper is gentle on walls and furniture

Rubbermaid
Commercial Products



Model No.	Colour	Wt. lbs.	Price /Each
ML365	Black	35	478.70

UTILITY CARTS

- Shelf design allows for quick and easy loading
- Light and easy to maneuver
- Cart Material: Plastic
- Construction: Knocked Down
- Wheel Material: Rubber
- Capacity: 250 lbs
- No. of shelves: 3
- Assembly required



KLETON



JH486

Model No.	Overall Dimension					Price /Each
	W"	x	H"	x	D"	
JH487	16-3/4	x	37	x	33-1/2	141.00
JH486	19-3/4	x	37-1/2	x	40-1/4	203.00

LIGHT-DUTY UTILITY CARTS

- Durable plastic construction
- Comes with middle shelf and two convenient handles
- Shelves are flat with retaining beaded edges
- 4" swivel non-marking casters
- Capacity is based on evenly distributed weight



Rubbermaid
Commercial Products

Model No.	Capacity lbs.	W"	x	Shelf Size D"	x	H"	Colour	Wt. lbs.	Price /Each
MH223	200	19	x	34	x	38	Platinum	30	337.66
ML364	200	19	x	34	x	38	Black	30	337.66
CART W/ENCLOSED END PANELS									
MH829	300	18	x	31	x	37 1/2	Beige	37	815.42



MH223



MH829

TRADEMASTER™ MOBILE CABINETS & WORK CENTRES

- Raised ergonomic handle reduces wrist and back strain
- Open front top for easy access to work surface
- 3-outlet, surge protected power strip, 15' cord and wrap (UL/CSA listed)
- Two swivel with brake and two fixed 5" casters
- 4" deep drawers support 40 lbs. and feature locking system
- Metal reinforced structural foam shelves
- Capacity is based on evenly distributed weight
- Shipped knocked-down



MH685



MH681

Model No.	Description	Dimensions W" x D" x H"	Capacity lbs.	Wt. lbs.	Price /Each
MH681	4 Drawers	18 5/8 x 40 5/8 x 38 3/8	500	87	1545.96
MH685	4 Drawers and Cabinet	26 1/4 x 49 x 38	750	123	1647.66

TRADES CARTS

- Use as mobile workbench
- Sized to hold large tools and supplies yet fits in tight spaces
- Four compartmentalized parts boxes and two versatile storage bins
- Mounting bracket serves as an electrical cord wrap and convenient handle bin to keep small tools/parts
- Constructed of black plastic for lightness and durability
- 5" casters (2 with brakes)
- Also available with a fully enclosed, lockable storage compartment
- Dimensions: 38" L x 19 1/4" W x 33 3/8" H
- Capacity: 180 lbs. (top shelf), 150 lbs. (bottom shelf) evenly distributed

Model No. MK744

Weight: 50 lbs.

Price/Each \$801.28

Model No. MK745

Weight: 68 lbs.

Trades Cart w/Lockable Cabinet

Price/Each \$1092.30



MK744



MK745



HEAVY-DUTY ERGO UTILITY CARTS

- Easily access items with 13.5" clearance between shelves
- Patented ergonomic handle improves control and worker safety
- Durable construction stands up to the toughest tasks
- Easy to move with 2 fixed casters and 2 locking, swivel casters
- Saves valuable time by reducing trips
- Built-in tool holster and caddy keeps items at hand and in place during transport
- No. of Shelves: 4
- Capacity: 700 lbs.
- Cart Material: Structural Foam
- Overall Dim.: 24.25" W x 54.1" D x 62.4" H
- Construction: Knocked Down
- Colour: Black

Model No. MP497

Mfg. No. 2128657

Price/Each \$1722.60



MYCART™ UTILITY CARTS

- Corrosion proof, smooth polymer surfaces easily wipe clean
- Shelf cutaway for better leg clearance
- Built-in tray to manage the smaller items
- Four chrome-plated posts
- Ergonomic easy grip handle
- Each cart includes two labels for easy identification
- Thermoplastic non-marking casters
- Shipped knocked down



MN472



CONVERTIBLE UTILITY CARTS

- Ideal for transporting small to medium sized materials
- Three convenient product configurations:
 - Flat shelf utility cart
 - Platform truck
 - Fold down storage configuration
- Ergonomic handle design improves control and worker safety
- Top shelf perimeter channel retains small items
- Overall dimensions: 23.8" W x 45.2" D x 34.4" H
- 2 rigid and 2 swivel 5" non-marking casters
- Capacity: 400 lbs. evenly distributed
- Weight: 52 lbs.
- Colour: Black
- Assembly required

Model No. ML061

Price/Each \$1064.98



Grey Model No.	Black Model No.	No. Shelves	Shelf Dim. W" x L"	Overall Dim. W" x D" x H"	Cap. lbs.	Wt. lbs.	Price /Each
MN472	MN478	2	16 x 27	18 5/16 x 31 1/2 x 35 1/2	300	28.5	323.00
MN473	MN479	3	16 x 27	18 5/16 x 31 1/2 x 35 1/2	400	34	378.00
MN474	MN480	2	20 x 30	23 7/16 x 34 3/8 x 35 1/2	300	33	347.00
MN475	MN481	3	20 x 30	23 7/16 x 34 3/8 x 35 1/2	400	41.5	425.00
MN476	MN482	2	26 x 36	27 11/16 x 40 1/4 x 36 7/8	400	40	415.00
MN477	MN483	3	26 x 36	27 11/16 x 40 1/4 x 36 7/8	500	51	500.00

CARTS

INDUSTRIAL GRADE ORDER PICKING CART

- Features a sturdy tubular push handle
- Four 5" x 1-1/4" polyurethane casters; 2 rigid and 2 swivel with side brakes
- All 1-1/2" lip up
- Overall dimensions includes handle
- Made from industrial, 16 gauge stainless steel
- Capacity: 1200 lbs.
- Cart Material: Stainless Steel
- Wheel Material: Polyurethane
- Construction: All-Welded
- Lip Configuration: Lip Up

DURHAM MFG
Est. 1922

Model No.	Mfg. No.	No. of Shelves	Overall Dimensions					Clearance Between Shelves	Weight lbs.	Price /Each
			W"	x	D"	x	H"			
MP003	SOPC1618303ALU5PU	3	18-1/8	x	39	x	45	11-3/4	101	879.00
MP002	SOPC1618302ALU5PU	2	18-1/8	x	39	x	45	22-1/8	107	779.00
MP004	SOPC1618362ALU5PU	2	18-1/8	x	39	x	51	25-1/8	154	829.00



MP003

OPEN PORTABLE SHELF CART

- Frame is made of 1" diameter tubing
- 1-1/2" x 1/8" flat bars on sides and back
- Shelves are sloped 1" to the rear to retain cargo during transport
- Four 6" phenolic bolt-on casters; 2 rigid and 2 swivel
- Durable, textured powder coat finish
- Ships fully assembled and ready for use
- Cart Material: Steel
- Construction: All-Welded
- Lip Configuration: Lip Up
- Wheel Material: Phenolic
- Capacity: 3600 lbs.
- Colour: Grey

DURHAM MFG
Est. 1922

Model No.	Mfg. No.	No. of Shelves	Overall Dimensions					Weight lbs.	Price /Each
			W"	x	D"	x	H"		
M0998	OPT-4830-95	4	31-1/8	x	56-1/8	x	57-1/2	254	1319.00



ORDER PICKING CART

- 1-1/2" x 1/8" angle iron uprights for added strength
- Sturdy tubular push handle adds 15" to length
- Writing surface with 1-1/2" lip up to retain objects
- Four 5" x 1-1/4" polyurethane casters; 2 rigid and 2 swivel
- Ships fully assembled and ready for use
- Durable, textured powder coat finish
- Overall dimensions includes handle
- Capacity: 1200 lbs.
- Cart Material: Steel
- Clearance Between Shelves: 26-1/2"
- Wheel Material: Polyurethane
- Construction: All-Welded
- Lip Configuration: Lip Up
- Colour: Grey

DURHAM MFG
Est. 1922

Model No.	Mfg. No.	No. of Shelves	Overall Dimensions					Weight lbs.	Price /Each
			W"	x	D"	x	H"		
M0997	OPCPFS-2436-2-95	2	24-1/4	x	52-3/8	x	40-1/4	117	999.00



Canada's Best Value in Industrial Tools

auroratools

PORTABLE WIRE REEL CADDY

- Mobile storage for wire spools, reels, and cables
- Ideal for electricians, contractors and builders
- Ready to use, all-welded steel construction
- 4" wide tool tray included
- Rolls on 8" mold-on rubber wheels
- 4 clip-in-place rods for easy spool change
- Holds up to 8" diameter spools on top 3 rods
- Holds up to 12" diameter spools on lower rod
- Durable Kleton blue enamel finish
- Capacity: 400 lbs. (load capacity is based on evenly distributed weight)
- Dimensions: 24-1/2" W x 23" D x 49" H
- Weight: 52 lbs.

Model No. MO215
Price/Each \$399.00

KLETON



8-ROD MOBILE WIRE SPOOL RACKS

- Heavy-duty, all-welded 14-gauge steel
- Allows for multiple types of spooled items to be efficiently organized and mobile
- 1 1/2" top shelf lip prevents parts from falling off during transport
- Eight 23" removable rods
- Four wire guides hang below the work surface for ease in cutting wire
- Louvered panels on both sides included (bins and trays sold separately)
- Four 5" polyurethane bolt-on casters; two rigid and two locking swivel
- Capacity: 1200 lbs. evenly distributed
- Durable grey powder coat finish



DURHAM MFG
Est. 1922

Model No.	Overall Dimensions*				Weight lbs.	Price /Each
	L"	x	W"	x	H"	
MN163	32-1/4	x	18-1/8	x	46-1/16	112 959.00

* Overall length includes the 6" handle.

WIRE REEL CADDIES

- Dispense wire in vertical or horizontal position
- Bottom of caddy includes wire guide holes for quick access
- Capacity: 300 lbs.
- Cart Material: Steel
- Construction: Welded
- Rod Quantity: 4
- Model **MN706**: Casters and handle are bolt-on design for easy removal
- Model **MN707**: Mount to a wall or transport with a hand truck



MN707

MN706



Model No.	Mfg. No.	Description	Overall Dimensions				Price /Each	
			W"	x	D"	x	H"	
MN706	WIRE-D-WHK	Portable	29	x	21-7/8	x	47-7/8	566.00
MN707	WIRE-D	Stand Alone	22.25	x	16.25	x	44.25	380.00

MOBILE WIRE SPOOL & MAINTENANCE CARTS

- 1-1/2" lip on top work surface prevents parts from falling off during transport
- Heavy duty tubular handle makes transport easy
- Recessed rods allow protection of spools during transport
- Back low profile hanger holds one 6' ladder in an upright position
- Durable, textured powder coat finish
- Includes a locking cabinet to secure contents
- Louvered panel on end, accommodate Hook-On Bins® and metal Hook-On trays (Bins and trays sold separately)
- Has provision to handle boxes of light bulbs, conduit or PVC
- Four 5" x 1-1/4" polyurethane casters, 2 rigid and 2 locking swivel
- Ships fully assembled and ready for use
- Capacity: 1200 lbs.
- Cart Material: Steel
- Construction: All-Welded
- Rod Quantity: 5
- Colour: Grey



DURHAM MFG
Est. 1922

Model No.	Overall Dimensions				Weight lbs.	Price /Each
	L"	x	W"	x	H"	
M0996	54-1/16	x	24	x	35	205 1739.00

PORTABLE WIRE REEL CADDIES

- Designed to easily move wire reels
- Dispense wire in vertical or horizontal position
- Total uniform capacity is 150 lbs. (90 lbs. on large spindles and 60 lbs. on small spindles)
- Portable with 6" diameter semi-pneumatic wheels
- Storage tray on top for added versatility
- Capacity: 150 lbs.
- Cart material: Steel
- Overall Dim.: 19 1/2" W x 17 1/2" D x 43 1/4" H
- Rod quantity: 11

Model No. MN708
Mfg. No. WIRE-D-E
Price/Each \$236.00



**CANADA'S LEADING
MATERIAL HANDLING SUPPLIER**

WIRE MESH TRUCKS

WIRE MESH SHELF TRUCKS

- Rugged all-welded steel construction ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- 14-gauge steel shelves, 1 1/2" lip up
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel 5" or 6" bolted-on casters
- Capacity: 1200-2400 lbs. evenly distributed
- Durable Kleton blue enamel finish

5" Non-Marking Rubber 1200-lbs. Cap. Model No.	Price /Each	6" Polyurethane 2400-lbs. Cap. Model No.	Price /Each	Base W" x L"	Inside Wall Height"	Handle Height"	Clearance Between Shelves"	Overall Dimensions W" x L" x H"	Wt. lbs.
TWO-SIDED, 2 SHELVES									
ML163	679.00	ML169	919.00	24 x 48	55	42	26	24 x 51 x 63	112
ML164	859.00	ML170	1119.00	24 x 60	55	42	26	24 x 63 x 63	127
ML165	879.00	ML171	1079.00	30 x 48	55	42	26	30 x 51 x 63	129
ML166	949.00	ML172	1199.00	30 x 60	55	42	26	30 x 63 x 63	144
ML167	1039.00	ML173	1279.00	30 x 72	55	42	26	30 x 75 x 63	167
TWO-SIDED, 3 SHELVES									
ML175	749.00	ML181	1029.00	24 x 48	55	42	16 1/2	24 x 51 x 63	137
ML176	1009.00	ML182	1279.00	24 x 60	55	42	16 1/2	24 x 63 x 63	152
ML177	1039.00	ML183	1309.00	30 x 48	55	42	16 1/2	30 x 51 x 63	154
ML178	1099.00	ML184	1409.00	30 x 60	55	42	16 1/2	30 x 63 x 63	169
ML179	1179.00	ML185	1449.00	30 x 72	55	42	16 1/2	30 x 75 x 63	192
THREE-SIDED, 1 SHELF									
ML221	659.00	ML191	909.00	24 x 48	55	42	-	24 x 51 x 63	110
ML222	769.00	ML192	989.00	24 x 60	55	42	-	24 x 63 x 63	120
ML223	749.00	ML193	1029.00	30 x 48	55	42	-	30 x 51 x 63	135
ML224	839.00	ML194	1089.00	30 x 60	55	42	-	30 x 63 x 63	145
ML225	939.00	ML195	1139.00	30 x 72	55	42	-	30 x 75 x 63	155
THREE-SIDED, 2 SHELVES									
ML197	749.00	ML203	1049.00	24 x 48	55	42	26	24 x 51 x 63	142
ML198	919.00	ML204	1119.00	24 x 60	55	42	26	24 x 63 x 63	159
ML199	879.00	ML205	1199.00	30 x 48	55	42	26	30 x 51 x 63	182
ML200	979.00	ML206	1229.00	30 x 60	55	42	26	30 x 63 x 63	192
ML201	1099.00	ML207	1349.00	30 x 72	55	42	26	30 x 75 x 63	211
THREE-SIDED, 3 SHELVES									
ML209	839.00	ML215	1129.00	24 x 48	55	42	16 1/2	24 x 51 x 63	174
ML210	1079.00	ML216	1329.00	24 x 60	55	42	16 1/2	24 x 63 x 63	198
ML211	1039.00	ML217	1349.00	30 x 48	55	42	16 1/2	30 x 51 x 63	229
ML212	1139.00	ML218	1439.00	30 x 60	55	42	16 1/2	30 x 63 x 63	239
ML213	1179.00	ML219	1499.00	30 x 72	55	42	16 1/2	30 x 75 x 63	267

SECURITY TRUCKS

- Rugged all-welded steel construction, ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- 14 gauge steel shelves, 1 1/2" lip up
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel 5" or 6" bolted-on casters
- Comes with hasp for padlock
- Capacity: 1200-2400 lbs. evenly distributed
- Durable Kleton blue enamel finish

5" Non-Marking Rubber 1200-lbs. Cap. Model No.	Price /Each	6" Polyurethane 2400-lbs. Cap. Model No.	Price /Each	Base W" x L"	Inside Wall Height"	Handle Height"	Clearance Between Shelves"	Overall Dimensions W" x L" x H"	Wt. lbs.
2 SHELVES									
ML238	1129.00	ML244	1449.00	24 x 36	55	42	25	26 x 39 x 62 1/2	157
ML239	1179.00	ML245	1489.00	24 x 48	55	42	25	26 x 51 x 62 1/2	172
ML240	1359.00	ML246	1609.00	24 x 60	55	42	25	26 x 63 x 62 1/2	189
ML241	1329.00	ML247	1659.00	30 x 48	55	42	25	32 x 51 x 62 1/2	212
ML242	1479.00	ML248	1729.00	30 x 60	55	42	25	32 x 63 x 62 1/2	222
ML243	1539.00	ML249	1809.00	30 x 72	55	42	25	32 x 75 x 62 1/2	241
3 SHELVES									
ML250	1169.00	ML256	1459.00	24 x 36	55	42	16	26 x 39 x 62 1/2	182
ML251	1269.00	ML257	1529.00	24 x 48	55	42	16	26 x 51 x 62 1/2	204
ML252	1419.00	ML258	1789.00	24 x 60	55	42	16	26 x 63 x 62 1/2	228
ML253	1479.00	ML259	1749.00	30 x 48	55	42	16	32 x 51 x 62 1/2	259
ML254	1539.00	ML260	1899.00	30 x 60	55	42	16	32 x 63 x 62 1/2	269
ML255	1619.00	ML261	1889.00	30 x 72	55	42	16	32 x 75 x 62 1/2	297

WIRE MESH BOX TRUCKS

- Rugged all-welded 1 1/2" angle iron construction and 2" x 2" wire mesh, ready to use
- Contain and transport small bulk parts or materials in your plant or warehouse
- Includes: 2 rigid and 2 swivel 5" non-marking bolted-on rubber casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish

Model No.	Base W" x L"	Inside Wall Height"	Handle Height"	Overall Size			Wt. lbs.	Price /Each
MB672	24 x 36	24	30	W"	x	L" x H"	62	599.00
ML186	24 x 48	24	30	24	x	51 x 31 1/2	75	669.00
ML187	24 x 60	24	30	24	x	63 x 31 1/2	85	739.00
ML188	30 x 48	24	30	30	x	51 x 31 1/2	86	749.00
MB680	30 x 60	24	30	30	x	63 x 31 1/2	95	759.00
ML189	30 x 72	24	30	30	x	75 x 31 1/2	107	939.00



KLETON



ML163



ML200



ML254



KLETON



MB672



KLETON



WIRE MESH TRUCKS & WIRE REEL CADDIES

WIRE MESH STOCK TRUCKS

- Rugged all-welded steel construction, ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel bolted-on casters
- Durable Kleton blue enamel finish
- Capacity is based on evenly distributed weight
- Height without casters: 55"



MO060



Model No.	Capacity lbs.	Overall Width"	Overall Depth"	Unit Height With Casters"	Drop Gate	Price /Each
5" RUBBER CASTERS						
MO044	1200	26	39	63	No	789.00
MO045	1200	26	39	63	Yes	949.00
MO048	1200	26	51	63	No	809.00
MO049	1200	26	51	63	Yes	959.00
MO052	1200	26	63	63	No	939.00
MO053	1200	26	63	63	Yes	1109.00
MO056	1200	32	51	63	No	899.00
MO057	1200	32	51	63	Yes	1079.00
MO060	1200	32	63	63	No	1019.00
MO061	1200	32	63	63	Yes	1179.00
MO064	1200	32	75	63	No	1129.00
MO065	1200	32	75	63	Yes	1299.00
6" POLYURETHANE CASTERS						
MO046	2400	26	39	64	No	939.00
MO047	2400	26	39	64	Yes	1109.00
MO050	2400	26	51	64	No	959.00
MO051	2400	26	51	64	Yes	1119.00
MO054	2400	26	63	64	No	1099.00
MO055	2400	26	63	64	Yes	1259.00
MO058	2400	32	51	64	No	1079.00
MO059	2400	32	51	64	Yes	1239.00
MO062	2400	32	63	64	No	1179.00
MO063	2400	32	63	64	Yes	1339.00
MO066	2400	32	75	64	No	1299.00
MO067	2400	32	75	64	Yes	1459.00

MOBILE WIRE SPOOL CARTS


- 6 removable spool rods (3 per side)
- 2x 18" wide louvered panels on each end
- 5" non-marking blue rubber casters; 2 swivel with brake and 2 rigid
- Extended push handle on the end with the swivel casters
- Durable Kleton blue enamel finish
- Capacity: 1200 lbs.
- Cart Material: Steel
- Overall Dim.: 21" W x 38" D x 48" H
- Construction: All-Welded



Model No.	Description	Price /Each
MP086	Spool Cart	549.00
ML338	Rigid Caster	22.25
ML345	Swivel Caster w/Brake	30.15

ENCLOSED WIRE SHELF CARTS

- High quality chromate shelves and posts prevent corrosion
- Enclosed sides keeps items from falling out
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: (2) 5" swivel resilient casters, (2) 5" rubber caster with brakes
- Shipped knocked down
- One-year limited warranty
- Capacity is based on evenly distributed weight
- NSF certified
- No. of Shelves: 4
- Capacity: 800 lbs.



Model No.	Overall Dim.					Price /Each
	W"	x	D"	x	H"	
RN559	18	x	36	x	69	467.00
RN560	18	x	48	x	69	620.00
RN561	18	x	60	x	69	630.00
RN562	24	x	36	x	69	620.00
RN563	24	x	48	x	69	641.00
RN564	24	x	60	x	69	662.00

CABLE REEL ROLLERS

- The ideal method for winding or dispensing cable, chain, wire, rope and hose
- Turns reel handling into a one person job
- Accommodates unlimited reel widths and all reel diameters with flanges up to 5 1/2" thick; rear roller adjusts to 6 positions
- Heavy-duty side rollers eliminate slipping or wedging between rollers and reel
- Inclined ramp permits easy loading and unloading
- Each unit measures 28" L x 9 1/4" W x 4" H
- Capacity: 3000 lbs. in pairs
- Weight: 58 lbs./pr.

Model No. MD166
Price/Each \$699.00/Pair



BOX TRUCKS

EASY ACCESS POLY BOX TRUCKS

- Drop-style side wall allows for easy loading and unloading
- Bin Material: Polyethylene
- Caster Placement: Corner Standard
- Bin Colour: Grey
- Base Type: Plywood
- Caster Type: Non-marking blue rubber



MP035

KLETON

Model No.	Capacity Cu. ft.	Capacity lbs.	O.A. Dimensions L" x W" x H"	Caster Dia."	Price /Each
MP035	22	1000	45-3/4 x 31-1/4 x 37-3/4	4	549.00
MP036	24	1200	63 x 34-1/4 x 38-1/2	5	669.00

MINI STARCARTS™

- Designed to take the punishment of industrial and institutional applications at an economical price
- Polyethylene construction
- Plated steel undercarriage
- 3" all swivel Threadguard casters, corner placement
- Colour: Grey



NC460

TECHSTAR PLASTICS INC.

Model No.	Capacity Cu. ft.	Capacity lbs.	O.A. Dimensions L" x W" x H"	Wt. lbs.	Price /Each
NC460	5	200	21 x 21 x 27	20	169.00
NC461	6	200	33 x 19 x 28	25	199.00
NC462	7	200	33 x 23 x 24	25	209.00
NC463	7	200	24 x 24 x 38	30	219.00
NA001	8	300	35 x 25 x 25	30	229.00
NC464	9	300	48 x 19 x 28	40	259.00

HEAVY-DUTY OVERSIZED STARCARTS™

- Tapered walls for easy shipping and storage
- Treated plywood undercarriage
- Corner or diamond caster placement
- Colour: Grey (other colours available)



ML543

TECHSTAR PLASTICS INC.

Model No.	Capacity Cu. ft.	Capacity lbs.	Dimensions L" x W" x H"	Caster Dia."	Caster Placement	Wt. lbs.	Price /Each
ML543	22	800	59 x 35 x 32	5	Corner	70	559.00
ML544	22	800	59 x 35 x 32	5	Diamond	70	559.00
ML545	24	800	53 x 35 x 38	5	Corner	85	599.00
ML546	24	800	53 x 35 x 38	5	Diamond	85	599.00
ML547	46	1600	78 x 42 x 42	6	Corner	115	1119.00
ML548	46	1600	78 x 42 x 42	6	Diamond	115	1119.00

STARCARTS™

- Polyethylene construction
- Choice of 3" or 4" Threadguard casters depending on model
- Corner or diamond caster placement
- Treated plywood undercarriage
- Body colour: Grey
- Other colours available



NA004



MN466

TECHSTAR PLASTICS INC.

Model No.	Capacity Cu. ft.	Capacity lbs.	O.A. Dimensions L" x W" x H"	Caster Dia."	Caster Placement	Wt. lbs.	Price /Each
NA002	12	400	39 x 27 x 30	3	Diamond	40	279.00
NA004	12	800	39 x 27 x 31	4	Corner	50	359.00
NA003	12	800	39 x 27 x 31	4	Diamond	50	359.00
NC465	15	400	41 x 29 x 31	3	Diamond	45	319.00
NC466	15	800	41 x 29 x 32	4	Corner	55	399.00
NC467	15	800	41 x 29 x 32	4	Diamond	55	399.00
NA006	16	400	43 x 31 x 33	3	Diamond	50	369.00
NA007	16	800	43 x 31 x 34	4	Corner	60	449.00
NA008	16	800	43 x 31 x 34	4	Diamond	60	449.00
NC468	19	800	43 x 31 x 36	4	Corner	65	509.00
NC469	19	800	43 x 31 x 36	4	Diamond	65	509.00

OPTIONAL SPRING PLATFORM

- Optional spring platform eliminates excess bending, therefore reducing the risk of back related injuries

Model No.	Description	Price/Each
MN466	Can be used with NA002, NA003 & NA004	165.00
MN467	Can be used with NC465, NC466, NC467, NA006, NA007, NA008, NC468 & NC469	170.00

HEAVY-DUTY STARCARTS™

- Designed to offer increased load capacity while maintaining easy mobility
- Molded 100% polyethylene body has a double wall box style lip for greater resistance to impact
- Steel undercarriage
- Molded handle
- 10" and 12" semi-pneumatic wheels are made of durable hard rubber
- 5" swivel rubber or 6" swivel phenolic casters depending on capacity
- Colour: Blue



NG033

TECHSTAR PLASTICS INC.

Model No.	Capacity Cu. ft.	Capacity lbs.	O.A. Dimensions L" x W" x H"	Wheel Dia."	Caster Dia."	Wt. lbs.	Price /Each
NG033	16	1000	48 x 31 x 34 1/2	10	5	80	619.00
NA052	24	1000	60 x 31 1/2 x 35 1/2	12	5	100	739.00
NA053	39	1500	72 x 35 1/2 x 40	12	6	130	1119.00

JUMBO STARCARTS™

- 6" Threadguard casters in diamond pattern (corner pattern available on request)
- Recessed plywood undercarriage
- Easy access cut-out
- Colour: Grey



TECHSTAR PLASTICS INC.

Model No.	Capacity Cu. ft.	Inside Dim. L" x W" x H"	Outside Dim. L" x W" x H"	Max. Load lbs.	Wt. lbs.	Price /Each
NG956	38	60 x 40 x 28	62 x 44 x 38	1200	180	1209.00
NG957	60	62 x 42 x 42	65 x 45 x 54	1500	200	1289.00

Note: Available with various cut-out options



BOX TRUCKS

HEAVY DUTY WHITE WALL POLY BOX TRUCK

- Seamless durable 100% polyethylene bins
- Leakproof and easy to clean
- Available with 3/4" treated plywood undercarriage or all-welded steel chassis with a durable Kleton blue enamel finish
- Includes 2 swivel and 2 rigid casters
- Capacity is based on evenly distributed weight
- Bin colour: White
- Bin material: White polyethylene
- Caster placement: Corner standard



MN992

MN993

MN996



Model No.	Base	Capacity Cu. ft.	lbs.	Overall Dimensions L" x W" x H"	Caster Type	Price /Each
TAPERED WALL						
MN990*	Plywood	7	600	33 x 20 x 29	4" Non-Marking Blue Rubber	419.00
MN991*	Steel Chassis	7	1000	33 x 20 x 29	4" Non-Marking Blue Rubber	709.00
MN992*	Plywood	9	600	37 x 26 x 31	4" Non-Marking Blue Rubber	409.00
MN993*	Steel Chassis	9	1000	37 x 26 x 31	4" Non-Marking Blue Rubber	739.00
MN994*	Plywood	12	600	39 x 27 x 31	4" Non-Marking Blue Rubber	499.00
MN995*	Steel Chassis	12	1000	39 x 27 x 31	4" Non-Marking Blue Rubber	809.00
MN998*	Plywood	16	600	43 x 30 x 34	4" Non-Marking Blue Rubber	619.00
MN999*	Steel Chassis	16	1000	43 x 30 x 34	4" Non-Marking Blue Rubber	969.00

STRAIGHT WALL

MN996	Plywood	14	600	46 x 28 x 31	4" Non-Marking Blue Rubber	569.00
MN997	Steel Chassis	14	1000	46 x 28 x 31	4" Non-Marking Blue Rubber	869.00
M0001	Plywood	22	600	57 x 34 x 33	5" Non-Marking Blue Rubber	659.00
M0002	Steel Chassis	22	1000	57 x 34 x 33	5" Sandwich	1059.00
M0003	Plywood	25	1000	51 x 33 x 39	5" Non-Marking Blue Rubber	719.00
M0004	Steel Chassis	25	1000	51 x 33 x 39	5" Sandwich	1159.00

*Stackable for storage

DURACART BOX TRUCK

- Recessed plywood undercarriage
- Molded-in handles protect hands and provide easier steering
- Rounded corners absorb impact
- Can be stacked 9 high for storage and shipping purposes
- Weight Capacity: 400 lbs.
- Bin Material: Polyethylene
- Colour: Blue
- Casters: 2 swivel & 2 stationary



MO264



Model No.	Dimensions W" x L" x H"	Capacity cu. ft.	Volume Bushels	Price /Each
M0264	28 x 43 x 30-1/2	12	10	289.00
M0265	30 x 45 x 31-1/2	15	12	329.00
M0266	31 x 46 x 36-19/32	16	14	379.00

HEAVY-DUTY POLYETHYLENE BOX TRUCKS

- Seamless durable 100% polyethylene bins
- Leakproof and easy to clean
- Available with 3/4" treated plywood undercarriage or all-welded steel chassis with a durable Kleton blue enamel finish
- Includes 2 swivel and 2 rigid casters
- Capacity is based on evenly distributed weight
- Stackable for storage
- Caster type: 3" Polyolefin
- Bin colour: Black
- Bin material: Polyethylene
- Caster placement: Corner standard
- Tapered walls



MN984

MN985



Model No.	Base	Capacity Cu. ft.	lbs.	Overall Dimensions L" x W" x H"	Price /Each
MN984	Plywood	9	500	37 x 26 x 30	289.00
MN985	Steel Chassis	9	800	37 x 26 x 30	389.00
MN986	Plywood	12	500	39 x 27 x 30	349.00
MN987	Steel Chassis	12	800	39 x 27 x 30	449.00
MN988	Plywood	16	500	43 x 30 x 33	449.00
MN989	Steel Chassis	16	800	43 x 30 x 33	639.00

LIGHT-DUTY POLYETHYLENE BOX TRUCKS

- Designed for lighter loads
- Rotomolded from black recycled plastic
- All-swivel threadguard casters
- NA005 includes a plywood base

NA005



NG697



Model No.	Capacity Cu. ft.	lbs.	Overall Dimensions L" x W" x H"	Caster Size"	Weight lbs.	Price /Each
NG697	9	175	36 1/2 x 24 1/2 x 26	2 1/2	23	169.00
NA005	12	200	39 x 27 x 29	3	30	199.00

HEAVY DUTY ELEVATED STARCARTS™

- Built for heavy loads
- Large 4" all-swivel threadguard casters
- Power coated reinforced steel frame
- Removable plastic body
- Bin material: Polyethylene
- Colour: Blue



MO006



Model No.	Capacity Cu. ft.	lbs.	Inside Dimensions L" x W" x H"	Overall Dimensions L" x W" x H"	Price /Each
M0007	3	800	45 x 22 x 5	48 x 24 x 34	679.00
M0006	5	800	35 x 23 x 10	39 x 27 x 29	659.00
M0008	9	1000	45 x 22 x 15	48 x 24 x 36	729.00

TILT TRUCKS & HOPPERS

STEEL SELF-DUMPING HOPPERS

- Fork lift-operated self-dumping hoppers
- Designed specifically for efficient handling of scrap metal, raw materials and other bulk materials
- Available in capacities ranging from 1/2 to 5 cubic yards
- Can be fitted with casters for better mobility
- Standard 10-gauge thickness, heavy-duty 3/16" thickness or extra heavy-duty 1/4" steel construction
- Colour: Blue
- Casters not included
- F.O.B. Laval, QC or Winnipeg, MB



MN951



Hoppers roll forward when unlatched for easy dumping



Hoppers can be used with casters, a forklift truck or both

APPLICATION GUIDELINE

Standard 10-gauge (9/64"):

General use, factory waste and small metal parts.

Heavy-Duty 7-gauge (3/16"):

Rugged use, heavy duty metals in construction field.

Extra Heavy-Duty 3-gauge (1/4"):

For extreme conditions, heavy material dropped in container. Handling of hot materials, in refineries.

Capacity Cu. Yards	Standard 10-ga. (9/64")			Heavy-Duty 7-ga. (3/16")			Extra Heavy-Duty 3-ga. (1/4")		
	F.O.B. Laval, QC Model No.	F.O.B. Winnipeg, MB Model No.	Price /Each	F.O.B. Laval, QC Model No.	F.O.B. Winnipeg, MB Model No.	Price /Each	F.O.B. Laval, QC Model No.	F.O.B. Winnipeg, MB Model No.	Price /Each
1/2	NB949	MN951	2140.00	NB950	MN952	2329.00	NB948	MN953	2553.00
3/4	NB955	MN954	2483.00	NB956	MN955	2735.00	NB954	MN956	3032.00
1	NB967	MN957	2730.00	NB968	MN958	3028.00	NB966	MN959	3381.00
1-1/2	NB961	MN960	2935.00	NB962	MN961	3309.00	NB960	MN962	3701.00
2	NB973	MN963	3187.00	NB974	MN964	3616.00	NB972	MN965	4118.00
3	NB979	MN966	4272.00	NB980	MN967	4796.00	NB978	MN968	5413.00
4	NB985	MN969	4939.00	NB986	MN970	5566.00	NB984	MN971	6304.00
5	NH094	MN972	5636.00	NH095	MN973	6366.00	NH096	MN974	7225.00

CASTER SETS FOR HOPPERS (F.O.B. LAVAL, QC)

- Set includes 2 rigid and 2 swivel casters

Model No.	Wheel Type	Price/Each
NB987	6" Phenolic	227.00
NB988	6" Rubber	261.00
NB989	6" Steel	356.00

CASTER SETS FOR HOPPERS (F.O.B. WINNIPEG, MB)

- Set includes 2 rigid and 2 swivel casters

Model No.	Wheel Type	Price/Each
M0033	4" Polyurethane	309.00
M0034	5" Polyurethane	332.00
M0035	6" Polyurethane	380.00

Can't find what
you're looking for?



Call us today!

POLYETHYLENE SELF-DUMPING HOPPERS

- Safety chain to secure to fork lift
- Positive action release lever/latch prevents unwanted dumping
- Colour: Grey
- Fork Pocket Size: 3" H x 7.5" W



MP155



KLETON

Model No.	Dimensions					Capacity cu. yd.	Price /Each
	L"	x	W"	x	H"		
MP155	62	x	31	x	42	5/8	1899.00
MP156	72	x	37	x	47	1-1/10	2059.00
MD338	Caster Set						209.00



TILT TRUCKS & HOPPERS

POLYETHYLENE TILT TRUCKS

- Ideal for transporting and dumping waste, scrap and other bulk materials
- Polyethylene body is mounted on an all-welded steel chassis
- Includes small swivel caster(s) at the front and large fixed wheels at the rear



MN980

MN982



MN981



MN983



Model No.	Durability	Overall Dimensions L" x W" x H"	Capacity Cu. yd. lbs.	Front Wheel Type	Rear Wheel Type	Price /Each
MN980	Light Duty	57 x 28 x 38	5/8 500	8" Mold-On Rubber	4" Non-Marking Rubber	539.00
MN981	Standard Duty	57 x 28 x 38	5/8 850	10" Mold-On Rubber	5" Non-Marking Rubber	739.00
MN982	Standard Duty	66 x 34 x 43	1.1 1250	12" Mold-On Rubber	5" Non-Marking Rubber	949.00
MN983	Heavy Duty	66 x 34 x 43	1.1 2000	12" Mold-On Rubber	5" Non-Marking Rubber	1129.00

STRUCTURAL FOAM TILT TRUCKS

- Size and shape is designed to fit through commercial doorways and elevators
- Ergonomically designed steering handle provides excellent manoeuvring and dumping capabilities
- Secondary handle, at the base, helps maintain control of the truck while finishing dumping action
- Models **ML534** and **ML535** feature TPR non-marking casters and 10" wheels
- Models **MK757**, **MK758**, **ML536** and **ML537** feature TPR non-marking casters and 12" wheels
- Colour: Black



MK757



Model No.	Capacity Cu. Yds. lbs.	Dimensions L" x W" x H"	Wt. lbs.	Price /Each
ML534	1/2 450	57 1/2 x 26 3/4 x 33 3/4	87	872.56
ML535	1/2 850	57 1/2 x 26 3/4 x 33 3/4	96	1019.40
MK757	3/4 600	64 1/2 x 30 1/4 x 38	92	1223.72
MK758	3/4 1000	64 1/2 x 30 1/4 x 38	99	1439.84
ML536	1 1250	70 3/4 x 33 1/2 x 42 1/4	139	1468.32
ML537	1 2100	70 3/4 x 33 1/2 x 42 1/4	141	1802.62
DOMED LIDS				
ML538	Domed lid for ML534 and ML535			253.08
MK780	Domed lid for MK757 and MK758			412.18
ML539	Domed lid for ML536 and ML537			344.20

POLYETHYLENE TILT TRUCKS

- Sturdy, rotationally-molded plastic construction ensures easy manoeuvrability and dumping
- Smooth surface is easy to clean and resists pitting and corroding
- Inset wheel and axle design helps prevent damage to surfaces and equipment
- Colour: Black
- Accepted for use in Canadian food processing facilities



MK769



Model No.	Capacity Cu. Yds. lbs.	Dimensions L" x W" x H"	Wt. lbs.	Price /Each
MK788	1/2 450	56 3/4 x 28 x 38 1/2	63	1052.54
MK769	1/2 850	60 1/2 x 28 x 38 1/2	77	1514.42
MK789	1 850	72 1/4 x 33 1/2 x 43 3/4	111	1428.26
MK770	1 1250	72 1/4 x 33 1/2 x 43 3/4	111	1957.70
MK790*	1 2100	72 1/4 x 33 1/2 x 43 3/4	178	3064.82
RECYCLING TILT TRUCKS				
ML540	1/2 850	60 1/2 x 28 x 38 1/2	77	1514.42
LIDS				
ML541	Lid for MK788 and MK769			349.80
ML542	Lid for MK789, MK770 and MK790			474.94

* Towable tilt truck features tow hitch and hitch pin

DOLLIES & ROLLERS

HARDWOOD DOLLIES

- Kiln dried
- Countersunk bolts prevent scratches
- Wood thickness: 7/8"
- Rounded edges and handles facilitate storage and movability
- Non-marking casters
- Shipped knocked down



KLETON



Model No.	Size W" x D"	Caster Type	Caster Size"	Capacity lbs.*	Price /Each
ALL-WOOD					
MN189	18 x 24	Polyolefin	3	900	59.45
MN195	18 x 24	Polyurethane	3	900	65.35
MN201	18 x 24	Polyolefin	4	1000	65.35
MN207	18 x 24	Polyurethane	4	1600	104.00
MN213	18 x 24	Blue Elastic	4	1400	90.40
MN192	18 x 30	Polyolefin	3	900	63.20
MN198	18 x 30	Polyurethane	3	900	69.70
MN204	18 x 30	Polyolefin	4	1000	69.70
MN210	18 x 30	Polyurethane	4	1600	110.00
MN216	18 x 30	Blue Elastic	4	1400	96.20

CARPETED ENDS

MN190	18 x 24	Polyolefin	3	900	65.05
MN196	18 x 24	Polyurethane	3	900	74.95
MN202	18 x 24	Polyolefin	4	1000	71.70
MN208	18 x 24	Polyurethane	4	1600	113.00
MN214	18 x 24	Blue Elastic	4	1400	99.05
MN193	18 x 30	Polyolefin	3	900	68.20
MN199	18 x 30	Polyurethane	3	900	78.65
MN205	18 x 30	Polyolefin	4	1000	75.10
MN211	18 x 30	Polyurethane	4	1600	119.00
MN217	18 x 30	Blue Elastic	4	1400	104.00

*Evenly distributed

PREMIUM HARDWOOD DOLLIES

MEDIUM-DUTY

- 7/8" wood top; countersunk bolts
- Carpeted dolly will prevent marks and scratches on equipment being moved
- 3" polyolefin casters
- Capacity: 900 lbs. evenly distributed
- Shipped knocked down
- Carpeted dolly comes with a frame with a hollow middle and a pad



Medium-duty

HEAVY-DUTY

- 1 3/4" wood top (2 x 7/8" pieces); countersunk bolts
- 4" resilient non-marking casters
- Capacity: 1400 lbs. evenly distributed
- Shipped knocked down
- Carpeted dolly comes with a frame with a hollow middle and a pad



Heavy-duty

Model No.	Dim. W" x D"	Platform Type	Wt. lbs.	Price /Each
MEDIUM-DUTY				
MA186	18 x 24	Standard	16	108.00
MA187	18 x 24	Carpeted	18	168.00
MD515	18 x 30	Standard	18	113.00
MD516	18 x 30	Carpeted	20	179.00

HEAVY-DUTY				
MA188	18 x 24	Standard	20	148.00
MA189	18 x 24	Carpeted	22	189.00
MD517	18 x 30	Standard	22	168.00
MD518	18 x 30	Carpeted	24	213.00

Model No.	Size W" x D"	Caster Type	Caster Size"	Capacity lbs.*	Price /Each
RUBBER ENDS					
MN191	18 x 24	Polyolefin	3	900	84.20
MN197	18 x 24	Polyurethane	3	900	88.15
MN203	18 x 24	Polyolefin	4	1000	88.15
MN209	18 x 24	Polyurethane	4	1600	132.00
MN215	18 x 24	Blue Elastic	4	1400	117.00
MN194	18 x 30	Polyolefin	3	900	85.70
MN200	18 x 30	Polyurethane	3	900	91.60
MN206	18 x 30	Polyolefin	4	1000	91.60
MN212	18 x 30	Polyurethane	4	1600	139.00
MN218	18 x 30	Blue Elastic	4	1400	121.00

REPLACEMENT CASTERS

Model No.	Description	Price /Each
ML391	3" Swivel Polyolefin	9.85
ML393	4" Swivel Polyolefin	11.10
ML044	3" Swivel Polyurethane	14.75
ML045	4" Swivel Polyurethane	23.10
ML333	4" Swivel Blue Elastic Rubber	17.95

MEDIUM-DUTY SOLID WOOD DOLLIES

- 7/8" wood top with countersunk bolts
- 3" polyolefin casters
- Shipped knocked down
- Capacity: 900 lbs. evenly distributed



MP090



MP089

KLETON



Model No.	Width"	Depth"	Height"	Platform Type	Weight lbs.	Price /Each
MP087	18	24	7	Standard	32	133.00
MP088	18	24	7	Carpeted	34	193.00
MP089	18	30	7	Standard	41	143.00
MP090	18	30	7	Carpeted	43	203.00

HEAVY-DUTY SOLID WOOD DOLLIES

- 1-3/4" wood top (2 x 7/8" pieces) with countersunk bolts
- 4" resilient non-marking casters
- Shipped knocked down
- Capacity: 1400 lbs. evenly distributed
- Wheel Material: Rubber



MP093



MP094

KLETON



Model No.	Width"	Depth"	Height"	Platform Type	Weight lbs.	Price /Each
MP091	18	24	7	Standard	36	163.00
MP092	18	24	7	Carpeted	38	215.00
MP093	18	30	7	Standard	49	183.00
MP094	18	30	7	Carpeted	51	235.00

DOLLIES & ROLLERS

STEEL DECK DOLLIES

- Rugged dollies ideal for moving heavy loads
- 14-gauge steel construction
- Optional T-handle facilitates movement with heavy loads
- Four bolted-on 4" swivel non-marking rubber casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish



Model No.	Overall Dimensions					Wt. lbs.	Price /Each
	W"	x	D"	x	H"		
MA242	18	x	18	x	7	23	232.00
MA243	18	x	24	x	7	25	252.00
MA244	24	x	24	x	7	27	264.00
MA199	34" Length T-handle					5	98.45

ANGLE FRAME DOLLIES

- Built to withstand tough factory and warehouse environments
- Heavy-duty all-welded 1/2" x 1/2" x 1/8" angle frame construction
- Four bolted-on 4" swivel non-marking rubber casters
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish



Model No.	Overall Dimensions					Wt. lbs.	Price /Each
	W"	x	D"	x	H"		
MA190	18	x	18	x	7	23	190.00
MA191	18	x	24	x	7	25	222.00
MA192	24	x	24	x	7	27	223.00
MA193	24	x	36	x	7	30	233.00

DOLLY RACKS

- Converts a basic wood dolly into a multi-purpose panel caddy
- All-welded 1" tube designed for durability
- Tubular steel rack is padded to prevent scratching or marring
- Durable Kleton blue enamel finish
- Between Rail Clearance: 16"



Model No.	For Use With Wood Dollies	Overall Dim. W" x D" x H"	Wt. lbs.	Price /Each
MD549	24" D	18 x 24 x 43	12	169.00
MD550	30" D	18 x 30 x 43	15	191.00

ALUMINUM DECK DOLLIES

- 3/8" aluminum treadplate construction, countersunk bolts
- 4" resilient non-marking casters
- Capacity: 1200 lbs. evenly distributed



Model No.	Dimensions		Wt. lbs.	Price /Each
	W"	x D"		
MA196	18	x 18	25	589.00
MA197	18	x 24	27	599.00
MA198	24	x 24	30	609.00

STEEL LEG DOLLIES

- Ideal for moving furniture with legs
- Includes three 1 1/4" x 13/16" swivel hard polypropylene casters
- Three foam pads on top of dolly help prevent scratching
- Inner cup is 1 3/8" in diameter while the outer cup is 2 1/4" in diameter



Model No.	Frame Material	Capacity lbs.	Deck Dimensions. W" x D"	Deck Height"	Price /Each
MN677	Steel, Painted Black	200	5.75 x 6.75	2.45	20.00
MN678	Zinc Plated/Steel	300	12 x 10.75	2.75	35.00

LIGHTWEIGHT ALUMINUM DOLLIES


- Low profile design with swivel casters and 3" diameter polyolefin wheels
- Riveted, lightweight aluminum construction
- Pierced rim for attaching hook, rope or chain
- Capacity: 900 lbs. evenly distributed



Model No.	Dimensions		Wt. lbs.	Price /Each
	W"	x D"		
MD519	18	x 24	12	329.00
MD520	21	x 30	14	379.00

POLYETHYLENE DOLLIES


- Frame Material : Polyethylene
- Capacity: 1000 lbs. evenly distributed
- Deck Dimensions: 18" W x 30" L
- Deck height: 6"
- Wheel Material: Rubber
- Steel reinforced structure
- Includes four 4" casters
- Will not splinter or swell
- Round corners and edges
- Rolls easily



Model No.	Description	Wt. lbs.	Price /Each
MN674	Flush Top Design	22	141.00
MN675	Padded Top Design	25	163.00

PRY DOLLIES

- Move heavy boxes, die blocks and machinery
- Heavy-duty nose plate gets under the load, 6' steel or wooden handle gives tremendous leverage
- Come with 5" x 2" polyurethane casters
- Use in pairs to move large objects without the need of a separate dolly



Model No.	Handle	Cap. lbs.	Nose Plate"	Wt. lbs.	Price /Each
MF870	Wood	4250	7 1/8 x 3 1/8	32	304.00
MF871	Steel	5000	6 x 3 1/2	42	349.00

DOLLIES & ROLLERS

ERS SERIES ROLLER KITS & SETS

15 TO 400 TONS

Versatile 2-piece design!

- Removing the swivel attachment from the roller can change roller height

Kits include:

4 rollers, 4 swivel attachments, 4 preload pads, 2 steering handles and steel storage case.

Model No.	Kit Cap. (tons)	Rollers	Wt. lbs.	Price/Each
MH750	15	4 - 3.75 ERS Rollers	176	3382.00
MH751	20	4 - 5 ERS Rollers	196	3994.00
MH752	40	4 - 10 ERS Rollers	236	4106.00
MH753	50	4 - 12.5 ERS Rollers	244	4162.00

Sets include:

4 rollers, 4 swivel attachments, 4 preload pads, 2 steering handles.

Model No.	Kit Cap. (tons)	Rollers	Wt. lbs.	Price/Each
MH754	15	4 - 3.75 ERS Rollers	130	3210.00
MH755	20	4 - 5 ERS Rollers	150	3520.00
MH756	40	4 - 10 ERS Rollers	196	3849.00
MH757	50	4 - 12.5 ERS Rollers	204	3981.00
MH758	100	4 - 25 ERS Rollers	500	7957.00
MH759	260	4 - 65 ERS Rollers	858	11814.00
MH760	400	4 - 100 ERS Rollers	896	13492.00

LIGHT-DUTY RIGGER KITS

3 TONS TO 8 TONS

- Kits contain 2 steering handles and 4 padded rollers offered with 4 swivel tops or 2 swivel and 2 rigid tops
- Sturdy steel carrying case stores all items and measures 16" L X 12 3/8" W X 4 3/8" D
- Handles knock down to fit in case

Model No.	Kit Cap. Tons	Kit Contents	Wt. lbs.	Price /Each
MA879	3	4 x Swivel	55	1610.00
MA875	3	2 x Swivel, 2 x Rigid	43	1510.00
MA887	8	4 x Swivel	85	2027.00
MA876	8	2 x Swivel, 2 x Rigid	83	1889.00

NYLON CHAIN KITS

2 TO 24 TONS

For general purpose moves over finished floors!

- The advantage of a heavy-duty chain action roller that can safely move equipment on modern coated, painted or epoxy topped floors without surface scarring
- Kits include 4 rollers, 2 steering handles and a steel storage case

Model No.	Kit Cap. Tons	Style	Price /Each
MH761	2	4 - Swivel Padded	1581.00
MH762	2	2 - Rigid/2 Swivel Padded	1483.00
MH763	4	4 - Swivel Padded	2146.00
MH764	4	2 - Rigid/2 Swivel Padded	2050.00
MH765	8	4 - Swivel Padded	2993.00
MH766	12	4 - Swivel Padded	3500.00
MH767	24	4 - Swivel Padded	4051.00



DELUXE ROLLERS

3 3/4 TO 50 TONS

- Move massive machines and equipment with minimum effort and maximum safety directly on concrete floors
- Rollers operate with continuous chain of linked rolls circulating around hardened steel load plate
- Three moving types available (rigid, swivel, swivel lock)
- Choose rigid rollers for straight line moves
- For turns, swivel rollers position loads in tight quarters
- Swivel lock combines swivel and rigid designs with spring-loaded locks that can engage every 45°
- Choice of padded or diamond steel grid tops
- Diamond steel is best for moving crated or palletized equipment
- No slip padded tops are ideal for metal based machines, or for moving equipment on less than perfect floor surfaces



MA839



Model No.	Top	Cap. Tons Each	Dimensions L" x W" x H"	Wt. lbs.	Price /Each
SWIVEL LOCK					
MA839	Padded	3 3/4	10 1/2 x 5 3/4 x 5	34	683.00
MA838	Diamond	3 3/4	10 1/2 x 5 3/4 x 4 3/4	33	644.00
MA863	Padded	7 1/2	10 1/2 x 5 3/4 x 5 1/4	37	729.00
MA862	Diamond	7 1/2	10 1/2 x 5 3/4 x 5	36	713.00
MA805	Padded	10	10 1/2 x 5 3/4 x 5 1/4	38	802.00
MA804	Diamond	10	10 1/2 x 5 3/4 x 5	37	769.00
MA812	Padded	15	12 3/4 x 6 1/2 x 5 1/8	47	912.00
MA811	Diamond	15	12 3/4 x 6 1/2 x 4 3/4	47	858.00
MA845	Padded	30	15 x 8 x 8	123	1860.00
MA844	Diamond	30	15 x 8 x 7 1/8	120	1830.00
MA853	Padded	50	21 x 8 x 9 15/16	196	2548.00
MA852	Diamond	50	21 x 8 x 8 1/8	197	2374.00

RIGID

MA835	Padded	3 3/4	10 1/2 x 5 3/4 x 4 3/16	29	606.00
MA834	Diamond	3 3/4	10 1/2 x 5 1/2 x 4	28	585.00
MA859	Padded	7 1/2	10 1/2 x 5 3/4 x 4 7/16	32	681.00
MA858	Diamond	7 1/2	10 1/2 x 5 1/2 x 4 3/8	32	649.00
MD562	Padded	10	10 1/2 x 5 3/4 x 4 7/19	33	721.00
MD563	Diamond	10	10 1/2 x 5 1/2 x 4 3/8	33	689.00
MA819	Padded	15	12 3/4 x 6 1/2 x 4 5/16	42	837.00
MA818	Diamond	15	12 3/4 x 6 1/2 x 3 7/8	41	802.00
MD564	Padded	30	15 x 8 x 6 3/4	106	1790.00
MA843	Diamond	30	15 x 8 x 6 1/8	104	1751.00
MD565	Padded	50	21 x 8 x 7 3/4	182	2304.00
MD566	Diamond	50	21 x 8 x 7 1/8	182	2263.00

STEERING HANDLES FOR SWIVEL & SWIVEL LOCK ROLLERS

Model No.	Length"	Wt. lbs.	Price/Each
MA870	36	9	129.00
MA872	42	11	138.00
MA874	60	25	215.00

DELUXE KITS

15 TONS TO 60 TONS

- Rugged kits are preferred by many professional riggers and movers
- Use them at the job site, in the factory, to solve your heavy load moving problems
- Steel chain-action rollers are perfect for machinery and equipment moves and convenient to have in every tool crib
- Kits include 4 locking rollers with either padded or diamond steel tops and 2 steering handles (four preload pads are included with diamond top kits)
- Kit cases are lockable and have sturdy lifting grips for easy handling



MA878



Model No.	Kit Cap. Tons	Kit Contents	Wt. lbs.	Price /Each
MA878	15	4 x Padded	196	3181.00
MA877	15	4 x Diamond, 4 x Preload Pad	196	3054.00
MA881	30	4 x Padded	208	3356.00
MA880	30	4 x Diamond, 4 x Preload Pad	208	3285.00
MA883	40	4 x Padded	212	3759.00
MA882	40	4 x Diamond, 4 x Preload Pad	212	3675.00
MA885	60	4 x Padded	248	4310.00
MA884	60	4 x Diamond, 4 x Preload Pad	252	4223.00

TOE JACKS

- Strong, portable and safe
- Lifts loads with only 1" ground clearance
- 5 and 10-ton models operate horizontally and vertically
- Base, toe and pump assembly swivel independently of each other
- Perfect complement to any Hilman roller



Model No.	Max Lifting Height"	Pick-Up Position At Base"	Capacity At tops/tons	Wt. lbs.	Price /Each
MH825	8	1	14.50/5	44	2052.00
MH826	9	1	16.52/10	61	2722.00
MH827	9	2	18.50/25	203	8355.00

TRI-GLIDE THREE-POINT MOVER

- Ideal solution for moving heavy and bulky items safely
- 3-point system provides better mobility and stability even when turning
- Includes front unit and adjustable dolly (rear unit)
- Front unit features turntable with non-slip pad
- Dolly has non-slip pads on either side
- Handle Height: 43-1/2"
- Dolly Dimensions: 60"L x 12-9/16"W x 4"H
- Wheel Material: Nylon




Model No.	Capacity Tons	Front Unit Base Dim. L" x W" x H"	Front Unit Weight lbs.	Rear Dolly Weight lbs.	Price /Each
M0821	10	17-7/8 x 17-1/4 x 4	96	59	3529.00
M0822	15	22-4/16 x 17-1/4 x 4	106	62	4292.00
M0823	20	26-11/16 x 17-1/4 x 4	113	71	5341.00

HILMAN ROLLER ECONOMY SETS

120 TO 200 TONS

Sets include:

Four swivel padded or diamond style rollers and 2 steering handles.



Model No.	Kit Cap. Tons	Rollers	Wt. lbs.	Price /Each
MH771	120	4 - Swivel Locking Padded	542	7859.00
MH772	120	4 - Swivel Locking Diamond	538	7606.00
MH773	200	4 - Swivel Locking Padded	834	10181.00
MH774	200	4 - Swivel Locking Diamond	846	9900.00

MACHINE ROLLER KIT

- Made of high-strength annealed ductile iron
- These steel machine rollers have swivel tops that rotate 360° on chrome steel ball bearings to allow for easier turning
- The rollers form a "tank track" to revolve around a center load bearing plate in the frame to provide maximum maneuverability
- The weight of the load is transferred directly from the load bearing plate to the rollers, eliminating axle friction and requiring less power to start and move
- These units are virtually maintenance free
- Steering bars split in two and connect with sleeve for easy storage

Kit Includes:

- (4) Machine Rollers
- (2) Steering Bars
- (1) Case



Model No.	Number of Rollers	Cap./Roller Tons	Roller Type	Overall Roller Height"	Roller Size W" x L"	Price /Each
MN679	4	1	Swivel	3.5	3.25 x 8	1305.00

MACHINE ROLLERS

- Made of high-strength annealed ductile iron
- Swivel tops that rotate 360° on chrome steel ball bearings to allow for easier turning
- The rollers form a "tank track" to revolve around a centre load bearing plate in the frame to provide maximum maneuverability
- The weight of the load is transferred directly from the load bearing plate to the rollers, eliminating axle friction
- Optional steering bar split in two and connect with sleeve for easy storage



Model No.	Mfg. No.	Capacity Tons	Price /Each
LU262	VHMS-2	1	287.00
LU263	VHMS-8	4	501.00
LU264	VHMS-15	7.5	541.00
LU265	VHMS-30	15	702.00

STEERING BARS

Model No.	Mfg. No.	Length"	For Use With	Wt. lbs.	Price /Each
LU266	VHMH-48-1	50 1/2	LU262	12	100.00
LU267	VHMH-48-2	50 1/2	LU263, LU264 & LU265	17	110.00

PALLET TRUCKS

HEAVY-DUTY SERIES HYDRAULIC PALLET TRUCKS

Rugged construction makes these pallet trucks the best value for your material handling needs. Up to 27" W x 48" L forks feature entry rollers and tapered design for easy pallet entry and are reinforced for heavy-duty loads. The 3-function hand control (raise, neutral and lower) and the spring-loaded self-righting safety loop handle enhance comfort and ease of operation. Hardened chrome piston with protective dust cover for dependable performance. Durable powder coat finish.

KLETON

5500-LB. CAPACITY HYDRAULIC PALLET TRUCKS

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- 6 1/4" (158.75 mm) wide forks
- Lowered Pallet Truck Height: 2-7/8"
- Raised Pallet Truck Height: 7-3/4"
- Colour: Orange
- **2-year limited warranty**



Model No.	Frame Width"	Fork Length"	Price /Each
MJ484	20 1/2	36	551.00
MJ485	20 1/2	42	551.00
MJ486	20 1/2	48	551.00
MJ487	27	36	551.00
MJ488	27	42	551.00
MJ489	27	48	551.00
ML372*	27	48	551.00

* All nylon steering wheels and rollers

6600-LB. CAPACITY HYDRAULIC PALLET TRUCKS

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Double rollers for easy moving of extra heavy loads
- Reinforced fork channels deliver exceptional durability
- 6 1/4" (158.75 mm) wide forks
- Lowered Pallet Truck Height: 2-7/8"
- Raised Pallet Truck Height: 7-3/4"
- Colour: Kleton blue
- **2-year limited warranty**



Forks feature double entry rollers and tapered design for easy pallet entry

Model No.	Frame Width"	Fork Length"	Price /Each
MJ490	20 1/2	36	630.00
MJ491	20 1/2	42	630.00
MJ492	20 1/2	48	630.00
MJ493	27	36	630.00
MJ494	27	42	630.00
MJ495	27	48	630.00
ML373*	27	48	630.00

* All nylon steering wheels and rollers

HYDRAULIC PALLET TRUCKS

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Heavy-duty plastic roller facilitates entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered Pallet Truck Height: 3-1/4"
- Raised Pallet Truck Height: 7-3/4"
- Colour: Yellow
- **1-year limited warranty**



KLETON

Model No.	Frame Width"	Fork Length"	Capacity lbs.	Price /Each
ML966	20 1/2	36	5500	457.00
ML967	20 1/2	42	5500	457.00
ML968	20 1/2	48	5500	457.00
ML969	27	36	5500	457.00
ML970	27	42	5500	457.00
ML971	27	48	5500	457.00
ML972	27	48	5500	457.00

* All nylon core steering wheels and rollers

6' LONG FORK HYDRAULIC PALLET TRUCKS

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon exit roller facilitates entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7 5/8"
- Colour: Yellow
- **2-year limited warranty**



KLETON

Model No.	Frame Width"	Fork Length"	Capacity lbs.	Price /Each
MN723	27	72	3300	827.00
MN459	27	72	5500	1307.00



PALLET TRUCKS

SUPER HEAVY-DUTY HYDRAULIC PALLET TRUCK

- Heavy-duty nylon steering wheels and rollers provide maximum mobility and performance
- Double rollers for easy moving of extra heavy loads
- Frame Material: Steel
- Fork Width: 6-1/4"
- Lowered pallet truck height: 3"
- Raised pallet truck height: 5-1/2"
- Colour: Orange
- **2-year limited warranty**



KLETON

Model No.	Frame Width"	Fork Length	Capacity lbs.	Price /Each
M0890	27	48	11 000	1313.00

LOW PROFILE HYDRAULIC PALLET TRUCK

- Permits the handling of pallets and containers that are lower than the standard height
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and all steel rollers provide superior performance
- 1.5" exit ramp facilitates exit of pallets
- 6" (152 mm) wide forks
- Lowered pallet truck height: 2"
- Raised pallet truck height: 5-1/2"
- Colour: Orange
- **2-year limited warranty**



KLETON

Model No.	Frame Width"	Fork Length	Capacity lbs.	Price /Each
MN061	27	48	5500	664.00

GALVANIZED HYDRAULIC PALLET TRUCKS

- Heavy-duty all nylon steering wheels and rollers provide superior mobility and performance
- Nylon exit roller facilitates entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7-1/16"
- Galvanized finish offers corrosion resistance and is ideal for wet and cold conditions
- **2-year limited warranty**



KLETON

Model No.	Frame Width"	Fork Length"	Cap. lbs.	Price /Each
MN059	27	48	5500	753.00
MN648	27	42	5500	740.00

STAINLESS STEEL HYDRAULIC PALLET TRUCKS

- Heavy-duty all nylon steering wheels and rollers provide superior mobility and performance
- Nylon exit roller facilitates entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- High grade 304 stainless steel is ideal for medical, food, sanitary, pharmaceutical, wet and cold applications
- Features stainless steel forks, frame and handle
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7-1/16"
- **2-year limited warranty**



KLETON

Model No.	Frame Width"	Fork Length"	Capacity lbs.	Price /Each
MN060	27	48	5500	2906.00

DIGITAL SCALE PALLET TRUCK

- Permits the weighing of skids and containers while handling them
- Mettler Toledo digital cUL approved scale offers maximum precision on load weights
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon roller facilitates entry and exit of pallets
- 6 5/8" wide forks
- Lowered truck height: 3"
- Raised truck height: 7-11/16"
- **2-year limited warranty**



KLETON

Model No.	Frame Width"	Fork Length"	Capacity lbs.	Price /Each
MN705	27	44 1/2	4400	2282.00

MULTI-DIRECTIONAL HYDRAULIC PALLET TRUCK

- Transrollers permit lateral movement in addition to forward/backward
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels provide superior performance
- Double load rollers, one polyurethane tread bonded to cast iron core and one nylon for easy moving of extra heavy loads
- 2 1/5" exit ramp facilitates exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7-1/2"
- Capacity: Up to 5500 lbs. in standard mode and up to 3300 lbs. in lateral mode
- Colour: Orange
- **2-year limited warranty**



KLETON

Model No.	Frame Width"	Fork Length"	Capacity lbs.	Price /Each
MN062	27	48	5500	724.00

LIFTING, POSITIONING & STACKING

FULLY POWERED ELECTRIC PALLET TRUCKS

- Raise and lower loads with a push of a button
- Ergonomic handle features easy to operate throttle, lift/lower controls, safety-enhancing emergency reverse function and horn
- Includes electromagnetic disc brake with automatic dead-man feature that activates when handle is released
- Uses two (2) 12V batteries, integral battery charger and battery level gauge
- Frame Material: Steel



Model No.	Fork Height Lowered"	Fork Height Raised"	Frame Width"	Fork Length"	Fork Width"	Batteries	Motor Drive	Lift	Operation Time (hours)	Intermittent Operation Time (hours)	Capacity lbs.	Price /Each
LV531	3.2	7.8	28.25	47	20	(2) 12V batteries	0.7 KW	1.3 KW	3-4	8	3300	7937.00
LV532	3.4	7.8	30.25	48	20	(4) 6V batteries	1.2 KW	2.0 KW	6-7	8	4500	10826.00
LV533	3.1	7.8	28.25	48	25	(2) 12V batteries	0.7 KW	1.3 KW	3-4	8	3300	7786.00
LV534	3.1	7.8	25	47	25	(2) 12V batteries	0.7 KW	1.3 KW	3-4	8	3000	7401.00
LV535*	3.1	7.8	28.25	48	25	(2) 12V batteries	0.7 KW	1.3 KW	3-4	8	3300	12394.00
LV536	3.2	8.2	30.25	48	27	(4) 6V batteries	1.2 KW	2.0 KW	6-7	8	4500	11354.00
LV538*	3.2	8.2	30.25	48	27	(4) 6V batteries	1.2 KW	2.0 KW	6-7	8	4500	15399.00

*Features a built-in scale

SKID LIFTS

- Allows entry into different skids and baskets
- Lightweight design is easy to maneuver with pallet truck style steering configuration
- Stronger and more reliable cylinder
- Quick-lift mechanism on manual lifts allows loads under 400 lbs to be raised with 24 strokes, heavier loads require 72 strokes
- Self-contained battery-powered power pack (electric models) eliminates power source or power cord problems
- Built-in automatic battery charger and charge indicator (electric models)
- Raised bulkhead design provides greater backrest surface, ergonomic location for automatic battery charger and clear view of load
- 24" load center
- Lowered height: 3 1/4", raised height: 31 1/2"
- 8" polyurethane load wheels and 3" polyurethane load roller
- Capacity: 3000 lbs.

Model No.	Dim. of Forks W" x L"	Wt. lbs.	Price /Each
MANUAL LIFTS			
MH748	20 1/2 x 48	330	4239.00
MH749	27 x 48	340	4239.00
ELECTRIC LIFTS			
MH796	20 1/2 x 48	430	7579.00
MH797	27 x 48	440	6869.00



ELECTRIC SKID LIFTS

- Ergonomic lift truck increases worker and machine efficiency and productivity
- Reduces operator muscle fatigue and injuries by bringing material closer to worker height
- Heavy loads can be lifted using push buttons and electric hydraulic power and moved until auto brake engages at approximately 8"
- Unit rolls on phenolic 8" x 3" rear swivel casters and dual 3" front guide wheels
- Capacity: 2500 lbs.
- Raised Height: 31.5"
- Lowered Height: 3.5"
- Frame Material: Steel



Model No.	Platform Dim. W" x L"	Operation Type	Description	Price /Each
LV541	20 x 48	AC Powered	Push Button Hand Control	5252.00
LV542	20 x 48	Air/Oil Powered	Foot Treadle Control	5252.00
LV543	20 x 48	DC Powered	Push Button Hand Control & On-Board Charger	5252.00
LV544	27 x 48	AC Powered	Push Button Hand Control	5382.00
LV545	27 x 48	Air/Oil Powered	Foot Treadle Control	5382.00
LV546	27 x 48	DC Powered	Push Button Hand Control & On-Board Charger	5382.00
LV547	27 x 72	AC Powered	Push Button Hand Control	6956.00
LV548	27 x 72	Air/Oil Powered	Foot Treadle Control	6956.00
LV549	27 x 72	DC Powered	Push Button Hand Control & On-Board Charger	6956.00





LIFTING, POSITIONING & STACKING

FULLY POWERED ELECTRIC PALLET TRUCK WITH STAND-ON PLATFORM

- Raise and lower loads with a push of a button
- Ergonomic handle features easy to operate throttle, lift/lower controls, safety-enhancing emergency reverse function and horn
- Includes electromagnetic disc brake with automatic dead-man feature that activates when handle is released
- Uses four (4) 6V batteries, integral battery charger, battery level gauge and emergency battery disconnect
- Features 1.2 KW drive and 2.0 KW lift motor
- 6-7 hours operation at full charge - 8 hours when used intermittently
- CUL approved charger
- Capacity: 4500 lbs.
- Frame Material: Steel
- Fork Width: 27"
- Machine Weight: 1116 lbs.



Model No.	Fork Height		Fork Length"	Frame Width"	Price /Each
	Lowered"	Raised"			
LV537	3,2	8.2	48	30-1/4	11828.00

ECO I-55 AUTOMOTIVE BRAKE PALLET TRUCKS

- Formed C-channel steel
- Reinforced forks
- Quality German-designed pump
- Heavy-duty thrust plate
- Ergonomic cushioned handle
- 3-position finger tip control
- Adjustable push rods
- High-quality powder coat finish
- 200° handle pivot
- Rubber wheels and polyurethane load rollers
- Capacity: 5500 lbs.
- Fork Width: 6.3"



Model No.	Fork Height		Fork Length"	Frame Width"	Price /Each
	Lowered"	Raised"			
LU001	2.9	7.9	48	20.5	697.00
LU002	2.9	7.9	48	27	697.00

FULLY POWERED ELECTRIC PALLET TRUCK WITH STAND-ON PLATFORM

- Raise and lower loads with a push of a button
- Ergonomic handle features easy to operate throttle, lift/lower controls, safety-enhancing emergency reverse function and horn
- Includes electromagnetic disc brake with automatic dead-man feature that activates when handle is released
- Uses four (4) 6V batteries, integral battery charger, battery level gauge and emergency battery disconnect
- Features 1.2 KW drive and 2.0 KW lift motor
- 6-7 hours operation at full charge - 8 hours when used intermittently
- CUL approved charger
- Capacity: 4500 lbs.
- Frame Material: Steel
- Fork Width: 27"
- Machine Weight: 1582 lbs.



Model No.	Fork Height		Fork Length"	Frame Width"	Price /Each
	Lowered"	Raised"			
LV539	3.2	8,2	96	30	15854.00

ULTRA LOW PROFILE HYDRAULIC PALLET TRUCK

- Polyurethane wheels and steel rollers
- Fork lowered height: 1 3/4"
- Fork raised height: 6 1/2"
- Capacity: 5000 lbs.
- Limited 2-year warranty



Model No.	Frame Width"	Fork Length"	Wt. lbs.	Price /Each
MH735	27	48	175	1769.00

4-WAY HYDRAULIC PALLET TRUCK

- Can enter pallet from all 4 sides
- Reinforced forks
- Adjustable fork connecting rods
- Steel 1.70" load wheels
- 6" polyurethane steering wheels
- Capacity: 4000 lbs.
- 3-year pump warranty




Model No.	Mfg. No.	Frame Width"	Fork Length"	Wt. lbs.	Price /Each
MN136	273400	33	48	241	1179.00

ADJUSTABLE WIDTH PALLET TRUCKS

- Fork width adjusts from 21" to 27"
- Fork length: 48"
- 7" mold-on polyurethane steering wheel
- 3" mold-on polyurethane load wheels
- Raised height: 7 3/4"
- Lowered height: 3"
- Forks width: 6"
- Capacity: 5500 lbs.
- 5-year pump warranty

Model No. MI820 Price/Each \$1209.00



LIFTING, POSITIONING & STACKING

LIFT-RITE® PALLET TRUCKS

- New one-piece pump for improved performance and reliability
- Includes ergonomic handles and articulating steering wheels
- 3" fork lowered height, 7 3/4" fork raised height
- 7" fork width
- Capacity: 5500 lbs.
- **Limited 2-year warranty**



Model No.	Frame Width"	Fork Length"	Wt. lbs.	Price /Each
ML052	20 1/2	36	142	959.00
ML053	20 1/2	42	147	959.00
ML054	20 1/2	48	152	959.00
ML055	27	36	147	959.00
ML056	27	42	157	959.00
ML057	27	48	167	969.00

Note: Custom sizes available

ALL TERRAIN PALLET TRUCKS

- Welded steel tubular frame construction for maximum strength
- Features large pneumatic wheels for use on gravel, dirt and other types of rough terrain
- Wheels include sealed bearings for dust protection and long life
- Overall fork length is 32"
- Fork lowered height: 3"
- Fork raised height: 9"
- Overall dimensions: 64" W x 50" L x 51" H
- Usable straddle width is 50" between outriggers
- Read wheel diameter: 10"
- **90-day limited warranty**



Model No.	Overall Fork Width"	Capacity lbs.	Weight lbs.	Price /Each
MN461	9-1/2" - 26"	2000*	239	2246.00
MN462	10" - 26-3/4"	2500**	457	2572.00
MN463	Optional Tow Bar Package		20	358.00

* 2000 lbs. at 12" horizontal load center, 1500 lbs. at 15" and 1000 lbs. at 24"
 ** 2500 lbs. at 12" horizontal load center, 2000 lbs. at 15" and 1500 lbs. at 24"

QUICK LIFT HYDRAULIC PALLET TRUCKS

- Lifts to full height with only four pumps when empty
- 2-speed pump automatically switches to low-speed operation
- Allows forks to quickly rise to upper pallet boards for quicker operation
- Each fork measures 7" wide
- Poly-on-steel wheels
- Assembly required to connect handle to truck



Model No.	Fork Height Lowered"	Fork Height Raised"	Frame Width"	Fork Length"	Capacity lbs.	Price /Each
MN365	3	7 1/2	20	48	5500	811.00
MN366	3	7 1/2	27	48	5500	812.00

PALLET JACK STOPS

- Ideal solution for reducing freight claims and trailer damage caused by runaway pallet trucks
- Engineered for tough duty inside trucks and trailers
- The pallet jack stop functions on any surface without slipping

Model No. MN083
Mfg. No. 272175
Price/Each \$75.30




PALLET PULLERS

- Efficient way to unload pallets from trucks
- Hardened teeth give positive grip in any pallet
- One-person operation
- Pulls pallets straight or sideways to get out of tight spots
- Puller Capacity: 5000 lbs.
- Chain Capacity: 4700 lbs.
- Max Jaw Opening: 9-1/4"
- Jaw Height: 3"
- Colour: Blue



KH863



LU982



Model No.	Description	Wt. lbs.	Price /Each
KH863	Pallet Puller	16	101.00
LU982	Grade 70 Transport Chain, Length: 20', Trade Size: 5/16"	21	80.90

FORKLIFT SAFE BUMP GUARDS

- Avoid damage to forklift trucks
- Safe-Bump attaches with two 100 lb magnets and (VHB) two way tape
- Made of soft PVC plastic that will absorb energy to prevent damage
- Can be attached to the forks to prevent handling damage
- Dimensions: 18" L x 4" W x 1.5" H

Model No. LU441
Price/Each \$89.90



FORKLIFT BATTERY PPE KITS

- Occupational Health and Safety laws require that all personnel wear personal protective equipment (PPE) when performing all battery maintenance or replacement
- Kit includes: neoprene safety handling gloves, safety goggles/eye protection, face safety shield/eye protection, apron, flashlight, battery hydrometer, battery handling mounting board


Model No. LU438
Price/Each \$188.00



LIFTING, POSITIONING & STACKING

FORK EXTENSIONS

- Handle large and odd shaped loads with increased stability
- Easy to use slide-on design
- Steel retaining strap prevents extensions from sliding off forks during use
- Fork extension may not extend more than 50% beyond existing fork
- Max. Fork Thickness: 2"



KLETON



Priced Per Pair					
Model No.	Accommodates Fork Width"	Fork Extension Overall Width"	Length"	Wt. lbs.	Price /Each
M0778	4	5	54	84	382.00
M0779	4	5	63	98	407.00
ML346	4	5	72	114	383.00
M0780	4	5	84	145	472.00
ML348	4	5	96	172	514.00
M0781	5	6	63	110	420.00
ML347	5	6	72	128	445.00
M0782	5	6	84	145	489.00
M0783	5	6	96	165	523.00
M0784	6	7	72	134	523.00
M0785	6	7	84	158	571.00
M0786	6	7	96	180	613.00

WALL BRACKET

- To keep fork extensions out of the way when not in use
- One wall bracket required for each pair of forks

KLETON

Model No.	Dimensions W" x H"	Wt. lbs	Price /Each
ML282	6 x 8	5	88.99

Note: Hardware not included



FORKLIFT MIRRORS

- Know what is going on all around the lift truck at all times
- High range of visibility
- Installation on any lift truck is quick and easy



LU478



LU443

IDEAL WAREHOUSE
INNOVATIONS INC

Model No.	Shape	Size	Mounting Type	Price /Each
LU478	Rectangular	18-1/4" W x 3" H	Magnet	110.00
LU479	Rectangular	8" W x 4-1/4" H	Magnet	110.00
LU442	Dome	9" Dia.	Tape	86.40
LU443	Dome	9" Dia.	Magnet	117.00


FORKLIFT REAR SPOTTER

- Provides visual warning for pedestrians; promotes greater safety
- Configured for 12-48 VDC
- Bright blue spot beam pattern projects onto the ground
- IP67 Standard Compliance (Dust & Water Resistant)
- UV-resistant polycarbonate lens
- Mounting hardware M10 - 1.5 x 20 mm
- Optional universal mounting kit (see XE492)



IDEAL WAREHOUSE
INNOVATIONS INC

XE490



Model No.	Lens Pattern	Lens Material	Housing Material	Connector	Price /Each
XE490	Spot	Polycarbonate	Aluminum	Wire Harness	135.00
XE492			Universal Mount		31.40

FORK TILT LEVEL INDICATORS

An incorrect tilt angle of a lift truck's forks is the leading cause of damage to pallets, racking and merchandise. Even the most experienced operators have difficulty judging the correct fork tilt when placing pallets high onto racking. That's why Accu-Tilt displays the fork level at all times to prevent damage and increase productivity by eliminating the guess work.

Additionally, the Accu-Tilt's fork tilt level indicator also specifies the correct fork angle to use when moving a load and when parking the lift truck. This valuable device is easily installed on all makes and models of forklifts and lift trucks.

Model No. MN261
Price/Each \$222.00



IDEAL WAREHOUSE
INNOVATIONS INC

FORKLIFT CHECKLIST CADDY KIT

- A complete daily forklift checklist system for forklift operators
- OSHA requires that all forklifts be inspected before the beginning of each shift
- Includes one 75 inspection carbon copy sheet checklist pad
- Includes one pen with attached plastic wire
- Includes one Caddy 4-1/4" x 7-1/4" polyethylene envelope with two-way tape for easy mounting



IDEAL WAREHOUSE
INNOVATIONS INC

Model No.	Forklift Type	Version	Language	Price /Each
LU454	Propane Counterbalance	Complete Log Kit	English	46.20
LU455	Electric Counterbalance	Complete Log Kit	English	46.20
LU456	Electric Narrow Aisle	Complete Log Kit	English	46.20
LU457	Electric Pallet Truck	Complete Log Kit	English	46.20
LU458	Aerial Work Platform	Complete Log Kit	English	46.20
LU468	Propane Counterbalance	Complete Log Kit	French	46.20
LU469	Electric Counterbalance	Complete Log Kit	French	46.20
LU470	Electric Narrow Aisle	Complete Log Kit	French	46.20
LU471	Electric Pallet Truck	Complete Log Kit	French	46.20
LU472	Aerial Work Platform	Complete Log Kit	French	46.20
LU459	Propane Counterbalance	Replacement Log Book	English	17.10
LU460	Electric Counterbalance	Replacement Log Book	English	17.10
LU461	Electric Narrow Aisle	Replacement Log Book	English	17.10
LU462	Electric Pallet Truck	Replacement Log Book	English	17.10
LU463	Aerial Work Platform	Replacement Log Book	English	17.10
LU473	Propane Counterbalance	Replacement Log Book	French	17.10
LU474	Electric Counterbalance	Replacement Log Book	French	17.10
LU475	Electric Narrow Aisle	Replacement Log Book	French	17.10
LU476	Electric Pallet Truck	Replacement Log Book	French	17.10
LU477	Aerial Work Platform	Replacement Log Book	French	17.10

LIFT TABLES

HYDRAULIC SCISSOR LIFT TABLES

Kleton tables are available in various capacities and travels to satisfy a wide variety of applications. All tables have an integrated hydraulic pump/cylinder assembly. Kleton scissor lift tables add the value of mobility to the hydraulic lift table concept. Exceptional functionality and manoeuvrability is apparent, whether loaded or empty. In addition, rugged construction and premium-quality hydraulics complement their ease of use with low maintenance.



APPLICATIONS

Kleton tables are used in a wide variety of applications, from stocking shelves to lifting and moving materials in warehouses, machine shops and manufacturing operations.

OPERATION

The Kleton design allows workers to easily move and position loads to a convenient working height. By minimizing undesirable lifting, reaching and stretching, Kleton tables increase productivity and decrease workplace injuries.

STANDARD FEATURES

- Ergonomic push handle with easy to use release handle to lower the platform
- Hydraulic foot pump raises the platform
- Quality orange powder coated finish provides exceptional durability and corrosion resistance
- (2) rigid polyurethane casters
- (2) swivel polyurethane casters with brake



MP005



MP006



MP007



MP008



FIND OUT HOW IT WORKS

www.Youtube.com/KletonInd

Model No.	Load Cap lbs.	Platform Height		Platform Size		Handle Height"	Pedal Strokes To Max	Wheel Diameter"	Weight lbs.	Price /Each
		Lowered"	Raised"	Width"	Length"					
MP005	330	8.85	29.13	17 3/4	27 1/2	36.8	25	4	92.5	557.00
MP006	660	11	35.4	19 3/4	32	39.2	36	5	169.7	683.00
MP007	770	13.7	51.1	19 3/4	35 3/4	38.1	60	5	231.4	1019.00
MP008	1100	11	35.4	19 3/4	32	39.2	45	5	187.3	824.00

Note: Platform height dimensions include the casters.



HYDRAULIC SCISSOR LIFT TABLES

Kleton tables are available in various capacities and travels to satisfy a wide variety of applications. All tables have an integrated hydraulic pump/cylinder assembly. Kleton scissor lift tables add the value of mobility to the hydraulic lift table concept. Exceptional functionality and manoeuvrability is apparent, whether loaded or empty. In addition, rugged construction and premium-quality hydraulics complement their ease of use with low maintenance.



APPLICATIONS

Kleton tables are used in a wide variety of applications, from stocking shelves to lifting and moving materials in warehouses, machine shops and manufacturing operations.

OPERATION

The Kleton design allows workers to easily move and position loads to a convenient working height. By minimizing undesirable lifting, reaching and stretching, Kleton tables increase productivity and decrease workplace injuries.

STANDARD FEATURES

- Ergonomic push handle with easy to use release handle to lower the platform
- Hydraulic foot pump raises the platform
- Quality orange powder coated finish provides exceptional durability and corrosion resistance
- (2) rigid polyurethane casters
- (2) swivel polyurethane casters with brake



MP009



MP010



MP011



MP012



FIND OUT HOW IT WORKS
www.Youtube.com/KletonInd

Model No.	Load Cap lbs.	Platform Height		Platform Size		Handle Height"	Pedal Strokes To Max	Wheel Diameter"	Weight lbs.	Price /Each
		Lowered"	Raised"	Width"	Length"					
MP009	1100	12.2	35.4	31 1/2	63	38.1	55	5	299.8	1293.00
MP010	1650	16.5	39.3	20	39 1/2	39.2	70	6	227	999.00
MP011	2200	14.9	39.3	20	40	37.8	55	6	253.5	1066.00
MP012	1540	18.7	59	24	48	37.8	70	6	379	1849.00

Note: Platform height dimensions include the casters.

LIFT TABLES

HEAVY-DUTY HYDRAULIC SCISSOR LIFT TABLES

Kleton tables are available in various capacities and travels to satisfy a wide variety of applications. All models have an integrated hydraulic pump/cylinder assembly. The Kleton scissor lift tables add the value of mobility to the hydraulic lift table concept. Exceptional functionality and manoeuvrability is apparent, whether loaded or empty. In addition, rugged construction and premium-quality hydraulics complement their ease of use with low maintenance.



APPLICATIONS

Kleton tables are used in a wide variety of applications, from stocking shelves in retail stores to lifting and moving materials in warehouses, machine shops and manufacturing operations.

OPERATION

The Kleton design allows workers to easily move and position loads to a convenient working height. By minimizing undesirable lifting, reaching and stretching, Kleton tables increase productivity and decrease workplace injuries.

STANDARD FEATURES

- Heavy-duty construction with captured scissor rollers for maximum stability
- Superior hydraulic systems feature an integrated pump-cylinder for maximum reliability
- High quality casters and wheels for exceptional roll ability (two fixed, two swivel)
- Ergonomic push handle with convenient lowering control
- Lowering control automatically stops when released for added safety
- Convenient maintenance pins secure the scissor legs for inspection and maintenance on larger models
- Quality powder coated finish provides exceptional durability and corrosion resistance
- Colour: Kleton blue



MJ518



MJ519



MJ520



MJ522



FIND OUT HOW IT WORKS
www.YouTube.com/KletonInd

Model No.	Load Cap lbs.	Platform Height		Platform Size		Handle Height"	Pedal Strokes To Max	Weight lbs.	Price /Each
		Lowered"	Raised"	Width"	Length"				
MJ518	330	8 5/8	29	17 3/4	27 1/2	37 3/8	28	94.6	700.00
MJ519	660	11 1/4	34 5/8	19 3/4	32	39	27	151	898.00
MJ520	770	14	51 1/4	19 3/4	35 3/4	38 3/8	53	215	1110.00
MJ521	1100	11 1/4	34 5/8	19 3/4	32	39	27	173	923.00
MJ522	1100	11 1/4	36	31 7/8	63	39	55	341	1437.00

Note: Platform height dimensions include the casters.



HEAVY-DUTY HYDRAULIC SCISSOR LIFT TABLES

Kleton tables are available in various capacities and travels to satisfy a wide variety of applications. All models have an integrated hydraulic pump/cylinder assembly. The Kleton scissor lift tables add the value of mobility to the hydraulic lift table concept. Exceptional functionality and manoeuvrability is apparent, whether loaded or empty. In addition, rugged construction and premium-quality hydraulics complement their ease of use with low maintenance.



APPLICATIONS

Kleton tables are used in a wide variety of applications, from stocking shelves in retail stores to lifting and moving materials in warehouses, machine shops and manufacturing operations.

OPERATION

The Kleton design allows workers to easily move and position loads to a convenient working height. By minimizing undesirable lifting, reaching and stretching, Kleton tables increase productivity and decrease workplace injuries.

STANDARD FEATURES

- Heavy-duty construction with captured scissor rollers for maximum stability
- Superior hydraulic systems feature an integrated pump-cylinder for maximum reliability
- High quality casters and wheels for exceptional roll ability (two fixed, two swivel)
- Ergonomic push handle with convenient lowering control
- Lowering control automatically stops when released for added safety
- Convenient maintenance pins secure the scissor legs for inspection and maintenance on larger models
- Quality powder coated finish provides exceptional durability and corrosion resistance
- Colour: Kleton blue



MJ523



MJ524



MJ525



MJ526



 **FIND OUT HOW IT WORKS**
www.Youtube.com/KletonInd

Model No.	Load Cap lbs.	Platform Height		Platform Size		Handle Height"	Pedal Strokes To Max	Weight lbs.	Price /Each
		Lowered"	Raised"	Width"	Length"				
MJ523	1650	16 1/2	35 3/8	20 1/8	39 3/8	39 3/8	45	264	1110.00
MJ524	2200	15	39	20 1/8	40	38 5/8	82	272	1185.00
MJ525	2200	15	53 1/2	29 1/2	80 1/8	39 3/8	200	682	2364.00
MJ526	1545	17 1/2	59 1/8	24	48	40	97	430	2055.00

Note: Platform height dimensions include the casters.

LIFT TABLES

HYDRAULIC WORK TABLES

- All-welded construction
- Foot operated lifts are ideal for a wide variety of shop functions (lifting dies, transporting heavy parts and positioning materials)
- Hand operated lever lowers the table level and controls the rate of descent
- Telescoping posts for stability and support
- Tops and bases are 3/16" thick steel
- Floor lock ensures table remains in place when loaded
- Two rigid and two swivel bolted-on casters
- 1-year guarantee



MA433



MA434



MA440

Model No.	Mfg. No.	Capacity lbs.	Table Size			Lowered Height"	Raised Height"	Caster Size"	No. of Support Posts	Wt. lbs.	Price /Each
L"	x	W"									
MA433	260059	200	16	x	16	28 1/2	46	3	0	54	949.00
MA434	260060	500	18	x	18	30 1/2	47 1/2	4	2	122	1599.00
MA435	260061	1000	18	x	36	30 1/2	47 1/2	4	2	168	2149.00
MA442	260062	2000	36	x	24	30 1/2	47 1/2	4	4	308	2869.00
MA443	260063	2000	48	x	32	30 1/2	47 1/2	4	4	350	3179.00
MA436	260064	2000	36	x	24	37	59	6	4	339	2719.00
MA437	260065	2000	48	x	32	37	59	6	4	465	3099.00
MA438	260066	4000	36	x	24	37	59	6	4	349	2999.00
MA439	260067	4000	48	x	32	37	59	6	4	475	3279.00
MA440	260068	6000	36	x	24	37	59	6	4	359	3029.00
MA441	260069	6000	48	x	32	37	59	6	4	485	3459.00

MOBILIFT™ BXB ELECTRIC SCISSOR LIFT TABLES

- Allow workers to easily move and position loads to a convenient working height at the push of a button
- Heavy-duty construction combined with captured scissor rollers provide maximum stability
- Superior hydraulic systems feature an integrated pump-cylinder for maximum reliability
- Convenient maintenance pins provide security by securing the legs during inspection and maintenance
- Quality blue baked enamel finish for durability and corrosion resistance
- Includes: An enclosed 24 V, 3 A charger with removable power cord and three level indicator lights to provide quick indication of charge



Model No	Capacity lbs.	Platform Height		Platform Size		Time to Max Height sec	Wt. lbs.	Price /Each
		Lowered"	Raised"	Width"	Length"			
MK814	660	11 1/2	35	19 7/10	32 1/10	10	280	3325.00
MK815	1100	17 1/5	40 2/5	20 1/2	39 4/5	10	390	3617.00
MK816	1760	17 1/5	38 2/5	20 1/2	39 4/5	12	400	3717.00

PNEUMATIC HYDRAULIC SCISSOR LIFT TABLES

- Raise and lower material quickly and easily with hydraulic scissor carts
- Features two speed foot pump and hand held reciprocating air/oil power to manipulate platform height
- Carts roll smoothly on two rigid and two swivel poly casters
- Mechanical screw drive provides precise platform positioning with no downward drift
- Frame Material: Steel



LV470



LV474



Model No.	Mfg. No.	Capacity lbs.	Platform Dim.			Lowered Height"	Raised Height"	Wt. lbs.	Price /Each
L"	x	W"							
LV469	AIR-1000	1000	32-1/2	x	19-3/4	15.75	35.5	180	1481.00
LV470	AIR-1000-LD	1000	63	x	31-1/2	12.1	35.5	318	2253.00
LV471*	AIR-1000-LD-PSS	1000	63	x	31-1/2	12.1	35.5	340	4426.00
LV472*	AIR-1000-PSS	1000	32-1/2	x	19-3/4	15.75	35.5	181	3242.00
LV473	AIR-100-D	1500	47-1/4	x	24	19.5	67	538	2531.00
LV474*	AIR-1500D-PSS	1500	47-1/4	x	24	19.5	67	515	6486.00
LV475	AIR-1750	1750	39-1/2	x	20	14.25	39.5	312	1841.00
LV476	AIR-2000	2000	47-1/2	x	24	15	39.5	400	1976.00
LV477*	AIR-2000-PSS	2000	47-1/2	x	24	15	39.5	394	4848.00
LV478	AIR-800-D	800	35-1/2	x	20	15	51	272	1780.00
LV479*	AIR-800-D-PSS	800	35-1/2	x	20	13.75	51	267	3828.00

*Partially stainless steel cart features stainless steel platform, frame, handle, caster rigs and hardware



LIFT TABLES & TILTERS

OPTIMUS® ELECTRIC-HYDRAULIC SCISSOR LIFT TABLES

- Intelligent design with rounded platform corners
- Unitized power unit with easy-view hydraulic reservoir
- Hinged maintenance bars are powder-coated for improved safety
- Voltage: 115 V
- Current: AC
- Frame Material: Steel



Model No.	Mfg. No.	Lift Vertical Travel"	Height		Platform Dimensions			Capacity lbs.	Price /Each
			Raised"	Lowered"	L"	x	W"		
LV450	L2K-2848	30	38.5	8.5	48	x	28	2000	4279.00
LV451	L2K-3648	30	38.5	8.5	48	x	36	2000	4398.00
LV452	L2K-TT	30	41.5	11.5	43	x	43	2000	5091.00
LV453	L3K-2848	34	42.6	8.6	48	x	28	3000	5125.00
LV454	L3K-3648	34	42.6	8.6	48	x	36	3000	5272.00
LV455	L3K-TT	34	45.8	11.8	43	x	43	3000	5964.00



STRADDLED ERGONOMIC TILTERS

- Functions as transporter by moving products from work station to work station without the need for a truck or lift table
- Features a folding ergonomic handle for quick and easy manoeuvrability
- Thin profile allows user to get as close to the load as possible
- Can be used with any kind of container, pallet or skid
- Dimensions: 72-13/16" L x 57-1/4" W x 29-1/4" H
- Fork Length: 28-1/2"
- Raised Height: 37"
- Lowered Height: 3"



Model No.	Mfg. No.	Operation Type	Capacity lbs.	Machine Weight lbs.	Price /Each
LV594	TMS-20-DC	DC Powered	2000	1017	7329.00
LV598	TMS-40-DC	DC Powered	4000	1046	7870.00
LV600	TMS-60-DC	DC Powered	6000	1067	9920.00



HYDRAULIC SCISSOR LIFT TABLES

- Suitable for a wide range of applications and operating environments
- Two button hand control allows for easy adjustment of platform height
- Simply connect to minimum 80 CFM & 80 PSI air supply (3/4" recommended) for convenient usage
- Toe guards ensure safety of operator
- Capacity: 3000 lbs.
- Raised Height: 43"
- Lowered Height: 7"
- Frame Material: Steel



Model No.	Mfg. No.	Platform Dimensions		Machine Weight lbs.	Price /Each
		Length"	Width"		
LV464	AHLT-2448-3-43	48	24	689	8512.00
LV465	AHLT-3060-3-43	60	30	787	8512.00
LV466	AHLT-4048-3-43	48	40	769	8512.00
LV467	AHLT-4848-3-43	48	48	780	8512.00
LV468	AHLT-4872-3-43	72	48	937	8512.00



PALLET LIFTERS

EZ LOADER®

- Minimizes bending and lifting and reduces extra movement around the pallet
- Weight sensitive, raises and lowers pallet as load weight changes, keeping top of the load at convenient working height
- Rotating top minimizes walking or reaching during the loading process
- Allows on or off loading to be done from near side and at convenient height
- 3-position capacity, adjustable without changing air pressure
- Designed to work in conjunction with Bishamon's Unilift custom easy-to-read air gauge
- Air pressure capacity adjustment: 10-60 PSI
- Shop air requirements: Clean dry air 60 PSI
- Heavy-duty, structural steel frame is 24 1/3" x 49" at base: turntable is 43" in diameter
- Product Weight: 500 lbs.
- Lift Vertical Travel: 20"
- Min. Self Leveling Capacity: 250 lbs.
- Maximum internal air pressure: 135 PSI
- Max. Self Leveling Capacity: 3500 lbs.
- Capacity: 4000 lbs.
- Raised Height: 30.5"
- Lowered Height: 10.5"



LT459

Bishamon

Model No.	Mfg. No.	Description	Frame Material	Price /Each
LT459	EZ-LOADER	Pallet Lifter	Steel	4282.00
LV437	EZ LOADER-E	Self-Levelling Pallet Positioner Stainless Platform	Steel	7284.00
LV438	EZ-LOADER-SS	Self-Levelling Pallet Positioner 100% Stainless Steel	Stainless Steel	17480.00

AIR PALLET PAL LEVEL LOADER

- Designed for use where pallet loads vary and are changed frequently
- 43 5/8" diameter rolled angle ring riding on low friction bearings and guided by center shaft
- Permanent spring combines with air bag to provide linear response
- Equipped with fork pockets for easy relocation
- Lowered height of 9 1/2", raised height of 30 1/2"
- Base frame dimensions: 48" L x 36" W, including fork truck pockets
- Capacity: 400 to 4500 lbs.
- Weight: 460 lbs.

Model No. LT471

Price/Each \$4919.00



SOUTHWORTH

SPRING-OPERATED PALLET LIFTERS – PALLET PAL®

- Designed to handle loads up to 4500 lbs
- Travel height ranges from 9 1/2" to 28"
- Heavy-duty springs and shock absorbers enables pallet to automatically raise and lower loads as items are added or removed from the platform
- Turntable design provides ergonomic assistance
- Use of lifter reduces the risk of fatigue and work related injuries
- Features built-in fork pockets
- Platform Dimensions: 43-5/8" L x 43-5/8" W



MF108

SOUTHWORTH

Model No.	Description	Wt. lbs.	Price /Each
MF108	Steel	400	4299.00
MK836	Stainless	500	24819.00

SPRING-OPERATED PALLET LIFTER

- Shock absorber and heavy-duty springs allow the top of the load to remain at a convenient height by raising and lowering the pallet as its weight changes
- Equipped with forklift pockets for easy relocation
- Rotating top minimizes worker movement
- Ergonomic design helps prevent workplace injuries
- Easy to assemble
- Platform dim.: 43-5/8" L x 43-5/8" W
- Base frame dim.: 45-1/4" L x 36-3/4" W
- Capacity: 4400 lbs.
- Raised Height: 27.75"
- Lowered Height: 9.5"
- Frame Material: Steel

Model No. MO787

Price/Each \$2395.00



KLETON

EZ X LOADER SELF-LEVELLING PALLET POSITIONER

- Economical alternative to the standard EZ Loader
- Self-levelling design keeps top of the load at convenient working height
- Pressure relief valve prevents excess pressure build-up
- Rotating top minimizes walking or reaching during the loading process
- Rollers entrapped in base frame and platform for added stability
- Captive air operation eliminates mechanical springs
- Platform Dimensions: 43" L x 43" W
- Capacity: 4000 lbs.
- Raised Height: 29.8"
- Lowered Height: 9.8"
- Lift Vertical Travel: 20"



Bishamon

Model No.	Mfg. No.	Frame Material	Wt. lbs.	Price /Each
LV439	EZ X LOADER	Steel	500	3219.00

CAROUSEL PALLET TURNTABLES

- Loading and unloading operations that originally required a large amount of time can be done more efficiently with less fatigue and risk of back injury
- This Lazy Susan concept is constructed from two pieces of rolled structural angle
- A series of roller bearings transfer the load smoothly and evenly to the supporting surface
- Overall height is 2 1/4"



Vertil
We've Got It!

Model No.	Outside Diameter"	Capacity lbs.	Wt. lbs.	Price /Each
MH204	40	2000	43	598.00
MH205	40	4000	47	668.00
MH206	40	6000	47	752.00
MH207	48	2000	51	793.00
MH208	48	4000	57	853.00
MH209	48	6000	69	926.00



PALLET LIFTERS

NARROW MAST POWERED LIFT STACKERS

- Powered lift can raise and lower loads quickly and easily
- Narrow mast design provides improved manoeuvrability and efficiency
- Uses 12V battery, with integral battery charger and battery level gauge
- Equipped with support legs
- Operation Type: Electric



Model No.	Mfg. No.	Height		Lifting Capacity lbs.		Price /Each
		Raised"	Lowered"	@ 63"	@ 118"	
ADJUSTABLE FORKS						
LV585	SLNM-118-AA	118	2	1500	1000	6437.00
LV587	SLNM15-63-AA	63	2	1500	-	5794.00
FIXED FORKS						
LV586	SLNM-118-FF	118	3.25	1500	1000	6258.00
LV588	SLNM15-63-FF	63	3.25	1500	-	5271.00

SEMI-ELECTRIC FORK LIFT STACKERS

- Powered lift can raise and lower loads quickly and easily
- Manual push stackers are easily manoeuvrable using pull handle
- Uses 12V, 130-140A battery, with integral battery charger and battery level gauge
- Equipped with support legs
- Optional 24V traction drive system available upon request



Model No.	Mfg. No.	Height		Lifting Capacity lbs.			Price /Each
		Raised"	Lowered"	@ 63"	@ 118"	@ 150"	
ADJUSTABLE FORKS							
LV582	SL-150-AA	150	2.125	2000	1500	1000	9029.00
LV583	SL-63-AA	63	2.125	2000	-	-	6372.00
FIXED FORKS							
LV580	SL-118-FF	118	3.375	2000	1500	-	7239.00
LV584	SL-63-FF	63	3.375	2000	-	-	6134.00

ELECTRIC FORK LIFT STACKERS

- Economical DC-powered lift stacker ideal for maintenance and commercial application
- Compact design and strong steel profile construction
- Can be used as manual hand pump lift for when power is not available
- Powered with two 12V, 40A batteries
- Includes battery charger and battery level gauge
- Equipped with fixed 6" wide forks, suitable for skids only
- Maximum rated lifting capacity is based on maximum height of 63"
- Lifting Capacity: 2000 lbs.
- Operation Type: Electric



Model No.	Mfg No.	Raised Height"	Lowered Height"	Machine Weight lbs.	Uniform Capacity at 63" - 118"	Price /Each
LV576	SE/HP-63	63	3.375	879	-	6207.00
LV577*	SE/HP-63-AA	63	2.125	879	-	6867.00
LV578	SE/HP-98	98	3.375	1061	1500 lbs.	6897.00
LV575	SE/HP-118	118	3.375	1104	1500 lbs.	7411.00

*Equipped with adjustable forks and support legs

MANUAL HAND WINCH STACKER

- Ideal for use in various workplace applications, maintenance free and easy to use
- Full height push handle for easy steering and excellent visibility through mesh guard
- Feature heavy duty mast and unique winch design for easier and safer lifting
- Two rigid and two swivel wheels with brakes for easy manoeuvring
- Equipped with adjustable forks, ideal for use with pallets and skids
- Lifting Capacity: 770 lbs.



Model No.	Mfg No.	Raised Height"	Lowered Height"	Machine Weight lbs.	Price /Each
LV616	VWS-770-AA	60	1.5	361	1732.00

HEFTI-LIFT LOAD STACKERS

- Hefti-Lift units provide reliable, powerful lifting when moving and positioning loads
- Unit rolls smoothly on two rigid and two swivel poly-on-steel casters with foot operated brake
- Manual hydraulic foot pump yields 3/4" of platform travel per stroke
- Welded steel construction with chrome platform uprights
- Variety of attachments available upon request
- Not for use with pallets
- Operation Type: Foot Pump
- Frame Material: Steel



Model No.	Mfg No.	Platform Dim.		Raised Platform Height"	Lowered Platform Height"	Lifting Capacity lbs.	Wt. lbs.	Price /Each
		Width"	Depth"					
LV550	HYD-10	23	24	59	4-1/2	880	270	1535.00
LV553*	HYD-10-EP	23	40	59	4-1/2	300	283	1708.00
LV554	HYD-15	23	31-1/2	63	4	1500	420	1884.00
LV555	HYD-3	23	24	35	3-1/2	880	190	1291.00
LV556	HYD-5	23	24	44	4-1/2	880	308	1339.00
LV557*	HYD-5-EP	23	40	44	4-1/2	400	283	1667.00

* Extended Fork Length



PALLET LIFTERS

HYDRAULIC PLATFORM LIFT STACKER

- Allow workers to maneuver and lift heavy loads safely to comfortable needed height
- Foot pedal folds safely out of the way
- Front 5" polyurethane casters and rear 3" polyurethane wheels allow loads to move easily

KLETON

SPECIFICATIONS:

Capacity: 880 lbs.
Overall dimensions: 23" W x 39" D x 67-3/4" H
Platform dimensions: 23" W x 25-3/4" D
Lowered platform height: 4"
Raised platform height: 60"
Weight: 174 lbs.
Model No. MN397
Price/Each \$1468.00



HYDRAULIC PLATFORM LIFT STACKER

- Allows workers to maneuver and lift heavy loads safely to comfortable needed height
- Front 5" and rear 4" phenolic casters allow loads to be moved easily
- Stacker comes standard with floor locks, safety screen and foot guards for safety

SPECIFICATIONS:

Capacity: 1000 lbs. at 15" load center
Overall dimensions: 25.5" W x 40" D x 80" H
Platform size: 24" x 24"
Lowered platform height: 5 3/4"
Raised platform height: 68"
Base legs: 15" inner, 21" outer
Wheels: 5" front, 4" rear
Weight: 234 lbs.
Model No. MH690
Price/Each \$3249.00

WESCO




PLATFORM LIFT STACKERS

HAND WINCH

- Ideal for office use and narrow aisles
- Lightweight and sturdy design
- Manual winch lift
- Includes (2) 5" x 1.25" and (2) 2.75" x 1.25" hard rubber casters

LU510



WESCO

Model No.	Mfg. No.	Platform Height Raised"	Platform Height Lowered"	Platform Dimensions W" x D"	Lifting Cap. lbs.	Price /Each
LU510	272467	66	5	18 x 23	220	1099.00

HYDRAULIC FORK LIFT STACKER

- Adjustable 4" wide x 25.5" long forks
- Adjustable fork width 8.5" to 19.5"
- Two 5" polyurethane swivel casters with brake and two 3" polyurethane rigid load wheels
- Chrome plated rails and handle
- Lifting Capacity: 880 lbs.
- Operation Type: Foot Pump
- Shipped knocked down

WESCO



Model No.	Mfg. No.	Raised"	Height Lowered"	Price /Each
LU511	272941	59	3.5	1419.00
LU549	272940	47	3.5	1539.00



PLATFORM LIFT STACKERS

- Lift and transport loads at ease
- The platform lifts approximately 1" per winch rotation or foot pump stroke
- Rolls smoothly on 6" x 2" poly-on-poly rear wheels with 2" semi-steel front wheels
- **LV481:** Rolls smoothly on 8" x 2" poly-on-poly rear wheels, four swivel casters, and a hand operated floor lock

LU507



LV480



Vestil
We've Got It!

Model No.	Mfg. No.	Operation Type	Platform Height Lowered"	Platform Height Raised"	Platform Dimensions W" x D"	Lifting Cap. lbs.	Price /Each
STEEL							
LU506	LLW-202058-FW	Hand Winch	3-1/8	58	20 x 20	500	1050.00
LU507	LLH-202053-FW	Foot Pump	3-1/8	51-1/8	20 x 20	500	1451.00
ALUMINUM							
LV480	ALLW-2020-FW	Hand Winch	3-1/8	58	20 x 20	400	1142.00
LV481	ALLW-2420-4SFL	Hand Winch	6-1/8	60	24 x 20	400	1636.00

FORK LIFT STACKERS

- Compact lift trucks are designed to lift material to and from shelves
- Constructed of durable steel-and-aluminum
- The rugged 4" wide by 1.1" thick steel forks measure 22" long (20" O.D.)
- Hand-crank winch features a reversible handle and a hold-down device for securing the carriage during transport
- Operation Type: Hand Winch
- Two 8" non-marking rear wheels, two 2" front swivel casters
- **LU503-LU505:** Counter balanced design has poly-on-poly wheels, (2) 5" rear wheels, (2) 4" front wheels.



LU498



LU500



LU503

Vestil
We've Got It!

Model No.	Mfg. No.	Height Raised"	Height Lowered"	Height w/Forks Up Raised"	Height Lowered"	Overall Dimensions L" x W" x H"	Lifting Cap. lbs.	Price /Each
STANDARD								
LU498	A-LIFT-R	47	3.5	67	23.5	24 x 35 x 68-3/4	500	1534.00
LU499	A-LIFT-R-HP	97	3.5	117	23.5	24 x 35 x 67-5/16	400	1738.00
STRADDLE								
LU500	A-LIFT-S	47	1.25	68	21.25	43-7/8 x 42-1/2 x 67-5/16	500	1628.00
LU501	A-LIFT-S-HP	98	1.25	120	21.25	43-7/8 x 42-1/2 x 67-5/16	400	1820.00
LU502	A-LIFT-S-EHP	122	1.25	143	21.25	43-7/8 x 42-1/2 x 79-1/8	350	1881.00
COUNTERBALANCE								
LU503	A-LIFT-CB	47	2	68	21.25	43-1/4 x 45-7/8 x 67-15/16	500	2160.00
LU504	A-LIFT-CB-HP	98	2	120	21.25	43-1/4 x 45-7/8 x 67-15/16	400	2168.00
LU505	A-LIFT-CB-EHP	122	2	143	21.25	43-1/4 x 46 x 79-1/8	350	2463.00



LIFTING, POSITIONING & STACKING

F.O.B. VAUDREUIL, QC. ITEMS ON THIS PAGE ARE MADE TO ORDER AND ARE NON-RETURNABLE


ADJUSTABLE GANTRY CRANES

- Adjustable gantry cranes move and lift heavy equipment with ease
- Height adjustable between 8' and 14'
- Equipped with four heavy-duty steel swivel casters with wheel brakes
- H-Beams use flat-wheel trolleys; I-Beams use taper-wheel trolleys.
- Can be fitted with or without casters
- Shipped knocked down



Model No.	Lifting Cap. lbs.	O.A. Span A'	Clear Span B	Hook Lift Min/Max C	O.A. Height Min/Max D	Beam Height E"	Wheel Spread Min/Max F	Unit Beam Width"	Wt. lbs.	Price /Each
LA189	2000	10	4'7"	6'8"/11'6"	8'9"/14'7"	6	4'7"/7'	3 3/8	885	5649.00
LA190	2000	15	9'7"	6'6"/11'10"	8'9"/14'7"	8	4'7"/7'	5 1/4	1050	6719.00
LA191	4000	10	4'7"	6'2"/11'10"	8'9"/14'7"	8	4'7"/7'	4	1175	6899.00
LA192	4000	15	9'7"	6'11'8"	8'9"/14'7"	10	4'7"/7'	5 3/4	1370	8169.00
LA193	6000	10	4'7"	5'11'1"	8'9"/14'9"	10	4'10"/7'3"	4 5/8	1430	8229.00
LA194	6000	15	9'7"	5'11'1"	8'9"/14'9"	10	4'10"/7'3"	5 3/4	1615	9549.00


Note: Crane only, hoist and trolley not included.



PORTABLE FLOOR CRANES

- Lifts, lowers, positions and moves up to 2000 lbs. with ease
- Hand operated hydraulic pump lifts fully extended boom over 8'
- Crane moves easily with smooth rolling casters
- Fully collapsible, knocks down in seconds for easy storage
- Each crane supplied with 30" adjustable chain and hook
- Shipped knocked down

Folded for Storage



Model No.	Cap. lbs.	Overall Height"	Overall Length"	Overall Width"	Caster Type	Wt. lbs.	Price /Each
LA572	1000	69.25	63.5	31	Phenolic	260	2519.00
LA567	2000	69.25	63.5	37	Cast Iron	275	2649.00
LA838	Replacement Hydraulic Pump						429.00

Model No.	1st position	Boom Reach"/Capacity lbs.	2nd position	3rd position	4th position
LA572	56.5/1000	63.5/770	70.5/320	N/A	
LA567	52.5/2000	62.5/1280	72.5/520	82.5/380	

JIB CRANE

- Ideal for work stations
- Solution for light duty material handling
- 220 degree rotation
- Includes a tool trolley
- Available options: Tool trolleys, festoon saddles, tool hoists, custom HUBs, and custom spans



Model No.	Max. Lift Capacity	Height Under Beam'	Span of Boom'	Price /Each
LU070	150 lbs. (0.075 tons)	8	4	2019.00
LU071	150 lbs. (0.075 tons)	8	6	2019.00
LU072	150 lbs. (0.075 tons)	8	8	2069.00
LU073	150 lbs. (0.075 tons)	8	10	2089.00
LU074	150 lbs. (0.075 tons)	8	12	2119.00
LU075	150 lbs. (0.075 tons)	10	4	2119.00
LU076	150 lbs. (0.075 tons)	10	6	2139.00
LU077	150 lbs. (0.075 tons)	10	8	2169.00
LU078	150 lbs. (0.075 tons)	10	10	2179.00
LU079	150 lbs. (0.075 tons)	10	12	2229.00

LIFT MATE WORKSTATION GANTRIES

- Equip your assembly area with an effective working concept
- Equipped with steel floor pads, pre-drilled for anchoring to floor
- To customize unit, additional options include chain blocks, festoon kit, trolley, 10' L beam for cantilever operation
- Adjustable height
- Heavy capacities and "A" frame styles are available upon request
- Capacity: 2000 lbs.
- Shipped knocked down

Model No. LT481 Capacity: 1000 lbs.
Price/Each \$4069.00

Model No. LT482 Capacity: 2000 lbs.
Price/Each \$4499.00




LIFTING, POSITIONING & STACKING

F.O.B. VAUDREUIL, QC. ITEMS ON THIS PAGE ARE MADE TO ORDER AND ARE NON-RETURNABLE

SPREADER BEAM

- Comes standard with lifting shackles
- Custom lengths and capacities available




LU096



Model No.	Capacity	Spreader Type	Dimensions to Hook'	Price /Each
LU080	1000 lbs (0.5 tons)	Fixed	4	979.00
LU081	1000 lbs (0.5 tons)	Fixed	6	1109.00
LU082	1000 lbs (0.5 tons)	Fixed	8	1259.00
LU083	1000 lbs (0.5 tons)	Fixed	10	1599.00
LU084	2000 lbs (1 ton)	Fixed	4	999.00
LU085	2000 lbs (1 ton)	Fixed	6	1129.00
LU086	2000 lbs (1 ton)	Fixed	8	1289.00
LU087	2000 lbs (1 ton)	Fixed	10	1689.00
LU088	4000 lbs (2 tons)	Fixed	4	1109.00
LU089	4000 lbs (2 tons)	Fixed	6	1189.00
LU090	4000 lbs (2 tons)	Fixed	8	1399.00
LU091	4000 lbs (2 tons)	Fixed	10	1889.00
LU092	10 000 lbs (5 tons)	Fixed	4	1569.00
LU093	10 000 lbs (5 tons)	Fixed	6	1739.00
LU094	10 000 lbs (5 tons)	Fixed	8	2279.00
LU095	10 000 lbs (5 tons)	Fixed	10	2669.00

Model No.	Capacity	Spreader Type	Hook to Hook Min	Hook to Hook Max	Price /Each
LU096	1000 lbs (0.5 tons)	Adjustable	3.5'	6'	889.00
LU097	1000 lbs (0.5 tons)	Adjustable	4'	8'	999.00
LU098	1000 lbs (0.5 tons)	Adjustable	5'	10'	1439.00
LU099	1000 lbs (0.5 tons)	Adjustable	6'	12'	1629.00
LU101	2000 lbs (1 ton)	Adjustable	4'	8'	1389.00
LU102	2000 lbs (1 ton)	Adjustable	5'	10'	1599.00
LU103	2000 lbs (1 ton)	Adjustable	6'	12'	1819.00
LU104	4000 lbs (2 tons)	Adjustable	3.5'	6'	1389.00
LU105	4000 lbs (2 tons)	Adjustable	4'	8'	1599.00
LU106	4000 lbs (2 tons)	Adjustable	5'	10'	1849.00
LU107	4000 lbs (2 tons)	Adjustable	6'	12'	2059.00
LU108	10 000 lbs (5 tons)	Adjustable	4'	8'	2019.00
LU109	10 000 lbs (5 tons)	Adjustable	5'	10'	2499.00
LU110	10 000 lbs (5 tons)	Adjustable	6'	12'	2829.00

FLOOR CRANES



REVERSE BOOM

- Counter weight design allows you to place the crane close to the item being lifted without obstruction by the legs on regular floor crane models
- Reaches over machinery or loading docks easily
- Useful for supplying materials to production areas that are not serviced by overhead cranes
- Equipped with roller bearing wheels, swivel wheel foot brakes, manual pump, adjustable chain and hook, safety pins, push handle and counterweight

Model No.	Boom Capacity lbs.	Counterweight lbs.	Width"	Wt. lbs.	Price /Each
LA793*	1000	650	30	1050	5499.00
LA794*	2000	1300	30	1750	6999.00
LA795	3000	1950	30	2450	9409.00
LA838	Replacement Hydraulic Pump for LA793 and LA794				429.00

DIMENSIONS


Boom Reach"	Lift Clearance"
A B C	Min. Max.
36 43 50	32 91 @ 36 - 94 @ 43 - 97 @ 50

*Shipped knocked down



Rotating Boom

Adjustable stabilizer locates on either side for right or left operation



ROTATING BOOM

- Move your load to either side quickly and safely
- Adjustable outrigger provides stability for side loading
- Allows you to swing the boom 200° to either side while holding a full load
- Useful in tight work spaces where the crane itself cannot be turned

Note: Outrigger extends to one side at a time. Do not swing the boom to the opposite side of the outrigger. This crane is equipped with heavy-duty roller bearing wheels, manual pump, adjustable chain and hook, safety pins and guide handle.

Model No.	Boom Capacity lbs.			Wheel Dia."		Wt. lbs.	Price /Each
	A	B	C	Front	Rear		
LA796	1000	770	320	5	4	450	4699.00
LA797	2000	1280	520	5	4	550	6959.00
LA798	3000	1500	800	4	6	690	8229.00
LA838	Replacement Hydraulic Pump for LA796 and LA797						429.00

DIMENSIONS

Boom Reach"	Lift Clearance"
A B C	Min. Max.
59 69 79	68 92



LIFTING, POSITIONING & STACKING

F.O.B. VAUDREUIL, QC. ITEMS ON THIS PAGE ARE MADE TO ORDER AND ARE NON-RETURNABLE

WALL JIBS

STYLE 100 & 200


- Mount at any height on a wall, column or building support
- Wall mounting gives 180° rotation, column mounting provides 220° of rotation
- Equipped with end stops to limit trolley travel
- **H-Beams** use flat-wheel trolleys; **I-Beams** use taper-wheel trolleys

STYLE 100

Cantilever design is ideally suited for mounting applications where headroom is limited.

STYLE 200

Easily adjustable tie rod jibs are designed to mount within inches of any overhead obstruction.




Model No.	Cap. lbs.	A'	Dimensions B"	C"	Flange Width"	Beam Type	Wt. lbs.	Price /Each
STYLE 100								
LA221	1000	8	6	32	3	I	192	2019.00
LA219	1000	10	8	36	4	I	300	2459.00
LA220	1000	12	8 1/8	45	5 1/4	H	295	2769.00
LA224	2000	8	8	32	4	I	265	2399.00
LA222	2000	10	10	36	4 5/8	I	390	2839.00
LA223	2000	12	10 3/8	45	5 3/4	H	435	3249.00
LA779	4000	8	12	36	5	I	450	4509.00
LA780	4000	10	12	48	5	I	550	5129.00
LA781	4000	12	12	60	5	I	650	6529.00

STYLE 200								
LA227	1000	8	6	32	3 3/8	I	163	1369.00
LA225	1000	10	6	36	3 3/8	I	190	1529.00
LA226	1000	12	6	45	3 3/8	I	233	1689.00
LA782	1000	14	8 1/8	54	5 1/4	H	340	2059.00
LA783	1000	16	8 1/8	66	5 1/4	H	375	2289.00
LA230	2000	8	6	32	3 3/8	I	180	1479.00
LA228	2000	10	6	36	3 3/8	I	220	1709.00
LA229	2000	12	6	45	3 3/8	I	243	1949.00
LA784	2000	14	8 1/8	54	5 1/4	H	350	2289.00
LA785	2000	16	8 1/8	66	5 1/4	H	385	2779.00
LA786	4000	8	10	36	4 5/8	I	395	2539.00
LA787	4000	10	10	38	4 5/8	I	445	2939.00
LA788	4000	12	10	51	4 5/8	I	495	3289.00
LA789	4000	14	10 3/8	58	5 3/4	H	545	3889.00
LA790	4000	16	10 3/8	68	5 3/4	H	595	4369.00

PALLET LIFTERS

- Ideal for use with crane systems or with truck cranes
- Economical pallet lifters are available in four capacities with three adjustable or non-adjustable fork lengths to choose from

A - Throat height (clear) 48"
B - Fork length 36", 42", or 48"
C - Widths (O.D.) 27"



Cap. lbs.	Fork Length"	Standard Model No.	Wt. lbs.	Price /Each	Adj. Model No.	Wt. lbs.	Price /Each
1000	36	LA195	190	1849.00	LA207	270	3539.00
	42	LA196	230	2129.00	LA208	295	3709.00
	48	LA197	255	2279.00	LA209	325	3899.00
2000	36	LA198	195	2219.00	LA210	280	3769.00
	42	LA199	233	2379.00	LA211	305	3989.00
	48	LA200	260	2539.00	LA212	335	4199.00
4000	36	LA201	310	3059.00	LA213	380	4789.00
	42	LA202	337	3189.00	LA214	430	5049.00
	48	LA203	370	3399.00	LA215	475	5299.00
6000	36	LA204	522	3749.00	LA216	525	5549.00
	42	LA205	560	4189.00	LA217	560	5739.00
	48	LA206	602	4709.00	LA218	612	6129.00

ADJUSTABLE PALLET LIFTERS

- Ideal for use with crane systems or with truck cranes
- Economical pallet lifters are available in four capacities with three adjustable or non-adjustable fork lengths to choose from

A - Throat height (clear): 48"
B - Fork length: 36", 42", or 48"
C - Width: (O.D.) 27"




Model No.	Cap. lbs.	Fork Length"	Wt. lbs.	Price /Each
LT475	1000	36	190	1899.00
LT476	1000	42	230	2179.00
LT477	1000	48	270	2329.00
LT478	2000	36	195	2249.00
LT479	2000	42	235	2589.00
LT480	2000	48	260	2779.00

JIB BOOMS

- Instantly converts fork lift trucks into mobile jib cranes for an infinite variety of uses
- Fully adjustable booms reach out, pick-up, and move heavy long loads making your fork lift more versatile
- Boom slips onto the forks and anchors to the truck with a safety chain
- Includes two adjustable hooks



Model No.	Boom Type	Min. Fork Lift Cap. lbs.	0-7	8	9	10	11	12	Wt. lbs.	Price /Each
LA188	Fixed	3000	1000	800	725	650	600	500	255	2019.00
LA187	Elevating	3000							285	2499.00
LA186	Fixed	8000	3000	2700	2400	2200	2000	1900	438	2689.00
LA185	Elevating	8000							483	3529.00



LIFTING, POSITIONING & STACKING

VACUUM CUPS

- Vacuum cups powerfully grip and hold material safely
- Vacuum created by cups allow easy lifting of heavy weights by either one or two cups
- Ideal for moving heavy gauge metal, marble slabs, plate glass and plastic sheet
- Extended Vacu-Lifters keep operators hands away from dangerous areas, especially used in punch press applications
- Manufactured of strengthened steel rods and oil resistant rubber cups
- Positive push-button release valve assures instant release
- 4:1 safety ratio



ALL-VAC INDUSTRIES

Model No.	Cup Dia."	Cap. lbs.	Release Type	Handle Length"	Price /Each
A. HEAVY-DUTY SINGLE CUP					
LA881	3	15	Trigger-pull	-	65.30
LA613	4	25	Trigger-pull	-	69.90
LA615	5	35	Trigger-pull	-	74.30
B. HEAVY-DUTY DOUBLE CUP					
LA882	3	30	Pull-bar	7	84.00
LA640	4	50	Pull-bar	10	86.10
LA641	5	75	Pull-bar	10	95.30
C. TWO-MAN VACUUM LIFTER - DOUBLE CUP					
LA619	4	50	Pull-ring	31	179.00
LA620	5	75	Pull-ring	31	189.00
D. FINGER GRABBER					
LA612	2 1/4	4	Tab		2.29
LA883	2 1/4	4	-		2.39
E. 2-FINGER GRABBER					
LA621	3 1/4	10	Tab		4.99
F. GRIFTER					
LA645	3 1/4	15	Lip Edge		15.90
G. MEDIUM D UT Y VACU-LIFT					
LA616	3 1/4	10	Push-button		51.80
H. STRAIGHT HANDLE LIFTER-SINGLE CUP					
LA886	3 1/4	8	Push-button	18	93.60
LA889	4	15	Push-button	18	99.80

A. Heavy-Duty Single Cup



B. Heavy-Duty Double Cup



C. Two-Man Vacuum Lifter-Double Cup



D. Finger Grabbers



E. 2 Finger Grabber



G. Medium-Duty Vacu-Lift

F. Grifter



H. Straight Handle Lifter-Single Cup

HAND VACUUM CUPS MANUALLY OPERATED

Hand vacuum cups are designed to handle smooth, nonporous loads such as metal, glass, plastic etc. more effectively and more efficiently. These cups make the task of lifting much easier by allowing less awkward lift points and eliminating pinched fingers. Very easy to use - the lever grip is squeezed together when the cam levers are flipped into position and then rubber pads are securely clamped to surface by vacuum. Just flip back lever(s) to release.



ALL-VAC INDUSTRIES

SINGLE HANDCUP

One-hand operation, 4 7/8" cup diameter.

Capacity: 33 lbs.

Model No. LA856

Cast aluminum body

Price/Each \$72.50

Model No. LA857

Plastic body

Price/Each \$63.00



DOUBLE HANDCUP

4 7/8" cup diameter. Capacity: 66 lbs.

Model No. LA859

Cast aluminum body

Price/Each \$87.90

4 5/8" cup diameter. Capacity: 66 lbs.

Model No. LA860

Plastic body

Price/Each \$80.30



PUMP ACTION HANDCUP

Cast aluminum body with built-in hand pump,

8" cup diameter. Includes carrying case.

(One cup per case.) Capacity: 123 lbs.

Model No. LA858

Price/Each \$199.00

Plastic body with built-in plastic hand pump,

8" cup diameter. Includes carrying case.

(One cup per case.) Capacity: 123 lbs.

Model No. LT520

Price/Each \$139.00



TRIPLE HANDCUP

Cast aluminum body with three individual cups.

Ideal for large-sized sheets of material, 4 3/4" cup diameter. Capacity: 110 lbs.

Model No. LA863

Price/Each \$189.00





LIFTING, POSITIONING & STACKING

GX LIFTING CLAMPS

- Entirely drop forged and heat treated
- Strong, yet lightweight
- Ideal for both vertical and horizontal-to-vertical lifting
- Feature a patented wear indicator system
- 100% proof tested

Campbell®

Model No.	Capacity Ton	Grip Range	Wt. lbs.	Price /Each
LB606	1/2	1/16" - 5/8"	4	589.00
LB607	1	1/16" - 3/4"	8	849.00
LB608	3	1/16" - 1"	17	1449.00



UNIVERSAL LIFTING CLAMPS

- Full 180-Degree turning range for material transfer, turning or moving
- Ideal for lifting very hard surface materials
- Welded alloy steel body, forged alloy components
- Individually proof tested to 2 times the WLL with certification
- All lifting clamps are serialized and tagged

Grosby®
LIFTING CLAMPS



Model No.	MFG No.	Working Load Limit	Jaw Opening"	Used on Materials w/Surface Hardness	Price /Each
IPIU10 SERIES					
LV305	2701675	1000 lbs. (0.5 tons)	0" - 5/8"	363HV10 (345 HB)	640.00
LA232	2701663	2000 lbs. (1 ton)	0" - 3/4"	363HV10 (345 HB)	855.00
LV306	2701677	4000 lbs. (2 tons)	0" - 3/4"	363HV10 (345 HB)	1125.00
LV307	2701665	6000 lbs. (3 tons)	0" - 1-2/5"	363HV10 (345 HB)	1484.00
LA546	2701667	9000 lbs. (4.5 tons)	0" - 1-3/8"	363HV10 (345 HB)	1830.00
LA176	2701669	12 000 lbs. (6 tons)	0" - 2"	363HV10 (345 HB)	2247.00
IPIU10H SERIES					
LV308	2702175	1000 lbs. (0.5 tons)	0" - 5/8"	472HV10 (450 HB)	1211.00
LV309	2702177	2000 lbs. (1 ton)	0" - 1-2/5"	472HV10 (450 HB)	1499.00
LV310	2702165	4000 lbs. (2 tons)	0" - 1-1/2"	472HV10 (450 HB)	1954.00
LV311	2702167	6000 lbs. (3 tons)	0" - 1-1/2"	472HV10 (450 HB)	2180.00
LV312	2702169	9000 lbs. (4.5 tons)	0" - 2"	472HV10 (450 HB)	2425.00
LV313	2702171	12 000 lbs. (6 tons)	0" - 2"	472HV10 (450 HB)	3514.00

VERTICAL LIFTING CLAMP

- For full vertical lifting, transfer, turning or moving of material
- Welded alloy steel body, forged alloy components
- Individually proof tested to 2 times the WLL with certification
- All lifting clamps are serialized and tagged



Grosby®
LIFTING CLAMPS

Model No.	MFG No.	Working Load Limit	Jaw Opening"	Used on Materials w/Surface Hardness	Price /Each
IP10 SERIES					
LV314	2701674	1000 lbs. (0.5 tons)	0" - 5/8"	363HV10 (345 HB)	487.00
LA544	2701662	2000 lbs. (1 ton)	0" - 3/4"	363HV10 (345 HB)	663.00
LA545	2701676	4000 lbs. (2 tons)	0" - 3/4"	363HV10 (345 HB)	953.00
LA172	2701664	6000 lbs. (3 tons)	0" - 1"	363HV10 (345 HB)	1187.00
LV315	2701666	9000 lbs. (4.5 tons)	0" - 1-1/2"	363HV10 (345 HB)	1492.00
LV316	2701668	12 000 lbs. (6 tons)	0" - 2"	363HV10 (345 HB)	1738.00
IP10H SERIES					
LV317	2702174	1000 lbs. (0.5 tons)	0" - 5/8"	472HV10 (450 HB)	1015.00
LV318	2702177	2000 lbs. (1 ton)	0" - 1-2/5"	472HV10 (450 HB)	1274.00
LV319	2702164	4000 lbs. (2 tons)	0" - 1-1/2"	472HV10 (450 HB)	1545.00
LV320	2702166	6000 lbs. (3 tons)	0" - 1-1/2"	472HV10 (450 HB)	1717.00
LV321	2702168	9000 lbs. (4.5 tons)	0" - 2"	472HV10 (450 HB)	1990.00
LV322	2702171	12 000 lbs. (6 tons)	0" - 2"	472HV10 (450 HB)	2744.00

NON-MARRING UNIVERSAL LIFTING CLAMP

- Full 180-Degree turning range for material transfer, turning or moving
- Welded alloy steel body, forged alloy components
- Individually proof tested to 2 times the WLL with certification
- All lifting clamps are serialized and tagged



Grosby®
LIFTING CLAMPS

Model No.	Mfg No.	Working Load Limit	Jaw Opening	Series	Price /Each
LV323	2703811	1000 lbs. (0.5 tons)	0" - 5/8"	IPNM10N	1143.00
LV324	2703738	2000 lbs. (1 tons)	0" - 3/4"	IPNM10N	1870.00
LV325	2703442	4000 lbs. (2 tons)	0" - 1-1/2"	IPNM10N	5198.00

HORIZONTAL LIFTING CLAMP

- For horizontal lifting of material
- Welded alloy steel body, forged alloy components
- Individually proof tested to 2 times the WLL with certification
- All lifting clamps are serialized and tagged
- Sold/Priced Per: Clamp
- Designed to be used in multiples of 2 clamps according to load, sizing and shape



Grosby®
LIFTING CLAMPS

Model No.	Mfg No.	Working Load Limit	Jaw Opening"	Series	Price /Each
LV326	2703297	1000 lbs. (0.5 tons)	0" - 3/4"	IPH10	422.00
LV327	2703298	2000 lbs. (1 tons)	0" - 1-2/5"	IPH10	546.00
LV328	2703522	4000 lbs. (2 tons)	0" - 2-2/5"	IPH10	1040.00
LV329	2703523	6000 lbs. (3 tons)	0" - 2-2/5"	IPH10	1201.00
LV330	2703524	9000 lbs. (4.5 tons)	0" - 2-2/5"	IPH10	1346.00
LV331	2703525	12 000 lbs. (6 tons)	0" - 2-2/5"	IPH10	1473.00

BEAM CLAMP

- Caution: Never exceed work load limit



VANGUARD STEEL LTD.

Model No.	Capacity	Jaw Opening"	Price /Each
LU561	2000 lbs. (1 ton)	0" - 10-1/4"	94.90
LU562	4000 lbs. (2 tons)	0" - 10-1/4"	109.00
LU563	6000 lbs. (3 tons)	0" - 13-15/16"	185.00
LU564	10 000 lbs. (5 tons)	0" - 13-15/16"	209.00
LU565	20 000 lbs. (10 tons)	0" - 14-3/8"	319.00

BEAM CLAMPS

- Lift, transfer and position beams from 3" to 10" flange widths using a rapid adjustment screw spindle
- Widely used as portable quick attachments for hoisting and rigging equipment
- 3" diameter eye has a cross loading capacity of 15" off center



Grosby®
LIFTING CLAMPS

Model No.	Cap. Tons	Jaw Opening"	Series	Price /Each
LA178	2	3" - 7 1/2"	IPTK	403.00
LA179	3	3" - 7 1/2"	IPTK	626.00
LA180	4	6" - 10"	IPTK	789.00

Note: Other capacities available

LIFTING, POSITIONING & STACKING

DYNAMIC LIFT™ MAGNETS

- Lifting Capacity: 150 lbs.
- Weight: 6.1 lbs.
- Powerful rare earth permanent lift magnets
- Top rotating locking On/Off handle
- Lifts flat or round loads horizontally
- Lifts flat loads vertically
- Heat resistant up to 180° F (82° C)
- 3:1 Design factor
- **Conforms to ASME B30.20 standards**

MAG-MATE™

LU436



Model No.	Overall Dimensions				Lift lb	Wt. lb	Price /Each
	L" x W" x H"	L" x W" x H"	L" x W" x H"	L" x W" x H"			
LU436	5 x 2 x 9				150	6.1	549.00
LU437	6 1/2 x 4 x 9 1/4				334	13.3	1259.00

CREATIVE LIFT® MAGNETS

- Permanent lift magnets are ideal for handling steel plates, die castings, forgings etc.
- They eliminate the need for clamping devices, slings or chains
- One person can perform operations previously calling for two or more people
- Non-marring roller cam release
- Durable stainless steel casing
- 3:1 design factor
- **Conforms to ASME B30.20 standards.**

MAG-MATE™



Model No.	Dimensions				Magnet		Holding Capacity lbs.	Price /Each
	L" x W" x H"	L" x W" x H"	L" x W" x H"	L" x W" x H"	H" L"	L"		
LS708	7 3/4 x 7 1/4 x 6 3/4				2 1/2	4	400	779.00
LS709	10 3/4 x 7 1/4 x 6 3/4				2 1/2	7	1000	1049.00
LS710	14 3/4 x 7 1/4 x 6 3/4				2 1/2	10 1/2	1500	1329.00
LT271	15 x 10 1/2 x 7				2 1/2	11 1/4	2200	1889.00
LS711	19 1/4 x 10 1/2 x 7				2 1/2	15 1/4	3000	2629.00

HOLDING VALUE & MAX. SHEET LENGTH (IN FEET) FOR SPECIFIED MATERIAL THICKNESS

Model No.	3/16"		1/4"		1/2"		1"		2"	
	Cap lbs.	Length	Cap lbs.	Length	Cap lbs.	Length	Cap lbs.	Length	Cap lbs.	Length
LS708	400	6	400	6	400	8	400	10	400	10
LS709	600	6	900	6	1000	8	1000	10	1000	10
LS710	800	6	1000	6	1500	8	1500	10	1500	10
LT271	800	6	1064	6	2000	8	2200	10	2200	10
LS711	800	6	1100	6	2700	8	3000	10	3000	10

WINCH OPERATED TRUCK JIB CRANE

- Lift items from ground to truck bed height
- Install in pick up truck beds
- Telescopic boom design with manual hydraulic hand pump to pivot boom up and down
- Manual cable winch to lift and lower loads
- Friction brake winch locks automatically when operator turns the handle counter clockwise to lower load
- Unit comes with one fixed hook, one chain slot lock, and one cable hook with latch



Model No.	Boom Extended Capacity	Boom Retracted Capacity	Cable Winch Capacity	Boom Extended Reach	Boom Retracted Reach	Extended Lift Range	Retracted Lift Range	Finish	Cable Usage Length	Price /Each
LU494	500 lbs.	1000 lbs.	500 lbs.	51"	34-3/4"	0"-102"	10"-89-1/2"	Yellow Coated	9'	658.00
LU495	1000 lbs.	2000 lbs.	500 lbs.	44"	30"	0"-86-1/2"	13-1/2"-77-1/2"	Yellow Coated	9'	740.00
LU496	500 lbs.	1000 lbs.	500 lbs.	52"	30-1/2"	0"-99"	13-1/2"-84"	Galvanized	20' w/Dia. 1/4"	956.00
LU497	1000 lbs.	2000 lbs.	500 lbs.	52"	31"	0"-97"	13-1/2"-86"	Galvanized	20' w/Dia. 1/4"	1162.00

POWERLIFT® MAGNETS

- Compact yet powerful rare earth lift magnets can be used on flat or round surfaces and contain an internal release on/off device that does not contact or damage the surface of the part being lifted
- Permanent magnetic lifts eliminate the fear of dropping the load being lifted due to power failures
- 3:1 design factor
- **Conforms to ASME B30.20 standards**

MAG-MATE™



Model No.	Capacity lbs.		Minimum Diameter"	Dimensions				Handle"	Wt. lbs.	Price /Each
	Flat	Round		L" x W" x H"	L" x W" x H"	L" x W" x H"	L" x W" x H"			
LS712	250	125	2	5 x 2 5/8 x 6 5/8	5 7/8	5 7/8	5 7/8	7	7	459.00
LS713	800	400	3	7 7/8 x 3 5/8 x 8 7/8	6 7/8	6 7/8	6 7/8	22	22	949.00
LS714	1600	800	4	10 3/4 x 4 7/8 x 8 7/8	6 3/4	6 3/4	6 3/4	53	53	1549.00
LS715	2500	1250	5	12 5/8 x 7 1/8 x 8 7/8	10 1/8	10 1/8	10 1/8	110	110	2529.00

HOLDING VALUE & MAX. SHEET LENGTH (IN FEET) FOR SPECIFIED MATERIAL THICKNESS

Model No.	1/4"		1/2"		3/4"		1"		3"	
	Cap lbs.	Length	Cap lbs.	Length	Cap lbs.	Length	Cap lbs.	Length	Cap lbs.	Length
LS712	180	6	250	6	250	6	250	10	250	10
LS713	270	6	615	6	800	6	800	10	800	10
LS714	N/A	-	800	6	1600	6	1600	10	1600	10
LS715	N/A	-	N/A	-	N/A	-	1300	10	2500	10

BASICLIFT MAGNETS

- Permanent lift magnet for a broad range of lifting applications
- Full width cam release
- Large lift lug
- Light weight design
- Durable stainless steel casing
- Heat resistant up to 300°F (148°C)
- 2:1 design factor

MAG-MATE™





Model No.	Overall Dimensions				Lift lb	Wt. lb	Price /Each
	L" x W" x H"	L" x W" x H"	L" x W" x H"	L" x W" x H"			
LT372	7 1/2 x 5 5/8 x 5 1/2				400	13	619.00
LT373	11 x 5 5/8 x 5 1/2				1000	18	869.00
LT374	14 1/2 x 5 5/8 x 5 1/2				1500	28	1159.00

HOLDING VALUE & MAX. SHEET LENGTH (IN FEET) FOR SPECIFIED MATERIAL THICKNESS

Model No.	3/16"		1/4"		1/2"		3/4"		1"	
	Cap lbs.	Length	Cap lbs.	Length	Cap lbs.	Length	Cap lbs.	Length	Cap lbs.	Length
LT372	375	6	400	6	400	8	400	8	400	10
LT373	725	6	800	6	975	8	1000	8	1000	10
LT374	875	6	1000	6	1400	8	1500	8	1500	10



KLETON



CANADA'S LEADING MATERIAL HANDLING SUPPLIER

CHAIN HOISTS

- Lightweight steel construction
- Triple spur geared for easy lifting
- Load brake assures safety and load control
- High tensile alloy steel load chain for increased strength and durability
- Latched swivel hooks for added security
- Enclosed chain guide ensures dirt and dust do not affect operation
- Meets ASME B30.16

KLETON

Model No.	Lift'	Cap lbs.	Wt. lbs.	Price/Each
LS534	10	1000	24	163.00
LS535	10	2000	29	184.00
LS536	10	3000	44	263.00
LS537	10	4000	48	287.00
LS538	10	6000	59	404.00
LS539	10	10 000	100	595.00
LS540	20	1000	36	243.00
LS541	20	2000	40	254.00
LS542	20	3000	59	366.00
LS543	20	4000	62	386.00
LS544	20	6000	84	509.00
LS545	20	10 000	136	726.00



LEVER HOISTS

- Lightweight steel construction
- Short steel handle rotates 360° to allow operation in any position
- Load brake assures safety and load control
- High tensile alloy steel load chain for increased strength and durability
- Latched swivel hooks for added security
- Enclosed chain guide ensures dirt and dust do not affect operation
- Meets ASME B30.16

KLETON

Model No.	Lift'	Cap lbs.	Wt. lbs.	Price/Each
LS546	5	1500	15	275.00
LS547	5	2000	18	295.00
LS548	5	3000	24	313.00
LS549	5	6000	42	509.00
LS550	5	12 000	62	771.00



ADJUSTABLE TROLLEYS

- Easily adjusts to fit various flanges, I-beams and H-beams
- Use on straight or curved track
- Can be installed or removed at any position on the beam
- Heavy-duty cast iron wheels
- Deep width flange provides superior contact with the beam
- Geared trolleys include two geared wheels operated by hand chain
- Safety plate included
- Meets ASME B30.16

KLETON

Model No.	Fits I beams"	Cap. lbs.	Wt. lbs.	Price /Each
PLAIN				
LS551	2 11/16 - 5 3/8	1000	10	119.00
LS552	3 1/8 - 6 1/4	2000	17	142.00
LS553	3 1/8 - 6 1/4	4000	28	240.00
LS554	3 7/16 - 7 3/8	6000	46	339.00
LS555	4 13/16 - 9 9/16	10 000	73	520.00
GEARED				
LS556	2 11/16 - 5 1/4	1000	18	168.00
LS557	3 1/8 - 5 15/16	2000	25	206.00
LS558	3 1/8 - 7 1/16	4000	36	295.00
LS559	3 7/16 - 7 3/8	6000	54	381.00
LS560	4 3/4 - 7 3/4	10 000	81	649.00

Adjustable Plain Trolley



Adjustable Geared Trolley



MANUAL CHAIN HOISTS

- Simple, efficient, economical design
- Equipped with hardened load chain for flexibility and long wear
- Compact design, low headroom and lightweight steel construction for easy installation, even in confined spaces
- Brake requires no lubrication
- Forged swivel hooks with latches reduce twisting of chain and unintentional unhooking of load when chain is slack
- Standard hand chain drop is 2' less than lift

Model No.	Lift'	Cap. Tons	Wt. lbs.	Price/Each
QG621	10	1/2	18	219.00
Q1069	10	2	61	519.00
LS935	10	3	89	629.00
LS937	10	5	91	1429.00
LS930	20	1/2	30	439.00
LS932	20	1	38	479.00
LS934	20	2	80	749.00
LS936	20	3	109	869.00
LS938	20	5	123	1809.00

Note: Additional lifts & capacities available on request



CM

CBT ADJUSTABLE TROLLEYS

- Adjustable trolleys are available in plain and geared to fit most applications up to 8.7" beam flange widths
- Dual tread wheels will fit either tapered or flat beam flanges and include permanently lubricated, shielded ball bearings for long life and reduced maintenance
- **Lifetime warranty**

Model No.	Stand Beam Height"	Stand Beam Width"	Wt. lbs.	Capacity Tons	Price /Each
PLAIN					
LT296	4-24	2.0-8.7	19	1/2	279.00
LT297	5-24	2.3-8.7	26	1	339.00
LT299	6-24	2.3-8.7	46	2	479.00
LT300	8-24	3.0-8.7	86	3	899.00
LT301	10-24	3.5-8.7	130	5	1349.00
GEARED					
LT302	5-24	2.3-8.7	26	1	649.00
LT304	6-24	2.3-8.7	46	2	789.00
LT305	8-24	3.0-8.7	86	3	1099.00
LT306	10-24	3.5-8.7	130	5	1489.00



LEVER HOISTS

SERIES 602 & 603 MINI RATCHET

The Series 602 mini hoist is the most compact ratchet lever hoist in the market

- Use in confined conditions with one hand operation
- Free chaining feature serves to quickly attach the load
- Impact resistant all-steel frame, gear case and cover

Model No.	Lift'	Capacity lbs.	Weight lbs.	Price /Each
LS706	5	550	6	259.00
LS707	5	1100	7	359.00
LT591	10	550	7	319.00
LT592	10	1100	8	439.00

Note: Additional lifts and capacities available on request

SERIES 640 PULLER

The Series 640 long handle puller is ideal for a broad range of pulling applications

- Easy one-hand operation
- Free chaining for fast, easy attachment to load
- Tough yet lightweight aluminum construction and powder coat finish
- **Lifetime warranty**

Model No.	Lift'	Capacity lbs.	Weight lbs.	Price /Each
LS724	5	1500	17	969.00
LS725	5	3000	26	1369.00
LS726	5	6000	38	1789.00
LS727	5	12000	73	3369.00

CM



LS706



LS724

SLINGS

NYLON SLINGS

- Used in conjunction with overhead cranes, hoists or winches
- Nylon slings are available in single or double ply to protect heavy, irregular sized loads from scratching or marring
- Slings must be checked frequently
- Should any surface area show signs of wear or cutting, the sling must be replaced immediately
- Each is tagged with manufacturer's name and capacity




DOUBLE EYE SLING TYPE 3

- Commonly used as a basket and/or choker hitch
- For choker hitch pass one eye through the other flat eye, also makes for easy withdrawal from beneath loads



TWISTED EYE SLING TYPE 4

- Reverse eyes make full functional contact with lifting hooks without the use of hardware
- Widely used for both choker and basket hitches



ENDLESS SLING TYPE 5

- Most versatile and widely used sling
- The economical answer to most lifting problems
- Ideal for vertical, choker, and basket hitches

LOAD LIMIT FOR TYPE 3-4 (LBS.)

Width"	Vertical		Choker		Basket	
	Single	Double	Single	Double	Single	Double
1	1600	3200	1280	2400	3200	6400
2	3100	6200	2480	4960	6200	12 400
3	4700	8800	3760	7040	9400	17 600
4	6200	11 000	4960	8800	12 400	22 000

LOAD LIMIT FOR TYPE 5 (LBS.)

Width"	Vertical		Choker		Basket	
	Single	Double	Single	Double	Single	Double
1	3200	6200	2560	4960	6400	12 400
2	6200	12 400	4960	9930	12 400	24 800
3	9400	17 600	7520	14 080	18 800	35 200
4	12 400	22 000	9920	17 600	24 800	44 000

Type	Width"	Ply	3' Model No.	Price /Each	4' Model No.	Price /Each	6' Model No.	Price /Each	8' Model No.	Price /Each	10' Model No.	Price /Each	12' Model No.	Price /Each
Type 3	1	Single	LU292	12.00	LU293	13.00	LU294	15.60	LU295	18.00	LU296	20.60	LU297	23.00
		Double	LU316	12.00	LU317	14.60	LU318	19.60	LU319	24.60	LU320	29.70	LU321	34.70
	2	Single	LU298	17.00	LU299	19.00	LU300	22.00	LU301	27.10	LU302	31.10	LU303	35.10
		Double	LU322	17.00	LU323	21.00	LU324	29.10	LU325	37.70	LU326	45.80	LU327	53.80
	3	Single	LU304	28.10	LU305	30.70	LU306	36.70	LU307	42.70	LU308	48.80	LU309	54.80
		Double	LU328	28.10	LU329	34.10	LU330	46.80	LU331	59.20	LU332	71.90	LU333	84.40
	4	Single	LU310	33.10	LU311	37.10	LU312	44.10	LU313	51.80	LU314	58.80	LU315	66.30
		Double	LU334	33.10	LU335	41.10	LU336	57.80	LU337	73.90	LU338	90.00	LU339	106.00
Type 4	1	Single	LU340	12.00	LU341	13.00	LU342	15.60	LU343	18.00	LU344	20.60	LU345	22.00
		Double	LU364	12.00	LU365	14.60	LU366	19.60	LU367	24.60	LU368	29.70	LU369	34.70
	2	Single	LU346	17.00	LU347	19.00	LU348	23.00	LU349	27.10	LU350	32.10	LU351	49.90
		Double	LU370	17.00	LU371	21.00	LU372	29.10	LU373	37.70	LU374	45.80	LU375	53.80
	3	Single	LU352	25.60	LU353	30.70	LU354	36.70	LU355	42.70	LU356	48.80	LU357	54.80
		Double	LU376	28.10	LU377	34.10	LU378	46.80	LU379	59.20	LU380	71.90	LU381	84.40
	4	Single	LU358	33.10	LU359	37.10	LU360	44.10	LU361	51.80	LU362	58.80	LU363	66.30
		Double	LU382	33.10	LU383	41.10	LU384	57.80	LU385	73.90	LU386	90.00	LU387	106.00
Type 5	1	Single	LU388	12.00	LU389	14.60	LU390	19.00	LU391	24.00	LU392	29.70	LU393	34.10
		Double	LU412	24.00	LU413	29.10	LU414	39.10	LU415	49.20	LU416	59.80	LU417	68.30
	2	Single	LU394	19.00	LU395	23.00	LU396	31.70	LU397	40.10	LU398	48.80	LU399	57.20
		Double	LU418	30.70	LU419	38.70	LU420	54.80	LU421	71.30	LU422	88.00	LU423	106.00
	3	Single	LU400	26.60	LU401	31.70	LU402	41.70	LU403	51.80	LU404	62.90	LU405	73.90
		Double	LU424	51.80	LU425	66.90	LU426	92.00	LU427	116.00	LU428	140.00	LU429	166.00
	4	Single	LU406	31.70	LU407	37.10	LU408	50.20	LU409	62.90	LU410	75.30	LU411	88.00
		Double	LU430	66.30	LU431	81.40	LU432	116.00	LU433	140.00	LU434	176.00	LU435	196.00

Note: Other sizes, capacities and options available

POLYESTER ROUND SLINGS

- Constructed from multiple high tenacity polyester yarns in an endless/continuous loop
- Excellent resistance to ultra-violet light, rotting and mildew
- The high flexibility allows the sling to conform to the load for a secure hold
- No loss of strength when used in water
- Lightweight, easy to rig, store and clean
- Hook and load contact points can be rotated to extend the service life
- Seamless cover, no edges to wear out
- Maximum temperature exposure: 194°F




Model No.	Width'	Length'	Colour	Capacity lbs.			Price /Each
				Vertical	Choker	90° Basket	
LT569	2	4	Purple	3000	2400	6000	14.00
LT570	2	6	Purple	3000	2400	6000	19.50
LT571	2	8	Purple	3000	2400	6000	23.50
LT572	2	4	Green	6000	4800	12000	18.50
LT573	2	6	Green	6000	4800	12000	26.50
LT574	2	8	Green	6000	4800	12000	35.50
LT575	2	6	Yellow	9000	7200	18000	35.50
LT576	2	8	Yellow	9000	7200	18000	45.80

Model No.	Width'	Length'	Colour	Capacity lbs.			Price /Each
				Vertical	Choker	90° Basket	
LT577	2	10	Yellow	9000	7200	18000	63.50
LT578	3	6	Red	14000	11200	28000	66.50
LT579	3	8	Red	14000	11200	28000	72.50
LT580	3	10	Red	14000	11200	28000	89.50
LT581	4	8	Blue	23000	18400	46000	119.00
LT582	4	10	Blue	23000	18400	46000	149.00
LT583	4	12	Blue	23000	18400	46000	179.00

Note: Other lengths available upon request

POLYESTER SLINGS

- Mainly used outdoors and can withstand increases in temperature and direct sunlight (i.e. improved UV degradation resistance)
- Used in conjunction with overhead cranes, hoists or winches
- Polyester slings are available in single or double ply to protect heavy, irregular sized loads from scratching or marring
- Slings must be checked frequently
- Should any surface area show signs of wear or cutting, the sling must be replaced immediately
- Each is tagged with manufacturer's name and capacity



DOUBLE EYE SLING TYPE 3

Commonly used as a basket and/or choker hitch or for choker hitch pass one eye through the other flat eye, also makes for easy withdrawal from beneath loads

TWISTED EYE SLING TYPE 4

Reverse eyes make full functional contact with lifting hooks without the use of hardware. Widely used for both choker and basket hitches

ENDLESS SLING TYPE 5

Most versatile and widely used sling. The economical answer to most lifting problems. Ideal for vertical, choker and basket hitches

LOAD LIMIT FOR TYPE 3-4 (LBS.)

Width"	Vertical		Choker		Basket	
	Single	Double	Single	Double	Single	Double
1	1600	3200	1280	2400	3200	6400
2	3100	6200	2480	4960	6200	12400
3	4700	8800	3760	7040	9400	17600
4	6200	11000	4960	8800	12400	22000

LOAD LIMIT FOR TYPE 5 (LBS.)

Width"	Vertical		Choker		Basket	
	Single	Double	Single	Double	Single	Double
1	3200	6200	2560	4960	6400	12400
2	6200	12400	4960	9930	12400	24800
3	9400	17600	7520	14080	18800	35200
4	12400	22000	9920	17600	24800	44000

Type	Width"	Ply	3' Model No.	Price /Each	4' Model No.	Price /Each	6' Model No.	Price /Each	8' Model No.	Price /Each	10' Model No.	Price /Each	12' Model No.	Price /Each
TYPE 3	1	Single	LU116	7.99	LU117	8.99	LU118	11.10	LU119	13.00	LU120	13.60	LU121	17.60
		Double	LU140	8.69	LU141	10.80	LU142	14.00	LU143	17.50	LU144	21.00	LU145	25.00
	2	Single	LU122	12.60	LU123	14.00	LU124	17.50	LU125	20.50	LU126	23.60	LU127	27.10
		Double	LU146	11.60	LU147	15.00	LU148	21.00	LU149	27.10	LU150	33.70	LU151	39.70
	3	Single	LU128	21.00	LU129	23.00	LU130	27.10	LU131	29.10	LU132	31.70	LU133	40.70
		Double	LU152	23.60	LU153	27.10	LU154	35.10	LU155	43.10	LU156	51.80	LU157	59.80
	4	Single	LU134	26.60	LU135	29.10	LU136	35.10	LU137	40.10	LU138	47.20	LU139	53.20
		Double	LU158	32.50	LU159	34.10	LU160	45.20	LU161	56.20	LU162	67.90	LU163	81.40
TYPE 4	1	Single	LU164	7.69	LU165	9.19	LU166	11.40	LU167	13.40	LU168	13.60	LU169	17.60
		Double	LU188	8.69	LU189	10.80	LU190	14.00	LU191	17.50	LU192	21.00	LU193	25.00
	2	Single	LU170	12.60	LU171	14.00	LU172	17.50	LU173	20.50	LU174	23.60	LU175	27.10
		Double	LU194	11.60	LU195	15.00	LU196	21.00	LU197	27.10	LU198	33.70	LU199	39.70
	3	Single	LU176	21.00	LU177	23.00	LU178	27.10	LU179	29.10	LU180	31.70	LU181	40.70
		Double	LU200	23.60	LU201	27.10	LU202	35.10	LU203	43.10	LU204	51.80	LU205	59.80
	4	Single	LU182	26.60	LU183	29.10	LU184	35.10	LU185	40.10	LU186	47.20	LU187	53.20
		Double	LU206	32.50	LU207	34.10	LU208	45.20	LU209	56.20	LU210	67.90	LU211	81.40
TYPE 5	1	Single	LU212	8.99	LU213	9.99	LU214	13.60	LU215	17.60	LU216	21.60	LU217	23.00
		Double	LU236	16.00	LU237	20.00	LU238	27.70	LU239	35.10	LU240	42.70	LU241	50.80
	2	Single	LU218	12.60	LU219	15.60	LU220	19.60	LU221	25.60	LU222	31.70	LU223	37.10
		Double	LU242	24.60	LU243	31.10	LU244	43.70	LU245	55.80	LU246	68.30	LU247	81.00
	3	Single	LU224	21.00	LU225	26.00	LU226	36.10	LU227	45.80	LU228	55.80	LU229	65.30
		Double	LU248	38.10	LU249	47.20	LU250	65.30	LU251	83.00	LU252	99.00	LU253	119.00
	4	Single	LU230	24.60	LU231	30.10	LU232	42.10	LU233	54.20	LU234	66.30	LU235	78.30
		Double	LU254	52.20	LU255	63.30	LU256	86.00	LU257	109.00	LU258	129.00	LU259	159.00

CHAIN SLINGS

- Quality grade 80 alloy steel assembled, feature a design factor of 4:1
- Proof tested and certified to twice the working load limit
- Proof test certificate issued with each sling
- Available with sling hook or grab hook
- Slings comes with identification tag indicating size, description and working load limit

Double Chain



Single Chain



Sling Hook



Grab hook



Chain Size"	Hook Type	5' Sling Model No.	Price /Each	8' Sling Model No.	Price /Each	10' Sling Model No.	Price /Each
SINGLE CHAIN							
9/32	Sling	LV732	102.00	LV744	120.00	LV756	131.00
9/32	Grab	LV696	90.50	LV708	107.00	LV720	120.00
3/8	Sling	LV734	162.00	LV746	174.00	LV758	192.00
3/8	Grab	LV698	137.00	LV710	162.00	LV722	174.00
1/2	Sling	LV735	240.00	LV747	279.00	LV759	306.00
1/2	Grab	LV699	208.00	LV711	247.00	LV723	273.00
5/8	Grab	LV700	317.00	LV712	379.00	LV724	415.00

Chain Size"	Hook Type	5' Sling Model No.	Price /Each	8' Sling Model No.	Price /Each	10' Sling Model No.	Price /Each
DOUBLE CHAIN							
9/32	Sling	LV840	172.00	LV852	208.00	LV864	229.00
9/32	Grab	LV804	148.00	LV816	181.00	LV828	203.00
3/8	Sling	LV842	256.00	LV854	306.00	LV866	339.00
3/8	Grab	LV806	225.00	-	-	LV830	306.00
1/2	Sling	-	-	-	-	LV867	503.00
1/2	Grab	LV807	350.00	LV819	427.00	LV831	481.00
5/8	Grab	-	-	-	-	LV832	740.00

Note: Other lengths, hook types and chain types available upon request

CAPACITY LBS.

Chain Size"	Single		Double	
	90°	60°	45°	30°
9/32	3500	6100	4900	3500
3/8	7100	12300	10000	7100
1/2	12000	20800	17000	12000
5/8	18100	31300	25600	18100

CHAINS

STRAIGHT LINK CHAINS

GRADE 30

- Design factor 4:1
- 100% welded chain
- Material: Low Carbon Steel
- Grade 30 chain must not be used for overhead lifting
- Sold and priced per drum



LU925 - Self-Coloured



LU928 - Hot-Dip Galvanized



LU935 - Zinc Plated

VANGUARD STEEL LTD.

Model No.	Chain Length	Trade Size"	Finish	Working Load Limit	Price /Each
LU919	1000' (304.8 m)	1/8	Self-Coloured	400 lbs. (0.2 tons)	568.00
LU920	750' (228.6 m)	3/16	Self-Coloured	800 lbs. (0.4 tons)	716.00
LU921	350' (106.7 m)	1/4	Self-Coloured	1300 lbs. (0.65 tons)	532.00
LU922	250' (76.2 m)	5/16	Self-Coloured	1900 lbs. (0.95 tons)	478.00
LU923	175' (53.3 m)	3/8	Self-Coloured	2650 lbs. (1.325 tons)	609.00
LU924	100' (30.5 m)	1/2	Self-Coloured	4500 lbs. (2.25 tons)	565.00
LU925	100' (30.5 m)	3/4	Self-Coloured	10 600 lbs. (5.3 tons)	1189.00
LU926	1000' (304.8 m)	1/8	Hot-Dip Galvanized	400 lbs. (0.2 tons)	767.00
LU927	750' (228.6 m)	3/16	Hot-Dip Galvanized	800 lbs. (0.4 tons)	939.00
LU928	350' (106.7 m)	1/4	Hot-Dip Galvanized	1300 lbs. (0.65 tons)	705.00
LU929	250' (76.2 m)	5/16	Hot-Dip Galvanized	1900 lbs. (0.95 tons)	694.00
LU930	175' (53.3 m)	3/8	Hot-Dip Galvanized	2650 lbs. (1.325 tons)	716.00
LU931	100' (30.5 m)	1/2	Hot-Dip Galvanized	4500 lbs. (2.25 tons)	688.00
LU932	150' (45.7 m)	5/8	Hot-Dip Galvanized	6900 lbs. (3.45 tons)	1479.00
LU933	100' (30.5 m)	3/4	Hot-Dip Galvanized	10 600 lbs. (5.3 tons)	1589.00
LU934	100' (30.5 m)	1	Hot-Dip Galvanized	17 900 lbs. (8.95 tons)	2639.00
LU935	1000' (304.8 m)	1/8	Zinc Plated	400 lbs. (0.2 tons)	599.00
LU936	750' (228.6 m)	3/16	Zinc Plated	800 lbs. (0.4 tons)	718.00
LU937	350' (106.7 m)	1/4	Zinc Plated	1300 lbs. (0.65 tons)	548.00
LU938	250' (76.2 m)	5/16	Zinc Plated	1900 lbs. (0.95 tons)	569.00
LU939	175' (53.3 m)	3/8	Zinc Plated	2650 lbs. (1.325 tons)	684.00
LU940*	350' (106.7 m)	1/8	Zinc Plated	400 lbs. (0.2 tons)	228.00
LU941*	250' (76.2 m)	3/16	Zinc Plated	800 lbs. (0.4 tons)	232.00
LU942*	140' (42.7 m)	1/4	Zinc Plated	1300 lbs. (0.65 tons)	218.00
LU943*	90' (27.4 m)	5/16	Zinc Plated	1900 lbs. (0.95 tons)	234.00
LU944*	63' (19.2 m)	3/8	Zinc Plated	2650 lbs. (1.325 tons)	228.00

* Sold and priced per pair

GRADE 70 TRANSPORT CHAIN

- Commonly used as a binder tie down chain, meeting the stringent Department of Transportation requirements
- Permanently embossed with L7 or V7 every 6 links
- 100% Welded chain
- Must not be used for overhead lifting
- Chain Grade: Grade 70
- Material: Heat-Treated Carbon Steel
- Finish: Gold Chromate Plated
- **Sold and priced per foot, minimum 25' chain length is required**



VANGUARD STEEL LTD.



Model No.	Trade Size"	Working Load Limit	Price /Each
IMPORTED			
LV373	1/4	3150 lbs. (1.57 tons)	6.39
LV374	5/16	4700 lbs. (2.35 tons)	9.29
LV375	3/8	6600 lbs. (3.3 tons)	12.60
LV376	1/2	11300 lbs. (5.65 tons)	21.90
USA MADE			
LV377	1/4	3150 lbs. (1.57 tons)	5.46
LV378	5/16	4700 lbs. (2.35 tons)	11.50
LV379	3/8	6600 lbs. (3.3 tons)	14.90
LV380	1/2	11300 lbs. (5.65 tons)	27.90

STRAIGHT LINK LIFTING CHAINS

- Design factor 4:1 (in accordance with NACM specifications)
- Produced from the highest quality domestic alloy steel
- Material: Heat-Treated Alloy Steel
- 100% welded chain
- Approved for overhead lifting
- Meets the specifications of NACM, ASTM and O.S.H.A.
- **Sold and priced per foot, minimum 25' chain length is required***

Never exceed WLL, always use Grade 80 or higher chains for overhead lifting

GRADE 80

- Permanently embossed with L8 (grade) and trace code every 6 alternating links
- Black coated finish



LU949

GRADE 100

- Permanently embossed with L10 (grade) and trace code every 6 alternating links
- 25% higher working load limit than comparable Grade 80 alloy chain
- Grey coated finish



LU954

VANGUARD STEEL LTD.

Model No.	Trade Size"	Working Load Limit	Price /Foot*
GRADE 80			
LU945	9/32	3500 lbs. (1.75 tons)	6.69
LU946	5/16	4500 lbs. (2.25 tons)	8.45
LU947	3/8	7100 lbs. (3.55 tons)	9.79
LU948	1/2	12 000 lbs. (6 tons)	16.90
LU949	5/8	18 100 lbs. (9.05 tons)	23.90
LU950	3/4	28 300 lbs. (14.15 tons)	57.50
LU951	7/8	34 300 lbs. (17.15 tons)	74.90
LU952	1	47 700 lbs. (23.85 tons)	99.90
GRADE 100			
LU953	9/32	4300 lbs. (2.15 tons)	7.15
LU954	3/8	8800 lbs. (4.4 tons)	10.50
LU955	1/2	15000 lbs. (7.5 tons)	17.90
LU956	5/8	22600 lbs. (11.3 tons)	27.50

TENSO LION DOUBLE LOOP CHAINS

- General purpose weld-less utility chain
- Commonly used for hardware and manufacturing applications
- Can be used on playgrounds, gym equipment, light fixtures, gates and more
- Material: Low Carbon Steel
- Finish: Zinc Plated



VANGUARD STEEL LTD.

Model No.	Chain Length	Trade Size	Working Load Limit	Price /Each
LU957	100' (30.5 m)	#1	155 lbs. (0.077 tons)	39.50
LU958	200' (61 m)	#3	90 lbs. (0.045 tons)	69.00
LU959	250' (76.2 m)	#4	70 lbs. (0.035 tons)	81.90
LU960	175' (53.3 m)	2/0	255 lbs. (0.127 tons)	109.00

SINGLE JACK CHAINS

- General purpose weld-less light-duty chain
- Commonly used for general applications where high strength is not required
- Can be used on light fixtures, flower pots and more
- Material: Low Carbon Steel
- Finish: Zinc Plated



VANGUARD STEEL LTD.

Model No.	Chain Length	Trade Size	Working Load Limit	Price /Each
LU961	250' (76.2 m)	#10	43 lbs. (0.022 tons)	139.00
LU962	100' (30.5 m)	#12	29 lbs. (0.0145 tons)	45.90

CLEVIS HOOKS

GRADE 40

- For use with Grade 40 or lower chains only
- Self-coloured body with "gold-pin"
- Material: Forged Carbon

Not for use with overhead lifting applications

Model No.	For Chain Diameter Size"	Working Load Limit	Price /Each
CLEVIS GRAB HOOK			
LV052	1/4	2600 lbs. (1.3 tons)	4.59
LV053	5/16	3900 lbs. (1.95 tons)	6.29
LV054	3/8	5400 lbs. (2.7 tons)	7.89
LV055	7/16	7200 lbs. (3.6 tons)	11.90
LV056	1/2"	9200 lbs. (4.6 tons)	17.90

CLEVIS SLING HOOK

LV034	1/4	1950 lbs. (0.975 tons)	4.55
LV035	5/16	2875 lbs. (1.43 tons)	6.39
LV036	3/8	4000 lbs. (2 tons)	10.90
LV037	1/2	6000 lbs. (3 tons)	18.50

GRADE 70

- For use with Grade 70 or lower chains only
- Gold Chromate body with "black-pin"
- Material: Alloy Steel

Not for use with overhead lifting applications

Model No.	For Chain Diameter Size"	Working Load Limit	Price /Each
CLEVIS GRAB HOOK			
LV057	1/4	3150 lbs. (1575 tons)	3.89
LV059	5/16	4700 lbs. (2.35 tons)	5.45
LV061	3/8	6600 lbs. (3.3 tons)	7.09
LV063	7/16	8800 lbs. (4.4 tons)	11.50
LV064	1/2	11300 lbs. (5.65 tons)	15.90

CLEVIS GRAB HOOK W/LATCH

LV058	1/4	3150 lbs. (1575 tons)	6.95
LV060	5/16	4700 lbs. (2.35 tons)	9.59
LV062	3/8	6600 lbs. (3.3 tons)	13.50
LV065	1/2	11300 lbs. (5.65 tons)	22.90

CLEVIS SLING HOOK

LV038	1/4	2750 lbs. (1.375 tons)	4.85
LV040	5/16	4300 lbs. (2.15 tons)	6.49
LV042	3/8	5250 lbs. (2.625 tons)	8.75
LV044	7/16	7000 lbs. (3.5 tons)	18.90
LV046	1/2	9000 lbs. (4.5 tons)	22.50

CLEVIS SLING HOOK W/LATCH

LV039	1/4	2750 lbs. (1.375 tons)	6.49
LV041	5/16	4300 lbs. (2.15 tons)	8.29
LV043	3/8	5250 lbs. (2.625 tons)	11.50
LV045	7/16	7000 lbs. (3.5 tons)	26.50
LV047	1/2	9000 lbs. (4.5 tons)	26.90



GRADE 80 & 100

- Permanently embossed with VDG, size, model number and trace code
- Proof tested to 2.5 times the Working Load Limit (WLL)
- Material: Alloy Steel
- Meets or exceeds ASTM A-952-96 standard
- Meets EN1677 standard (20 000 cycle fatigue test)



GRADE 80

Model No.	For Chain Diameter Size"	Working Load Limit	Price /Each
CLEVIS GRAB HOOK			
LU841	5/16	4500 lbs. (2.25 tons)	21.50
LU842	3/8	7100 lbs. (3.55 tons)	36.50
LU843	1/2	12000 lbs. (6 tons)	60.90
LU844	5/8	18100 lbs. (9.05 tons)	139.00
LU845	3/4	28300 lbs. (14.15 tons)	197.00
LU846	7/8	34200 lbs. (17.1 tons)	315.00

CLEVIS SLING HOOK W/LATCH

LU847	5/16	4500 lbs. (2.25 tons)	36.50
LU848	3/8	7100 lbs. (3.55 tons)	60.90
LU849	1/2	12000 lbs. (6 tons)	99.50
LU850	5/8	18100 lbs. (9.05 tons)	212.00
LU851	3/4	28300 lbs. (14.15 tons)	309.00
LU852	7/8	34200 lbs. (17.1 tons)	479.00

CLEVIS SLING HOOK W/LOCKING LATCH

LU853	5/16	4500 lbs. (2.25 tons)	66.90
LU854	3/8	7100 lbs. (3.55 tons)	99.90
LU855	1/2	12000 lbs. (6 tons)	159.00
LU856	5/8	18100 lbs. (9.05 tons)	254.00
LU857	3/4	28300 lbs. (14.15 tons)	517.00

GRADE 100

Model No.	For Chain Diameter Size"	Working Load Limit	Price /Each
CLEVIS GRAB HOOK			
LU877	5/16	5700 lbs. (2.85 tons)	22.90
LU878	3/8	8800 lbs. (4.4 tons)	38.90
LU879	1/2	15000 lbs. (7.5 tons)	64.90
LU880	5/8	22600 lbs. (11.3 tons)	148.00

CLEVIS SLING HOOK W/LATCH

LU881	5/16	5700 lbs. (2.85 tons)	38.50
LU882	3/8	8800 lbs. (4.4 tons)	63.90
LU883	1/2	15000 lbs. (7.5 tons)	109.00
LU884	5/8	22600 lbs. (11.3 tons)	229.00

CLEVIS SLING HOOK W/LOCKING LATCH

LU885	5/16	5700 lbs. (2.85 tons)	72.50
LU886	3/8	8800 lbs. (4.4 tons)	115.00
LU887	1/2	15000 lbs. (7.5 tons)	175.00
LU888	5/8	22600 lbs. (11.3 tons)	274.00

SELF LOCKING SWIVEL HOOKS

- Permanently embossed with VDG, size, model number and trace code
- Proof tested to 2.5 times the Working Load Limit (WLL)
- Material: Alloy Steel
- Meets or exceeds ASTM A-952-96 standard
- Meets EN1677 standard (20 000 cycle fatigue test)



Model No.	For Chain Diameter Size"	Working Load Limit	Price /Each
GRADE 80, EYE & SELF-LOCKING HOOK			
LU862	5/16	4500 lbs. (2.25 tons)	83.50
LU863	3/8	7100 lbs. (3.55 tons)	125.00
LU864	1/2	12000 lbs. (6 tons)	185.00
LU865	5/8	18100 lbs. (9.05 tons)	318.00
LU866	3/4	28300 lbs. (14.15 tons)	763.00

GRADE 100, EYE & SELF-LOCKING HOOK

LU893	5/16	5700 lbs. (2.85 tons)	96.50
LU894	3/8	8800 lbs. (4.4 tons)	135.00
LU895	1/2	15000 lbs. (7.5 tons)	217.00
LU896	5/8	22600 lbs. (11.3 tons)	369.00

COUPLING LINKS

- Permanently embossed with VDG, size, model number and trace code
- Proof tested to 2.5 times the Working Load Limit (WLL)
- Material: Alloy Steel
- Meets or exceeds ASTM A-952-96 standard
- Meets EN1677 standard (20 000 cycle fatigue test)



Model No.	For Chain Diameter Size"	Capacity lbs.	Price /Each
GRADE 80			
LU867	9/32	3500	19.90
LU868	3/8	7100	25.50
LU869	1/2	12000	37.90
LU870	5/8	18100	57.50
LU871	3/4	28300	135.00
LU872	7/8	34200	229.00

GRADE 100

LU873	9/32	4300	21.90
LU874	3/8	8800	26.90
LU875	1/2	15000	40.90
LU876	5/8	22600	60.90

SNATCH BLOCKS

- Fittings are painted yellow for quick recognition
- Designed for intermittent use with low line speed
- Ultimate load 4 times working load limit (WLL)
- Bronze bush with grease nipple



Model No.	For Rope Diameter"	Sheave Diameter"	Working Load Limit	Price /Each
HOOK & LATCH				
LU897	3/8	3	4000 lbs. (2 tons)	105.00
LU898	1/2	4-1/2	8000 lbs. (4 tons)	213.00
LU899	3/4	6	16000 lbs. (8 tons)	309.00
LU900	3/4	8	16000 lbs. (8 tons)	398.00
LU901	3/4	10	16000 lbs. (8 tons)	373.00
LU902	1-1/8	8	30000 lbs. (15 tons)	465.00



LU897

SWIVEL SHACKLE				
LU904	3/8	3	4000 lbs. (2 tons)	119.00
LU905	1/2	4-1/2	8000 lbs. (4 tons)	209.00
LU906	3/4	6	16000 lbs. (8 tons)	398.00
LU907	3/4	8	16000 lbs. (8 tons)	387.00
LU908	3/4	10	16000 lbs. (8 tons)	408.00
LU910	1-1/8	8	30000 lbs. (15 tons)	479.00



LU904

TAILBOARD W/PIN ONLY				
LU913	3/8	3	4000 lbs. (2 tons)	81.50
LU914	1/2	4-1/2	8000 lbs. (4 tons)	139.00
LU915	3/4	6	16000 lbs. (8 tons)	204.00
LU916	3/4	8	16000 lbs. (8 tons)	295.00



LU913

SCREW PIN CHAIN SHACKLES

- Heat treated carbon steel bows, quenched and tempered with Alloy pins
- Shackle Bow Finish: Hot Dip Galvanized
- Meets the performance requirements of U.S. Fed. Spec. RR-C-271D, ASME B30.26, Type 4A, Class 2 Grade A



Model No.	Size"	Pin Diameter"	Capacity	Price /Each
LU773	3/8	7/16	2000 lbs. (1 tons)	4.55
LU774	7/16	1/2	3000 lbs. (1.5 tons)	5.99
LU775	1/2	5/8	4000 lbs. (2 tons)	6.49
LU776	5/8	3/4	6500 lbs. (3.25 tons)	12.90
LU777	3/4	7/8	9500 lbs. (4.75 tons)	21.50
LU779	1	1-1/8	17000 lbs. (8.5 tons)	38.90
LU781	1-1/4	1-3/8	24000 lbs. 12 tons)	77.50
LU782	1-1/2	1-5/8	34000 lbs. (17 tons)	95.90



LU773

LIFTING SWIVEL HOIST RINGS

- Designed for angular lifting
- Hoist rings resist stresses that would bend or break an eyebolt
- Pivots 180° front to back and a base that swivels 360°
- Working load limit and nominal size meet ASME B 30.26 standards
- The proof load is 2 x Working load limit and Minimum Breaking Strength is 4 x Working Load Limit
- Made from grade 80 alloy steel



LU815

VANGUARD STEEL LTD.

Model No.	Thread Size	Thread Length mm	Working Load Limit	Working Load Limit at 90° Angle	Price /Each
LU815	M8	13	1200 lbs. (0.6 tons)	600 lbs. (0.3 tons)	42.50
LU817	M10	18	1800 lbs. (0.9 tons)	900 lbs. (0.45 tons)	42.50
LU819	M12	20	2000 lbs. (1 tons)	1000 lbs. (0.5 tons)	42.50
LU822	M16	30	4000 lbs. (2 tons)	2240 lbs. (1.12 tons)	45.90
LU824	M20	30	8000 lbs. (4 tons)	4000 lbs. (2 tons)	81.90
LU826	M24	30	12600 lbs. (6.3 tons)	6300 lbs. (3.15 tons)	125.00
LU828	M30	35	21200 lbs. (10.6 tons)	10600 lbs. (5.3 tons)	183.00
LU830	M36	54	23600 lbs. (11.8 tons)	23600 lbs. (11.8 tons)	258.00
LU831	1/4"	13	1200 lbs. (0.6 tons)	606 lbs. (0.9 tons)	41.90
LU832	5/16"	13	1320 lbs. (0.66 tons)	661 lbs. (0.33 tons)	45.50
LU833	3/8"	18	1980 lbs. (0.99 tons)	1100 lbs. (0.55 tons)	52.50
LU834	7/16"	18	2200 lbs. (1.1 tons)	1100 lbs. (0.55 tons)	45.90
LU835	1/2"	20	2200 lbs. (1.1 tons)	1100 lbs. (0.55 tons)	52.70
LU836	5/8"	20	4400 lbs. (2.2 tons)	2469 lbs. (1.23 tons)	48.90
LU837	3/4"	30	8810 lbs. (4.4 tons)	4400 lbs. (2.2 tons)	91.90
LU838	7/8"	30	1100 lbs. (0.55 tons)	5510 lbs. (2.755 tons)	129.00
LU839	1"	30	13880 lbs. (6.94 tons)	6945 lbs. (3.47 tons)	129.00
LU840	1-1/4"	50	26000 lbs. (13 tons)	17637 lbs. (8.8 tons)	258.00

SCREW PIN ANCHOR SHACKLES

- Heat treated carbon steel bows, quenched and tempered with Alloy pins
- Meets the performance requirements of U.S. Fed. Spec. RR-C-271D, ASME B30.26, Type 4A, Class 2 Grade B



VANGUARD STEEL LTD.

Model No.	Size"	Pin Diameter"	Capacity	Price /Each
YELLOW CHROMATE PLATED				
LU729	3/8	7/16	4000 lbs. (2 tons)	5.55
LU730	7/16	1/2	5300 lbs. (2.65 tons)	6.69
LU731	1/2	5/8	6600 lbs. (3.3 tons)	8.59
LU732	5/8	3/4	10000 lbs. (5 tons)	14.90
LU733	3/4	7/8	14000 lbs. (7 tons)	22.90
LU734	7/8	1	19000 lbs. (9.5 tons)	33.50
LU735	1	1-1/8	25000 lbs. (12.5 tons)	49.90
LU736	1-1/8	1-1/4	30000 lbs. (15 tons)	67.90
LU737	1-1/4	1-3/8	36000 lbs. (18 tons)	91.90
LU738	1-1/2	1-5/8	60000 lbs. (30 tons)	162.00



LU729

HOT DIP GALVANIZED				
LU739	3/16	1/4	660 lbs. (0.33 tons)	2.39
LU740	1/4	5/16	1000 lbs. (0.5 tons)	3.09
LU741	5/16	3/8	1500 lbs. (0.75 tons)	3.55
LU742	3/8	7/16	2000 lbs. (1 tons)	4.85
LU743	7/16	1/2	3000 lbs. (1.5 tons)	5.95
LU744	1/2	5/8	4000 lbs. (2 tons)	7.45
LU745	5/8	3/4	6500 lbs. (3.25 tons)	13.50
LU746	3/4	7/8	9500 lbs. (4.75 tons)	19.90
LU747	7/8	1	13000 lbs. (6.5 tons)	28.50
LU748	1	1-1/8	17000 lbs. (8.5 tons)	40.90
LU749	1-1/8	1-1/4	19000 lbs. (9.5 tons)	54.50
LU750	1-1/4	1-3/8	24000 lbs. 12 tons)	75.90
LU751	1-3/8	1-1/2	27000 lbs. (13.5 tons)	99.90
LU752	1-1/2	1-5/8	34000 lbs. (17 tons)	135.00
LU753	1-3/4	2	50000 lbs. (25 tons)	258.00
LU754	2	2-1/4	70000 lbs. (35 tons)	399.00
LU755	2-1/2	2-3/4	110000 lbs. (55 tons)	715.00



LU739

STAINLESS STEEL

- To be used for light duty, non-critical applications only
- Made from AISI-316 stainless steel
- Bright polished finish

Model No.	Size"	Pin Diameter"	Capacity	Price /Each
LU787	1/4	5/16	500 lbs. (0.25 tons)	5.39
LU788	5/16	3/8	660 lbs. (0.33 tons)	7.19
LU789	3/8	7/16	1000 lbs. (0.5 tons)	9.65
LU791	1/2	5/8	2000 lbs. (1 tons)	25.90
LU792	5/8	3/4	3000 lbs. (1.5 tons)	49.50
LU793	3/4	7/8	4500 lbs. (2.25 tons)	71.90
LU795	1	1-1/8	8000 lbs. (4 tons)	139.00



LU787

BOLT TYPE ANCHOR SHACKLES

- Heat treated carbon steel bows, quenched and tempered with Alloy pins
- Shackle Bow Finish: Hot Dip Galvanized
- Meets the performance requirements of U.S. Fed. Spec. RR-C-271D, ASME B30.26, Type 4A, Class 3 Grade A
- Recommended for long term service installation as well as for applications where there is the possibility that the pin can rotate under load



VANGUARD STEEL LTD.

Model No.	Size"	Pin Diameter"	Capacity	Price /Each
LU756	1/4	5/16	1000 lbs. (0.5 tons)	3.69
LU757	5/16	3/8	1500 lbs. (0.75 tons)	4.39
LU758	3/8	7/16	2000 lbs. (1 tons)	6.45
LU759	7/16	1/2	3000 lbs. (1.5 tons)	7.75
LU760	1/2	5/8	4000 lbs. (2 tons)	9.65
LU761	5/8	3/4	6500 lbs. (3.25 tons)	17.90
LU762	3/4	7/8	9500 lbs. (4.75 tons)	26.50
LU763	7/8	1	13000 lbs. (6.5 tons)	38.50
LU764	1	1-1/8	17000 lbs. (8.5 tons)	49.50
LU765	1-1/8	1-1/4	19000 lbs. (9.5 tons)	63.90
LU766	1-1/4	1-3/8	24000 lbs. 12 tons)	90.50
LU767	1-3/8	1-1/2	27000 lbs. (13.5 tons)	139.00
LU768	1-1/2	1-5/8	34000 lbs. (17 tons)	192.00
LU769	1-3/4	2	50000 lbs. (25 tons)	349.00
LU770	2	2-1/4	70000 lbs. (35 tons)	509.00






LU756



HOOKS

GALVANIZED AIRCRAFT CABLES

Dia."	Breaking Strength lbs.		Model No.	Feet Per Pkg.	Price /Each	Model No.	Feet Per Pkg.	Price /Each
3/64	270		LA893	100	10.20	LB030	500	38.50
1/16	480		LA894	100	10.90	LB031	500	44.50
5/64	650		LA895	100	11.80	LB032	500	44.50
3/32	920		LA896	100	15.40	LB033	500	60.30
1/8	1700		LA897	100	19.50	LB034	500	81.00
5/32	2600		LA898	100	26.50	LB035	500	119.00
3/16	3700		LA899	100	34.50	LB036	500	149.00
1/4	6100		LA900	100	55.50	LB037	500	239.00
3/32	1000		LA902	100	26.50	LB039	500	115.00
1/8	2000		LA903	100	25.50	LB040	500	95.80
5/32	2800		LA904	100	30.50	LB041	500	129.00
3/16	4200		LA905	100	38.50	LB042	500	169.00
1/4	7000		LA906	100	60.50	LB043	500	249.00
5/16	9800		LA907	100	81.50	LB044	500	359.00
3/8	14400		LA908	100	109.00	LB045	500	469.00
1/2	20700		LA909	100	169.00	LB046	500	899.00



Special sizes available on request

COATED GALVANIZED CABLE (PVC)

Outside Dia."	Inside Dia."	Construction	Colour	Model No.	Feet Per Pkg.	Price /Each	Model No.	Feet Per Pkg.	Price /Each
3/16	1/8	7 x 19	Clear	LA910	100	47.30	LB289	500	149.00
3/16	1/8	7 x 19	Red	LA911	100	P.O.A.	LB290	500	179.00

Special sizes available on request

TURNBUCKLES

Eye & Eye Model No.	Jaw & Jaw Model No.		Diameter Take-Up"	Working Load Limit lbs. E & E	J & J	Wt. lbs.	Eye & Eye Price/Each	Jaw & Jaw Price/Each
LA947	MMS321		5/16 x 4 1/2	800	700	0.45	8.29	9.85
LA948	MMS322		3/8 x 6	1200	1000	0.75	9.89	12.50
LA949	MMS323		1/2 x 6	2200	1500	1.5	17.50	19.10
LA950	MMS324		1/2 x 9	2200	1500	1.75	21.50	22.50
LA951	MMS325		1/2 x 12	2200	1500	2.18	23.50	29.50
LA952	MMS326		5/8 x 6	3500	2250	2.63	24.90	29.50
LA953	MMS327		5/8 x 9	3500	2250	3	31.90	34.50
LA954	MMS328		5/8 x 12	3500	2250	3.25	38.50	38.50
LA955	MMS329		3/4 x 6	5200	3000	3.75	37.00	43.50
LA956	MMS330		3/4 x 9	5200	3000	4.5	48.50	48.50
LA957	MMS331		3/4 x 12	5200	3000	5.75	56.50	57.50
LA958	MMS332		7/8 x 12	7200	4000	8.35	69.50	73.50
LA959	MMS333		1 x 6	10000	5000	9.04	82.00	85.50

EYE BOLTS

Model No.	Dia. & Take-up"	Working Load Limit lbs.	Price /Each
REGULAR NUT EYE BOLTS (Galvanized, Drop-Forged)			
LA974	5/16 x 4 1/4	800	3.89
LA975	3/8 x 2 1/2	1200	5.39
LA976	3/8 x 4 1/2	1200	4.69
LA977	1/2 x 8	2200	9.25
LA978	1/2 x 10	2200	14.50
LA979	5/8 x 4	3500	9.99
LA980	5/8 x 12	3500	16.50

Model No.	Dia. & Take-up"	Working Load Limit lbs.	Price /Each
SHOULDER NUT EYE BOLT (Galvanized, Drop-Forged)			
LA981	3/8 x 2 1/2	1200	3.99
SHOULDER TYPE MACHINERY EYE BOLTS (Steel)			
LU482	3/8 x 1 1/4	1300	2.69
LU483	1/2 x 1 1/2	2400	4.49
LU484	5/8 x 1 3/4	4000	7.99

CARBINE SNAP HOOKS

STAINLESS STEEL 316

KLETON

Model No.	Size"	Length"	Eye"	Working Load Limit lbs.	Price /Each
LW272	3/16	2	5/16	220	2.10
LW274	1/4	2 3/8	3/8	260	2.60
LW276	5/16	3 3/16	1/2	500	4.70
LW277	3/8	3 15/16	5/8	770	7.75

QUICK LINKS

ZINC-PLATED

KLETON

Model No.	Size"	Working Load Limit lbs.	Price /Each
LW266	1/8	220	0.55
LW267	3/16	660	0.75
LW268	1/4	880	0.90
LW269	5/16	1760	1.65
LW270	3/8	2140	2.60
LW271	1/2	3300	4.30

ALUMINUM OVAL SLEEVES



Model No.	For Cable Dia."	Price /Each	Model No.	For Cable Dia."	Price /Each
LA912	1/32	0.09	LA919	3/16	0.39
LA913	3/64	0.09	LA920	1/4	0.79
LA914	1/16	0.15	LA921	5/16	1.19
LA915	5/64	0.15	LA922	3/8	1.49
LA916	3/32	0.09	LA923	7/16	2.59
LA917	1/8	0.19	LA924	1/2	4.79
LA918	5/32	0.19			

ALUMINUM STOP SLEEVES



Model No.	For Cable Dia."	Price /Each	Model No.	For Cable Dia."	Price /Each
LA925	1/16	0.19	LA929	3/16	0.15
LA926	3/32	0.15	LA930	1/4	0.79
LA927	1/8	0.19	LA931	5/16	0.79
LA928	5/32	0.22	LA932	3/8	0.79

THIMBLES



Model No.	For Cable Dia."	Type	Price /Each
LA933	3/64 - 1/16 - 5/64	AN	0.35
LA934	3/32 - 7/64 - 1/8	AN	0.35
LA935	5/32	AN	0.49
LA936	3/16	AN	0.59
LA939	1/4	AN	0.59
LA940	5/16	STD	0.45
LA941	3/8	STD	0.59
LA942	1/2	STD	0.99
LA943	5/8	STD	2.29
LA944	3/4	STD	3.59
LA945	1	HD	5.89

Type: AN - Zinc-Plated, STD - Galvanized Standard, HD - Hot Deep Galvanized

WIRE ROPE CLIPS

Model No.	For Cable Dia."	Price /Each	Model No.	For Cable Dia."	Price /Each
MALLEABLE ZINC-PLATED					
LB007	1/8	0.29	LB012	1/2	2.09
LB008	3/16	0.49	LB013	5/8	2.79
LB009	1/4	0.69	LB014	3/4	3.99
LB010	5/16	0.79	LB015	7/8	6.29
LB011	3/8	1.29			

Model No.	For Cable Dia."	Price /Each	Model No.	For Cable Dia."	Price /Each
DROP-FORGED GALVANIZED					
LB016	1/8	1.19	LB020	3/8	3.59
LB017	3/16	1.49	LB021	1/2	5.49
LB018	1/4	1.79	LB022	5/8	6.99
LB019	5/16	2.29	LB023	3/4	10.79

WIRE ROPE LIFTING SLING

EYE & EYE GALVANIZED

- Made of 6x26 IWRC EIPS galvanized wire rope
- Solid identification tags on each sling

Model No.	Wire Diameter"	Length'	Vertical Capacity lbs.	Price /Each
LV024	1/4	4	1300	14.50
LV025	1/4	6	1300	16.90
LV026	1/4	8	1300	18.90
LV027	1/4	10	1300	21.50
LV028	1/4	12	1300	23.90
LV029	3/8	4	2800	20.90
LV030	3/8	6	2800	23.90
LV031	3/8	8	2800	26.90
LV032	3/8	10	2800	29.90
LV033	3/8	12	2800	31.50



DOCK EQUIPMENT

AUTO STAND TRAILER STABILIZING JACKS

- Heavy gauge steel construction
- Large base pad (17" x 18 1/2")
- Gas activated, self levelling system
- 10" dia. semi-pneumatic rubber tires for easy handling
- 41"-50.5" height range
- Large trailer contact pad
- Capacity: 100 000 lbs.
- **Only one required per trailer**

Model No. KH791
Price/Each \$938.00



TRAILER STABILIZING JACKS

- Keeps tractorless trailers leveled while being loaded or unloaded
- Prevents accidents if wheel support collapses
- Stabilizes vehicle against load shifts
- Lowered height: 39 1/2"
- Raised height: 51"
- Removeable 37 1/2" positioning and ratcheting handle
- 8" dia support pad
- 8" wheels
- 100 000 lbs. supporting capacity each and 40 000 lbs lifting capacity
- **1 year warranty**
- **Recommended use in pairs**

Model No. KH777
Price/Each: \$398.00



AUTO STAND PLUS

- Heavy gauge steel construction
- Gas activated, self-levelling system
- Ergonomic lever action to safely pin, removing the need to bend over
- 16" dia. semi-pneumatic wheels allow for easy outdoor manoeuvring
- Large base pad: 17" x 18 1/2"
- Large trailer contact pad
- Capacity: 100 000 lbs.
- **Only one required per trailer**

Model No. ML786
Price/Each \$1208.00



ALUMINUM DECKING/SHORING BEAMS

- For 96" and 102" trailers
- Made from extruded high strength aluminum
- Designed to give maximum strength at the least possible weight
- Keyhole slot allows the beams to be hung and stored in the trailer out of the way when they are not in use
- Decking/Vertical Rating: 2000 lbs. uniformly distributed working load limit
- Head assemblies are all steel, zinc-plated and tapered for ease of operation
- Shoring/Horizontal Rating: 2000 lbs. uniformly distributed working load limit
- Comes standard with Kinedyne's patented "Kwik Latch" beam head release mechanism, for safe and quick beam deployment


Note: Working load limits are 1/3 of the ultimate breaking strength.

Model No. ND360
Mfg. No. FE8066-3
Price/Each \$106.00



SAF-T-LOK BARS

- Designed for economy and ease of operation
- Constructed with high strength industrial round tubing
- Easy to close and lock with its heavy-duty steel rack, handle and cast aluminum housing
- Replaceable molded pivoting rubber feet, 2" x 4" that grip firmly to trailer walls
- Easy to open trigger release
- Adjusts from 90° to 105°
- Optional cargo hoop set, two hoops, which bolts quickly and easily to provide greater area of holding surfaces (installation hardware included)
- Available in either steel or aluminum versions
- Extra long steel version is available upon request



KH575



KH574





Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
ND698	10085	Steel Saf-T-Lok Bar	11.4	37.90
KH574	10088	Aluminum Saf-T-Lok Bar	17	57.80
KH575	10096	Cargo Hoop Set	15	74.90

LOGISTIC TRACKS

SERIES E TRACK HORIZONTAL

- Material: High strength 12-gauge steel
- Minimum Yield: 43 000 PSI
- Finished: Galvanized
- Weight: 16.2 lb.
- Length: 10 ft.

Model No. ND359
Mfg. No. 43 001
Price/Each \$46.10




Warning:
Welding galvanized material may form toxic fumes.
Welding should be done with adequate ventilation.

EXTRUDED RUBBER DOCK FENDERS

D-4 DOCK FENDERS

- Guard against damaging impact
- Made of age, weather and abrasion-resistant synthetic rubber
- Easy to install and the trim appearance makes them well suited for use on trucks and truck docks
- Half oval shape allows radius to widen upon impact creating better deflection
- Easily installed manually or by power tools
- Hardware is concealed when installation is complete

Note: All given dimensions are nominal and may vary an average of 5% in manufacturing process.



Diagonal



Horizontal




Vertical

MOUNTING D-4 DOCK FENDERS

- On Wood: Use 1/2" Lag Screws
- On Concrete: Use 1/2" Self-Drilling Fasteners
- On Steel: Weld 1/2" Studs on Centers as Required

In all cases, a drilled metal bar 3/16" x 1 1/2" should be inserted in the bore of the fender to act as a continuous washer.



Mounting Bar



Dimensions				Fender Drilled		Mounting Bar	
W"	x	H"	x L"	Model No.	Price /Each	Model No.	Price /Each
4 1/2	x	3 3/4	x 12	KH658	24.10	KH662	6.79
4 1/2	x	3 3/4	x 18	KH659	34.20	KH663	8.41
4 1/2	x	3 3/4	x 24	KH660	49.70	KH664	9.70
4 1/2	x	3 3/4	x 36	KH661	68.30	KH665	13.30

* Between holes

DOCK EQUIPMENT

STEEL-FACED LAMINATED RUBBER DOCK BUMPERS

- One of the strongest forms of loading dock protection
- Used in docking areas where excessive friction from up and down movement occurs, air-ride trailers, yard jockeys, etc.
- 3/8" thick, heavy duty, high carbon, "floating" steel face plate withstands abrasive friction of air-ride trailers
- Enclosed design prolongs rubber life
- **3-year warranty**



Model No.	A"	Dimensions B"	C"	D"	Wt. lbs.	Price /Each
4" PROJECTION						
HORIZONTAL STYLE						
KH705	4	12	14	7	58	172.00
KH706	4	12	18	7	72	241.00
KH707	4	12	24	7	90	285.00
KH708	4	12	36	7	145	460.00
VERTICAL STYLE						
KH709	4	20	11	7 1/2	75	218.00
KH710	4	24	11	9 1/2	90	253.00
6" PROJECTION						
HORIZONTAL STYLE						
KH712	6	12	14	7	62	226.00
KH713	6	12	18	7	78	276.00
KH714	6	12	24	7	105	343.00
KH715	6	12	36	7	166	488.00
VERTICAL STYLE						
KH716	6	20	11	7 1/2	83	256.00
KH717	6	24	11	9 1/2	100	301.00


LAMINATED RUBBER DOCK BUMPERS

- Unlimited applications in factories, warehouses and docks
- Ideal for projecting above low docks, rub rails against walls, marine dock protection
- Greater longevity of bumpers is achieved because rubber laminates are manufactured from reclaimed truck tires
- Manufactured under pressure exceeding 1500 lbs. to absorb over 80% of the impact
- **1-year warranty**




Model No.	A"	Dimensions B"	C"	D"	Wt. lbs.	Price /Each
4" PROJECTION						
HORIZONTAL STYLE						
KH719	4	10	12	5	25	70.10
KH720	4	12	12	7	31	79.40
KH721	4	12	14	7	35	90.60
KH722	4	12	18	7	44	108.00
KH723	4	12	24	7	58	138.00
KH724	4	12	36	7	84	201.00
VERTICAL STYLE						
KH725	4	20	11	7 1/2	46	114.00
KH726	4	24	11	9 1/2	56	142.00
6" PROJECTION						
HORIZONTAL STYLE						
KH729	6	10	12	5	29	101.00
KH730	6	12	12	7	34	111.00
KH731	6	12	14	7	39	119.00
KH732	6	12	18	7	50	147.00
KH733	6	12	24	7	72	182.00
KH734	6	12	36	7	105	272.00
VERTICAL STYLE						
KH735	6	20	11	7 1/2	53	162.00
KH736	6	24	11	9 1/2	64	192.00
9" PROJECTION						
HORIZONTAL STYLE						
KH739	9	12	12	7	75	238.00
KH740	9	12	14	7	81	258.00
KH741	9	12	18	7	92	302.00
KH742	9	12	24	7	118	324.00
KH743	9	12	36	7	130	432.00
VERTICAL STYLE						
KH744	9	20	11	7 1/2	105	372.00
KH745	9	24	11	9 1/2	124	452.00

SELECTING THE PROPER SIZE OF DOCK BUMPER



Horizontal Style —
Laminated or Steel-Faced



Vertical Style —
Laminated or Steel-Faced

MOLDED DOCK BUMPERS

- Protects building and dock areas
- Shockproof, tear and freeze resistant



KH005



Model No.	Material	Face size W" x H"	Overall Projection"	Wt. lbs.	Price /Each
KH005	Rubber	13 x 10	4	16	37.75
KH009	Rubber	18 x 10	4	32	58.65

CANADA'S LEADING MATERIAL HANDLING SUPPLIER

WHEEL CHOCKS

PREVENT ACCIDENTS!

Chocks are designed to provide maximum gripping power on practically any surface, wet or dry. They are resistant to sun, moisture, salt, oil and meet OSHA requirements

RUBBER WHEEL CHOCKS

- Constructed of reinforced rubber
- Resists tearing, abrasions, impacts, corrosion, sun, salt, and oil



Model No.	Description	Approx. Size W" x L" x H"	Wt. lbs.	Price /Each
KH032	Steel Ring On Back	6-1/2 x 9-1/2 x 7-1/2	12.5	26.75
KH600	Handle On Side	8 x 9 x 6	10	22.65
KH601	Traditional Eyebolt On Side	8 x 9 x 6	10	21.50
KH893	Handle On Back	7-1/8 x 9-7/8 x 7-1/2	9.5	25.50
KI252	Handle On Back	8-5/8 x 10-5/8 x 7	22	68.50

URETHANE WHEEL CHOCK

- Safety orange for greater visibility
- Molded-in hole through width of chock for attaching security chain (chain sold separately)
- Overall size: 11" L x 8" W x 8" H


Model No. KH897
Price/Each \$49.75



ICE CHOCK


- Formed steel
- "Tooth" like bottom assures reliable grip
- Maximum holding power for snow and ice
- Overall dimensions: 10 1/2" L x 8" W x 9 1/4" H
- Powder-coated safety yellow finish for high visibility

Model No. KH964
Price/Each \$49.95



LAMINATED RUBBER CHOCK

- Designed to fit curvature of tire for a strong grip
- Extra heavy duty laminated rubber and steel construction for use with heavy utility trucks and equipment.
- Load capacity: Up to 40 000 lbs.



Model No.	Approx. Size W" x L" x H"	Wt. lbs.	Price /Each
KH603	8 x 8 x 8	14	43.50

ALUMINUM WHEEL CHOCKS

High in strength but lightweight. Resists the effects of oil, salt, corrosion and weather. Non-sparking.



IRON WHEEL CHOCKS

Suited for your toughest jobs.

Colour:

- KH799 - Blue
- KH951 - Safety Yellow
- KH017 - Natural



Model No.	Dimensions W" x L" x H"	Wt. lbs.	Price /Each
KH023	7 x 6 x 6	4	44.10
KH801	9 1/2 x 15 x 6 1/2	4	66.50
KH022	7 x 11 1/2 x 8	6	68.70

Model No.	Chock Material	Dimensions W" x L" x H"	Wt. lbs.	Price /Each
KH951	Ductile Iron	8 1/2 x 7 1/4 x 8 1/2	15	54.90
KH799	Ductile Iron	8 x 12 x 9	19	118.00
KH017	Ductile Iron	10 x 10 1/2 x 10 3/4	23	329.00

WHEEL CHOCK ACCESSORIES

18' SECURITY CHAIN W/HOOK

- Weight: 4 lbs.
- Model No. KH027
- Price/Each \$28.59



WHEEL CHOCK WALL BRACKETS

- Sturdy yellow metal construction
- Fits wheel chocks up to 10" wide
- Prevents loss of chock

Model No. KH963
Price/Each \$36.95





WHEEL CHOCKS

WHEEL CHOCK REFERENCE GUIDE

Select a wheel chock based on the gross operating weight and tire diameter of the vehicle.

CHECKERS®
INDUSTRIAL SAFETY PRODUCTS, INC.

TIRE DIAMETER RANGE

	Up to 32" Dia.	Up to 35" Dia.	Up to 38" Dia.	Up to 46" Dia.	Up to 65" Dia.	Up to 95" Dia.	Up to 105" Dia.	Up to 142" Dia.	Up to 165" Dia.
GROSS VEHICLE OPERATING WEIGHT	Up to 30 000 lbs.	KH971 KH966	KH971	KH968	KH968	KH977 M0005	KH978	KH978	—
	Up to 40 000 lbs.	KH970 KH967	KH970	KH969	KH969	KH977 M0005	KH978	KH978	—
	Up to 50 000 lbs.	KH967	KH968	KH969	KH969	KH977, M0005	KH978	KH978	—
	Up to 60 000 lbs.	KH968 KH967	KH968	KH969 KH972 KH973	KH969 KH974 KH975	KH977 M0005	KH978	KH978	—
	Up to 70 000 lbs.	KH969	KH969	KH792 KH973	KH974 KH975	KH977 M0005	KH978	KH978	—
	Up to 80 000 lbs.	KH792 KH973	KH792 KH973	KH792 KH973	KH974 KH975	KH977 M0005	KH978	KH978	—
	Up to 150 000 lbs.	—	—	—	KH974 KH975	KH977 M0005	KH978	KH978	KH980 KH979
	Up to 245 000 lbs.	—	—	—	KH977 M0005	KH978	KH978	KH980	KH979
	Up to 366 000 lbs.	—	—	—	—	KH025	KH978	KH978	KH980 KH979
	Up to 550 000 lbs.	—	—	—	—	KH978	KH978	KH978	KH980 KH979
	Up to 855 000 lbs.	—	—	—	—	KH980	KH980	KH980	KH980 KH979
	Up to 1 600 000 lbs.	—	—	—	—	KH979	KH979	KH979	KH979

Note: A minimum of four wheel chocks must be used for gross vehicle operating weights from 855 000 - 1 600 000 lbs

GENERAL PURPOSE POLYURETHANE WHEEL CHOCKS

- Durable polyurethane construction
- Ideal for use with over-the-road trucks, trailers, pickups and utility vehicles
- Resistant to oils, fuels and solvents
- Easy-grip carrying handle
- Eyebolt for ropes or chains
- Colour: High visibility orange
- Sold per each, designed to be used in pairs

KH968

KH966

Model No.	Mfg. No.	Overall Dimensions L" x W" x H"	Wt. lbs.	Price /Each
KH966	UC1400-4.5	10 x 8 1/2 x 5	4.5	94.30
KH967	UC1400-6	10 x 8 1/2 x 5	6	122.00
KH968	UC1500-4.5	11 1/2 x 9 x 8 1/2	4.5	90.00
KH969	UC1500-6	11 1/2 x 9 x 8 1/2	6	106.00
KH970	UC1700	11 1/4 x 8 x 8 1/4	3.5	82.40
KH971	UC1700	8 1/2 x 7 1/2 x 6 1/4	2	57.60

HEAVY-DUTY POLYURETHANE WHEEL CHOCK

- Max Gross Vehicle Operating Weight: 245 000 lbs.
- For Tire Diameter: 46" to 65"
- Durable polyurethane construction
- Safety orange for greater visibility
- Resistant to oils, fuels and solvents
- Ideal for use with ground vehicles and heavy equipment
- Payloads up to 70 tons when using 2 x wheel chocks
- Sold per each, designed to be used in pairs



Model No.	Colour	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
M0005	Orange	14 x 17 x 14	25	404.00

ALL-TERRAIN HEAVY-DUTY POLYURETHANE WHEEL CHOCKS

- Durable polyurethane construction
- Ideal for use with underground mining equipment, fire fighting and large utility vehicles
- Resistant to oils, fuels and solvents
- Easy-grip carrying handle
- Includes replaceable aluminum traction cleats or rubber pads
- Colour: Safety yellow

KH792



Model No.	Mfg. No.	Overall Dimensions L" x W" x H"	Base Configuration	Wt. lbs.	Price /Each
KH792	AT3512-AC	15 1/2 x 8 1/2 x 8 1/4	Aluminum Ice Cleat	6.9	351.00
KH973	AT3512-RP	15 1/2 x 8 1/2 x 8 1/4	Rubber Pad	6.7	369.00
KH974	AT3514-AC	21 x 11 1/4 x 12 1/4	Aluminum Ice Cleat	15.7	544.00
KH975	AT3514-RP	21 x 11 1/4 x 12 1/4	Rubber Pad	16.7	509.00

HEAVY-DUTY POLYURETHANE WHEEL CHOCKS

- Durable polyurethane construction
- Ideal for use with ground vehicles and heavy equipment
- Resistant to oils, fuels and solvents
- Easy-grip carrying handle
- Mounting hole for ropes, chains or brackets
- Includes replaceable rubber pads
- Optional studs available for increased traction on snow and ice
- Colour: Safety yellow

KH977



Model No.	Mfg. No.	Overall Dimensions L" x W" x H"	Wt. lbs.	Price /Each
KH977	MC3009	15 x 15 1/10 x 11	14.5	438.00
KH978	MC3010	17 7/10 x 15 1/2 x 10	19	630.00
KH979	MC3011	24 3/5 x 14 1/2 x 16	32	826.00
KH980	MC3012	21 9/10 x 14 9/10 x 10 3/5	23.75	742.00

DOCK EQUIPMENT


ALUMINUM DOCKPLATES

Skid resistant safety tread deck. Bevelled edges allow smooth access from either end. Bend at upper end permits both ends of plate to lie flat. Steel legs fit between dock and truck; prevent movement when in use. High tensile aluminum alloy construction; no welds to break.



HOW TO ORDER:

1. **Select dockplate width:** add 12" to width of equipment to be used on dockplate.
2. **Determine height differential:** (the vertical distance from dock floor to truck floor) The height differential decides the necessary plate length.
3. **Select the necessary capacity.**



COMBINATION BOARDS

For a height differential exceeding 11", use a ramp in combination with dockplate. Each plate can be converted to an equivalent-size ramp. Call us with your requirements.



				Light Duty - 1/4" ga.				Regular Duty - 3/8" ga.				Heavy Duty - 1/2" ga.				Extra Heavy Duty - 5/8" ga.			
Size	Height	Model	Cap.	Wt.	Price	Model	Cap.	Wt.	Price	Model	Cap.	Wt.	Price	Model	Cap.	Wt.	Price		
W" x L" x H"	Diff."	No.	lbs.	lbs.	/Each	No.	lbs.	lbs.	/Each	No.	lbs.	lbs.	/Each	No.	lbs.	lbs.	/Each		
36 x 48 x 9	7	KH206	700	53	499.00	KH148	1700	71	622.00	KH193	3000	97	765.00	-	-	-	-		
42 x 48 x 9	7	KH207	800	60	552.00	KH153	2000	82	691.00	KH194	3500	110	858.00	-	-	-	-		
48 x 24 x 5	3	KH208	1800	36	399.00	KH154	4500	48	480.00	-	-	-	-	-	-	-	-		
48 x 30 x 6	4	KH209	1450	44	449.00	KH155	3600	60	549.00	-	-	-	-	-	-	-	-		
48 x 36 x 7	5	KH210	1250	52	499.00	KH156	3000	70	620.00	KH195	5400	94	762.00	-	-	-	-		
48 x 42 x 8	6	KH211	1050	60	550.00	KH157	2600	82	689.00	KH196	4600	110	856.00	-	-	-	-		
48 x 48 x 9	7	KH212	900	67	599.00	KH158	2200	92	760.00	KH197	4000	124	949.00	-	-	-	-		
48 x 54 x 10	8	KH213	760	76	653.00	-	-	-	-	-	-	-	-	-	-	-	-		
48 x 60 x 11	9	KH214	600	83	702.00	KH159	1500	114	899.00	KH198	2700	155	1136.00	-	-	-	-		
48 x 72 x 13	11	KH215	400	100	799.00	KH160	1100	136	1040.00	KH199	2000	184	1416.00	-	-	-	-		
60 x 24 x 5	3	KH216	2200	43	449.00	KH170	5600	59	549.00	KH200	10000	79	669.00	KH328	15600	98	959.00		
60 x 30 x 6	4	KH217	1800	54	509.00	-	-	-	-	-	-	-	-	-	-	-	-		
60 x 36 x 7	5	KH218	1500	63	575.00	KH171	3700	86	725.00	KH201	6700	114	899.00	KH329	10500	141	1289.00		
60 x 42 x 8	6	KH219	1300	73	637.00	-	-	-	-	-	-	-	-	-	-	-	-		
60 x 48 x 9	7	KH220	1100	83	701.00	KH172	2800	113	899.00	KH202	5000	151	1226.00	KH330	7800	186	1619.00		
60 x 60 x 11	9	KH221	880	102	826.00	KH173	2200	140	1168.00	-	-	-	-	-	-	-	-		
72 x 24 x 5	3	KH222	2600	51	499.00	KH174	6700	76	619.00	KH203	12000	94	760.00	KH331	18700	115	1178.00		
72 x 30 x 6	4	KH223	1950	63	574.00	-	-	-	-	-	-	-	-	-	-	-	-		
72 x 36 x 7	5	KH224	1650	74	650.00	KH175	4500	105	828.00	KH204	8000	135	1132.00	KH332	12600	166	1618.00		
72 x 48 x 9	7	KH225	1300	97	799.00	KH176	3300	135	1039.00	KH205	6000	178	1410.00	KH333	9400	220	2058.00		
72 x 60 x 11	9	KH226	900	121	1043.00	-	-	-	-	-	-	-	-	-	-	-	-		

All Prices F.O.B. Weston, Ontario and items are non-returnable.

ALUMINUM DOCKBOARDS

Ideal for truck or rail applications. Curb design adds strength and prevents equipment run-off. Skid resistant safety tread deck. Bevelled edges allow smooth access from either end. Bend at upper end permits both ends of plate to lie flat. Steel legs fit between dock and truck or railcar, prevent movement when in use. High tensile aluminum alloy construction.



Model No.	Width Cap. lbs.	Inside Curbs"	Overall Width"	Height Length"	Height Diff."	Wt. lbs.	Price /Each
KH149	4000	51	54	60	9	164	1438.00
KH150	4000	51	54	72	11	210	1768.00
KH151	4000	57	60	60	9	177	1524.00
KH152	4000	57	60	72	11	225	1715.00
KH161	6000	51	54	48	7	143	1265.00
KH162	6000	50	54	60	9	177	1449.00
KH163	6000	50	54	72	11	225	1860.00
KH164	6000	57	60	48	7	153	1335.00
KH165	6000	56	60	72	11	240	1729.00
KH166	6000	63	66	36	5	123	1340.00
KH167	6000	63	66	48	7	163	1399.00
KH168	6000	62	66	60	9	203	1624.00
KH169	6000	69	72	48	7	174	1474.00
KH177	8000	51	54	36	5	106	1092.00
KH178	8000	50	54	48	7	149	1275.00
KH179	8000	50	54	60	9	188	1648.00
KH180	8000	50	54	72	11	236	2059.00
KH181	8000	57	60	36	5	115	1144.00
KH182	8000	56	60	48	7	160	1344.00
KH183	8000	56	60	60	9	201	1537.00
KH184	8000	56	60	72	11	251	1930.00
KH185	8000	69	72	30	4	110	1267.00
KH186	8000	68	72	48	7	181	1483.00
KH187	8000	68	72	60	9	227	1709.00
KH188	8000	68	72	72	11	282	2452.00
KH189	8000	68	72	84	13	340	2735.00
KH105	10000	51	54	36	5	127	1242.00
KH106	10000	50	54	48	7	176	1476.00
KH107	10000	50	54	60	9	222	1900.00
KH108	10000	50	54	72	11	276	2438.00
KH109	10000	56	60	60	9	239	1817.00
KH110	10000	56	60	72	11	297	2266.00
KH111	10000	63	66	36	5	148	1570.00
KH112	10000	62	66	48	7	197	1659.00

Model No.	Width Cap. lbs.	Inside curbs"	Overall Width"	Height Length"	Height Diff."	Wt. lbs.	Price /Each
KH113	10000	62	66	60	9	256	1929.00
KH115	10000	69	72	48	7	210	1742.00
KH116	10000	68	72	60	9	273	2046.00
KH117	10000	68	72	72	11	337	2955.00
KH118	10000	68	72	84	13	403	3322.00
KH119	12000	57	60	36	5	137	1309.00
KH120	12000	56	60	48	7	190	1567.00
KH121	12000	56	60	60	9	249	2015.00
KH122	12000	69	72	36	5	158	1656.00
KH123	12000	68	72	48	7	217	1752.00
KH125	12000	68	72	84	13	292	2322.00
KH126	14000	56	60	36	5	143	1318.00
KH127	14000	56	60	48	7	190	1764.00
KH128	14000	56	60	60	9	249	2029.00
KH129	14000	56	60	72	11	313	2283.00
KH130	14000	62	66	36	5	148	1577.00
KH131	14000	62	66	48	7	204	1855.00
KH132	14000	62	66	60	9	266	2144.00
KH133	14000	62	66	72	11	333	2799.00
KH134	14000	68	72	36	5	160	1663.00
KH135	14000	68	72	48	7	220	1948.00
KH136	14000	68	72	60	9	283	2244.00
KH137	14000	68	72	72	11	353	2972.00
KH138	14000	68	72	84	13	456	3342.00
KH139	16000	68	72	60	9	330	3055.00
KH140	16000	68	72	72	11	412	3529.00
KH141	16000	68	72	84	13	540	3994.00
KH142	18000	69	72	36	5	187	1935.00
KH143	20000	68	72	36	5	187	1943.00
KH144	20000	68	72	48	7	267	2595.00
KH145	20000	68	72	60	9	344	3069.00
KH146	20000	68	72	72	11	412	3642.00
KH147	20000	67	72	84	13	564	4130.00

All Prices F.O.B. Weston, Ontario and items are non-returnable.

OPTIONS: RAIL DOCKBOARDS

Fixed Spanlocks provide quick and safe access between dock and railcar, or between railcars. Sold in pairs.

Model No. KH192 Price/Each \$139.00

Adjustable Spanlocks permit use of the same board on truck or rail docks. Easily adjusted for various spans.

Sold in pairs.

Model No. KH190 Price/Each \$259.00

OPTIONS: FORKLIFT HANDLES

Makes movement of heavy boards and plates easy and safe. Recommended for boards and plates over 140 lbs. Sold in pairs.

Model No. KH191 Price/Each \$212.00

HOW TO ORDER:

1. Determine required capacity: 90% of gross weight for forklift trucks; 67% of gross weight for powered pallet trucks. Example: Wt. of Forklift + Wt. of Heaviest Load = Gross Weight x .90 = Required Capacity (5,500 lbs. + 10,000 lbs. = 15,500 x .90 = 13,950 lbs.)
2. Select dockboard width: add 12" to width of equipment to be used on dockboard.
3. Determine height differential (the vertical distance from dock floor to truck floor).

ALUMINUM WHEEL RISERS

Ideal for use when the loading dock is higher than the trailer bed. Levels out trailer with dock; facilitates loading and unloading. 24" wide. 25 000 lbs. capacity per pair.



Priced per Pair

Model No.	Deck Height"	Approach Length"	Overall Length"	Wt. lbs. /pair	Price /Each	
KH061	6	24	21	45	124	1466.00
KH062	8	24	28	52	150	1680.00
KH064	10	24	35	59	178	1908.00
KH066	12	24	42	66	210	2160.00
KH063	6	36	21	57	164	1866.00
KH068	10	36	35	71	226	2309.00
KH070	12	36	42	78	263	2602.00
KH067	6	48	21	69	204	2122.00
KH069	8	48	28	76	238	2435.00
KH071	10	48	35	83	274	2714.00
KH072	12	48	42	90	316	2983.00

ALUMINUM TWIN RAMPS WITH PERFORATED TRACTION GRIP

Provides a fast, safe means of moving vans, pickup trucks and some cars from ground level into and out of building docks. Perforated traction grip deck ensures safe, non-slip use in both wet or dry conditions. 1 1/2" side curbs. Choose the ramp length that will accommodate your truck or van at a gradual slope. Safety pins are included to secure ramps to dock or truck.

Priced per Pair

Model No.	Cap. lbs.	Height Max." 11" Incline	Min." 12 1/2	O.A. Width "	Inside Curb Width"	Length'	Wt. lbs.	Price /Each
KH279	7000	17 1/2	12 1/2	19	15	8	52	1352.00
KH272	5500	22 1/2	16	19	15	10	64	1588.00
KH278	7000	27	19	19	15	12	105	1973.00
KH276	6000	32	22 1/2	19	15	14	120	2148.00
KH273	5500	36 1/2	25 1/2	19	15	16	138	2416.00
KH277	6000	41	29	20	15	18	170	2848.00
KH274	5500	46	32 1/2	20	15	20	190	3110.00
KH275	5500	55 1/2	39	20	15	24	250	3854.00

All prices w. Weston, Ontario. Hook Mount and Non-Skid treadplate surface also available.

All products are non-returnable



ALUMINUM WALK RAMPS WITH PERFORATED TRACTION GRIP


Ideal for use with hand trucks and platform trucks. Lightweight, portable aluminum walkramps provide a fast, easy means of loading and unloading. Perforated Traction Grip Deck ensures safe, non-slip use in both wet and dry conditions. Determine the length of ramp which will descend at a gradual, safe slope. Safety pins are included to secure walkramp to truck or dock. Not for use with pallet trucks or fork lifts. Aluminum handle not included.

APRON MOUNT MODELS

Model No.	Cap. lbs.	Height Max." 20" Incline	Min." 8"	O.A. Width "	Inside Curb Width"	Length'	Wt. lbs.	Price /Each
KH320	2500	22	10	24	21 1/2	6	55	601.00
KH322	2500	22	10	26	23 1/2	6	58	610.00
KH324	2500	22	10	32	29 1/2	6	66	642.00
KH326	2500	22	10	38	35 1/2	6	75	672.00
KH312	2000	30	13	24	21 1/2	8	72	713.00
KH314	2000	30	13	26	23 1/2	8	76	727.00
KH316	2000	30	13	32	29 1/2	8	88	767.00
KH318	2000	30	13	38	35 1/2	8	100	948.00
KH304	1700	38	16	24	21 1/2	10	90	829.00
KH306	1700	38	16	26	23 1/2	10	95	843.00
KH308	1700	38	16	32	29 1/2	10	110	993.00
KH310	1700	38	16	38	35 1/2	10	124	1041.00
KH296	1500	46	19	24	21 1/2	12	108	1040.00
KH298	1500	46	19	26	23 1/2	12	114	959.00
KH300	1500	46	19	32	29 1/2	12	132	1118.00
KH302	1500	46	19	38	35 1/2	12	149	1179.00
KH288	1300	55	22	24	21 1/2	14	126	1075.00
KH290	1300	55	22	26	23 1/2	14	133	1101.00
KH292	1300	55	22	32	29 1/2	14	153	1270.00
KH294	1300	55	22	38	35 1/2	14	174	1339.00
KH280	1000	62	26	24	21 1/2	16	144	1244.00
KH282	1000	62	26	26	23 1/2	16	152	1270.00
KH284	1000	62	26	32	29 1/2	16	175	1399.00
KH286	1000	62	26	38	35 1/2	16	198	1526.00

All prices F.O.B. Weston, Ontario. Hook Mount and Non-Skid treadplate surface also available.


All products are made to order and are non-returnable



TRUCK SLIDER RAMPS

Inquire about our line of **Below-Truck Aluminum Slider Ramps**. Available with or without steel ramp carrier.

Steel Carrier





Lightweight Aluminum Slider

DOCK EQUIPMENT

SOFT EDGE FLEXIBLE WARNING & PROTECTION SYSTEMS

- Tough, flexible polyurethane foam extrusions reduce the risk of personnel injury at high risk corners
- When applied to machinery, furnishings and walls, Soft Edge prevents impact damages by absorbing even the hardest of impacts
- Highly visible black and yellow markings offer permanent warning in dangerous areas
- Simple "peel-away" adhesive installation on grease-free surfaces
- Excellent temperature range from -40°C to 100°C

Knuffi




Style	1 Metre Model No.	Price /Each	5 Metres Model No.	Price /Each
A	KH866	42.80	KH865	200.00
B*	KH868	44.10	KH867	199.00
C	KH870	45.50	KH869	203.00
D	KH872	55.20	KH871	273.00
E	KH952	43.80	KH953	214.00
F	KH954	42.50	KH955	212.00
G*	KH956	56.20	KH957	281.00
H	KH958	57.60	KH959	288.00

* Does not have peel-away adhesive. Held by pressure fit.

CORNER PROTECTORS

- Corner Protectors help prevent damage to walls in areas with forklifts, hand trucks and other warehousing traffic
- These guards are high-visibility yellow
- Made with high density polyethylene (HDPE)
- Crack and chip resistant
- Feature unique energy absorbing construction
- Anchors not included
- Can be mounted end to end
- Sold in sets of 2 protectors**
- Material: Polyethylene



Sold per Set

Model No.	L"	x	W"	x	H"	Wt. lbs.	Price /Each
KH994	10	x	6	x	21	10	124.00
KH995	10	x	6	x	42	20	200.00

WALL PROTECTORS

- Wall Protectors help prevent damage to walls in areas with forklifts, hand trucks and other warehousing traffic
- These guards are high-visibility yellow
- Made with high density polyethylene (HDPE)
- Crack and chip resistant
- Feature unique energy absorbing construction
- Anchors not included
- Can be mounted end to end
- Sold in sets of 2 protectors**
- Material: Polyethylene




Sold per Set

Model No.	L"	x	W"	x	H"	Wt. lbs.	Price /Each
KH996	42	x	2	x	6	8	143.00
KH997	42	x	2	x	10	14	162.00

SAFETY GUARDS

- Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Colour: Safety yellow powder coat finish



Model No.	Dimensions L" x H"	Wt. lbs.	Price /Each
KD127	24 x 18	65	339.00
KH855	36 x 18	75	419.00
KD128	48 x 18	85	399.00
KD136	24 x 42	95	459.00
KD139	48 x 42	115	509.00

UPRIGHT PROTECTORS


- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- 4 pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coated finish



Model No.	O.A. Dimensions W" x D" x H"	Wt. lbs.	Price /Each
KH858	7 x 7 x 12	12	37.00
RB925	7 x 7 x 18 1/4	15	49.25

HEAVY-DUTY STEEL BOLLARDS

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish



Model No.	Height"	Wt. lbs.	Price /Each
KD125	24	30	157.00
KH857	36	40	212.00
KD126	48	50	232.00

KLETON

SLOWSTOP® FLEXIBLE REBOUNDBING BOLLARD

- Protect buildings, assets, vehicles, and pedestrians from damaging collisions with this incredibly strong surface mounted bollard that absorbs energy from impacts then rebounds back to its original position without damage
- Includes all necessary installation pieces
- 60µm hot-dipped galvanized & 60µm polyester outdoor powder coatings

4" DIAMETER BOLLARDS

- Ideal for medium applications such as cars, light trucks, and typical fork lifts
- Stops 5000 pounds at 3.4 mph without damage

6" DIAMETER BOLLARDS

- Perfect for heavy applications such as delivery trucks, heavy fork lifts, and even semi-trailers
- Stops 5000 pounds at 7.5 mph without damage

DRILLED BOLLARDS

- Features mounting holes and plugs that can be used to attach guardrails




SLOWSTOP® FLEXRAIL GUARD RAIL

- Mount to SlowStop® Rebounding Bollards for increased strength and system durability
- Overall Height: 13-3/4"
- Material: Polycarbonate
- Break Strength: 24832 lbf / 110 kN
- Maximum Deflection: 21" / 56 cm

END CAPS

- Attaches to sections of SlowStop® FlexRail to provide an end impact zone in the most likely direction of travel
- Female: Attaches to recessed side of FlexRail guard rail
- Male: Attaches to straight ends of FlexRail guard rail



Model No.	Mfg. No.	Type	Dia."	Height"	Price /Each
MP184	60-5201-A	Standard	4	42	882.00
MP185	60-5203-A	Standard	6	42	2132.00
MP186	60-5261-A	Drilled	4	42	915.00
MP187	60-5263-A	Drilled	6	42	2153.00

Model No.	Mfg. No.	Type	Overall Length"	Price /Each
MP188	60-5250	Rail	157-1/2	882.00
MP189	60-5256	End Cap – Female	9-4/5	311.00
MP190	60-5257	End Cap – Male	9-4/5	311.00

PROGUARDS TEMPORARY GUARD RAIL POSTS

- Allows you to quickly and easily create fully compliant guardrails that provide the required fall protection from the unsafe areas of the job site
- Connect 2x4 rails to the supplied posts
- Dual hooks allow for 90° installs and angled stair rails and handrails
- Width: 8"
- Height: 39"
- Colour: Orange
- Qty/Box: 2 Posts
- Hook Height: 3.5"
- Hook Depth: 1.5"
- No. of Screw Holes: 8

Model No. MP191
Mfg. No. 70-8010
Price/Each \$182.00



SPRING LOADED BOLLARD

- Designed to serve as a visual warning to personnel
- 30° spring-loaded design will bend and not break like rigid bollards
- Overall Length: 2-1/8"
- Overall Width: 2-1/8"
- Overall Height: 42"
- Colour: Yellow
- Material: Steel

Model No. MP197
Mfg. No. SPBOL-42
Price/Each \$167.00



Can't find what
you're looking for?
Call us today!



DOCK EQUIPMENT

HOW TO CHOOSE A CABLE PROTECTOR

WHY USE CABLE PROTECTORS

- Protect your cables, cords, and hose lines from pedestrian traffic, vehicle and heavy-duty equipment movement
- Ideal for festivals, construction sites, conventions centers, and any event or facility
- Cost-effective solution helps prevent damage caused by wire vibration, contact with other heat producing equipment or simply from tripping
- Improve accessibility
- Cable protectors are offered in a variety of size, material and colour to suit all types of applications.



WHAT TO CONSIDER

1. SIZE – HOW MANY CABLES DO YOU WANT TO PROTECT?

- Protect 1,2,3,4, and 5 cables using the same protector, each slot is known as a "Channel"

What you need to know

- Know the overall diameter of your cables: Make sure that your cables will fit into the cable protector by choosing the proper channel width and height

General Rule to Remember

- Remember that as the number of channels on the protector decreases, the channel height will increase

Is your vehicle clearance height limited?

- Low profile and drop-over models are a quick solution to protect your cables while allowing low vehicle, pedestrian walking, and handicap access



2. LOAD CAPACITY - WHAT WILL BE CROSSING OVER THE CABLE PROTECTOR?

- With capacities up to 800,000 lbs. per axle (load that a vehicle will put on a cable protector as they drive over them), cable protectors can withstand thousands of pounds and endure constant impact
- Heavy-duty cable protectors are ideal for vehicles or hauling trucks and light-duty cable protectors are best for light to heavy pedestrian walking, light commercial and utility applications



3. CONNECTOR TYPE - INTERLOCKING DESIGN FOR EASY SETUP AND DISASSEMBLE

- Raccordez plusieurs unités pour créer un protecteur de la longueur souhaitée



T-Shaped



Dog Bone



Hourglass®



Gripper



L-Shaped

4. ACCESSIBILITY RAMPS & RAILS

- Most of Checkers® Cable Protectors offer ADA/DDA compliant access ramp



ADA/DDA Compliant

5. MATERIAL

Polyurethane:

- Heavy-duty to general purpose applications
- Ideal for heavy-duty equipment and high volume traffic
- Oil gas, mining, military, construction, entertainment, manufacturing, and material handling
- Light weight and more durable
- Withstand extreme weather conditions

Rubber:

- Light-duty applications
- Ideal for pedestrian traffic and light vehicle traffic
- Office, light industrial, entertainment

6. COLOURS

- Universal safety colours are available for all types of traffic
- High visibility colours include: yellow, orange, black, and blue



7. NEED ACCESSORIES?

- Adding accessories to your cable protectors depends widely on placement and positioning of your cable protector system. Most cable protector series offer accessories such as: End caps, 45 degree left and/or right turns, 4 and 3-way cross intersections






DOCK EQUIPMENT

LINEBACKER® CABLE PROTECTORS

- Most robust cable protection option
- High load bearing capacity for heavy equipment applications
- Ideal for: Manufacturing, Oil and gas, mining, military, construction and heavy-duty applications
- Protects cables and hoses
- All-weather polyurethane construction
- Easy to transport, setup, disassemble, and store
- Thick lid and base allow for high volume of traffic
- Modular interlocking design

CHECKERS®
INDUSTRIAL SAFETY PRODUCTS, INC.

Model No.	Mfg. No.	No. of Channels	Dimensions		Channel	Max. Load Capacity lbs./tons		Price /Each
			W"	L" x H"	W" x H"	Tire	Axle	
KH702	CP1X125-GP-0	1	11.5	x 36 x 1.625	1.25 x 1.25	11 700/11.7	23 400/5.85	308.00
KH699	CP2X325-Y/0	2	22	x 36 x 4.13	3.25 x 3.25	10 880/5.44	21 760/10.88	962.00
KH695	CP3X225-Y/0	3	20	x 36 x 3.05	2.25 x 2.25	14 210/7.105	28 400/14.21	742.00
KH691	CP4X125-Y/0	4	20	x 36 x 2.31	1.85 x 1.35	20 150/10.075	40 300/20.15	620.00
KI046	CP4X300-Y/0	4	23.9	x 36 x 3.9	3 x 3	10 100/5.05	20 200/10.1	704.00
KH700	CP5X125-GP-0/Y	5	17.25	x 36 x 1.9375	1.3 x 1.3	10 500/5.25	21 000/10.5	391.00
KH687	CP5X125-Y/0	5	20	x 36 x 2.31	1.35 x 1.35	20 150/10.075	40 300/20.15	499.00




GUARD DOG® LOW PROFILE CABLE PROTECTORS

- Protects cables and hoses
- Modular interlocking design
- Thick lid and base allow for high volume of traffic
- Easy to transport, setup, disassemble, and store
- Most versatile cable protection option
- Solid construction for pedestrian traffic, and over the road vehicles
- Ideal for: Utility, industrial, entertainment

CHECKERS®
INDUSTRIAL SAFETY PRODUCTS, INC.

Model No.	Mfg. No.	No. of Channels	ADA/DDA Access	Dimensions W" x L" x H"	Channel W" x H"	Max. Load Capacity lbs./tons Tire Axle	Price /Each
KI120	GD1X75-ST-0/B	1	No	10.81 x 36 x 1.25	2.25 x 0.75	13 000/6.5 26 000/13	243.00
KI117	GD1X75-0/B	1	Yes	27.25 x 36 x 1.25	2.25 x 0.75	23 000/11.5 46 000/23	440.00
KI125	GD2X75-ST-0/B	2	No	11.94 x 36 x 1.25	1.5 x 0.75	13 000/6.5 26 000/13	279.00
KI122	GD2X75-0/B	2	Yes	28.38 x 36 x 1.25	1.5 x 0.75	23 000/11.5 46 000/23	444.00
KI136	GD3X75-ST-0/B	3	No	13.8 x 36 x 1.25	1.25 x 0.75	17 000/8.5 34 000/17	345.00
KI133	GD3X75-0/B	3	Yes	30.3 x 36 x 1.25	1.25 x 0.75	27 000/13.5 54 000/27	515.00
KI131	GD3X225-0/B	3	No	20 x 36 x 3	2.25 x 2.25	14 210/7.1 28 420/14.21	634.00
KI151	GD5X75-ST-0/B	5	No	16.9 x 36 x 1.25	1.28 x 0.75	24 000/12 48 000/24	402.00
KI148	GD5X75-0/B	5	Yes	33.3 x 36 x 1.25	1.28 x 0.75	34 000/17 68 000/34	649.00
KI146	GD5X125-0/B	5	No	19.75 x 36 x 1.875	1.39 x 1.325	10 500/5.25 21 000/10.5	423.00




GRIP GUARD® LIGHT-DUTY CABLE PROTECTOR

- Made from tough, high impact absorbing, non-conductive polyurethane
- Resistant to oil, fuels and lubricants
- Recessed carrying handle molded in to the underside of the protector
- Super lightweight: Up to 75% lighter than standard cable protectors
- Ideal for: Entertainment, light commercial and utility applications

CHECKERS®
INDUSTRIAL SAFETY PRODUCTS, INC.

Model No.	Mfg. No.	No. of Channels	Dimensions W" x L" x H"			Channel W" x H"	Max. Load Capacity lbs./tons Tire Axle		Price /Each
KH981	GG5X125-Y/GRY	5	16 4/9 x	36 x	1.6	1.25 x 1.25	5000/2.5	10 000/5	273.00
KH986	GG3X225-Y/GRY	3	18.2 x	36 x	2.67	2.25 x 2.25	5000/2.5	10 000/5	364.00




FASTLANE® CABLE PROTECTOR

- Features drop-over design for quick cable set-up and disassembly
- Features patented 5-bar textured surface for maximum traction
- Ideal for lightweight vehicles and pedestrian traffic
- Features modular interlocking design
- Connector Type: L-connector
- Material: Polyurethane

CHECKERS®
INDUSTRIAL SAFETY PRODUCTS, INC.


Model No.	Mfg. No.	No. of Channels	Dimensions W" x L" x H"	Channel W" x H"	Max. Load Capacity lbs./tons Tire Axle	Colour	Price /Each
KI099	FL1X1.5-B	1	5.25 x 36 x 0.75	1.5 x 0.5	1050/0.525	2100/1.05	90.90
KI100	FL1X1.5-0	1	5.25 x 36 x 0.75	1.5 x 0.5	1050/0.525	2100/1.05	98.00
KI101	FL1X1.5-Y	1	5.25 x 36 x 0.75	1.5 x 0.5	1050/0.525	2100/1.05	98.00
KI102	FL1X4-B	1	10.75 x 36 x 1.5	4 x 1	1050/0.525	2100/1.05	181.00
KI103	FL1X4-0	1	10.75 x 36 x 1.5	4 x 1	1050/0.525	2100/1.05	168.00
KI104	FL1X4-Y	1	10.75 x 36 x 1.5	4 x 1	1050/0.525	2100/1.05	168.00
KI105	FL2X1.75-B	2	10.75 x 36 x 1.5	1.75 x 1	1050/0.525	2100/1.05	181.00
KI106	FL2X1.75-0	2	10.75 x 36 x 1.5	1.75 x 1	1050/0.525	2100/1.05	181.00
KI107	FL2X1.75-Y	2	27.25 x 36 x 1.5	1.75 x 1	1050/0.525	2100/1.05	181.00



DOCK EQUIPMENT

FABRICATED ALUMINUM HOSE & CABLE CROSSOVERS

- Protects hoses and cables from carts and other forms of traffic
- Constructed of light weight durable aluminum tread plate
- All welded
- Capacity: 2000 lbs. (1 tons)
- No. of Channels: 1




XI022

Model No.	Length"	Width"	Height"	Channel Width"	Channel Height"	Weight lbs.	Price /Each
XI022	48.03	24	4.5	16.03	4.09	90	720.00

DOCK LOADING LIGHTS WITH FLEXIBLE ARM

- Rubber enclosed shock absorber allows arm to deflect if struck by doors or lift trucks
- Durable design and construction reduces maintenance costs
- Includes: Lamp cover
- Certified for sale in Canada by an accredited certification body





XC462



Model No.	Extended Arm Length"	Head Type	Wt. lbs.	Price /Each
XC455	40	Metal	17	369.00
XC461	60	Metal	21	399.00
XC462	40	Polycarbonate	16	329.00
XC463	60	Polycarbonate	20	379.00

ULTRA-SIDEWINDER® CABLE PROTECTION SYSTEM

- Innovative new solution for protecting cables that run across a floor
- Design articulates left and right - allowing the system to turn corners and adapt to the layout of the room
- Simple "snap in" assembly - no tools or cutting required
- Fully customizable lengths available in 3 or 1 foot sections
- Black and yellow colour provides additional safety visual warning



MN716



Model No.	Description	Capacity lbs.	Dimensions L" x W" x H"	Channel Width"	Channel Height"	Minimum Radius"	End Caps	Price /Each
MN716	Small	32 000	39 1/2 x 3 x 3/4	3/4	3/8	10.5	Included	56.10
MN717	Small	32 000	13 1/8 x 3 x 3/4	3/4	3/8	10.5	Not Included	20.40
MN718	Medium	13 500	33 x 9 3/4 x 1 3/8	3	3/4	24	Included	178.00
MN719	Medium	13 500	14 1/8 x 9 3/4 x 1 3/8	3	3/4	24	Not Included	64.40
MN720	Large	13 500	34 x 13 5/8 x 2 1/8	3	1 1/2	33	Included	239.00
MN721	Large	13 500	14 1/8 x 13 5/8 x 2 1/8	3	1 1/2	33	Not Included	87.00

PALLET BUSTERS

- Get rid of broken or unsightly pallets quickly and safely
- Unique dual prying action with nail puller
- Also can be utilized for dock board removal
- Overall Dim.: 45-1/8" L x 6-1/2" W x 7-1/8" D
- Handle Diameter: 1-1/4"
- Colour: Blue

Model No. MO015
Mfg. No. SKB-DLX
Price/Each \$122.00



DOCK LIGHTS

- Built-in on-off switch
- Durable stainless steel cage for better protection of the light
- Bracket mounted for easy installation
- Arm sections are adjustable in all directions
- Features an adjustable screw to help direct the light where you need it
- Ideal for use in shipping/receiving docks, work lighting, spot lighting, and other similar applications

Model No.	Extended Arm Length"	Lamp Type	Wattage	Head Type	Lumens	Price /Each
XI316	40	LED	50 W	Metal	5500	269.00

aurora tools®



LED LOADING DOCK LIGHTS

HEAVY-DUTY

- Rugged cast aluminum housing with LEDs built-in to the dock light housing
- Uses only 18 watts of energy
- Provides more light than a 300-watt spot light
- Ideal for food service industries or refrigerated warehouses
- LED light head is completely sealed with a shatterproof polycarbonate lens
- No fragile filament or glass parts to break
- On/off switch and strain relief located in the recessed back plate
- Rated for wet locations IP66, NEMA4
- All LED models have an average life of 60 000 hours
- Certified for sale in Canada by an accredited certification body
- 5-year warranty



Model No.	Arm Length"	Wt. lbs.	Price /Each
ADJUSTABLE SINGLE STRUT			
XC696	24	18	609.00
XC697	40	20	629.00
XC698	60	23	649.00
DOUBLE STRUT			
XC692	24	18	629.00
XC693	40	21	639.00
XC694	60	25	659.00
XC695	90	34	809.00
ADJUSTABLE DOUBLE STRUT			
XC699	40	26	639.00
XC700	60	36	659.00
XD023	H.D. LED head only	8	499.00

METAL OR POLYCARBONATE SERIES


- LED emits white light cool to the touch
- Uses only 14 watts of energy
- Provides the equivalent of a 150-watt incandescent bulb
- LEDs are built-in to the dock light housing; more durable than screw in type fixtures
- All LED models have an average life of 60 000 hours
- **XD040** (DLGN-L1) model incorporates a stainless steel neck that bends to simplify positioning
- Certified for sale in Canada by an accredited certification body
- 5-year warranty



Model No.	Arm Length"	Head Type	Wt. lbs.	Price /Each
ADJUSTABLE SINGLE STRUT				
XD024	24	Metal	15	489.00
XD025	40	Metal	18	499.00
XD026	60	Metal	21	519.00
XD027	24	Polycarbonate	15	409.00
XD028	40	Polycarbonate	17	419.00
XD029	60	Polycarbonate	20	449.00
DOUBLE STRUT				
XD030	24	Metal	16	509.00
XD031	40	Metal	18	519.00
XD032	60	Metal	23	529.00
XD033	24	Polycarbonate	15	419.00
XD034	40	Polycarbonate	17	439.00
XD035	60	Polycarbonate	22	469.00
ADJUSTABLE DOUBLE STRUT				
XD036	40	Metal	23	519.00
XD037	60	Metal	33	539.00
XD038	40	Polycarbonate	23	439.00
XD039	60	Polycarbonate	33	479.00
GOOSENECK - FLEXIBLE STAINLESS STEEL NECK				
XD040	27"	Polycarbonate	10	589.00
ACCESSORIES				
XD041	Metal LED modular, lamp head only		6	419.00
XD042	Polycarbonate LED modular, lamp head only		5	359.00

DOCK LIGHTS

- The adjustable models allow flexible horizontal and vertical positioning
- 1 1/2", 14-gauge square steel tubing
- Two-piece wall bracket assures secure mounting
- Available with either metal head or with a "cool to the touch" polycarbonate head that will not dent or break
- Comes with wire lamp guard
- Suitable for PAR-38 LED lamps
- Certified for sale in Canada by an accredited certification body



Model No.	Arm Length"	Head Type	Wt. lbs.	Price/Each
ADJUSTABLE SINGLE STRUT				
XA213	40	Metal	16	219.00
XA208	60	Metal	21	259.00
XC446	40	Polycarbonate	15	199.00
XC447	60	Polycarbonate	20	219.00
DOUBLE STRUT - HORIZONTAL POSITIONING ONLY				
XA212	24	Metal	16	229.00
XA211	40	Metal	18	249.00
XA214	60	Metal	23	269.00
XA349	90	Metal	35	449.00
XC448	24	Polycarbonate	15	199.00
XC449	40	Polycarbonate	17	209.00
XC450	60	Polycarbonate	22	229.00
XC451	90	Polycarbonate	34	399.00
ADJUSTABLE DOUBLE STRUT				
XA619	40	Metal	18	259.00
XA620	60	Metal	21	279.00
XA621	90	Metal	31	449.00
XA623	40	Polycarbonate	17	219.00
XA624	60	Polycarbonate	20	259.00
XA625	90	Polycarbonate	30	419.00
ACCESSORIES				
Model No.	Description			Price/Each
XA209	Replacement wire guard for metal head			27.80
XC731	Replacement wire guard for polycarbonate head			26.70
XC571	Replacement PAR-38 lamp			7.99
XD043	Replacement PAR-38 LED lamp			139.00
XC224	Replacement metal head			149.00
XC445	Replacement polycarbonate head			139.00

DOCK EQUIPMENT

LED STOP & GO LIGHTS


Loading Dock Stop & Go Light is a safety signaling device that alerts truck drivers and loading dock personnel to the safety status of docked or docking trucks.

- Simple, reliable and cost-effective warning system that reduces the risk of accidents around the loading dock
- Establishes a clear line of communication between drivers and dock personnel
- Safety yellow polypropylene housing will not rust, pit, dent or corrode
- Shallow depth of unit (less than most dock bumpers) prevents damage to the Stop & Go Light
- Integral eyebrow-type sun visors create extended visibility
- Mounting holes conform to standard building specifications
- Units can be used indoors or outdoors
- Dimensions: 6 3/8" W x 3 3/4" D x 11 3/8" H. Lens diameter: 4 1/4"
- Certified for sale in Canada by an accredited certification body
- Weight: 2 lbs. per single unit, 4 lbs. for the set



12 VDC	Model No. 24 VDC	115 VAC	Description	Price /Each
XC100	XC101	XC102	Stop & Go – w/o flasher or switch	199.00
XC103	XC104	XC105	Stop & Go – w/flasher & switch	249.00
XC106	XC107	XC108	Stop & Go – Set, including one of each of the above	419.00

Uses 80%
less energy



IDEAL FOR ANY
VEHICLE, INDICATING
HAZARDOUS AREAS
OR PLANT CONTROL

TRAFFIC CONTROL SYSTEMS

The TCS 3000 Series outlines the docking area and makes backing up and spotting trailers easy. Safety is maintained through clear communication, while avoiding injury to personnel and costly damage to loading docks, equipment and buildings. The red and green LED lights are instantly understood as "Stop" and "Go", providing clear signals to dock attendants inside the building and truck drivers outside the building.



APPLICATIONS

- Control entry to parking garages, loading dock areas and drive-thru or any high traffic areas
- Warn workers and drivers of hazardous situations

FEATURES

- LEDs provide up to 100,000 hours or 10 years of continuous use
- LEDs provide a high quality light with no glare
- Uses 30% less energy than conventional incandescent guide light units
- Recessed LED's are shock, vibration and temperature proof, and produce no heat
- Service/maintenance free, no need to replace bulbs or lenses
- Will not rust, pit or corrode

SPECIFICATIONS


- Operating and storage temperatures range from -40°C to 85°C
- Embedded wiring on the back of the panel makes the lights moisture, water and weather resistant
- Each light fixture includes a 15' long wiring cable
- Pre-drilled mounting holes provide easy installation

Model No.	Mfg. No.	Description	Price /Each
XC796	60-5412-U	Indoor 12/24V	241.00
XC797	60-5411-U	Outdoor 12/24V	244.00
XC798	60-5412-110	Indoor 110/115/120V AC	345.00
XC799	60-5411-110	Outdoor 110/115/120V AC	274.00

TCS 3000 SURE-DOCK

- Using the Sure-Dock system truck drivers can safely center their truck and/or trailer between the Sure-Dock panels
- Panels sold individually

Model No.	Mfg. No.	Description	Price /Each
XC800	60-5414-U	12 V/24 V	249.00
XC801	60-5414-110	110/115/120V AC, UL Approved	274.00




Sure-Dock

XC798
Interior



"Stop" and
"Go" Light



XC799
Exterior

350TR VIBRATONE® HORNS

- Produces a very loud horn tone by the electromechanical vibration of a diaphragm
- Capable of reproducing coded blasts or sustained tones
- This horn is excellent for general alarm, start and dismal, coded paging, and process control signalling in areas of high ambient noise levels
- Effective range of 320' at 70 dB
- 120 VAC
- Produces 100 dB at 10'
- UL and cUL Listed, CSA Certified, FM Approved
- Type 4X and Type 12 enclosures



Model No.	Mfg. No.	Description	Price/Each
XC147	350TR-120	Horn	228.00
XC148	TR	Mount Trim Ring	48.10

350WB VIBRATONE® HORNS

- Produces sound by the electromechanical vibration of a stainless steel diaphragm
- The horn mechanism with diaphragm is attached to the grill
- Indoor or outdoor use is made possible by the water-tight and dust-tight back box
- Effective range of 320' at 70 dB
- Capable of reproducing coded blasts or sustained tones
- To be mounted on a wall
- 120 VAC
- Produces 100 dB at 10'
- UL and cUL Listed, CSA Certified, FM Approved
- Type 4X, IP65 enclosure



Model No.	Mfg. No.	Price/Each
XC141	350WB-120	315.00

STREAMLINE® MODULAR ELECTRONIC SOUNDERS

- Multifunctional electronic sounder with two separate alarm levels
- Compatible with 12-24 V AC/DC or 120-240 V AC (Voltage is dependent on selected base)
- 64 different tones
- Electronic tone adjustable from 65 dB(A) up to 105 dB(A) @ 1 meter
- Type 3R, IP65
- Body material is a self extinguishing polycarbonate material with high impact and UV resistance suitable for outdoor applications
- CE compliant
- UL and cUL listed



Model No.	Mfg. No.	Description	Voltage	Price/Each
XE708	SLM700GY	Modular Electronic Sounder	-	188.00
BASES				
XE709	SLMBS-012-024GY	Shallow Mounting Base	12-24VDC/AC	10.90
XE710	SLMBD-120-240GY	Deep Mounting Base	120-240VAC	131.00

Note: Other mounting base options available

VIBRATONE® ELECTRONIC HORNS

- Designed for routine signaling and fire alarm use
- Range of up to 200 feet
- Coded or sustained tones
- No duty cycle or interval limitations
- Fire Regulated 16-33VDC ; General Purpose Signal 12-24 V DC
- 99 dBA at 10' on axis
- Four wire terminal block and supervisory diode
- Type 4X when installed with panel mount gasket (included) or optional non-metallic weatherproof backbox (Model XE712)
- Marine rated
- UL, cUL and ULC listed
- CSFM listed



Model No.	Mfg. No.	Description	Price/Each
XE711	450E-024	Vibratone Electronic Horns	327.00
ACCESSORY			
XE712	WB-NM	Molded Weatherproof Housing	81.60


SELECTONE® AUDIBLE SIGNALING DEVICES

- Plant-wide warning and voice communication
- Built-in gain control, adjustable between 0dBA to 110dBA @ 10' (0dBA to 120dBA @ 1m)
- 120 V AC 50/60Hz
- Type 3R, IP54 enclosure
- Digital signal amplification
- Fused input and output
- Universal tone module
- UL 1480 and CSFM Approved
- UL and cUL Listed



Model No.	Mfg. No.	Description	Price/Each
XE713	300GC-120	SelectOne Audible Signaling Device	1723.00
ACCESSORIES			
XE714	UTM	Universal Tone Module	243.00
XE715	AM25CK	25 Vrms Connector Kit	125.00
XE716	AM70CK	70 Vrms Connector Kit	127.00

Note: Available in 24 V AC/DC and 240VAC





ELECTRARAY® ROTATING WARNING LIGHTS

- A compact, economical rotating warning light designed for industrial use
- Innovative dome design features a single retaining screw that allows quick and easy access for inspection and relamping
- UL and cUL Listed for indoor/outdoor use
- Type 4X, IP66 enclosure
- Design makes it easily adaptable for a multitude of applications and provides an effective means of supplementing audible signaling devices
- Available in 120 VAC
- Integrated 1/2" pipe mount

Model No.	Mfg. No.	Colour	Price/Each
XC115	225-120A	Amber	424.00
XC116	225-120R	Red	424.00
XC281	225-120B	Blue	424.00
XC282	225-120C	Clear	424.00
XC283	225-120G	Green	424.00



VITALITE® ROTATING WARNING LIGHTS

- A compact, rotating light designed for in-plant applications
- Features a parabolic reflector that rotates around an incandescent lamp, providing 60 flashes per minute in all directions
- Available in 120 VAC
- Pipe and surface mount
- Type 4X, IP66 enclosure
- UL, cUL Listed and CSA certified



Model No.	Mfg. No.	Colour	Price/Each
XC112	1215-120A	Amber	484.00
XC113	1215-120B	Blue	484.00
XC114	1215-120R	Red	484.00
XC273	1215-120C	Clear	484.00
XC274	1215-1210G	Green	484.00

STREAMLINE® MODULAR MULTIFUNCTIONAL LED BEACONS

- Multifunctional LED beacon with high optical performance
- Compatible with 12-24VAC/DC or 120-240VAC (Voltage is dependent on selected base)
- Three separate inputs: steady, flashing and rotating
- 100 000 hour LED
- Four mounting base options
- Type 4X, IP66
- CE compliant
- UL and cUL listed



Model No.	Mfg. No.	Description	Voltage	Price/Each
XE717	SLM100A	Amber	-	316.00
XE718	SLM100B	Blue	-	316.00
XE719	SLM100C	Clear	-	316.00
XE720	SLM100G	Green	-	316.00
XE721	SLM100R	Red	-	316.00
BASES				
XE709	SLMBS-012-024GY	Shallow Mounting Base	12-24VDC/AC	10.90
XE710	SLMBD-120-240GY	Deep Mounting Base	120-240VAC	131.00

Note: Other mounting base options available.

ELECTRAFLASH® STROBE WARNING LIGHTS

- Economical strobe light designed for a variety of industrial uses
- Compact warning light is less than 6" tall and 6" diameter
- 24 VDC or 120 VAC
- 4000-hour strobe tube
- Type 3R enclosure
- UL Listed and CSA certified



Model No.	Mfg. No.	Description	Price/Each
XC121	141ST-024A	24 VDC, Amber	298.00
XC122	141ST-024R	24 VDC, Red	298.00
XC284	141ST-024B	24 VDC, Blue	298.00
XC123	141ST-120A	120 VAC, Amber	298.00
XC124	141ST-120R	120 VAC, Red	298.00
XC285	141ST-120B	120 VAC, Blue	298.00

Note: Clear and green available upon request

ELECTRARAY® HAZARDOUS LOCATION LED FLASHING WARNING LIGHTS WITH XLT™ TECHNOLOGY

- 120 VAC and 240 VAC
- Flashing mode standard (60 flash rate/minute), configurable to steady-burn
- 60 000-hour, vibration-resistant LED lamp
- 1/2" pipe mount
- Type 4X, IP66 enclosure, marine listed
- UL and cUL listed for class 1, division 2 applications



Model No.	Mfg. No.	Colour	Price/Each
XC425	225XL-120-240A	Amber	935.00
XC426	225XL-120-240B	Blue	1161.00
XC427	225XL-120-240R	Red	935.00
XC428	225XL-120-240G	Green	1161.00

Note: Also available in 24 V AC/DC

FIREBALL® STROBE WARNING LIGHTS

- Very bright and compact strobe light
- Emits a powerful "lightning bolt" flash of light
- Approximately 5" tall and 4" in diameter
- Rated at 300-effective candlepower, can be used in a variety of stationary and vehicular warning requirements
- Available in 12-24 VDC, 120 VAC, and 240 VAC
- 10000 hour strobe tube
- UL and cUL Listed, CSA Certified for indoor/outdoor use
- Type 4X, IP66 enclosure



Model No.	Mfg. No.	Colour	Price/Each
XC135	FB2PST-120A	Amber	731.00
XC136	FB2PST-120R	Red	731.00
XC256	FB2PST-120B	Blue	731.00
XC257	FB2PST-120C	Clear	731.00
XC258	FB2PST-120G	Green	731.00

STREAMLINE® LOW PROFILE STROBE LIGHTS

- Features a state-of-the-art strobe rated for 7000 hours
- High-quality, long-life strobe tubes are designed to reduce tungsten build-up for longer lamp maintenance cycles
- Screw-on lens provides easy access
- Low profile
- Available in 120VAC and 12-48VDC
- Type 4X, IP66
- UL and cUL Listed, CSA Certified
- PLC and triac compatible



Model No.	Mfg. No.	Description	Price/Each
XC125	LP3P-120A	Amber, Pipe Mount	211.00
XC126	LP3P-120R	Red, Pipe Mount	211.00
XC286	LP3P-120B	Blue, Pipe Mount	211.00
XC287	LP3P-120C	Clear, Pipe Mount	211.00
XC288	LP3P-120G	Green, Pipe Mount	211.00
XC127	LP3T-012-048A	Amber, T Mount	211.00
XC128	LP3T-012-048B	Blue, T Mount	211.00
XC129	LP3T-012-048R	Red, T Mount	211.00
XC289	LP3T-012-048C	Clear, T Mount	211.00
XC290	LP3T-012-048G	Green, T Mount	211.00
XC130	LP3E-120A	Amber, Edison Base	236.00
XC131	LP3E-120R	Red, Edison Base	236.00
XC262	LP3E-120B	Blue, Edison Base	236.00
XC263	LP3E-120C	Clear, Edison Base	236.00
XC264	LP3E-120G	Green, Edison Base	236.00
XC132	LP3M-120A	Amber, Male Pipe Mount	211.00
XC133	LP3M-120B	Blue, Male Pipe Mount	211.00
XC134	LP3M-120R	Red, Male Pipe Mount	211.00
XC265	LP3M-012-048B	Blue Male Pipe Mount	236.00
XC266	LP3M-012-048C	Clear Male Pipe Mount	236.00
XC267	LP3M-012-048G	Green Male Pipe Mount	236.00

STREAMLINE® LOW PROFILE LED LIGHTS

- 120 VAC
- 1/2" male pipe mount
- 100 000-hour LED lamp life
- Screw-on lens
- Type 4X enclosure
- Optional wire lens guard
- UL and cUL Listed, CSA Certified



Model No.	Mfg. No.	Colour	Price/Each
XC420	LP3ML-120A	Amber	236.00
XC421	LP3ML-120B	Blue	236.00
XC422	LP3ML-120R	Red	236.00
XC423	LP3ML-120C	Clear	236.00
XC424	LP3ML-120G	Green	236.00

Note: Also available in 24 VDC

BATTERY POWERED PORTABLE LED WARNING LIGHTS

- Portable, battery-powered LED warning light which flashes 50 times per minute
- Power is supplied by two standard 6VDC, spring terminal lantern batteries (not included)
- Type 3R weatherproof enclosure
- Magnetic mount
- 50 000-hour lamp life
- Voltage: 12 VDC



Model No.	Mfg. No.	Colour	Price/Each
SG1636	BPL26L-R	Red	480.00
SG1637	BPL26L-A	Amber	480.00
SG1638	BPL26L-B	Blue	480.00
SG1639	BPL26L-C	Clear	480.00
SG1640	BPL26L-G	Green	480.00

FLASHING COMBINATION AUDIBLE/VISUAL SIGNALS

- Features 100% polycarbonate housing rated for Type 3R rain-tight applications
- Surface mount, integrated 1/2" pipe mount and 4" electrical box mount
- Twist-off lens for easy access
- Internal buzzer produces 85 dB at 10'
- 120 VAC
- UL and cUL Listed, CSA Certified
- Type 3R enclosure



Model No.	Mfg. No.	Description	Price/Each
XC119	AV1ST-120A	Strobe Tube, Amber	682.00
XC120	AV1ST-120R	Strobe Tube, Red	682.00
XC278	AV1ST-120B	Strobe Tube, Blue	682.00
XC279	AV1ST-120C	Strobe Tube, Clear	682.00
XC280	AV1ST-120G	Strobe Tube, Green	682.00

CONVEYORS

10' STEEL & ALUMINUM CONVEYORS


STEEL CONVEYOR, 1 3/8" ROLLERS

- Sturdy and economical, these units have 1 3/8" diameter x 18-gauge steel rollers installed on a 2 1/2" x 1 1/2" formed 12-gauge steel frame
- Frame has 5/16" hexagonal holes punched at 1 1/2" centers to permit roller spacing as close as 3" center to center
- Each roller has a nominal capacity of 70 lbs.
- Frames are rated at 350 lbs. with supports at 10' centers
- Place supports at 5' centers and the capacity is increased to 700 lbs.
- Standard BFR widths available from 9" to 30"
- Other centre to centre distances also available
- **F.O.B. Chateaugay, Quebec**

Model No.	BFR Width"	Centre to Centre"	Wt. lbs.	Price /Each
STEEL CONVEYORS - 1 3/8" ROLLERS				
MA144	15	2	115	1587.00
MA145		3	88	1214.00
MA146		4	75	959.00
MA147		6	62	831.00
MA148	18	2	143	1647.00
MA149		3	108	1255.00
MA150		4	90	986.00
MA151		6	73	847.00
MA156	24	2	175	1780.00
MA157		3	130	1347.00
MA158		4	107	1060.00
MA159		6	84	899.00
STEEL CONVEYORS - 1 7/8" ROLLERS				
MA165	18	3	195	1616.00
MA166		4 1/2	155	1226.00
MA167		6	132	1057.00
MA169	21	3	216	1702.00
MA170		4 1/2	169	1316.00
MA171		6	144	1112.00
MA173	24	3	242	1773.00
MA174		4 1/2	185	1372.00
MA175		6	156	1163.00

STEEL CONVEYOR, 1 7/8" ROLLERS

- These heavy-duty rollers are 1 7/8" diameter x 16-gauge installed on a 3 1/2" x 1 1/2" formed 10-gauge steel frame
- Frame has 7/16" hexagonal holes punched at 1 1/2" centers to permit roller spacing as close as 3" center to center
- Each roller has a nominal capacity of 200 lbs.
- Frames are rated at 900 lbs. with supports at 10' centers
- Place supports at 5' centers and increase capacity to 1800 lbs.
- Special BFR widths available from 9" to 48"
- Other centre to centre distances also available
- **F.O.B. Chateaugay, Quebec**



Model No.	BFR Width"	Centre to Centre"	Wt. lbs.	Price /Each
ALUMINUM CONVEYORS - 1 1/2" ROLLERS				
MA019	15	2	62	1852.00
MA020		3	46	1438.00
MA021		4	38	1181.00
MA022		6	30	1026.00
MA023	18	2	74	1958.00
MA024		3	54	1512.00
MA025		4	44	1189.00
MA026		6	34	1066.00
MA031	24	2	90	2146.00
MA032		3	64	1635.00
MA033		4	52	1308.00
MA034		6	40	1142.00

ALUMINUM CONVEYOR, 1 1/2" ROLLERS

- Lightweight and durable, these models are perfect for portable applications
- Aluminum rollers are 1 1/2" diameter x 16-gauge; installed on a 2 1/2" x 1 1/2" extruded aluminium frame
- Frame has 5/16" hexagonal holes punched at 1 1/2" centers to permit roller spacing as close as 3" center to center
- Each roller has a nominal capacity of 70 lbs.
- Frames are rated at 250 lbs. with supports at 10' center
- Place supports at 5' centers and increase the capacity to 500 lbs.
- Standard BFR widths available from 9" to 24"
- Other centre to centre distances also available
- **F.O.B. Chateaugay, Quebec**

BFR = Between Frame Rails
Note: Also available in stainless steel. Conveyor support frames and/or tripods are sold separately.

90° CURVED SECTIONS

- 90° curved conveyors with a 30" inside radius
- Straight 1 1/2" rollers, 2 1/2" channel
- **F.O.B. Chateaugay, Quebec**



Centre to Centre"	Model No.	Price /Each	Model No.	Price /Each	Model No.	Price /Each
STEEL 15" BFR						
2	-	Price on Application	MA101	Price on Application	MA104	Price on Application
3	MA098		MA102		MA105	
ALUMINUM 15" BFR						
2	MA082	Price on Application	MA086	Price on Application	MA089	Price on Application
3	MA083		MA087		MA090	

CONVEYOR SUPPORTS

H-FRAMES

Used in permanent support installations. Specify for use with a 2 1/2" or 3 1/2" frame conveyor.
F.O.B. Chateaugay, Quebec

Model No.	BFR Width"	Adjustable Height"	Wt. lbs.	Price /Each
MA128	15	24 - 36	28	235.00
MA129	15	35 - 48	28	266.00
MA130	18	24 - 36	28	237.00
MA131	18	35 - 48	30	279.00
MA132	21	24 - 36	28	232.00
MA133	21	35 - 48	30	278.00
MA134	24	24 - 36	28	234.00
MA135	24	35 - 48	30	278.00

BFR = Between Frame Rails

TRIPODS

Used in portable applications. The tripod will fit up to a 21" BFR. Specify if used on a 24" BFR conveyor, modification required.

Model No.	Adjustable Height"	Wt. lbs.	Price /Each
MD340	12 - 18	11	278.00
MA111	18 - 28	12	289.00
MA108	24 - 40	13	293.00
MA109	30 - 52	15	314.00





CONVEYORS



NESTAFLEX® EXPANDABLE/FLEXIBLE CONVEYORS

- These portable, extendable flexible conveyors enable you to move loads around bends or in a straight line
- Conveyors set up quickly and fold up into compact units for efficient storage when not in use
- Axle Centre Width: 5-1/4"
- Made in the USA


Skate wheel Conveyors have a 4:1 expansion ratio. Adjustable height from 28" to 44".

5" anti-static swivel rubber casters with brakes included. 11 gauge structural steel supports. 2" diameter skate wheels.

Skate wheels are self-tracking for package control around curves and bends. All units bend around a 21" radius.

Roller Conveyors are ideal for handling odd shaped boxes, bags and cartons that could get hung up on skate wheel conveyors. Adjustable height from 28" to 44". 5" anti-static swivel rubber casters with brakes included. Side link frames are 7-ga. steel with a zinc-plated finish Galvanized steel rollers are 1-3/8" in diameter with one roller per axle. 5/16" diameter tie rods and axles at leg connections. Retractable box stop and couplers standard on each conveyor. Collapsed to extended ratio is 3.3 to 1.

Note: Expanded conveyors up to 60' also available.



Skatewheel



Roller

STEEL SKATEWHEEL CONVEYORS - 226-LB. CAPACITY PER LINEAR FOOT

Model No.	Width"	Length Folded	Length Expanded	Skate Wheels Per Axle	Wt. lbs.	Price /Each
M0368	14	2'4"	8'11"	6	130	1459.00
M0369	14	3'3"	12'10"	6	165	1829.00
M0370	14	4'3"	16'9"	6	210	2269.00
M0371	14	5'2"	20'9"	6	245	2649.00
M0372	14	6'2"	24'8"	6	280	3029.00
MN850	18	2'4"	8'11"	6	150	1599.00
MN846	18	3'3"	12'10"	6	195	2019.00
MN847	18	4'4"	16'9"	6	250	2519.00
MN848	18	5'2"	20'9"	6	315	2969.00
MN849	18	6'2"	24'8"	6	335	3429.00
MN855	24	2'4"	8'11"	8	175	1669.00
MN851	24	3'3"	12'10"	8	230	2159.00
MN852	24	4'4"	16'9"	8	295	2749.00
MN853	24	5'2"	20'9"	8	350	3239.00
MN854	24	6'2"	24'8"	8	400	4789.00

Note: Nylon skate wheels also available

STEEL ROLLER CONVEYORS - 200-LB. CAPACITY PER LINEAR FOOT

Model No.	Width"	Length Folded	Length Expanded	Wt. lbs.	Price /Each
MN865	18	2'5"	8'11"	185	1949.00
MN861	18	3'5"	12'10"	255	2589.00
MN862	18	4'5"	16'9"	310	3269.00
MN863	18	5'6"	20'9"	360	3879.00
M0432	18	7'8"	28'5"	520	5299.00
MN864	18	8'9"	24'8"	415	4489.00
M0433	18	8'9"	32'4"	570	5969.00
M0434	18	9'9"	36'3"	625	6479.00
M0435	18	10'10"	40'2"	740	7179.00
MN870	24	2'5"	8'11"	210	2109.00
MN866	24	3'5"	12'10"	270	2799.00
MN867	24	4'5"	16'9"	350	3569.00
MN868	24	5'6"	20'9"	410	4269.00
M0436	24	7'8"	28'5"	585	5809.00
MN869	24	8'9"	24'8"	470	4949.00
M0437	24	8'9"	32'4"	645	6469.00
M0438	24	9'9"	36'3"	705	7119.00
M0439	24	10'10"	40'2"	835	7909.00
MN875	30	2'5"	8'11"	263	2219.00
MN871	30	3'5"	12'10"	300	2949.00
MN872	30	4'5"	16'9"	445	3749.00
MN873	30	5'6"	20'9"	515	4489.00
M0440	30	7'8"	28'5"	735	6109.00
MN874	30	8'9"	24'8"	585	5209.00
M0441	30	8'9"	32'4"	805	6759.00
M0442	30	9'9"	36'3"	875	7459.00
M0443	30	10'10"	40'2"	1043	8319.00

STEEL SKATEWHEEL CONVEYORS - 376-LB. CAPACITY PER LINEAR FOOT

Model No.	Width"	Length Folded	Length Expanded	Skate Wheels Per Axle	Wt. lbs.	Price /Each
M0395	18	2'7"	8'6"	8	170	1929.00
M0396	18	3'7"	12'2"	8	220	2489.00
M0397	18	4'8"	15'10"	8	285	3109.00
M0398	18	5'8"	19'6"	8	335	3679.00
M0399	18	6'8"	23'2"	8	380	4219.00
M0409	24	2'7"	8'6"	9	200	2189.00
M0410	24	3'7"	12'2"	9	255	2869.00
M0411	24	4'8"	15'10"	9	335	3589.00
M0412	24	5'8"	19'6"	9	390	4259.00
MN854	24	6'8"	23'2"	9	450	4789.00
MN860	30	2'7"	8'6"	12	235	2339.00
MN856	30	3'7"	12'2"	12	300	3079.00
MN857	30	4'8"	15'10"	12	400	3859.00
MN858	30	5'8"	19'6"	12	465	4579.00
MN859	30	6'8"	23'2"	12	525	5299.00

OMNI-DIRECTIONAL & ROLLER STANDS

- Can be used with any sander, bandsaw, planer, jointer and other machine to feed material
- Height adjustable from 27" to 44"
- Folds flat for storage

ROLLER STAND

Model No. BT705
Price/Each \$28.20

BT705

OMNI-DIRECTIONAL STAND

Model No. TZ755
Price/Each \$40.10

TZ755



CASTERS & WHEELS

CASTER SELECTION GUIDE

4 FUNDAMENTAL FACTORS TO CONSIDER



REQUIRED LOAD CAPACITY

This is the most important criterion for caster selection. Each caster should have the capacity to support one-third of the total load weight, because overloading, uneven floors and load distribution may place a heavier burden on one or more casters.



MOBILITY NEEDS

The larger the wheel size (and swivel radius), the greater the mobility. The type of bearing selected will also improve mobility and reduce rolling resistance. Neoprene, elastomeric, and urethane wheels offer maximum mobility.



FLOOR CONDITIONS

What are your floors like? Check for rough or uneven surfaces—joints, grates, potholes—and for oil, grease and solvents or a variety of other chemicals or contaminants. In addition, note any carpeted areas or areas where non-marking qualities are critical.



ENVIRONMENTAL CONDITIONS

Check for dust, humidity and temperature extremes. Are the floors littered with debris? Casters with sealed swivels are ideal in areas with sprays or wash-down requirements where there is lint or dust and where extreme quiet is essential.

	Metal	Solid Rubber	Phenolic	Polyolefin	Hi-Temp Nylon	Blue Elastic Rubber	Polyurethane	Soft Rubber	Pneumatic	Semi-Pneumatic
FLOOR SURFACES										
Asphalt	Yes	No	No	No	No	Yes	Yes	Yes	Yes	Yes
Brick, ceramic tile	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Concrete	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Terrazzo	No	No	No	No	No	Yes	Yes	Yes	Yes	Yes
Steel-ribbed	No	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Steel-smooth	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Carpet	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Linoleum, soft tiles	No	No	No	Yes	No	Yes	Yes	Yes	Yes	Yes
Wood, block, planks	Yes	No	Yes	No	No	Yes	Yes	Yes	Yes	Yes
FLOOR CONDITIONS										
Floor protection	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Quiet operation	No	No	No	No	No	Yes	Yes	Yes	Yes	Yes
ENVIRONMENTS										
Oil grease	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes
Mild chemicals	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Water	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Steam	No	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
Below -20°F	Yes	Yes	Yes	No	Yes	Yes	No	Yes	No	No
Above 160°F	Yes	No	Yes	Yes	Yes	No	Yes	No	No	No
Metal chips/shavings	Yes	No	No	No	No	Yes	Yes	No	No	No

WHEEL TYPES

Soft Rubber: Offers a smooth, semi-cushioned ride with good floor protection, but can leave black marks on floors. Wears on rough surfaces and can become brittle if left exposed to the elements. Standard colour is black.

Hard Rubber: Economical, easy rolling and durable wheel with adequate impact strength, hard rubber can hold more weight than soft rubber and doesn't mark the floor as easily.

Mold-On Rubber: Offers a semi-cushioned ride, rolls over debris and on uneven surfaces. Tread is soft black rubber that can mark. Performs well on lighter applications but doesn't handle overloading very well.

Pneumatic: Have an outer tire with an inflatable tube, mounted to a metal rim assembly. The inflatable tire offers an exceptional cushioned ride, is light weight and has a great diversity of applications. Limited weight capacity, punctures and marking rubber are disadvantages to consider.

Semi-Pneumatic: Natural black rubber tread on a polyolefin/plastic hub and come standard with ball bearings. These wheels are used in many of the same applications as the full pneumatic wheels, but have the advantage of not going flat.

Polyurethane: Non-marking, popular, lightweight, durable and versatile wheel. Long-lasting tread mechanically bonded to an aluminum core, wears well and are impervious to water (including salt water), resistant to oils, grease, most solvents and chemicals, typically used in commercial, industrial, institutional and food service applications. Offers excellent manoeuvrability, semi-quiet ride, adequate floor protection and good capacity ratings.

Polyolefin: Very durable, inexpensive, holds high capacities, has high shock load impact strength, is sanitary and is impervious to water, resistant to most oils, grease, chemicals and solvents, is non-marking and most of our polyolefin wheels have a slight crowned tread, which offers good roll ability. Great for most applications not needing a cushioned ride and that will not be exposed to heat.

Phenolic: A very hard, durable and versatile wheel. Of all of the hard surface wheels (compared to steel) it provides the best floor protection and is quieter. Good roll ability and are very popular wheels in the industrial, manufacturing, warehousing and bakery industries. Resists oils, grease, gasoline, and most commonly used chemicals and intermittent water exposure. Not recommended for continuous wet applications.

Hi-Temp "Lava" Nylon: Will not crush under heavy loads. It is good for use on all sorts of surfaces from wood to concrete. Will tolerate temperatures from -43°C (-45°F) to 246°C (475°F) and is not affected by most corrosive chemicals.

POLYOLEFIN CASTERS

- Rolls easily on most floors
- Lightweight and economical
- Non-marking, easy to maintain, steam cleanable
- High impact strength
- Superior resistance to most oils, chemicals, grease and acids

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"	Price /Each
ML391	3	Swivel	250	1-1/4	4-1/2	9.85
ML392	3	Rigid	250	1-1/4	4-1/2	7.30
ML393	4	Swivel	250	1-1/4	5-1/4	11.10
ML394	4	Rigid	250	1-1/4	5-1/4	9.00
ML395	5	Swivel	250	1-1/4	6-1/8	12.65
ML396	5	Rigid	250	1-1/4	6-1/8	10.55

SURFACE APPLICATIONS:
Concrete, brick, carpet and steel

Plate size: 2-5/8" x 3-3/4"
Bolt hole centres: 1-3/4" x 2-7/8"
Bolt hole size: 5/16"

KLETON



BLUE ELASTIC RUBBER CASTERS

- High load capacity, rolls easily and quietly on all floors
- Non-marking, excellent floor protection
- Zinc chrome plated finish provides corrosion resistance
- Elastic rubber tread rejects floor debris
- Sealed double ball raceway
- Thread guards
- Ball bearing
- Total locking brake locks the wheel and keeps the swivel from turning

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"	Price /Each
M0511*	3	Swivel	285	1-1/4	4-1/4	13.00
M0512*	3	Rigid	285	1-1/4	4-1/4	11.30
M0513*	3	Swivel w/Brake	285	1-1/4	4-1/4	16.70
ML333	4	Swivel	350	1-3/8	5	17.95
ML334	4	Rigid	350	1-3/8	5	16.10
ML342	4	Swivel w/Brake	350	1-3/8	5	22.15
ML337	5	Swivel	400	1-3/8	6	24.15
ML338	5	Rigid	400	1-3/8	6	22.25
ML345	5	Swivel w/Brake	400	1-3/8	6	30.15

* Roller Bearing

SURFACE APPLICATIONS:
Concrete, brick, carpet, steel, tile, asphalt, wood and linoleum

Plate size: 3-3/8" x 4"
Bolt hole centres: 2-3/8" x 3-1/8"
Bolt hole size: 5/16"

KLETON



NYLON SANDWICH CASTERS

- Non-marking white nylon elastic rubber cushion ring layer reduces noise and vibration
- Chrome zinc-finish for corrosion resistance
- Double raceway
- Ball bearing
- Total locking brake locks the wheel and keeps the swivel from turning

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"	Price /Each
MN441	4	Swivel	440	1-3/8	5-1/8	17.95
MN442	4	Rigid	440	1-3/8	5-1/8	16.35
MN443	4	Swivel W/Brake	440	1-3/8	5-1/8	21.15
MN444	5	Swivel	440	1-3/8	6-1/8	20.50
MN445	5	Rigid	440	1-3/8	6-1/8	19.10
MN446	5	Swivel W/Brake	440	1-3/8	6-1/8	23.50

SURFACE APPLICATIONS:
Concrete, brick, carpet and steel

Plate Size: 3-1/3" x 4-1/8"
Bolt hole centres: 3-1/8" x 2-1/3"
Bolt hole size: 5/16"

KLETON



POLYURETHANE CASTERS

- Smooth rolling, low noise operation
- Non-marking, cut & tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Double ball raceway

- Annular ball bearing
- Total locking brake locks the wheel and keeps the swivel from turning
- Butterfly side brake locks the wheel preventing it from rolling

KLETON

SURFACE APPLICATIONS:
Concrete, brick, carpet, steel, tile, asphalt, wood and linoleum

Plate size: 3 = 2-5/8" x 3-3/4"
4 = 3-1/8" x 4-1/8"
4 HD = 4" x 4-1/2"
5 = 4" x 4-1/2"
6 = 4" x 4-1/2"
8 = 4" x 4-1/2"

Bolt hole centres: 3 = 1-3/4" x 2-3/4"
4 = 2-3/8" x 3-1/16"
4 HD = 3-1/4" x 2-3/4"
5 = 3-1/4" x 2-3/4"
6 = 3-1/4" x 2-3/4"
8 = 3-1/4" x 2-3/4"

Bolt hole size: 3 = 5/16"
4 = 5/16"
4 HD = 3/8"
5 = 3/8"
6 = 3/8"
8 = 3/8"



Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"	Price /Each
ML044	3	Swivel	230	1-1/4	4-1/4	14.75
ML043	3	Rigid	230	1-1/4	4-1/4	11.30
ML045	4	Swivel	440	1-1/2	5-3/8	23.10
ML046	4	Rigid	440	1-1/2	5-3/8	18.95
ML441	4HD	Swivel	550	1-5/8	5-5/8	27.50
ML442	4HD	Rigid	550	1-5/8	5-5/8	22.25
MN264	4HD	Swivel w/brake	550	1-5/8	5-5/8	36.45
ML397	5	Swivel	650	1-1/2	6-1/2	28.60
ML398	5	Rigid	650	1-1/2	6-1/2	24.05
MN265	5	Swivel w/brake	650	1-1/2	6-1/2	38.10
ML399	6	Swivel	850	1-1/2	7-1/2	39.45
ML400	6	Rigid	850	1-1/2	7-1/2	34.45
MN266	6	Swivel w/brake	850	1-1/2	7-1/2	52.40
MN449	6	Butterfly side brake	850	1-1/2	7-1/2	44.30
ML401	8	Swivel	1000	1-5/8	9-1/2	46.20
ML402	8	Rigid	1000	1-5/8	9-1/2	41.85
MN267	8	Swivel w/brake	1000	1-5/8	9-1/2	62.90
MN450	8	Butterfly side brake	1000	1-5/8	9-1/2	52.80

CASTERS & WHEELS

HI-TEMP NYLON CASTERS

- Smooth rolling, non-marking
- Zinc chrome plated finish provides corrosion resistance
- Superior resistance to most oils, chemicals, and grease
- Double ball raceway
- Ball bearing
- Total locking brake locks the wheel and keeps the swivel from turning
- Butterfly side brake locks the wheel preventing it from rolling

SURFACE APPLICATIONS:

Concrete, brick, carpet and steel

Plate Size: 4" x 4-1/2"

Bolt hole centers: 3" x 3-1/3"

Bolt hole size: 7/16"



KLETON

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"	Price /Each
ML861	6	Swivel	800	1-3/4	7-5/8	49.00
ML862	6	Rigid	800	1-3/4	7-5/8	40.55
ML863	6	Swivel W/Brake	800	1-3/4	7-5/8	52.75
MN453	6	Butterfly side brake	800	1-3/4	7-5/8	47.75
ML864	8	Swivel	850	1-3/4	9-1/2	64.15
ML865	8	Rigid	850	1-3/4	9-1/2	54.00
ML866	8	Swivel W/Brake	850	1-3/4	9-1/2	66.90
MN454	8	Butterfly side brake	850	1-3/4	9-1/2	60.45

MOLD-ON RUBBER CASTERS

- Molded rubber wheel permanently bonded to spoked cast iron core
- Iron centre gives it strength while the molded rubber offers smooth and quiet operation
- Protects loads and surfaces
- Won't damage warehouse or factory floors
- Total locking brake locks the wheel and keeps the swivel from turning
- Butterfly side brake locks the wheel preventing it from rolling

SURFACE APPLICATIONS:

Concrete, brick, carpet, steel, tile, asphalt, wood and linoleum

Plate Size: 4" x 4-1/2"

Bolt hole centers: 2-7/8" x 3-1/3"

Bolt hole size: 7/16"



KLETON

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Bearing Type"	Price /Each
ML846	5	Swivel	400	2	Roller	25.85
ML847	5	Rigid	400	2	Roller	20.85
ML849	6	Swivel	500	2	Roller	27.70
ML850	6	Rigid	500	2	Roller	22.00
ML851	6	Swivel w/Brake	500	2	Roller	30.80
MN451	6	Butterfly side brake	500	2	Roller	27.75
ML852	8	Swivel	600	2	Roller	40.15
ML853	8	Rigid	600	2	Roller	33.20
ML854	8	Swivel w/Brake	600	2	Roller	41.50
MN452	8	Butterfly side brake	600	2	Roller	37.65

PNEUMATIC CASTERS

- Four ply pneumatic casters offer smooth and quiet rolling over the roughest surfaces and outdoor terrain
- Shock absorbing properties give the greatest possible protection to both the load and floor
- The "Air cushion" feature will transport the most fragile material and instruments without damage
- Not recommended for floors with metal shavings or corrosive chemicals

SURFACE APPLICATIONS:

Concrete, brick, carpet, steel, tile, asphalt, wood and linoleum

Plate Size: 4" x 4-1/2"

Bolt hole centers: 2-3/4" x 3-3/8"

Bolt hole size: 13/32"

KLETON

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"	Price /Each
MN222	8	Swivel	350	2	10	26.60
MN221	8	Rigid	350	2	10	23.45
MN224	10	Swivel	400	3	12	28.20
MN223	10	Rigid	400	3	12	26.50

Note: For optimum use pneumatic wheels must be properly inflated

FLAT-FREE CASTERS

- Solid polyurethane wheel never runs flat
- Same bounce feel and weight of a pneumatic caster
- Smooth and quiet rolling over rough terrain and surfaces
- Less costly than traditional foam-filled tires
- Ball bearing

SURFACE APPLICATIONS:

Concrete, brick, carpet, steel, tile, asphalt, wood and linoleum

Plate Size: 4" x 4-1/2"

Bolt hole centers: 2-3/4" x 3-3/8"

Bolt hole size: 13/32"

KLETON

Model No.	Wheel Dia."	Style	Cap. lbs.	Tread Width"	Overall Height"	Price /Each
MN226	8	Swivel	275	2	10	34.50
MN225	8	Rigid	275	2	10	31.65
MN228	10	Swivel	300	3	12	42.90
MN227	10	Rigid	300	3	12	40.95

SEMI-PNEUMATIC WHEEL

- Soft rubber tread with steel hub and ball bearings for quiet movement
- Excellent for dollies, floor protection, quiet operation, light duty stock trucks
- Wheel Diameter: 10"
- Capacity: 200 lbs.
- Bearing Type: BallBore
- Size: 3-3/4"
- Tread Width: 2-1/2"
- Temperature: -20°F to 130°F
- Durometer: 85 - 90 A scale
- Hub Type: Offset

Model No. MO888

Price/Each \$17.00

KLETON



HEAVY-DUTY CASTERS

HEAVY-DUTY EMAXX KINGPIN CASTERS

- 3/4" diameter heavy-duty kingpin
- 1/2" zerck axle and lock nut
- Brake type: Top locking
- 5/16" diameter upper and lower ball; hardened steel load bearings
- Virtually maintenance-free
- Corrosion resistant bright zinc finish
- Stem casters available

Excellent for:

- Stock carts and platform trucks
- Garbage bins
- Hospital equipment
- Food industry
- Heavy service equipment
- Factory use

Plate size: 3-27/32" x 4-1/2"

Holes slotted for: 2-5/8" to 3" x 3" to 3-5/8"

Bolt hole size: 3/8"



MG359



MOLD-ON URETHANE



MOLD-ON RUBBER



ALTHANE™



PROTECH™



ENVIROTHANE™



V GROOVE



STEEL



ROLLX™



PHENOLIC



LAVA™

Wheel Dia"	Tread Width"	Bearing Type	Cap. lbs.	Swivel Radius"	Overall Height"	Wheel Type	Swivel Model No.	Price /Each	Rigid Model No.	Price /Each	Swivel w/brake	Price /Each
4	2	Roller	400	3-9/16	5-5/8	ProTech™	MG319	31.90	MG320	25.50	MH511	41.50
4	2	Roller	400	3-9/16	5-5/8	Mold-On Rubber	MG321	29.90	MG322	23.50	MH513	39.90
4	2	Roller	750	3-9/16	5-5/8	ALThane™	MG323	26.50	MG324	20.50	MH515	35.90
4	2	Roller	800	3-9/16	5-5/8	Phenolic	MG327	29.50	MG328	22.90	MH519	38.90
4	2	Roller	700	3-9/16	5-5/8	Steel	MG329	32.50	MG330	22.90	MH521	42.50
4	2	Roller	1000	3-9/16	5-5/8	Envirothane™	MG331	33.50	MG332	26.90	MH523	43.50
4	2	Roller	800	3-9/16	5-5/8	Mold-On Urethane	MG333	32.50	MG334	26.50	MH525	42.50
4	2	Roller	1000	3-9/16	5-5/8	V-Groove	MG335	36.90	MG336	30.50	MH527	46.90
4	2	Roller	1200	3-9/16	5-5/8	RollIX™ Nylon	MN833	30.90	MN836	20.90	-	-
4	2	Roller	800	3-9/16	5-5/8	Lava™ High Temp Nylon	MN839	45.50	MN842	31.90	-	-
5	2	Roller	425	4-1/4	6-1/2	ProTech™	MG337	34.90	MG338	27.90	MH529	44.50
5	2	Roller	450	4-1/4	6-1/2	Mold-On Rubber	MG339	31.90	MG340	25.50	MH531	41.50
5	2	Roller	950	4-1/4	6-1/2	ALThane™	MG341	27.50	MG342	21.50	MH533	38.50
5	2	Roller	1000	4-1/4	6-1/2	Phenolic	MG345	31.50	MG346	24.90	MH537	40.90
5	2	Roller	1000	4-1/4	6-1/2	Steel	MG347	34.50	MG348	27.90	MH539	44.50
5	2	Roller	1000	4-1/4	6-1/2	Envirothane™	MG349	37.90	MG350	30.50	MH541	47.50
5	2	Roller	1200	4-1/4	6-1/2	Mold-On Urethane	MG351	35.50	MG352	28.50	MH543	45.50
5	2	Roller	1200	4-1/4	6-1/2	V-Groove	MG353	41.90	MG354	35.50	MH545	51.50
5	2	Roller	1200	4-1/4	6-1/2	RollIX™ Nylon	MN834	31.90	MN837	22.50	-	-
5	2	Roller	800	4-1/4	6-1/2	Lava™ High Temp Nylon	MN840	48.50	MN843	35.50	-	-
6	2	Roller	450	5	7-1/2	ProTech™	MG355	35.90	MG356	28.90	MH547	45.50
6	2	Roller	500	5	7-1/2	Mold-On Rubber	MG357	34.90	MG358	28.50	MH549	43.90
6	2	Roller	1150	5	7-1/2	ALThane™	MG359	30.90	MG360	24.50	MH551	40.90
6	2	Roller	1200	5	7-1/2	Phenolic	MG363	33.90	MG364	26.90	MH555	43.50
6	2	Roller	1200	5	7-1/2	Steel	MG365	38.90	MG366	29.50	MH557	48.90
6	2	Roller	1100	5	7-1/2	Envirothane™	MG367	44.50	MG368	37.50	MH559	53.90
6	2	Roller	1200	5	7-1/2	Mold-On Urethane	MG369	38.90	MG370	28.90	MH561	48.90
6	2	Roller	1200	5	7-1/2	V-Groove	MG371	44.90	MG372	37.90	MH563	54.90
6	2	Roller	1200	5	7-1/2	RollIX™ Nylon	MN835	33.90	MN838	23.90	-	-
6	2	Roller	1100	5	7-1/2	Lava™ High Temp Nylon	MN841	52.90	MN844	30.90	-	-

GENERAL USE CASTERS

HOODED ROUND BALL CASTERS (600 SERIES)

- 5/16" rivet
- 1/4" riveted axle
- 3/16" diameter over and under race; hardened steel load bearings
- Nylon bushing
- Only the highest quality of bright cold-rolled steel is used
- Government approved
- Heat treated
- Bright chrome finish

Excellent for:

- Office furniture
- Institutional equipment
- Hospital environment



MG008

Plate size: 1-3/16" x 2"

Bolt holes: 13/16" x 1-9/16" centre-to-centre

Bolt hole size: 7/32"

TWIN WHEEL CASTERS (300/400 SERIES)

- Manufactured with the highest quality nylon material
- Canadian government and BIFMA approved
- Black finish

Excellent for:

- Office furniture
- Chairs
- Audio visual equipment stands



MG002



MG001



MG005

Plate size: 1-1/2" x 1-1/2"

Bolt holes: 1" x 1" centre-to-centre

Bolt hole size: 15/64"

Wheel Dia"	Capacity lbs.	Swivel Radius"	Overall Height"	Wheel Type	Swivel Model No.	Price /Each
2	75	1-7/8	2-3/4	Urethane	MG008	4.85
2	75	1-7/8	2-3/4	Urethane Grey	MG009	4.85
2	75	1-7/8	2-3/4	Plastic	MG010	4.45

Wheel Dia"	Cap. lbs.	Swivel Radius"	Overall Height"	Wheel Type	Swivel Model No.	Price /Each	Swivel W/brake Model No.	Price /Each
2	75	2	2-5/8	Extra Strength Nylon - Base Style	MG001*	0.99	-	-
2	75	2	2-5/8	Extra Strength Nylon - Regular Style	MG002*	1.49	MG003*	1.95
2	75	2	2-5/8	Extra Strength Nylon - Regular Style	MG004	2.09	MG005	2.47
2	75	2	2-5/8	Extra Strength Nylon - Regular Style	MG006**	1.49	MG007**	1.95

* Round stem 7/16" x 1" w/friction ring ** Threaded stem 5/16" x 3/4"

COMFORT ROLL CASTERS

- Non-marking neoprene rubber wheel tread
- Smooth rolling precision bearing in wheel
- Dual ball bearing swivel raceways for added strength
- 7/16" x 7/8" grip ring stem



MJ020



MJ022

Model No.	Wheel Dia."	Tread Width"	Cap. lbs.	Wheel Description	Wheel Bearing	Load Height"	Swivel Radius"	Price /Each
SWIVEL CASTERS								
MJ020	2	1	125	Neoprene Rubber	Precision Ball	2-11/16	2	23.50
MJ021	3	1	175	Neoprene Rubber	Precision Ball	4	2-13/16	34.80
TOTAL LOCKING CASTERS								
MJ022	2	1	125	Neoprene Rubber	Precision Ball	2-11/16	2-3/16	32.90
MJ023	3	1	175	Neoprene Rubber	Precision Ball	4	2-13/16	41.50

colson

CASTERS & WHEELS

21 SERIES MEDIUM-DUTY POLYPROPYLENE CASTER

- Frame Material: Steel
- Tread Width: 2" (51 mm)
- Bolt Hole Spacing: 2-5/8" x 3-5/8" (67 mm x 92 mm)
- 3" x 3" (76 mm - 76 mm)
- Bolt Hole Size: 3/8" (10 mm)
- Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
- Bearing Type: Roller Bearing
- Inner Wheel Material: Polypropylene
- Shore Hardness: 70° A



Model No.	Mfg. No.	Wheel Diameter	Capacity	Caster Type	Price /Each
MP296	P21R-PB040R-14	4" (102 mm)	500 lbs. (227 kg.)	Rigid	19.90
MP295	P21S-PB040R-14	4" (102 mm)	500 lbs. (227 kg.)	Swivel	24.60
MP282	P21R-PB050R-14	5" (127 mm)	650 lbs. (294 kg.)	Rigid	23.90
MP297	P21S-PB050R-14	5" (127 mm)	650 lbs. (294 kg.)	Swivel	27.90
MP264	P21R-PB080R-14	8" (203 mm)	900 lbs. (408 kg.)	Rigid	32.90
MP279	P21S-PB080R-14	8" (203 mm)	900 lbs. (408 kg.)	Swivel	36.90

21 SERIES MEDIUM-DUTY THERMOPLASTIC RUBBER CASTER

- Frame Material: Steel
- Tread Width: 2" (51 mm)
- Bolt Hole Spacing: 2-5/8" x 3-5/8" (67 mm x 92 mm)
- 3" x 3" (76 mm - 76 mm)
- Bolt Hole Size: 3/8" (10 mm)
- Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
- Bearing Type: Roller Bearing
- Inner Wheel Material: Polypropylene
- Shore Hardness: 65° A



Model No.	Mfg. No.	Wheel Diameter	Capacity	Caster Type	Price /Each
MP288	P21R-RP040R-14	4" (102 mm)	300 lbs. (136 kg.)	Rigid	25.80
MP287	P21S-RP040R-14	4" (102 mm)	300 lbs. (136 kg.)	Swivel	30.20
MP298	P21R-RP050R-14	5" (127 mm)	350 lbs. (159 kg.)	Rigid	31.90
MP290	P21S-RP050R-14	5" (127 mm)	350 lbs. (159 kg.)	Swivel	85.90
MP292	P21R-RP060R-14	6" (152 mm)	500 lbs. (227 kg.)	Rigid	36.30
M0777	P21S-RP060R-14	6" (152 mm)	500 lbs. (227 kg.)	Swivel	40.60
MP294	P21R-RP080R-14	8" (203 mm)	600 lbs. (272 kg.)	Rigid	47.80
MP293	P21S-RP080R-14	8" (203 mm)	600 lbs. (272 kg.)	Swivel	51.90

21 SERIES MEDIUM-DUTY URETHANE CASTER

- Frame Material: Steel
- Tread Width: 2" (51 mm)
- Bolt Hole Spacing: 2-5/8" x 3-5/8" (67 mm x 92 mm)
- 3" x 3" (76 mm - 76 mm)
- Bolt Hole Size: 3/8" (10 mm)
- Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
- Bearing Type: Roller Bearing



MP270



Model No.	Mfg. No.	Wheel Diameter	Capacity	Caster Type	Price /Each
MP300	P21R-UP050R-14	5" (127 mm)	750 lbs. (340 kg.)	Rigid	31.90
MP299	P21S-UP050R-14	5" (127 mm)	750 lbs. (340 kg.)	Swivel	36.90
MP284	P21R-UP060R-14	6" (152 mm)	900 lbs. (408 kg.)	Rigid	36.90
MP283	P21S-UP060R-14	6" (152 mm)	900 lbs. (408 kg.)	Swivel	40.90
MP286	P21R-UP080R-14	8" (203 mm)	1000 lbs. (454 kg.)	Rigid	50.20
MP285	P21S-UP080R-14	8" (203 mm)	1000 lbs. (454 kg.)	Swivel	53.90
MP266	P21R-UY040R-14	4" (102 mm)	700 lbs. (317 kg.)	Rigid	29.20
MP265	P21S-UY040R-14	4" (102 mm)	700 lbs. (317 kg.)	Swivel	33.60
MP268	P21R-UY050R-14	5" (127 mm)	840 lbs. (381 kg.)	Rigid	33.90
MP267	P21S-UY050R-14	5" (127 mm)	840 lbs. (381 kg.)	Swivel	37.80
MP270	P21R-UY060R-14	6" (152 mm)	1200 lbs. (544 kg.)	Rigid	38.90
MP269	P21S-UY060R-14	6" (152 mm)	1200 lbs. (544 kg.)	Swivel	43.40
MP272	P21R-UY080R-14	8" (203 mm)	1250 lbs. (567 kg.)	Rigid	49.90
MP271	P21S-UY080R-14	8" (203 mm)	1250 lbs. (567 kg.)	Swivel	54.90



21 SERIES MEDIUM-DUTY PHENOLIC CASTER

- Frame Material: Steel
- Tread Width: 2" (51 mm)
- Bolt Hole Spacing: 2-5/8" x 3-5/8" (67 mm x 92 mm)
- 3" x 3" (76 mm - 76 mm)
- Bolt Hole Size: 3/8" (10 mm)
- Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
- Bearing Type: Roller Bearing
- Inner Wheel Material: Phenolic
- Shore Hardness: 90° A



Model No.	Mfg. No.	Wheel Diameter	Capacity	Caster Type	Price /Each
MP278	P21R-PH060R-14	6" (152 mm)	1200 lbs. (544 kg.)	Rigid	36.90
MP277	P21S-PH060R-14	6" (152 mm)	1200 lbs. (544 kg.)	Swivel	40.90
MP281	P21R-PH080R-14	8" (203 mm)	1250 lbs. (567 kg.)	Rigid	49.60
MP289	P21S-PH080R-14	8" (203 mm)	1250 lbs. (567 kg.)	Swivel	53.90

Industrial Multi-Purpose Cleaning Products



IMPACT-RESISTANT NYLON CASTERS

- Swivel rig with double ball bearing in the swivel head
- High chemical resistance to many aggressive substances
- Minimal swivel head play and smooth rolling characteristics
- Medium heavy duty rigs, with top plate fitting
- Tread & Tire Hardness: 70° Shore D
- Low rolling and swivel resistance for smooth running performance
- Operating temperature: -15° F to +175° F
- Wheel Material: Nylon
- Frame Material: Steel

Tread Width: 1-1/4" (31.8 mm)

Bolt Hole Spacing: 1-3/4" x 2-13/16"

(44 mm x 71 mm) - 1-3/4" x 3-1/16" (44 mm 78 mm)

Bolt Size: 5/16" (7.93 mm)

Plate Size: 2-1/2" x 3-5/8" (64 mm x 92 mm)



Model No.	Wheel Diameter	Capacity	Caster Type	Bearing Type	Total Height	Price /Each
MO616	3-1/8" (79.5 mm)	265 lbs. (120 kg.)	Swivel	Plain Bore	4-3/8"	19.90
MO617	4" (102 mm)	265 lbs. (120 kg.)	Swivel	Plain Bore	5-3/8"	22.50
MO618	5" (127 mm)	265 lbs. (120 kg.)	Swivel	Plain Bore	6-5/16"	26.20
MO619	3-1/8" (79.5 mm)	265 lbs. (120 kg.)	Swivel w/Brake	Plain Bore	4-3/8"	25.90
MO620	4" (102 mm)	265 lbs. (120 kg.)	Swivel w/Brake	Plain Bore	5-3/8"	28.50
MO621	5" (127 mm)	265 lbs. (120 kg.)	Swivel w/Brake	Plain Bore	6-5/16"	32.30

THERMOPLASTIC ELASTOMER CASTERS

- Swivel rig with double ball bearing in the swivel head
- High operational comfort and low-noise operation
- Minimal swivel head play and smooth rolling characteristics
- Medium heavy duty rigs, with top plate fitting
- Low rolling and swivel resistance for smooth running performance
- Tread & Tire Hardness: 85° Shore A
- Operating temperature: -4° F to +140° F

Tread Width: 1-1/4" (31.8 mm)

Bolt Hole Spacing: 1-3/4" x 2-13/16"

(44 mm x 71 mm) - 1-3/4" x 3-1/16" (44 mm 78 mm)

Bolt Size: 5/16" (7.93 mm)

Plate Size: 2-1/2" x 3-5/8" (64 mm x 92 mm)



Model No.	Wheel Diameter	Capacity	Caster Type	Bearing Type	Total Height	Price /Each
MO604	3-1/8" (79.5 mm)	220 lbs. (100 kg.)	Swivel	Plain Bore	4-3/8"	21.40
MO605	3-1/8" (79.5 mm)	220 lbs. (100 kg.)	Swivel	Ball Bearing	4-3/8"	27.40
MO606	4" (102 mm)	240 lbs. (108 kg.)	Swivel	Plain Bore	5-3/8"	22.10
MO607	4" (102 mm)	240 lbs. (108 kg.)	Swivel	Ball Bearing	5-3/8"	25.90
MO608	5" (127 mm)	265 lbs. (120 kg.)	Swivel	Plain Bore	6-5/16"	25.80
MO609	5" (127 mm)	265 lbs. (120 kg.)	Swivel	Ball Bearing	6-5/16"	32.60
MO610	3-1/8" (79.5 mm)	220 lbs. (100 kg.)	Swivel w/Brake	Plain Bore	4-3/8"	27.60
MO611	3-1/8" (79.5 mm)	220 lbs. (100 kg.)	Swivel w/Brake	Ball Bearing	4-3/8"	33.60
MO612	4" (102 mm)	240 lbs. (108 kg.)	Swivel w/Brake	Plain Bore	5-3/8"	27.50
MO613	4" (102 mm)	240 lbs. (108 kg.)	Swivel w/Brake	Ball Bearing	5-3/8"	33.50
MO614	5" (127 mm)	265 lbs. (120 kg.)	Swivel w/Brake	Plain Bore	6-5/16"	31.40
MO615	5" (127 mm)	265 lbs. (120 kg.)	Swivel w/Brake	Ball Bearing	6-5/16"	38.60

MEDIUM-HEAVY DUTY CASTERS

GENERAL PURPOSE

- 9/16" diameter rivet
- 3/8" diameter axle and lock nut
- Brake type: Top locking
- 1/4" diameter upper race; 1/4" diameter lower race
- Corrosion resistant bright zinc finish

Excellent for:

- Medium-duty applications
- Mobile warehousing equipment
- Stock trucks

Plate size: 2 3/4" x 3 3/4"

Bolt holes: 1 3/4" x 2 13/16"

Bolt hole size: 5/16"



Wheel Dia"	Tread Width"	Bearing Type	Cap. lbs.	Swivel Radius"	Overall Height"	Wheel Type	Swivel Model No.	Price /Each	Rigid Model No.	Price /Each	Swivel w/brake Model No.	Price /Each	Rigid w/ side brake Model No.	Price /Each
3	1 1/4	Nylon	400	2 7/8	4	Phenolic	MG199	15.50	MG200	10.90	MH453	20.90	MH454	22.90
3	1 1/4	Nylon	300	2 7/8	4	Steel	MG201	14.50	MG202	10.50	MH455	19.90	MH456	21.90
3	1 1/4	Steel	350	2 7/8	4	Urethane	MG203	12.90	MG204	8.09	MH457	17.90	MH458	19.90
3	1 1/4	Steel	350	2 7/8	4	Urethane Grey	MG205	12.90	MG206	8.09	MH459	17.90	MH460	19.90
4	1 1/4	Steel	400	3 1/2	5	Phenolic	MG207	15.50	MG208	11.90	MH461	20.90	MH462	23.50
4	1 1/4	Steel	300	3 1/2	5	Steel	MG209	17.90	MG210	13.50	MH463	22.90	MH464	24.90
4	1 1/4	Steel	350	3 1/2	5	Urethane	MG211	13.50	MG212	9.29	MH465	18.90	MH466	21.50
4	1 1/4	Steel	350	3 1/2	5	Urethane Grey	MG213	13.50	MG214	9.29	MH467	18.90	MH468	21.50

HEAVY-DUTY 550-LB. CAPACITY

- 9/16" diameter rivet
- 3/8" drilled axle and lock nut
- Corrosion resistant bright zinc finish
- Available with brake
- 1/4" diameter upper raceway
- 1/4" diameter lower raceway (equal diameter raceway)


Excellent for:

- Platform trucks
- Food service equipment
- Hotel equipment
- Factory use
- Textile carts

Plate size: 3 27/32" x 4 1/2"

Holes slotted for: 2 5/8" to 3" x 3" to 3 5/8"

Bolt hole size: 3/8"



Wheel Dia"	Tread Width"	Bearing Type	Cap. lbs.	Swivel Radius"	Overall Height"	Wheel Type	Swivel Model No.	Price /Each	Rigid Model No.	Price /Each
4	1 1/2	Roller	350	3 5/16	5 1/8	Mold-On Rubber	MG263	26.90	MG264	22.90
4	1 1/2	Roller	400	3 5/16	5 1/8	Polyolefin	MG265	22.90	MG266	18.90
4	1 1/2	Roller	600	3 5/16	5 1/8	Phenolic	MG267	26.50	MG268	22.50
4	1 1/2	Roller	600	3 5/16	5 1/8	Steel	MG269	29.90	MG270	25.90
4	1 1/2	Roller	600	3 5/16	5 1/8	Envirothane™	MG271	30.90	MG272	27.50
4	1 1/2	Roller	600	3 5/16	5 1/8	V-Groove	MG273	32.90	MG274	28.90
4	1 1/2	Roller	700	3 5/16	5 1/8	RollX™ Nylon	MN825	27.50	MN829	22.90
4	1 1/2	Roller	700	3 5/16	5 1/8	Lava™ High Temp Nylon	MN826	33.90	MN830	28.90
5	1 1/2	Roller	350	3 15/16	6 1/8	Mold-On Rubber	MG275	27.90	MG276	23.90
5	1 1/2	Roller	450	3 15/16	6 1/8	Polyolefin	MG277	24.50	MG278	19.90
5	1 1/2	Roller	600	3 15/16	6 1/8	Phenolic	MG279	29.90	MG280	25.90
5	1 1/2	Roller	600	3 15/16	6 1/8	Steel	MG281	33.50	MG282	29.50
5	1 1/2	Roller	700	3 15/16	6 1/8	Envirothane™	MG283	35.50	MG284	31.50
5	1 1/2	Roller	700	3 15/16	6 1/8	RollX™ Nylon	MN827	28.90	MN831	25.50
5	1 1/2	Roller	700	3 15/16	6 1/8	Lava™ High Temp Nylon	MN828	38.50	MN832	33.50

CASTERS & WHEELS

IMPACT-RESISTANT NYLON CASTERS

- Medium heavy duty rigs, with top plate fitting
- Low rolling and swivel resistance for smooth running performance
- High chemical resistance to many aggressive substances
- Operating temperature: -15° F to +175° F
- Wheel Material: Nylon • Frame Material: Steel

Bolt Hole Spacing: 2-5/8" x 3-5/8"

(67 mm x 92 mm) - 3" x 3" (76 mm x 76 mm)

Bolt Hole Size: 3/8" (9.52 mm)

Plate Size: 4" x 4-1/2"

(102 mm x 114 mm)



Model No.	Wheel Diameter	Capacity	Tread Width	Bearing Type	Total Height	Price /Each
SWIVEL						
M0535	3-1/8" (79.5 mm)	350 lbs. (159 kg.)	1-7/16" (37 mm)	Ball Bearing	4-3/8"	44.90
M0536	4" (102 mm)	615 lbs. (280 kg.)	1-7/16" (37 mm)	Ball Bearing	5-1/8"	43.60
M0537	5" (127 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Ball Bearing	6-1/8"	42.90
M0538	6" (152 mm)	660 lbs. (300 kg.)	2" (51 mm)	Plain Bore	7-1/2"	41.50
M0539	8" (203 mm)	660 lbs. (300 kg.)	2" (51 mm)	Plain Bore	9-1/4"	61.10
M0540	6" (152 mm)	1250 lbs. (568 kg.)	2" (51 mm)	Ball Bearing	7-1/2"	113.00
M0541	6-5/16" (160 mm)	1250 lbs. (568 kg.)	2" (51 mm)	Ball Bearing	7-7/8"	115.00
M0542	8" (203 mm)	1250 lbs. (568 kg.)	2" (51 mm)	Ball Bearing	9-1/2"	123.00
RIGID						
M0543	3-1/8" (79.5 mm)	350 lbs. (159 kg.)	1-7/16" (37 mm)	Ball Bearing	4-3/8"	51.80
M0544	4" (102 mm)	615 lbs. (280 kg.)	1-7/16" (37 mm)	Ball Bearing	5-1/8"	38.90
M0545	5" (127 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Ball Bearing	6-1/8"	42.40
M0546	6" (152 mm)	660 lbs. (300 kg.)	2" (51 mm)	Plain Bore	7-1/2"	36.60
M0547	8" (203 mm)	660 lbs. (300 kg.)	2" (51 mm)	Plain Bore	9-1/4"	58.50
M0548	6" (152 mm)	1250 lbs. (568 kg.)	2" (51 mm)	Ball Bearing	7-1/2"	93.80
M0549	6-5/16" (160 mm)	1250 lbs. (568 kg.)	2" (51 mm)	Ball Bearing	7-7/8"	97.50
M0550	8" (203 mm)	1250 lbs. (568 kg.)	2" (51 mm)	Ball Bearing	9-1/2"	105.00
SWIVEL W/BRAKE						
M0551	3-1/8" (79.5 mm)	350 lbs. (159 kg.)	1-7/16" (37 mm)	Ball Bearing	4-3/8"	82.50
M0552	4" (102 mm)	615 lbs. (280 kg.)	1-7/16" (37 mm)	Ball Bearing	5-1/8"	57.30
M0553	5" (127 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Ball Bearing	6-1/8"	61.20
M0554	6" (152 mm)	660 lbs. (300 kg.)	2" (51 mm)	Plain Bore	7-1/2"	66.40
M0555	8" (203 mm)	660 lbs. (300 kg.)	2" (51 mm)	Plain Bore	9-1/4"	84.10
M0556	6" (152 mm)	1250 lbs. (568 kg.)	2" (51 mm)	Ball Bearing	7-1/2"	135.00
M0557	6-5/16" (160 mm)	1250 lbs. (568 kg.)	2" (51 mm)	Ball Bearing	7-7/8"	133.00
M0558	8" (203 mm)	1250 lbs. (568 kg.)	2" (51 mm)	Ball Bearing	9-1/2"	147.00

HIGH-QUALITY THERMOPLASTIC CASTERS

- Low-noise operation, rolling and swivel resistance
- Non-marking, non-staining surface
- High chemical resistance to many aggressive substances
- Operating temperature: -15° F to +160° F
- Wheel Material: Thermoplastic Polyurethane • Frame Material: Steel

Bolt Hole Spacing: 2-5/8" x 3-5/8"

(67 mm x 92 mm) - 3" x 3" (76 mm x 76 mm)

Bolt Hole Size: 3/8" (9.52 mm)

Plate Size: 4" x 4-1/2"

(102 mm x 114 mm)

Bearing Type: Ball Bearing



Model No.	Wheel Diameter	Capacity	Tread Width	Caster Type	Total Height	Price /Each
M0574	3-1/8" (79.5 mm)	330 lbs. (150 kg.)	1-1/4" (31.8 mm)	Swivel	4-3/8"	51.50
M0575	4" (102 mm)	440 lbs. (200 kg.)	1-1/4" (31.8 mm)	Swivel	5-1/8"	51.50
M0576	5" (127 mm)	550 lbs. (250 kg.)	1-1/4" (31.8 mm)	Swivel	6-1/8"	54.20
M0577	6" (152 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Swivel	7-11/16"	77.10
M0578	8" (203 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Swivel	9-1/4"	83.40
M0579	3-1/8" (79.5 mm)	330 lbs. (150 kg.)	1-1/4" (31.8 mm)	Rigid	4-3/8"	45.20
M0580	4" (102 mm)	440 lbs. (200 kg.)	1-1/4" (31.8 mm)	Rigid	5-1/8"	43.80
M0581	5" (127 mm)	550 lbs. (250 kg.)	1-1/4" (31.8 mm)	Rigid	6-1/8"	48.20
M0582	6" (152 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Rigid	7-11/16"	63.50
M0583	8" (203 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Rigid	9-1/4"	70.80
M0584	3-1/8" (79.5 mm)	330 lbs. (150 kg.)	1-1/4" (31.8 mm)	Swivel w/Brake	4-3/8"	78.90
M0585	4" (102 mm)	440 lbs. (200 kg.)	1-1/4" (31.8 mm)	Swivel w/Brake	5-1/8"	65.40
M0586	5" (127 mm)	550 lbs. (250 kg.)	1-1/4" (31.8 mm)	Swivel w/Brake	6-1/8"	70.00
M0587	6" (152 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Swivel w/Brake	7-11/16"	90.80
M0588	8" (203 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Swivel w/Brake	9-1/4"	100.00

HIGH-QUALITY POLYURETHANE ELASTOMER CASTERS

- High operational comfort due to extremely thick, elastic tread
- Low-noise operation and rolling resistance
- High abrasion resistance, cut and tear propagation resistance
- Operating temperature: -15° F to +160° F
- Wheel Material: Polyurethane Elastomer • Frame Material: Steel

Bolt Hole Spacing: 2-5/8" x 3-5/8"

(67 mm x 92 mm) - 3" x 3" (76 mm x 76 mm)

Bolt Hole Size: 3/8" (9.52 mm)

Plate Size: 4" x 4-1/2" (102 mm x 114 mm)



Model No.	Wheel Diameter	Capacity	Tread Width	Bearing Type	Total Height	Price /Each
SWIVEL						
M0559	3-1/8" (79.5 mm)	505 lbs. (230 kg.)	1-9/16" (40 mm)	Ball Bearing	4-3/8"	82.60
M0560	4" (102 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Ball Bearing	5-1/8"	84.20
M0561	5" (127 mm)	770 lbs. (350 kg.)	1-9/16" (40 mm)	Ball Bearing	6-1/8"	91.00
M0562	6" (152 mm)	660 lbs. (300 kg.)	2-1/8" (54 mm)	Ball Bearing	7-1/2"	122.00
M0563	8" (203 mm)	660 lbs. (300 kg.)	2" (51 mm)	Ball Bearing	9-1/4"	155.00
RIGID						
M0564	3-1/8" (79.5 mm)	505 lbs. (230 kg.)	1-9/16" (40 mm)	Ball Bearing	4-3/8"	77.70
M0565	4" (102 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Ball Bearing	5-1/8"	77.60
M0566	5" (127 mm)	770 lbs. (350 kg.)	1-9/16" (40 mm)	Ball Bearing	6-1/8"	88.70
M0567	6" (152 mm)	660 lbs. (300 kg.)	2-1/8" (54 mm)	Ball Bearing	7-1/2"	114.00
M0568	8" (203 mm)	660 lbs. (300 kg.)	2" (51 mm)	Ball Bearing	9-1/4"	140.00
SWIVEL W/BRAKE						
M0569	3-1/8" (79.5 mm)	505 lbs. (230 kg.)	1-9/16" (40 mm)	Ball Bearing	4-3/8"	115.00
M0570	4" (102 mm)	660 lbs. (300 kg.)	1-9/16" (40 mm)	Ball Bearing	5-1/8"	97.10
M0571	5" (127 mm)	770 lbs. (350 kg.)	1-9/16" (40 mm)	Ball Bearing	6-1/8"	108.00
M0572	6" (152 mm)	660 lbs. (300 kg.)	2-1/8" (54 mm)	Ball Bearing	7-1/2"	152.00
M0573	8" (203 mm)	660 lbs. (300 kg.)	2" (51 mm)	Ball Bearing	9-1/4"	182.00

HIGH-QUALITY POLYURETHANE ELASTOMER CASTERS

- Low-noise operation and rolling resistance
- High abrasion resistance, cut and tear propagation resistance
- Non-marking, non-staining surface
- Operating temperature: -15° F to +160° F
- Wheel Material: Polyurethane Elastomer • Frame Material: Steel

Bolt Hole Spacing: 2-5/8" x 3-5/8"

(67 mm x 92 mm) - 3" x 3" (76 mm x 76 mm)

Bolt Hole Size: 3/8" (9.52 mm)

Plate Size: 4" x 4-1/2" (102 mm x 114 mm)

Bearing Type: Ball Bearing



Model No.	Wheel Diameter	Capacity	Tread Width	Caster Type	Total Height	Price /Each
M0589	3-1/8" (79.5 mm)	395 lbs. (180 kg.)	1-1/8" (28.6 mm)	Swivel	4-3/8"	65.90
M0590	4" (102 mm)	550 lbs. (250 kg.)	1-9/16" (40 mm)	Swivel	5-1/8"	75.80
M0591	5" (127 mm)	770 lbs. (350 kg.)	1-9/16" (40 mm)	Swivel	6-1/8"	92.20
M0592	6" (152 mm)	660 lbs. (300 kg.)	2" (51 mm)	Swivel	7-1/2"	103.00
M0593	8" (203 mm)	660 lbs. (300 kg.)	2" (51 mm)	Swivel	9-1/4"	138.00
M0594	3-1/8" (79.5 mm)	395 lbs. (180 kg.)	1-1/8" (28.6 mm)	Rigid	4-3/8"	64.00
M0595	4" (102 mm)	550 lbs. (250 kg.)	1-9/16" (40 mm)	Rigid	5-1/8"	71.20
M0596	5" (127 mm)	770 lbs. (350 kg.)	1-9/16" (40 mm)	Rigid	6-1/8"	85.10
M0597	6" (152 mm)	660 lbs. (300 kg.)	2" (51 mm)	Rigid	7-1/2"	95.90
M0598	8" (203 mm)	660 lbs. (300 kg.)	2" (51 mm)	Rigid	9-1/4"	118.00
M0599	3-1/8" (79.5 mm)	395 lbs. (180 kg.)	1-1/8" (28.6 mm)	Swivel w/Brake	4-3/8"	113.00
M0600	4" (102 mm)	550 lbs. (250 kg.)	1-9/16" (40 mm)	Swivel w/Brake	5-1/8"	93.10
M0601	5" (127 mm)	770 lbs. (350 kg.)	1-9/16" (40 mm)	Swivel w/Brake	6-1/8"	113.00
M0602	6" (152 mm)	660 lbs. (300 kg.)	2" (51 mm)	Swivel w/Brake	7-1/2"	137.00
M0603	8" (203 mm)	660 lbs. (300 kg.)	2" (51 mm)	Swivel w/Brake	9-1/4"	153.00

CASTERS & WHEELS

STAINLESS STEEL CASTERS

- Swivel rig with double ball bearing in the swivel head
- Minimal swivel head play and smooth rolling characteristics
- Medium heavy duty rigs, with top plate fitting
- Low rolling and swivel resistance for smooth running performance

- High operational comfort and low-noise operation
- Operating temperature: -4° F to +140° F
- Wheel Material: Thermoplastic Rubber-Elastomer
- Frame Material: Stainless Steel



Model No.	Wheel Diameter" (mm)	Capacity	Tread Width (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Plate Size (mm)	Bearing Type	Height	Price/Ea
SWIVEL									
M0622	2" (51)	110 lbs. (50 kg.)	3/4" (19)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Plain Bore	2-13/16"	47.00
M0623	2" (51)	110 lbs. (50 kg.)	3/4" (19)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Ball Bearing	2-13/16"	48.50
M0624	3" (76)	165 lbs. (75 kg.)	1" (25.4)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Plain Bore	4"	53.30
M0625	3" (76)	165 lbs. (75 kg.)	1" (25.4)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Ball Bearing	4"	52.90
M0626	3-1/8" (79.5)	220 lbs. (100 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Plain Bore	4-3/8"	49.80
M0627	3-1/8" (79.5)	220 lbs. (100 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Ball Bearing	4-3/8"	55.80
M0628	4" (102)	240 lbs. (108 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Plain Bore	5-3/8"	51.80
M0629	4" (102)	240 lbs. (108 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Ball Bearing	5-3/8"	57.30
M0630	5" (127)	265 lbs. (120 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Plain Bore	6-5/16"	57.20
M0631	5" (127)	265 lbs. (120 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Ball Bearing	6-5/16"	65.60

RIGID									
M0632	2" (51)	110 lbs. (50 kg.)	3/4" (19)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Plain Bore	2-13/16"	26.20
M0633	2" (51)	110 lbs. (50 kg.)	3/4" (19)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Ball Bearing	2-13/16"	29.70
M0634	3" (76)	165 lbs. (75 kg.)	1" (25.4)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Plain Bore	4"	33.20
M0635	3" (76)	165 lbs. (75 kg.)	1" (25.4)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Ball Bearing	4"	34.80
M0636	3-1/8" (79.5)	220 lbs. (100 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Plain Bore	4-3/8"	46.20
M0637	3-1/8" (79.5)	220 lbs. (100 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Ball Bearing	4-3/8"	53.60
M0638	4" (102)	240 lbs. (108 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Plain Bore	5-3/8"	51.70
M0639	4" (102)	240 lbs. (108 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Ball Bearing	5-3/8"	56.20
M0640	5" (127)	265 lbs. (120 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Plain Bore	6-5/16"	54.80
M0641	5" (127)	265 lbs. (120 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Ball Bearing	6-5/16"	64.10

SWIVEL W/BRAKE									
M0642	2" (51)	110 lbs. (50 kg.)	3/4" (19)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Plain Bore	2-13/16"	60.00
M0643	2" (51)	110 lbs. (50 kg.)	3/4" (19)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Ball Bearing	2-13/16"	61.10
M0644	3" (76)	165 lbs. (75 kg.)	1" (25.4)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Plain Bore	4"	64.60
M0645	3" (76)	165 lbs. (75 kg.)	1" (25.4)	1-1/2" x 1-1/2" (38 x 38) - 1-7/8" x 1-7/8" (48 x 48)	1/2" (6.35)	2-3/8" x 2-3/8" (60 x 60)	Ball Bearing	4"	64.20
M0646	3-1/8" (79.5)	220 lbs. (100 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Plain Bore	4-3/8"	58.20
M0647	3-1/8" (79.5)	220 lbs. (100 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Ball Bearing	4-3/8"	64.40
M0648	4" (102)	240 lbs. (108 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Plain Bore	5-3/8"	62.10
M0649	4" (102)	240 lbs. (108 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Ball Bearing	5-3/8"	69.10
M0650	5" (127)	265 lbs. (120 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Plain Bore	6-5/16"	65.80
M0651	5" (127)	265 lbs. (120 kg.)	1-1/4" (31.8)	1-3/4" x 2-13/16" (44 x 71) - 1-3/4" x 3-1/16" (44 x 78)	5/16" (7.93)	2-1/2" x 3-5/8" (64 x 92)	Ball Bearing	6-5/16"	74.50

STAINLESS STEEL CASTERS

- Medium heavy duty rigs, with top plate fitting
- Low rolling and swivel resistance for smooth running performance
- High operational comfort and low-noise operation
- Frame Material: Stainless Steel
- Bearing Type: Ball Bearing

Bolt Hole Spacing: 2-5/8" x 3-5/8"
(67 mm x 92 mm) - 3" x 3" (76 mm x 76 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)




Model No.	Wheel Diameter (mm)	Capacity	Tread Width (mm)	Caster Type	Operating Temperature	Wheel Material	Height	Price/Ea
M0704	4" (127)	660 lbs. (300 kg.)	1-3/8" (35)	Swivel	-15° F to +160° F	Thermoplastic Polyurethane	5-1/8"	141.00
M0705	5" (127)	770 lbs. (350 kg.)	1-9/16" (40)	Swivel	-15° F to +160° F	Thermoplastic Polyurethane	6-1/8"	147.00
M0706	4" (102)	330 lbs. (150 kg.)	1-1/2" (38)	Swivel	-15° F to +175° F	Rubber	5-1/8"	138.00
M0707	5" (127)	330 lbs. (150 kg.)	1-9/16" (40)	Swivel	-15° F to +175° F	Rubber	6-1/8"	147.00
M0708	4" (102)	660 lbs. (300 kg.)	1-3/8" (35)	Rigid	-15° F to +160° F	Thermoplastic Polyurethane	5-1/8"	83.90
M0709	5" (127)	770 lbs. (350 kg.)	1-9/16" (40)	Rigid	-15° F to +160° F	Thermoplastic Polyurethane	6-1/8"	83.40
M0710	4" (102)	330 lbs. (150 kg.)	1-1/2" (38)	Rigid	-15° F to +175° F	Rubber	5-1/8"	84.50
M0711	5" (127)	330 lbs. (150 kg.)	1-9/16" (40)	Rigid	-15° F to +175° F	Rubber	6-1/8"	83.20
M0712	4" (102)	660 lbs. (300 kg.)	1-3/8" (35)	Swivel w/ Brake	-15° F to +160° F	Thermoplastic Polyurethane	5-1/8"	161.00
M0713	5" (127)	770 lbs. (350 kg.)	1-9/16" (40)	Swivel w/ Brake	-15° F to +160° F	Thermoplastic Polyurethane	6-1/8"	161.00
M0714	4" (102)	330 lbs. (150 kg.)	1-1/2" (38)	Swivel w/ Brake	-15° F to +175° F	Rubber	5-1/8"	154.00
M0715	5" (127)	330 lbs. (150 kg.)	1-9/16" (40)	Swivel w/ Brake	-15° F to +175° F	Rubber	6-1/8"	163.00

FLOOR LOCK BRAKES

STANDARD-DUTY

- Economical floor locks to stabilize mobile equipment
- Spring-loaded with non-skid rubber pad
- Steel construction with bright zinc-plated finish

Plate size: 4 1/2" x 4"
Bolt hole centres: 3 5/8" x 3"
Bolt hole size: 3/8"



Model No.	Extended Height"	Retracted Height"	Caster Total Height"	Price /Each
ML630	6	5-3/32	5-5/8	24.90
ML631	6-13/16	5-3/4	6-1/2	36.60
ML632	7-23/32	6-3/4	7-1/2	40.20
ML633	9-13/16	8-3/4	9-1/2	40.20

HEAVY-DUTY

- Heavy-duty industrial strength construction
- Foot pedal easily activates lock with foot pressure
- Non-slip, non-skid rubber brake pad holds securely on smooth or irregular floor
- Designed for use on level surfaces
- Durable, high compression spring for heavy loads
- Conveniently located release bar retracts brake instantly with slight toe pressure to either side of the bar
- 8" w floor lock profile

Plate size: 2 1/2" x 3 5/8"
Holes slotted for: 1 3/4" x 2 7/8" to 3"
Bolt hole size: 5/16"

Model No.	Extended Height"	Retracted Height"	Price /Each
MD795	4 3/4	3 11/16	58.30
MD796	5 1/32	4 1/2	60.30
MD797	6 7/32	5 11/64	60.70



Plate size: 4" x 4 1/2"
Holes slotted for: 2 5/8" to 3" x 3" to 3 5/8"
Bolt hole size: 3/8"

Model No.	Extended Height"	Retracted Height"	Price /Each
MD798	5 7/8	4 15/16	77.90
MD799	6 43/64	5 35/64	79.90
MD800	7 3/4	6 21/32	80.60
MD801	9 23/32	8 5/8	82.60

CASTERS & WHEELS

HEAVY-PRESSED STEEL CASTERS

- Tread & Tire Hardness: 70° Shore D
- Swivel rig with double ball bearing in the swivel head
- Minimal swivel head play and smooth rolling characteristics
- Medium heavy duty rigs, with top plate fitting
- Low rolling and swivel resistance for smooth running performance
- High chemical resistance to many aggressive substances
- Operating temperature: -15° F to +175° F
- Wheel Material: Steel
- Caster Type: Swivel

Bolt Hole Spacing: 3-1/4" x 2-3/8" (83 mm x 60 mm)

Bolt Hole Size: 11/32" (8.73 mm)

Plate Size: 4" x 3-3/8" (102 mm x 86 mm)



Blickle®

Model No.	Wheel Diameter (mm)	Capacity	Tread Width (mm)	Bearing Type	Total Height	Price /Each
M0697	3" (76)	440 lbs. (200 kg.)	1-1/4" (31.8)	Plain Bore	4-3/4"	197.00
M0698	3" (76)	660 lbs. (300 kg.)	1-1/4" (31.8)	Plain Bore	4-3/4"	197.00
M0699	3" (76)	660 lbs. (300 kg.)	1-1/2" (38)	Ball Bearing	4-3/4"	207.00
M0700	3-1/4" (82.5)	660 lbs. (300 kg.)	1-7/16" (37)	Ball Bearing	4-3/4"	213.00
M0701	3-1/4" (82.5)	505 lbs. (230 kg.)	1-7/16" (37)	Plain Bore	4-3/4"	199.00
M0702	4" (102)	505 lbs. (230 kg.)	1-7/16" (37)	Plain Bore	5-5/8"	199.00
M0703	4" (102)	505 lbs. (230 kg.)	1-7/16" (37)	Ball Bearing	5-5/8"	208.00

LOW-PROFILE CASTERS

- Swivel rig with double ball bearing in the swivel head
- Minimal swivel head play and smooth rolling characteristics
- Medium heavy duty rigs, with top plate fitting
- Low rolling and swivel resistance for smooth running performance
- High abrasion resistance
- Operating temperature: -15° F to +175° F
- Wheel Material: Nylon
- Caster Type: Swivel
- Frame Material: Steel



Blickle®

Model No.	Wheel Diameter (mm)	Capacity	Tread Width (mm)	Bolt Hole Spacing (mm)	Bolt Hole Size (mm)	Plate Size (mm)	Bearing Type	Total Height	Price /Each
M0716	1-3/8" (35)	165 lbs. (75 kg.)	1" (25.4)	1-1/2" x 1-1/2" (38 x 38)	1-7/8" x 1-7/8" (48 x 48)	1/4" (6.35)	2-3/8" x 2-3/8" (60 x 60)	2"	9.34
M0717*	1-3/8" (35)	220 lbs. (100 kg.)	1-1/8" (28.6)	1-1/2" x 1-1/2" (38 x 38)	1-7/8" x 1-7/8" (48 x 48)	1/4" (6.35)	2-3/8" x 2-3/8" (60 x 60)	2"	21.00
M0718	1-3/8" (35)	220 lbs. (100 kg.)	1-1/8" (28.6)	1-1/2" x 1-1/2" (38 x 38)	1-7/8" x 1-7/8" (48 x 48)	1/4" (6.35)	2-3/8" x 2-3/8" (60 x 60)	2"	41.20
M0719	2" (51)	264 lbs. (120 kg.)	1-1/8" (28.6)	3" x 1-7/8" (76 x 48)	2-3/8" x 2" (60 x 51)	5/16" (7.93)	3-1/2" x 2-1/2" (89 x 64)	3"	35.40

*Wheel material: Polyurethane (-15° F to +160° F)

WHEELS

NYLON

- PO Series, high quality impact resistant wheels
- Temperature Range: -25°C to 80°C (-13°F to 176°F)

HEAT-RESISTANT

- POHI Series, high quality, impact resistant wheels
- Highly heat-resistant nylon
- Very low rolling and swiveling resistance
- Smooth running performance on even floor
- Very high abrasion resistance, suitable for autoclaves
- Temperature Range: -25°C to 250°C (-13°F to 482°F)

SOLID RUBBER

- POEV Series, high quality, impact resistant, smooth rolling wheels
- "Blickle Easy Roll" design
- Very high operational comfort, low-noise operation, low rolling resistance
- Very good floor preservation, vulcanized on the wheel centre
- Temperature Range: -25°C to 80°C (-13°F to 176°F)

THERMOPLASTIC POLYURETHANE

- POTH Series, high quality, high operational comfort, low-noise operation wheels
- Low rolling and swiveling resistance, good floor preservation
- Very high abrasion resistance, chemically bonded for an inseparable connection to the wheel centre
- Temperature Range: -25°C to 70°C (-13°F to 158°F)

Blickle®

Model No.	Mfg. No.	Wheel Dia"	Tread Width"	Bearing Type	Capacity lbs.	Axle Bore"	Hub Length"	Wheel Material	Price /Each
MN742	PO 80/12G	3.15	1.26	Plain	485	0.472	0.472	Nylon	4.37
MN743	PO 100/12G	3.93	1.46	Plain	617	0.472	1.771	Nylon	7.19
MN744	PO125 12G	4.92	1.57	Plain	660	0.590	1.771	Nylon	10.20
MN745	PO 160/20R	6.29	1.97	Roller	992	0.787	2.362	Nylon	23.70
MN755	POHI 81/12G	3.15	1.26	Plain	396	0.472	1.378	Heat-Resistant Nylon	23.40
MN756	POHI 102/12G	3.93	1.50	Plain	550	0.472	1.771	Heat-Resistant Nylon	33.90
MN757	POHI 125/12G	4.92	1.57	Plain	660	0.472	1.771	Heat-Resistant Nylon	49.90
MN746	POEV 80/12R-SB	3.15	1.26	Roller	308	0.472	1.378	Solid Rubber	14.20
MN747	POEV 101/8K-SB-FK	3.93	1.50	Ball	440	0.314	1.811	Solid Rubber	21.50
MN748	POEV 126/8K-SB-FK	4.92	1.57	Ball	550	0.314	1.811	Solid Rubber	25.90
MN749	POEV 160/20R-SB	6.29	1.97	Roller	880	0.787	2.362	Solid Rubber	53.90
MN750	POEV 200/20R-SB	7.87	1.97	Roller	1100	0.787	2.362	Solid Rubber	72.40
MN751	POTH 100/12R	3.93	1.38	Roller	660	0.472	1.771	Thermoplastic Polyurethane	21.30
MN752	POTH 125/12R	4.92	1.57	Roller	770	0.472	1.771	Thermoplastic Polyurethane	27.40
MN753	POTH 160/20R	6.29	1.77	Roller	1212	0.787	2.362	Thermoplastic Polyurethane	44.80
MN754	POTH 200/20R	7.87	1.97	Roller	1760	0.787	2.362	Thermoplastic Polyurethane	72.20





CASTERS & WHEELS

PROTECH™ POLYOLEFIN WHEELS

- Non-marking ALTech treaded wheel is securely fastened to its polyolefin core
- Highly resistant to most chemicals and excellent for all floor surfaces
- Provides for high load capacities and is rust-proof
- Quiet and easy rolling
- Shock absorbing and rejects floor debris
- Prolongs equipment life
- Temperature: -43°C to 82°C
- Durometer: 55 - 65 A Scale

Excellent for:

- Platform trucks
- Food service equipment
- Hotel equipment
- Small waste bins
- Abusive applications
- Large stock trucks
- Factory use
- Textile carts



Diameter"	Tread Width"	Bearing Type	Cap. lbs.	Hub Length"	Bearing Bore"	Model No.	Price /Each
4	1 1/2	Roller	325	13/16	1/2	MN784	16.50
5	1 1/2	Roller	350	13/16	1/2	MN785	18.50
6	1 1/2	Roller	375	1 13/16	1/2	MN786	26.90
4	2	Roller	325	23/8	1/2	MG524	16.50
5	2	Roller	375	23/8	1/2	MG525	18.50
6	2	Roller	450	23/8	1/2	MG526	19.50
8	2	Roller	600	23/8	1/2	MG527	26.90

ENVIROTHANE™ WHEELS

- Solid non-marking polyurethane used for high load capacities
- Harder than soft rubber and softer than hard rubber
- Top quality wheel that will not damage your floors and will not develop flat spots under standing loads
- Government approved
- Temperature: -43°C to 110°C
- Durometer: 45 - 65 D Scale

Excellent for:

- Platform trucks
- Food service equipment
- Hotel equipment
- Small waste bins
- Large stock trucks
- Factory use
- Textile carts
- Abusive applications



Diameter"	Tread Width"	Bearing Type	Cap. lbs.	Hub Length"	Bearing Bore"	Model No.	Price /Each
2	7/8	Nylon/Steel	125	1	1/4	MG532	0.75
2 1/2	7/8	Nylon/Steel	125	1	1/4	MG533	0.95
3	7/8	Nylon/Steel	125	1	5/16	MG534	1.59
3	1	Nylon	150	13/8	5/16	MG535	3.55
3	1 1/4	Nylon	350	15/8	5/16	MG536	3.79
4	1	Nylon	150	13/8	5/16	MG537	4.09
4	1 1/4	Nylon	350	15/8	5/16	MG538	4.45
4	2	Roller	1000	23/16	1/2	MG540	18.50
5	1	Nylon	150	13/8	5/16	MG541	4.59
5	1 1/4	Nylon	350	15/8	5/16	MG542	4.89
5	1 1/2	Roller	700	13/4	3/8	MG543	20.90
5	2	Roller	1000	23/16	1/2	MG544	21.90
6	1 1/2	Roller	800	13/4	1/2	MG545	23.90
6	2	Roller	1100	23/16	1/2	MG546	28.90
6	2 1/2	Roller	1200	23/4	3/4	MG547	54.90

PHENOLIC WHEELS

- Made of macerated canvas impregnated with phenolic resin
- Resistant to grease, oil and most chemical substances
- Non-marking and provides for high floor protection
- Lightweight, and even maintains a high load rating
- Temperature: -43°C to 82°C
- Durometer: 120 Rockwell E

Excellent for:

- Factory use
- Heavy material handling
- Waste bins
- Platform trucks
- Stock trucks
- Heavy loads
- Bakery applications



Tread Diameter"	Bearing Width"	Cap. Type	Hub lbs.	Bearing Length"	Model Bore"	No.	Price /Each
3	1 1/4	Steel	400	13/8	5/16	MG583	4.89
4	1 1/4	Steel	400	13/8	5/16	MG584	5.09
4	1 1/2	Plain	600	13/4	13/16	MG587	4.69
4	1 1/2	Roller	600	13/4	1/2	MG588	10.50
4	2	Plain	800	23/16	13/16	MG589	4.89
4	2	Roller	800	23/16	1/2	MG590	10.50
5	1 1/4	Steel	400	13/8	5/16	MG591	7.05
5	1 1/2	Roller	600	13/4	1/2	MG593	12.50
5	2	Plain	1000	23/16	13/16	MG594	6.35
5	2	Roller	1000	23/16	1/2	MG595	11.90
6	1 1/2	Plain	800	15/8	13/16	MN778	8.35
6	1 1/2	Roller	800	113/16	1/2	MN779	13.90
6	2	Plain	1500	23/16	13/16	MN780	8.25
6	2	Roller	1500	23/8	1/2	MN781	13.90
8	2	Plain	1400	23/16	13/16	MN782	15.50
8	2	Roller	1400	23/8	1/2	MN783	20.50

ALTHANE™ PLASTIC WHEELS

- Lightweight
- Economical and high in impact strength
- Non-marking, non-chipping, oil and chemical resistant and non-absorbent
- Steam cleanable wheel provides for floor protection
- Temperature: -43°C to 82°C
- Durometer: 65 - 70 D Scale

Excellent for:

- Platform trucks
- Food service equipment
- Hotel equipment
- Small waste bins
- Abusive applications
- Large stock trucks
- Factory use
- Textile carts



Diameter"	Tread Width"	Bearing Type	Cap. lbs.	Hub Length"	Bearing Bore"	Model No.	Price /Each
4	2	Roller	750	23/16	1/2	MG528	10.50
5	2	Roller	950	23/16	1/2	MG529	11.50
6	2	Roller	1150	23/16	1/2	MG530	13.90
8	2	Roller	1200	23/16	1/2	MG531	17.50

MOLD-ON RUBBER WHEELS

- Mold-on rubber is secured to semi-steel core for full floor protection and quiet movement
- High degree of resistance to shock or vibration
- Highly economical rubber tire
- Prolongs equipment life
- Temperature: -43°C to 82°C
- Durometer: 70 - 75 A Scale

Excellent for:

- Platform trucks
- Food service equipment
- Hotel equipment
- Small waste bins
- Abusive applications
- Large stock trucks
- Factory use
- Textile carts



Tread Diameter"	Bearing Width"	Cap. Type	Hub lbs.	Bearing Length"	Model Bore"	No.	Price /Each
4	1 1/2	Roller	350	13/4	1/2	MG553	10.90
4	2	Roller	400	23/16	1/2	MG554	11.90
5	1 1/2	Roller	350	13/4	1/2	MG555	11.90
5	2	Roller	450	23/16	1/2	MG556	13.50
6	2	Roller	550	13/4	3/4	MH296	11.90
6	1 1/2	Roller	450	13/4	1/2	MG557	13.50
6	2	Roller	550	23/16	1/2	MG558	15.90
6	2 1/2	Roller	700	23/4	3/4	MG559	30.50
6	3	Roller	750	31/4	3/4	MG560	38.50
6	3	Tapered	750	31/2	1	MG561	125.00
8	2	Roller	600	23/4	3/4	MH297	17.50
8	2 1/2	Plain	850	23/4	115/16	MG563	19.50
8	2 1/2	Roller	850	23/4	3/4	MG562	35.90
8	3	Roller	900	31/4	3/4	MG564	48.90
8	3	Tempered	900	31/4	13/4	MG565	149.00
10	2	Roller	950	21/4	3/4	MN694	33.90
12	2 1/2	Roller	1200	227/32	1	MN693	65.90

POLYOLEFIN WHEELS


- Lightweight, very economical and high in impact strength
- Non-marking, non-chipping, oil and chemical resistant and non-absorbent
- Steam cleanable wheel provides for floor protection
- Easy to maintain
- Temperature: -43°C to 82°C
- Durometer: 65 - 70 D Scale

- Excellent for:
- Platform trucks
- Factory use



Tread Diameter"	Bearing Width"	Cap. Type	Hub lbs.	Bearing Length"	Model Bore"	No.	Price /Each
2	7/8	Plain	125	1	1/4	MG610	0.59
3	1 1/4	Plain	300	19/16	13/16	MC064	3.39
4	1	Plain	220	13/8	5/16	MG612	1.75
4	1 1/2	Plain	400	13/4	13/16	MG613	2.55
4	2	Roller	550	23/16	1/2	MG614	10.90
5	1 1/2	Roller	450	13/4	1/2	MG615	10.90
5	2	Roller	650	23/16	1/2	MG616	11.50
6	1 1/2	Roller	550	13/4	1/2	MG617	14.50
6	2	Roller	800	23/16	1/2	MG618	12.50

WHEELS



	Diameter"	Tread Width"	Bearing Type	Cap. lbs.	Bearing Bore"	Wheel Type	Model No.	Price /Each
A.	5	2	Roller	1500	3/4	Cast Iron	MC298	25.80
B.	8	2	Roller	1400	3/4	Phenolic	MC337	26.90
B.	12	2 1/2	Roller	3000	1	Phenolic	MC340	72.70
C.	10	3	Ball	350	3/4	Pneumatic	ML069	25.50
D.	5	1 1/4	Plain	250	5/16	Hard Rubber	MG552	6.15

DRUMS

STEEL DRUMS

- Open head 45 imp. gal/55 US gallon design complies with stringent UN regulations for packing non-dangerous and dangerous goods in packing groups II and III; salvage drum is good for packaging groups I, II and III in solids only
- Closed head 45 imp. gal/55 US gallon design meets UN regulations for packing of dangerous and non-dangerous goods in the packaging groups II and III and also complies with ISO 15750 standard and other major international standards for steel drums (ANSI, EN) and feature 2" x 3/4" Rieke® fittings
- Drum gauge: 20/18 ga.
- Dimensions: 22-1/2" W x 34-1/2" H
- Accepted for use in Canadian food processing facilities



UN Regulations:

A) 1A2/Y1.4/140 B) 1A2/Y275/S C) 1A1/X1.8/300

Unlined Model No.	UN Compliance	Lined Model No.	UN Compliance	Head Type	Capacity U.S. Gallons	Unlined Price /Each	Lined Price /Each
DC145	A	DC146	B	Open	55	194.00	215.00
DC147*	C	DC461**	C	Closed	55	194.00	173.00

*Not accepted for use in Canadian food processing facilities ** Unit is white

ACCESSORIES

Model No.	Description	Price /Each
DC648	2" Steel Plug with Buna Gasket - Rieke	2.76
DC570	Steel Drum Lid for 55 US Gal. Drum, No Fittings	33.50
DC568	Steel Drum Locking Ring for US 55 Gal. Drum	14.80
DC569	Steel Drum Bolt Only for Locking Ring	2.30

LIQUIPAK® FIBRE DRUMS

- Interior is lined with heavy duty polyethylene
- The full-open top assures quick filling and dispensing, while the plastic covers and steel chimes reinforce top and bottom
- Will not corrode and contaminate product
- Made of FDA compliant materials
- Complete with bung and vent poly cover and locking ring
- Lined

Model No.	Capacity Gallons	Lid Material	Price /Each
DC548	30	Plastic	118.00



LOK-RIM® FIBRE DRUMS

- Provides thermal insulation and protects sensitive products
- The unique Lok-Rim® closure allows easy opening and closing
- Will not corrode and contaminate product
- Compatible with semi-liquids when a polyethylene insert/bag is applied
- Made of FDA compliant materials
- Includes locking ring and cover
- Unlined

Model No.	Capacity Gallons	Lid Material	UN Compliance	Price /Each
DC543	30	Plastic	Y115	110.00
DC544	30	Steel	None	105.00
DC546	55	Fibre	None	83.10
DC547	55	Steel	Y200	97.30



STEEL SALVAGE DRUMS

- Salvage drums are recommended for containing leaking drums of petroleum solvents
- Includes 12-gauge ring and hoop closure
- Drums are lined with an open head steel top

DC445



Model No.	Capacity US Gallons	Description	UN Compliance	Steel Gauge	Wt lbs.	Price /Each
DC445	85	Lined	UN1A2/X440/S	18	60	390.00
DC448	85	Lined	UN1A2/X440/S	16	82	466.00
DC447	110	Lined	UN1A2/Y409	16	105	683.00

POLYETHYLENE DRUMS

- UN-approved plastic drums are manufactured using state-of-the-art technologies to meet the stringent demands of chemical compatibility with hazardous and non-hazardous products as well as reliability and safety requirements
- Drums are made from a high molecular weight, high-density polyethylene resin which makes them extremely strong and rigid
- Open head drums come standard with cover and steel lever-locking ring
- Capacity is based on US gal. readings
- Accepted for use in Canadian food processing facilities



Model No.	Capacity Gallons	Colour	Top	UN Compliance	Price /Each
DC525	55	Blue	Open	1H2/Y250/S	160.00
DC527	55	Black	Open	1H2/Y250/S	180.00
DC529	55	Blue	Closed	1H1/Y1.9/150	135.00
DC531	55	Natural	Closed	1H1/Y1.8/100	135.00
DC535	30	Blue	Open	1H2/Y150/S	151.00
DC532	30	Blue	Closed	1H1/Y1.9/150	111.00
DC534	30	Natural	Closed	1H1/Y1.9/150	123.00
DC538	15.5	Blue	Open	1H2/Y65/S	64.32

ACCESSORIES

Model No.	Description	Price /Each
DA019	2" Buttress Coarse Thread	4.75
DA020	2" NPS Fine Thread	3.98
DC571	Polyethylene Drum Lever Latch for 55 US Gal. Drum	15.80
DC572	Polyethylene Drum Lever Latch for 30 US Gal. Drum	15.40

POLYETHYLENE DRUMS - TIGHT HEAD

- High density polyethylene construction, can be stacked with pallets up to four high
- Maximum filling temperature of 65°C; drums should be allowed to cool to ambient temperatures before stacking
- Features 2" and 3/4" NPS fittings and manipulating handle
- Capacity is based on US Gal. readings
- Accepted for use in Canadian food processing facilities



Model No.	Capacity Gallons	Colour	Top	UN Compliance	Price /Each
DC540	15	Blue	Closed	1H1/Y1.9/160	63.55
DC542	15	Natural	Closed	1H1/Y1.9/160	63.55

RECTANGULAR POLY TIGHT HEAD CONTAINERS

- Suitable for storing and shipping liquid, granular and semi-solid chemicals, detergents, petroleum products, food products, pharmaceuticals and acids
- Recessed handle and anchoring
- Protruding stabilizers prevent tipping
- Ventcaps are included but leakproof screw caps are extra
- Container capacity: 20 litres
- Dimensions: 11 1/2" L x 9 1/2" D x 9 3/4" H



Model No.	Mfg. No.	Description	Opening mm	Price /Each
DC163	158	Yellow Container Only*	63	21.60
DA684	240	Natural Container Only*	60	21.60
DA685	284	Security Cap	60	2.68

*Security cap not included.

ACCORDION INSERTS FOR 55-GALLON DRUMS

- Made of FDA compliant materials
- Accordion pleat design adjusts to varying heights of reconditioned drums
- Formed lip grips chime of drum and stays in place during follower plate pumping



Model No.	Wall Thickness	Qty /Case	Price /Each
DC338	15 mil	20	22.50
DC340	18 mil	15	26.40
DC339*	15 mil	20	23.60

* Anti-static

STRAIGHT-SIDED INSERTS FOR 30 & 55-GALLON OPEN HEAD STEEL DRUMS

- Made of FDA compliant materials
- Smooth wall inserts withstand mixing and pumping applications
- Available in anti-static
- Model DC337 used for hot-fill applications to 180°F
- Model DC344 used for hot-fill applications to 280°F



Model No.	Wall Thickness	Drum Gal.	Qty /Case	Price /Each
DC336	15 mil	30	25	26.40
DC337	15 mil	55	20	22.50
DC344	15 mil	55	10	49.50
DC342*	18 mil	55	15	26.40
DC343	24 mil	55	15	37.60

* Anti-static

INSERTS FOR 5-GALLON STEEL PAILS

- Made of FDA compliant materials
- Straight-sided inserts for steel pails are ideal for small batch mixing
- Choose from pliable LDPE or solvent-resistant HDPE



Model No.	Wall Thickness	Material	Qty /Case	Price /Each
DC347	15 mil	LDPE	100	5.99
DC348	15 mil	HDPE	100	5.99

CHEMLINERS

- Formfit liner constructed from LDPE/NYLON/LDPE
- Resists chemical permeation and degradation
- Superior flex-crack and pinhole resistance for liquid applications



Model No.	Height"	Wall Thickness	Qty /Case	Price /Each
DA926	40	5 mil	100	24.80

ULTRALINER DRUM INSERTS FOR 55-GALLON STEEL & FIBRE DRUMS

- Heavy-duty 18-mil insert with ultra thin lip for easy lid closure
- Can be used with fibre and steel drums



Model No.	Inside Dia."	Wall Thickness	Qty /Case	Price /Each
DC346	22.5	18 mil LDPE	15	24.70
DC493	22.5	24 mil LDPE	15	37.20

FORMFIT LINERS FOR 55-GALLON DRUMS

- Cylindrical film liners are heat-sealed and made of FDA compliant materials
- Available in 40" height to fold over drum or 53" height to tie off
- Available in mil thickness of 4, 6, 8 or 10
- Available in anti-static for solvent-based applications



Model No.	Height"	Wall Thickness	Qty /Case	Price /Each
DC353	40	4 mil	100	6.59
DC494	40	6 mil	100	8.09
DC354	40	8 mil	50	10.50
DC355	40	10 mil	50	12.40
DC356	53	4 mil	100	7.79
DC495	53	6 mil	100	8.79
DC357	53	8 mil	50	12.40
DC358	53	10 mil	50	15.00
DC359*	53	8 mil	50	13.50

* Anti-static

HOT-FILL LINERS FOR 55-GALLON DRUMS

- Round bottom liner constructed from polypropylene will withstand fill temperature to 290°F



Model No.	Height"	Wall Thickness	Qty /Case	Price /Each
DA927	40	4 mil	100	20.50

PAIL INSERTS & STRAINERS

INSERT

- Seamless 14" tall tapered insert provides custom fit for plastic pail
- Average 15-mil thick
- FDA compliant materials

STRAINER

- Heavy-duty strainer ideal for filtering liquids or holding parts for washing
- Featuring 600-micron mesh, finer mesh strainers are available



Model No.	Material	Size (Gal)	Qty/Case	Price/Each
INSERTS				
DC350	HDPE	5	100	5.99
DC351	LDPE	5	100	5.99
STRAINERS				
DC049	-	5	48	9.79
DB021	-	55	8	29.00



DRUMS

FUSIBLE LINK SELF-CLOSING DRUM COVERS

- Convert open top 55 US gallon steel drums into fire-safe receptacles for combustible trash
- A replaceable fusible link assembly inside the cover melts at 165°F, automatically slamming the cover shut if a fire occurs in the drum
- Steel construction; solvent resistant, red baked-on-enamel finish
- Fits drums from 22 1/2" to 22 3/4" in diameter
- Weight: 10 lbs
- FM approved

Model No. DA097
Price/Each \$288.00



POLYETHYLENE DRUM COVERS

- For use with 55 US gal. open head drums
- Blow molded HDPE construction
- Fits Drum Size: 55 US gal
- Colour: Yellow
- Dimensions: 23" W x 5" H

Model No. DC555
Price/Each \$24.60



VAPOUR TRAP™ DRUM COVERS

- Provides safe, secure and proper disposal of hazardous waste
- Control odour and vapours, minimise access to contents, and comply with your local fire marshal
- Spring loaded, self-closing, vented opening closes after each use
- Manual latching drum cover is gasketed to seal the drum contents, designed to accept an optional padlock for maximum security
- Reduced VOC emissions keep you in compliance with EPA regulations
- Constructed of durable steel, lid is finished in chemically resistant red powder paint for extended service life
- Meets EPA 40 requirements
- Approved by FM Global
- Compliant to OSHA and NFPA 30 standards

Model No. DC284
Price/Each \$922.00



GALVANIZED STEEL DRUM COVERS

- Cover drums for added protection
- The perimeter rim is beaded for safety
- Fits Drum Size: 55 US gal (45 imp. gal.)
- Colour: Silver



Model No.	Drum Type	Price /Each
DC640	Open Head	50.00
DC639	Closed Head	49.00

ELASTICIZED DUST CAPS FOR 5, 30 & 55-GALLON CONTAINERS

- Clear 4-mil LDPE caps with elasticized band for easy installation
- Available in anti-static



Model No.	Drum Size	Price /Each
DC371	5 gal.	2.49
DC375*	5 gal.	2.99
DC372	30 gal.	3.69
DC376*	30 gal.	3.29
DC373	55 gal.	3.29
DC377*	55 gal.	3.69
DC496	64" Elastic Cover for Gaylord Box	14.50

*Anti-static models

PROTECTIVE 55-GALLON DRUM LIDS

- Tough average 40-mil thick LDPE lids protect steel drum tops from corrosion and contamination
- Available for open head and tight head drums
- Available in clear to view labelling on drum top



Model No.	Description	Price /Each
DA116	Open Head Drum, Black Lid	16.60
DA117	Open Head Drum, Clear Lid	17.80
DA118	Tight Head Drum, Black Lid	16.60
DA119	Tight Head Drum, Clear Lid	16.20

SNAP-ON PAIL SAVER LID™

- Snap-on lid is easily applied for steel and plastic pails for in-plant use

Model No. DB019
Price/Each \$2.89



BUNG NUT WRENCHES

- Fits almost any metal or plastic, male or female bung nuts or plugs
- 13" overall length
- Offset handle
- Weight: 4 lbs.

Model No. DA638
Annealed Ductile Iron
Price/Each \$50.95

Model No. DA637
Non-Sparking,
Manganese Bronze Alloy
Price/Each \$81.30




UNIVERSAL PLUG WRENCHES

- Fits virtually all steel, plastic and fibre drum plugs
- 15 1/2" long for extra leverage and hand clearance
- For use with 3/4" and 2" pipe thread (NPT) size bungs
- Weight: 4 lbs.

Model No. DA635
Solid Ductile Iron
Price/Each \$41.30

Model No. DA636
Non-Sparking, Zinc Aluminum Alloy
Price/Each \$80.90



DRUM WRENCHES

- Socket head which fits over 3/4" plugs and prongs that fit the crossbar of 2" plugs
- Fits other types of closures too

Socket Head - 2.0 lbs.
Model No. DA643
Mfg. No. W0168
Price/Each \$139.00

Non Sparking - 2.5 lbs.
Model No. DA647
Mfg. No. W01685
Price/Each \$254.00



DELUXE PLUG WRENCHES

- Non-sparking brass alloy wrench fits virtually all industrial drums including those with square or hex plugs, male or female bung nuts or plugs and fittings with lugs and crossbars
- Built-in 1 1/4" wrench for tightening faucets into drums; eliminates the need for extra tools
- Weight: 2 lbs.

Model No. PE359
Price/Each \$90.50



DRUM LOCKS

- Safely secure drum contents without the risk of contamination
- Reduces theft, pilfering, sabotage and prevents "cocktailing" of contents
- Made of corrosion resistant, non-sparking zinc die cast, the units easily install around the drum bung flange with no risk of cross threading
- Sold as a pair, these drum locks fit the most popular style of steel 55-gallon (200 L) drums
- Set includes 2 lip seals and 2 interchangeable lock bars

Both sets are available without or with a No.3 Master Lock® padlock



Justrite

Model No.	Description	Size Lip Seal O.D.	Price /Each
DC282	Without Lock	1 x 3", 1 x 1 1/2"	107.00
DC289	With Keyed Different	1 x 3", 1 x 1 1/2"	115.00
DC291	With Keyed Alike	1 x 3", 1 x 1 1/2"	133.00

DRUM UPENDERS

- This 40" long upender provides the necessary leverage for moving horizontal drums to a standing position
- 2 1/2" wide toe plate prevents denting of drum
- 1 1/2" hook fits over most drum heads
- Not for lowering drum
- Weight: 9 lbs.

MORSE

Model No. DA653
Price/Each \$115.00



MANUAL DRUM DEHEADER

- Open any size and gauge steel drum quickly and easily, allowing drum recycling without the risk of fire from cutting with a torch
- Comfortable plastic hand grip
- Frame Material: Steel
- Blade Material: Steel
- Handle Length: 20"

Model No. DC603 Drum Deheader
Price/Each \$129.00

Model No. DC607 Replacement Blade
Price/Each \$37.60



STEEL PAIL OPENER

- Designed to open and close virtually any type of steel or plastic pail
- Cast steel construction for durability
- Yellow zinc-plated finish with molded blue plastic hand grip
- Includes a special cutting tool to open sealed lids on plastic pails
- Weight: 2 lbs.

Model No. DC041
Price/Each \$49.00



PLASTIC PAIL OPENERS

- Ideal for opening non-UN plastic buckets and pails
- Unique leverage point ends cover distortion and cutting
- Holds pail down while it lifts lid evenly; lid lifts off in seconds
- Aluminum construction
- 16" long
- Weight: 0.5 lbs.

Model No. DA639
Price/Each \$68.90



DRUM BUNG SOCKET

- Fits 3/4" and 2" bung sizes



DC665



DC666

Vertil
We've Got It!

Model No.	Mfg No.	Description	Price /Each
DC665	BUNG-S-B1	3/8" Drive, Non-Sparking Bronze Alloy	90.00
DC666	BUNG-S-S1	3/8" Drive, Zinc-Plated Drum Socket	43.00
DC667	BUNG-S-S2	1/2" Drive, Zinc-Plated Drum Socket	43.00
DC668	BUNG-S	3/4" Drive, Zinc-Plated Drum Socket	43.00

DRUM CLOSURES

STEEL DRUM CLOSURES

- Made from premium deep-drawing quality steel
- Visegrip® plugs have a hexagonal shoulder for easy opening (no tools required)
- Titegrip™ plugs compatible with other opening types also available

STEEL DRUM FUSIBLE CLOSURES

- Used for drums containing combustible materials
- Made of reinforced nylon material
- Centre melts away when exposed to extreme heat allowing venting, thus reducing risk of explosion
- Titegrip™ plugs compatible with other opening types also available

POLY-DRUM CLOSURES

- Poly-Visegrip® closure specially designed for use in lined containers
- Requires no gaskets

STEEL DRUM CLOSURES

Model No.	Size"	Price/Each
DB891	3/4	1.24
DC648	2	2.76

STEEL DRUM FUSIBLE CLOSURES

Model No.	Size"	Torque req. (ft.-lbs.)	Price/Each
DB893	3/4	9	1.01
DB894	2	20	2.44

POLY-DRUM CLOSURES

Model No.	Size"	Threads	Price/Each
DB895	2	NPS	2.84
DB896	2	BSP	3.22



DC648



DB894



DB896

MANUAL CRIMPING TOOLS

- DB903 is used for 2" cap seals
- DB904 is used for 3/4" cap seals

Model No. DB903

Price/Each 1226.00

Model No. DB904

Price/Each 1226.00



TAMPER-EVIDENT CAP SEALS

SAFESEAL® PLASTIC CAP SEALS

- Requires DB903 or DB904 tool to be applied
- Titegrip™ compatible Safeseal® plastic caps also available

ALL PLASTIC CAP SEALS

- Easy-to-use pop-on feature
- Can be applied without tools

Model No.	Size"	Price/Each
DB899	3/4	0.57
DB900	2	1.26

ALL PLASTIC CAP SEALS

DB901	3/4	0.69
DB902	2	1.43



HORIZONTAL DRUM GAUGES

Instant, accurate information on the amount of liquid in a 45-gallon drum. Mounts through 2" bung hole; seals tight, won't leak. Reads in 5-gallon intervals. Wt. 2 lbs.

Model No. DA067
Price/Each \$129.00



VERTICAL DRUM GAUGES

Accurate "At-A-Glance" monitoring. Graduated in gallons, litres, quarters and eighths full. Heavy steel and plastic construction with leak-proof duro nitrile gaskets. Resistant to oil and many chemicals. Weight: 1 lb

Model No.	Size"	Price/Each
DA068	2	120.00
DA069	3/4	159.00



GRADUATED DRUM GAUGES

Combination gauge and faucet permits uninterrupted draining of drum contents with gauge in place. Mounts through 3/4" bung hole. Constructed of heavy gauge glass in plated steel body with Buna-N seals. Weight: 3 lbs.

WESCO®



Model No.	Description	Price/Each
DA064	Gauge only	159.00
DA065	Gauge with faucet*	189.00

* Zinc Die Cast Faucet FM approved for viscous liquids only; no flame arrestor.

DRUM FILL GAUGES

Provides a low cost solution to over-filling drums. When the drum is almost full, the indicator "Pops-up" to warn you. Fits in standard 3/4" bung opening. Bright red and yellow molded polyethylene. 5" length. Weight: 0.20 oz.

Model No. DA066
Price/Each \$35.00



Justrite®

SAFETY FUNNELS WITH FILL VENT

9" diameter polyethylene funnel comes with brass safety vent and 6" flame arrestor. Cap comes with safety chain to prevent loss. 2" NPS. FM approved.

Justrite®

Model No.	Wt. lbs.	Price/Each
DA103	2.5	361.00



SAFETY DRUM FUNNELS

Suitable for handling flammables. Large 10 3/4" mouth provides quick dumping. Steel construction with 6" flame arrestor for the DA102 and 32" flame arrestor for the DA101. Hinged cover with fusible link reduces spread of vapours. 2" NPS/NPT.FM approved.

Justrite®

Model No.	Description	Wt. lbs.	Price/Each
DA102	6" flame arrestor w/funnel	7.5	328.00
DA101	32" flame arrestor w/funnel	12	743.00



HORIZONTAL BRASS VENTS

- Horizontal vents are for use with drums in the horizontal pouring position
- Automatically relieves pressure at 5 PSI
- Flame arrestor prevents sparks and flame from igniting contents
- Manual vacuum relief by lifting and rotating the valve stem
- Maximum flow of 220 CFM at 20 PSI
- Fits 2" NPS bung in steel or plastic drums

Model No. PE362
Price/Each \$71.15



KLETON

VERTICAL VENTS


FM approved vents are for use with drums in the upright position. Valve automatically opens to relieve internal pressure at 5 PSI. Automatic vacuum relief permits 4 GPM flow through 3/4" faucet. Fits 2" NPT bung opening.



Model No.	Description	Application	Wt. lbs.	Price/Each
DA607	Brass Vent	Petroleum-Based	0.5	195.00
DA605	Non-metallic Vent, Cad-plated flame arrestor	Petroleum-Based	0.5	107.00
DA606	Non-metallic Vent, Stainless steel flame arrestor	Chlorinated Solvents	1.0	165.00

MANUAL-CLOSING MOLASSES GATE VALVES

- Excellent for dispensing heavy oils, light grease, varnish, molasses, honey, cream and other non-flammable heavy viscous fluids from drums and containers
- All gates have 45-60° discharge for optimum flow control
- Durable cast iron body, painted black enamel finish
- Machined and lapped brass faceplate for smooth operation and perfect seal
- Can be padlocked in sizes up to and including 2"
- Standard gates come with either 2" or extra long 4" iron handle
- Extra long handle provides greater leverage for easier and safer dispensing of viscous fluids
- Gate valve with lock nut is used on drums with over-sized or damaged threads
- Malleable iron lock nut combined with rubber gasket allows valve to face any direction



Model No.	NPT Inlet Size"	Wt. lbs.	Price/Each
STANDARD GATE WITH 2" HANDLE			
DA059	3/4	1.5	76.80
DA060	1	2.0	98.80
DA061	1 1/4	2.4	109.00
DA062	1 1/2	2.9	109.00
DA063	2	3.2	109.00
DA057	3	6.8	269.00
DA058	4	15.5	599.00
STANDARD GATE WITH 4" HANDLE			
DA055	1 1/2	4.3	179.00
DA056	2	4.6	189.00
DA054	3	7.7	289.00
GATE VALVE WITH LOCK NUT, 2" HANDLE			
DA051	3/4	1.6	94.40
DA052	1 1/2	3.2	139.00
DA053	2	3.6	149.00

Note: These faucets are intended for use with non-flammable viscous liquids stored in or dispensed from non-pressurized containers at ambient room temperature.

SELF-CLOSING FAUCETS

- For non-flammable liquids only
- No flame arrestor
- 3/4" pipe thread
- Can be padlocked closed
- Natural die cast finish

Model No. PE365
Price/Each \$23.35

KLETON



SELF-CLOSING FAUCETS W/SCREEN

- Flame arrestor safety faucet
- Standard 3/4" tapered pipe thread
- Can be padlocked closed
- Natural die cast finish


Model No. PE364
Price/Each \$33.85

KLETON



MANUAL-CLOSING POLY FAUCETS

- Ideal for use with non-flammable, often corrosive liquids
- Half turn on/off; stays open until shut-off
- Use 2" size for thick, viscous liquids or larger volume flow of thin liquid



Model No.	Bung Size"	Type	Price /Each
DA048	2	Flo-King®	47.00
DA049	3/4	Flo-Rite®	3.09

FAUCETS

- Approved for use with oils, flammables and non-flammable
- Internal flame arrestor
- Teflon® gasket
- FM approved




Model No.	Material	NPT Inlet Size"	Price /Each
DC404	Brass	3/4	87.00
DA043	Stainless steel	3/4	349.00

SELF CLOSING GATE VALVES

- For use with viscous non-corrosive fluids heavier than SAE30 motor oil
- Heavy-duty brass construction
- Self-closing PTFE blade has fast, positive shut off when handle is released
- 4 1/2" wide handle
- Wide opening permits maximum flow
- Fits 2" bung in steel or plastic drums
- Weight: 7 lbs.

Model No. PE363
Price/Each \$189.00



KLETON

POLYETHYLENE DRUM FAUCETS

- Produced from FDA-approved material
- Includes 3 EPDM sealing gaskets: thin, medium, thick
- NPT Inlet Size: 2"



WESCO®

Model No.	Includes	Price /Each
DC630	-	28.70
DC631	Level Gauge Port, Pail Hook	29.80

Bonding and grounding wire assemblies dissipate the static electricity generated during the transfer of flammable liquids. Various clamp styles available to work with different containers. Required by OSHA for fluids with a flashpoint below 140°F.

LIND EQUIPMENT

COILED GROUNDING CLAMPS

- Vinyl coated 1/8" cable resists corrosive environments to give years of service
- Unit is self-coiling to retract when not in use
- Includes one heavy duty REB clamp and one 1/4" terminal end



Model No.	Description	Price/Each
DA632	5' coil	64.10
DA628	10' coil	71.30
DA777	15' coil	82.20
DB029	20' coil	89.60
DA778	30' coil	103.00

HEAVY-DUTY AVIATION STATIC GROUNDING HAND CLAMPS

- Aviation industry standard for bonding and grounding aircraft and refueling vehicles
- Ideal for attaching to landing gear, posts, ground balls, ground rods and other curved, unpainted surfaces
- Cast aluminum construction with plated steel jaws
- Clamp opens to 13/16" and can take up to #6 cable
- Weight: 0.3 lbs

Model No. DC488
Price/Each \$49.60



HEAVY-DUTY HAND CLAMPS

- Grounding clamp for flammable drum loading
- Die cast aluminum body, stainless steel points and 55-lbs. spring enable clamp to consistently make positive metal to metal ground connection
- Accommodates all cable up to 5/32"; connection is made in clamp's handle held by dual Allen screw contacts

Model No. DA633
Price/Each \$44.40



DRUMS

Bonding and grounding wire assemblies dissipate the static electricity generated during the transfer of flammable liquids. Various clamp styles available to work with different containers. Required by OSHA for fluids with a flashpoint below 140°F.




HEAVY-DUTY BONDING & GROUNDING WIRE ASSEMBLIES

TWO HAND CLAMP CONNECTORS



Model No.	Wire Length"	Wire Description	Price/Each
DA735	36	Stainless Steel Cable	97.80
DA736	72	Stainless Steel Cable	101.00
DA737	120	Stainless Steel Cable	103.00


HAND CLAMP & 5/16" TERMINAL CONNECTORS



Model No.	Wire Length"	Wire Description	Price/Each
DA738	36	Stainless Steel Cable	56.70
DA739	72	Stainless Steel Cable	59.30
DA740	120	Stainless Steel Cable	63.70


LIGHT-DUTY BONDING & GROUNDING WIRE ASSEMBLIES

ALLIGATOR CLIP & 3/4" BEAM CLAMPS




Model No.	Wire Length"	Wire Description	Price/Each
DA621	36	Stainless Steel	34.00
DA750	72	Stainless Steel	37.20
DA751	120	Stainless Steel	40.20

TWO ALLIGATOR CLIPS



Model No.	Wire Length"	Wire Description	Price/Each
DA622	36	Stainless Steel	33.00
DA754	72	Stainless Steel	36.00
DA755	120	Stainless Steel	39.20
DA756	36	PVC Coated	37.20
DA757	72	PVC Coated	40.20
DA758	120	PVC Coated	44.40

ALLIGATOR CLIP & 5/16" TERMINAL CONNECTORS



Model No.	Wire Length"	Wire Description	Price/Each
DA759	36	Stainless Steel	26.80
DA760	72	Stainless Steel	30.00
DA761	120	Stainless Steel	34.00

STATICSURE MONITORING DEVICES

- Essential safety device for any business that transfers flammables
- Unlike standard bonding and grounding clamps, the StaticSure alerts the operator as to whether a static bond has been achieved. If a proper connection has not been achieved, a bright red LED light will flash on the device
- StaticSure provides that extra level of assurance to an organization in that they are complying with the Canadian Fire Code while simultaneously providing their employees with a safer working environment
- Includes mounting clips for wall mount applications
- Available as a stand-alone unit, or can be mounted to a cord reel



Model No.	Description	Cord Reel Included	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
DC497	One 20' 18/2 coiled SOW cord with GAT-PIP clamp & one 2' 18/2 straight SOW cord with GAT-PIP clamp	No	66 9/10 x 3 x 2 1/10	5	1080.00
DC457	One 20' 18/2 SOW cord with GAT-PIP clamp & one 2' 18/2 SOW cord with lugs	No	66 9/10 x 3 x 2 1/10	5	986.00
DC498	One 20' 18/2 SOW cord with REB-IP clamp & one 2' 18/2 SOW cord with REB-IP clamp	No	63 9/10 x 3 x 2 1/10	4	1018.00
DC459	One 20' 18/2 SOW cord with REB-IP clamp & one 2' 18/2 SOW cord with lugs	No	63 9/10 x 3 x 2 1/10	4	934.00
DC480	50' 16/3 SOW cord with REB-IP clamp & 2' 16/3 SOW cord with lugs	Yes	13 4/5 x 12 x 3	31	1658.00
DC481	50' 16/3 SOW cord with GAT-PIP clamp & 2' 16/3 SOW cord with lugs	Yes	13 4/5 x 12 x 3	33	1773.00
DC482	100' 16/3 SOW cord with REB-IP clamp & 2' 16/3 SOW cord with lugs	Yes	14 1/2 x 9 1/5 x 15	42	2876.00
DC483	100' 16/3 SOW cord with GAT-PIP clamp & 2' 16/3 SOW cord with lugs	Yes	14 1/2 x 9 1/5 x 15	43	2991.00

HEAVY-DUTY STATIC GROUNDING HAND WIND REELS

- Ruggedly constructed reels are an economical alternative to automatic retracting reels
- Fewer parts to maintain, allowing for years of trouble free service
- Highly compact storage of a wide range of cable lengths
- 100A solid copper alligator clip can be substituted with our heavier duty REB clamp when using this reel in outdoor areas or with painted, dirty or rusty surfaces
- Cable Type: Yellow Hytrel coated plated steel



Model No.	Cord Length (feet)	Cable Size	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
DC489	50	3/32" I.D. coated to 5/32" O.D.	9 1/5 x 5 3/10 x 9 7/10	9.8	531.00
DC490	75	3/32" I.D. coated to 5/32" O.D.	9 1/5 x 5 3/10 x 9 7/10	10.3	576.00
DC491	100	3/32" I.D. coated to 5/32" O.D.	9 1/5 x 5 3/10 x 9 7/10	10.8	618.00

RETRACTABLE GROUNDING WIRES

- Replace loose/tangled grounding cables with compact retractable reels
- For use where a discharge of static electricity could cause a spark and subsequent explosion
- Holds 20' to 100' of cable
- Positive latching mechanism holds cable at any length
- A slight pull on the cable releases the mechanism causing retraction
- Bearing surfaces are permanently lubricated
- Alligator clip included
- Heavy-duty reels have robust, weatherproof construction and coated cables
- Functions under extreme environmental conditions
- Available with REB clamp for when attaching clamp to painted, dirty or rusty surfaces



DA609



DB025

Model No.	Cable Description	Length'	Wt. lbs.	Price/Each
DA609	Light Duty	20	3.5	344.00
DA610	Light Duty	50	5.5	477.00
DB025	Heavy-Duty Open Style	50	12	723.00
DB026	Heavy-Duty Open Style	75	17	808.00
DB027	Heavy-Duty Open Style	100	22	923.00

STATIC GROUNDING CLAMPS

- Cast aluminum construction, available with stainless steel points or brass "cup" points
- Large, heavy-duty clamp designed for grounding railcars, tanker trucks, barges and large vats
- Equipped with a quick release harness, which is designed to open the clamp automatically in case the operator forgets to remove the clamp prior to the vehicle's departure
- Isolated points available for connection to static monitoring system
- Clamp opens to 1 1/2"



Model No.	Description	Configuration	Wt. lbs.	Price/Each
DC484	Stainless Steel Points	3 Points	0.7	154.00
DC485	Stainless Steel Points	1 Isolated Point	0.7	185.00
DC486	Brass Cup Points	1 Isolated Cup Point	0.7	206.00
DC487	Brass Cup Points	2 Isolated Cup Points	0.7	216.00

NEMA CONFIGURATION



NOTE: DO NOT USE THESE HEATERS IN HAZARDOUS AREAS OR TO HEAT FLAMMABLE MATERIALS. FOR INDOOR USE ONLY.

FLEXIBLE DRUM & PAIL HEATERS

Applications

- Preheating
- Viscosity control
- Mixing dipping or pouring
- Temperature control
- Freeze protection

Features

- Durable and tough reinforced fiberglass silicone rubber
- Resists moisture, mildew and most chemicals
- Easy to clean and store
- Heavy-duty spring latch assembly, installs or removes in seconds
- 6' power cable w/ NEMA 5-15P plug for the 120 V models
- 6' bare end power cable for the 220 V models




Sold per Each

		Thermostat range						Sold per Each
Description	Drum Material	70°-160°F		75°-205°F		75°-425°F		Price /Each
		120 V	220 V	120 V	220 V	120 V	220 V	
5 GAL. US								
6" wide 300 W	Polyethylene	DC295	DC296	*	*	*	*	517.00
3" wide 300 W	Metal	DC297	DC298	DC299	DC300	DC301	DC302	386.00
15 GAL. US								
6" wide 375 W	Polyethylene	DC303	DC304	*	*	*	*	599.00
3" wide 500 W	Metal	DC305	DC306	DC307	DC308	DC309	DC310	425.00
30 GAL. US								
6" wide 500 W	Polyethylene	DC311	DC312	*	*	*	*	715.00
3" wide 750 W	Metal	DC313	DC314	DC315	DC316	DC317	DC318	486.00
55 GAL. US								
6" wide 750 W	Polyethylene	DC319	DC320	*	*	*	*	800.00
3.25" wide 1000 W	Metal	DC321	DC322	DC323	DC324	DC325	DC326	555.00
4.75" wide 1500 W	Metal	DC327	DC328	DC329	DC330	DC331	DC332	691.00

* Polyethylene pails should not be heated beyond 160°F

THERMOSTAT CONTROL HEATERS

- Heats materials with good heat receptivity
- Made of aluminized steel; conjunction box made of galvanized steel
- Increases flow rate of viscous material
- Reaches and maintains a given temperature
- Thermostat bulb senses temperature and controls pre-set heat
- Three-heat switch allows three wattage ratings per thermostat setting
- HIGH setting uses Max. Watts; MEDIUM, 1/2 Max. Watts; LOW, 1/4 Max. Watts
- Neon pilot light • 6' power cord



Model No.	Drum Cap. US Gal.	Drum Dia."	Temp Range	Plug Type NEMA no.	Volts	Watts	Wt. lbs.	Price /Each
DA072	55	22 1/2	60-250°F	5-15	120	1750	15	742.00
DA073	55	22 1/2	200-400°F	5-15	120	1750	15	742.00
DA092	55	22 1/2	60-250°F	5-20	120	1920	15	721.00
DA093	55	22 1/2	200-400°F	5-20	120	1920	15	721.00
DA094	55	22 1/2	60-250°F	6-15	240	3000	15	721.00
DA095	55	22 1/2	200-400°F	6-15	240	3000	15	721.00
DA090	5	11 1/4	60-250°F	5-15	120	1500	5	602.00
DA091	5	11 1/4	200-400°F	5-15	120	1500	5	602.00
DA087	16	14 1/2	60-250°F	5-15	120	1500	8	660.00
DA088	16	14 1/2	200-400°F	5-15	120	1500	8	660.00

WATER BOIL-OFF HEATERS

- For use with 45 imp. gal./55 US gal. steel drums only
- Features a 70-300°F thermostat range and a high limit cut off-switch that can be reset
- When water is reduced below the level of the heater the unit shuts off
- Plug type is NEMA no. 6-15
- 240 volts, 3000 watts, 6' power cord
- Weight: 14 lbs.


Model No. DA096
Price/Each \$723.00



5-GALLON PAIL HEATERS

- Economy 5-gallon heater is suitable for use with plastic and metal pails
- For light duty applications like increasing flow of viscous fluids or heating water
- Aluminized construction
- Adjustable strap clamp allows heater to fit pails with straight or tapered sides from 9 1/2" to 12" in diameter
- 120 V, 100 W
- 6' power cord with standard three pin grounded plug
- Weight: 5 lbs.

Model No. DA074
Price/Each \$246.00



PLASTIC DRUM HEATERS


- Specifically designed to heat materials contained in polyethylene drums or pails
- Pre-set bimetal thermostat is mounted directly on heating band; activated with on-off switch
- Heat delivered to drum does not exceed 165°F
- 9" wide heating band on 45 imp. gal./55 US gal. model is double the width of standard heaters; increases heater surface area for a shorter heat-up time
- On-off indicator light
- 6' power cord



Model No.	Drum Cap. US Gal.	Drum Dia."	Plug Type NEMA no.	Volts	Watts	Wt. lbs.	Price /Each
DA080	5	11 1/4	5-15	120	100	7	643.00
DA081	55	22 1/2	5-15	120	800	15	796.00

VARIABLE CYCLE CONTROL HEATERS

- Designed to heat materials that have a tendency to burn or coke such as light oils, chemicals, food, and undercoating material
- Variable control cycles heat current on and off
- Ratio of 'time on' to 'time off' increases as setting switch is moved higher
- Cycling allows for a gentle heating of drum contents
- Three heat switch allows three wattage ratings per thermostat setting
- HIGH setting uses Max. Watts; MEDIUM, 1/2 Max. Watts; LOW, 1/4 Max. Watts
- Neon pilot light
- 6' power cord



Model No.	Drum Cap. US Gal.	Drum Dia."	Plug Type NEMA no.	Volts	Watts	Wt. lbs.	Price /Each
DA084	5	11 1/4	5-15	120	1500	5	639.00
DA082	16	14 1/2	5-15	120	1500	8	687.00
DA085	55	22 1/2	5-20	120	1750	15	721.00
DA086	55	22 1/2	6-15	240	3000	15	721.00

VALUE HEATERS

- Sturdy aluminized steel construction outlasts and outperforms all silicone rubber heaters
- 0-550°F adjustable thermostat offers wide flexibility when heating contents of 45 imp. gal./ 55 US gal., 22 1/2" diameter steel drums
- Heavy duty, 6' grounded cordset plugs into standard 120 V outlets, 1250 W
- Weight: 8 lbs.

Model No. DA070
Price/Each \$509.00



DRUMS

HYDRA-LIFT DRUM HANDLERS

- A safe way to lift, move, tilt and drain 45 imp. gal./55 US gal. drums
- Manual control; pump-handle lifts drum, maximum extension is 45 strokes
- Hand crank controls tilt angle of drum up to 360° in either direction for controlled pouring of contents, chain wheel controls tilt for 72" and higher lift models
- 800 lbs. full drum capacity; 500 lbs. half-full capacity
- Rugged, heavy-duty welded frame; 8" polyolefin wheels and 4" swivel casters; screw-down floor lock
- Power lift and power tilt with a choice of motors is optional
- 60" and 72" manual lift and tilt units ship partially disassembled
- Powered models eliminate the manual effort of drum raising and tilting; increases productivity and safety
- Optional MORStop™ tilt brake holds drum tilt position constant even when tension from the pull chain is removed

MANUAL LIFT - For the 60" dispensing height unit, the tilt function is controlled by a hand crank. The 72" and 96" tilt control is with a chain wheel.

POWER LIFT - Moving valve handle to up, down or hold position controls drum height; 15 - 20 seconds lifting time.

POWER LIFT & TILT - One valve controls lifting, another controls tilt angle. Ideal when hand crank or chain drop is out of reach.

MORSE

MORStop™ Tilt Brake



Dispensing Height"	H"	L"	R"	O.D."	I.D."
60	55	60	12	44	37
72	55	60	6	44	37
96	69	72 1/2	4	49	42

Dispensing Height			Description	60" Price /Each	72" Price /Each	96" Price /Each
60" Model No.	72" Model No.	96" Model No.				
DA138	DA143	DA153	Manual hydra lift and tilt	4211.00	4230.00	4380.00
DA139 [†]	DA144 [†]	DA154 [†]	Hydra lift c/w air power lift and power tilt	7145.00	7193.00	7330.00
DA141	DA146	DA156	Hydra lift c/w air power lift and manual tilt*	5680.00	5779.00	5867.00
OPTION						
DC077			MORStop™ Tilt Brake Option			367.00

* Filter, regulator and lubricator not included ** Battery and charger included

[†] MORStop™ tilt brake option not needed

GRIP+GO POWER-GRIP FORK MOUNT DRUM HANDLER

- Control the drum tilt function all the way from upright to fully inverted
- Adjustable grip pressure for handling various sized steel drums
- The battery and charger are included
- The sufficiently low weight of the Grip+Go helps for a minimal lost load of your equipment
- Engage drum with heavy-duty jaws
- Use with the wireless control for a 300 foot operating range (**DC679**)
- Easy to handle various sized drums
- Drum Capacity: 15 - 55 US Gal. (12.5 - 45 Imperial Gal.)
- Working Load Limit: 1500 lbs./680 kg
- Battery Type: 12V
- Drum sizes: 14" to 24" diameter

Model No. DC678

Mfg No. 290F


Price/Each \$12555.00

GRIP+GO FACTORY INSTALLED WIRELESS CONTROL ON MODEL 290F

Model No. DC679

Mfg No. 6149i-P

Price/Each \$1812.00



MORCINCH™ OPTIONS & ACCESSORIES

TOP RIM CLAMP

- Can be added to most of our Morse drum lifting equipment
- Grips the upper rim of your drum to prevent it from slipping through the drum holder
- Add this option to handle a 55 gallon (208 L) rimmed plastic drum
- Can also be used with a rimmed fiber or steel drum
- Weight: 11 lbs.

Model No. DC278

Mfg No. 4560-P

Price/Each \$416.00

BRACKET ASSEMBLY

- Can be added to most of our Morse drum lifting equipment
- Add this option to handle your fibre drums or rimless plastic drums
- The bracket braces the top and bottom of your drum to prevent it from slipping in the holder
- Adjustable to handle drums from 31" to 39" tall
- Weight: 20 lbs.

Model No. DC279

Mfg No. 4556-P

Price/Each \$261.00

DIAMETER ADAPTORS

- Can be added to most of our Morse drum lifting equipment
- Designed to fit a smaller diameter drum and it easily fits inside the drum holder
- No tools required to install
- Adaptor for 18 1/2" to 19" diameter drums
- Weight: 24 lbs.

Model No. DC280

Mfg No. 55/30-19


Price/Each \$232.00

MORCINCH



**DC278
Top Rim
Clamp**

MORSE



**DC279
Bracket
Assembly**



DC280

FORK MOUNTED DRUM LIFTERS

- Allows operator to raise, transport, tip and drain loaded drums without leaving their seat
- Geared design with pull chain or battery powered with pendant for controlled dispensing of open and closed head steel drums up to 2000 lbs.
- Manipulation of pull chain on geared type models for 360° rotation
- Attaches easily to truck by sliding onto forks and tightening screw locks
- No electrical or hydraulic connections to truck are needed
- 6-1/2" W x 26-5/8" D x 2-1/2" H fork pockets; inside width between forks must be 25"
- Options are available to handle plastic, fibre, and steel drums
- 22 1/2" diameter

Model No.	Mfg No.	Drum Size Gallons	Tilt Type	Full Drum Cap. lbs.	Half Drum Cap. lbs.	Wt. lbs.	Price /Each
DA133	285A	45 Imp. /55 US*	Geared	800	500	149	1367.00
DA135	285A-HD	45 Imp. /55 US	Geared	1500	800	171	1551.00
DA134	285A-GR	45 Imp. /55 US	Geared	2000	1000	273	3965.00

Note: Battery powered option available



DA133

Controlled pouring up to 2000 lbs.

MORSE

DRUM LIFTERS

Safely transport, position and drain open and closed head steel drums. Simply attach the lifter on hook of chain block, monorail or crane, cinch saddle around drum, and then raise to the required height and position. Ratchet mechanism securely tightens saddle to drum. Choice of manual or geared models.

MANUAL TILT

- Ideal for low level pouring and dumping operations
- 800 lbs. full drum capacity, 500 lbs. half drum capacity
- Tilt lock on each side of hanger frame is used to secure drum in a vertical or horizontal position

Model No.	Mfg No.	Drum Size	Price/Each
DA199	85A	45 imp. gal./55 US gal. steel; 22 1/2" dia.	441.00
DA200	85I & 55/30-19	25 and 45 imp. gal./55 US gal. steel; 18 1/2" - 19" and 22 1/2" dia. Includes DC280	808.00
DA201	85C	21" - 23" dia. fibre or steel	552.00

Note: Options and accessories are available



DA199

GEARED TILT

- Accurate pouring from any height
- Handles drums up to 2000 lbs full drum capacity
- Rotation of drum is controlled by 12' chain loop
- Optional MORStop™ tilt brake holds drum tilt position constant even when tension from the pull chain is removed

MORSE

Model No.	Mfg No.	Drum Size	Full Drum Cap. lbs.	Half Full Cap. lbs.	Wt. lbs.	Price /Each
DA121*	185A	45 imp. gal./55 US gal. steel; 22" - 23 1/2" dia.	800	500	98	1147.00
DA124*	185A-HD	45 imp. gal./55 US gal. steel; 22 1/2" dia.	1500	800	114	1338.00
DA123**	185A-GR	45 imp. gal./55 US gal.; 22 1/2" dia.	2000	1000	206	3171.00

OPTION

DC077	3900-P	MORStop™ Tilt Brake Option	367.00
-------	--------	----------------------------	--------

* Chains can be guided into locking slots to hold the drum's position, allowing the operator to let go

**Worm gear speed reducer on DA123 tends to let drum stay where it is stopped, removing the need for the optional tilt brake



DA124

MORStop Tilt Brake

DRUM CONES

- Used to dispense dry materials
- Replaces drum lids with a cone and clamp collar to reduce dust and keep material clean
- Clamp collar is included
- Start and stop dispensing with a slide gate or iris valve
- Slide gate and iris valve openings are 6"
- To be used on fibre or steel drums with a 15 1/2" to 23 1/2" diameter
- Cone opening has a 45° angle and is made of regular steel
- Also available in stainless steel and other sizes



DC276

DC277

MORSE

Model No.	Opening	Outside Rim Dia"	Wt. lbs.	Price /Each
DC276	Slide Gate	23 3/8	50	1591.00
DC277	Iris Valve	23 3/8	50	2863.00

DRUMS

VERTICAL LIFT DRUM POURERS

- Allows for easy lifting, tilting and draining of drums up to 106" high
- Scale equipped models allows users to accurately monitor the weight of drum while pouring
- Digital scale displays weight in 0.1 lb. increments with an accuracy of +/-0.2%
- Available in manual hydraulic lift or AC powered lift
- Tilting operation manually controlled on all models
- Non-scale / non-powered lift models are safe for use in hazardous environments
- Two 6" polyolefin swivel casters and two 8" polyolefin wheels make this unit easy to manoeuvre
- Built-in PVC chain cover to handle both steel and fibre drums 22" to 23 1/2" O.D. up to 800 lbs.

Stainless steel available. Call us with your specs.



DC085



Model No.	Mfg No.	Lift Height"	Tilt Function	Lift Function	Scale Equipped	Wt. lbs.	Price /Each
DC085	510	60	Manual	Manual	No	590	8414.00
DC086	520	106	Manual	Manual	No	858	9014.00
DC083	515-N	60	Manual	Manual	Yes	791	20863.00
DC084	525-N	106	Manual	Manual	Yes	936	22350.00

DRUM LIFTERS

- Designed for steel, plastic and fibre drums with diameters between 22" to 23-1/2" and heights between 23" to 38"
- Attaches to a monorail, crane or chain block and transports loaded drums in the upright position
- Drum is secured into the saddle by a web strap and ratchet mechanism
- The saddle, as well as the support bar at the bottom of the drum ensure that drums will be transported safely, restraining the drum from sliding out
- Accepts diameter adaptors for smaller drums
- Drum Capacity: 30 - 55 US Gal. (25 - 45 Imperial Gal.)
- Lifting Capacity: 1000 lbs./454 kg

Model No. DA935
Mfg No. 86
Price/Each \$581.00



DA935



TYPE 304 STAINLESS STEEL

Model No. DC644
Mfg No. 86-SS
Price/Each \$3082.00

PAILPRO™ PAIL LIFTER

- Manually centre lifter on top of your drum and adjust it to pail width
- Design allows for quick, gentle loading; pail stays upright during lift
- Lifts steel or plastic pails 11"-15" rim diameter
- Drum Capacity: 5 US gal. (4.16 Imperial Gal.)
- Lifting Capacity: 1000 lbs./454 kg
- Drum Type: Steel, Plastic

Model No. DC643
Mfg No. 92-5
Price/Each \$358.00



TRIPLE TRUCK - LIFTING TRUCK

- Handles most standard rim 30, 55, 85 US gal. steel, poly and fiber drums
- Manual winch with auto brake
- Carriage lock easily locks carriage in place at any position
- Easy load rollers assist loading onto a truck bed

FRAME ONLY

- Low profile 3" debris deflecting neoprene swivel casters
- 10" x 2 3/4" poly hub solid rubber wheels
- Wheel lock-pedal activated
- Lever operated outrigger adjustment 3 positions
- Outrigger angle can be changed even under full load

ADJUSTABLE FORKS

- Size: 3" W x 26 3/4" L

HOW TO ORDER:

1. Purchase basic frame (LT662)
2. Select lifting attachment:
Gator Grip (LT663)
Adjustable Forks (LT664)
Slip-on Platform (LT665)

PLATFORM

- Size: 21 1/4" W x 28 1/8" L



LT662
Frame



LT663
Gator Grip®



LT664
Adjustable Forks



LT665
Platform



Model No.	Description	Lowered Height"	Lift Height"	Capacity lbs.	Wt. lbs.	Price /Each
LT662	Frame	-	-	750	357	3269.00
LT663	Gator Grip®	28 3/4	69	750	32	1249.00
LT664	Adjustable Forks	4	62	750	30	159.00
LT665	Platform	5	62 1/8	750	6	199.00

CHAIN SLING

- Chain Grade: Grade 80
- Jaw Opening: 27"
- Breaking Strength: 4 tons
- Rate for 0 to 60 degrees lifting angles only
- Working Load Limit: 2000 lbs./907 kg

Caution: Never exceed work load limit

Model No. LU560
Price/Each \$186.00




DRUM & OVERPACK LIFTER

- Drum Lifter is designed to lift and transport a standard 55 US Gal. steel drum 22.5" in diameter
- Drum lifter can also lift an 85 US Gal. overpack or salvage drum 26" in diameter
- Drum lifter can be used on closed "tight" head drums type with head intact, or with open head drums with lid securely clamped in place
- The broad faced grippers spread holding force to minimize pressure on drum
- Unit is load tested at the factory at 125% of rated capacity as per ASME B30.20
- Lifting Capacity: 1000 lbs./454 kg

Model No. DC608

Mfg No. 91

Price/Each \$236.00



AUTO-GRIP DRUM LIFTERS

- Easy, no-tilt lifting of rimmed steel drums
- Self-energizing: the heavier the load, the tighter the grip
- Attaches to any hoist, crane or forklift using single fork hook attachment
- Heavy duty, annealed, ductile iron construction
- Large curved foot at bottom of stabilizing arm prevents drum damage
- Capacity: 3000 lbs.

Model No. DA226

Mfg No. 40001

Price/Each \$359.00



HORIZONTAL DRUM LIFTING HOOKS

- Horizontally lifts 45 imp. gal./55 US gal. steel drums, 34"-36" long
- Alloy steel lifting ring, steel rods, malleable iron hooks
- Capacity: 1000 lbs.


Model No. DC449

Price/Each \$54.00

- Spark resistant lifting hook is made of stainless steel with aluminum bronze lifting hooks for safe handling
- Capacity: 1000 lbs.

Model No. DA163

Price/Each \$232.00




MULTI-PURPOSE OVERHEAD DRUM LIFTER WITH WRENCHES

- Simple three-arm design allows for safe lifting of 30 to 55 US gallon closed head steel, plastic and fiber drums with top lips
- Each removable arm also functions as a wrench for use on different drum plugs, faucets, and rim ring bolts
- Lifts of drums up to 800-lb. capacity
- Powder coat finish for durability

Model No. DC095

Price/Each \$309.00



AUTOMATIC VERTICAL DRUM LIFTERS

- Lifts and transports closed steel drums easily and effectively
- Unit grips automatically; releases only when drum is set down
- Operator does not have to be at pick up or drop points
- 45 imp. gal./55 US gal. model is available in standard steel or type 304 stainless steel construction
- Capacity: 1000 lbs.



Model No.	Lifts Drum Size Gallons	Construction Material	Wt. lbs.	Price /Each
DC091	30 US	Steel	45	484.00
DA203	55 US	Steel	46	424.00
DC092	55 US	Stainless Steel	46	1473.00
DC093	85 US	Steel	59	702.00



DRUM LIFTER

- Universal drum lift can lift 30 US gal. to 85 US gal. drums
- Lifts steel or plastic drums 18"-26" rim diameter
- Lifts fibre drums 18.5"-23" rim diameter
- Not intended for use with plastic overpack drums
- Lifting Capacity: 1000 lbs./454 kg.

Model No. DA876

Mfg No. 92

Price/Each \$338.00

STAINLESS STEEL

Model No. DC094

Mfg No. 92-SS

Price/Each \$726.00



POLYESTER DRUM SLINGS

- Securely and economically lifts steel, plastic and fibre drums from 12" to 24" in diameter
- Ideal for use with a forklift truck
- Compact size of slings allows it to be stored in truck until it's needed
- Reduces drum damage which occurs when using steel handlers
- 2" x 10' endless ratchet strap tightens the reinforced polyester lifting belt around the body of the drum
- 4" x 6' double ply tie down web slips easily over the truck forks
- Capacity: 1000 lbs.

Model No. DC470

Price/Each \$139.00

Note: Open ratchet fully when installing sling



OPEN HEAD DRUM LIFTERS

- Quick and easy attachment and removal
- Suitable for use with standard steel or poly drums with at least a 3/16" chime
- Lifting arms are adjustable to work with most 45 imp. gal./55 US gal. or 30 US gallon drums
- Attaches to any hoist, crane or forklift using single fork hook attachment
- 3-point contact of the lifting arms minimizes deformation
- Also works on closed head drums
- Capacity: 1000 lbs.

Model No. DC420

Mfg No. 240038

Price/Each \$439.00



DRUMS

GATOR GRIP™ FORKLIFT ATTACHMENTS FOR DRUM HANDLING

- Handles steel, plastic and fibre drums
- Patented Auto Grip lock automatically locks the jaws closed, even over rough terrain
- Adjustable for 30, 50 and 80 US gallon drums
- T-handles fasten safety to any forklift
- Can be used with open or closed head drums
- Capacity: 1000 lbs. per grip
- **Applications:** Shipping, receiving, loading, racking and palletizing



DC269



DC268

WESCO

Model No.	Mfg No	Description	Overall Dimensions W" x D" x H"	Wt. lbs.	Price /Each
DC268	240091	Single Drum Handler	28 x 34 x 34	126	1589.00
DC269	240092	Dual Drum Handler	33 1/4 x 34 x 34	208	2859.00

MOBILE DRUM KARRIERS

- Transports, rotates, tilts and drains fully loaded drums up to 800 lbs.
- Easy to operate
- Drum can be raised to a floor clearance of 5 1/8" to 11 1/2", automatically sets lock which prevents unintentional lowering
- Tilt lock on each side of unit keeps drum in desired position
- All-welded steel construction; 8" polyolefin wheels and 4" swivel caster for easy manoeuvrability
- Weight: 97 lbs.



MORSE

Model No.	Mfg No.	Drum Size	Price /Each
DA189	80A	55 US gallon steel; 22 1/2" dia.	998.00
DA190	80APS	55 US gallon plastic and steel; 22 1/2" - 24" dia., 34" - 36" H	1078.00

GATOR GRIP™ ERGONOMIC DRUM HANDLERS

- Handles steel, plastic and fiber drums
- Patented Auto Grip lock automatically locks the jaws closed, even over rough terrain
- Ergonomic solution for lifting, transporting and placing drums on standard pallets or spill pallets
- The jaw clamp is spring loaded and can hold any 3/16" or higher drum rim
- Adjustable for most standard 30, 55 and 85 US gallon drums
- Allows a 45 imp. gal./55 US gal. drum to be raised 20" above the floor
- Rolls smoothly on swivel casters which provide easy steering and include a floor lock
- Overall Dimensions: 34 1/2" L x 36" W (legs retracted), 37" L x 41" W (legs extended)
- Capacity (Legs Retracted): 650 lbs.
- Capacity (Legs Extended): 1100 lbs.
- Weight: 356 lbs.

Model No. DC270
Mfg No. 240150
Price/Each \$4139.00



WESCO

TILT & POUR DRUM PALLETISERS

- Designed to lift and pour 45 imp. gal./55 US gal. steel drums with ribs up to 26" high, when held in the horizontal position and can move drums on and off pallets
- Can lift drums 20" above the floor in an upright position
- Compatible with drums that have a 22 1/2" - 23 1/2" diameter between the ribs*
- Allows manual drum rotation of 360° in either direction
- Palletiser locks in either vertical or horizontal position, to prevent spills or to dispense
- Capacity: 800 lbs.



MORSE

Model No.	Mfg No.	Description	Wt. lbs.	Price/Each
DC271	82A	Drum Lifter/Palletiser/Manual Lift	497	4509.00

*Diameter adaptors are available for smaller drums

DRUM SPOTTERS

- Moves drums to and from pallets easily across floors, effectively and efficiently
- Designed for 45 imp. gal./55 US gal. steel or plastic drums with various rims and most fibre drums with clamp-on lids in a size range of 22 to 23 1/2" dia. and 34 to 36" high, weighing up to 800 lbs
- Features two lifting hooks which slide under the top rim of drum
- Handle provides adequate leverage to lift heavy drums
- Base has built-in counterweight for stability
- Features two 6" polyolefin load wheels and two 4" rear swivel casters for easy steering

FEATURES:

- Simple to operate
- Compact
- Holds drums upright
- No power truck required
- Self-supporting
- No balancing required



MORSE

Model No.	Mfg No.	Lifting Capacity lbs.	Max. Pallet Height"	Wt. lbs.	Price /Each
DA933	81	800	6	245	1667.00

STEEL DRUM GRABBERS

- Lift and transport one 45 imp. gal./55 US gal. steel drum without the fork truck driver leaving his seat
- No risk of drum slipping since handler grips under rim of drum or rolling hoops
- Heavy gauge grabber slides onto truck forks and is locked with two turn down screws




DC424

KLETON

Model No.	Description	Fork Pocket Inner Dia." W" x H	Capacity lbs/Drum	Wt. lbs.	Price /Each
DC424	Single Drum Grabber	5 1/2 x 2	1000	121	396.00


GRAVITY-ACTUATED MECHANICAL AUTO-GRIP™

- Most efficient on consistently-sized loads
- Adjusts to grasp any cylindrical object 18"-28" D (DA175)/22"-24" D (DC014)
- Spring-and-cam actuated jaws automatically grip while engaging drum
- Jaw size: 3" x 15"
- Fork tube size is 1 5/8" x 5 5/8" x 20"
- Distance between forks is 19 1/2"



DA175

VALLEYCRAFT
ALL IN A DAY'S WORK



Model No.	Drum Type	Drum Size US Gal.	Capacity lbs.	Price /Each
DA175	Steel/Overpack	30-85	1500	1319.00
DC014	Plastic Only	55	1000	1109.00

MORSPEED 1500™ FORKLIFT DRUM HANDLER

- Grab, lift, move and place drums without the operator leaving driver's seat
- Completely Mechanical and Automatic drum grab requires no power source
- Attachments are contoured to securely grasp various rimmed drums
- Works on 30 US gal., 55 US gal and 85 US gal. fibre, plastic or steel drums



DC589

MORSE

Model No.	Minimum Weight per Drum Required to Activate Jaws lbs.	No. of Heads per Drum	No. of Drums	Lifting Capacity lbs./kg	Price /Each
DC589	75	1	1	1500/680	2226.00
DC590	75	1	2	3000/1360	3672.00
DC591	350	2	1	1500/680	3477.00
DC592	350	2	2	3000/1360	6201.00

STEEL DRUM GRABBERS

- Lift and transport one or two 45 imp. gal./55 US gal. steel drums without the fork truck driver leaving his seat
- No risk of drum slipping since handler grips under rim of drum or rolling hoops
- Heavy gauge grabber slides onto truck forks and is locked with two turn down screws



DC039

WESCO

Model No.	Description	Fork Pocket Inner Dia." W" x H	Capacity lbs/Drum	Wt. lbs.	Price /Each
DC039	Double Drum Grabber	7 x 2 1/4	1000	198	979.00

POLY DRUM LIFTERS

- Patented fork truck attachment for handling most 45 imp. gal./55 US gal. and 30 US gallon poly drums
- Fork truck driver does not have to leave cab to engage or disengage drum
- Suited for poly drums that have at least a 3/16" top lip (chime)
- Fork pocket size: inside 1 1/2" x 5 3/8"
- Capacity: 1000 lbs.
- Shipped knocked down

Model No. DA932
Mfg No. 240148
Price/Each \$779.00



WESCO

SINGLE FORK HOOKS

- Convert forklift to a hoist in seconds
- Feature a safety latch and all-welded steel frame
- Safety yellow
- Capacity: Work load limit, 3000 lbs.
- Hook opening: 27/32"
- Available with fixed or swivel hook



Fork Pocket W" x H"	Fixed Hook Model No.	Price /Each	Swivel Hook Model No.	Price /Each
43/8 x 2 1/2	DA167	329.00	DA688	329.00
53/8 x 2 1/2	DA168	329.00	DA689	359.00
63/8 x 2 1/2	DA169	349.00	DA690	389.00

FORK MOUNT HOOK

- A fork mounted hook from which to suspend a drum lifter or other device
- Fork Pocket Dimensions: 5-1/2" x 1-9/16"
- Capacity: 2000 lbs.

Model No. LU639
Price/Each \$196.00

MORSE



DRUMS

DRUM HAND TRUCKS

- All-welded 1 1/4" round tubular steel frame
- Handles containers from as small as 18" in diameter to large 45 imp. gal./55 US gal. steel drums
- Ideal for loading drums onto pallets, or for going over curbs or uneven docks
- Free standing when loaded
- Capacity: 1000 lbs.
- Durable Kleton blue enamel finish



KLETON



DA594

Model No.	Overall Dimensions W" x D" x H"	Description	Wt. lbs.	Price /Each
DA593	24 x 19 x 58	Truck with 10" front rubber wheels only	44	339.00
DA594	24 x 22 x 58	Truck with 10" front and 6" rear rubber wheels	50	359.00

DRUM HAND TRUCKS FOR PLASTIC & FIBRE DRUMS

- All-welded, 1 1/4" tubular steel construction
- Handles plastic and fibre drums from 18" to 25" in diameter and 24" to 41" in height
- Rolls on 10" front and 6" rear rubber-tired wheels
- 2" ratchet strap secures drum in place
- Capacity: 1000 lbs.
- Durable Kleton blue enamel finish



KLETON



DA595

Model No.	Overall Dimensions W" x D" x H"	Description	Wt. lbs.	Price /Each
DA595	23 x 24 x 58	Truck for plastic and fibre drums	56	459.00

ALL-IN-ONE DRUM TRUCKS

- All-welded design with 1 1/4" round tube
- Drum trucks can be used to transport and dispense drums
- Easy-to-use belt-system and hook keeps drums securely on the truck.
- Easy to load and unload on skids
- Handles plastic, steel or fibre drums
- Loop handle models provide added leverage while dual handle models provide side body comfort.
- Four-wheel design for added support and easy manoeuvrability
- Capacity: 1200 lbs.
- Durable Kleton blue enamel finish



KLETON



DC266



Retaining hook



DC256

Model No.	Handle Type	Wheel Type	Wt. lbs.	Price /Each
DC266	Loop	10" Mold-on Rubber	64	549.00
DC267	Loop	10" Pneumatic	58	599.00
DC256	Dual	10" Mold-on Rubber	62	519.00
DC257	Dual	10" Pneumatic	56	559.00

DRUM HAND TRUCK

- Utility of a hand truck & drum truck
- Chime hook works with 55 and 30 US gallon drums
- Curved frame holds 5-gallon pails and kegs
- Drum Capacity: 5 - 55 US Gal. (4.16 - 45 Imperial Gal.)
- Nose Plate Dimensions: 14" W x 8" D
- Overall Dimensions: 21" W x 48" H
- Wheel Material: Mold-on Rubber
- Capacity: 800 lbs.

Model No. DC596
Mfg No. 210349
Price/Each \$439.00



LOW PROFILE DRUM TRUCKS

- All-welded steel construction with 8" x 2" rubber wheels and a 4" non-marking rubber swivel caster for smooth movement and easy manoeuvrability
- Ideal for moving full, open top 45 imp. gal./55 US gal. drums without spilling contents
- With a low-level frame, only 1/2" from the ground, this truck allows for easy loading of drums
- Hinged handle moves forward and backward for easy pushing or pulling
- Capacity: 1000 lbs.
- Quality powder coat finish
- Shipped knocked down



KLETON



DC500

Model No.	Overall Dimensions W" x D" x H"	Overall Handle Length"	Wt. lbs.	Price /Each
DC500	30 x 24 x 46	39	44	199.00

ERGONOMIC DRUM TRUCK WITH SWIVEL CASTERS

- Rear swivel casters permit greater lateral manoeuvrability, allowing truck to pivot about its axis
- Especially useful in a restricted space, ie. When unloading drums from a truck or in a crowded warehouse
- Provides four-wheel support while transporting drum and steering truck
- 10" Mold-On rubber wheels and 6" Mold-On rubber swivel casters
- Drum Capacity: 55 - 85 US Gal. (45 - 70 Imperial Gal.)
- Capacity: 1000 lbs.

Model No. DA864
Mfg No. 240121
Price/Each \$829.00



ERGONOMIC DRUM TRUCKS

- Floating axle reduces effort required to break over and balance load
- Chime hook can be stored at the top of the frame for easy use
- Replaceable hard faced double beveled nose prongs
- Handles steel drums only
- 10" mold-on rubber wheels
- Overall dimensions: 17 1/2" L x 23 3/4" W x 61" H
- Capacity: 1000 lbs.
- Weight: 74 lbs.

Model No. DC417
Mfg No. 240003
Price/Each \$639.00



SINGLE BAR DRUM TRUCKS

- Handles 45 imp. gal./55 US gal. steel drums
- Heavy duty 1" structural pipe frame with double welded joints
- Machined steel load wheels behind nose prongs help ease lifting of drum
- Classic single bar frame design
- Kickstand and vinyl handle grips included
- Available with cast iron centre mould-on rubber wheels with 1" (ID) roller bearings or polyolefin wheels
- 24" wide at handle, 16 1/4" wide at nose
- Capacity: 1000 lbs.



Model No.	Mfg No.	Wheel Type	Wt. lbs.	Price /Each
DA883	240014	Polyolefin	50	789.00
DA882	240013	Mold-on Rubber	64	829.00



MULTI PURPOSE STAINLESS STEEL DRUM TRUCKS

- Handles heavy drums, loads and unloads pallets, and functions as a high capacity drum dispenser
- For use with 70 imperial gallon salvage or overpack drums, 25 imperial and 45 imp. gal./55 US gal. steel drums and most 25 imperial and 45 imp. gal./55 US gal. plastic drums
- Extra long U-shaped handle provides added leverage when loading and moving heavy drums
- 63" L x 19 1/2" W frame allows easy access through narrow aisles
- Self-supporting for draining
- Four 8" Mortuf wheels with roller bearings allow truck to travel a straight line and permit easy steering around corners with minimal effort
- All-welded, type 304 stainless construction
- Capacity: 1000 lbs.



Model No	Mfg No.	Wheel Type	Construction Material	Wt. lbs.	Price /Each
DA581	160-SS	Mortuf	Stainless Steel	73	1643.00



OVERPACK DRUM TRUCK

- Heavy duty, double-welded joints, 1" structural pipe frame
- Self standing or with kick stand for upright storage
- Recommended primarily for handling of overpacks
- Wide "feet" eliminate the risk of drums being punctured by nose prongs
- Floating axle reduces effort required to break over and balance load
- Drum Capacity: 30 - 85 US Gal. (25 - 70 Imperial Gal.)
- Overall Dimensions: 24" W x 24" D x 59-3/4" H
- Load Capacity: 1000 lbs.
- Handles: Poly, Overpack Drums

Model No. DC624
Mfg No. 240077
Price/Each \$829.00



ALUMINUM FRAME DRUM TRUCKS W/HAND BRAKE

- Static free for use around volatile materials
- Ideal when the truck itself must be lifted or transported
- Rear wheels act as a pivot to raise truck onto curbs or pallets
- Automatic, spring-loaded chime hook engages rim of 25 imperial or 45 imp. gal./ 55 US gal. steel drums quickly and safely
- 10" x 2 1/2" solid rubber tires
- Hand brake on **DA586** is designed to slow down or stop both load carrying wheels whenever necessary
- Gives operator complete control of truck, even on ramps or inclines
- Capacity: 1000 lbs.

DA586



Model No.	Mfg No.	Description	Wt. lbs.	Price /Each
DA582	240132	Without Brake	48	2249.00
DA586	240124	With Hand Brake	52	2959.00




DRUMS

CLAMP & GO DOLLY HANDLES

- Safely and easily maneuver drum within confined areas
- Perfect for high volume applications
- Low center of gravity provides superior stability
- Quickly clamps onto dollies with various sidewalls of 2", 2 1/2" or 3"
- Foot operated disengage
- Magnet holds handle up to drum for compact storage

Model No. DC414
Mfg No. 24
Price/Each \$309.00



STAINLESS STEEL DRUM DOLLIES

- Handles 45 imp. gal./55 US gal. drums
- 3" hard rubber casters
- Capacity: 800 lbs.
- Weight: 22 lbs.

Model No. DC416
Price/Each \$280.00



DRIP CATCHER DOLLIES

- Handles drums that are 22" to 28" in diameter
- 2" lip contains drips
- Absorbent sock included
- 3 3/4" x 1/4" rubber casters
- Overall dimensions: 31 1/2" dia. x 5 3/4" H
- 1000-lb. capacity
- Weight: 26 lbs.

Model No. DA600
Price/Each \$309.00



STEEL DRUM DOLLIES

- Welded 3/16" thick x 4", frames are built to withstand constant use
- 24" inside diameter handles 45 imp. gal./55 US gal. drums
- Comes with four swivel casters
- Quality powder-coat finish
- Shipped knocked down



KLETON



LIL'DOLLY™ PAIL DOLLIES

- Designed for use in hospitals, food processing plants, manufacturing locations, hotels, restaurants - anywhere 5, 6 & 15 gallon pails are used
- 5 dual wheel swivel stem casters
- Inside diameter: 11"
- Capacity: 75 lbs.
- Weight: 2 lbs.
- Colour: Beige

Model No. MD527
Price/Each \$74.20



TILTING DRUM DOLLIES


- Designed exclusively for 45 imp. gal./55 US gallon drums
- Unique feature to tilt drums 10° for better liquid extraction
- Tilting feature is foot-operated and locks into place when activated
- Includes four swivel casters



HEAVY DUTY DRUM DOLLY

- Transports 55 US (45 imperial) gallon drums
- Includes (4) 4" x 2" side-locking swivel casters
- Frame Material: Steel
- Capacity: 2000 lbs.
- Diameter: 24-1/8"
- Height: 7-1/8"
- Wheel Material Phenolic

Model No. DC674
Price/Each \$214.00



Model No.	Wheel Type	Capacity lbs.	Weight lbs.	Price/Each
DC022	Cast Iron	1200	24	195.00
DC023	Hard Rubber	900	23	184.00

MULTI-TIER DRUM DOLLIES

- Accommodates a variety of container sizes
- Transport a 5 US gallon pail, 30 US or 45 imp. gal./55 US gal. drums
- A standard 4' long nylon pull strap helps in transporting
- Hard rubber casters
- High polished zinc finish for corrosion resistance
- Capacity: 900 lbs.



DC043

Model No.	No. of Tiers	Accommodates drum sizes (gal.)	Wt. lbs.	Price/Each
DC043	3	5, 30 and LP Gas Cylinders	28	134.00
DC042	4	5, 30, 55 and LP Gas Cylinders	28	160.00
DC415*	4	5, 30, 55, and LP Gas Cylinders	24	412.00

* Stainless Steel

LEAK CONTAINMENT DRUM DOLLIES

- Polyethylene dolly will not dent, corrode, or rust
- Handles 45 imp. gal./55 US gal. drums
- Solid bottom construction with a 2" lip contains spills up to 5 L
- Overall diameter: 24 1/4"
- Capacity: 1000 lbs.
- Colour: Grey



Model No.	Caster Type	Caster Size"	Height"	Price/Each
DC465	Polyurethane	3	6 1/4	167.00
DC466	Polyolefin	3	6 1/2	135.00
DC467	Polyolefin	4	7 1/4	152.00


DRUM STACKING RACKS

- Rack holds two or three 45 imp. gal./55 US gal. drums
- Can be stacked up to three high
- Conveniently stacks drums horizontally increasing space efficiency
- Forklift access from all four sides
- Optional mobile units available
- Shipped knocked down



KLETON

Drums not included



DC262



Model No.	Drum Cap.	O.A. Dimensions W" x D" x H"	Max Capacity lbs. *	Wt. lbs.	Price /Each
DC262	2	45 1/2 x 30 x 12 1/2	1600	48	164.00
DC263	3	71 1/2 x 30 x 12 1/2	2400	75	240.00

*The total weight capacity for all drums and racks being stacked.

DRUM STACKING RACK & DOLLY KITS

- All welded, ready to use
- Dolly allows stacking racks to be mobile
- Two rigid and two swivel casters
- Durable Kleton blue enamel finish
- Caster assembly required



DC386
Drip Pan and Faucet
Not Included

KLETON

Model No.	Wheel Type	Overall Dimensions W" x D" x H"	Capacity lbs.	Price /Each
DC386	6" Hi-Temp Nylon	46 x 30 x 21 1/2	1600	646.00
DC387	6" Polyurethane	46 x 30 x 21 1/2	1600	617.00

CAN TIPPERS

- Handles 5-gallon round pails
- Safety lever holds container in place
- Dispensing height of 11-1/2"
- Capacity: 75 lbs
- Weight: 10 lbs

Model No. DC472

Price/Each \$89.95



KLETON

PORTABLE DRUM STANDS

- Designed for compact storage of 30 and 55-gallon steel and fibre drums
- Interlocking design secures stand to drum
- Enclosed fork tubes lock stand onto forks and allow for secure transportation of drums with fork or pallet truck
- Allows drums to be stacked three high
- Powder coated safety yellow for visibility
- 1500-lb. maximum capacity per stand
- Weight: 35 lbs.

Model No. DC073

Price/Each \$278.00



Vestil
www.vestil.com

ALL-WELDED DRUM ROCKERS

- Safe method of upending up to 45 imp. gal./55 US gal. drums for moving, draining or storing
- No lifting, straining, or danger of drum tipping backwards
- Load drum into the draining position in seconds
- Constructed of all welded heavy gauge steel tubing
- Removable handle
- 3" polyolefin swivel casters and wheels
- Capacity: 1000 lbs.
- Durable Kleton blue enamel finish



KLETON



Model No.	Description	Wt. lbs.	Price /Each
DC442	Two 3" Swivel Casters, Two 3" Wheels	38	142.00

CAUTION: Clamping bracket on handle must be used when maneuvering unit.

KNOCKED-DOWN DRUM ROCKERS

- Safe method for moving, draining and storing 45 imp. gal./55 US gal. drums
- Two 3" non-sparking wheels and two 3" non-sparking swivel casters
- Removable handle
- Capacity: 700 lbs.
- Powder coat finish
- Shipped knocked down

KLETON



Model No.	Price /Each
DC443	99.40

CAUTION: Clamping bracket on handle must be used when maneuvering unit.

DRUM STORAGE RACKS

- Ideal for high capacity horizontal storage of drums
- 12 drum capacity with a total load rating of 12,000 lbs. per unit
- Add-on unit locks into common upright on starter allowing for higher capacity storage
- Drums are supported full length by individual 12" W x 36" D drum cradles that allow for fork truck access
- Starter unit dimensions: 36" D x 112" W x 96" H



Model No.	Description	Wt. lbs.	Price /Each
DA541	Starter Unit	560	2004.00
DA542*	Add-On	505	1846.00

* Add-on unit includes one upright only
F.O.B. Concord, Ontario.



PULL TYPE DRUM PUMPS

Chemical compatibility of a drum or barrel pump should be checked for EACH LIQUID BY CHEMICAL NAME!

No single drum pump can be universally chemical resistant. Some blends of chemicals may not be suitable for any of these drum pumps. Remember to have your MSDS for each chemical that will be pumping when calling our representative.

We will be able to help you select the right pump for your application.

STAINLESS STEEL



Wetted components:

304 stainless steel, brass, polyethylene and steel

- Use with certain acids and alkalis
- Fits 5 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 8 oz. per stroke

Model No. DA530

Price/Each \$120.00



Wetted components:

304 stainless steel, 316 stainless steel, brass and PTFE

- For most acids and corrosives
- Fits 5 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 8 oz. per stroke

Model No. DA531

Price/Each \$165.00



Wetted components:

304 stainless steel, polyethylene and PTFE

- For fast transfer of most acids and corrosives
- Fits 55-gallon drums with a 2" bung adaptor
- Transfer rate: 22 oz. per stroke

Model No. DA529

Price/Each \$193.00



Wetted components:

304 stainless steel, 316 stainless steel and PTFE

- For fast transfer of most acids and corrosives
- Fits 55-gallon drum with a 2" bung adaptor
- Transfer rate: 22 oz. per stroke

Model No. DB845

Price/Each \$209.00



STEEL



Wetted components:

Brass, steel and polyethylene

- For most non-corrosive and non-flammable liquids
- Fits 5 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 8 oz. per stroke

Model No. DA527

Price/Each \$47.20



Wetted components:

Buna-N, polyethylene, leather and steel

- For most water-soluble inorganic acids, waxes, detergents
- Fits 5-gallon pails with a 2" bung adaptor
- Transfer rate: 8 oz. per stroke

Model No. DC113

Price/Each \$36.25



Wetted components:

Polyethylene, steel and zinc

- Use with most non-corrosive, light to medium viscosity liquids
- Fits 55-gallon drum with a 2" bung adaptor
- 3/4" diameter spout can be rotated to 180° and removed to expose garden hose thread
- Transfer rate: 22 oz. per stroke

Model No. DC114

Price/Each \$48.00



ENVIRO-WEDGE™

- The Enviro-Wedge™ increases the amount of product pumped out of 25-45 gallon drums
- When the drum is nearly empty tilt it on an angle and position the wedge under the drum.
- Continue pumping until flow stops
- 100% recycled, rugged polyethylene construction
- Weight: 1.5 lbs

Model No. DA660

Price/Each \$37.90





PULL TYPE DRUM PUMPS

Chemical compatibility of a drum or barrel pump should be checked for EACH LIQUID BY CHEMICAL NAME!

No single drum pump can be universally chemical resistant. Some blends of chemicals may not be suitable for any of these drum pumps. Remember to have your MSDS for each chemical that will be pumping when calling your our representative.

We will be able to help you select the right pump for your application.

POLYPROPYLENE

KLETON

Wetted components:

Polyethylene, polypropylene, silicone and steel

- For use with most corrosive chemicals and non-flammable solvents
- Adapts to 3/4" or 2" bung adaptor for 5 to 55-gallon drums
- 360° discharge spout orientation
- Transfer rate: 16 oz. per stroke

Model No. DC115

Price/Each \$29.05



Wetted components:

Polypropylene, steel and Viton®

- For use with most antifreeze, detergents, windshield fluids, glycerin, and mild acids
- Fits 15 to 55-gallon drums with 2" bung adaptor
- Transfer rate: 14 oz. per stroke

Model No. DC127

Price/Each \$56.80



Wetted components:

Polyethylene, polypropylene and nylon

- For use with most corrosive chemicals, water, and non-flammable solvents
- Good insulation from spark and fire
- Fits 55-gallon drums with a 2" bung adaptor
- Transfer rate: 22 oz. per stroke

Model No. DC117

Price/Each \$39.60



Wetted components:

Polypropylene, polyethylene, silicone and steel

- For use with most corrosive chemicals and non-flammable solvents
- Adapts to 3/4" or 2" bung adaptor for 5 to 55-gallon drums
- 360° discharge spout orientation
- Transfer rate: 8 oz. per stroke

Model No. DA532

Price/Each \$29.70



PVC

KLETON

Wetted components:

Polypropylene, PVC, nylon and Viton®

- For use with most mild acids, detergents, water and solvents
- Good insulation from spark and fire
- Transfer rate: 8 oz. per stroke

Model No. DC116

Price/Each \$45.70



Wetted components:

PVC, nylon and Viton®

- For use with most mild acids, detergents, water and solvents
- Good insulation from spark and fire
- Fits 55-gallon drums with a 2" bung adaptor
- Transfer rate: 22 oz. per stroke

Model No. DC118

Price/Each \$61.20



NYLON

Wetted components:

Polypropylene, nylon, 304 stainless steel and PTFE

- For use with most lacquer thinners, mild acids, detergents, water and light viscosity petroleum liquids
- Fits 15 to 55-gallon drums with 2" bung adaptor
- Transfer rate: 14 oz. per stroke

Model No. DC128

Price/Each \$85.65

KLETON



FM APPROVED PULL TYPE DRUM PUMP

- For fast transfer of most solvents, acids and corrosives chemicals
- Fits 15-55-gallon drums with a 2" bung adaptor
- Pump body made from 316 Stainless Steel with PTFE Piston & PTFE Sealing Gasket
- Heavy-Duty bonding and grounding wires prevent hazardous static charge
- Wires are secured by locknut and have heavy-duty alligator clips
- Built-in internal flame arrestor prevents flame flashback
- Wetted components: 316 Stainless Steel, PTFE
- Transfer Rate: 7 oz./Stroke
- Fits Gallon Size: 15 - 55 Gal.
- Body Material: Stainless Steel
- Adaptor Type: 2" Bung

Model No. DC765

Price/Each \$389.00

KLETON



DRUM PUMPS & PUMPS

ROTARY LOBE PUMPS OVERVIEW

Lobe pumps are popular in diverse industries because they offer superb sanitary qualities, high efficiency, reliability, corrosion resistance and good clean-in-place and sterilize-in-place characteristics.

Rotary lobe pumps are non-contacting and have large pumping chambers. If wetted, they offer self-priming performance. A gentle pumping action minimizes product degradation. They also offer reversible flows and can operate dry for long periods of time.

Advantages:

- Pass medium solids
- No metal-to-metal contact
- Superior CIP/SIP capabilities
- Long term dry run (with lubrication to seals)
- Non-pulsating discharge

Wetted components:

Aluminum, Buna-N, cast iron, chrome plated, polypropylene, steel and zinc.

- For use with most low viscosity and non-corrosive petroleum based fluids
- Dual directional operation for rapid discharge
- Fits 55-gallon drums with a 2" bung adaptor
- Transfer rate: 1 L per revolution

Model No. DC111

Price/Each \$369.00

KLETON



LEVER TYPE DRUM PUMPS

POLYPROPYLENE

Wetted components:

304 stainless steel, chrome plated, polyethylene, polypropylene and Viton®

- Use with certain water-based solvents, mild acids and light viscosity petroleum liquids
- Adapts to 1-1/2" or 2" bung adaptor for 5 to 55-gallon drums
- Transfer rate: 14 oz. per stroke

Model No. DC121

Price/Each \$72.75

KLETON



POLYPHENYLENE SULFIDE

Wetted components:

316 stainless steel, polypropylene, polyphenylene sulfide and PTFE

- Use with most water-based solvents, strong acids or alkalis and light viscosity petroleum liquids
- Adapts to 1-1/2" or 2" bung adaptor for 5 to 55-gallon drums
- Transfer rate: 14 oz. per stroke

Model No. DC122

Price/Each \$128.00

KLETON



PTFE

Wetted components:

316 stainless steel and PTFE

- Use with certain water-based solvents, strongest acids or alkaline solutions
- Adapts to 1-1/2" or 2" bung adaptor for 5 to 55-gallon drums
- Transfer rate: 14 oz. per stroke

Model No. DC123

Price/Each \$349.00

KLETON



STEEL

Wetted components:

Brass, Buna-N, polyethylene, steel and zinc

- Use with most dispensing and transferring non-corrosive and petroleum based fluids
- Cushioned vinyl grip handle
- Discharge spout can be rotated 180° and removed to expose garden hose threaded outlet
- Adapts to 1-1/2" or 2" bung adaptor for 30 to 55-gallon drums
- Transfer rate: 11 oz. per stroke

Model No. DC124

Price/Each \$58.80

KLETON



POLYETHYLENE SIPHON PUMPS

Wetted components:

Polyethylene

- Use with most water based liquids, light oils, and detergents
- Air vent in handle controls flow
- Fits 5-gallon pails
- Transfer rate: 2 gallons/minute

Model No. DC120

Price/Each \$5.45



Wetted components:

Polyethylene

- Use with most water based liquids, light oils and detergents
- Air vent in handle controls flow
- Fits 15 to 55-gallon drums with 2" bung adaptor
- Transfer rate: 7 gallons/minute

Model No. DC119

Price/Each \$19.60



KLETON

PAIL TYPE PUMPS

Wetted components:

Delrin®, polyethylene, PVC and steel

- Use with most engine oils, gear oils, and antifreeze
- Fits 5 gallon pails
- Includes a 48" discharge hose fitted with curved metal spout at discharge end
- Transfer rate: 2 oz. per stroke
- Comes with a Rieke® adaptor

Model No. DC129

Price/Each \$45.60

KLETON





DRUM PUMPS & PUMPS

ROTARY TYPE DRUM PUMPS

ROTARY VANE PUMPS OVERVIEW

While vane pumps can handle moderate viscosity liquids, they excel at handling low viscosity liquids such as LP gas (propane), ammonia, solvents, alcohol, fuel oils, gasoline and refrigerants. Vane pumps have no internal metal-to-metal contact and self-compensate for wear, enabling them to maintain peak performance on these non-lubricating liquids. Vane pumps are noted for their dry priming, ease of maintenance, and good suction characteristics over the life of the pump.

Advantages

- Handles thin liquids at relatively higher pressures
- Compensates for wear through vane extension
- Sometimes preferred for solvents, LPG
- Can run dry for short periods
- Can be equipped with a gasket or a stuffing box
- Develops good vacuum

ALUMINUM

Wetted components:

Aluminum, Buna-N, PVC nitrile, steel and zinc

- Use with most low viscosity, non-corrosive petroleum based fluids and lubricating oils up to SAE30
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 6-3/4 oz. per revolution
- Includes a safety locking latch
- 3/4" dia. x 1.8 m long PVC nitrile discharge hose included

Model No. DC126

Price/Each \$235.00

Wetted components:

Aluminum, Ryton, Viton and Steel

- For Use With: Most Medium Viscosity & Non-Corrosive Petroleum Based Fluids
- Fits 5-, 15-, 30- and 55-gallon drums with a 2" bung adaptor
- Transfer Rate: 9.5 oz./Stroke
- Fits Gallon Size: 5-55 Gal.
- Body Material: Aluminum
- Adaptor Type: 2" Bung
- Transfer Rate: 9.5 oz. (280 CC) Per Revolution

Model No. DC806

Price/Each \$139.00

KLETON



POLYPROPYLENE

Wetted components:

304 stainless steel, polypropylene, PVDF, PTFE and Viton®

- For most water-soluble inorganic acids, waxes, detergents
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 8 oz. per revolution

Model No. DB998

Price/Each \$153.00

KLETON



POLYPHENYLENE SULFIDE & STAINLESS STEEL

Wetted components:

304 stainless steel, PVDF, polyphenylene sulfide and PTFE

- Use with most aggressive chemicals such as hydrocarbons and ketones
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 12 oz. per revolution

Model No. DC335

Price/Each \$315.00

KLETON



ROTARY DRUM PUMP

Wetted components:

Stainless steel, PVDF and PTFE

- For most aggressive chemicals such as acids and alkalines
- Transfer Rate: 12 oz. per revolution
- Fits Gallon Size: 30 - 55 Gal.
- Adaptor Type: 2" bung adaptor

Model No. DB997

Price/Each \$605.00

KLETON



STAINLESS STEEL

Wetted components:

304 stainless steel, PVDF and PTFE

- For most organic acids, alcohols and solvents
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 12 oz. per revolution

Model No. DB759

Price/Each \$599.00

KLETON



ALUMINUM & CAST IRON

Wetted components:

Cast iron, steel, graphite, polypropylene, aluminum, EPDM rubber and Buna-N

- FM approved pump with 8' antistatic hose, nozzle, flame arrestor and vacuum breaker
- For use with class 1 and class 2 flammable and combustible liquids such as gasoline, alcohols, and other solvents
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 10 gallons per minute

Model No. DC505

Price/Each \$396.00

KLETON



STEEL & CAST IRON

Wetted components:


Buna-N, cast iron, polyethylene, polypropylene and steel

- For use with most medium viscosity petroleum fluid, light non-flammable and non-combustible fluids
- Dual directional operation allows pump to both empty and refill containers
- Fits 30 to 55-gallon drums with a 2" bung adaptor
- Transfer rate: 8 oz. per revolution
- Steel discharge spout and 1" dia. x 55' L polyethylene discharge hose included

Model No. DA528

Price/Each \$109.00

KLETON



DC098
Polyethylene
discharge hose

DRUM PUMPS & PUMPS

Before ordering any pump, establishing compatibility with the MSDS of the fluid used in application is a must!

Bond/ground cables on page 882 are required when pumping flammable or combustible liquids.

GAS, KEROSENE & DIESEL FUEL PUMPS

- Dual-action siphon-lift pump
- Easily transfers fuel from one vehicle or container to another without danger of inhaling liquid
- Siphons downhill if liquid level in source is higher than receptacle
- Transfers gasoline, kerosene, diesel fuel and water
- Acts as high volume positive displacement hand lift pump
- Non-metallic, will not spark or mar surfaces
- No corrosion or rust
- Siphon action stops when handle is depressed and hose is removed from the source
- Intake tube is 9" long and 1-1/4" Dia.
- Flow rate is 4 oz. per stroke

Model No. DA813
Price/Each \$92.00

Supplied with clear tubing attached to pump. Hose solvent welded to intake (6') and outlet (3').

Model No. DA814
Price/Each \$94.20

Supplied with 8' clear tubing to allow versatile application. Cut length of tubing for desired intake and discharge hose.



SANITARY MAINTENANCE PUMPS

Versatile pumps that are ideal for pumping water, alkalis, detergents, and waxes from steel or polyethylene drums. Not for solvents or acid, aromatic hydrocarbons, ketones, or petroleum solutions.

LOW CAPACITY

- This PVC hand pump is constructed to transfer liquids from 45-gallon drums and other containers
- Seals are specially compounded of Hypalon® to pump alkalis, detergents, etc.
- The threaded adaptor screws into a 45-gallon standard drum opening
- Pumps up to 11 oz. per stroke
- Intake tube is 36" long and 1-1/4" Dia.

Model No. DA817
Price/Each \$129.00

SELF-PRIMING

- All PVC pump with valves and seals of Hypalon®
- 2" standard adaptor
- 18" of clear hose and a 1/2" tube that extends to the bottom of a 45-gallon drum
- Tube can be cut to fit smaller containers
- Pumps up to 8 oz. per stroke
- Intake tube is 18" long and 1 1/4" Dia.

Model No. DA818
Price/Each \$119.00



ACID TRANSFER PUMPS

- Designed to transfer most acids
- Eliminates the need to lift and tilt drums
- Body and shaft are constructed of a special polyvinyl chloride with the valves and patented seal of DuPont® Viton®
- Intake tube is 38" long and 1 1/2" dia.
- Complete with 3' polyethylene discharge tubing
- Flow rate is 28 oz. per stroke
- Adaptor Style: Std. 2" IPS Bung

Warning: Not compatible with most alkalis, acetic acid (30%), hydrofluoric acid and methyl alcohol

Model No. DA810
Price/Each \$259.00



ALKALI TRANSFER PUMPS

- Designed to transfer detergents, waxes, alkalis and certain acids
- Body and shaft are constructed of a special polyvinyl chloride with the valves and seals of DuPont® Hypalon®
- Intake tube is 38" long and 1 1/2" dia.
- Complete with 3' polyethylene discharge tubing
- Flow rate is 28 oz. per stroke
- Compatible with most alkalis, hydrofluoric acid, acetic acid (30%) and methyl alcohol
- Adaptor Style: Std. 2" IPS Bung

Model No. DA811
Price/Each \$249.00



5-GALLON PAIL PLUNGER HAND PUMPS

- Feature a threaded intake which makes them compatible with drums and pails with a 3/4" opening
- Comes with an 18" dip tube and 9" outlet hose and feature Hypalon® valves and seals



Model No.	Adaptor Style	Price /Each
DA815	Pump alone (6 oz/stroke)	95.30
DA816	Std. 2" IPS Bung	109.00
DB854	3/4" Bung w/Sr. Adaptor	109.00

PETROLEUM DRUM PUMPS

- Designed to transfer petroleum products quickly and inexpensively
- Body and shaft are constructed of a special polyvinyl chloride with valves of polyurethane, seals of Buna-N and a reinforced vinyl hose
- Intake tube is 38" long and 1 1/2" dia.
- Complete with 3' vinyl discharge tubing
- Flow rate is 28 oz. per stroke
- Compatible with petroleum products
- Adaptor Style: Std. 2" IPS Bung

Model No. DA812
Price/Each \$209.00



WATER PUMPS

- An excellent pump for removing water from water meter boxes
- A general purpose pump for an infinite number of uses in water transfer
- Made of high impact PVC, non-sparking, lightweight, needs no priming and has a 1 1/4" inlet hose
- Complete with 3' of polyethylene discharge tubing
- Intake tube is 36" long and 1-3/4" Dia.

Model No. DA819
Price/Each \$99.30



STRAP LOCKS

- Prevents untrained personnel from using 1 1/4" and 1 1/2" diameter pumps

Model No. DA820
Price/Each \$6.49





DRUM PUMPS & PUMPS

AC UTILITY ROTARY VANE PUMPS

- Ideal for stationary installations, such as tank or barrel mounting
- Rugged, explosion-proof UL approved 115 V motor with sealed bearings
- Model **DC506** has a dual voltage motor 115/230 V
- Heavy-duty, 2-year warranty

FILL-RITE



Model No.	Mfg. No.	GPM	Price /Each
DB879	FR610G	15	919.00
DB881	FR700V	20	1299.00
DC506	FR310VB	35	2769.00

DC UTILITY ROTARY VANE PUMPS

- Ideal for transferring fluids safely where AC power is not available
- Explosion-proof 1/4 HP motor with two sealed bearings
- Draws 20 to 22 amps from battery
- Heavy-duty, 2-year warranty

Model No. **DB877**
Price/Each \$829.00

FILL-RITE



ALUMINUM DIAPHRAGM HAND PUMP

Wetted components: Aluminum, Buna-N, Poly Acetal, 304 stainless steel and steel

- For use with most motor oil and other light petroleum products
- Fits 15 to 55-gallon drums with 2" bung adaptor
- Transfer Rate: 25.5 oz. per stroke
- Includes a safety locking latch and discharge hose

Model No. **DC068**
Price/Each \$335.00

KLETON



UL APPROVED ROTARY HAND PUMPS

- Tough and reliable aluminum body with cast iron rotor
- Flow rate of 1 gallon per 10 revolutions
- 1" NPT telescoping suction pipe, nozzle and 3/4" x 8' hose with static wire included
- Heavy-duty, 2-year warranty

Model No. **DB885**
Price/Each \$389.00

Model No. **DB886 w/Meter**
Price/Each \$539.00

FILL-RITE



UL APPROVED PISTON HAND PUMPS

- Aluminum body with stainless steel liner
- Flow rate of 1 gallon per 5 strokes
- 1" NPT telescoping suction pipe, nozzle and 3/4" x 8' hose with static wire included
- Heavy-duty, 2-year warranty

Model No. **DB887**
Price/Each \$389.00

FILL-RITE

Note: These models are interchangeable with many commonly used original pumps, please call our specialists for a cross reference.



MSDS SHEET REQUIRED WHEN PURCHASING THESE PRODUCTS!

TRANSFER PUMPS

- Non-corrosive, double action piston pump is designed to handle most petroleum products, solvents and industrial chemicals with viscosities up to 2000 SSU
- Discharges approx. 1 quart per stroke with a suction lift to 15'
- Handle can be mounted above or below pump
- Tamper proof feature enables padlocking to protect against unauthorized use
- Thermoplastic constructed pump has a polyester glass reinforced body, Viton® "O" ring and cork-nitrile gasket
- All internal metal parts in contact with liquid are 316 stainless steel
- Includes: 8' PVC black vinyl discharge hose, 2-piece 1" x 3/4" L polyester suction tube, polyester discharge spout and 2" bung adaptor
- Weight: 11 lbs.

Model No. **DA526**
Price/Each \$309.00



CUSTOMIZE YOUR OWN SPILL KIT.

Choose from any of our Zenith products and create your own personalized kit at no extra charge.



DRUM PUMPS & PUMPS

CHEMICAL CHART

CHEMICAL	RYTON (PPS)	VITON	TEFLON	BUNA N	EDPM	HYPALON	PVC
Acetic Acid	Excellent	Good	Excellent	Fair	Excellent	Fair	Severe Effect
Acetic Acid 20%	Excellent	Good	Excellent	Good	Excellent	Excellent	Severe Effect
Acetic Acid 80%	Excellent	Good	Excellent	Fair	Excellent	Fair	Fair
Acetone	Excellent	Severe Effect	Excellent	Severe Effect	Excellent	Fair	Severe Effect
Alcohols: Isopropyl	N/A	Excellent	Excellent	Good	Excellent	Excellent	Excellent
Ammonia, liquid	Excellent	Severe Effect	Excellent	Fair	Excellent	Severe Effect	Excellent
Antifreeze	N/A	Excellent	N/A	Excellent	Excellent	N/A	Excellent
Benzene	Excellent	Excellent	Excellent	Severe Effect	Severe Effect	Severe Effect	Fair
Boric Acid	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Bromine	Severe Effect	Excellent	Excellent	Severe Effect	Severe Effect	Severe Effect	Fair
Butanol (Butyl Alcohol)	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Fair
Chloric Acid	N/A	N/A	Excellent	N/A	N/A	N/A	Excellent
Chlorine Water	Severe Effect	Excellent	Excellent	Severe Effect	Fair	Fair	Excellent
Chromic Acid 10%	Excellent	Good	Excellent	Severe Effect	Fair	Fair	Excellent
Chromic Acid 30%	Good	Excellent	Excellent	Severe Effect	Good	Fair	Excellent
Chromic Acid 5%	Excellent	Excellent	Excellent	Severe Effect	Excellent	Good	Excellent
Chromic Acid 50%	Excellent	Excellent	Excellent	Severe Effect	Good	Fair	Severe Effect
Clorox (Bleach)	Severe Effect	Excellent	Excellent	Severe Effect	Good	Good	Excellent
Diesel Fuel	Excellent	Excellent	Excellent	Excellent	Severe Effect	Good	Excellent
Ethanol	N/A	Excellent	Excellent	Fair	Excellent	Excellent	Fair
Ethylene Glycol	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Fuel Oils	Excellent	Excellent	Good	Excellent	Severe Effect	Fair	Excellent
Gasoline, unleaded	Excellent	Excellent	Excellent	Excellent	Severe Effect	Excellent	Fair
Glycerin	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Heptane	Excellent	Excellent	Excellent	Excellent	Severe Effect	Good	Fair
Hexane	Excellent	Excellent	Excellent	Excellent	Severe Effect	Good	Good
Hydrochloric Acid 100%	Severe Effect	Excellent	Excellent	Severe Effect	Severe Effect	Severe Effect	Severe Effect
Hydrochloric Acid 20%	Severe Effect	Excellent	Excellent	N/A	Excellent	Excellent	Excellent
Hydrochloric Acid 37%	Severe Effect	Excellent	Excellent	Good	Fair	Good	Good
Hydrofluoric Acid 100%	Severe Effect	Good	Excellent	Severe Effect	Severe Effect	Good	Fair
Hydrofluoric Acid 20%	Excellent	Excellent	Excellent	Severe Effect	Severe Effect	Good	Good
Hydrofluoric Acid 50%	Excellent	Good	Excellent	Severe Effect	Severe Effect	Good	Good
Hydrofluoric Acid 75%	Good	Good	Excellent	Severe Effect	Fair	Good	Fair
Hydrogen Peroxide 10%	Excellent	Excellent	Excellent	Severe Effect	Excellent	Severe Effect	Excellent
Hydrogen Peroxide 100%	Fair	Excellent	Excellent	Severe Effect	Severe Effect	Severe Effect	Excellent
Hydrogen Peroxide 30%	Excellent	Excellent	Excellent	Severe Effect	Good	Severe Effect	Excellent
Hydrogen Peroxide 50%	N/A	Excellent	Excellent	Severe Effect	Good	Severe Effect	Excellent
Ink	N/A	Excellent	Excellent	Excellent	N/A	N/A	Fair
Iodine	Severe Effect	Excellent	Excellent	Good	Good	Severe Effect	Excellent
Jet Fuel (JP3, JP4, JP5)	Excellent	Excellent	Excellent	Excellent	Severe Effect	Severe Effect	Fair
Kerosene	Excellent	Excellent	Excellent	Excellent	Severe Effect	Severe Effect	Excellent
Ketones	Excellent	Severe Effect	Excellent	Severe Effect	Excellent	N/A	Severe Effect
Lacquer Thinners	N/A	Severe Effect	Excellent	Severe Effect	Severe Effect	Severe Effect	Severe Effect
Lacquers	N/A	Severe Effect	Excellent	Severe Effect	Severe Effect	Severe Effect	Severe Effect
Methanol (Methyl Alcohol)	Excellent	Fair	Excellent	Excellent	Excellent	Excellent	Excellent
Methyl Ethyl Ketone	Excellent	Severe Effect	Excellent	Severe Effect	Excellent	Severe Effect	Severe Effect
Mineral Spirits	Excellent	Excellent	Excellent	Excellent	Severe Effect	Fair	Excellent
Motor oil	Excellent	N/A	Excellent	Excellent	Severe Effect	N/A	Good
Naphtha	Excellent	Excellent	Good	Excellent	Severe Effect	Severe Effect	Excellent
Nitric Acid (20%)	Fair	Excellent	Excellent	Severe Effect	Excellent	Severe Effect	Excellent
Nitric Acid (50%)	Fair	Excellent	Excellent	Severe Effect	Severe Effect	Severe Effect	Good
Nitric Acid (5-10%)	Good	Excellent	Excellent	Severe Effect	Excellent	Good	Excellent
Nitric Acid (Concentrated)	Fair	Excellent	Excellent	Severe Effect	Severe Effect	Severe Effect	Good
Oils: Diesel Fuel (20, 30, 40, 50)	Excellent	Excellent	Excellent	Excellent	Severe Effect	Good	Good
Oils: Fuel (1, 2, 3, 5A, 5B, 6)	Excellent	Good	Excellent	Good	Severe Effect	Severe Effect	Excellent
Oils: Hydraulic Oil (Petro)	Severe Effect	Excellent	Excellent	Excellent	Severe Effect	Excellent	Excellent
Oils: Hydraulic Oil (Synthetic)	N/A	Excellent	Excellent	Severe Effect	Excellent	Excellent	Excellent
Oils: Linseed	Good	Excellent	Excellent	Excellent	Severe Effect	Fair	Excellent
Oils: Mineral	Excellent	Excellent	Excellent	Excellent	Severe Effect	Good	Good
Phosphoric Acid (>40%)	Excellent	Excellent	Excellent	Severe Effect	Good	Good	Good
Phosphoric Acid (crude)	Excellent	Excellent	Excellent	Severe Effect	Good	Good	Good
Phosphoric Acid (molten)	N/A	N/A	N/A	N/A	N/A	N/A	Severe Effect
Phosphoric Acid (540%)	Excellent	Excellent	Excellent	Severe Effect	Good	Good	Good
Potassium Hydroxide (Caustic Potash)	Excellent	Good	Excellent	Good	Excellent	Excellent	Excellent
Rust Inhibitors	N/A	Excellent	N/A	Excellent	N/A	N/A	N/A
Sea Water	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Soap Solutions	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Sodium Hydroxide (20%)	Excellent	Fair	Excellent	Excellent	Good	Excellent	Excellent
Sodium Hydroxide (50%)	Excellent	Severe Effect	Excellent	Excellent	Good	Excellent	Excellent
Sodium Hydroxide (80%)	Excellent	Severe Effect	Excellent	Severe Effect	Good	Excellent	Excellent
Sodium Hypochlorite (<20%)	Excellent	Excellent	Excellent	Good	Good	Excellent	Excellent
Sodium Hypochlorite (100%)	Excellent	Excellent	Excellent	Severe Effect	Good	Good	Good
Stoddard Solvent	Excellent	Excellent	Excellent	Excellent	Severe Effect	N/A	Fair
Sulfuric Acid (<10%)	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Sulfuric Acid (10-75%)	Excellent	Excellent	Excellent	Good	Good	Good	Excellent
Sulfuric Acid (75-100%)	Excellent	Excellent	Excellent	Fair	Good	Fair	Severe Effect
Sulfuric Acid (cold concentrated)	Excellent	Good	Excellent	Severe Effect	Fair	Fair	Severe Effect
Sulfuric Acid (hot concentrated)	Severe Effect	Excellent	Excellent	Severe Effect	Severe Effect	Severe Effect	Severe Effect
Toluene (Toluol)	Excellent	Fair	Excellent	Severe Effect	Severe Effect	Severe Effect	Severe Effect
Trichloroethane	N/A	Excellent	Excellent	Severe Effect	Severe Effect	Severe Effect	Fair
Trisodium Phosphate	Excellent	Excellent	Excellent	Excellent	Excellent	N/A	Excellent
Turpentine	Excellent	Excellent	Excellent	N/A	Severe Effect	Severe Effect	Severe Effect
Vinegar	Excellent	Excellent	Excellent	Good	Excellent	Excellent	Good
Water, Deionized	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Water, Distilled	Excellent	Excellent	Excellent	Excellent	Excellent	N/A	Excellent
Water, Fresh	Excellent	Excellent	Excellent	Excellent	Excellent	N/A	Good
Water, Salt	Excellent	Excellent	Excellent	Excellent	Excellent	N/A	Good
Xylene	Excellent	Good	Excellent	Severe Effect	Severe Effect	Severe Effect	Severe Effect



DRUM PUMPS & PUMPS

CHEMICAL CHART

CHEMICAL	POLYPROPYLENE	NYLON	ALUMINUM	CAST IRON	304 STAINLESS STEEL	316 STAINLESS STEEL	BRASS
Acetic Acid	Good	Severe Effect	Good	Severe Effect	Severe Effect	Good	Severe Effect
Acetic Acid 20%	Excellent	Severe Effect	Good	Severe Effect	Good	Excellent	Severe Effect
Acetic Acid 80%	Excellent	Severe Effect	Good	Severe Effect	Severe Effect	Good	Severe Effect
Acetone	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Alcohols: Isopropyl	Excellent	Severe Effect	Good	Excellent	Good	Good	N/A
Ammonia, liquid	Excellent	Good	Excellent	Excellent	Good	Excellent	N/A
Antifreeze	Severe Effect	Severe Effect	Excellent	Excellent	N/A	Excellent	N/A
Benzene	Severe Effect	Excellent	Good	Excellent	Good	Good	N/A
Boric Acid	Excellent	Good	Severe Effect	Severe Effect	Good	Excellent	N/A
Bromine	Severe Effect	Severe Effect	Severe Effect	N/A	Severe Effect	Severe Effect	N/A
Butanol (Butyl Alcohol)	Excellent	Good	Good	N/A	Excellent	Excellent	N/A
Chloric Acid	N/A	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Fair	Severe Effect
Chlorine Water	Severe Effect	Fair	Severe Effect	N/A	Fair	Fair	Severe Effect
Chromic Acid 10%	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Good	Good	Severe Effect
Chromic Acid 30%	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Good	Good	Severe Effect
Chromic Acid 5%	Severe Effect	Severe Effect	Fair	Severe Effect	Good	Excellent	Severe Effect
Chromic Acid 50%	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Fair	Good	Severe Effect
Clorox® (Bleach)	Severe Effect	Excellent	Excellent	Severe Effect	Excellent	Excellent	N/A
Diesel Fuel	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Ethanol	Excellent	Good	Good	Good	Excellent	Excellent	Excellent
Ethylene Glycol	Good	Excellent	Excellent	Excellent	Good	Good	Good
Fuel Oils	Excellent	Excellent	Fair	Excellent	Excellent	Excellent	Good
Gasoline, unleaded	Fair	Excellent	Excellent	Excellent	Excellent	Excellent	N/A
Glycerin	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Good
Heptane	Fair	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Hexane	Good	Good	Excellent	Excellent	Excellent	Excellent	Excellent
Hydrochloric Acid 100%	Good	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Severe Effect
Hydrochloric Acid 20%	Good	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Severe Effect	N/A
Hydrochloric Acid 37%	Fair	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Severe Effect	N/A
Hydrofluoric Acid 100%	Fair	Severe Effect	Severe Effect	Severe Effect	Good	Good	N/A
Hydrofluoric Acid 20%	Excellent	Fair	Severe Effect	Severe Effect	Severe Effect	Severe Effect	N/A
Hydrofluoric Acid 50%	Excellent	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Severe Effect	N/A
Hydrofluoric Acid 75%	Fair	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Severe Effect	N/A
Hydrogen Peroxide 10%	Excellent	Fair	Excellent	Fair	Good	Good	N/A
Hydrogen Peroxide 100%	Good	Severe Effect	Excellent	Good	Good	Excellent	Severe Effect
Hydrogen Peroxide 30%	Good	Severe Effect	Excellent	Good	Good	Good	N/A
Hydrogen Peroxide 50%	Good	Severe Effect	Excellent	N/A	Good	Excellent	N/A
Ink	N/A	Fair	N/A	Severe Effect	Fair	Fair	N/A
Iodine	Fair	Excellent	Excellent	Severe Effect	Severe Effect	Severe Effect	N/A
Jet Fuel (JP3, JP4, JP5)	Excellent	Fair	Excellent	Excellent	Excellent	Excellent	N/A
Kerosene	Good	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Ketones	Fair	Excellent	Good	N/A	Excellent	Excellent	N/A
Lacquer Thinners	Severe Effect	Excellent	Excellent	Fair	Excellent	Excellent	Excellent
Lacquers	Severe Effect	Excellent	Excellent	Fair	Excellent	Excellent	N/A
Methanol (Methyl Alcohol)	Excellent	Good	Excellent	Excellent	Excellent	Excellent	Excellent
Methyl Ethyl Ketone	Good	Excellent	Good	Excellent	Excellent	Excellent	Excellent
Mineral Spirits	Good	Excellent	Excellent	Good	Excellent	Excellent	N/A
Motor oil	Excellent	Excellent	Excellent	N/A	Excellent	Excellent	N/A
Naphtha	Good	Excellent	Excellent	Good	Excellent	Excellent	Excellent
Nitric Acid (20%)	Excellent	Severe Effect	Severe Effect	Severe Effect	Excellent	Excellent	Severe Effect
Nitric Acid (50%)	Good	Severe Effect	Severe Effect	Severe Effect	Excellent	Excellent	Severe Effect
Nitric Acid (5-10%)	Excellent	Severe Effect	Excellent	Severe Effect	Excellent	Excellent	Severe Effect
Nitric Acid (Concentrated)	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Excellent	Excellent	Severe Effect
Oils: Diesel Fuel (20, 30, 40, 50)	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	N/A
Oils: Fuel (1, 2, 3, 5A, 5B, 6)	Good	Excellent	Fair	Excellent	Excellent	Excellent	Good
Oils: Hydraulic Oil (Petro)	Severe Effect	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Oils: Hydraulic Oil (Synthetic)	Severe Effect	Excellent	Excellent	N/A	Excellent	Excellent	Excellent
Oils: Linseed	Excellent	Excellent	Good	N/A	Excellent	Excellent	Good
Oils: Mineral	Excellent	Excellent	Excellent	N/A	Excellent	Excellent	Excellent
Phosphoric Acid (>40%)	Excellent	Good	Fair	Severe Effect	Severe Effect	Severe Effect	Severe Effect
Phosphoric Acid (crude)	Good	Good	Fair	Severe Effect	Severe Effect	Good	N/A
Phosphoric Acid (molten)	Severe Effect	N/A	Fair	N/A	N/A	Fair	N/A
Phosphoric Acid (S40%)	Excellent	Good	Fair	Severe Effect	Severe Effect	Fair	Severe Effect
Potassium Hydroxide Caustic Potash)	Excellent	Fair	Severe Effect	Good	Good	Excellent	Severe Effect
Rust Inhibitors	Excellent	N/A	N/A	Fair	Excellent	Excellent	N/A
Sea Water	Excellent	Excellent	Good	Severe Effect	Fair	Fair	Severe Effect
Soap Solutions	Excellent	Excellent	Fair	Excellent	Excellent	Excellent	Good
Sodium Hydroxide (20%)	Excellent	Excellent	Severe Effect	Excellent	Good	Good	Good
Sodium Hydroxide (50%)	Excellent	Excellent	Severe Effect	Severe Effect	Good	Good	Severe Effect
Sodium Hydroxide (80%)	Excellent	Fair	Severe Effect	Severe Effect	Fair	Good	Severe Effect
Sodium Hypochlorite (<20%)	Excellent	Severe Effect	Severe Effect	Severe Effect	Fair	Fair	Severe Effect
Sodium Hypochlorite (100%)	Good	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Severe Effect
Stoddard Solvent	Fair	Excellent	Excellent	Excellent	Excellent	Excellent	N/A
Sulfuric Acid (<10%)	Excellent	Fair	Severe Effect	Fair	Severe Effect	Good	N/A
Sulfuric Acid (10-75%)	Excellent	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Severe Effect	N/A
Sulfuric Acid (75-100%)	Fair	Severe Effect	Severe Effect	Severe Effect	Fair	Severe Effect	N/A
Sulfuric Acid (cold concentrated)	Excellent	Severe Effect	Good	Severe Effect	Fair	Good	N/A
Sulfuric Acid (hot concentrated)	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Severe Effect	Fair	N/A
Toluene (Toluol)	Fair	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Trichloroethane	Fair	Fair	Severe Effect	Good	Good	Good	N/A
Trisodium Phosphate	Excellent	Excellent	Severe Effect	N/A	Good	Good	N/A
Turpentine	Severe Effect	Good	Excellent	N/A	Excellent	Excellent	Severe Effect
Vinegar	Excellent	Excellent	Severe Effect	Severe Effect	Excellent	Excellent	Severe Effect
Water, Deionized	Excellent	Excellent	Excellent	Severe Effect	Excellent	Excellent	Excellent
Water, Distilled	Excellent	Excellent	Excellent	Severe Effect	Excellent	Excellent	Excellent
Water, Fresh	Excellent	Excellent	Good	Severe Effect	Excellent	Excellent	Good
Water, Salt	Excellent	Excellent	Good	Severe Effect	Good	Good	Severe Effect
Xylene	Good	Excellent	Excellent	Good	Good	Good	Excellent

DRUM PUMPS & PUMPS

SMALL SUBMERSIBLE OIL FILLED PUMPS

- 1/160 HP oil-filled motor, 115 V, 60 Hz, 0.5 A
- Corrosion resistant nylon body
- 4.6' maximum lift
- 1/4" MNPT discharge
- Intermittent liquid temp up to 120 °F
- 10' power cord length
- For submersible use only

Model No. DA342
Price/Each \$145.00



5.5 SERIES SUMP PUMP

- PSC motor with thermal overload protection
- Integral snap-action float switch
- 1-1/2" discharge
- 3/4" GHT (19mm) garden hose adapter included
- Screened inlet handles up to 3/8" (9.5 mm) solids
- 120 °F (49 °C) liquid temperature rating
- cCSAus listed
- Motor: 1/4 HP
- Max. Flow Rate: 35 GPM
- Voltage: 115 V
- Amps: 3.5 A
- Cord Length: 10' (3 m)
- Manufacturer's Warranty: 3 Years

Model No. UAK135
Price/Each \$325.90



9EC SERIES EFFLUENT PUMP

- Permanent Split Capacitor (PSC)
- Designed for continuous duty
- Energy-saving low amp draw
- 1-1/2" FNPT (38 mm) discharge
- Handles solids up to 3/4" (19 mm) diameter
- Piggyback float switch
- 140 °F (60 °C) liquid temperature rating
- cCSAus listed
- Motor: 4/10 HP
- Max. Flow Rate: 70 GPM
- Voltage: 115 V
- Amps: 7.5 A
- Cord Length: 20' (6.1 m)
- Manufacturer's Warranty: 3 Years

Model No. UAK146
Price/Each \$605.50



HIGH TEMPERATURE SUMP/EFFLUENT PUMPS

- 1/3 HP, 115 V, 60 Hz, 10.1 A
- Handles liquids up to 200 °F and solids up to 1/2"
- Cast iron pump housing with protective epoxy coating for corrosion resistance
- Oil-filled motor housing for lifetime lubrication and rapid heat dissipation
- Integral mechanical float switch
- Stainless steel screws, bolts and lifting ring to protect against corrosion
- Bearings: Upper and lower sintered sleeve bearings for extended motor life
- 15' Power cord
- Thermal overload protection
- Automatic operation has 10" to 12" "On" level range

Model No. DA336
Price/Each \$873.00



AUTOMATIC SWITCHES

- Converts manual pump up through 1/2 HP to automatic operation
- Turns on at 6 - 9" and off at 1 - 4"
- 18' power cord
- CSA listed

Model No. DA357
Price/Each \$121.00



SUBMERSIBLE SUMP PUMPS

- 1/6 HP shaded pole motor with overload protection, 115 V, 60 Hz, 5 A
- Designed for continuous duty
- Pumps down to 1/8"
- Epoxy coated cast aluminum housing, Viton® shaft seal
- 18' power cord length
- Includes: garden hose adapter and removable inlet screen for easy cleaning

Model No. DA332
Price/Each \$247.00



Little GIANT PUMP COMPANY

SUBMERSIBLE PUMPS

- 1/3 HP shaded pole motor, 115 V, 9 A
- 1/2" 1-1/4" FNPT x 1-1/2" MNPT adapter
- Cast iron pump housing with protective epoxy coating for corrosion resistance
- Oil-filled motor housing for lifetime lubrication and rapid heat dissipation
- Stainless steel screws, bolts and handle to protect against corrosion
- Bearings: Upper and lower sintered sleeve bearings for extended motor life
- 8' Power cord
- Thermal overload protection
- Automatic operation with pressure switch activates pump when water level is between 7" and 10"
- Pump shuts off when water level falls to between 1" and 4"

Model No. DA334
Price/Each \$304.00



SUMP/EFFLUENT PUMPS

- 1/3 HP shaded pole motor, 115 V, 5 A
- Handles liquid and solid waste materials up to 1/2" diameter
- Cast iron pump housing with protective epoxy coating for corrosion and rust resistance
- Oil-filled motor housing for lifetime lubrication and rapid heat dissipation
- Stainless steel screws, bolts and handle
- Bearings: Upper and lower sintered sleeve bearings
- 10' Power cord
- Thermal overload protection
- Automatic operation has 8" to 11" "On" level range and 2" to 5" "Off" level range
- Integral snap action float switch
- Base material: Polypropylene

Model No. DC431
Price/Each \$330.00



ELECTRIC SEWAGE PUMP

- Features a permanent split capacitor, energy-saving low amp draw, and multiple switch options for automatic operation
- Designed for continuous duty
- Handles solids up to 2" diameter
- Motor: 1/2 HP
- Max. Flow Rate: 120 GPM
- Voltage: 115 V
- Amps: 11 A
- Max. Diameter of Waste: 2"
- Liquid Temperature Rating: 140 °F (60 °C)
- Switch Type: Piggyback Mechanical Float
- Max. Flow Rate @ 10 ft: 100 GPM
- Max. Flow Rate @ 15 ft: 80 GPM

Model No. DC818
Price/Each \$735.00



FLOW CHART:

Model No.	1'	3'	5'	10'	15'	20'
DA342	2	1.16	-	-	-	-
DA334	-	-	46	29	12.5	-
DA332	20	19.5	18.3	16.6	-	8.6
DC431	-	-	50	42	30	-
DA336	-	-	50	42	27	-

Little GIANT PUMP COMPANY



DRUM PUMPS & PUMPS

DUAL VOLTAGE CAST IRON SHALLOW WELL JET PUMP

- Durable cast iron pump body
- Built-in automatic thermal overload protection
- Dual voltage motor (115/230V), factory wired for 115V
- Pressure switch pre-set at 30-50 PSI
- 1-1/4" NPT suction and 1" NPT discharge
- For use on shallow well applications up to 25' water level
- Certified for sale in Canada by an accredited certification body
- Motor: 1/2 HP • Max. Flow Rate: 710 GPH
- Voltage: 230 V • Suction Head: 25'

Model No. DC662 Price/Each \$278.00



DUAL VOLTAGE CAST IRON CONVERTIBLE JET PUMP

- For use on shallow well applications up to 25' water level
- If deeper than 25', the pump can be easily converted to deep well operation (deep well pump, 25-80' water level)
- Durable cast iron pump body
- Built-in automatic thermal overload protection
- Dual voltage motor (115/230V), factory wired for 115V
- Ejector is included for deep well usage
- 1-1/4" NPT suction and 1" NPT discharge
- Certified for sale in Canada by an accredited certification body
- GPH at 40 psi discharge pressure:
0': 1460 GPH, 50': 1410 GPH, 100': 920 GPH, max. pressure shutoff 140'
- Motor: 1 HP • Max. Flow Rate 920 GPH
- Voltage: 230 V • Suction Head: 198'

Model No. DC664 Price/Each \$394.00



DUAL VOLTAGE CAST IRON CONVERTIBLE JET PUMP

- Certified for sale in Canada by an accredited certification body
- Stainless steel motor shell with durable cast iron volute
- Oil-filled permanent split capacitor motor
- Built-in automatic thermal overload protector
- Works with vertical or piggy back float switch for automatic operation
- Certified for sale in Canada by an accredited certification body
- 1-1/2" discharge
- 8' power cord



Model No.	HP	Volts	Amps	Max Flow Rate GPH	Price /Each
DC659	1/3	115	4.5	3630	218.00
DC660	1/2	115	5	4400	249.00

SUBMERSIBLE UTILITY PUMP

- Certified for sale in Canada by an accredited certification body
- Corrosion-resistant, reinforced thermoplastic construction
- Bottom suction design filters debris and removes water down to 1/4" from surface
- Built-in automatic thermal overload protector motor
- 3/4" NPT discharge, 1 1/4" adapter included
- 10' power cord



Model No.	HP	Volts	Amps	Max Flow Rate GPH	Price /Each
DC651	1/3	115	4	2160	143.00

AUTOMATIC POOL COVER PUMP

- Automatically turns on when 2" of water is detected
- Corrosion-resistant, reinforced thermoplastic construction
- Bottom suction design filters debris and removes water down to 1/4"
- Certified for sale in Canada by an accredited certification body
- Built-in automatic thermal overload protector
- 25' power cord
- 3/4" NPT check valve adapter included
- Motor: 1/4 HP • Max. Flow Rate: 2310 GPH
- Voltage: 115 V • Suction Head: 20'

Model No. DC654 Price/Each \$266.00



PLASTIC COLUMN & CAST IRON BASE PUMP

- Certified for sale in Canada by an accredited certification body
- Polypropylene base • 8' power cord
- Corrosion-resistant vinyl column and drive shaft
- Fully adjustable automatic vertical float switch
- Top suction screened design prevents clogging
- 1-1/4" discharge • 1-1/2" adapter included
- Max. Flow Rate: 3270 GPH • Air Inlet: 1-1/4" NPT

Model No. DC657 Price/Each \$160.00



AUTOMATIC SUBMERSIBLE UTILITY PUMP

- Certified for sale in Canada by an accredited certification body
- Corrosion-resistant, reinforced thermoplastic construction
- Bottom suction design filters debris and removes water down to 1/4" from surface
- Permanent split capacitor motor and built-in automatic thermal overload protector
- 1" NPT discharge, 3/4" adapter included • 10' power cord
- Automatically turns on when 1-1/2" of water is detected; turns off when water level falls below 1/4"
- Motor: 1/3 HP • Max. Flow Rate: 2160 GPH
- Voltage: 115 V • Amps: 4 A

Model No. DC652 Price/Each \$212.00



PORTABLE TRANSFER PUMP

- Built-in automatic thermal overload protection
- Convenient carrying handle for easy transport
- Certified for sale in Canada by an accredited certification body
- 3/4" NPT discharge
- 6' power cord
- Motor: 1/10 HP
- Max. Flow Rate: 264 GPH
- Voltage: 115 V • Suction Head: 46'

Model No. DC655 Price/Each \$142.00



CAST IRON SEWAGE PUMP

- Durable cast iron construction
- Built-in automatic thermal overload protector motor
- Adjustable tethered or piggy back float switch for automatic operation
- Certified for sale in Canada by an accredited certification body
- 2" NPT discharge • 10' power cord
- Motor: 1/2 HP • Max. Flow Rate: 3880 GPH
- Voltage: 115 V • Amps: 6.5 A
- Max. Diameter of Waste: 2"

Model No. DC661 Price/Each \$273.00



DRUM PUMPS & PUMPS

DUAL PURPOSE PUMPS

- Operates submersed or in-line (water-fed via pipe/hose)
- Cast aluminum housing with protective epoxy coating
- Threaded intake and discharge
- Nylon pumping head and impeller
- Thermal overload protection
- For use with water only
- 10' power cord
- Nylon screen
- UL listed, CSA certified

Little GIANT
PUMP COMPANY

Model No. DA328

- 3/8" FNPT intake and 1/4" MNPT discharge
- Buna-N seal
- 1.7 amps
- 100 watts
- 5 1/2" L x 3 1/2" W x 4 3/4" H

Model No. DA329

- 1/2" FNPT intake and 1/2" MNPT discharge
- Viton® Seal
- 3.2 amps
- 200 watts
- 7" L x 4 1/2" W x 5 1/2" H



AUTOMATIC CONDENSATE REMOVAL PUMPS - VCMA SERIES

- Vertical type pump unit
- 1/2 gallon leak proof, rustproof, ABS tank with mounting tabs
- Stainless steel motor shaft
- Three drain holes
- 3/8" O.D. barbed discharge adapter and removable 3/8" barbed check valve
- Snap-action safety switch
- Thermal overload protected
- Suitable for high-efficiency, gas furnace condensate
- 15' shut-off head
- 6' power cord
- Weight: 4.40 lbs.
- UL/CSA listed



Construction

Motor: 1/50 HP high performance

Intermittent liquid temperature: Up to 120°F

Discharge: 3/8" OD barbed

Housing: ABS

Cover: ABS

Volute: ABS

Impeller: Glass filled polypropylene

Model No. DC294

Price/Each \$112.00

Little GIANT
PUMP COMPANY

Model No.	HP	Volts	1'	Gallons/Hour 3'	5'	10'	Shut Off'	PSI	Wt. lbs.	Price /Each
DA328	1/40	115	300	255	205	70	11.8	5.1	4	219.00
DA329	1/15	115	500	435	337	210	17.3	7.5	8	334.00

CONTRAFLEX WATER DISCHARGE HOSES

- Extremely durable hose
- Layflat design for easy handling
- 25' and 50' lengths with C and E cam and groove fittings assembled



Model No.	Size	Price /Each
TEB656	1.5" x 25'	225.00
TEB651	1.5" x 50'	197.00
TEB657	2" x 25'	286.00
TEB652	2" x 50'	217.00
TEB658	2.5" x 25'	371.00

Model No.	Size	Price /Each
TEB653	2.5" x 50'	696.00
TEB659	3" x 25'	437.00
TEB654	3" x 50'	342.00
TEB660	4" x 25'	578.00
TEB655	4" x 50'	484.00

NON-SUBMERSIBLE, SELF-PRIMING PLATED BRASS TRANSFER PUMPS

- 1/10 HP, 115 V, 60 Hz, 1.6 Amps motor
- 360 GPH @ 1"
- Self-priming for instant delivery or de-watering up to 6'
- Non-submersible plated brass pump body
- Rugged metallic handle for easy portability
- Dual threaded intake and discharge with both 3/4" male garden hose thread and 3/8" FNPT
- Includes: pump, hose, strainer and suction adapter

Model No. DC293

Price/Each \$308.00

PUMP ONLY

Model No. DC196

Price/Each \$232.00



Little GIANT
PUMP COMPANY

ALUMINUM CAM & GROOVE FITTINGS

- Simple to use quick connect fittings
- Very reliable and durable



Size"	Part A	Price /Each	Part B	Price /Each	Part C	Price /Each	Part D	Price /Each	Part E	Price /Each	Part F	Price /Each
1	WL016	3.49	WL027	8.22	WL038	7.08	WL049	7.91	WL060	3.90	WL071	4.51
1 1/4	WL017	4.41	WL028	11.90	WL039	10.40	WL050	11.20	WL061	5.44	WL072	6.37
1 1/2	WL018	4.21	WL029	9.96	WL040	9.76	WL051	9.96	WL062	4.93	WL073	5.54
2	WL019	4.82	WL030	10.80	WL041	11.20	WL052	11.20	WL063	6.16	WL074	6.78
2 1/2	WL020	10.80	WL031	18.10	WL042	18.50	WL053	18.40	WL064	13.80	WL075	14.00
3	WL021	8.42	WL032	18.20	WL043	20.90	WL054	19.40	WL065	12.00	WL076	12.00
4	WL022	14.00	WL033	27.30	WL044	30.50	WL055	27.00	WL066	20.00	WL077	20.00

PVC SUCTION & DISCHARGE HOSES

- Excellent weather and abrasion resistance
- Perfect for construction pumps, trash pumps, mining and quarry use
- 25' lengths with C Cam, Groove fitting and combination nipple fully assembled
- Hoses 1 1/2" and over come with an assembled basket strainer



Model No.	Size"	Price/Each
TEB644	1	84.00
TEB645	1.25	99.20
TEB646	1.5	130.00
TEB647	2	186.00
TEB648	2.5	247.00
TEB649	3	322.00
TEB650	4	548.00




DRUM PUMPS & PUMPS

WATER PUMPS

GENERAL PURPOSE PUMPS

- For agriculture, irrigation and water transfer over a long distance
- Ideal for general water pumping applications on the farm, home, garden or for light - commercial applications
- **TAW070**, **TAW071** and **TAW072** are capable of handling solids up to 1/4", have an Oil Alert™ feature shuts down engine if oil drops below a safe operating level, have a cast aluminum pump housing, impeller and volute and have a mechanical (silicon carbide) seal



TAW070



TAW082




Model No.	TAW082 1" Water Pump	TAW070 2" Water Pump	TAW071 3" Water Pump	TAW072 4" Water Pump
Engine:	4-Stroke Honda GX25, 1 HP	4-Stroke Honda GX120, 4 HP	Honda GX160 OHV, 5.5 HP	Honda GX240 OHV, 8.0 HP
Port Size:	1" x 1" (25 mm x 25 mm)	2" x 2" (50 mm x 50 mm)	3" x 3" (75 mm x 75 mm)	4" x 4" (100 mm x 100 mm)
Maximum Capacity:	117 litres/min - 31 GPM	518 litres/min - 137 GPM	1100 litres/min - 290 GPM	1800 litres/min - 476 GPM
Suction Lift:	26'	26'	26'	26'
Maximum Head:	114' (34.75 metres)	137' (41.76 metres)	106' (32 metres)	93' (28.35 metres)
Dimensions:	12.4" L x 8.86" W x 13.4" H	12.4" L x 8.86" W x 13.4" H	21.6" L x 15.4" W x 17.5" H	25.6" x 18.3" W x 24.2" H
Weight:	10 lbs.	10 lbs.	66 lbs.	110 lbs.
Price/Each:	\$729.00	\$869.00	\$1099.00	\$2819.00

TRASH PUMPS

GENERAL PURPOSE PUMPS

- High output trash pumps, capable of handling solids up to 1" diameter
- Removable front cover for easy cleaning and maintenance
- Oil Alert™ feature shuts down engine if oil drops below a safe operating level
- Cast aluminum pump housing
- Cast iron impeller and volute
- Silicon carbide mechanical seal



TAW073



Model No.	TAW073 2" Water Pump	TAW074 3" Water Pump
Engine:	Honda GX160 OHV, 5.5 HP	Honda GX240 OHV, 8.0 HP
Port Size:	2" x 2" (50 mm x 50 mm)	3" x 3" (75 mm x 75 mm)
Maximum Capacity:	600 litres/min - 158 GPM	1300 litres/min - 343 GPM
Suction Lift:	26' (8.0 metres)	26' (8.0 metres)
Maximum Head:	85' (25.9 metres)	92' (28 metres)
Dimensions:	25" L x 17" W x 19.5" H	29.5" L x 20.8" W x 25.7" H
Weight:	99 lbs.	132 lbs.
Price/Each:	\$1999.00	\$2859.00

Canada's Best Value in Industrial Tools



aurora tools®

LADDERS & SCAFFOLDING

WHAT HEIGHT?

STEPLADDER

Max. Height You Want to Reach*	Buy This Size
7'	4'
8'	5'
9'	6'
10'	7'
11'	8'
12'	10'
14'	12'
16'	14'
18'	16'
20'	18'
22', 24'	20'

*Assumes a 5' 6" person with a vertical 12" reach.

EXTENSION/STRAIGHT LADDERS

Height of Top Support Point	Buy This Size*
9' max.	16'
9' to 13'	20'
13' to 17'	24'
17' to 21'	28'
21' to 25'	32'
25' to 28'	36'
28' to 31'	40'

*Reflects section overlap, ladder angle.

WHAT LOAD CAPACITY?

Formula:

Your Weight



Load Capacity

Material Weight

Typically Add:

75 lbs. For Heavy-Duty Projects
50 lbs. For Light-Duty Projects



200 lbs.

CSA grade 3
Household

225 lbs.

CSA grade 2
Tradesman and Farm

250 lbs.

CSA grade 1
Construction and Industrial

300 lbs.

CSA grade 1A
Construction and Industrial meets ANSI Type 1A, Industrial Heavy Duty

375 lbs.

CSA grade 1AA
Construction and Industrial meets ANSI Type 1AA, Industrial Heavy Duty

COMMERCIAL DUTY ALUMINUM STEPLADDERS (2400 SERIES)

CSA grade 2,

ANSI type 2 – 225-lb. Load Rating

- Super tough molded copolymer utility top
- Durable yet light-weight extruded side rails
- 3" slip-resistant serrated steps
- Heavy-duty rubber safety shoes

MF064



FEATHERLITE INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Weight lbs.	Price /Each
MF063	4	45	24	18	31	9	92.90
MF064	6	67	45	21	44	13	139.00
MF065	8	90	67	23	56	19	179.00
VC458	7	79	57	24	56	18	159.00
VC459	10	114	92	28	69	26	259.00



INDUSTRIAL EXTRA HEAVY-DUTY ALUMINUM STEPLADDERS (3400 SERIES)

CSA grade 1A,

ANSI type 1A – 300-lb. load rating

High strength to weight ratio provides an economical alternative for general contract work

- Super tough copolymer top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc coated steel spreader arms
- 10" x 10" heavy-duty hinged utility tray for holding tools and paint accessories
- Heavy-duty slip-resistant safety shoes

VC241



FEATHERLITE INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Point"	Base Width"	Base Depth"	Weight lbs.	Price /Each
VC241	4	46	23	18	30	11	139.00
VC242	5	57	34	20	36	14	169.00
VC243	6	68	45	21	43	16	199.00
VC244	8	91	68	24	55	21	279.00
VC245	10	114	91	27	68	27	409.00
VC315	12	137	114	32	78	38	559.00
VC316	14	160	137	34	94	60	679.00
VC317	16	182	160	37	102	70	789.00

INDUSTRIAL HEAVY-DUTY ALUMINUM PLATFORM STEPLADDERS (3500 SERIES)

CSA grade 1A,

ANSI type 1A – 300-lb. load rating

Ideal for general fixed height work

- Large comfortable slip-resistant platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Outside J spreader arms
- Heavy-duty slip-resistant safety shoes

VC246



FEATHERLITE INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Weight lbs.	Price /Each
MF069	4	46	23	21	28	13	169.00
VC460	5	56	34	22	33	17	219.00
VC246	6	68	46	24	42	19	269.00
VC247	8	90	68	26	54	24	349.00
VC248	10	114	92	29	66	30	439.00
VC312	12	135	115	34	78	43	599.00
VC313	14	157	136	36	87	52	709.00
VC314	16	180	158	39	102	60	819.00

SAFETY DO'S

- Keep your body centered on the ladder. Hold the ladder with one hand while working with the other hand whenever possible. Never let your belt buckle pass beyond either ladder rail



- Move materials with extreme caution. Be careful pushing or pulling anything while on a ladder. You may lose your balance or tip the ladder



SAFETY DONT'S

- DON'T stand above the highest **safe standing level**
- DON'T stand above the second step from the top of a stepladder and the 4th rung from the top of an extension ladder. A person standing higher may lose their balance and fall.



INDUSTRIAL DUTY ALUMINUM MULTI-WAY LADDERS (2700 SERIES)

CSA grade 1,

ANSI type 1 - 250-lb. Load Rating

- Easily converts and locks securely and safely into all positions
- Durable extruded aluminum rails and slip resistant serrated steps and rungs
- Fixed rubber safety shoes on front section
- Swivel rubber shoes on rear section
- ABS, high impact, non-marring end caps

MF402



FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Extension Ladder Height'	Maximum Extension Open Length'	Wt. lbs.	Price /Each
MF402	6	12	9	22	219.00
MF403	7	14	11	25	249.00
MF404	8	16	13	28	269.00

INDUSTRIAL HEAVY-DUTY 2-WAY STEPLADDERS (3600 SERIES)

CSA grade 1A,

ANSI type 1A - 300-lb. Load Rating

- Double-front construction allows access from either side
- 3" serrated steps and side rails
- Features extra thick top brackets for greater stability; "J" shape spreader arms and heavy-duty rubber safety shoes

VC319



FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Base Width"	Spread"	Wt. lbs.	Price /Each
VC318	4	19	39	14	199.00
VC319	6	21	57	20	259.00
VC320	8	24	72	28	369.00
VC321	10	26	89	36	459.00

INDUSTRIAL HEAVY-DUTY ALUMINUM 2-WAY PLATFORM STEPLADDERS (AMP1500 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable "C" channel side rails
- Large, safe and comfortable slip-resistant platform, 14 2/5" x 17 1/10"
- Top rail guard height is 21" above platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Double-rivet step construction
- Heavy-duty slip-resistant safety shoes
- Rugged outside zinc-coated steel spreader arms

VD422



Louisville
LADDER

Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.	Price /Each
VD422	6	69 5/8	48	25 3/8	53 3/8	35	539.00
VD423	8	92 1/2	72	28 3/8	69 1/2	56	639.00
VD424	10	114 7/8	96	31 3/8	85	77	839.00
VD425	12	136 1/4	120	34 3/8	100 1/4	98	1079.00

EXTRA WIDE HEAVY-DUTY INDUSTRIAL ALUMINUM PLATFORM STEPLADDERS (3500-XW SERIES)

CSA grade 1A,

ANSI type 1A, 300-lb. load rating

- Large, safe and comfortable slip-resistant platform, 24" W x 18" D
- 3" wide slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Heavy-duty slip-resistant safety boots

VC711



FEATHERLITE
INDUSTRIAL LADDERS


Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Weight lbs.	Price /Each
VC709	4	46	23	25	35	16	239.00
VC710	5	56	34	27	39	20	259.00
VC711	6	68	46	28	48	24	329.00
VC712	8	90	68	30	53	29	429.00

SAFETY TIPS

- Fully open the stepladder and firmly lock both spreaders
- Position the ladder so you can face your work and do not have to lean sideways



- Be sure that all ladder feet are on firm, level ground. Don't place a ladder on slippery surfaces or place loose materials underneath a ladder. Solid footing is necessary for safe ladder use



LADDERS & SCAFFOLDING

SAFETY DO'S


Care & Maintenance

- Inspect the rails of Fibreglass Ladders for weathering due to UV (ultraviolet) exposure.
- Keep the ladder protected from heat, weather, and corrosive materials.



Safety Before You Climb

- Use fibreglass ladders if there is even a remote possibility of working near electricity or overhead power lines. Fibreglass is electrically non-conductive.
- NEVER use metal, water logged or dirty wood ladders near electricity!



INDUSTRIAL DUTY FIBREGLASS STEPLADDERS (6300 SERIES)

CSA grade 1,

ANSI type 1, 250-lb. load rating

- Durable non-conductive "C" channel front rails
- Equipped with a molded top
- Heavy duty gusset bracing
- Pinch-resistant spreader braces and wide back braces
- Double-rivet step construction



VC025

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.	Price /Each
VC023	4	46	23	20	30	17	159.00
VC024	5	57	34	21	34	18	189.00
VC025	6	68	45	23	43	20	199.00
VC026	7	79	56	24	44	23	229.00
VC027	8	90	67	26	55	26	249.00

INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6900 SERIES)

CSA grade 1A,

ANSI type 1A, 300-lb. load rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Super tough copolymer utility top
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wrap-around" sleeves
- Rear "L" horizontal struts every 12" with top and bottom struts reinforced with zinc coated steel diagonal braces
- Extra-large PVC rubber safety boots are heavy-duty and provide rail protection and slip-resistance



MF609

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.	Price /Each
MF606	3	34	11	17	23	12	149.00
MF607	4	45	23	19	28	14	159.00
MF608	5	56	34	20	34	17	189.00
MF609	6	68	45	21	39	20	199.00
MF610	7	79	56	22	44	23	229.00
MF611	8	90	67	24	51	26	249.00
MF612	10	113	90	26	61	37	359.00
MF613	12	135	112	29	74	48	429.00

INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6400 SERIES)

CSA grade 1A,

ANSI type 1A, 300-lb. load rating

- Durable non-conductive "C" Channel side rails in high visibility safety yellow
- Super tough copolymer utility top for strength and durability
- Slip-resistant serrated aluminum steps
- Inside spreader arms complete with "wrap-around" brackets to strengthen spreader to rail connection
- Rear horizontal struts every 12" with top and bottom struts reinforced with zinc coated steel diagonal braces
- Full rear "L" horizontal struts reinforced with zinc coated steel diagonal braces
- Extra-large PVC rubber safety boots are heavy-duty and provide increased rail protection and slip-resistance



MD490

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.	Price /Each
VC211	2	24	11	17	17	8	159.00
MD487	3	34	11	19	23	12	179.00
MD488	4	46	23	20	28	15	199.00
MD489	5	57	34	21	34	19	219.00
MD490	6	68	45	23	39	23	229.00
MF516	7	79	56	24	44	27	269.00
MD491	8	90	67	26	50	30	279.00
MD492	10	113	90	29	61	38	429.00
MD493	12	137	114	32	74	52	509.00

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS STEPLADDERS (6800 AA SERIES)

CSA grade 1AA,

ANSI type 1AA, 375-lb. load rating

- Extra strong non-conductive "C" channel side rails in high visibility orange
- Super tough copolymer utility top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wrap-around" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Each step is double braced with zinc coated steel diagonal braces providing incredible strength and stiffness
- Full rear "L" horizontal struts reinforced with zinc coated steel diagonal braces offer maximum rigidity
- Heavy-duty aluminum "wrap-around" sleeves at base of rails for maximum protection



VC256

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.	Price /Each
VC254	4	46	23	20	28	15	229.00
VC255	5	57	34	21	34	19	269.00
VC256	6	68	45	23	39	27	309.00
VC257	7	79	56	24	45	31	349.00
VC258	8	90	67	25	50	35	409.00
VC259	10	113	90	29	61	44	509.00
VC260	12	136	113	31	72	59	599.00

INDUSTRIAL HEAVY-DUTY FIBREGLASS PLATFORM STEPLADDERS (6500 SERIES)

CSA grade 1A ,

ANSI type 1A, 300-lb. load rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Large safe and comfortable standing platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc coated steel spreader arms
- Each step reinforced with zinc coated steel diagonal braces providing strength and stiffness
- Rear horizontal struts reinforced with zinc coated steel brace offer maximum rigidity
- Heavy-duty slip-resistant safety shoes



MF411

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Approx. Weight lbs.	Price /Each
VC205	4	46	24	21	30	17	229.00
VC206	5	57	35	23	36	22	279.00
MF411	6	68	46	24	42	25	309.00
MF412	8	90	68	26	53	33	399.00
MF413	10	113	92	29	67	41	489.00
VC207	12	135	115	31	75	50	609.00

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS PLATFORM STEPLADDER (6500 AA SERIES)

CSA grade 1AA ,

ANSI type 1AA, 375-lb load rating

- Extra strong non-conductive "C" channel side rails in high visibility safety orange
- Large safe and comfortable standing platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy-duty aluminum "wrap-around" sleeves at base of rails
- Rugged outside zinc coated steel spreader arms
- Each step reinforced with zinc coated steel diagonal braces providing strength and stiffness



VC225

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Approx. Weight lbs.	Price /Each
VC223	4	46	24	20	38	24	269.00
VC224	5	57	35	22	47	28	319.00
VC225	6	68	46	23	56	32	359.00
VC226	8	90	68	26	72	48	449.00
VC227	10	113	92	29	91	57	549.00
VC228	12	135	115	32	109	66	679.00

INDUSTRIAL HEAVY-DUTY FIBREGLASS 2-WAY STEPLADDERS (6600 SERIES)

CSA grade 1A ,

ANSI type 1A, 300-lb. load rating

Double front construction allows two climbers to access the ladder from opposite sides

- Durable non-conductive C channel side rails in high visibility safety yellow
- Wide aluminum top with extra-thick brackets for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wrap-around" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Every other step is reinforced with zinc coated steel diagonal braces providing extra rigidity
- Extra-large PVC rubber safety boots are heavy-duty and provide rail protection and slip-resistance



MF414

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx. Weight lbs.	Price /Each
VC214	4	45	23	20	38	19	279.00
VC461	5	57	34	22	49	25	289.00
MF414	6	67	45	23	56	26	369.00
VC462	7	79	56	25	65	36	399.00
MF415	8	90	67	26	72	36	479.00
MF416	10	112	89	29	91	46	589.00
VC215	12	135	112	32	109	58	759.00

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS 2-WAY STEPLADDERS (6600 AA SERIES)

CSA grade 1AA ,

ANSI type 1AA, 375-lb. load rating

- Extra strong non-conductive C channel side rails in high visibility safety orange
- Double front construction allows access from either side
- Extra strength fiberglass side rails in high visibility safety orange
- Redesigned super-tough top bracket system for even greater stability
- Slip-resistant 3" aluminum steps
- Heavy-duty aluminum "wrap-around" sleeves at base of rails



VC219

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx. Weight lbs.	Price /Each
VC218	4	45	23	20	38	19	289.00
VC219	6	67	45	23	56	26	439.00
VC220	8	90	67	26	72	36	529.00
VC221	10	112	89	29	91	46	649.00
VC222	12	135	112	32	109	58	769.00

LADDERS & SCAFFOLDING

INDUSTRIAL HEAVY-DUTY FIBREGLASS PRO PLATFORM STEPLADDERS (FXP1700 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Super tough copolymer utility top includes multiple tool slots
- Durable non-conductive "C" channel side rails in high visibility safety orange
- Platform dimensions: 14 3/4" W x 21" D
- Utility top is 30" above the platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy-duty slip-resistant safety shoes
- Rugged outside zinc-coated steel spreader arms



VD407



Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Approx. Wt. lbs.	Price /Each
VD405	4 1/2	53 1/4	24	21 1/4	32 5/8	18	279.00
VD406	5 1/2	64 5/8	34	23 1/3	38 5/8	22	319.00
VD407	6 1/2	76	46	24 4/5	44 4/7	24	359.00
VD408	7 1/2	87 1/2	60	26 1/5	50 1/2	27	389.00
VD409	8 3/4	97 7/8	68	27 3/4	56 4/9	30	429.00
VD410	10 1/2	121 3/4	96	30 7/8	68 1/4	46	569.00
VD411	12 1/2	144 1/2	120	33 4/5	80 1/8	60	699.00
VD412	14 1/2	167 1/2	144	36 4/5	92	72	889.00

INDUSTRIAL HEAVY-DUTY FIBREGLASS 2-WAY PLATFORM STEPLADDERS (FMP1500 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety orange
- Platform dimensions: 14 2/5" W x 17 1/10" D
- Top rail guard height is 21" above platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy-duty slip-resistant safety shoes
- Double-rivet step construction
- Rugged outside zinc-coated steel spreader arms



VD428



Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.	Price /Each
VD428	6	67 7/8	48	25 3/8	53 3/8	35	569.00
VD421	8	96	72	28 3/8	69 1/2	56	659.00
VD373	10	114 1/8	96	31 3/8	85	77	649.00
VD372	12	113 7/8	120	34 3/8	100 1/4	98	839.00

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS PRO PLATFORM STEPLADDERS (FXP1800 SERIES)

CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Super tough copolymer utility top includes multiple tool slots
- Durable non-conductive "C" channel side rails in high visibility safety orange
- Platform dimensions: 14 3/4" W x 21" D
- Utility top is 3' above the platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy-duty slip-resistant safety shoes
- Rugged outside zinc-coated steel spreader arms



VD413



Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.	Price /Each
VD413	5	57 5/8	24	21 1/4	32 5/8	19	359.00
VD414	6	69 1/8	34	23 1/3	38 5/8	23	409.00
VD415	7	80 1/2	46	24 4/5	44 4/7	25	449.00
VD416	8	91 7/8	60	26 1/5	50 1/2	28	499.00
VD417	9	103 3/8	72	27 3/4	56 4/9	31	549.00
VD418	11	127	96	30 7/8	68 1/4	47	729.00
VD419	13	149	120	33 4/5	80 1/8	61	889.00
VD420	15	172 3/8	144	36 4/5	92	73	1139.00

EXTRA WIDE HEAVY-DUTY INDUSTRIAL FIBREGLASS PLATFORM STEPLADDERS (6500-XW SERIES)

CSA grade 1A, ANSI type 1A, 300-lb. load rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Large, safe and comfortable slip-resistant platform, 24" W x 18" D
- 3" wide slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Heavy-duty aluminum "wrap around" sleeves at base of rails
- Each step reinforced with zinc-coated steel diagonal braces providing strength and stiffness
- Rear horizontal struts reinforced with zinc coated steel brace offer maximum rigidity
- Heavy-duty slip resistant safety boots



VC721



Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.	Price /Each
VC719	4	46	23	25	36	18	299.00
VC720	5	57	34	27	42	22	339.00
VC721	6	68	46	28	48	27	409.00
VC722	8	90	68	30	59	31	519.00

EXTRA WIDE EXTRA HEAVY-DUTY INDUSTRIAL FIBREGLASS PLATFORM STEPLADDERS (7500-XW SERIES)

CSA grade 1AA, ANSI type 1AA, 375-lb. load rating

- Extra strong non-conductive "C" channel side rails
- Large, safe and comfortable slip-resistant platform, 24" W x 18" D
- 3" wide slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Each step reinforced with zinc-coated steel diagonal braces providing strength and stiffness
- Heavy-duty slip resistant safety boots

Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.	Price /Each
VC723	4	46	23	25	36	19	309.00
VC724	5	57	34	27	42	23	409.00
VC725	6	68	46	28	48	28	429.00
VC726	8	90	68	30	59	32	529.00



VC725

LADDERS & SCAFFOLDING

INDUSTRIAL HEAVY-DUTY FIBREGLASS EXTENSION LADDERS (6900 SERIES)

CSA grade 1A ,

ANSI type 1A, 300-lb. load rating

- Durable non-conductive fiberglass side rails in high visibility safety yellow
- Rung through rail design
- Slip-resistant serrated "D" rungs for safe climbing and comfort
- Black ABS, high impact non-marring end caps
- Large heavy duty pivot feet with slip-resistant rubber pads and ice pick

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Max. Open Height'	Base Section		Fly Section		Wt. lbs.	Price /Each
			Outside Width"	Inside Width"	Outside Width"	Inside Width"		
VC329	16	13	17 1/8	14 3/4	16 1/8	13 3/4	34	369.00
VC330	20	17	17 1/8	14 3/4	16 1/8	13 3/4	43	429.00
VC331	24	21	17 1/8	14 3/4	16 1/8	13 3/4	51	529.00
VC332	28	25	17 1/8	14 3/4	16 1/8	13 3/4	58	569.00
VC333	32	28	17 1/8	14 3/4	16 1/8	13 3/4	65	639.00

INDUSTRIAL HEAVY-DUTY FIBREGLASS EXTENSION LADDERS (6200 SERIES)

CSA grade 1AA ,

ANSI type 1AA, 375-lb load rating

- Durable non-conductive fiberglass side rails in high visibility safety yellow
- Riveted rung to rail design maintains continuous strength of fibres and allows for easy repair
- Slip-resistant serrated rungs for safe climbing (available in round or "D" profile)
- Top cross over bar allows for ladder to be raised or lowered from front and provides tensional stiffness
- Premium heavy-duty rung locks for durability
- Exclusive "1-piece" foot assembly with spur wheel provides unequalled strength, durability and torsion resistance

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Max.	Base Section		Fly Section		Wt. lbs.	Price /Each'
		Open Height'	Outside Height"	Inside Width"	Outside Width"	Inside Width"		
ROUND RUNG								
MF405	16	13	17 3/8	15	16 5/8	14 1/4	38	549.00
MF406	20	17	17 3/8	15	16 5/8	14 1/4	44	619.00
MF407	22	19	17 3/8	15	16 5/8	14 1/4	48	679.00
MF408	24	21	17 3/8	15	16 5/8	14 1/4	52	709.00
MF409	28	25	17 3/8	15	16 5/8	14 1/4	59	809.00
MF410	32	28	17 3/8	15	16 5/8	14 1/4	66	909.00
D RUNG								
MF385	16	13	17 3/8	15	16 5/8	14 1/4	39	559.00
MF386	20	17	17 3/8	15	16 5/8	14 1/4	46	689.00
MF387	22	19	17 3/8	15	16 5/8	14 1/4	50	749.00
MF388	24	21	17 3/8	15	16 5/8	14 1/4	55	779.00
MF389	28	25	17 3/8	15	16 5/8	14 1/4	63	899.00
MF390	32	28	17 3/8	15	16 5/8	14 1/4	70	1009.00

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS EXTENSION LADDERS (9200 D SERIES)

CSA grade 1AA ,

ANSI type 1AA, 375 lb. load rating

- Durable non-conductive fiberglass side rails in high visibility safety yellow
- Riveted rung to rail design maintains continuous strength of fibres and allows for easy repair
- Slip-resistant serrated "D" rungs for safe climbing and comfort
- Traditional raise from the rear pulley design
- Premium heavy-duty rung locks for durability
- Large heavy-duty pivot feet with slip-resistant rubber pads and ice pick

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Max. Open Height'	Base Section		Fly Section		Wt. lbs.	Price /Each
			Outside Width"	Inside Width"	Outside Width"	Inside Width"		
VC465	16	13	17 3/8	15	16 5/8	14 1/4	39	649.00
VC466	20	17	17 3/8	15	16 5/8	14 1/4	46	729.00
VC467	24	21	17 3/8	15	16 5/8	14 1/4	55	859.00
VC468	28	25	17 3/8	15	16 5/8	14 1/4	2	969.00
VC469	32	28	17 3/8	15	16 5/8	14 1/4	70	1089.00
VC463	36	32	17 3/4	15 1/4	16 7/8	14 1/4	80	1569.00
VC464	40	35	17 3/4	15 1/4	16 7/8	14 1/4	90	1709.00

INDUSTRIAL EXTRA HEAVY-DUTY STRAIGHT LADDERS (5600 SERIES)

CSA grade 1AA ,

ANSI type 1AA-375 lbs. Load Rating

- Durable non-conductive fiberglass side rails in high visibility safety yellow
- Riveted rung to rail design maintains continuous strength of fibres and allows for easy repair
- Slip-resistant serrated rungs for safe climbing
- Black ABS, high impact non-marring end caps
- Large heavy-duty pivot feet with slip-resistant rubber pads and ice pick

FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Outside Width"	Inside Width"	Wt. lbs.	Price /Each
ROUND RUNG					
VC263	8	17 3/8	15	18	279.00
VC264	10	17 3/8	15	21	329.00
VC265	12	17 3/8	15	24	379.00
VC266	14	17 3/8	15	28	429.00
VC267	16	17 3/8	15	31	479.00
D RUNG					
VC268	8	17 3/8	15	18	299.00
VC269	10	17 3/8	15	21	349.00
VC270	12	17 3/8	15	24	399.00
VC271	14	17 3/8	15	28	459.00
VC272	16	17 3/8	15	31	509.00


LADDER GUARDS

- Ideal to use on most fiberglass, aluminum, and single ladders
- Material: Urethane
- Colour: Yellow

Model No. VD436

Mfg. No. LP-5510-00

Price/Each \$19.10




LADDER LEVELERS

- Leveler for all Louisville fiberglass ladders
- Attaches easily to Type I, IA, IAA ladders
- Extends up to a full 10 inches, perfect for steps
- Large heavy duty swivel shoe with spurs
- Patented KeyLok quick connect system

Model No. MO013

Mfg. No. LP-2220-01

Price/Each \$229.00



LADDERS & SCAFFOLDING

INDUSTRIAL HEAVY-DUTY ALUMINUM EXTENSION/STRAIGHT LADDERS

CSA grade 1A,

ANSI type 1A – 300-lb. Load Rating

- Heavy-duty "C" channel construction
- Side rails: 2 1/2" x 1" for straights up to 14'
- Side rails: 3" x 1" for straights up to 16' and up
- Heavy-duty serrated "D" rungs prevent slipping for safe and sure climbing
- Black ABS, high impact, non-marking end caps
- Heavy-duty safety shoes

FEATHERLITE
INDUSTRIAL LADDERS

VC276

VC322

INDUSTRIAL HEAVY-DUTY ALUMINUM EXTENSION/STRAIGHT LADDERS

CSA grade 1A,

ANSI type 1A - 300-lb. Load Rating

- Rigid box section side rails, unequalled for strength and durability
- Side-mounted rope pulley and slide guide system keeps rope clear of climbers feet and allows easy raising (only on 4200D Series)
- Yellow ABS, high impact non-marring end caps
- Premium heavy-duty rung locks (Only 4200D Series)
- Slip-resistant serrated "D" rungs for safe climbing and comfort (round rung on 4100 Series)
- Heavy-duty ribbed swivel feet with ice pick

FEATHERLITE
INDUSTRIAL LADDERS

Series 4100

Series 4200D

Model No.	Nominal Length'	Working Length"	Outside Width"	Wt. lbs.	Price /Each
STRAIGHT LADDERS (3100D SERIES)					
VC273	8	-	17 3/4	12	159.00
VC274	10	-	17 3/4	14	189.00
VC275	12	-	17 3/4	18	229.00
VC276	14	-	17 3/4	21	259.00
VC277	16	-	17 3/4	24	289.00
VC278	18	-	17 3/4	27	329.00
VC279	20	-	17 3/4	30	359.00

EXTENSION LADDERS (3200D SERIES)					
VC322	16	13	17 3/4	31	319.00
VC323	20	17	17 3/4	36	379.00
VC324	24	21	17 3/4	43	449.00
VC325	28	25	17 3/4	51	519.00
VC326	32	29	17 3/4	58	579.00
VC327	36	32	17 3/4	69	719.00
VC328	40	35	17 3/4	77	919.00

Model No.	Nominal Length'	Working Length'	Outside Width"	Wt. lbs.	Price /Each
STRAIGHT LADDERS (4100 SERIES)					
MD506	8	-	14 5/8	13	159.00
MD507	10	-	14 5/8	16	199.00
MD508	12	-	14 5/8	19	229.00
MD509	14	-	14 5/8	22	259.00
MD510	16	-	14 5/8	25	299.00
MD511	18	-	14 5/8	28	329.00
MD512	20	-	14 5/8	31	369.00
MD513	22	-	15 3/4	41	489.00
MD514	24	-	15 3/4	44	559.00

EXTENSION LADDERS (4200D SERIES)					
VC033	16	13	17	29	419.00
VC034	20	17	17	37	489.00
VC035	24	21	17	44	569.00
VC036	28	25	17	50	659.00
VC037	32	29	18 1/2	69	739.00
VC038	36	32	18 1/2	78	919.00
VC039	40	35	18 1/2	86	1079.00
VC040	44	39	18 1/2	94	1180.00

The following three causes are responsible for over 94% of all ladder accidents:

- A person overreaches and the ladder tips sideways
- A person does not transfer their weight properly when moving from a roof to the ladder, resulting in the ladder falling
- The base of the ladder slips outward while someone is standing on the ladder

INDUSTRIAL EXTRA HEAVY DUTY MULTI-PURPOSE JAWS™ TELESCOPIC LADDERS

CSA grade 1AA, ANSI type 1AA-375-lb. Load Rating

- Compact and multifunctional, replaces all conventional ladders
- Easily folds for storage or transport
- Flared ends with slip-resistant feet provide superior stability in any position
- Polymer rung locks are virtually indestructible
- Welded outer rungs
- Extra deep side rails make the Jaws™ stiffer and stronger
- Mechanical interlocking tooth hinges for superior strength and 5 locking positions
- Extruded 6061-T6 marine alloy for strength and corrosion resistance
- JLT Series has extra-strong "Box-beam" rails for maximum strength and durability

MEETS OR EXCEEDS

ANSI

14.2 STANDARD
WHERE APPLICABLE

FEATHERLITE
INDUSTRIAL LADDERS

HIGH PERFORMANCE TELESCOPING CLIMBING SYSTEM

Model No.	Folded Height	Extension Range'	Step ladder Range'	Scaffold Height'	Wt. lbs.	Price /Each
MA740	4.75'	9 to 15	4.5 to 7.5	1 to 4	36	609.00
MA741	5.75'	11 to 19	5.5 to 9.5	1 to 5	41	709.00
MA742	6.75'	13 to 23	6.5 to 11.5	1 to 6	50	819.00

LADDERS & SCAFFOLDING

INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS 2-WAY STEP STOOLS

CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Height: 2'
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Base width: 21"
- Base depth: 23"
- Slip-resistant feet
- Double-ribose step construction
- Weight: 11 lbs.

Model No. VD426
Price/Each \$189.00



INDUSTRIAL EXTRA HEAVY-DUTY STEP STOOL/LADDERS

CSA grade 1A, ANSI type 1A 300-lb. Load Rating

- Super tough copolymer top for strength and durability
- Both front and rear legs are braced
- Solid aluminum rivets in front prevent steps from loosening
- Slip resistant vinyl feet

FEATHERLITE
INDUSTRIAL LADDERS



VC239

Model No.	Nominal Height'	Base Width"	Spread"	Wt. lbs.	Price /Each
VC239	2	15 1/2	17 1/2	5	59.90
VC240	3	17	24	6	72.90

INDUSTRIAL-DUTY ALUMINUM SAWHORSE

- Engineered to allow for convenient mixing of sizes in plank applications
- Durable extruded aluminum steps and side rails, serrated for strength and safety
- Trestle design allows safe access from either side
- J-shaped spreaders for easy set-up and storage
- Heavy-duty rubber safety shoes
- Capacity: 250 lbs.



FEATHERLITE
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Base Width"	Base Depth"	Wt. lbs.	Price /Each
VC010	2	23	32	24.5	10	115.00
VC011	3	35	33	32	14	139.00
VC012	4	47.5	34.5	34.5	19	179.00

INDUSTRIAL HEAVY-DUTY FIBREGLASS WORKING PLATFORMS

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- 12" wide slip-resistant standing platform
- Platform height: 21"
- Platform dimensions: 12" W x 37 1/4" D
- Base width: 16 1/4"
- Base depth: 46 7/8"
- Weight: 13 lbs.

Model No. VD404
Price/Each \$249.00

Louisville
LADDER



FIBREGLASS STEP STOOL/LADDERS (6400 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Super tough copolymer top for strength and durability
- Slip-resistant serrated aluminum steps
- Extra-large PVC rubber safety boots are heavy-duty and provide increased rail protection and slip-resistance

FEATHERLITE
INDUSTRIAL LADDERS



VC211

Model No.	Nominal Height'	Base Width"	Spread"	Approx Weight lbs.	Price /Each
VC211	2	17	17	8	159.00
MD487	3	19	23	12	179.00

HEAVY-DUTY WORKHORSES

- 2000-lb. capacity
- Overbuilt to be the last sawhorse you'll ever need
- Powder coated finish safety yellow

K
CUSTOM

KLETON



Model No.	Height"	Width"	Depth"	Wt. lbs.	Price /Each
VC157	24	36	20	43	279.00
VC158	36	48	20	60	349.00

ALUMINUM TELESCOPIC LADDERS

- Compact and easy to move, use and store
- Extends and locks in 12" increments
- Indicators let you know when the rungs are locked into place
- Anti-slip rungs
- Capacity: 250 lbs.
- CSA grade 1

VC441



METALTECH

Model No.	Height'	Reach'	Closed Dimensions W" x D" x H"	Weight Colour lbs.	Price /Each
VC441	12	16	19 x 4.5 x 32	Yellow 25	446.00
VC252	15	19	19.5 x 4.5 x 36	Blue 37	605.00

* Other sizes available



LADDERS & SCAFFOLDING

STEP STOOL

- Heavy-duty steel
- Comes with a double platform with non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter upper platform and 13 1/2" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper
- 16 1/2" overall height
- Wt. 10 lbs.
- Colour: Black
- Capacity: 330 lbs.

Model No. ON528
Price/Each \$89.45

KLETON



STEP STOOLS

- Tough 1-piece poly construction with anti-skid bottom
- Threaded top & expanded step
- 16" diameter base provides added stability
- Glides easily on retractable rubber casters
- 13.5" overall height
- Capacity: 350 lbs.
- Weight: 6 lbs.



Model No.	Mfg. No.	Colour	Price /Each
OA299	2523BL	Black	171.02
OA300	2523BE	Beige	171.02

BIOS™ STEP STOOL LADDER

- Aluminum ladder cart is ideal for home, office or store use
- Strong and lightweight aluminum construction
- Converts from a step stool into a hand truck
- Hand truck nose plate measures 15" wide
- Rolls on 4" diameter wheels
- No. of Steps: 3
- Overall Height: 38-1/2"
- Overall Length: 20"
- Overall Width: 18"
- Hand Truck Capacity: 132 lbs.
- Step Stool Capacity: 330 lbs.

Model No. MO009
Price/Each \$169.35

BIOS living



STEEL STOP-STEP LADDERS

- Spring-loaded swivel casters are protected by a steel dome with rubber bottom pads for extra grip
- Sleek design offers maximum safety and convenience
- Powder coat finish provides a durable attractive appearance
- Frame Material: Steel
- Step Type: Anti-Skid
- Capacity: 300 lbs.
- Colour: White



MO021



Model No.	No. of Steps	Platform Height"	Step Width"	Platform Depth"	Price /Each
MO019	1	9-9/16	16	11	322.00
MO020	2	18-9/16	16	11	445.00
MO021	3	28-11/16	16	11	610.00
MO022	4	38-3/16	16	11	678.00
MO023	5	47-11/16	16	11	782.00

FOLDING STEP STOOL

- Resistant to rust and dents
- Easy to clean
- Stands upright on its own when folded
- Slim width, takes up minimal space
- Skid-resistant foot pads
- No. of Steps: 2
- Overall Height: 22-3/4"
- Overall Length: 19-1/2"
- Overall Width: 20-1/2"
- Colour: Dark Grey
- Capacity: 300 lbs.
- Step Width: 6-1/2"

Model No. MH866
Price/Each \$59.90



ALUMINUM STOP-STEP LADDERS

- Stops still when you step on it
- Gives 18" to 54" of firm footing
- 1" square high tensile aluminum struts, frames and braces
- Heavy gauge extruded aluminum
- 16" x 8" cross steps with 9" raise
- Long lasting 1 5/8" retractable casters allow rubber base cups to grip floor
- Download rating: 300 lbs.
- Colour: Beige
- OSHA compliant
- 10 year limited warranty
- Shipped knocked down

MD627

MD624



Model No.	No. of Steps	Top Step Height"	Overall Dimensions W" x D" x H"	Wt. lbs	Price /Each
STOP-STEP					
MD623	2	18	21 x 19 3/4 x 22 3/4	16	789.00
MD624	3	27	21 x 26 3/4 x 31 3/4	22	969.00
MD625	4	36	22 3/4 x 33 1/2 x 40 3/4	34	1149.00
STOP-STEP W/DOUBLE HANDRAIL					
MD626	3	27	21 x 26 3/4 x 56 1/2	32	1299.00
MD627	4	36	23 3/4 x 33 1/2 x 65 1/2	39	1519.00

PORTABLE FOLDING LADDERS

- Foldable locking design saves on storage space when not in use
- Welded construction
- Easy to maneuver
- 58° slope, 7" deep steps for easy climbing
- Perforated step
- Locks in the folded or climbing positions
- Approximately 10" deep when folded for easy storage
- Maximum capacity: 350 lbs.



VC437



KLETON

Model No.	No. of Steps	Top Step Height"	Open W" x L"	Folded Dimensions W" x L" x H"	Wt. lbs.	Price /Each
VC436	2	20	24 x 17	24 x 10 x 41	30	198.00
VC437	3	30	24 x 23	24 x 10 x 52	35	249.00
VC438	4	40	24 x 30	24 x 10 x 65	42	299.00

INDUSTRIAL STEP STOOLS

- Durable, corrosion-proof, 500-lb. capacity
- Rear opening to access storage compartment
- Hand holes and light weight combine for easy manoeuvrability
- All models include rubber feet and non skid tape surface

SINGLE STEP

Dimensions:
18" L x 12" W x 12" H
Weight: 7.5 lbs.
Model No. MN599
Price/Each \$109.00




DOUBLE STEP

Dimensions:
24" L x 21" W x 19-1/8" H
Weight: 16.2 lbs.
Model No. MN600
Price/Each \$229.00



TRIPLE STEP

Dimensions:
32" L x 22" W x 30" H
Weight: 28 lbs.
Model No. MN601
Price/Each \$339.00



QUAD STEP WITH CASTERS

Dimensions:
43" L x 22 1/2" W x 66" H
Weight: 53 lbs.
Model No. MN644
Price/Each \$779.00




NESTABLE INDUSTRIAL STEP STOOLS

- Durable, nestable and corrosion-proof
- Hand holes and light weight combine for easy manoeuvrability
- All models include rubber feet and non skid tape surface
- Additional ribbing on the top standing surface helps reduce flexibility
- Capacity: 500 lbs.
- Colour: Safety Yellow

MN656



MN661



INDUSTRIAL STEP STOOL

- Durable, nestable, corrosion-proof
- Moulded-in handles make them easy to carry
- Includes rubber feet and a non skid tape surface
- Capacity: 500 lbs.
- Colour: Safety Yellow

MN532



Model No.	No. of Steps	Overall Height"	Overall Length"	Overall Width	Price /Each
MN656	1	10-1/2	25	25	189.00
MN657	1	14-3/4	25	25	199.00
MN658	2	20-5	32-3/4	25-3/4	269.00
MN659	2	24	33	25-3/4	279.00
MN661	3	29	42	25-3/4	499.00



Model No.	Number of Steps	Dimensions L" x W" x H"	Weight lbs.	Price /Each
MN531	1	28 x 20 x 13	10	119.00
MN532	2	36 x 28 x 20	20	199.00

STEP STANDS

- Rugged all-welded construction
- Rolling stands come with spring-loaded casters
- Dimensions: 16" D x 12" H
- Capacity: 300 lbs.
- Kleton blue enamel finish
- Meets ANSI standard A14.7



PLATFORM STANDS

Model No.	Width"	Wt. lbs.	Price /Each
MH228	20	11	124.00
MH229	24	13	128.00
MH230	32	16	147.00

ROLLING STANDS

Model No.	Width"	Wt. lbs.	Price /Each
MH225	20	17	222.00
MH226	24	19	242.00
MH227	32	22	259.00



MH228



MH225

WORK PLATFORMS

- Solid all-welded construction
- Elevate workers to comfortable working heights
- Provides solid footing around machinery and other work areas
- Capacity: 800 lbs.
- Durable Kleton blue enamel finish
- Meets ANSI standard A14.7



Model No.	Platform Size W" x D"	Top Step Height"	Wt. lbs.	Price /Each
VC127	24 x 32	6	28	199.00
VC128	32 x 32	6	34	233.00
VC129	24 x 32	12	32	222.00
VC130	32 x 32	12	38	242.00



VC129



VC127

REPLACEMENT PARTS

Model No.	Description	Price Each
VC055	Rubber Foot Tip	1.55

LADDERS & SCAFFOLDING

TILT-N-ROLL STEP STANDS

- Frame is welded 1" round steel tubing
- Non-clogging slip resistant steel steps
- Handle allows step stand to move easily on two 4" casters
- Step dimensions: 22" x 8"
- Top step dimensions: 22" x 16"
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- Meets ANSI standard A14.7



VC336



KLETON

Model No.	Number of Steps	Top Step Height"	Base Dimensions W" x D"	Wt. lbs.	Price /Each
VC335	1	12	29 x 16	24	242.00
VC336	2	19	29 x 24	33	296.00

ROLLING STEP STANDS

- Ideal wherever there is a need to reach materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- All the ladders operate on spring-loaded casters
- Casters retract under operator's weight and rubber feet drop down
- Non-clogging slip-resistant steel steps
- Frame is welded 1" round steel tubing
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- Meets ANSI standard A14.7



VC131



VC134



KLETON

Model No.	Number of Steps	Step Size W" x D"	Top Step Height"	Top Step W" x D"	Base Dim. W" x D"	Wt. lbs.	Price /Each
VC131	2	18 x 8	19	18 x 16	20 x 26	28	274.00
VC132	3	18 x 8	28	18 x 16	20 x 30	38	309.00
VC133	4	18 x 8	37	18 x 16	20 x 37	48	339.00
VC134	5	18 x 8	46	18 x 16	20 x 41	57	379.00

TILT-N-ROLL LADDERS

- Balanced design allows ladder to tilt into the rolling position
- One piece all-welded steel construction
- 30" high rails with 24" wide expanded metal steps
- Oversize 22" x 24" top step for easier worker movement
- Legs have rubber tips that hold ladder secure during use
- Ladder moves easily on two 4" casters
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- Meets ANSI standard A14.7



KLETON



MD603

Optional

Model No.	No. of Steps	Step W" x D"	Rise Height"	Top Step Height"	Top Step W" x D"	Height Top Rail"	Overall Dimensions W" x D" x H"	Wt. lbs.	Price /Each
MD603	3	22 x 8	9	27	22 x 24	30	25 x 44 x 57	70	469.00
MD604	4	22 x 8	9	38	22 x 24	30	25 x 50 x 68	81	539.00
MD605	5	22 x 8	9	47	22 x 24	30	25 x 56 x 77	93	609.00
MD606	6	22 x 8	9	56	22 x 24	30	25 x 62 x 86	105	629.00

TRAILER ACCESS ROLLING LADDER

- Provides secure, safe access to cube vans/trailers
- All welded steel construction, ships fully assembled and ready to use
- Front walk through with chain/snap assembly
- Non-clogging slip resistant steps
- 10" flat-free wheels in rear
- Drop down handles in front for easy maneuvering
- Durable Kleton blue enamel finish
- Made in accordance with the ANSI A14.7 safety standard
- Frame Material: Steel
- Step Type: Perforated
- Capacity: 300 lbs.

MO010




KLETON

Model No.	No. of Steps	Step W" x D"	Platform H" x D"	Overall Dimensions W" x D" x H"	Wt. lbs.	Price /Each
MO010	4	22 x 8	37 x 16	33 x 40 x 78	78	849.00
MO011	5	22 x 8	46 x 16	33 x 46 x 87	89	869.00
MO012	6	22 x 8	55 x 16	33 x 51 x 96	100	899.00

MECHANICS/MAINTENANCE ROLLING LADDERS

- Double-straddle base puts worker in close proximity for hard-to-reach jobs
- Tilt and roll wheelbarrow style mobility allows easy movement over rough surfaces
- Oversize 22" x 24" top step for easier worker movement
- Removable 10" D x 24" W tool tray fits on front or side railing included
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- Meets ANSI standard A14.7



MH213

MH242 Included



Model No.	No. of Steps	Step W" x D"	Rise Height"	Top Step Height"	Top Step W" x D"	Height Top Rail"	Dimensions W" x D" x H"	Wt. lbs.	Overall Price /Each
MH212	3	22 x 8	9	28	22 x 24	30	24 x 44 x 58	85	529.00
MH213	4	22 x 8	9	38	22" x 24	30	24 x 50 x 68	98	609.00
MH214	5	22 x 8	9	47	22 x 24	30	24 x 56 x 77	112	729.00
MH215	6	22 x 8	9	57	22 x 24	30	24 x 68 x 87	125	749.00

LADDERS & SCAFFOLDING

ROLLING STEP LADDERS

- Ideal wherever there is a need to reach bulky materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- 2 to 6 step ladders operate on spring-loaded casters
- Casters retract under operator's weight, rubber feet drop down
- First step on all 8 to 16 step ladders activates the floor locking mechanism (step off and kick release to make the ladder mobile)
- Non-clogging slip-resistant steel steps
- Frame is rugged welded 1" round steel tubing
- 8 to 16 step ladders shipped knocked down, easily assembled
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- CSA certified to the ANSI A14.7 standard



KLETON



Note:
Ladders are
not to be
used as work
platforms.



WITHOUT HANDRAILS

Model No.	Number of Steps	Step Size W" x D"	Top Step Height"	Top Step W" x D"	Base Dimensions W" x D"	Wt. lbs.	Price /Each
MA612	2	22 x 8	19	22 x 16	24 x 26	32	274.00
MA613	3	22 x 8	28	22 x 16	24 x 30	42	296.00
MH279	4	22 x 8	37	22 x 16	24 x 37	52	379.00
MA615	5	22 x 8	46	22 x 16	24 x 41	61	429.00


WITH HANDRAILS

Model No.	Number of Steps	Step Size W" x D"	Top Step Height"	Top Step W" x D"	Base Dimensions W" x D"	Wt. lbs.	Price /Each
SPRING LOADED CASTERS							
MA614	4	22 x 8	37	22 x 16	30 x 36	78	499.00
MA616	5	22 x 8	46	22 x 16	30 x 46	89	519.00
MA617	6	22 x 8	55	22 x 16	30 x 51	100	569.00
NARROW WIDTH, SPRING LOADED CASTERS							
VD441	4	18 x 8	37	18 x 16	26 x 36	73	459.00
VD442	5	10 x 8	46	18 x 16	26 x 46	82	479.00
VD443	6	18 x 8	55	18 x 16	26 x 51	92	519.00
LOCKING STEP							
MA622*	8	30 x 8	72	30 x 16	38 x 60	180	1019.00
MA623*	10	30 x 8	89	30 x 16	38 x 72	230	1119.00
MA624*	12	30 x 8	109	30 x 16	38 x 80	250	1269.00
MA625*	14	30 x 8	128	30 x 16	38 x 93	275	1479.00
MA626*	16	30 x 8	144	30 x 16	38 x 104	305	1669.00

* Ships knocked down easy assembly

ALUMINUM ROLLING LADDERS

- Widely used in hospitals, banks, offices, pharmaceutical and food processing applications
- Corrosion resistant, easy to clean and non-magnetic
- 3/4" schedule 40, 1-1/16" O.D. pipe
- 7" deep steps
- 14" deep top step
- Slip-resistant ribbed tread style steps, a more aggressive serrated is available upon request for all sizes
- Spring-loaded casters included on 2-7 step models only
- Step lock included on 8-12 step models only
- Capacity: 350 lbs.
- All-welded with unpainted aluminum mill finish
- Complies with OSHA and ANSI standards



TRIARC

Number of Steps	Top Step Height"	Overall Height"	16" W Step Model No.	Base W" x D"	Price /Each	24" W Step Model No.	Base W" x D"	Price /Each
WITHOUT HANDRAILS								
1	10	10	VC470	16 x 14	549.00	VC471	24 x 14	589.00
2	20	20	VC472	19 x 24	659.00	VC473	28 x 24	719.00
3	30	30	VC474	21 x 30	769.00	VC475	28 x 30	849.00
4	40	40	VC476	21 x 36	889.00	VC477	29 x 36	979.00
WITH HANDRAILS								
2	20	52	VC478	19 x 24	809.00	VC479	28 x 24	859.00
3	30	62	VC480	21 x 31	1049.00	VC481	29 x 31	1129.00
4	40	72	VC482	21 x 37	1269.00	VC483	30 x 37	1369.00
5	50	82	VC484	21 x 44	1439.00	VC485	30 x 44	1589.00
6	60	92	VC486	26 x 51	1649.00	VC487	32 x 51	1799.00
7	70	102	VC488	26 x 57	1849.00	VC489	32 x 57	2029.00
8	80	112	-	-	-	VC490	33 x 60	2999.00
9	90	122	-	-	-	VC491	33 x 67	3449.00
10	100	132	-	-	-	VC492	33 x 73	3559.00
11	110	142	-	-	-	VC493	33 x 80	3829.00
12	120	158	-	-	-	VC494	33 x 86	4039.00

*Also available in other sizes and tread styles

LADDERS & SCAFFOLDING

STEEL ROLLING LADDERS

- Fast, convenient access to remote, hard to reach elevated locations
- Tilt and roll mobility allows passage through doorways
- Ideal for use on asphalt or similar rough surfaces
- Two 10" diameter semi-pneumatic wheels on rear of ladder, reinforced rubber tips on front legs to secure ladder during use
- Grey powder coat finish
- Complies with OSHA and ANSI standards
- Also available in other sizes and tread styles
- 1 1/16" tubular steel construction
- Top Step W" x D": 16 x 10
- Step Width": 16
- Includes Handrails: Yes
- Caster Type: Semi-Pneumatic
- Caster Size": 10
- Colour: Grey powder-coated finish
- Capacity (lbs.): 450



VC525



TRIARC

Number of Steps	Top Step Height"	Base W" x D"	Overall Height"	Perforated Step Tread Model No.	Price /Each	Grip Strut Step Tread Model No.	Price /Each
3	30	29 x 32.5	66	VC520	709.00	VC530	759.00
4	40	29 x 39.5	76	VC521	759.00	VC531	859.00
5	50	31 x 46.5	86	VC522	879.00	VC532	949.00
6	60	31 x 54.5	96	VC523	939.00	VC533	1019.00
7	70	31 x 61.5	106	VC524	1019.00	VC534	1109.00
8	80	37 x 68.5	116	VC525	1249.00	VC535	1329.00
9	90	37 x 73.5	126	VC526	1379.00	VC536	1429.00
10	100	37 x 80.5	136	VC527	1459.00	VC537	1579.00
11	110	37 x 87.5	146	VC528	1549.00	VC538	1689.00
12	120	37 x 94.5	156	VC529	1689.00	VC539	1819.00

ALL DIRECTIONAL STEEL ROLLING LADDERS

- Ladder turns on its own radius; rolls in all directions
- Provides safer access to top shelves when picking stock; 50 degree incline
- Easy to use foot controlled locking mechanism maintains climbing stability
- Step Lock included on 7-16 step models only
- Shipped knocked down
- Grey powder coat finish
- Complies with OSHA and ANSI standards
- Also available in other sizes and tread styles
- 1 1/16" tubular steel construction
- Top Step W" x D": 24 x 10
- Step Width": 24
- Includes Handrails: Yes
- Capacity (lbs.): 450



VC540



TRIARC

Number of Steps	Top Step Height"	Base W" x D"	Overall Height"	Perforated Step Tread Model No.	Price /Each	Grip Strut Step Tread Model No.	Price /Each
7	70	35 x 56	106	VC540	1689.00	VC550	1789.00
8	80	35 x 63	116	VC541	1789.00	VC551	1899.00
9	90	35 x 68	126	VC542	1909.00	VC552	2019.00
10	100	35 x 75	136	VC543	1989.00	VC553	2099.00
11	110	35 x 82	146	VC544	2139.00	VC554	2249.00
12*	120	35 x 89	156	VC545	2229.00	VC555	2309.00
13*	130	40 x 95	166	VC546	2429.00	VC556	2589.00
14*	140	40 x 102	176	VC547	2629.00	VC557	2789.00
15*	150	40 x 109	186	VC548	2699.00	VC558	2869.00
16*	160	42 x 116	196	VC549	2969.00	VC559	3109.00

Also available with a 50° forward descent safety angle

* Includes toe boards

50° SAFETY SLOPE STEEL ROLLING LADDERS

- Slip-resistant steps & 50 degree forward descent incline
- Step Lock included on all models
- Structural Framework is 1 1/16" tubular steel construction
- Shipped knocked down
- Grey powder coat finish
- Also available in other sizes and tread styles
- Top Step W" x D": 24 x 17
- Step Incline: 50°
- Step Width": 24
- Includes Handrails: yes
- Colour: Grey powder-coated finish
- Capacity (lbs.): 450



VC607



TRIARC

Number of Steps	Top Step Height"	Base W" x D"	Overall Height"	Perforated Step Tread Model No.	Price /Each	Grip Strut Step Tread Model No.	Price /Each
5	50	35 x 58	86	VC606	1149.00	VC620	1369.00
6	60	35 x 66	96	VC607	1219.00	VC621	1419.00
7	70	35 x 74	106	VC608	1379.00	VC622	1589.00
8	80	35 x 82	116	VC609	1659.00	VC623	1859.00
9	90	35 x 91	126	VC610	1849.00	VC624	2079.00
10	100	35 x 99	136	VC611	1919.00	VC625	2199.00
11	110	35 x 107	146	VC612	2069.00	VC626	2349.00
12	120	35 x 116	156	VC613	2199.00	VC627	2519.00

Also available in other sizes

DEEP TOP STEEL ROLLING LADDERS

- 1-1/16" tubular steel construction
- 7" deep steps
- Step lock 5 - 16 step models
- Ships knocked down
- Top Step W" x D": 24 x 20
- Step Width": 24
- Includes Handrails: Yes
- Overall Height": 96
- Colour: Grey powder-coated finish
- Capacity (lbs.): 450



VC776



TRIARC

Number of Steps	Top Step Height"	Base W" x D"	Overall Height"	Perforated Step Tread Model No.	Price /Each	Grip Strut Step Tread Model No.	Price /Each
6	60	35 x 60	96	VC742	1639.00	VC769	1719.00
7	70	35 x 66	106	VC744	1749.00	VC771	1809.00
8	80	35 x 73	116	VC745	1939.00	VC772	2159.00
9	90	35 x 78	126	VC746	2119.00	VC773	2199.00
10*	100	35 x 85	136	VC747	2169.00	VC774	2319.00
11*	110	35 x 92	146	VC748	2259.00	VC775	2469.00
12*	120	35 x 99	156	VC749	2489.00	VC776	2679.00

Also available in other sizes

* Includes toe boards

CROSSOVER STEPLADDERS

- Units are made of all-welded steel construction and can be knocked-down for easy storage
- Upper platform features removable two sided 42" high handrail with 21" mid-rail and fixed 4" toeboards to prevent objects from rolling off
- Serrated steps for extra grip and safety are 23 1/2" W x 7" D
- Step angle: 58°
- Overall ladder width: 29"
- Ground legs include floor mounting pads
- Units must be anchored to the floor
- Capacity: 500 lbs.
- Yellow powder coat finish

VC442




DON'T SEE A SIZE OR DESIGN THAT MEETS YOUR NEEDS? CALL US WITH YOUR SPECIFICATIONS FOR A CUSTOM DESIGN.

ALTERNATING STEP OPTION AVAILABLE UPON REQUEST



Model No.	No. of Steps	A	B	C	D	E	F	Weight lbs.	Price /Each
VC442	3	28	14 1/2	54 1/2	72 3/4	30	24	186	2122.00
VC443	3	28	26 1/2	66 1/2	72 3/4	30	36	210	2255.00
VC444	3	28	38-1/2	78 1/2	72 3/4	30	48	241	2389.00
VC445	3	28	50 1/2	90 1/2	72 3/4	30	60	265	2512.00
VC446	4	38	14 1/2	67	82 3/4	40	24	217	2399.00
VC447	4	38	26 1/2	79	82 3/4	40	36	242	2533.00
VC448	4	38	38-1/2	91	82 3/4	40	48	272	2667.00
VC449	4	38	50 1/2	103	82 3/4	40	60	297	2789.00
VC450	5	48	14 1/2	79 1/2	92 3/4	50	24	248	2655.00
VC451	5	48	26 1/2	91 1/2	92 3/4	50	36	273	2789.00
VC452	5	48	38-1/2	103 1/2	92 3/4	50	48	303	2924.00
VC453	5	48	50 1/2	115 1/2	92 3/4	50	60	328	3036.00
VC454	6	58	14 1/2	92	102 3/4	60	24	279	2944.00
VC455	6	58	26 1/2	104	102 3/4	60	36	304	3067.00
VC456	6	58	38-1/2	116	102 3/4	60	48	334	3201.00
VC457	6	58	50 1/2	128	102 3/4	60	60	359	3324.00



STOCK PICKING STEEL ROLLING LADDERS

- 1 1/16" tubular steel construction
- 24" W x 20" D top step with 24" W x 7" D intermediate steps
- Step lock standard on all models
- Shelf dimensions: 24" W x 20" D
- Capacity: 450 lbs.
- Shipped knocked down
- Grey powder coat finish
- Complies with OSHA and ANSI standards
- Three shelves available on 8-12 step models
- Two shelves available on 6-7 step models

VC637



MOBILE WORK PLATFORM STEEL ROLLING LADDERS

- Slip-resistant steps & 50 degree forward descent incline
- Step Lock included on all models
- Includes 2.5" dia. pads for stability
- Structural Framework is 1-1/16" tubular steel construction
- All-welded
- Grey powder coat finish
- Also available in other sizes and tread styles
- Step Width": 24
- Step Incline °: 50
- Step Type: Grip Strut Tread
- Includes Handrails: yes
- Colour: Grey powder-coated finish
- Capacity (lbs.): 800

VC591



TRICARC

Number of Steps	Top Step Height"	Base W" x D"	Overall Height"	Perforated Step Tread Model No.	Price /Each	Grip Strut Step Tread Model No.	Price /Each
6	60	35 x 60	92	VC632	2169.00	VC639	2289.00
7	70	35 x 66	102	VC633	2259.00	VC640	2319.00
8	80	35 x 73	116	VC634	2609.00	VC641	2779.00
9	90	35 x 78	126	VC635	2729.00	VC642	2899.00
10*	100	35 x 85	136	VC636	2829.00	VC643	3039.00
11*	110	35 x 92	146	VC637	3049.00	VC644	3169.00
12*	120	35 x 99	156	VC638	3199.00	VC645	3509.00

*Includes toe boards

TRICARC

Model No.	Number of Steps	Top Step Dimensions W" x D"	Top Step Height"	Base W" x D"	Overall Height"	Price /Each
VC588	2	24 x 35	20	24 x 43	56	1709.00
VC589	3	24 x 35	30	24 x 50	66	1959.00
VC590	4	24 x 35	40	24 x 57	76	2069.00
VC591	5	24 x 35	50	24 x 64	86	2179.00
VC592	2	24 x 47	20	24 x 55	56	1859.00
VC593	3	24 x 47	30	24 x 63	66	2079.00
VC594	4	24 x 47	40	24 x 70	76	2179.00
VC595	5	24 x 47	50	24 x 77	86	2299.00

Also available in other sizes and tread styles

LADDERS & SCAFFOLDING

HIGH WORK MAINTENANCE PLATFORMS


- Convert forklift truck into safe, efficient work platform
- Take care of overhead maintenance problems without setting up ladders or scaffolds
- Non-skid platform
- 72" safety mesh backscreen keeps operator and equipment away from lift mechanism
- Forks slip easily into pockets and are secured with safety chains
- Load capacity: 1000 lbs.
- No assembly required

NOTE:

Kleton maintenance platforms meet or exceed ASME B56.1 safety standard when a safety harness and lanyard are worn.

KLETON


Model No.	Description	Wt. lbs.	Price/Each
MD444	High Work Platform - 36" x 36" platform	230	1119.00
MH800	High Work Platform - 48" x 48" platform	300	1679.00
MD338	Optional 6" Caster Kit	10	209.00
MD948*	Light Bulb Caddy 15" W x 15" D x 43" H	25	296.00
OPTIONAL TOOL TRAYS			
MI787	36" L x 4" W x 3" D, Fits on model MD444	-	137.00
MI788	48" L x 4" W x 3" D, Fits on model MH800	-	147.00



MD948



MD444



MI787

SCAFFOLDING

Meets OSHA and CAN/CSAS269.2-M87. End frames include coupling and spring pins for stacking. The frame's perimeter tubing is 1 11/16" outside diameter, 13 gauge and the interior tubing is 1" diameter, 16 gauge. Anti-slip blue baked-on powder coat for improved durability. Galvanized cross braces are made of 1", 16 gauge tubular steel. Includes 2 end frames and 2 cross braces or build your own scaffold from components offered on the next page.




METALTECH

Note: Please go to next page to see components and accessories for this product

		COMPONENTS							Wt. Lbs.	Price /Each
Model No.	Size (L" x W" x H")	MF697 END FRAME 60" L X 36" H SCAFFOLDING	MF698 END FRAME 30" L X 60" H SCAFFOLDING	MF699 END FRAME 60" L X 60" H SCAFFOLDING	MF700 CROSS BRACES 1" DIA. 84" W X 24" H GALVANIZED 16GA	MF701 CROSS BRACES 1" DIA. 84" W X 48" H GALVANIZED 16GA	MF702 CROSS BRACES 1" DIA. 120" W X 24" H GALVANIZED 16GA	MF703 CROSS BRACES 1" DIA. 120" W X 48" H GALVANIZED 16GA		
MP507	84 x 60 x 36	2	-	-	2	-	-	-	82	243.00
MF692	84 x 30 x 60	-	2	-	-	2	-	-	80	247.00
MP508	84 x 60 x 60	-	-	2	-	2	-	-	104	243.00
MF694	120 x 60 x 36	2	-	-	-	-	2	-	90	249.00
MP509	120 x 30 x 60	-	2	-	-	-	-	2	88	254.00
MP510	120 x 60 x 60	-	-	2	-	-	-	2	112	259.00


COMPONENTS

END FRAMES



Model No.	Width"	Height"	Wt. lbs.	Price/Each
MF697	60	36	32	90.60
MF698	30	60	31	90.60
MF699	60	60	43	88.50

ARCHS



Model No.	Width"	Height"	Wt. lbs.	Price/Each
MF706	60	78	41	126.00
MF707	60	78	45	132.00

METALTECH

CROSS BRACES

One cross brace must be installed at each end frame or arch for maximum stability. 1" diameter, 16 gauge galvanized tubing.



MF715

Model No.	W"	H"	Wt. lbs.	Price/Each
MF700	84	24	9	35.90
MF701	84	48	10	33.20
MF702	120	24	13	39.80
MF703	120	48	14	38.30

DIAGONAL BRACES

Diagonal braces must be installed on free-standing and wall mounted scaffolds. 1" diameter, 16 gauge galvanized tubing.

Model No.	W"	H"	Wt. lbs.	Price/Each
MF713	84	30	5	30.60
MF716	84	60	6	30.60
MF717	120	30	7	32.10
MF720	120	60	8	32.10

LADDERS & SCAFFOLDING

BASE PLATE, CASTER & STABILIZING JACK SCREW

Will level your scaffold on uneven terrain and provide secure footing. Choose between the following options:



Model No.	Description	Wt. lbs.	Price /Each
MF724	8" Rubber Caster	12	44.20
MF725	Fixed Base Plate	3	17.30
MF726	Swivel Base Plate	4	41.90
MF727	Adjust. Jack Screw w/24" Base	12	40.60
MF728	Adjust. Jack Screw w/32" Base	15	55.50
MF729	Adjustable Jack Screw 24"	11	48.20

WORK PLATFORMS

ALUMINUM DECK


- Work platform installed with aluminum slip-resistant decking
- For both aluminum and steel scaffolds
- Side rails are made from "I" beam extrusions for added strength
- Dimpled and pierced aluminum decking assures a slip-resistant surface preventing material build-up
- Allows water to run off to help prevent ice build-up in freezing conditions
- 3-piece rung joints produce a tempered joint, making the work platform twist-proof
- For added safety they are fitted with easy-to-use windlocks
- Duty-rated: 75 lbs./sq. ft. (366 kg/m²)



Model No.	Length'	Width"	Weight lbs.	Price/Each
VC249	7	19	25	179.00
VC250	10	19	40	251.00

LATERAL SIDE STABILIZER & WALL BRACKETS

Scaffolds should not be stacked higher than 3 times the width of the smallest base. To build a higher scaffold, lateral side stabilizers must be used. If the scaffold is situated near a wall, and its height is superior to three times the width of the base the scaffolding can be secured with wall brackets. Wall brackets are required every 15' in height and every 20' in width.



Model No.	Description	Wt. lbs.	Price /Each
MF730	Lateral Side Stabilizer	22	106.00
MF731	Wall Bracket	5	59.30
MF732	Screw for Wall Bracket	0.1	5.66


PLYWOOD DECK

- Plywood-decked work platform; 5/8" thick plywood, hooks are offset to allow for next plank hook – no gap when set in continuous scaffolding
- For lightweight construction equipment
- Aluminum edge protects plywood from damage
- Side rails are made from "I" beam extrusions for added strength
- 3-piece rung joints produce a tempered joint, making the work platform twist-proof
- Fitted with easy-to-use windlocks
- 19" widths duty-rated: 75 lbs./sq. ft., 24" widths duty-rated: 50 lbs./sq. ft.



Model No.	Length'	Width"	Weight lbs.	Price/Each
MF754	7	19	30	190.00
MF755	7	24	34	226.00
MF756	10	19	48	262.00
MF757	10	24	56	307.00

ACCESSORIES



Model No.	Description	Wt. lbs.	Price /Each
COUPLING PINS			
MF708	Coupling w/1" Collet	0.8	7.72
MF709	Spring Pin	0.04	2.53
LOCKING ASSEMBLIES			
MF711	Safety Locking Arm	0.9	9.02
MF712	Pigtail	0.08	2.80

GUARD POSTS & RAILS



Model No.	Description	Wt. lbs.	Price /Each
MF739	Guard Post for Guard Rail w/Support	11	43.00
MF740	Guard Rail 30"	1.5	15.70
MF742	Guard Rail 45"	2	18.70
MN530	Guard Rail 48"	2.5	18.70
MF743	Guard Rail 60"	3	19.20
MF744	Guard Rail 84"	4	23.10
MF745	Guard Rail 120"	6	34.60

STEEL SCAFFOLDING

- Multi-level working area
- 1" O.D. 16-gauge steel frame
- Two anti-slip 14-gauge steel platforms
- Height: 4'
- Reach: 9'
- 4" heavy-duty double locking casters
- Units fold/collapse for easy storage
- Capacity: 500 lbs.
- Yellow powder coat finish
- Meets and exceeds CSA, OSHA & ANSI standards



Model No.	Overall Dimensions W" x L" x H"	Weight lbs.	Price /Each
VC782	22 1/2 x 41 x 45 3/4	50	191.00
VC781	22 1/2 x 49 1/2 x 57 3/4	59	217.00

* More sizes & options available upon request



**CANADA'S LEADING
MATERIAL HANDLING SUPPLIER**

LADDERS & SCAFFOLDING

MOBILE WORK SCAFFOLDING

Meets CSA & OSHA standards

MINI™ ALUMINUM SCAFFOLDING

- Multi-level working area
- Light aluminum frame
- Anti-slip 16-gauge steel platform adjust every 12", comes with 2 platforms
- Structure: Aluminum alloy 6061-T6 of 1.5"
- Dimensions: 3' 1/2" L x 1' 3/4" W x 4' 1/4" H
- Capacity: 600 lbs.
- Weight: 40 lbs.

Model No. VC031

Price/Each \$326.00

Accessories:

VC199 Anti-Slip Platform **Price/Each \$58.10**

MP215 4" locking casters **Price/Each \$69.90**



METALTECH

MAXI ROUND SCAFFOLDING

- Multi-level working area
- 16-gauge steel frame painted using a polyester powder coating
- Anti-slip painted 14-gauge steel platform adjust every 4", comes with 3 platforms
- Dimensions: 6' 3" L x 2' 5" W x 6' 4" H
- Capacity: 700 lbs.
- Weight: 140 lbs.

Model No. MB086

Price/Each \$628.00

ACCESSORIES

Model No.	Description	Price/Each
MB087	3' Vertical extension	460.00
MB088	6' Vertical extension	460.00
MB089	Set of 4 5" casters	161.00
VC200	Anti-Slip Platform	164.00
VC201	Set of 4 outriggers w/casters	306.00

METALTECH



MAXI SQUARE SCAFFOLDING

- Heavy-duty all task equipment
- Can be used in stairways
- Square steel tube 1 1/2"sq. frame painted using a polyester powder coating 5/8" plywood platform with protective steel edge banding adjusts every 2", comes with 1 platform
- Dimensions: 74" L x 29" W x 74" H
- Capacity: 1000 lbs.
- Weight: 129 lbs.

Model No. VC198

Price/Each \$450.00

MAXI SQUARE ALUMINUM SCAFFOLDING

- Lightness and sturdiness
- Can be used in stairways
- Anodized aluminum tube 1 1/2"sq. frame
- Anti-slip anodized aluminum platform adjusts every 2", comes with 1 platform
- Dimensions: 6' 2" L x 2' 5" W x 6' 3" H
- Capacity: 700 lbs.
- Weight: 90 lbs.

Model No. VC032

Price/Each \$835.00

Model No.	Description	Price/Each
VC203	Set of 4 steel outriggers with 5" casters	258.00
MN560	Set of 4 aluminum outriggers with 5" casters	451.00
VC202	5" Swivel caster with locking system	41.00
VC204	Guardrail system	523.00



SPEEDY MOBILE FIBREGLASS SCAFFOLDING

Features:

- Non-conductive
- Light weight (91 lbs.)
- Corrosion resistant
- Prevent static electricity
- Anti-slip platform
- Easily assembled
- Compact storage
- Reach 10' 6"
- 500-lb. capacity

Model No. VC197

Price/Each \$2414.00

Ideal for:

- Electricity substation
- Railway stations
- Building sites
- Mechanical rooms
- Chemical environment
- Computer rooms
- Foundries
- Aircraft maintenance
- Mines
- Size: 79 1/2" L x 29 1/2" W x 78" H

METALTECH



KLETON




CANADA'S LEADING MATERIAL HANDLING SUPPLIER

Do you have a special application?
Not a problem!



**KLETON specializes in
custom requests.**



WORKBENCHES

CREATE A WORKBENCH DESIGNED FOR YOUR APPLICATION

- Select from the components below to build the workbench to fit your needs
- All components **required** to make up your workbench are on this page
- **Optional** features for enhanced functionality are on the following page
- All steel components are constructed of 14-gauge steel unless otherwise specified
- All mounting hardware included
- Capacities range from 1000 lbs. to 2500 lbs. evenly distributed
- All steel components are powder coated Kleton grey
- Shipped knocked down

THINGS TO CONSIDER WHEN ORDERING A WORKBENCH

1. Determine the size (length, width, height) of the workbench required
2. Select one of each of the required components listed on this page, respecting the determined size of the workbench



A - LEGS

- Legs static or mobile
- Comes with knockout for standard two-outlet electrical plug
- Provides an overall height of 34" w/top



B - TOPS

A variety of tops are available: 14-gauge steel wood filled, laminated wood, shop top and plastic laminate in a variety of sizes.

Our complete list of tops can be found on page 927



Wood Top - Square Edge




Wood Top - Bullnose




Shop Top



Plastic Laminate



Steel Wood-Filled



Stainless Steel Wood-Filled

C - UNIVERSAL STRINGERS

- Adds stability to the workbench
- Prevents legs from shifting
- Weight: 11lbs.

HEAVY-DUTY

Model No. FF979 For 48", 60" or 72" bench Price/Each \$80.39

Model No. FH925 For 84" bench Price/Each \$112.00

Model No. FH926 For 96" bench Price/Each \$129.00

INDUSTRIAL DUTY

Model No. MO936 For 48", 60" or 72" bench Price/Each \$43.95



Model No.	Description	Dimensions			Wt. lbs.	Price /Each
		D"	x	H"		
HEAVY-DUTY						
ML264	Single leg for use w/ 24"D top	22	x	32	14	114.00
ML265	Single leg for use w/ 30"D or 36"D top	28	x	32	15	123.00
ML266*	Pair of legs to use w/24"D tops, includes stringer FF979	22	x	32	38	234.00
ML268*	Pair of legs to use w/30"D or 36"D tops, includes stringer FF979	22	x	32	40	233.00
ML267*	Mobile kit for use w/24"D top (pair), includes stringer FF979	28	x	32	45	469.00
ML269*	Mobile kit for use w/30"D or 36"D top (pair), includes stringer FF979	28	x	32	40	449.00
FG732	Leg extensions to make height adjustable from 34"-39" in 1" increments (set of 4)				8	156.00
INDUSTRIAL DUTY						
M0931	Single leg for use w/24"D top	24	x	34	8	60.85
M0932	Single leg for use w/30"D or 36"D top	30	x	34	8	66.25

* For 84" L and 96" L tops, FH925 or FH926 stringers are required



WORKBENCHES

CUSTOMIZE YOUR WORKBENCH WITH ANY OF THE FOLLOWING OPTIONS:

KLETON

D - DRAWERS

- Add storage to any workbench
- All-welded heavy-gauge steel
- **100% full extension with ball bearing slide mechanism**
- Equipped with locks and two keys
- All locks keyed alike by drawer model
- Custom key options available
- Capacity: 100 lbs. per drawer evenly distributed
- Aluminum extrusion handles with grey end caps
- Overall Dimensions: 18" W x 21" D x 9" H



SINGLE DRAWER UNITS

- (1) 15 3/8" W x 20" D x 5 5/8" H
- Model No. FH673**
Price/Each \$184.00



DOUBLE DRAWER UNITS

- (2) 15 3/8" W x 20" D x 2 3/4" H
- Model No. FH674**
Price/Each \$250.00

E - BENCH RISER SHELVES

- Increase storage space
- Ideal for getting tools and other equipment off work surfaces
- 9" D x 12" H
- One per workbench



Model No.	Overall Width"	Wt. lbs.	Price/Each
FF956	48	19	161.00
FF957	60	24	158.00
FF958	72	29	170.00
FI319	84	35	265.00
FI320	96	42	349.00

F - LOWER SHELVES

- Add extra storage to any workbench



Model No.	Overall Width"	Wt. lbs.	Price/Each
HEAVY-DUTY One or two 9" deep shelves can be used per workbench			
FF934	44 (For Use with 48" Top)	14	89.09
FF935	56 (For Use with 60" Top)	16	98.69
FF936	68 (For Use with 72" Top)	18	99.99
RL866	80 (For Use with 84" Top)	21	129.00
RL867	92 (For Use with 96" Top)	24	153.00
INDUSTRIAL DUTY One 14-3/4" deep shelf can be used per workbench			
MO933	48 (For Use with 48" Top)	12	52.50
MO934	60 (For Use with 60" Top)	15	61.75
MO935	72 (For Use with 72" Top)	18	65.75

G - BACK STOPS

- Add a 3" edge to the back of any workbench
- One per bench top



Model No.	Overall Width"	Wt. lbs.	Price/Each
FF704	48	8	73.29
FF705	60	10	81.59
FF708	72	12	99.99
FI317	84	14	129.00
FI318	96	16	149.00

H - END STOPS

- Add 3" sides to any workbench
- One per side desired to enclose



Model No.	Overall Width"	Wt. lbs.	Price/Each
FF792	24	4	44.39
FF793	30	5	46.59
FF794	36	6	56.09



We try to make it easy... look at our pre-designed layout options on pages 928-932

Customize to your specifications. If you need specific sizes or requirements not available on this page, call us today with your specs!

WORKBENCHES

Customize your own workbench... simply select any two cabinets listed and add a top.

WORKBENCH PEDESTALS

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Capacity: 100 lbs. per drawer evenly distributed
- Reversible doors, can be opened on either left or right side
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size
- 30" overall height with top
- Powder coat finish with grey shell and Kleton blue on doors and drawers



FULL DOOR

- 16 3/4" W x 21" D x 24" H
 - Internal adjustable shelf included
 - Weight: 48 lbs.
- Model No. FH666**
Price/Each \$314.00



TWO DOORS

- (2) 16 3/4" W x 21" D x 12" H
 - Weight: 48 lbs.
- Model No. FH667**
Price/Each \$370.00



TWO DRAWERS & ONE DOOR

- (2) 15 3/8" W x 20" D x 5 5/8" H
 - (1) 16 3/4" W x 21" D x 12" H
 - Weight: 59 lbs.
- Model No. FH668**
Price/Each \$465.00



TWO DRAWERS

- (2) 15 3/8" W x 20" D x 11 5/8" H
 - Weight: 66 lbs.
- Model No. FI166**
Price/Each \$465.00



THREE DRAWERS

- (2) 15 3/8" W x 20" D x 5 5/8" H
 - (1) 15 3/8" W x 20" D x 11 5/8" H
 - Weight: 78 lbs.
- Model No. FI167**
Price/Each \$538.00



FOUR DRAWERS

- (4) 15 3/8" W x 20" D x 5 5/8" H
 - Weight: 68 lbs.
- Model No. FH669**
Price/Each \$614.00




FOUR DRAWERS & ONE DOOR

- (4) 15 3/8" W x 20" D x 2 5/8" H
 - (1) 16 3/4" W x 21" D x 12" H
 - Weight: 63 lbs.
- Model No. FH670**
Price/Each \$646.00



SIX DRAWERS

- (4) 15 3/8" W x 20" D x 2 5/8" H
 - (2) 15 3/8" W x 20" D x 5 5/8" H
 - Weight: 94 lbs.
- Model No. FH671**
Price/Each \$799.00



BASE

- (1) 4" high - 34" high with top
 - Weight: 5 lbs.
- Model No. FH672**
Price/Each \$51.00

KLETON

LEG & PEDESTAL COMBINATIONS

- All-welded 14-gauge steel legs
- Knockout for standard two-outlet electrical plug
- Overall height of 34" with top
- Powder coat Kleton grey finish

Model No.	Description	Dimensions			Wt. lbs.	Price /Each
		D"	x	H"		
ML264	Single leg for use w/ 24" D top	22	x	32	14	114.00
ML265	Single leg for use w/ 30" D or 36" D top	28	x	32	15	123.00
FH672	Pedestal Base (Max 1)			4" H	5	51.00
FF920	Bench Leg Gussets (Pkg. of 2)				3	58.39

Pedestal base and bench leg gussets are required components when building all leg/pedestal combinations



We try to make it easy... look at our pre-designed layout options on pages 928-932

HOW TO ORDER

1. Choose the pedestal desired
2. Determine the depth of the workbench
3. Add the appropriate leg configuration

See our selection of workbench tops on page 927.



WORKBENCH TOPS

SELECT ONE OF THESE SIX TOPS TO CUSTOMIZE YOUR WORKBENCH.



LAMINATED HARDWOOD TOPS SQUARE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"
- 1/8" edge radius



Model No.	Size D" x W"	Wt. lbs.	Price /Each
FI730	24 x 48	56	237.00
FL592	24 x 60	70	297.00
FL593	24 x 72	84	355.00
FI731	24 x 84	98	417.00
FL594	24 x 96	112	474.00
FI732	24 x 120	140	639.00
FL595	30 x 48	70	297.00
FI733	30 x 60	88	371.00
FI734	30 x 72	105	445.00
FI735	30 x 84	123	519.00
FI736	30 x 96	140	593.00
FI737	30 x 120	175	742.00
FL596	36 x 48	84	355.00
FL597	36 x 60	105	445.00
FI738	36 x 72	126	544.00
FL598	36 x 84	147	623.00
FI739	36 x 96	168	711.00
FL599	36 x 120	210	890.00
FI740	48 x 48	112	597.00
FL600	48 x 60	140	685.00
FL601	48 x 72	168	814.00
FL602	48 x 84	196	1028.00
FL603	48 x 96	224	1076.00
FL604	48 x 120	280	1185.00

Note: Tops over 36" D are shipped in two pieces of hardwood, hardware is included.

LAMINATED HARDWOOD TOPS BULLNOSE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"
- 1/8" edge radius



Model No.	Size D" x W"	Wt. lbs.	Price /Each
FI522	24 x 48	56	258.00
FI523	24 x 60	70	305.00
FI524	24 x 72	84	366.00
FL605	24 x 84	98	438.00
FI525	24 x 96	112	488.00
FI526	24 x 120	140	659.00
FI527	30 x 48	70	311.00
FI528	30 x 60	88	381.00
FI529	30 x 72	105	458.00
FI530	30 x 84	123	535.00
FI531	30 x 96	140	611.00
FL606	30 x 120	175	764.00
FL607	36 x 48	84	366.00
FI532	36 x 60	105	458.00
FI533	36 x 72	126	550.00
FL608	36 x 84	147	642.00
FI534	36 x 96	168	746.00
FL609	36 x 120	210	917.00
FL610	48 x 48	112	617.00
FL611	48 x 60	140	705.00
FL612	48 x 72	168	845.00
FL613	48 x 84	196	1056.00
FL614	48 x 96	224	1102.00
FL615	48 x 120	280	1221.00

Note: Tops over 36" D are shipped in two pieces of hardwood, hardware is included.

LAMINATED HARDWOOD TOPS

- Lacquer finished tops for durability
- Industrial-duty solid hardwood laminations for long life
- Overall thickness: 1 1/4"
- 1/8" radius edge



Model No.	Size D" x W"	Wt. lbs.	Price /Each
BULL NOSE EDGE			
FM930	24 x 48	56	194.00
FM931	24 x 60	70	232.00
FM932	24 x 72	84	277.00
FM933	30 x 48	70	232.00
FM934	30 x 60	88	288.00
FM935	30 x 72	105	350.00
FN369	36 x 60	105	380.00
FM936	36 x 72	126	411.00
SQUARE EDGE			
FM937	24 x 48	56	180.00
FM938	24 x 60	70	227.00
FM939	24 x 72	84	268.00
FM940	30 x 48	70	227.00
FM941	30 x 60	88	277.00
FM942	30 x 72	105	338.00
FN370	36 x 60	105	370.00
FM943	36 x 72	126	400.00

SHOP TOPS

- Great top for medium-duty applications
- 3/8" double sealed resin boards laminated over 1 1/8" MDF core
- Overall thickness: 1 3/4"



Model No.	Size D" x W"	Wt. lbs.	Price /Each
FD001	24 x 48	60	250.00
FD002	24 x 60	75	280.00
FH764	30 x 48	75	283.00
FD004	30 x 60	94	305.00
FD005	30 x 72	113	371.00
FH765	30 x 84	131	512.00
FH766	30 x 96	150	512.00
FH767	36 x 48	90	360.00
FD006	36 x 60	113	381.00
FD007	36 x 72	135	457.00
FH768	36 x 84	158	643.00
FH769	36 x 96	180	643.00

PLASTIC LAMINATE TOPS


- Light-duty top with smooth white plastic laminate face covering 45-lb. density particle board
- Overall thickness: 1 5/8"
- Colour: White



Model No.	Size D" x W"	Wt. lbs.	Price /Each
FD008	24 x 48	65	326.00
FD009	24 x 60	72	337.00
FH771	30 x 48	72	349.00
FD011	30 x 60	90	381.00
FD012	30 x 72	108	457.00
FH772	30 x 84	126	643.00
FH773	30 x 96	144	643.00
FH774	36 x 48	86	436.00
FD013	36 x 60	108	468.00
FD014	36 x 72	130	578.00
FH776	36 x 84	151	665.00
FH777	36 x 96	173	665.00

STEEL WOOD-FILLED TOPS


- Heavy-duty 14-gauge steel with formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"
- Colour: Powder coat Kleton grey



Model No.	Size D" x W"	Wt. lbs.	Price /Each
FD030	24 x 48	59	319.00
FD031	24 x 60	74	329.00
FH871	30 x 48	74	409.00
FD033	30 x 60	92	339.00
FD034	30 x 72	110	369.00
FH872	30 x 84	129	539.00
FH873	30 x 96	147	549.00
FH874	36 x 48	89	459.00
FD035	36 x 60	110	369.00
FD036	36 x 72	132	409.00
FH875	36 x 84	154	659.00
FH876	36 x 96	176	619.00

304 STAINLESS STEEL WOOD-FILLED TOPS

- Heavy-duty 14-gauge stainless steel with a number 4 finish and formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"



Model No.	Size D" x W"	Wt. lbs.	Price /Each
FI268*	24 x 48	59	849.00
FI269*	24 x 60	74	899.00
FI270*	30 x 48	74	959.00
FI271*	30 x 60	92	1019.00
FI272*	30 x 72	110	1089.00
FI273*	30 x 84	129	1239.00
FI274*	30 x 96	147	1339.00
FI275*	36 x 48	89	1019.00
FI276*	36 x 60	110	1069.00
FI277*	36 x 72	132	1119.00
FI278*	36 x 84	154	1339.00
FI279*	36 x 96	176	1459.00

* Stainless Steel finish may vary

WORKBENCHES

INDUSTRIAL-DUTY - 1000-LB. CAPACITY, ADJUSTABLE LEGS

**FN064 -
Plastic Laminate**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FN049	24 x 60	404.00
FN050	30 x 60	415.00
FN051	30 x 72	450.00
FN052	36 x 60	450.00
FN053	36 x 72	475.00

LAMINATED WOOD - 1 3/4"		
FN054	24 x 60	387.00
FN055	30 x 60	446.00
FN056	30 x 72	509.00
FN057	36 x 60	509.00
FN058	36 x 72	578.00



INDUSTRIAL-DUTY - 1000-LB. CAPACITY, ADJUSTABLE LEGS

**FN089 -
Steel Wood Fill**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FN089	24 x 60	698.00
FN090	30 x 60	704.00
FN091	30 x 72	734.00
FN092	36 x 60	734.00
FN093	36 x 72	761.00

LAMINATED WOOD - 1 3/4"		
FN094	24 x 60	667.00
FN095	30 x 60	730.00
FN096	30 x 72	788.00
FN097	36 x 60	788.00
FN098	36 x 72	861.00



INDUSTRIAL-DUTY - 1000-LB. CAPACITY, ADJUSTABLE LEGS

**FN274 -
Laminated Wood**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FN069	24 x 60	541.00
FN070	30 x 60	548.00
FN071	30 x 72	578.00
FN072	36 x 60	578.00
FN073	36 x 72	604.00

LAMINATED WOOD - 1 3/4"		
FN074	24 x 60	520.00
FN075	30 x 60	578.00
FN076	30 x 72	641.00
FN077	36 x 60	641.00
FN078	36 x 72	713.00



Model No.	Size D" x W"	Price /Each
SHOP TOP		
FN079	24 x 60	586.00
FN080	30 x 60	662.00
FN081	30 x 72	787.00
FN082	36 x 60	787.00
FN083	36 x 72	930.00

PLASTIC LAMINATE		
FN084	24 x 60	616.00
FN085	30 x 60	674.00
FN086	30 x 72	750.00
FN087	36 x 60	750.00
FN088	36 x 72	822.00

LAMINATED WOOD - 1 1/4"		
FN274	60 x 34	467.00
FN275	60 x 34	520.00
FN276	30 x 72	578.00
FN277	36 x 60	578.00
FN278	36 x 72	641.00

HEAVY-DUTY - 2500-LB. CAPACITY

**FF658
Laminated Wood**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FF667	24 x 60	502.00
FF669	30 x 60	509.00
FF670	30 x 72	543.00
FF671	36 x 60	543.00
FF672	36 x 72	573.00

LAMINATED WOOD - 1 3/4"		
FF653	24 x 60	457.00
FF655	30 x 60	524.00
FF656	30 x 72	599.00
FF657	36 x 60	599.00
FF658	36 x 72	683.00



HEAVY-DUTY - 2500-LB. CAPACITY

**FG296 -
Shop Top**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FG289	24 x 60	819.00
FG290	30 x 60	830.00
FG291	30 x 72	866.00
FG292	36 x 60	866.00
FG293	36 x 72	895.00

LAMINATED WOOD - 1 3/4"		
FG281	24 x 60	782.00
FG282	30 x 60	856.00
FG283	30 x 72	929.00
FG284	36 x 60	929.00
FG285	36 x 72	1013.00



HEAVY-DUTY - 2500-LB. CAPACITY

**FF695 -
Plastic Laminate**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FF700	24 x 60	667.00
FF702	30 x 60	678.00
FF703	30 x 72	717.00
FF706	36 x 60	717.00
FF707	36 x 72	744.00

LAMINATED WOOD - 1 3/4"		
FF686	24 x 60	609.00
FF688	30 x 60	681.00
FF689	30 x 72	756.00
FF690	36 x 60	756.00
FF691	36 x 72	838.00



Model No.	Size D" x W"	Price /Each
SHOP TOP		
FH882	24 x 60	828.00
FF712	30 x 60	890.00
FF713	30 x 72	983.00
FH881	36 x 60	951.00
FF715	36 x 72	1100.00

PLASTIC LAMINATE		
FH884	24 x 60	830.00
FF695	30 x 60	874.00
FF696	30 x 72	968.00
FH883	36 x 60	971.00
FF698	36 x 72	1096.00

LAMINATED WOOD - 1 1/4"		
FM953*	24 x 60	567.00
FM954*	30 x 60	630.00
FM955*	30 x 72	704.00
FM956*	36 x 60	704.00
FM957*	36 x 72	777.00

*1500-lb. capacity

*1500-lb. capacity

*1500-lb. capacity



IF YOU NEED SPECIFIC SIZES OR REQUIREMENTS NOT AVAILABLE ON THESE PAGES, SEE PAGES 924 TO 927 OR CALL US TODAY WITH YOUR SPECS!

WORKBENCHES

INDUSTRIAL-DUTY - 1000-LB. CAPACITY, ADJUSTABLE LEGS

FN119 –
Shop Top



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FN109	24 x 60	756.00
FN110	30 x 60	767.00
FN111	30 x 72	793.00
FN112	36 x 60	793.00
FN113	36 x 72	817.00
LAMINATED WOOD - 1 3/4"		
FN114	24 x 60	761.00
FN115	30 x 60	824.00
FN116	30 x 72	882.00
FN117	36 x 60	882.00
FN118	36 x 72	940.00

KLETON

INDUSTRIAL-DUTY - 1000-LB. CAPACITY, ADJUSTABLE LEGS

FN129 –
Steel Wood Fill



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FN129	24 x 60	866.00
FN130	30 x 60	882.00
FN131	30 x 72	905.00
FN132	36 x 60	905.00
FN133	36 x 72	929.00
LAMINATED WOOD - 1 3/4"		
FN134	24 x 60	872.00
FN135	30 x 60	940.00
FN136	30 x 72	998.00
FN137	36 x 60	998.00
FN138	36 x 72	1071.00

KLETON

INDUSTRIAL-DUTY - 1000-LB. CAPACITY, ADJUSTABLE LEGS

FN294 –
Laminated Wood



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FN149	60 x 24	1029.00
FN150	60 x 30	1045.00
FN151	72 x 30	1071.00
FN152	60 x 36	1071.00
FN153	72 x 36	1092.00
LAMINATED WOOD - 1 3/4"		
FN154	60 x 24	1034.00
FN155	60 x 30	1103.00
FN156	72 x 30	1154.00
FN157	60 x 36	1154.00
FN158	72 x 36	1239.00

KLETON

Model No.	Size D" x W"	Price /Each
SHOP TOP		
FN159	60 x 24	1080.00
FN160	60 x 30	1153.00
FN161	72 x 30	1273.00
FN162	60 x 36	1273.00
FN163	72 x 36	1391.00
PLASTIC LAMINATE		
FN164	60 x 24	1131.00
FN165	60 x 30	1167.00
FN166	72 x 30	1224.00
FN167	60 x 36	1224.00
FN168	72 x 36	1319.00
LAMINATED WOOD - 1 1/4"		
FN294	24 x 60	929.00
FN295	30 x 60	992.00
FN296	30 x 72	1040.00
FN297	36 x 60	1040.00
FN298	36 x 72	1113.00

HEAVY-DUTY - 2500-LB. CAPACITY

FG093
Laminated Wood



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FG104	24 x 60	891.00
FG106	30 x 60	903.00
FG107	30 x 72	933.00
FG108	36 x 60	933.00
FG109	36 x 72	961.00
LAMINATED WOOD - 1 3/4"		
FG090	24 x 60	893.00
FG092	30 x 60	971.00
FG093	30 x 72	1040.00
FG094	36 x 60	1040.00
FG095	36 x 72	1103.00

KLETON

HEAVY-DUTY - 2500-LB. CAPACITY

FG280 –
Shop Top



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FG273	24 x 60	1019.00
FG274	30 x 60	1038.00
FG275	30 x 72	1066.00
FG276	36 x 60	1066.00
FG277	36 x 72	1092.00
LAMINATED WOOD - 1 3/4"		
FG265	24 x 60	1028.00
FG266	30 x 60	1103.00
FG267	30 x 72	1176.00
FG268	36 x 60	1176.00
FG269	36 x 72	1259.00

KLETON

HEAVY-DUTY - 2500-LB. CAPACITY

FG648 –
Plastic Laminate



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FG443	24 x 60	1213.00
FG444	30 x 60	1229.00
FG642	30 x 72	1259.00
FG641	36 x 60	1259.00
FG640	36 x 72	1286.00
LAMINATED WOOD - 1 3/4"		
FG639	24 x 60	1218.00
FG638	30 x 60	1297.00
FG637	30 x 72	1364.00
FG636	36 x 60	1364.00
FG635	36 x 72	1454.00

KLETON

Model No.	Size D" x W"	Price /Each
SHOP TOP		
FH898	24 x 60	1154.00
FG647	30 x 60	1358.00
FG646	30 x 72	1435.00
FH897	36 x 60	1373.00
FG645	36 x 72	1503.00
PLASTIC LAMINATE		
FH900	24 x 60	1208.00
FG650	30 x 60	1310.00
FG649	30 x 72	1379.00
FH899	36 x 60	1313.00
FG648	36 x 72	1472.00
LAMINATED WOOD - 1 1/4"		
FM973*	24 x 60	1129.00
FM974*	30 x 60	1208.00
FM975*	30 x 72	1271.00
FM976*	36 x 60	1271.00
FM977*	36 x 72	1355.00

*1500-lb. capacity

*1500-lb. capacity

*1500-lb. capacity



IF YOU NEED SPECIFIC SIZES OR REQUIREMENTS NOT AVAILABLE ON THESE PAGES, SEE PAGES 924 TO 927 OR CALL US TODAY WITH YOUR SPECS!

WORKBENCHES

INDUSTRIAL-DUTY - 1000-LB. CAPACITY, ADJUSTABLE LEGS

FN178 –
Laminated Wood



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FN173	24 x 60	818.00
FN172	30 x 60	793.00
FN171	30 x 72	793.00
FN170	36 x 60	767.00
FN169	36 x 72	756.00

LAMINATED WOOD - 1 3/4"		
FN178	24 x 60	961.00
FN177	30 x 60	887.00
FN176	30 x 72	887.00
FN175	36 x 60	824.00
FN174	36 x 72	756.00



INDUSTRIAL-DUTY - 1000-LB. CAPACITY, ADJUSTABLE LEGS

FN189 –
Steel Wood Fill



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FN193	60 x 24	818.00
FN192	60 x 30	830.00
FN191	72 x 30	856.00
FN190	60 x 36	856.00
FN189	72 x 36	877.00

LAMINATED WOOD - 1 3/4"		
FN198	24 x 60	819.00
FN197	30 x 60	882.00
FN196	30 x 72	944.00
FN195	36 x 60	944.00
FN194	36 x 72	1017.00



INDUSTRIAL-DUTY - 1000-LB. CAPACITY, ADJUSTABLE LEGS

FN224 –
Plastic Laminate



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FN213	24 x 60	625.00
FN212	30 x 60	641.00
FN211	30 x 72	667.00
FN210	36 x 60	667.00
FN209	36 x 72	692.00

LAMINATED WOOD - 1 3/4"		
FN218	24 x 60	629.00
FN217	30 x 60	702.00
FN216	30 x 72	761.00
FN215	36 x 60	761.00
FN214	36 x 72	830.00



Model No.	Size D" x W"	Price /Each
SHOP TOP		
FN223	24 x 60	728.00
FN222	30 x 60	845.00
FN221	30 x 72	965.00
FN220	36 x 60	965.00
FN219	36 x 72	1050.00

PLASTIC LAMINATE		
FN228	24 x 60	780.00
FN227	30 x 60	827.00
FN226	30 x 72	899.00
FN225	36 x 60	918.00
FN224	36 x 72	1026.00

LAMINATED WOOD - 1 1/4"		
FN343	24 x 60	567.00
FN342	30 x 60	630.00
FN341	30 x 72	683.00
FN340	36 x 60	683.00
FN339	36 x 72	751.00

HEAVY-DUTY - 2500-LB. CAPACITY

FI552 –
Steel Wood Fill



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FI556	24 x 60	891.00
FI555	30 x 60	903.00
FI554	30 x 72	933.00
FI553	36 x 60	933.00
FI552	36 x 72	961.00

LAMINATED WOOD - 1 3/4"		
FI561	24 x 60	893.00
FI560	30 x 60	971.00
FI559	30 x 72	1045.00
FI558	36 x 60	1045.00
FI557	36 x 72	1129.00



HEAVY-DUTY - 2500-LB. CAPACITY

FI582 –
Shop Top



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FI576	24 x 60	961.00
FI575	30 x 60	977.00
FI574	30 x 72	1008.00
FI573	36 x 60	1008.00
FI572	36 x 72	1029.00

LAMINATED WOOD - 1 3/4"		
FI581	24 x 60	966.00
FI580	30 x 60	1040.00
FI579	30 x 72	1113.00
FI578	36 x 60	1113.00
FI577	36 x 72	1197.00



HEAVY-DUTY - 2500-LB. CAPACITY

FI607 –
Laminated Wood



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FI596	24 x 60	734.00
FI595	30 x 60	756.00
FI594	30 x 72	786.00
FI593	36 x 60	786.00
FI592	36 x 72	814.00

LAMINATED WOOD - 1 3/4"		
FI601	24 x 60	746.00
FI600	30 x 60	824.00
FI599	30 x 72	893.00
FI598	36 x 60	893.00
FI597	36 x 72	977.00



Model No.	Size D" x W"	Price /Each
SHOP TOP		
FI606	24 x 60	822.00
FI605	30 x 60	930.00
FI604	30 x 72	1014.00
FI603	36 x 60	1014.00
FI602	36 x 72	1134.00

PLASTIC LAMINATE		
FI611	24 x 60	882.00
FI610	30 x 60	933.00
FI609	30 x 72	1013.00
FI608	36 x 60	1013.00
FI607	36 x 72	1116.00

LAMINATED WOOD - 1 1/4"		
FN023*	24 x 60	693.00
FN022*	30 x 60	767.00
FN021*	30 x 72	830.00
FN020*	36 x 60	830.00
FN019*	36 x 72	908.00

*1500-lb. capacity

*1500-lb. capacity

*1500-lb. capacity



IF YOU NEED SPECIFIC SIZES OR REQUIREMENTS NOT AVAILABLE ON THESE PAGES, SEE PAGES 924 TO 927 OR CALL US TODAY WITH YOUR SPECS!

WORKBENCHES

INDUSTRIAL-DUTY - 1000-LB. CAPACITY, ADJUSTABLE LEGS

**FN234 –
Laminated Wood**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FN233	24 x 60	672.00
FN232	30 x 60	688.00
FN231	30 x 72	709.00
FN230	36 x 60	709.00
FN229	36 x 72	734.00
LAMINATED WOOD - 1 3/4"		
FN238	24 x 60	677.00
FN237	30 x 60	740.00
FN236	30 x 72	803.00
FN235	36 x 60	803.00
FN234	36 x 72	872.00

KLETON

INDUSTRIAL-DUTY - 1000-LB. CAPACITY, ADJUSTABLE LEGS

**FN249 –
Steel Wood Fill**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FN253	24 x 60	908.00
FN252	30 x 60	919.00
FN251	30 x 72	944.00
FN250	36 x 60	944.00
FN249	36 x 72	966.00
LAMINATED WOOD - 1 3/4"		
FN258	24 x 60	912.00
FN257	30 x 60	977.00
FN256	30 x 72	1034.00
FN255	36 x 60	1034.00
FN254	36 x 72	1108.00

KLETON

HEAVY-DUTY - 2500-LB. CAPACITY

**FI667 –
Plastic Laminate**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FI656	24 x 60	1238.00
FI655	30 x 60	1248.00
FI654	30 x 72	1276.00
FI653	36 x 60	1276.00
FI652	36 x 72	1302.00
LAMINATED WOOD - 1 3/4"		
FI661	24 x 60	1244.00
FI660	30 x 60	1313.00
FI659	30 x 72	1386.00
FI658	36 x 60	1386.00
FI657	36 x 72	1469.00

KLETON

Model No.	Size D" x W"	Price /Each
SHOP TOP		
FI666	24 x 60	1294.00
FI665	30 x 60	1377.00
FI664	30 x 72	1448.00
FI663	36 x 60	1448.00
FI662	36 x 72	1521.00
PLASTIC LAMINATE		
FI671	24 x 60	1284.00
FI670	30 x 60	1322.00
FI669	30 x 72	1394.00
FI668	36 x 60	1394.00
FI667	36 x 72	1487.00
LAMINATED WOOD - 1 1/4"		
FN038*	24 x 60	1155.00
FN037*	30 x 60	1218.00
FN036*	30 x 72	1286.00
FN035*	36 x 60	1286.00
FN034*	36 x 72	1365.00

*1500-lb. capacity

HEAVY-DUTY - 2500-LB. CAPACITY

**FI612 –
Steel Wood Fill**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FI616	24 x 60	793.00
FI615	30 x 60	809.00
FI614	30 x 72	835.00
FI613	36 x 60	835.00
FI612	36 x 72	861.00
LAMINATED WOOD - 1 3/4"		
FI621	24 x 60	798.00
FI620	30 x 60	872.00
FI619	30 x 72	944.00
FI618	36 x 60	944.00
FI617	36 x 72	1028.00

KLETON

HEAVY-DUTY - 2500-LB. CAPACITY

**FI642 –
Shop Top**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FI636	24 x 60	1066.00
FI635	30 x 60	1082.00
FI634	30 x 72	1108.00
FI633	36 x 60	1108.00
FI632	36 x 72	1134.00
LAMINATED WOOD - 1 3/4"		
FI641	24 x 60	1071.00
FI640	30 x 60	1150.00
FI639	30 x 72	1218.00
FI638	36 x 60	1218.00
FI637	36 x 72	1302.00

KLETON

HEAVY-DUTY - 2500-LB. CAPACITY

**FI677 –
Laminated Wood**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FI676	24 x 60	1113.00
FI675	30 x 60	1124.00
FI674	30 x 72	1150.00
FI673	36 x 60	1150.00
FI672	36 x 72	1176.00
LAMINATED WOOD - 1 3/4"		
FI681	24 x 60	1118.00
FI680	30 x 60	1187.00
FI679	30 x 72	1259.00
FI678	36 x 60	1259.00
FI677	36 x 72	1344.00

KLETON

Model No.	Size D" x W"	Price /Each
SHOP TOP		
FI686	24 x 60	1101.00
FI685	30 x 60	1184.00
FI684	30 x 72	1253.00
FI683	36 x 60	1310.00
FI682	36 x 72	1436.00
PLASTIC LAMINATE		
FI691	24 x 60	1158.00
FI690	30 x 60	1196.00
FI689	30 x 72	1268.00
FI688	36 x 60	1268.00
FI687	36 x 72	1357.00
LAMINATED WOOD - 1 1/4"		
FN043*	24 x 60	1040.00
FN042*	30 x 60	1103.00
FN041*	30 x 72	1171.00
FN040*	36 x 60	1171.00
FN039*	36 x 72	1250.00

*1500-lb. capacity



IF YOU NEED SPECIFIC SIZES OR REQUIREMENTS NOT AVAILABLE ON THESE PAGES, SEE PAGES 924 TO 927 OR CALL US TODAY WITH YOUR SPECS!

WORKBENCHES

HEAVY-DUTY - 2500-LB. CAPACITY

**FI697 –
Laminated Wood**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FI696	24 x 60	1166.00
FI695	30 x 60	1176.00
FI694	30 x 72	1202.00
FI693	36 x 60	1202.00
FI692	36 x 72	1234.00
LAMINATED WOOD - 1 3/4"		
FI701	24 x 60	1171.00
FI700	30 x 60	1244.00
FI699	30 x 72	1313.00
FI698	36 x 60	1313.00
FI697	36 x 72	1397.00



Model No.	Size D" x W"	Price /Each
SHOP TOP		
FI706	24 x 60	1158.00
FI705	30 x 60	1242.00
FI704	30 x 72	1299.00
FI703	36 x 60	1371.00
FI702	36 x 72	1500.00
PLASTIC LAMINATE		
FI711	24 x 60	1212.00
FI710	30 x 60	1246.00
FI709	30 x 72	1322.00
FI708	36 x 60	1322.00
FI707	36 x 72	1411.00
LAMINATED WOOD - 1 1/4"		
FN048*	24 x 60	1087.00
FN047*	30 x 60	1155.00
FN046*	30 x 72	1218.00
FN045*	36 x 60	1218.00
FN044*	36 x 72	1297.00

*1500-lb. capacity

HEAVY-DUTY - 2500-LB. CAPACITY

**FG245 –
Steel Wood Fill**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FG241	24 x 60	1259.00
FG242	30 x 60	1271.00
FG243	30 x 72	1301.00
FG244	36 x 60	1301.00
FG245	36 x 72	1332.00
LAMINATED WOOD - 1 3/4"		
FG233	24 x 60	1271.00
FG234	30 x 60	1339.00
FG235	30 x 72	1412.00
FG236	36 x 60	1412.00
FG237	36 x 72	1496.00



Model No.	Size D" x W"	Price /Each
SHOP TOP		
FH906	24 x 60	1208.00
FG246	30 x 60	1350.00
FG247	30 x 72	1409.00
FH905	36 x 60	1409.00
FG248	36 x 72	1484.00
PLASTIC LAMINATE		
FH908	24 x 60	1255.00
FG238	30 x 60	1286.00
FG239	30 x 72	1349.00
FH907	36 x 60	1349.00
FG240	36 x 72	1444.00
LAMINATED WOOD - 1 1/4"		
FM983*	24 x 60	1181.00
FM984*	30 x 60	1244.00
FM985*	30 x 72	1313.00
FM986*	36 x 60	1313.00
FM987*	36 x 72	1391.00

*1500-lb. capacity

HEAVY-DUTY - 2500-LB. CAPACITY

**FG632 –
Plastic Laminate**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FG628	24 x 60	1722.00
FG627	30 x 60	1733.00
FG626	30 x 72	1759.00
FG625	36 x 60	1759.00
FG624	36 x 72	1784.00
LAMINATED WOOD - 1 3/4"		
FG623	24 x 60	1679.00
FG622	30 x 60	1752.00
FG621	30 x 72	1822.00
FG620	36 x 60	1822.00
FG619	36 x 72	1906.00



Model No.	Size D" x W"	Price /Each
SHOP TOP		
FH910	24 x 60	1664.00
FH909	36 x 60	1742.00
FG631	30 x 60	1679.00
FG630	30 x 72	1742.00
FG629	36 x 72	1806.00
PLASTIC LAMINATE		
FH912	24 x 60	1712.00
FH911	36 x 60	1817.00
FG634	30 x 60	1748.00
FG633	30 x 72	1817.00
FG632	36 x 72	1901.00
LAMINATED WOOD - 1 1/4"		
FM992*	24 x 60	1559.00
FM991*	30 x 60	1628.00
FM990*	30 x 72	1696.00
FM989*	36 x 60	1696.00
FM988*	36 x 72	1769.00

*1500-lb. capacity

HEAVY-DUTY - 2500-LB. CAPACITY

**FG137 –
Steel Wood Fill**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FG132	24 x 60	1244.00
FG134	30 x 60	1255.00
FG135	30 x 72	1280.00
FG136	36 x 60	1280.00
FG137	36 x 72	1311.00
LAMINATED WOOD - 1 3/4"		
FG118	24 x 60	1255.00
FG120	30 x 60	1322.00
FG121	30 x 72	1391.00
FG122	36 x 60	1391.00
FG123	36 x 72	1469.00



Model No.	Size D" x W"	Price /Each
SHOP TOP		
FH902	24 x 60	1187.00
FG141	30 x 60	1329.00
FG142	30 x 72	1385.00
FH901	36 x 60	1385.00
FG144	36 x 72	1465.00
PLASTIC LAMINATE		
FH904	24 x 60	1238.00
FG127	30 x 60	1271.00
FG128	30 x 72	1328.00
FH903	36 x 60	1328.00
FG130	36 x 72	1423.00
LAMINATED WOOD - 1 1/4"		
FM978*	24 x 60	1166.00
FM979*	30 x 60	1229.00
FM980*	30 x 72	1292.00
FM981*	36 x 60	1292.00
FM982*	36 x 72	1365.00

*1500-lb. capacity

HEAVY-DUTY - 2500-LB. CAPACITY

**FG469 –
Shop Top**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FG468	24 x 60	1491.00
FG467	30 x 60	1502.00
FG466	30 x 72	1529.00
FG465	36 x 60	1529.00
FG464	36 x 72	1559.00
LAMINATED WOOD - 1 3/4"		
FG463	24 x 60	1449.00
FG462	30 x 60	1521.00
FG461	30 x 72	1591.00
FG460	36 x 60	1591.00
FG459	36 x 72	1675.00



Model No.	Size D" x W"	Price /Each
SHOP TOP		
FH914	24 x 60	1433.00
FG471	30 x 60	1454.00
FG470	30 x 72	1512.00
FH913	36 x 60	1512.00
FG469	36 x 72	1731.00
PLASTIC LAMINATE		
FH916	24 x 60	1481.00
FG474	30 x 60	1517.00
FG473	30 x 72	1586.00
FH915	36 x 60	1586.00
FG472	36 x 72	1675.00
LAMINATED WOOD - 1 1/4"		
FM997*	24 x 60	1349.00
FM996*	30 x 60	1416.00
FM995*	30 x 72	1481.00
FM994*	36 x 60	1481.00
FM993*	36 x 72	1559.00

*1500-lb. capacity

HEAVY-DUTY - 2500-LB. CAPACITY

**FG221 –
Laminated Wood**



Model No.	Size D" x W"	Price /Each
STEEL - WOOD FILL		
FG225	24 x 60	1532.00
FG226	30 x 60	1538.00
FG227	30 x 72	1570.00
FG228	36 x 60	1570.00
FG229	36 x 72	1596.00
LAMINATED WOOD - 1 3/4"		
FG217	24 x 60	1491.00
FG218	30 x 60	1559.00
FG219	30 x 72	1628.00
FG220	36 x 60	1628.00
FG221	36 x 72	1712.00



Model No.	Size D" x W"	Price /Each
SHOP TOP		
FH918	24 x 60	1469.00
FG230	30 x 60	1566.00
FG231	30 x 72	1626.00
FH917	36 x 60	1549.00
FG232	36 x 72	1773.00
PLASTIC LAMINATE		
FH920	24 x 60	1521.00
FG222	30 x 60	1554.00
FG223	30 x 72	1612.00
FH919	36 x 60	1612.00
FG224	36 x 72	1706.00
LAMINATED WOOD - 1 1/4"		
FM998*	24 x 60	1386.00
FM999*	30 x 60	1449.00
FM001*	30 x 72	1512.00
FM002*	36 x 60	1512.00
FM003*	36 x 72	1591.00

*1500-lb. capacity



IF YOU NEED SPECIFIC SIZES OR REQUIREMENTS NOT AVAILABLE ON THESE PAGES, SEE PAGES 924 TO 927 OR CALL US TODAY WITH YOUR SPECS!



WORKBENCHES

WALL-MOUNTED SHOP DESK



- Durable carbon steel construction
- Ideal for areas with limited floor space
- Four compartment organizer and slightly sloped writing surface
- Easy to assemble, wall brackets included
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 28" D x 31" H
- Weight: 74 lbs.
- Grey enamel finish

Model No. FI518
Price/Each \$298.00



OPEN FLOOR STYLE SHOP DESK



- Durable carbon steel construction
- Ideal for receiving/shipping clerks, watchmen and shop foremen
- Four compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 53" H
- Weight: 93 lbs.
- Grey enamel finish


Model No. FI519
Price/Each \$380.00

OPTIONAL CASTER KIT

Model No. FI521
Price/Each \$70.55



CABINET STYLE SHOP DESK



- Durable carbon steel construction
- Same features as the open floor style shop desk, with an added double door locking cabinet
- Four compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 53" H
- Weight: 146 lbs.
- Grey enamel finish

Model No. FI520
Price/Each \$541.00



SHOP DESK

- Heavy duty 16 ga. all-welded steel construction
- 18 gauge steel file drawers (2) and storage drawers (2)
- Drawers included recessed handles, ball bearing slides & cylinder locks
- Straight writing surface, 42" table top height
- An 18" D x 23" W X 7"H shelf welded on top of work surface
- Durable, textured, gray powder coat finish
- Dimensions: 39" W x 29" D x 53" H
- Colour: Grey

Model No. FL633
Price/Each \$2149.00

DURHAM MFG
Est. 1922



SHOP DESK

- Heavy duty 16 ga. all-welded steel construction
- Provides an organized work area that easily moves anywhere
- Sloped work surface has a pencil rest lip
- Drawer has ball bearing slides
- (4) 3" swivel rubber casters
- 500 lbs. overall capacity
- Dimensions: 23" W x 20" D
- Material: Steel
- Colour: Grey



FG790



FG789

DURHAM MFG
Est. 1922

Model No.	Type	Height"	Price/Each
FG789	Cabinet Style	51	1349.00
FG790	Open Style	47 3/4	1099.00


WORKBENCHES

ERGONOMIC WORKSTATIONS

- Highly functional and flexible system of above-work surface accessories and modular components
- Ergonomically designed, delivering easy accessibility with no stretch or strain
- Modular design allows for easy reconfiguration

Workstation benefits include:

- Greater productivity and efficiency
- Reduced strain and increased ergonomic ease
- Equipped to exactly suit your needs
- Properly illuminated work areas




TO PICK THE RIGHT FRAME FOR YOUR NEEDS YOU MUST DETERMINE THE FOLLOWING MEASUREMENTS:

Section Width (A): Is measured from the centre of one upright to the other.

Overall Width (B): Is measured from the outside of one foot plate to the other. Then determine if you require a single frame or double frame unit.

SURFACE MOUNT FRAMES

- Frames are made from a heavy gauge steel and are notched front and back at 1" increments
- Foot plate is 2 3/4" x 4"



LISTA
making workspace work®

SINGLE FRAME SECTIONS

Model No.	Height"	Section Width" (A)	Min Work Surface Width" Required	Price /Each
FI368	30	24	30	241.00
FI370	30	30	36	251.00
FH992	30	36	42	251.00
FI372	30	42	48	251.00
FH993	30	48	54	261.00
FI374	30	60	66	271.00
FI369	48	24	30	251.00
FI371	48	30	36	261.00
FH994	48	36	42	261.00
FI373	48	42	48	269.00
FH995	48	48	54	281.00
FI375	48	60	66	281.00

ADDER FRAME SECTION

Model No.	Height"	Section Width" (A)	Min Work Surface Width" Required	Price /Each
FI376	30	24	54	160.00
FI378	30	30	60	180.00
FI380	30	36	66	180.00
FI382	30	42	72	180.00
FI384	30	48	78	191.00
FI386	30	60	90	191.00
FI377	48	24	54	180.00
FI379	48	30	60	191.00
FI381	48	36	66	191.00
FI383	48	42	72	191.00
FI385	48	48	78	201.00
FI387	48	60	90	201.00

DOUBLE FRAME SECTIONS

Model No.	Height"	Section Width"	Min Work Surface Width" Required	Price /Each
FI747	30	24 + 24	54	388.00
FI749	30	24 + 30	60	392.00
FL525	30	24 + 36	66	392.00
FL526	30	24 + 42	72	392.00
FL527	30	24 + 48	78	412.00
FL528	30	24 + 60	90	412.00
FL529	30	30 + 30	66	412.00
FL530	30	30 + 36	72	412.00
FL531	30	30 + 42	78	412.00
FL532	30	30 + 48	84	422.00
FL533	30	30 + 60	96	422.00
FL534	30	36 + 36	78	412.00
FL535	30	36 + 42	84	412.00
FL536	30	36 + 48	90	422.00
FL537	30	36 + 60	102	422.00
FL538	30	42 + 42	90	412.00
FL539	30	42 + 48	96	422.00
FL540	30	42 + 60	108	422.00
FL541	30	48 + 48	102	433.00
FL542	30	48 + 60	114	433.00
FL543	30	60 + 60	126	433.00
FI748	48	24 + 24	54	414.00
FI750	48	24 + 30	60	422.00
FL544	48	24 + 36	66	422.00
FL545	48	24 + 42	72	422.00
FL546	48	24 + 48	78	433.00
FL547	48	24 + 60	90	433.00
FL548	48	30 + 30	66	433.00
FL549	48	30 + 36	72	433.00
FL550	48	30 + 42	78	433.00
FL551	48	30 + 48	84	443.00
FL552	48	30 + 60	96	443.00
FL553	48	36 + 36	78	433.00
FL554	48	36 + 42	84	433.00
FL555	48	36 + 48	90	443.00
FL556	48	36 + 60	102	443.00
FL557	48	42 + 42	90	428.00
FL558	48	42 + 48	96	438.00
FL559	48	42 + 60	108	438.00
FL560	48	48 + 48	102	453.00
FL561	48	48 + 60	114	453.00
FL562	48	60 + 60	126	388.00



WORKBENCHES

LISTA
making workspace work®

NEXUS SYSTEM WORKBENCH ACCESSORIES

OVERHEAD CABINETS

- Protect, secure above-work-surface storage of large, bulky items



Model No.	Overall Dimensions W" x D" x H"	Price /Each
FI364	24 x 15 x 16	719.00
FI365	30 x 15 x 16	779.00
FI366	36 x 15 x 16	879.00
FI367	48 x 15 x 16	1179.00

REPLACEMENT PARTS

FI362	Support Brackets for 16" Overall Height	77.60
-------	---	-------

LED OVERHEAD LIGHT FIXTURE

- Features 8' grounded electrical cord, switch, support track, standard acrylic diffuser, and LED bulbs
- Fixture with additional brackets can also simultaneously support tool rail



Model No.	Use with Frame Overall Width"	Price /Each
FN423	48	789.00
FN424	60	819.00

SUPPORT BRACKETS

Model No.	Use with Frame Overall Depth"	Price /Each
FI327	Less than 30	98.00
FI328	Greater than or equal to 30	103.00

HORIZONTAL POWER BOARDS

- 15 Amps with six plugs
- Pivots on axis providing full horizontal adjustability



Model No.	Overall Width"	Price /Each
FI022	24	312.00
FI023	30	312.00
FI024	36	332.00
FI025	48	342.00

VERTICAL POWER BOARDS

- 15 Amps with six outlets
- Mounts vertically to front and back of upright
- Features a lighted on/off switch, 6' cord with grounded plug and circuit breaker
- Bracket and hardware included

Model No. FI021
Price/Each \$231.00



PLASTIC BOX RAILS

- Easily adjustable for ergonomic access
- Can be mounted either parallel or at a 15° angle to the workstation
- Suitable to use with bins that have a rear lip
- Plastic bins not included



Model No.	Overall Width"	Price /Each
FI030	24	98.00
FI031	30	100.00
FI032	36	120.00
FI033	48	130.00

ADJUSTABLE SHELVES

- Adjustable, heavy gauge steel shelves can be mounted parallel to the work surface or at a 15° angle for easy ergonomic access
- 100-lb. capacity evenly distributed



Model No.	Overall Dimensions W" x D"	Price /Each
FI001	24 x 12	150.00
FI002	30 x 12	170.00
FI003	36 x 12	170.00
FI004	48 x 12	181.00
FI005	24 x 15	170.00
FI006	30 x 15	181.00
FI007	36 x 15	181.00
FI008	48 x 15	201.00
FI009	24 x 18	231.00
FI010	30 x 18	241.00
FI011	36 x 18	241.00
FI012	48 x 18	261.00

SHELF DIVIDERS


- Steel dividers fit over the edge of the shelf when it is mounted parallel to the work surface



Model No.	Overall Dimensions D" x H"	Price /Each
FI013	12 x 4	26.40
FI014	12 x 6	32.40
FI015	12 x 8	38.20
FI016	15 x 4	32.40
FI017	15 x 6	38.20
FI018	15 x 8	44.00

STEEL LOUVERED BACK PANELS

- Designed to accommodate industry standard plastic bins that featured louvered edge or lip



Model No.	Overall Dim. W" x H"	Price /Each
FI034	24 x 18	181.00
FI035	30 x 18	181.00
FI036	36 x 18	201.00
FI037	48 x 18	211.00
FI038	24 x 30	201.00
FI039	30 x 30	201.00
FI040	36 x 30	211.00
FI041	48 x 30	231.00

REVERSIBLE MARKERBOARDS/TACKBOARDS


- Two-sided reversible board
- Features white magnetic marker board on one side and grey fabric panel on the other



Model No.	Overall Dimensions W" x H"	Price /Each
FI050	24 x 30	362.00
FI051	30 x 30	362.00
FI052	36 x 30	513.00
FI053	48 x 30	685.00

STEEL PEGBOARD PANELS

- Accepts all standard pegging devices
- Holes are 1/4" in diameter



Model No.	Overall Dim. W" x H"	Price /Each
FI042	24 x 18	181.00
FI043	30 x 18	181.00
FI044	36 x 18	201.00
FI045	48 x 18	211.00
FI046	24 x 30	201.00
FI047	30 x 30	201.00
FI048	36 x 30	211.00
FI049	48 x 30	231.00

OTHER SIZES AVAILABLE UPON REQUEST

WORKBENCHES

EXTRA HEAVY-DUTY WORKBENCHES

ALL-WELDED BENCHES

- All-welded construction features a wood-filled 3/16" steel top with 11 gauge steel legs and stringers
- Standard bolt-down footplates
- Mobile units come w/6" polyurethane casters, two swivel w/brakes, and two rigid
- Overall height is 34"
- Capacity is based on evenly distributed weight
- Durable Kleton blue enamel finish



Model No.	Style	Dimensions W" x D" x H"	Cap. lbs.	Wt. lbs.	Price /Each
FF494	Static	72 x 30 x 34	5000	290	1279.00
FF495	Static	72 x 36 x 34	5000	360	1379.00
FH465	Mobile	72 x 30 x 34	3500	290	1569.00
FH466	Mobile	72 x 36 x 34	3500	360	1669.00

PEDESTAL BENCHES

- Designed for workshop applications
- Feature 1 3/4" thick solid laminated hardwood top, mounted on two all-welded pedestals with two shelves each
- Pedestals are 18" W x 24" D x 32" H
- Overall height: 34"
- Capacity is based on evenly distributed weight
- Durable Kleton blue enamel finish
- Shipped knocked down

KLETON



Model No.	Dimensions W" x D" x H"	Cap. lbs.	Wt. lbs.	Price /Each
FF120	60 x 30 x 34	2500	158	896.00
FF121	72 x 30 x 34	2500	175	956.00
FF122	84 x 30 x 34	2500	192	1099.00
FF119	120 x 30 x 34	2500	245	1311.00

HEAVY-DUTY STAINLESS STEEL WORKBENCHES

- Work surface is constructed of 14-gauge stainless steel with an 11-gauge support structure
- 1 5/8" diameter posts with tapered sleeves and corners
- Standard units are stationary with leveling foot on each post
- 30" models can be fitted with 5" polyurethane swivel casters, two with wheel brake
- Capacity is based on evenly distributed weight
- Shipped knocked down



F1388



F1391



Model No.	Description	Overall Dimensions W" x D" x H"	Cap. lbs.	Wt. lbs.	Price /Each
F1388	3-Sided Frame	60 x 30 x 34	625	104	1880.00
F1389	3-Sided Frame	72 x 30 x 34	750	121	2040.00
F1390	3-Sided Frame	96 x 30 x 34	1000	150	2440.00
F1391	H-Frame	60 x 30 x 34	625	104	1880.00
F1392	H-Frame	72 x 30 x 34	750	120	2040.00
F1393	H-Frame	96 x 30 x 34	1000	150	2440.00

Models are also available in 36" and 44" depths

HEAVY-DUTY WORKBENCHES

- Top is 12 gauge reinforced steel
- Includes a 12 gauge steel lower shelf with 500 lbs. capacity
- Foot pads with predrilled holes allow lagging to the floor
- Durable textured powder coat finish
- Capacity: 4000 lbs.
- Configuration: Shelf
- Dimensions: 48" W x 30" D x 34" H
- Colour: Grey
- Weight: 202 lbs.

Model No. MO950
Mfg. No. DWB-3048-95
Price/Each \$989.00



DURHAM MFG
Est. 1922

POLY-TOP WORKBENCHES

- All the strength and durability of stainless steel at the cost of aluminum
- Easy to clean top and frame
- Units have removable full 5/8" thick HDPE tops
- Easily adjustable safety feet provide added stability and easy levelling
- All models are shipped knocked down to reduce freight and damages
- Lifetime Guarantee against rust and corrosion
- NSF Approved
- Capacity is based on uniformly distributed weight
- Accepted for use in Canadian food processing facilities



MO487



NEWAGE
INDUSTRIAL

Model No.	Dimensions W" x D" x H"	Capacity lbs.	Price /Each
MO487	36 x 24 x 35-1/2	2000	2059.00
MO488	48 x 24 x 35-1/2	2000	2469.00
MO489	60 x 24 x 35-1/2	1800	2849.00
MO490	72 x 24 x 35-1/2	1600	2949.00
MO491	84 x 24 x 35-1/2	1200	3539.00
MO492	96 x 24 x 35-1/2	1000	3659.00
MO493	36 x 30 x 35-1/2	2000	2209.00
MO494	48 x 30 x 35-1/2	2000	2479.00
MO495	60 x 30 x 35-1/2	1800	2939.00
MO496	72 x 30 x 35-1/2	1600	3079.00
MO497	84 x 30 x 35-1/2	1200	3729.00
MO498	96 x 30 x 35-1/2	1000	3549.00




WORKBENCHES

VARI-TUFF™ ERGONOMIC WORKBENCHES

- Knocked-down, folding leg style
- Assembles in minutes
- Two brace supports and hardware supplied with each leg
- Eliminates stringers
- One package contains entire bench
- Choice of steel tops or tempered hardwood over steel (THS)
- Adjustable height from 28" to 42"
- Legs made of 13 gauge steel
- Channel formed on all four sides
- All four corners are welded and ground smooth
- 120" W unit comes with three sets of legs, all others come with two
- Capacity: 2000 lbs. evenly distributed
- Grey finish

Width"	Depth"	Steel Top Model No.	Price /Each	THS Top Model No.	Price /Each
84	28	FG746	939.00	FG755	1119.00
84	34	FG747	1019.00	FG756	1359.00
84	48	FG748	1219.00	FG757	1439.00
96	28	FG749	999.00	FG758	1319.00
96	34	FG750	1059.00	FG759	1389.00
120	28	FG752	1249.00	FG761	1619.00
120	34	FG753	1359.00	FG762	1709.00
120	48	FG754	1559.00	FG763	1859.00



MAXI-BENCH WORKSTATIONS

- Roll your workstation to your work area
- Sturdy 30" x 60" steel wood-filled top and all-welded 14-gauge frame
- Includes: 42" H peg board panel, double drawers, swivel-out stool, lower shelf, end stops
- Mobile units come with 5" nylon non-marking casters, two rigid and two swivel with brakes
- Models **FF068** and **FF071** include fluorescent lamp, 25' incandescent drop light, and 4-outlet power bar
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish



KLETON

Model No.	Description	Overall Height"	Wt. lbs.	Price /Each
FF068	Mobile, Complete	76	435	3339.00
FF069	Mobile, No Electrical	76	415	2839.00
FF071	Static, Complete	70	425	3329.00
FF072	Static, No Electrical	70	405	2879.00

HEAVY-DUTY MACHINE STANDS

- Designed for use as machinery stand or work table when full-sized workbench is not necessary
- 14" shelf clearance
- All-welded construction
- 14-gauge steel lip-down shelves, with bolt-down footplates on 3/16" x 1 1/2" angle leg
- Capacity is based on evenly distributed weight
- Durable Kleton blue enamel finish



KLETON

Model No.	W"	x	D"	x	H"	Cap. lbs.	Wt. lbs.	Price /Each
FH268	30	x	18	x	32	1200	60	233.00
FH269	36	x	24	x	32	1200	70	252.00
FH270	48	x	24	x	32	1200	85	309.00

ADJUSTABLE MACHINE STANDS

- Easy to assemble with the hardware provided
- Shelves adjust on 3" centers
- Work Surface: Steel
- Colour: Grey



DURHAM MFG®
Est. 1922

Model No.	Mfg. No.	Dimensions W" x D" x H"	Maximum Adjustable Height"	Price /Each
M0951	MTA182424-1.5K295	18-1/8 x 24-1/8 x 18-1/8	24-1/8	419.00
M0952	MTA182436-1.5K295	18-1/8 x 24-1/8 x 30-1/8	36-1/8	449.00
M0953	MTA243024-1.5K295	24-1/8 x 30-1/8 x 18-1/8	24-1/8	529.00
M0954	MTA243036-1.5K295	24-1/8 x 30-1/8 x 30-1/8	36-1/8	549.00
M0955	MTA243624-1.5K295	24-1/8 x 36-1/8 x 18-1/8	24-1/8	599.00
M0956	MTA243636-1.5K295	24-1/8 x 36-1/8 x 30-1/8	36-1/8	619.00
M0957	MTA244824-1.5K295	24-1/8 x 48-1/8 x 18-1/8	24-1/8	729.00
M0958	MTA244836-1.5K295	24-1/8 x 48-1/8 x 30-1/8	36-1/8	749.00

ADJUSTABLE MOBILE MACHINE STAND

- Easy to assemble with the hardware provided
- Shelves adjust on 3" centers
- Bottom shelf has 2" lip to retain products with a capacity of 500 lbs.
- Four 3" x 1-1/4" polyolefin swivel casters with side brakes
- Work Surface: Steel
- Colour: Grey



DURHAM MFG®
Est. 1922

Model No.	Mfg. No.	Dimensions W" x D" x H"	Maximum Adjustable Height"	Price /Each
M0959	MTMA182428-1K23P095	18-1/8 x 24-1/8 x 21-13/16	27-13/16	589.00
M0960	MTMA182440-1K23P095	18-1/8 x 24-1/8 x 33-13/16	39-13/16	629.00
M0961	MTMA243028-1K23P095	24-1/8 x 30-1/8 x 21-13/16	27-13/16	699.00
M0962	MTMA243040-1K23P095	24-1/8 x 30-1/8 x 33-13/16	39-13/16	719.00
M0963	MTMA243628-1K23P095	24-1/8 x 36-1/8 x 21-13/16	27-13/16	769.00
M0964	MTMA243640-1K23P095	24-1/8 x 36-1/8 x 33-13/16	39-13/16	779.00
M0965	MTMA244828-1K23P095	24-1/8 x 48-1/8 x 21-13/16	27-13/16	889.00
M0966	MTMA244840-1K23P095	24-1/8 x 48-1/8 x 33-13/16	39-13/16	919.00

WORKBENCHES

BUILD YOUR OWN CABINET WORKBENCH

- Versatile cabinet workbench suited for any industrial application that requires work surface and secure tool and parts storage
- Steel-wood fill tops available in grey or blue
- Capacity: 3000 lbs. evenly distributed
- Durable Kleton blue enamel finish
- Shipped knocked down




A - CABINET SHELLS ONLY

- Made of heavy gauge all-welded 14-gauge steel



C - SHELVES

- Made of 14-gauge steel
- Maximum two per cabinet
- Capacity: 300 lbs. evenly distributed




Model No.	Dimensions					Wt. lbs.	Price /Each
	L"	x	W"	x	H"		
FH165	28	x	59	x	32	105	639.00


Model No.	Dimensions			Wt. lbs.	Price /Each
	L"	x	W"		
FH164	27 3/4	x	58 3/4	15	212.00

B - TOPS


- Our complete list of tops can be found on page 927

	Model No.		Size"	Price /Each
	Grey Tops	Blue Tops		
STEEL - WOOD FILL 	FD033	FH183	30 x 60	339.00
	FD034	FH184	30 x 72	369.00
	FD035	FH185	36 x 60	369.00
	FD036	FH186	36 x 72	409.00


LAMINATED WOOD - BULLNOSE EDGE

	FI528	-	30 x 60	381.00
	FI529	-	30 x 72	458.00
	FI532	-	36 x 60	458.00
	FI533	-	36 x 72	550.00


LAMINATED WOOD - SQUARE EDGE

	FI733	-	30 x 60	371.00
	FI734	-	30 x 72	445.00
	FL597	-	36 x 60	445.00
	FI738	-	36 x 72	544.00


SHOP TOPS

	FD004	-	30 x 60	305.00
	FD005	-	30 x 72	371.00
	FD006	-	36 x 60	381.00
	FD007	-	36 x 72	457.00

PLASTIC LAMINATE

	FD011	-	30 x 60	381.00
	FD012	-	30 x 72	457.00
	FD013	-	36 x 60	468.00
	FD014	-	36 x 72	578.00

STAINLESS STEEL

	FI271	-	30 x 60	1019.00
	FI272	-	30 x 72	1089.00
	FI276	-	36 x 60	1069.00
	FI277	-	36 x 72	1119.00

D - DOOR


- Made of 18-gauge steel on rollers
- Recessed handles
- Includes: Plunger lock and two keys



Model No.	Description	Wt. lbs.	Price /Each
FH163	Door Set, Lock Included	40	499.00

E - DRAWERS

- All-welded heavy gauge steel
- 100% full extension with ball bearing slide mechanism
- All locks keyed alike by drawer model
- Includes: locks and two keys
- Aluminum extrusion handles with grey end caps
- Capacity: 100 lbs. per drawer evenly distributed



FH938



FH939

Model No.	Dimensions					Wt. lbs.	Price /Each
	L"	x	W"	x	H"		
FH938	15 3/8	x	20	x	5 5/8	30	258.00
FH939	15 3/8	x	20	x	2 3/4	35	357.00



WORKBENCHES

BUILD YOUR OWN MOBILE CABINET BENCHES

- Ideal for maintenance, repair and assembly departments
- Mount one, two or three cabinets from six choices of cabinets
- Heavy-duty 11-gauge steel base, 1 1/4" thick laminated hardwood top, and a push handle
- Four 5" non-marking casters with brakes for smooth, easy rolling
- Doors are reversible, can be opened either left or right side
- All locks keyed alike by pedestal model
- Capacity: 1200 lbs. evenly distributed
- Cabinet frame powder coat finish with grey shell and Kleton blue on doors and drawers
- Shipped knocked down



FH666

FH667

FH668

FH669

FH670

FH671

FH666

FH667

CONFIGURE YOUR OWN UNIT BY CHOOSING:

1. The pedestal style(s) that suits your needs (to a maximum of three pedestal(s))
2. Add to that the assembly kit, whether it be single, double or triple. Assembly kit includes casters, base and 1 1/4" laminated hardwood top



Assembly Kit

Model No.	Description	Wt. lbs.	Price /Each
1 - PEDESTAL STYLES COMPLETE WITH LOCK & 2 KEYS			
FH666	One door	51	314.00
FH667	Two half doors	52	370.00
FH668	Two small drawers and one half door	75	465.00
FH669	Four large drawers	97	614.00
FH670	Two large drawers	66	465.00
FH671	One large drawer and two small drawers	78	538.00
FH670	Four small drawers and one half door	84	646.00
FH671	Four small drawers and two large drawers	98	799.00
2 - ASSEMBLY KITS			
FH407	Single	35	359.00
FH408	Double	65	469.00
FH409	Triple	95	649.00

SINGLE PEDESTAL BENCHES

- Heavy gauge steel cabinet with 1" round tube frame
- Top tray lined with a rubber mat
- Full extension drawers with a capacity of 100 lbs. per drawer
- Four 4" non-marking casters with brakes for smooth, easy rolling
- Comes complete with locks and two keys
- Overall dimensions 20" W x 21" D x 37" H
- Capacity: 800 lbs. evenly distributed
- Cabinet frame powder coat finish with grey shell and Kleton blue on doors and drawers



Model No.	Description	Wt. lbs.	Price /Each
FF984	4-drawer cabinet	120	1209.00
MH801	Single door cabinet	75	929.00



FF984



MH801

WORKBENCHES

INDUSTRIAL DUTY MOBILE SERVICE BENCHES

- Designed for moving heavy parts and tools to the job site
- Four 5" non-marking casters: two rigids and two swivels with brake
- Provides a strong maintenance-free surface to work on
- 16-gauge all-welded steel construction
- Laminated hardwood top
- Overall dimensions: 42" W x 24" D x 37"H
- Shell durable Kleton blue enamel finish
- Cabinets are powder paint grey and Kleton blue
- Shipped assembled
- Capacity: 1200 lbs. evenly distributed

KLETON



Model No.	Description	Wt. lbs.	Price /Each
ML325	2 Doors	235	1989.00
ML326	1 Drawer/1 Door	190	1849.00
ML327	4 Drawers/1 Door	275	2279.00
ML328	8 Drawers	300	2599.00

* Review cabinet models on page 939 to create your own mobile service bench.



ML325



ML326



ML327



ML328

MOBILE BENCH CABINET

- Heavy duty 16 ga. all-welded steel construction
- Convenient sturdy work surface
- Back and end stops on work surface prevents parts from falling during transport
- 5" x 1-1/4" polyurethane casters (2 swivel, 2 ridged)
- Durable, textured, grey powder coat finish
- Tubular handle for ease of mobility
- Cabinet door has a 3 point locking handle with 2 keys
- 1200 lbs. capacity (based on evenly distributed weight)
- Full piano hinge on door prevents door sag
- Note: Handle adds 6" to overall width

FL635



FI822



FI823



FL634



FG813



FL637



FL638



FL636



DURHAM MFG
Est. 1922

Model No.	Workbench Type	Overall Dimensions					Cabinet Size					Drawer Dimensions					Price /Each
		W"	x	D"	x	H"	W"	x	D"	x	H"	W"	x	D"	x	H"	
FG813	2 Drawers & Cabinet	24	x	18	x	38-3/8	24	x	18	x	10-1/2	20-7/16	x	14-11/16	x	5-7/8	1119.00
FI822	Cabinet	24	x	18	x	38-3/8	23-7/8	x	17-7/8	x	27-7/16		x	-			1219.00
FI823	4 Drawers	24	x	18	x	38-3/8			-			20-7/16	x	14-11/16	x	5-7/8	1689.00
FL634	1 Drawer & Cabinet	24	x	18	x	38-3/8	23-7/8	x	17-7/8	x	21-3/4	20-7/16	x	14-11/16	x	5-7/8	839.00
FL638	2 Drawers & Cabinet	36	x	18	x	38-3/8	36	x	18	x	16-3/8	16-1/16	x	14-11/16	x	5-7/8	1169.00
FL637	1 Drawer & Cabinet	36	x	18	x	38-3/8	11-18	x	18	x	24-1/4	20-7/16	x	14-11/16	x	5-7/8	1389.00
FL635	Shelf, 1 Drawer & Cabinet	36	x	18	x	38-3/8	11-18	x	18	x	24-1/4	20-7/16	x	14-11/16	x	5-7/8	1099.00
FL636	Shelf, 1 Drawer & Cabinet w/Bins	36	x	18	x	38-3/8	11-18	x	18	x	24-1/4	20-7/16	x	14-11/16	x	5-7/8	1119.00

MOBILE WORKBENCH CABINET

- Mobile workbenches are designed to move heavy parts and tools to jobsites
 - Feature all-welded construction from heavy gauge steel
 - Hardboard laminated bench-top for smooth work surface
 - Lockable cabinet protects valuable tools and equipment
 - Two stationary and two locking swivel casters facilitate mobility
 - Standard with one locking drawer, one divider and two shelves under drawer
 - Drawers have load capacity of 70 lbs.
 - Extra shelves available upon request
 - Work Surface: Laminate
 - Capacity: 1000 lbs.
 - Weight: 157 lbs.
 - No. of Drawers: 1
 - No. of Shelves: 2
 - Color: Medium Grey
- Model No. FL652**
Mfg. No. MB-2-2542-MGY
Price/Each \$1312.00



5-DRAWER MOBILE WORK CENTRE

- Built-in cord wrap allows neat and convenient storage of power tools and work lights
 - Casters provide portability and are lockable for safety
 - Locking bar provides security and holds drawers securely in place
 - Pegboard side panels provide convenient tool organization
 - Work Surface: Plastic
- Model No. NH485**
Mfg. No. FG773488BLA
Price/Each \$947.42



HEAVY DUTY MOBILE WORK STATIONS

- Capacity: 1200 lbs.
- Weight: 226 lbs.
- 16-gauge all welded steel construction
- Includes (9) yellow bins: 4" W x 5" L x 3" H
- Includes (6) drawers: (2) 20-7/16" L x 14-11/16" D x 4-7/8" H and (4) 20-7/16" L x 14-11/16" D x 2-7/8" H
- Durable, textured powder coat finish
- Top surface has a 3" back stop
- Conveniently carry a 6' ladder on back side of cart
- Ergonomic tubular handle has provision to hold two boxes of fluorescent light bulbs



DURHAM MFG
Est. 1922

Model No.	Overall Height"	Overall Width"	Overall Depth	No. of Shelves	Colour	Price /Each
FL417	40 1/4	18 1/8	52 5/8	1	Grey	2349.00

EX DELUXE SERIES TOOL CART

- Contains bumpers on all corners
- Side pry bar/tool holder is accessible through top compartment
- Ball bearing slides load rated 100 lbs. per drawer
- Full-width powder coated aluminum drawer pulls
- Includes secure tubular coded lock and keys as well as PVC drawer liners
- Features four 6" x 2" lockable mag wheel swivel casters
- No. of Drawers: 4
- Overall Length: 22-7/8"
- Overall Width: 33"
- Overall Height: 44-1/4"
- Drawer Pull Colour: Black



Model No.	Mfg. No.	Colour	Price /Each
TER033	EX3304TCMBBK	Black	1879.00
TER031	EX3304TCBLBK	Blue	1879.00
TER035	EX3304TCRDBK	Red	1879.00

CANADA'S LEADING MATERIAL HANDLING SUPPLIER

STORAGE CABINETS

STORAGE CABINET

- Made of cold rolled steel sheets of commercial quality
- Features a lock
- Shelf Capacity: 150 lbs.
- Assembly Type: Welded (Assembled)
- Top Gauge: 20
- Door & Sides Gauge: 20
- Shelf Gauge: 20
- Bottom Gauge: 20
- Back Gauge: 24



FL784



FL789



FL791



FL794



Grey	Model No.			Description	Dimensions					Wt. lbs.	Price /Each
	FL787	FL789	FL788		W	x	D	x	H		
	FL801	FL800	FL802	Hi-Boy Additional Shelf	36	x	18	x	72	140	619.00
					36	X	18	X	1	10	71.40
	FL791	FL792	FL790	Wardrobe	36	x	18	x	72	116	599.00
	FL801	FL800	FL802	Additional Shelf	36	X	18	X	1	10	71.40
	FL794	FL793	FL795	Combination	36	x	18	x	72	140	745.00
	FL801	FL800	FL802	Additional Shelf	36	X	18	X	1	10	71.40
	FL783	FL785	FL784	Lo-Boy	36	x	18	x	40	116	473.00
	FL804	FL803	FL805	Additional Shelf	36	X	18	X	1	10	71.40

HEAVY-DUTY STORAGE CABINET

- Made of cold rolled steel sheets of commercial quality
- Features a lock
- No. of Shelves: 5
- Shelf Capacity: 150 lbs.
- Assembly Type: Welded (Assembled)
- Top Gauge: 20
- Door & Sides Gauge: 20
- Shelf Gauge: 20
- Bottom Gauge: 20
- Back Gauge: 22
- Colour: Grey

FL780



Model No.	Description	W"	x	D"	x	H"	Wt. lbs.	Price /Each
FL780	Heavy-Duty Cabinet	36	x	18	x	72	156	908.00
FL807	Additional Shelf	36	x	18	x	1	15	116.00

WALL HUNG STORAGE CABINET

- Made of cold rolled steel sheets of commercial quality
- Features a lock
- No. of Shelves: 2
- Shelf Capacity: 150 lbs.
- Assembly Type: Welded (Assembled)
- Top Gauge: 20
- Door & Sides Gauge: 20
- Shelf Gauge: 20
- Bottom Gauge: 20
- Back Gauge: 22



FL782



Model No.			Description	Dimensions					Wt. lbs.	Price /Each
Grey	Beige	Charcoal		W"	x	D"	x	H"		
FL781	FL782		Wall Hung Cabinet	36	x	18	x	72	54	908.00
FL821	FL803		Additional Shelf	36	x	18	x	1	10	71.40

HEAVY-DUTY CABINET DOLLIES

- Makes cabinets fully mobile
- Allows for easy access during cleaning
- Two rigid and two swivel with brake, 4" rubber casters
- Capacity: 800 lbs. evenly distributed
- Assembly required



Model No.	W"	x	D"	Price /Each
FI292	36	x	18	157.00
FI293	36	x	24	195.00
FI294	48	x	18	182.00
FI295	48	x	24	207.00

ALL-WELDED DEEP HI-BOY STORAGE CABINET

- Suitable for office, plant, school or institutional storage needs
- Four fully adjustable shelves
- Includes recessed handle and cylinder lock
- Shelf capacity: 150 lbs. evenly distributed

FJ884



Model No.			Dimensions	Price /Each
Black	Beige	Charcoal		
FJ882	FJ883	FJ884	36 x 24 x 72	688.00
ADDITIONAL DEEP SHELF				
FJ881	FJ880	FJ879	36 x 24 x 1	84.70

COUNTER HIGH CABINETS

- Easy to assemble
- Three-point door locking mechanism
- Raised base keeps material safe
- Shelf support tabs allow for easy shelf adjustment
- Handle: 3-1/2" diameter recessed handle
- Sides, Back and Door Gauge: 24 ga.
- Top Gauge: 20 ga.
- Bottom Gauge: 22 ga.
- Shelf Gauge: 20 ga.
- Colour: Light Grey
- No. of Shelves: 2
- Shelf Capacity: 200 lbs.
- Dimensions: 36" W x 18" D x 42" H
- Meets ANSI BIFMA test standards

Model No. FL643
Price/Each \$539.00



tennsco
Storage Made Easy

EXTRA CABINET SHELF

Model No. FL645
Price/Each \$46.40

DELUXE COUNTER HIGH CABINET

- Easy to assemble
- Heavy-duty knuckle hinges provided added strength and security
- Features integrated levelers for uneven floors
- Louvered back panel provides cabinet ventilation
- Shelf support tabs allow for easy shelf adjustment
- Handle: 2 brushed chrome handles
- Sides, Back and Top Gauge: 22 ga.
- Doors Gauge: 21 ga.
- Bottom Gauge: 20 ga.
- Shelf Gauge: 20 ga.
- Colour: Light Grey
- No. of Shelves: 2
- Shelf Capacity: 200 lbs.
- Dimensions: 36" W x 24" D x 42" H
- Meets ANSI BIFMA test standards

Model No. FL644
Price/Each \$676.00



tennsco
Storage Made Easy

EXTRA CABINET SHELF

Model No. FL646
Price/Each \$55.70

C-THRU COUNTER HIGH CABINET

- C-Thru cabinets are the perfect solution to view content while restricting access
- Shelf support tabs allow for easy shelf adjustment
- Shelf Capacity: 200 lbs.
- Raised base keeps material safe
- Three-point door locking mechanism
- Easy to assemble
- Handles: 2 brushed chrome handles
- Sides, Back and Door Gauge: 24 ga.
- Top Gauge: 20 ga.
- Bottom Gauge: 22 ga.
- Hinges: 3 leaf hinges per door
- Meets ANSI BIFMA test standards



tennsco
Storage Made Easy

Model No.	Dimensions W" x D" x H"	No. of Shelves	Colour	Price /Each
FL647	36 x 18 x 42	2	Beige	689.00
FL648	36 x 18 x 42	2	Medium Grey	689.00

DELUXE C-THRU STORAGE CABINET

- Ideal for schools, industrial applications, airport and prisons
- Louvered back panel provides cabinet ventilation
- Shelf support tabs allow for easy shelf adjustment
- Shelf Capacity: 200 lbs.
- Easy to assemble
- Sides, Back, Top and Bottom Gauge: 22 ga.
- Doors Gauge: 16 ga.
- Hinges: 4 knuckle hinges
- Handles: 2 brushed chrome handles
- Meets ANSI BIFMA test standards



tennsco
Storage Made Easy

Model No.	Dimensions W" x D" x H"	No. of Shelves	Colour	Price /Each
FL649	36 x 24 x 78	4	Beige	1197.00
FL650	36 x 24 x 78	4	Medium Grey	1197.00

STORAGE CABINET

- Designed for easy assembly
- One-piece base serves as additional shelf
- Locking handle for added security
- Compact size
- Ships knocked down
- No. of Shelves: 4
- Colour: Grey
- Material: Steel
- Shelf Capacity: 100 lbs.

FN425



KLETON

Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
FN425	Cabinet	30 x 15 x 66	124	415.00
FN428	Additional Shelf	30 x 15 x 1	5.3	40.55
FN426	Cabinet	36 x 24 x 78	198	478.00
FN429	Additional Shelf	36 x 24 x 1	10.75	40.85
FN427	Cabinet	48 x 24 x 48	238	572.00
FN430	Additional Shelf	48 x 24 x 1	13.75	51.50

HEAVY-DUTY PLASTIC CABINETS

- Durable resin construction is easy to clean, will not rust or crack
- Functional and modular organization
- Doors are lockable (locks not included)
- Quick assembly without tools
- Ventilated shelves hold 180 lbs. each

MH724



MH722



Rubbermaid
Home Products



Model No.	Dimensions W" x D" x H"	No. of Shelves	Wt. lbs.	Price /Each
MH722	36 x 18 x 72	3	55	465.00
MH724	36 x 18 x 37	1	28	297.00

STORAGE CABINETS

DEEP DOOR STORAGE CABINETS

- Padlock hasp (cannot be accessed by bolt cutters) helps secure the contents of this deep door high-density storage cabinet
- Four reinforced adjustable main shelves are complemented by six adjustable mini shelves in each 4" deep hinged door for a capacity unmatched by any other cabinet
- Padlock sold separately
- Capacity per shelf: 500 lbs evenly distributed

Special padlock hasp conceals padlocks from bolt cutters



KLETON

Model No.	Description	Size W" x D" x H"	Wt. lbs.	Price /Each
FB024	Cabinet	38 x 24 x 72	315	1959.00
FB025	Extra shelf for cabinet	38 x 17 x -	18	109.00
FB026	Extra shelf for door	18 x 6 x -	2	39.59
SA898	Padlock keyed different	-	-	19.70
SR892	Padlock keyed alike	-	-	21.20

DEEP DOOR 96-BIN COMBINATION CABINETS

- All-welded heavy-duty 16-gauge combination bin/shelf cabinet
- 4" deep hinged doors
- Two reinforced 16-gauge main adjustable shelves with 500-lb. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Unique padlock hasp helps prevent access with bolt cutters
- Padlock sold separately
- Powder-coated Kleton grey finish
- **Bins included:**
84 each of 4 1/8" W x 5 3/8" D x 3" H
12 each of 5 1/2" W x 10 7/8" D x 5" H

CF373



KLETON

Model No.	Description	Wt. lbs.	Price /Each
CF371	Cabinet w/Blue Plastic Bins	359	2224.00
CF372	Cabinet w/Red Plastic Bins	359	2224.00
CF373	Cabinet w/Yellow Plastic Bins	359	2224.00
CF374	Cabinet w/Green Plastic Bins	359	2224.00

VISIBLE STORAGE WIRE MESH CABINETS

- All-welded mesh storage cabinet provides a secure yet visible area to place your tools and equipment
- Reinforced K-Brace welded to the door frame delivers additional strength
- Diamond shaped 13-gauge steel mesh
- Adjustable shelves bolt into holes
- Door has three point latching system with cam-lock and chrome plated handle
- Dimensions: 24" W x 21" D x 72" H
- Weight: 146 lbs.

Model No. FB015
Price/Each \$1659.00

LYON



EXTRA WIDE HI-BOY STORAGE CABINET

- Made of cold rolled steel sheets of commercial quality
- Features a lock
- No. of Shelves: 5
- Colour: Grey
- Shelf Capacity: 150 lbs.
- Assembly Type: Welded (Assembled)
- Top Gauge: 20
- Door & Sides Gauge: 20
- Shelf Gauge: 20
- Bottom Gauge: 20
- Back Gauge: 22

FL796



PERFIX.CA



Model No.	Grey	Beige	Description	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
FL786	FL796		Cabinet	48 x 24 x 72	215	1207.00
FL823	FL822		Additional Shelf	48 x 24 x 1	15	116.00

CLEARVIEW CABINETS

- Clear polycarbonate windows so all your tools and supplies are visible at a glance
- 12-gauge one-piece body design
- 6" sweep space
- Adjustable 14-gauge shelves
- 3-point locking device
- Hinges are 8-gauge



StrongHold



Model No.	Dimensions W" x D" x H"	O. A. Ht"	No. of Shelves	Shelf Cap. lbs.	Wt. lbs.	Price /Each
FG851	48 x 24 x 60	66	3	1200	487	3445.00
FG852	48 x 24 x 72	78	4	1200	571	3682.00

EXTRA HEAVY-DUTY STAINLESS STEEL CABINETS

- The strongest storage product available in the market today
- Made of 12-gauge, #304 stainless steel, with a #3 finish
- Corrosion-resistant, acid-resistant, will not rust and will take the everyday abuse in an industrial environment
- Shelves adjust on 2" centers
- 3-point locking system
- 7-gauge welded legs

These units can also be found in medical, pharmaceutical, automotive, electronics, textile, breweries, marine facilities, restaurants, etc.

StrongHold



Model No.	Dimensions W" x D" x H"	O.A. Ht"	No. of Shelves	Shelf Cap. lbs.	Wt. lbs.	Price /Each	Extra Shelf Model No.	Price /Each
FI340	36 x 24 x 60	66	3	1900	406	7041.00	FI349	348.00
FI341	36 x 20 x 72	78	4	1600	435	7571.00	FI350	325.00
FI342	36 x 24 x 72	78	4	1900	475	8141.00	FI349	348.00
FI343	48 x 24 x 60	66	3	1200	489	8471.00	FI351	460.00
FI344	48 x 24 x 72	78	4	1200	573	9571.00	FI351	460.00
FI345	60 x 24 x 60	66	3	1650	595	10061.00	FI352	678.00
FI346	60 x 24 x 72	78	4	1650	699	11489.00	FI352	678.00
FI347	72 x 24 x 60	66	3	1525	726	11987.00	FI353	947.00
FI348	72 x 24 x 72	78	4	1525	856	13746.00	FI353	947.00

DEEP DOOR COMBINATION CABINETS

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated Kleton grey finish
- Padlock sold separately

84-BIN CABINETS

- Four reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded into the cabinets doors

CABINETS ONLY

Model No.	Description	W"	x	Dimensions D"	x	H"	Wt. lbs.	Price /Each
CB442	Cabinet only	38	x	24	x	72	324	1879.00
FB025	Extra shelf	38	x	17		-	18	109.00

CABINET & BIN COMBINATIONS

Blue	Red	Model No. Yellow	Green	Description	Wt. lbs.	Price /Each
CB446	CB477	CB448	CB693	Cabinet and plastic bins	341	2047.00

BINS SUPPLIED

Bin Qty.	W"	x	Bin Size D"	x	H"	Capacity lbs.
84	4 1/8	x	5 3/8	x	3	10

96-BIN CABINETS

- Two reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

CABINETS ONLY

Model No.	Description	W"	x	Dimensions D"	x	H"	Wt. lbs.	Price /Each
FH820	Cabinet only	38	x	24	x	72	316	2072.00
FB025	Extra shelf	38	x	17		-	18	109.00

CABINET & BIN COMBINATIONS

Blue	Red	Model No. Yellow	Green	Description	Wt. lbs.	Price /Each
CF371	CF372	CF373	CF374	Cabinet and plastic bins	359	2224.00

BINS SUPPLIED

Bin Qty.	W"	x	Bin Size D"	x	H"	Capacity lbs.
84	4 1/8	x	5 3/8	x	3	10
12	5 1/2	x	10 7/8	x	5	30

98-BIN CABINETS

- Two reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and door

CABINETS ONLY

Model No.	Description	W"	x	Dimensions D"	x	H"	Wt. lbs.	Price /Each
FH820	Cabinet Only	38	x	24	x	72	316	2072.00
FB025	Extra Shelf	38	x	17		-	18	109.00

CABINET & BIN COMBINATIONS

Blue	Red	Model No. Yellow	Green	Description	Wt. lbs.	Price /Each
CF355	CF356	CF354	CF357	Cabinet and plastic bins	385	2354.00

BINS SUPPLIED

Bin Qty.	W"	x	Bin Size D"	x	H"	Capacity lbs.
48	4 1/8	x	5 3/8	x	3	10
36	4 1/8	x	7 3/8	x	3	10
8	8 1/4	x	14 3/4	x	7	60
6	16 1/2	x	14 3/4	x	7	75



CB446
84 Bins

KLETON



CF373
96 Bins



CF354
98 Bins



CB445
118 Bins

118-BIN CABINETS

- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

CABINETS ONLY

Model No.	Description	W"	x	Dimensions D"	x	H"	Wt. lbs.	Price /Each
CB441	Cabinet only	38	x	24	x	72	316	1789.00

CABINET & BIN COMBINATIONS

Blue	Red	Model No. Yellow	Green	Description	Wt. lbs.	Price /Each
CB443	CB444	CB445	CB691	Cabinet and plastic bins	385	2226.00

BINS SUPPLIED

Bin Qty.	W"	x	Bin Size D"	x	H"	Capacity lbs.
42	4 1/8	x	5 3/8	x	3	10
42	4 1/8	x	7 3/8	x	3	10
18	5 1/2	x	10 7/8	x	5	30
12	8 1/4	x	14 3/4	x	7	60
4	16 1/2	x	14 3/4	x	7	75

STORAGE CABINETS

SHOP FURNITURE THAT'S BUILT LIKE A TANK!

There are times and environments that demand more than run-of-the-mill shop furniture. This is the time and place for Strong Hold. A line of shop furniture so durable and robust that it is accepted and demanded by industrial heavy weights. Major auto manufacturers use hundreds of these units!



A. FG816



B. FI331



C. FG830



D. FG836



E. FG838

A. ROUGH & TOUGH STORAGE CABINETS

These heavy-duty 12-gauge steel models provide protection for valuable tools and machine parts. Built for "rough and tough" industrial use. Shelves are adjustable and more can be added for versatility.

Model No.	Width"	Depth"	Height"	O.A. Height"	Adjustable Shelves	Cabinet Wt. lbs.	Price /Each	Extra Shelf Model No.	Shelf Capacity lbs.	Price /Each
FG815	36	20	72	78	4	435	2375.00	FG821	1900	163.00
FG816	36	24	72	78	4	475	2470.00	FG821	1900	178.00
FG817	48	24	72	78	4	573	2992.00	FG822	1200	202.00
FG818	60	24	72	78	4	699	3354.00	FG823	1650	262.00
FG819	72	24	72	78	4	856	3915.00	FG824	1525	308.00

B. HEAVY-DUTY VENTILATED STORAGE CABINETS

The 12-gauge steel doors are perforated with a diamond shape for easy visibility and ventilation. Ideal for industry, health clubs or any facility where personal belongings need to be securely locked and ventilated.

Model No.	Width"	Depth"	Height"	O.A. Height"	Adjustable Shelves	Cabinet Wt. lbs.	Price /Each	Extra Shelf Model No.	Shelf Capacity lbs.	Price /Each
FI329	36	24	72	78	4	470	2893.00	FG821	1900	178.00
FI330	48	24	72	78	4	568	3453.00	FG822	1200	202.00
FI331	60	24	72	78	4	666	3939.00	FG823	1650	262.00

C. DOUBLE SHIFT STORAGE CABINETS

These space saving cabinets provide two separate storage compartments. Companies with a second shift can secure the first shift's valuables while the second shift is on duty. Also you can use one side for personal belongings and the other to store tools.

Model No.	Width"	Depth"	Height"	O.A. Shelf Height"	Adj. Shelf Per Each Side	Cabinet Wt. lbs.	Price /Each	Extra Shelf Model No.	Shelf Capacity lbs.	Price /Each
FG829	48	24	72	78"	4	642	3323.00	FG832	600	108.00
FG830	60	24	72	78"	4	740	3738.00	FG833	825	121.00
FG831	72	24	72	78"	4	838	4026.00	FG834	765	134.00

D. BROOM CLOSET STORAGE CABINETS

Organize your housekeeping needs with our broom closet cabinets. As heavy-duty as the rest of the Strong Hold line, double doors permit full access to all shelves. Closet side stores long handled floor care items. Use side shelves to store paper products, cleaners and brushes. Shelves can be adjusted or removed to accommodate large pails.

Model No.	Width"	Depth"	Height"	O.A. Height"	Adjustable Shelves	Cabinet Wt. lbs.	Price /Each	Extra Shelf Model No.	Shelf Capacity lbs.	Price /Each
FG835	36	24	72	78	4	492	2617.00	FG845	1150	150.00
FG836	48	24	72	78	4	580	3167.00	FG846	700	163.00
FG837	60	24	72	78	4	659	3593.00	FG847	975	184.00

E. WARDROBE/STORAGE CABINETS

This cabinet fits into the heavy-duty line up as the answer to clothing storage with tools and supplies. 3-point latching mechanism adds extra protection.

Model No.	Width"	Depth"	Height"	O.A. Height"	Adjustable Shelves	Cabinet Wt. lbs.	Price /Each	Extra Shelf Model No.	Shelf Capacity lbs.	Price /Each
FG838	36	24	72	78	4	501	2839.00	FG845	450	150.00
FG839	48	24	72	78	4	594	3393.00	FG846	700	163.00
FG840	60	24	72	78	4	687	3858.00	FG847	975	184.00

STORAGE CABINETS



F. CABINET SHOP DESKS

Heavy-duty shop desk, with a 29" W x 20" D and 6" H drawer. Includes a lockable hasp separate from the 3-point locking system in the cabinet doors.

Model No.	Width"	Depth"	Writing Height"	O.A. Height"	Drawer Capacity lbs.	Cabinet Wt. lbs.	Price /Each	Extra Shelf Model No.	Shelf Capacity lbs.	Price /Each
FG844	36	28	42	54	400	373	2735.00	FG849	1900	178.00

G. CLEARVIEW CABINETS

Keep a watchful eye on valuable items. Cabinets come equipped with clear polycarbonate windows for viewing items stored inside, without opening the doors.

Model No.	Width"	Depth"	Height"	O.A. Height"	Adjustable Shelves	Cabinet Wt. lbs.	Price /Each	Extra Shelf Model No.	Shelf Capacity lbs.	Price /Each
FG852	48	24	72	78"	4	571	3682.00	FG822	1200	202.00

H. CORNER CABINETS

This 12-gauge all-welded corner cabinet eliminates corner clutter. Store those odd shaped tools in this space saving unit which comes with four adjustable 14-gauge shelves and a hasp for padlock. The extra wide door provides access to both sides of the corner shelves.

Model No.	Width"	Depth"	Height"	O.A. Height"	Cabinet Wt. lbs.	Price /Each	Extra Shelf Model No.	Shelf Capacity lbs.	Price /Each
FG850	48	24	72	78	805	6995.00	FG854	1400	341.00

I. COUNTER TOP STORAGE CABINETS

Counter top units provide ample storage for heavy tools and supplies on two adjustable shelves. These space saving units are sold without legs. Most frequently they are placed on a table to bring the storage up to a working height. Drawers or casters can be added as options.

Model No.	Width"	Depth"	Height"	O.A. Height"	Cabinet Wt. lbs.	Price /Each	Extra Shelf Model No.	Shelf Capacity lbs.	Price /Each
FG825	24	20	36	36	184	1520.00	FG828	1900	136.00
FG826	36	20	36	36	267	1892.00	FG820	1900	163.00
FG827	36	20	42	42	292	2015.00	FG820	1900	163.00

J. SHOP TABLES

Tables designed to meet virtually every strength requirement for heavy manufacturing. Tops are 7-gauge steel and legs are from 2" x 2" x 1/4" angle.

Model No.	Width"	Depth"	O.A. Height"	Capacity lbs	Wt. lbs.	Price /Each
FG841	48	30	34	5500	201	1419.00
FG842	72	36	34	10 000	298	1677.00

CANADA'S LEADING MATERIAL HANDLING SUPPLIER

STORAGE CABINETS

HEAVY-DUTY CABINET DOLLIES

- Makes cabinets fully mobile
- Allows for easy access during cleaning
- Two rigid and two swivel with brake, 5" poly casters
- Capacity: 800 lbs. evenly distributed
- Assembly required



Model No.	W"	Dimensions x D"	Price /Each
FI292	36	x 18	157.00
FI293	36	x 24	195.00

WALL-MOUNTED CABINET

- 18-gauge, all-welded steel construction
- Features 2 adjustable shelves that adjust on 2" increments
- Locking system with keys included
- Features keyhole slots in back of unit for wall mounting
- Ships fully assembled
- Grey, gloss powder coat finish
- Includes: Mounting Hardware
- No. of Shelves: 2
- Colour: Grey
- Shelf Capacity: 150 lbs.



FL997

DURHAM MFG
Est. 1922

Model No.	W"	Dimensions x D"	Weight lbs.	Price /Each
FL997	27	x 13-11/16 x 18	52	399.00
FL998	27	x 13-11/16 x 35-7/8	88	619.00
FL992	29-7/8	x 13-11/16 x 27	77	399.00

ABRASIVE ACCESSORY CABINET

- Unit has key hole slots in the back and can be wall mounted or rest on a counter top
- Includes pegboard and (5) 6" peg hooks
- 1 sand paper / wire rod
- (2) 4" Pull out slots for sand paper
- 6 removable dividers can be adjusted on 2" centers
- All welded, steel construction
- Ships fully assembled
- Grey, gloss, powder coat finish
- Locking system with keys included
- Keyhole slots in the back of the unit for wall mounting
- Perfect for storing additional sand paper sheets or other accessories
- Bottom slotted shelves can be removed for general storage
- Colour: Grey
- Material: Steel
- No. of Drawers: 2



DURHAM MFG
Est. 1922

Model No.	W"	Dimensions x D"	Weight lbs.	Price /Each
FL996	33-3/4	x 11-7/8 x 23-7/8	56	379.00

UTILITY CABINET

- These handy Cabinets can be used to store a wide range of maintenance items
- Keyhole slots in back allow wall hanging
- Lock attachment is built in, hasp has diameter of 1/4"
- Colour: Grey
- No. of Shelves: 3
- Shelf Capacity: 35 lbs.
- Assembly Type: Welded (Assembled)
- Sections: 2 Adjustable

CB636:

- Includes handle and hasp for padlock (padlock not included)

CB637:

- Includes a lock and 2 keys



CB636

DURHAM MFG
Est. 1922

Model No.	W"	Dimensions x D"	Weight lbs.	Price /Each
CB636	13-1/4	x 12-3/4 x 30	31	279.00
CB637	19-7/8	x 14-1/4 x 32-3/4	41	339.00

100 SERIES ROLLING TOOL CHEST

- Full-extension ball-bearing drawer slides for smooth operation
- Four 50 lb. load capacity drawers
- 500 lb. load rating with four 4" x 2" casters
- Keyed internal locking system safeguards tools
- Non-slip open weave top mat helps protect the cabinet surface
- Full-width black steel drawer trim for grip
- All-steel construction provides strength and durability
- 8,030 cubic inches of storage capacity
- No. of Drawers: 4
- Colour: Black



STANLEY

Model No.	W"	Dimensions x D"	Price /Each
TER042	33-3/4	x 11-7/8 x 23-7/8	289.00

PRO+ SERIES ROLLER CABINET

- Heavy-duty 100 lbs. bearing slides standard on all drawers
- Completely redesigned locking system with tubular key
- Automotive style powder coat paint finish for superior scratch and chemical resistance
- Redesigned side handle makes moving roller cabinets easy and comfortable
- No. of Drawers: 4
- Colour: Red



GRAY TOOLS

Model No.	W"	Dimensions x D"	Price /Each
NKE061	33-3/4	x 11-7/8 x 23-7/8	857.00

AEROSOL STORAGE CABINET

- Used for storage of up to 48 standard-sized aerosol cans (24/shelf)
- Two independently sliding shelves slide in and out easily on 75 lb. capacity bearing slides
- All-welded steel construction
- Includes: Pre-installed lock and (2) keys
- Modular with Durham Large Slide Rack Cabinets
- Durable grey powder-coat finish
- No. of Shelves: 2
- Colour: Grey
- Shelf Capacity: 75 lbs.
- Assembly Type: Welded (Assembled)
- Weight: 45 lbs.



DURHAM MFG
Est. 1922

Model No.	Mfg. No.	Dimensions				Price /Each	
		H"	x	W"	x		D"
FN379	300-95	21-7/8	x	15-15/16	x	20-5/16	545.00

EXTRA HEAVY-DUTY CABINET

- Extra heavy-duty, all welded 12 gauge steel construction
- 3-point cast steel locking handle with 3/8" diameter rods and provision for a padlock (padlock not provided)
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/2" centers
- Full height flush doors with 8 gauge leaf hinges to prevent sagging
- 6"H base/legs which provide access for forklifts; pre-drilled holes constructed of 3/16" steel allow for lagging to the floor
- Durable grey powder coat finish
- No. of Shelves: 3
- Colour: Grey
- Material: Steel
- Assembly Type: Welded (Assembled)



DURHAM MFG
Est. 1922

Model No.	Mfg. No.	Dimensions				Shelf Capacity lbs.	Weight lbs.	Price /Each	
		H"	x	W"	x				D"
FM012	HDC-243666-3595	66	x	36	x	24	400	415	2329.00
FM013	HDC-244866-3595	66	x	48	x	24	300	485	2749.00
FM014	HDC-246066-3595	66	x	60	x	24	400	580	3139.00

EXTRA HEAVY-DUTY WARDROBE CABINET

- Extra heavy duty all welded 12 gauge steel construction
- 3-point cast steel locking handle with 3/8" diameter rods and provision for a padlock (padlock not provided)
- 6"H base/legs which provide access for forklifts; pre-drilled holes constructed of 3/16" steel allow for lagging to the floor
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/2" centers
- Cabinets include 4 adjustable shelves and rod for hanging apparel
- Ships assembled and ready for use
- Durable gray powder coat finish
- No. of Shelves: 5
- Colour: Grey
- Material: Steel
- Assembly Type: Welded (Assembled)




DURHAM MFG
Est. 1922

Model No.	Mfg. No.	Dimensions				Shelf Capacity lbs.	Weight lbs.	Price /Each	
		H"	x	W"	x				D"
FM019	HDWC244878-7M95	78	x	48	x	24	1900	720	6829.00
FM020	HDWC246078-5595	78	x	60	x	24	1200	640	4359.00

UTILITY CABINET

- These handy cabinets can be used to store a wide range of maintenance items
- Can be locked for security
- Includes a lock and 2 keys
- No. of Shelves: 1
- Colour: Grey
- Material: Steel
- Shelf Capacity: 150 lbs.
- Assembly Type: Welded (Assembled)
- Sections: 4
- Weight: 45 lbs.



DURHAM MFG
Est. 1922

Model No.	Mfg. No.	Dimensions				Price /Each
		H"	x	W"	x D"	
CB577	343-95	22-1/4	x	33-3/4	x 8-1/2	299.00

HEAVY-DUTY OUTDOOR CABINET

- Extra Heavy duty all welded 12 gauge steel construction
- Doors open 180 degrees and have 7 gauge leaf hinges to prevent sagging
- 3-point cast steel locking handle with 3/8" diameter rods and provision for a padlock (not provided)
- 6" high box style legs, made using 3/16" steel, offer space for forklift truck forks and allow lagging to the
- Weather resistant, includes sloped top, a rain guard, gasket sealed door frames and filtered vents to keep out moisture and dust
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/2" centers
- Ships assembled and ready for use
- Durable grey powder coat finish
- No. of Shelves: 4
- Colour: Grey
- Material: Steel
- Assembly Type: Welded (Assembled)



DURHAM MFG
Est. 1922

Model No.	Mfg. No.	Dimensions					Shelf Capacity lbs.	Weight lbs.	Price /Each
		H"	x	W"	x	D"			
FM016	HDC0244878-4595	78	x	48	x	24	300	580	5539.00
FM017	HDC0246078-4595	78	x	60	x	24	400	680	6459.00

EXTRA HEAVY-DUTY SLIDE-OUT SHELF CABINET

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable (not included) cast steel locking handle
- Pullout shelves come installed and have a weight capacity of 400 lbs. each
- Distance between shelves is 11-5/8"
- Full height flush doors with 7 gauge leaf hinges to prevent sagging
- Pegboard holes are punched on 1" centers and accommodate standard peg hooks
- 16 gauge steel pegboard panels are welded to both doors
- 6"H base/legs provide access for forklifts; pre-punched holes allow for lagging to the floor
- Grey, textured powder coat finish
- Includes: 4 Pull-Out Shelves & 6 Drawers
- No. of Shelves: 4
- Colour: Grey
- Material: Steel
- Shelf Capacity: 400 lbs.
- Assembly Type: Welded (Assembled)
- Weight: 810 lbs.



Model No.	Mfg. No.	Dimensions					Price /Each
		H"	x	W"	x	D"	
FM015	HDCDP244878-4556B95	78	x	48	x	24	7039.00

STORAGE CABINETS



B R O M E



MODULAR DRAWER CABINETS

LOCK-IN MECHANISM

AGF Brome keyed locking mechanism locks all drawers in one turn and included 2 keys

AGF BROME ODAT SAFETY MECHANISM

One-drawer-At-A-Time (ODAT) allows only one drawer to be opened at a time

RECESSED HANDLES

Handles are flush when drawers are closed

100% EXTENSION DRAWERS

Continuous and smooth extension allow for full access of compartment content

DRAWER CAPACITY

200 or 440 lbs. capacity per drawer

INSTALLED DRAWER DIVIDERS

Maximize storage capacity, accelerate inventory control and allow for fast content identification with dividers

FORKLIFT BASE

A 2-inch high forklift base is designed for easy relocation



FN414

DRAWER SLIDES


Model No.	Drawer Depth"	Drawer Capacity lbs.	Price /Each
FN414	24	440	114.00
FN417	28	200	114.00

DRAWER PARTITIONS

Model No.	Drawer Depth"	Drawer Height"	Price /Each
FN380	24	3	8.89
FN381	24	4	9.39
FN382	24	5	10.90
FN383	24	6 & 7	11.90
FN384	24	8 & 9	12.90
FN385	28	200	8.89
FN386	28	200	9.49
FN387	28	200	10.90
FN388	28	6 & 7	12.40
FN389	28	8 & 9	13.40

DRAWER DIVIDERS

Model No.	Drawer Height"	Divider Length"	Price /Each
FN390	3	3	64.90
FN391	3	4	67.90
FN392	3	5	69.90
FN393	3	6 & 7	75.90
FN394	3	8 & 9	82.90
FN395	4	3	72.40
FN396	4	4	75.90
FN397	4	5	75.90
FN398	4	6 & 7	81.40
FN399	4	8 & 9	84.90
FN400	5	3	80.40
FN401	5	4	84.90
FN402	5	5	92.40
FN403	5	6 & 7	94.90
FN404	5	8 & 9	109.00
FN405	6 & 7	3	90.40
FN406	6 & 7	4	92.90
FN407	6 & 7	5	104.00
FN408	6 & 7	6 & 7	104.00
FN409	6 & 7	8 & 9	129.00
FN410	8 & 9	4	109.00
FN411	8 & 9	5	119.00
FN412	8 & 9	6 & 7	134.00
FN413	8 & 9	8 & 9	169.00



FN380 (Partitions only, cabinet not included)



FN409 (Dividers only, partitions and cabinet not included)



STORAGE CABINETS

B R O M E




MODULAR DRAWER CABINETS



Overall dimensions: 30" W x 24" D x 40" H
 Number of drawers: 7
 Number of compartments: 96
Model No. FM105 Blue
Model No. FM106 Black
Model No. FM107 Grey
Price/Each \$2289.00

DRAWER CONFIG.


Drawers 3" - 4" : A
 Drawers 6" : B
 Drawers 9" : C



Overall dimensions: 36" W x 24" D x 40" H
 Number of drawers: 9
 Number of compartments: 216
Model No. FM171 Blue
Model No. FM172 Black
Model No. FM173 Grey
Price/Each \$2929.00

DRAWER CONFIG.


Drawers 3" - 4" : A



Overall dimensions: 30" W x 24" D x 40" H
 Number of drawers: 6
 Number of compartments: 63
Model No. FM225 Blue
Model No. FM226 Black
Model No. FM227 Grey
Price/Each \$2119.00

DRAWER CONFIG.


Drawers 5" : A
 Drawers 6" : B



Overall dimensions: 48" W x 24" D x 40" H
 Number of drawers: 6
 Number of compartments: 112
Model No. FM237 Blue
Model No. FM238 Black
Model No. FM239 Grey
Price/Each \$2739.00

DRAWER CONFIG.



Drawers 5" : A
 Drawers 6" : B



Overall dimensions: 30" W x 24" D x 60" H
 Number of drawers: 12
 Number of compartments: 177
Model No. FM289 Blue
Model No. FM290 Black
Model No. FM291 Grey
Price/Each \$3429.00

DRAWER CONFIG.

Drawers 3" - 4" : A
 Drawers 6" : B
 Drawers 9" : C



Overall dimensions: 48" W x 24" D x 60" H
 Number of drawers: 14
 Number of compartments: 448
Model No. FM361 Blue
Model No. FM362 Black
Model No. FM363 Grey
Price/Each \$5699.00

DRAWER CONFIG.


Drawers 3" - 4" : A



STORAGE CABINETS


MODULAR DRAWER CABINETS

AGF
B R O M E






Overall dimensions: 30" W x 24" D x 60" H
Number of drawers: 14
Number of compartments: 252
Model No. FM349 Blue
Model No. FM350 Black
Model No. FM351 Grey
Price/Each \$3779.00

DRAWER CONFIG.
Drawers 3"- 4" : A



Overall dimensions: 36" W x 24" D x 60" H
Number of drawers: 9
Number of compartments: 156
Model No. FM415 Blue
Model No. FM416 Black
Model No. FM417 Grey
Price/Each \$2999.00

DRAWER CONFIG.
Drawers 3"- 4" : A
Drawers 6" : B
Drawers 9" : C



Overall dimensions: 36" W x 24" D x 60" H
Number of drawers: 9
Number of compartments: 108
Model No. FM475 Blue
Model No. FM476 Black
Model No. FM477 Grey
Price/Each \$2989.00

DRAWER CONFIG.
Drawers 6"- 7" : A























Overall dimensions: 48" W x 24" D x 60" H
Number of drawers: 9
Number of compartments: 108
Model No. FM481 Blue
Model No. FM482 Black
Model No. FM483 Grey
Price/Each \$3859.00

DRAWER CONFIG.
Drawers 6"- 7" : A



AGF BROME COLOUR CHART MODULAR DRAWER CABINET

 GF Blue 502001	 GF Green 502002	 GF Yellow 502003	 GF Red 502004	 GF Grey 502008	 AV Blue 505067	 Classic Blue 505071
 GF White Available at an extra cost 502010	 Black 502013	 GF Beige Available at an extra cost 502015	 LB Blue 502106	 Aluminum Grey 502108	 Granite 505065	 GF Pink 505066
 DK Grey 502109	 EV Blue 502118	 Textured Black 502124	 GF Lime 5045521	 JD Green 504548	 Orange 504549	

* Slight variations between colours shown and the actual baked finish may occur.

LOCKERS APPLICATION GUIDE

Refer to this chart to find the most suitable lockers for your project. If you require any assistance make sure to contact your material handling specialists today, they can help you through each step from design layout to realization.

LEGEND

- ✓ Preferred
- ▲ Suitable
- ◆ Contact your Material Handling Specialist
- * Preferred use with an elevated base



	Knocked Down Lockers	Standard Lockers	Heavy-Duty Concorde™	Perforated Locker	Standard Gear Locker	Deluxe Gear Locker	Polyethylene Locker	Plastic Locker
SCHOOLS								
Elementary	▲	▲	▲	▲	▲	◆	✓	▲
Corridor	▲	▲	✓	▲	▲	◆	✓	◆
Gym	▲	▲	▲	✓	✓	◆	✓	▲
Team Room	▲	▲	▲	✓	✓	◆	✓	◆
Employee	✓	✓	▲	▲	◆	◆	▲	◆
RECREATION								
Recreation Centre	▲	▲	✓	▲	▲	◆	✓	✓
Health Club	▲	▲	✓	▲	▲	◆	✓	✓
Country Club	▲	▲	✓	▲	▲	◆	✓	◆
COMMERCIAL/INDUSTRY								
Employee	✓	✓	▲	▲	▲	▲	✓	◆
Equipment/Tools	▲	▲	✓	◆	▲	✓	◆	◆
PUBLIC SERVICE								
Police	◆	◆	▲	▲	✓	✓	▲	◆
Fire/Rescue	▲	▲	✓	✓	✓	✓	▲	◆
Military	◆	◆	▲	▲	✓	✓	▲	◆
HEALTH CARE								
Changing Room	✓	✓	▲	▲	✓	▲	✓	▲
Employee	✓	✓	▲	▲	✓	▲	✓	▲
FOOD INDUSTRY								
Restaurants	*	*	*	*	◆	◆	✓	✓
Manufacturing Plants	*	*	*	*	◆	◆	✓	✓

STANDARD WELDED GEAR LOCKERS

- Gear lockers are ideal for athletic team rooms, fire fighter's equipment or any other application where easy access to uniforms and/or equipment is required
- Open face and perforated sides make these lockers fully accessible and ventilated
- Lockable safety box and foot locker allows for safely storing of valuable goods
- Lower shelf functions as a bench which eliminates the need for locker room benches
- **Base model includes:** Safety box, upper shelf and coat bar



FJ897



Model No.			Dimensions				Wt. lbs.	Price /Each	
Light Grey	Beige	Red	W"	x	D"	x			H"
BASE MODELS									
FJ895	FJ894	FJ896	24	x	24	x	72	240	704.41
FJ901	FJ900	FJ902	30	x	24	x	72	251	722.68
FJ907	FJ906	FJ908	36	x	24	x	72	278	741.97
W/FOOT LOCKER & LOWER SHELF									
FJ898	FJ897	FJ899	24	x	24	x	72	280	846.51
FJ904	FJ903	FJ905	30	x	24	x	72	296	865.80
FJ910	FJ909	FJ911	36	x	24	x	72	328	885.08

DELUXE WELDED GEAR LOCKERS

- Deluxe gear lockers provide security with optimum ventilation for valuable equipment and uniforms
- Wardrobe design interior provides the flexibility to store all different kinds of materials and clothing
- Lower lateral drawer allows you to stow heavier bulky items such as boots or gear bags
- **Base model includes:** Three half shelves, one full width shelf, coat bar and lockable doors

FJ914




Model No.			Dimensions					Wt.	Price
Light Grey	Beige	Red	W"	x	D"	x	H"	lbs.	/Each
BASE MODELS									
FJ913	FJ912	FJ914	36	x	24	x	72	407	1161.16
W/LATERAL DRAWER									
FJ916	FJ915	FJ917	36	x	24	x	72	527	1416.94

LOCKERS

READY TO ASSEMBLE STEEL LOCKERS

- Ships knocked down, ready to assemble with nuts and bolts included
- 16-gauge frames, 24-gauge body and shelves
- Durable powder-coated grey paint finish
- Number plates available separately
- Single tier dimensions: 12" W x 18" D x 72" H
- Double tier door height: 33 1/4"
- Lockerettes door height: 11"

KLETON



Three zinc-plated coat hooks and one shelf included with single and double tier lockers



Stainless steel recessed padlock handles
Magnetic latch ensures door is properly fastened when closed



Double pan construction doors, 20-gauge outer and 24-gauge inner pans (single & double tier)



16-gauge frames, 24-gauge body and shelves



SLOPE TOP

- Helps eliminate dust build up
- Raises top by 10"



RECESSED BASE

- Prevents liquids from entering the locker
- Raises locker 4" off the ground



SINGLE TIER

Model No.	Bank of	Wt. lbs.	Price /Each
BASIC STYLE			
FL362	1	52	221.00
FL363	2	96	383.00
FL364	3	139	583.00
W/SLOPE TOP			
FL380	1	56	242.00
FL381	2	104	431.00
FL382	3	151	646.00
W/RECESSED BASE			
FL392	1	56	242.00
FL393	2	104	431.00
FL394	3	151	646.00
W/SLOPE TOP & RECESSED BASE			
FL404	1	60	268.00
FL405	2	112	467.00
FL406	3	163	709.00

DOUBLE TIER

Model No.	Bank of	Wt. lbs.	Price /Each
BASIC STYLE			
FL366	1	54	247.00
FL367	2	98	433.00
FL368	3	141	649.00
W/SLOPE TOP			
FL384	1	57	268.00
FL385	2	106	467.00
FL386	3	153	709.00
W/RECESSED BASE			
FL396	1	57	268.00
FL397	2	106	467.00
FL398	3	153	709.00
W/SLOPE TOP & RECESSED BASE			
FL408	1	61	289.00
FL409	2	114	513.00
FL410	3	165	756.00

LOCKERETTES

Model No.	Bank of	Wt. lbs.	Price /Each
BASIC STYLE			
FL370	1	56	352.00
FL371	2	112	662.00
FL372	3	168	998.00
W/SLOPE TOP			
FL388	1	60	362.00
FL389	2	120	698.00
FL390	3	180	1040.00
W/RECESSED BASE			
FL400	1	60	362.00
FL401	2	120	698.00
FL402	3	180	1045.00
W/SLOPE TOP & RECESSED BASE			
FL412	1	64	378.00
FL413	2	128	733.00
FL414	3	192	1087.00

ACCESSORIES

Model No.	Description	Price /Each
FL375	10" Slope Top	24.10
FL374	4" Recessed Base	24.10
FL376	Nuts & Bolts, Set of 1	1.30
FL518	Number Plates (Set of 1 to 25)	20.95
FL519	Number Plates (Set of 26 to 50)	20.95
FL520	Number Plates (Set of 51 to 75)	20.95
FL521	Number Plates (Set of 76 to 100)	20.95

CLEAN LINE™ LOCKERS

- Fully assembled, prime grade cold rolled steel locker
- All-welded frame with riveted panels and doors
- 20-gauge double pan construction doors, 16-gauge frames, 24-gauge bodies and shelves
- Dimensions: 12" W x 18" D x 72" H
- Single tier locker includes:**
One hat shelf, three coat hooks and aluminum recessed padlock handle
- Double and Triple lockers include:**
Two coat hooks per opening and aluminum recessed padlock handle
- All components coated in environmentally friendly polyester epoxy powder paint in pearl grey



Ventilation holes on frame cross piece

20-gauge steel doors

16-gauge steel frame

Aluminum recessed padlock handle

Bank of 1

Bank of 2

Bank of 3

Bank of 4



SLOPE TOP

Slope top prevents the collection of debris and is easier to maintain against the accumulation of dust

RECESSED BASE

Raises locker 4" off the floor

DIFFERENT LOCK OPTIONS



Built-In Key Lock



Digital



Coin System



SINGLE TIER

Model No.	Bank of	Price /Each
BASIC STYLE		
FJ151	1	239.00
FJ152	2	414.00
FJ153	3	620.00
FJ154	4	830.00
W/SLOPE TOP		
FJ176	1	262.00
FJ177	2	459.00
FJ178	3	689.00
FJ179	4	929.00
W/RECESSED BASE		
FJ224	1	262.00
FJ225	2	464.00
FJ226	3	689.00
FJ227	4	929.00
W/SLOPE TOP & RECESSED BASE		
FJ200	1	289.00
FJ201	2	514.00
FJ202	3	770.00
FJ203	4	1020.00
W/PERFORATED DOORS		
FJ478	1	256.00
FJ479	2	450.00
FJ480	3	677.00
FJ481	4	898.00

DOUBLE TIER

Model No.	Bank of	Price /Each
BASIC STYLE		
FJ155	1	262.00
FJ156	2	468.00
FJ157	3	702.00
FJ158	4	933.00
W/SLOPE TOP		
FJ180	1	289.00
FJ181	2	520.00
FJ182	3	779.00
FJ183	4	1029.00
W/RECESSED BASE		
FJ228	1	289.00
FJ229	2	520.00
FJ230	3	779.00
FJ231	4	1029.00
W/SLOPE TOP & RECESSED BASE		
FJ204	1	311.00
FJ205	2	568.00
FJ206	3	855.00
FJ207	4	1139.00
W/PERFORATED DOORS		
FJ482	1	289.00
FJ483	2	520.00
FJ484	3	809.00
FJ485	4	1039.00

TRIPLE TIER

Model No.	Bank of	Price /Each
BASIC STYLE		
FJ159	1	332.00
FJ160	2	630.00
FJ161	3	946.00
FJ162	4	1259.00
W/SLOPE TOP & RECESSED BASE		
FJ208	1	381.00
FJ209	2	731.00
FJ210	3	1083.00
FJ211	4	1457.00
W/PERFORATED DOORS		
FJ486	1	366.00
FJ487	2	702.00
FJ488	3	1057.00
FJ489	4	1410.00

ACCESSORIES


Model No.	Description	Price /Each
FJ930	Cylinder Lock	29.10
FJ685	Coat Rod	19.60
FL587	Number Plates (Set of 1 to 25)	50.30
FL588	Number Plates (Set of 26 to 50)	50.30
FL589	Number Plates (Set of 51 to 75)	50.30
FL590	Number Plates (Set of 76 to 100)	50.30

LOCKERETTES

Model No.	Bank of	Price /Each
BASIC STYLE		
FJ171	1	390.00
FJ172	2	774.00
FJ173	3	1160.00
FJ174	4	1549.00
W/PERFORATED DOORS		
FJ490	1	438.00
FJ491	2	865.00
FJ492	3	1296.00
FL353	4	1728.00

FREE STANDING BASE

- Ideal for making the underneath of your lockers accessible for cleaning
- Constructed of 16-gauge steel legs and frame
- Grey



FJ931

Model No.	For Bank of	Dimensions W" x D" x H"	Price /Each
FJ931	1	12 x 18 x 6	42.50
FJ932	2	24 x 18 x 6	82.90
FJ933	3	36 x 18 x 6	126.00
FJ934	4	48 x 18 x 6	166.00

LOCKERS

ALL-WELDED CONCORDE™ LOCKERS

- All-welded heavy-duty cold-rolled steel construction
- Dimensions: 12" W x 18" D x 72" H
- 16-gauge door frame
- 20-gauge double wall door with ventilation
- 11-gauge hasp with easy padlock accessibility
- **Single tier lockers include:**
 - One hat shelf and three coat hangers
- **Double and triple lockers include**
 - two coat hooks per opening
- Coat hoots are rounded and polished to avoid damage to clothing
- Magnetic latch for secure door closing
- Contemporary style ventilated louvers (12 holes of 1" x 1/4") on each door
- High quality baked on enamel charcoal grey paint (light grey and beige also available)



Magnet in door strike ensures doors will remain closed

Full length handle

Incorporated ventilation on the doors

20-gauge double panelled door

14-gauge hinge

22-gauge galvanised steel bottom



Bank of 1



Bank of 2




Bank of 3



Bank of 4



Slope top



Recessed base



Different Lock Options



SINGLE TIER LOCKERS

Model No.	Bank of	Price /Each
BASIC STYLE		
FJ783	1	308.00
FJ784	2	531.00
FJ785	3	750.00
FJ786	4	994.00
W/SLOPE TOP		
FJ787	1	348.00
FJ788	2	612.00
FJ789	3	869.00
FJ790	4	1150.00
W/RECESSED BASE		
FJ791	1	348.00
FJ792	2	612.00
FJ793	3	869.00
FJ794	4	1152.00
W/SLOPE TOP & RECESSED BASE		
FJ795	1	387.00
FJ796	2	692.00
FJ797	3	990.00
FJ798	4	1311.00

DOUBLE TIER LOCKERS

Model No.	Bank of	Price /Each
BASIC STYLE		
FJ799	1	373.00
FJ800	2	670.00
FJ801	3	916.00
FJ802	4	1208.00
W/SLOPE TOP		
FJ803	1	413.00
FJ804	2	750.00
FJ805	3	1036.00
FJ806	4	1528.00
W/RECESSED BASE		
FJ807	1	413.00
FJ808	2	750.00
FJ809	3	1036.00
FJ810	4	1369.00
W/SLOPE TOP & RECESSED BASE		
FJ811	1	452.00
FJ812	2	829.00
FJ813	3	1154.00
FJ814	4	1528.00

TRIPLE TIER LOCKERS

Model No.	Bank of	Price /Each
BASIC STYLE		
FJ815	1	425.00
FJ816	2	796.00
FJ817	3	1121.00
FJ818	4	1458.00
W/SLOPE TOP		
FJ823	1	467.00
FJ824	2	877.00
FJ825	3	1242.00
FJ826	4	1619.00
W/RECESSED BASE		
FJ819	1	467.00
FJ820	2	877.00
FJ821	3	1242.00
FJ822	4	1619.00
W/SLOPE TOP & RECESSED BASE		
FJ827	1	504.00
FJ828	2	955.00
FJ829	3	1358.00
FJ830	4	1777.00

LOCKERETTES

Model No.	Bank of	Price /Each
BASIC STYLE		
FK872	1	612.00
FK873	2	1181.00
FK874	3	1683.00
FK875	4	2254.00

ACCESSORIES

Model No.	Description	Price /Each
FL639	Number Plates (Set of 1 to 25)	111.00
FL640	Number Plates (Set of 26 to 50)	111.00
FL641	Number Plates (Set of 51 to 75)	111.00
FL642	Number Plates (Set of 76 to 100)	111.00

16-DOOR ARCHETTES

- Ideal for confined spaces
- 16 lockable compartments
- Bar for hanging garments
- Compartment dimensions: 12" W x 18" D x 12" H
- Overall dimensions: 72" W x 18" D x 72" H
- Padlock hasp
- Other colours & custom sizes available upon request
- Mounting hardware not included
- FJ175: Coat bar and fasteners included



Model No.	Description	Colour	Wt. lbs.	Price/Each
FJ175	Pop Rivet Assembled	Light Grey	165	1137.00
FL359	All-Welded	Grey	180	1565.00
FL360	All-Welded	Charcoal	180	1565.00

LOCKER ROOM BENCHES

- Necessary for any locker room
- Features black powder coated legs that can be used free-standing, or bolted to the floor (wood-top locker benches)



KLETON

Model No.	Dimensions			Type	Wt. lbs.	Price /Each
	L" x W" x H"					
FB002	72 x 12 x 17			Steel	35	319.00
RL871	48 x 9 1/2 x 16 1/2			Wood	23	207.00
RL872	60 x 9 1/2 x 16 1/2			Wood	29	223.00
RL873	72 x 9 1/2 x 16 1/2			Wood	31	240.00
RL874	96 x 9 1/2 x 16 1/2			Wood	39	274.00


PERSONAL EFFECTS LOCKERS

- Effective security system for storage of uniforms, linens, protective clothing, personal items, etc.
- Up to 16 people can have security of their own individual compartment
- Authorized personnel can open large master door with one key, for uniform replacement/security problems
- Compact design saves space
- All models finished in durable dove grey enamel
- Shipped assembled

LYON®



FC063



FC064



FC066

Model No.	No. of Compartments	Overall Dimensions W" x D" x H"			Wt. lbs.	Price /Each
FC063	9	24	15	84	122	1349.00
FC064	10	18	15	78	91	1119.00
FC066	16	18	15	78	106	1349.00

WALL HUNG LOCKERS

- All-welded
- All-in-one storage for clothing and personal effects
- Four compartments measuring 12" W x 18" D x 12" H
- Baked enamel grey finish



Model No.	Colour	Price/Each
FJ919	Light Grey	556.00
FL357	Grey	612.00
FL358	Charcoal	612.00

BEFORE



AFTER



LOCKER BASE INSERTS

- Cost-effective corrosion-proof plastic
- Durable and maintenance-free
- Material: Plastic

Model No.	Colour	Dimensions L" x W"	Height"	Price /Each
FL591	Dark Grey	12 x 18	0.5	34.50
FI720	Light Grey	12 x 18	0.5	34.50
FI721	Beige	12 x 18	0.5	34.50
FI722	Black	12 x 18	0.5	34.50
FL658	Dark Grey	12 x 15	0.5	34.50
FL659	Light Grey	12 x 15	0.5	34.50
FL660	Beige	12 x 15	0.5	34.50
FL661	Black	12 x 15	0.5	34.50
FL662	Dark Grey	10 x 18	0.5	34.50
FL663	Light Grey	10 x 18	0.5	34.50
FL664	Beige	10 x 18	0.5	34.50
FL665	Black	10 x 18	0.5	34.50

Les Entreprises
Charlize
FONDS DE CASSER
LOCKER BOTTOMS



FL591



FI720



FI721



FI722

LOCKERS

CUBBY LOCKERS

- Tough, attractive solid plastic never needs painting and resists dents and scratches
- 20 year manufacturer warranty against rust, delamination or breakage under normal use
- Made with HDPE plastic containing 30% pre-consumer content or 100% post-consumer recycled content
- Durable, vandal-resistant, all-welded construction
- Lockers ship assembled
- Top Style: Flat
- Base Style: Flat


Model No.	No. of Tiers	W	Overall Dim.				Colour	Price /Each
			x	D"	x	H"		
FL733	3	15	x	15	x	48	Grey	572.00
FL734	4	15	x	15	x	60	Grey	613.00
FL735	2	18	x	18	x	36	Grey	522.00
FL736	3	18	x	18	x	48	Grey	606.00
FL737	4	18	x	18	x	72	Grey	793.00
FL738	3	15	x	15	x	48	Beige	572.00
FL739	4	15	x	15	x	60	Beige	613.00
FL740	2	18	x	18	x	36	Beige	522.00
FL741	3	18	x	18	x	48	Beige	606.00
FL742	4	18	x	18	x	72	Beige	793.00
FL743	3	15	x	15	x	48	Dark Blue	572.00
FL744	4	15	x	15	x	60	Dark Blue	613.00
FL745	2	18	x	18	x	36	Dark Blue	522.00
FL746	3	18	x	18	x	48	Dark Blue	606.00
FL747	4	18	x	18	x	72	Dark Blue	793.00



FL733



FL742



FL745



LOCKABLE BENCH LOCKERS

- Tough, attractive solid plastic never needs painting and resists dents and scratches
- 20 year manufacturer warranty against rust, delamination or breakage under normal use
- Made with HDPE plastic containing 30% pre-consumer content or 100% post-consumer recycled content
- Durable, vandal-resistant, all-welded construction
- Lockers ship assembled
- Top Style: Flat
- Base Style: Flat

Model No.	No. of Tiers	W	Overall Dim.				Colour	Price /Each
			x	D"	x	H"		
FL748	4	12	x	20	x	48	Grey	2254.00
FL749	5	12	x	20	x	60	Grey	2731.00
FL750	6	12	x	20	x	72	Grey	3226.00
FL751	4	12	x	20	x	48	Beige	2254.00
FL752	5	12	x	20	x	60	Beige	2731.00
FL753	6	12	x	20	x	72	Beige	3226.00
FL754	4	12	x	20	x	48	Dark Blue	2254.00
FL755	5	12	x	20	x	60	Dark Blue	2731.00
FL756	6	12	x	20	x	72	Dark Blue	3226.00



FL750



LENOX® HIGH-DENSITY POLYETHYLENE GEAR LOCKERS

- Practical and durable, Lenox® plastic lockers are the preferred solution to your locker room needs
- Ideal for variety of applications, including food facilities, hospitals, fitness centers and schools
- Tough, attractive, solid plastic never needs painting; resists dents, scratches and vandalism
- Quick installation and low maintenance costs add up to 50% life cycle cost savings
- Patented integral box provides ideal strength
- Heavy-duty stainless steel piano hinge more durable and longer lasting than aluminum/plastic
- Locker comes fully-assembled for fast, simple installation
- Impervious to moisture and easy to clean — lockers will not rust or delaminate
- Made from 30% pre-consumer recycled HDPE plastic
- 20-year warranty against rust, delamination or breakage under normal use

Model No.			Overall Dim.				Price /Each
Grey	Beige	Dark Blue	W	x	D"	x	H"
FM549	FM550	FM551	24	x	18	x	72
FM552	FM553	FM554	24	x	21	x	72
FM555	FM556	FM557	24	x	24	x	72
FM558	FM559	FM560	30	x	18	x	72
FM561	FM562	FM563	30	x	21	x	72
FM564	FM565	FM566	30	x	24	x	72
FM567	FM568	FM569	36	x	18	x	72
FM570	FM571	FM572	36	x	21	x	72
FM573	FM574	FM575	36	x	24	x	72



FM551



FM549



PLASTIC LOCKERS

A NEW GENERATION OF LOCKERS

- These plastic lockers are maintenance free
- Drain holes make them easy to clean, just hose them down with soap and water
- Durable plastic construction makes them perfect for wet environments: food processing plants, athletic facilities, etc.
- New optional clear door design allows for easy inspection of locker contents

Specifications:

- Rust-proof
- No need for painting
- Easy cleaning
- Durable polyethylene construction
- Each unit is fully assembled
- Easy installation
- Space saving design
- Maintenance free



5 units of
FH726 &
1 unit of
FH728



Engravable
aluminum
plate

2 units of
FC693



Built-in sloped
top for extra
storage

1 unit of
FC695



FH727



FC689



FC691



FH727



FH728



FH725



FH729

Model No.	Description	Dimensions W" x D"	Door Colour	Hook	Shelf	Top	Wt. lbs.	Price /Each
FH725	12" H locker (usually stacked 6 units high)	12 x 15	Grey	No	No	Flat	6	159.00
FH726	12" H locker (usually stacked 6 units high)	12 x 15	Clear	No	No	Flat	6	219.00
FH727	12" H locker (Sloped top)	12 x 15	Grey	No	No	Slope	8	169.00
FH728	12" H locker (Sloped top)	12 x 15	Clear	No	No	Slope	8	239.00
FC689	18" H locker (usually stacked 4 units high)	15 x 15	Grey	No	No	Flat	10	209.00
FC691	18" H locker (Sloped top)	15 x 15	Grey	No	No	Slope	12	239.00
FC693	36" H locker (usually stacked 2 units high)	12 x 15	Grey	Yes	No	Flat	16	299.00
FH729	36" H locker (Sloped top)	12 x 15	Grey	Yes	No	Slope	21	299.00
FC695	Full size 60" H locker	15 x 18	Grey	Yes	Yes	Slope	42	659.00

Note: All dimensions and weight are nominal and may vary due to molding tolerances. Mounting hardware not included. Lockers are individually sold per opening.


GENERAL SECURITY COMBINATION PADLOCKS

- Features Blockguard™ anti-shim technology
- Double-reinforced stainless steel case with cold-rolled steel construction shields locking mechanism from physical attack
- Easy 3-number dialing with automatic scrambling feature to prevent reopening of lock
- School standard's in combination padlock
- Hardened steel shackles resists cutting and prying
- Dial automatically locks under shackle tension to prevent "feeling out" the combination and automatically scrambles when closed to prevent accidental opening
- Fits lockers with a padlock eye of at least 5/16" (8 mm) in diameter



SR914

Master Lock



Model No.	Mfg. No.	Body Size Width" Thickness"	Body Material	Shackle Clearance A" B" C"	Shipping Weight (lbs.)	Price /Each
SR914	1500	1 7/8 Dia. 3/4	Stainless Steel	9/32 3/4 13/16	0.50	10.40
SAL506	1500LH	1 7/8 Dia. 3/4	Stainless Steel	9/32 2 13/16	0.50	14.70

RACKING & SHELVING

PALLET RACKING SYSTEMS

MOST COMMON PALLET RACKING COMPONENTS

- Provides the widest range of flexibility for pallet and bulk storage needs with excellent storage density
- Stocking vertically and horizontally maximizes available space with the ability to access each individual load
- Installs quickly without special tools and adjust easily to your specific needs
- Typical applications include: warehouses, distribution centres and manufacturing plants
- Only two basic components are required: beams and frames


Note: Pallet racking products are FOB the manufacturer.




Box Beam



Step Beam



Upright
End Frames



Box Beam

CENTENNIAL PROFILES*

UPRIGHT END FRAMES

Priced per Each

Model No.	Dimensions D" x H"	Wt. Cap. lbs.	Price /Each
RB819	42 x 96	20 000	183.00
RB747	42 x 120	20 000	216.00
RB763	42 x 144	20 000	265.00
RB779	42 x 168	20 000	312.00
RB795	42 x 192	20 000	350.00

STEP BEAMS

Priced per Pair

Model No.	Dimensions H" x L"	Wt. Cap. Pair/lbs.	Price /Pair
RB491	4 x 96	6804	218.00
RB465	4 x 108	5652	248.00
RB469	4 x 120	4578	273.00
RB517	4 1/2 x 96	8039	212.00
RB495	4 1/2 x 108	7106	260.00
RB499	4 1/2 x 144	6140	289.00

BOX BEAMS

Priced per Pair

Model No.	Dimensions H" x L"	Wt. Cap. Pair/lbs.	Price /Pair
RB275	4 x 96	6886	217.00
RB263	4 x 108	5775	236.00
RB269	4 x 144	3249	302.00
RB288	4 1/2 x 96	8105	229.00
RB277	4 1/2 x 108	7204	252.00
RB283	4 1/2 x 144	4310	323.00

*See page 961 for complete listing of sizes

REDIRACK PROFILES**

UPRIGHT END FRAMES

Priced per Each

Model No.	Dimensions D" x H"	Wt. Cap. lbs.	Price /Each
RL022	42 x 144	25 000	247.00
RL023	42 x 168	25 000	295.00
RL024	42 x 192	25 000	347.00
RL025	42 x 216	25 000	405.00

STEP BEAMS

Priced per Each

Model No.	Dimensions H" x L"	Wt. Cap. Pair/lbs.	Price /Each
RL026	4 x 96	5400	83.64
RL903	4 1/2 x 96	6470	89.28
RL904	4 x 102	5000	88.77
RL905	4 x 108	4480	94.30
RL027	4 1/2 x 108	5750	101.00
RL906	6 x 144	6390	155.00

BOX BEAMS

Priced per Each

Model No.	Dimensions H" x L"	Wt. Cap. Pair/lbs.	Price /Each
RL032	4 x 96	7010	102.00
RL033	4 x 108	6080	103.00
RL902	6 x 144	5230	146.00

** Redirack uprights and beams are standard in orange, blue available upon request.

**OTHER DIMENSIONS AVAILABLE.
CALL YOUR MATERIAL HANDLING SPECIALIST TODAY!**



RACKING & SHELVING

CENTENNIAL UPRIGHTS & STRINGERS

Make every inch of your storage space count by combining standard sized uprights and stringers (box type or recessed type) to create a racking system that is customized to your needs.



- Feature a 50 k.s.i. minimum yield to achieve higher load capacities
- Centennial blue
- **All racking is FOB Concord, Ontario**

Contact our sales department for further technical assistance.



MEDIUM DUTY UPRIGHTS 20000-LB. CAPACITY

Depth	24"	30"	36"	42"	48"	60"
Height						
6'	RB798	RB800	RB802	RB803	RB804	RB805
7'	RB806	RB808	RB810	RB811	RB812	RB813
8'	RB814	RB816	RB818	RB819	RB820	RB821
9'	RB822	RB824	RB826	RB827	RB828	RB829
10'	RB742	RB744	RB746	RB747	RB748	RB749
11'	RB750	RB752	RB754	RB755	RB756	RB757
12'	RB758	RB760	RB762	RB763	RB764	RB765
13'	RB766	RB768	RB770	RB771	RB772	RB773
14'	RB774	RB776	RB778	RB779	RB780	RB781
15'	RB782	RB784	RB786	RB787	RB788	RB789
16'	RB790	RB792	RB794	RB795	RB796	RB797



HEAVY-DUTY UPRIGHTS 27000-LB. CAPACITY

Depth	24"	30"	36"	42"	48"	60"
Height						
6'	RB714	RB715	RB716	RB717	RB718	RB719
7'	RB720	RB721	RB722	RB723	RB724	RB725
8'	RB726	RB728	RB730	RB731	RB732	RB733
9'	RB734	RB736	RB738	RB739	RB740	RB741
10'	RB608	RB610	RB612	RB613	RB614	RB615
11'	RB616	RB618	RB620	RB621	RB622	RB623
12'	RB624	RB626	RB628	RB629	RB630	RB631
13'	RB632	RB634	RB636	RB637	RB638	RB639
14'	RB640	RB642	RB644	RB645	RB646	RB647
15'	RB648	RB650	RB652	RB653	RB654	RB655
16'	RB656	RB658	RB660	RB661	RB662	RB663
18'	RB664	RB666	RB668	RB669	RB670	RB671
20'	RB672	RB674	RB676	RB677	RB678	RB679
22'	RB680	RB682	RB684	RB685	RB686	RB687
24'	RB688	RB690	RB692	RB693	RB694	RB695
26'	RB696	RB697	RB698	RB699	RB700	RB701
28'	RB702	RB703	RB704	RB705	RB706	RB707
30'	RB708	RB709	RB710	RB711	RB712	RB713

BOX TYPE STRINGERS CAP. LBS. PER PAIR

LGTH	48"		54"		60"		66"		72"		78"		84"		90"		96"		102"		108"		114"		120"		126"		132"		138"		144"	
Height	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.
2 1/2"	RB220	7821	RB221	6952	RB222	6078	RB223	5024	RB224	4221	RB225	3596	RB226	3102	RB227	2702	RB228	2374	RB212	2103	RB213	1876	RB214	1684	RB215	1520	RB216	1378	RB217	1255	RB218	1149	RB219	1055
3"	RB237	9397	RB238	8350	RB239	7518	RB240	6839	RB241	6265	RB242	5630	RB243	4855	RB244	4229	RB245	3716	RB232	3293	RB233	2938	RB234	2679	RB235	2439	RB236	2218	RB237	2017	RB238	1835	RB239	1670
3 1/2"			RB254	10032	RB255	9389	RB256	8536	RB257	7824	RB258	7222	RB259	6706	RB260	6187	RB261	5438	RB247	4936	RB248	4376	RB249	3856	RB250	3375	RB251	2975	RB252	2657	RB253	2417	RB254	2177
4"					RB270	10016	RB271	9181	RB272	8475	RB273	7870	RB274	7345	RB275	6886	RB262	6476	RB263	5775	RB264	5184	RB265	4607	RB266	4243	RB267	3868	RB268	3538	RB269	3249	RB270	3010
4 1/2"							RB284	10806	RB285	9975	RB286	9262	RB287	8645	RB288	8105	RB276	7628	RB277	7028	RB278	6425	RB279	6207	RB280	5630	RB281	5130	RB282	4694	RB283	4319	RB284	4000
5"									RB297	10727	RB298	10012	RB299	9386	RB289	8834	RB290	8344	RB291	7904	RB292	7505	RB293	7152	RB294	6812	RB295	6500	RB296	6206	RB297	5957	RB298	5757
5 1/2"														RB300	10100	RB301	9540	RB302	9037	RB303	8585	RB304	8176	RB305	7805	RB306	7466	RB307	6998					
6"																		RB308	10400	RB309	10038	RB310	9794	RB311	9404	RB312	8861	RB313	8458	RB314	8091	RB315	7754	
6 1/2"																		RB316	10200	RB317	10372	RB318	9991	RB319	9670	RB320	9319	RB321	8970	RB322	8640	RB323	8320	

7/8" RECESSED TYPE STRINGERS CAP. LBS. PER PAIR

LGTH	48"		54"		60"		66"		72"		78"		84"		90"		96"		102"		108"		114"		120"		126"		132"		138"		144"			
Height	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.		
2 1/2"	RB379	7143	RB381	6349	RB383	5714	RB385	4800	RB387	4041	RB389	3443	RB391	2970	RB393	2586	RB395	2273	RB396	2144	RB398	1796	RB399	1611	RB397	1562	RB399	1266	RB405	2055	RB407	1826	RB409	1719	RB411	1574
3"	RB413	9115	RB415	8102	RB417	7292	RB419	6629	RB421	6077	RB423	5564	RB425	4625	RB427	4030	RB429	3540	RB431	3137	RB433	2798	RB435	2412	RB437	2161	RB439	1866	RB441	1621	RB443	1426	RB445	1281	RB447	1154
3 1/2"			RB447	10334	RB449	9310	RB451	8463	RB453	7758	RB455	7161	RB457	6620	RB459	6068	RB461	5533	RB463	4725	RB465	4275	RB467	3828	RB469	3412	RB471	3021	RB473	2626	RB475	2281	RB477	1986	RB479	1741
4"					RB479	10886	RB481	9897	RB483	9272	RB485	8374	RB487	7776	RB489	7258	RB491	6804	RB493	6357	RB495	5910	RB497	5463	RB499	5016	RB501	4569	RB503	4122	RB505	3675	RB507	3228	RB509	2781
4 1/2"							RB509	10718	RB511	9894	RB513	9187	RB515	8575	RB517	8039	RB519	7503	RB521	6967	RB523	6431	RB525	5895	RB527	5359	RB529	4823	RB531	4287	RB533	3751	RB535	3215	RB537	2679
5"									RB535	10325	RB537	9637	RB539	9035	RB541	8435	RB543	7835	RB545	7235	RB547	6635	RB549	6035	RB551	5435	RB553	4835	RB555	4235	RB557	3635	RB559	3035	RB561	2435
5 1/2"																RB557	10382	RB559	9782	RB561	9182	RB563	8582	RB565	7982	RB567	7382	RB569	6782	RB571	6182	RB573	5582	RB575	4982	
6"																RB565	9838	RB567	9238	RB569	8638	RB571	8038	RB573	7438	RB575	6838	RB577	6238	RB579	5638	RB581	5038	RB583	4438	
6 1/2"																	RB575	10593	RB577	10088	RB579	9638	RB581	9138	RB583	8638	RB585	8138	RB587	7638	RB589	7138	RB591	6638	RB593	6138

1 5/8" RECESSED TYPE STRINGERS CAP. LBS. PER PAIR


LGTH	48"		54"		60"		66"		72"		78"		84"		90"		96"		102"		108"		114"		120"		126"		132"		138"		144"	
Height	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.	Model No.	Cap. lbs.
2 1/2"	RB380	7143	RB382	6349	RB384	5714	RB386	4800	RB388	4041	RB390	3443	RB392	2970	RB394	2586	RB396	2273	RB398	2014	RB396	1798	RB368	1612	RB370	1455	RB372	1320	RB374	1203	RB376	1100	RB378	1010
3"	RB414	9115	RB416	8102	RB418	7292	RB420	6629	RB422	6077	RB424	5564	RB426	4625	RB428	4030	RB430	3540	RB432	3137	RB430	2796	RB402	2511	RB404	2266	RB406	2055	RB408	1876	RB410	1719	RB412	1574
3 1/2"			RB448	10334	RB450	9310	RB452	8463	RB454	7758	RB456	7161	RB458	6650	RB460	6068	RB462	5533	RB464	5025	RB432	4725	RB434	4216	RB436	3782	RB438	3414	RB440	3096	RB442	2821	RB444	2582
4"					RB480	10886	RB482	9897	RB484	9272	RB486	8374	RB488	7776	RB490	7258	RB492	6804	RB494	6337	RB438	4725	RB440	4216	RB442	3782	RB444	3414	RB446	3096	RB448	2821	RB450	2582
4 1/2"									RB510	10718	RB512	9894	RB514	9187	RB516	8575	RB518	8039	RB520	7503	RB496	7565	RB498	7104	RB496	6769	RB500	6410	RB502	5669	RB504	5074	RB506	4642
5"																				RB506	6337	RB508	5929	RB510	5503	RB512	5074	RB514	4642	RB516	4216	RB518	3782	
5 1/2"																				RB540	9035	RB542	8503	RB544	8029	RB546	7503	RB548	6978	RB550	6452	RB552	5927	
6"																				RB558	10382	RB560	9782	RB562	9182	RB564	8582	RB566	8082	RB568	7582	RB570	7082	
6 1/2"																																		

RACKING & SHELVING

CENTENNIAL PROFILE ACCESSORIES

- All accessories are FOB Concord, Ontario

FLUSH SAFETY BAR FOR BOX BEAMS



Model No.	Dimensions W" x L"	Wt. Cap. lbs.	Price /Each
RB878	2 x 42	1100	33.00
RB884	6 x 42	1200	45.50
RB872	12 x 42	1200	60.10

DRUM CRADLE

- For positive positioning of cylindrical containers
- Unit fits onto cross bars and provides wedge type security



Model No.	Description	Price /Each
RB848	Drum cradle (Type II - 42")	P.O.A.

SKID CHANNELS

- For use with legged skids
- Fits across beams, from front to rear
- Recessed channel provides support for skid legs



Model No.	Dimensions W" x L"	Price /Each
RB923	6 x 42	52.80

WALL CONNECTORS

- Wall connectors are used to provide a tie between racking and the wall
- Plate is punched to allow lagging



Model No.	Size"	Price /Each
RB835	6	28.30
RB830	12	28.60

ROW CONNECTORS


- Row connectors are used on back to back racking layouts to maintain spacing between rows
- May be located at any level other than where a stringer is located



Model No.	Size"	Price /Each
RB327	6	27.40
RB328	8	27.40
RB322	12	27.40

WIRE DECKING

- Easy to install
- Step/Waterfall style
- Three channels sit on the beam to carry the load
- 2500-lb. capacity
- Colour: Grey



Model No.	Dimensions W" x D"	Price /Each
RL379	46 x 42	67.30
RL380	52 x 42	75.90
RL377	46 x 36	59.20
RL378	52 x 36	66.20

REDIRACK PROFILE ACCESSORIES


HOOKOVER SAFETY BAR FOR BOX BEAMS



Model No.	Dimensions W" x L" x H"	Wt. Cap. lbs.	Price /Each
RL034	2 x 42 x 4	1000	22.23

SAFETY BAR FOR STEP BEAMS

- Sits in pre-slitted Redirack beams
- Prevents pallets from falling between beams
- Galvanized
- Fits 42" frame



Model No.	Dimensions W" x L"	Wt. Cap. lbs.	Price /Each
RL029	2 x 38	1000	15.48

PALLET RACK BACK GUARDS

Back guards help prevent accidents by keeping pallets and their contents from falling off the back of the rack. These guards increase safety where pedestrian pathways are behind the rack.

- Constructed using a 10-gauge frame, and 2" x 2", 10-gauge wire mesh with stiffeners
- Available in a variety of sizes to fit most pallet rack configurations
- Guard brackets are designed to fit almost any style of rack
- Durable safety yellow finish
- Hardware not included

KD131



ML231



KLETON

Create a pallet rack back guard designed for your application

- Choose one or a combination of back guard panels to create the required width and length

Model No.	Dimensions'	Weight lbs.	Price /Each
KH926	1 x 4	10	113.00
KH914	2 x 4	12	67.85
KH930	3 x 4	20	158.00
KD130	4 x 4	23	86.30
KD131	8 x 4	45	124.00

- Choose a mounting bracket that provides the required depth
 - Minimum of four brackets required

Model No.	Dimensions"	Weight lbs.	Price /Each
ML231	4 x 6	2	17.19
ML232	4 x 9	2	18.99
ML233	4 x 12	3	18.99

3. Hardware required

- For each additional panel, add: 2 x **MMB721** and 2 x **MMH254**
For each mounting bracket, add: 3 x **MMP624** and 3 x **MMB721**



RACKING & SHELVING

LABEL HOLDERS

- Clearly identify your shelf/bin contents with the efficient and time-saving Aigner holders
- Versatile, highly protective, easy to read, and even custom designed with a special matte finish making bar code applications easy
- Ideal for all types of racking, shelving and bin/drawer storage systems
- Labels provided
- Sold in packages of 12



HOL-DEX®

- Can be custom cut to your specific size specifications
- Colour: Clear



Model No.	Dim. W" x L"	Price /Package
SELF-ADHESIVE		
0A340	1/2 x 6	21.80
0A339	3/4 x 6	24.10
0A341	1 x 6	27.40
0A338	2 x 6	36.80
MAGNETIC		
RG650	1/2 x 6	23.40
0A389	3/4 x 6	27.20
0A336	1 x 6	30.20
HOOK & LOOP		
RG660	1 x 6	38.40
RG665	2 x 6	66.10

SUPERSCAN®

- Available in 4 extra large sizes for pallet racking installation
- Clear plastic matte finish assures precise bar code reading everytime
- Inserts are laser ink jet printer compatible for easy labeling
- Colour: Clear



SUPERSCAN® (CLEAR ONLY)

Model No.	Dimensions W" x L"	Qty /Box	Price /Box
SELF-ADHESIVE			
0G356	2 x 3.5	50	44.30
RG670	3 x 5	50	53.50
RG671	4 x 6	50	62.70
RG681	5 x 7	25	55.20
MAGNETIC			
0G357	2 x 3.5	50	71.10
RG672	3 x 5	50	73.60
RG673	4 x 6	50	92.00
RG683	5 x 7	25	71.10

WAREHOUSE AISLE SIGN KITS

- Create your own customized warehouse signs
- Built-in flexible hinge prevents breakage
- Included: 10 sign holders (11" x 8 1/2"), 12 yellow laser/ink jet sheets and instructions

SNAP-ON

- Snaps into pallet rack assembly holes, can snap out to relocate

Model No. OE798

Price/Each \$57.00

SELF-ADHESIVE

- Adheres to flat surfaces, for more permanent applications

Model No. OJ943

Price/Each \$57.00




Canada's Best Value in Industrial Tools



RACKING & SHELVING

LIGHT DUTY EXPORT PALLETS


- Low cost lightweight alternative to wood pallets.
- Made of 100% recycled plastics and completely recyclable
- These low cost, single use pallets are designed for export oriented companies.
- Pallets are nestable for easy storing and space saving.
- 4-way entry for both forklift and pallet truck
- Streamlines customs process and reduces shipping delays
- Should only be used and stored in dry environments
- Can't be in contact with any form of liquid (e.g. water)
- ISPM 15 exempt



Model No.	Dimensions				Capacity lbs.		Wt. lbs.	Price /Each	
	L"	x	W"	x	H"	Static			Dynamic
MN457	40	x	48	x	5.2	3500	1500	12.5	55.60

RETAIL DISPLAY PALLETS

- Modular
- This pallet offers marketers an attractive display solution with efficient material handling
- Easily creates in-aisle or end-of-aisle displays
- The flat, smooth surface allows for easy set up in a warehouse or co-packing facility
- Can be moved directly to sales floor to reduce labor costs and maximize storage space
- Decreases safety liabilities and product shrink by eliminating sharp edges, splinters and nails found in wood alternatives
- Pallet Entry: 4-Way
- ISPM 15 exempt



Model No.	Dimensions				Capacity lbs.		Wt. lbs.	Price /Each	
	L"	x	W"	x	Static	Dynamic			
MN709	24	x	24	x	5.5	8000	1000	9	60.70
MN713	48	x	24	x	5.5	15 000	2000	19	119.00
MN710	48	x	48	x	5.5	20 000	4000	38	219.00
MN712	48	x	40	x	5.5	30 000	4000	39.3	239.00

STACKABLE PLASTIC PALLETS

- Economic, environmental and efficient alternative to wood pallets
- Smooth surfaces and lack of sharp edges protect workers from injury
- Nearly 100% of the content is recoverable for use in new pallets
- Produced from recycled material
- ISPM 15 exempt
- Includes runners
- Pallet Entry: 4-Way
- Colour: Black



Model No.	Dimensions					Capacity lbs.		Price /Each
	L"	x	W"	x	H"	Static	Dynamic	
CG031	48	x	40	x	5.6	6500	2300	109.00

NESTABLE SINGLE-FACED PALLETS

- One piece structural foam pallets are lightweight, nestable and recyclable
- High density polyethylene construction
- Large rectangular legs make it an excellent choice for most conveyor systems
- Stacks 15 high in only 48" for cost effective transport
- Fork lift: 4-ways
- Pallet truck: 4-ways
- Colour: Black
- ISPM 15 exempt




Model No.	Dimensions				Capacity lbs.		Wt. lbs.	Price /Each	
	L"	x	W"	x	H"	Static			Dynamic
CB524	48	x	48	x	53/4	30 000	4000	45.5	329.00

PLASTIC PALLETS



Sturdy, lightweight pallets with rigid centre supports offer versatile, damage-free storage and movement for a wide range of materials. Suitable for the handling of all materials in paper, plastic or burlap bags; as well as tires, construction materials and items under assembly.

- Injection-molded plastic is easy to clean and resistant to both chemicals and weather
- Nestable (each adds only 5/8" to the height of a stack)
- 1 1/2" deep stringers can also be handled by a standard forklift
- ISPM 15 exempt



Model No.	Deck Size L" x W"	Stringer Height"	Construction	Capacity lbs.		Wt. lbs.	Price /Each
				Static	Dynamic		
MA373	24 x 12	1 1/2	Black Plastic	800	1	1	8.59
MA374	24 x 15	1 1/2	Black Plastic	800	1 1/4	1 1/4	11.30

SMALL-FORMAT PALLET

- 30" pallet width provides access through narrow doorways and is easy to manoeuvre
- Designed to optimize the supply chain of small retailers
- Generous clearance for forklifts to de-nest a full stack of pallets
- Added efficiency with molded-in stretch wrap notches in each pallet corner
- Recyclable
- Truckload Quantity (53' trailer): 1,845
- Material: Plastic
- Colour: Black



Model No.	Dimensions					Capacity lbs.		Pallet Entry	Price /Each
	L"	x	W"	x	H"	Static	Dynamic		
CF933	42	x	30	x	6	10000	2000	4-Way	129.00

XPRESSPAL® HD NESTABLE PALLETS

- For moving, storing, and distributing product loads within a single warehouse or distribution center, or an entire supply chain
- Structural foam molded
- Recyclable
- Pallet Entry: 4-Way
- Colour: Black



Model No.	Dimensions					Capacity lbs.		Price /Each
	L"	x	W"	x	H"	Static	Dynamic	
CG120	48	x	40	x	5.8	30000	4000	199.00

PALLET DOLLY

- Fits most standard pallets up to 42" x 48"
- Can be used with loaded or empty pallets
- (4) 6" swivel polyurethane casters, (2) with brakes
- Rugged, angle iron construction with load retention corner brackets
- Capacity: 3000 lbs.
- Width: 48.5"
- Depth: 43"
- Height: 8"

Model No. MP044
Price/Each \$459.00






RACKING & SHELVING

RACKOCELL PLASTIC PALLETS

- Designed to store products in wide variety of unsupported racking systems and optimize valuable floor space in warehouses and distribution systems
- Features flow-through deck for thorough sanitizing and fast drying capabilities
- Plastic pallet offers an economic, environmental and efficient alternative to wood pallets or skids
- Optional fork tine grommets (8) and outer post grommets (4) available upon request
- Pallet Entry: 4-Way
- Colour: Black



ORBIS

Model No.	Dimensions					Capacity lbs.		Price /Each
	L"	x	W"	x	H"	Static	Dynamic	
CG004	48	x	40	x	6.3	30 000	5000	379.00

STACK'R MD PALLETS

- Open Deck With Stringer
- Designed specifically for stacking and racking applications
- Made of 100% HDPE
- The smooth, non-porous construction protects product and does not absorb moisture or odor
- Pallet Entry: 4-Way
- ISPM 15 exempt




ORBIS

Model No.	Dimensions					Capacity lbs.		Wt. lbs.	Price /Each
	L"	x	W"	x	H"	Static	Dynamic		
MN726	48	x	40	x	5.9	30 000	4000	44.4	399.00

DOUBLE DECK STACKABLE PALLETS

- Designed for handling and shipping heavy products
- Manufactured in HDPE structural foam
- An economic, environmental and efficient alternative to wood pallets or skids
- Double deck design, ideal for stack loading, conveying systems, distribution and static storage
- 4-way entry for fork and hand trucks
- ISPM 15 exempt



ORBIS

Model No.	Dimensions				Capacity lbs.		Wt. lbs.	Price /Each	
	L"	x	W"	x	H"	Static			Dynamic
MN168	48.7	x	45.7	x	7.5	30 000	4000	62	429.00

MEDIUM-DUTY FOOD GRADE PALLETS

- Typically used in the food industry
- 1-piece construction with an open grid for easy cleaning
- Made of FDA compliant HDPE virgin material for direct food contact
- Edge-supported pallet on a rack can hold up to a 1000-lb evenly distributed load
- 4-way fork lift or pallet truck entry
- ISPM 15 exempt





Model No.	Dimensions			Capacity lbs.		Wt. lbs.	Price /Each
	L"	x	W" x H"	Static	Dynamic		
MN490	48	x	40 x 6-1/10	25000	5000	35	196.00

RACKSTAR II™ PALLET

- Highly impact resistant design
- Internal reinforcements meet aggressive application requirements
- 100% recyclable with fully removable reinforcement structure
- Solid wall design for increased durability
- 4-way forklift accessible
- Easy to sanitize
- Removable/repairable stringers or full frame bottom, with easy-to-replace fasteners, are available for added capacity in forklift and conveyor use
- Rackable
- ISPM 15 exempt

Rackstar II™ Pallet



ORBIS

Model No.	Dimensions		Description	Capacity lbs.		Capacity lbs.			Wt. lbs.	Price /Each
	L"	x W"		Static	Dynamic	Decking	Centre Supports	Edge Supported		
CC163	48	x 40	x 6 Without lip (includes 16 deck grommets)	30 000	6000	6000	6000	3000	56.6	479.00

EXTRA-LONG STACKABLE PALLETS

- Pallet is fully reversible for double stacking of loads
- Manufactured in HDPE structural foam
- Designed for handling and shipping heavy product loads
- Ideal for stack loading, conveying systems, distribution and static storage
- 4-way entry for fork trucks
- ISPM 15 exempt



ORBIS

Model No.	Dimensions			Capacity lbs.		Wt. lbs.	Price /Each
	L"	x W"	x H"	Static	Dynamic		
MN170	72	x 48	x 5.8	30000	4000	110	819.00

MEDIUM-DUTY RACKABLE PLASTIC PALLETS

- Unique rib design for easy cleaning and sanitary applications
- Edge-supported racking application, maximum capacity of 1400 lbs.
- Bottom design of pallet ideal for automated conveying
- Anti-skid grommets on both top and bottom
- High pressure injection molded plastic pallets made with recyclable materials
- Grey
- ISPM 15 exempt



MONOFLO
INTERNATIONAL, INC.

Model No.	Dimensions			Capacity lbs.		Wt. lbs.	Price /Each
	L"	x	W" x H"	Static	Dynamic		
MN172	48	x	40 x 6	30000	3000	42	249.00

STACK'R LD PALLETS

- Open deck with stringer
- Designed specifically for stacking applications
- Made of 100% recycled content
- Lower per-trip cost than alternative pallets
- Versatile handling with 4-way hand and fork truck entry
- Lighter weight for better ergonomics
- ISPM 15 exempt




ORBIS

Model No.	Dimensions					Capacity lbs.		Wt. lbs.	Price /Each
	L"	x	W"	x	H"	Static	Dynamic		
MN714	48	x	40	x	5.9	30000	4000	44.4	279.00

RACKING & SHELVING

ALUMINUM PALLETES

- Welded aluminum construction provides superb weight-to-load ratio
- Ideal for heavy industrial, food, electronics, telecommunications, pharmaceuticals and consumer goods
- Long service life indoors and outdoors, lightweight and low maintenance
- Resists fire, freezing temperatures, chemicals, rust and insects
- Always looks clean, easy to wash and sterilize
- Works seamlessly with automated and mechanized material handling equipment
- 2-way fork entry, ridged deck boards provide grip to reduce load shifting



Model No.	Dimensions					Capacity lbs.		Wt. lbs.	Price /Each
	L"	x	W"	x	H"	Static	Dynamic		
CF416	48	x	42	x	6	6000	4000	40	637.00
CF417	48	x	48	x	6	6000	4000	50	673.00

NESTABLE ALUMINUM CHANNEL PALLETES

- All-Welded construction
- Heavy 6005 T-6 Type Aluminum
- Open channels for easy cleaning
- Fireproof, Recyclable, Metal Detectable, UV Resistant
- Weight: 50 lbs.
- Lifetime Guarantee against rust and corrosion



Model No.	Dimensions					Capacity lbs.		Pallet Entry	Price /Each
	L"	x	W"	x	H"	Static	Dynamic		
M0454	48	x	40	x	5	30 000	5000	2-Way	1119.00
M0455	48	x	40	x	5	30 000	5000	4-Way	1379.00

RACKABLE ALUMINUM 4-WAY TUBE FRAME PALLETES

- All-Welded construction
- Sealed tube
- Fireproof, Recyclable, Metal Detectable, UV Resistant
- Lifetime Guarantee against rust and corrosion



Model No.	Dimensions					Capacity lbs.		Weight lbs.	Center Base Tube	Price /Each
	L"	x	W"	x	H"	Stat	Dyn			
M0456	48	x	40	x	5-1/4	30 000	5000	44	Equipped	819.00
M0457	48	x	40	x	5-1/4	30 000	5000	44	Not Equipped	749.00

PALLET NO STACK® CONES

- Prevent damage to your shipment with No Stack® signs - warns against double stacking your shipment, ensuring your shipment remains on top
- 3 dimensional anti-stack warning devices, that easily crushes if stacked on, proof that your shipment was mishandled
- Strap easily to the top of your pallet, or attach with packaging tape
- 100/package



Model No. PC616
Price/Each \$369.00

ROLL PALLETES

- Rotationally molded of durable polyethylene
- Lightweight pallets handle rolls up to a maximum diameter of 42"
- Molded construction eliminates product damage due to splinters and nails
- 2-way forklift entry
- ISPM 15 exempt



Model No.	Dimensions					Capacity lbs.	Wt. lbs.	Price /Each
	L"	x	W"	x	H"			
CB535	21	x	38 1/2	x	8 1/2	1500	24	135.00

DRUM PALLETES

The 48" x 48" one-piece drum pallet features four molded-in rings to secure the drums during transportation, underside rings for secure double stacking and complete flow through design.

- 100% recycled plastic
- Pallets fit side by side in regular trailers
- Standard colour: Black
- Fork truck entry: 4-ways
- Hand truck entry: 4-ways
- ISPM 15 exempt



Model No.	Dimensions					Capacity lbs.		Wt. lbs.	Price /Each
	L"	x	W"	x	H"	Static	Dynamic		
CC153	48.8	x	48.8	x	5.5	30 000	4000	57	579.00


EDGEBOARD CORNER PROTECTORS

Improves stocking strength and cushions package edges against hard knocks.

Also helps improve the flow of strapping and stretch film around the product.

20/package.

Pallet quantities are available. Other thicknesses & lengths available upon request.



Products Ltd.

PRE-BUNDLED PACKS

Model No.	Leg"		Thickness"	Length"	Price /Each
PB264	2.5	x	2.5	36	33.50
PB265	2.5	x	2.5	42	37.90
PB266	2.5	x	2.5	48	44.60
PB267	3	x	3	36	35.20
PB268	3	x	3	42	41.70
PB269	3	x	3	48	49.20

PALLET COVERS

- Protect palletized products from dust and moisture
- For use with stretchwrap



Model No.	Strength	Colour	Qty /Roll	Price /Each
JG739	Regular	Clear	250	100.00
JG740	Heavy-Duty	Clear	250	146.00
JG741	Regular	Black	250	95.74



RACKING & SHELVING

POLYETHYLENE TARPAULINS - STANDARD-DUTY BLUE

- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 3'
- Increased UV resistance for long life
- Water-resistant coating
- Finished sizes may vary due to hem allowance
- 8 x 8 weave density
- Thickness: 4 mils



KLETON

Model No.	Dimensions			Price /Each
	L'	x	W'	
NI768	7	x	5	3.65
NI769	8	x	6	4.90
NI770	10	x	8	7.95
NI771	12	x	10	12.10
NI773	16	x	12	19.30
NI772	20	x	10	20.00
NI774	20	x	16	32.05
NI775	24	x	18	46.90
NI776	30	x	20	64.70
NI777	30	x	24	72.30
NI778	40	x	30	120.00
JC510	50	x	30	150.00
JC511	50	x	40	215.00
NI779	60	x	40	242.00

POLYETHYLENE TARPULIN - HEAVY DUTY WHITE

- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 3'
- Increased UV resistance for long life
- Water-resistant coating
- Finished sizes may vary due to hem allowance
- 10 x 10 weave density
- 150 micrometres (6-mil) thick
- Four corner patches




KLETON

Model No.	Dimensions			Price /Each
	L'	x	W'	
NI780	8	x	6	7.15
NI781	10	x	8	11.45
NI782	12	x	10	17.55
NI783	16	x	12	28.90
NI784	20	x	16	47.65
JC512	24	x	18	64.55
JC513	30	x	20	89.30
NI785	30	x	24	105.00
JC514	40	x	30	178.00
JC515	50	x	30	228.00
JC625	50	x	40	295.00
JB508	60	x	40	350.00

POLYETHYLENE TARPAULINS - INDUSTRIAL GREEN/SILVER

- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 20"
- Increased UV resistance for long life
- Water-resistant coating
- Finished sizes may vary due to hem allowance
- 14 x 14 high density weave
- 225 micrometres (9-mil) thick
- 9" x 9" three layers on each four corners
- Silver side provides heat and UV light diversion



KLETON

Model No.	Dimensions			Price /Each
	L'	x	W'	
JB567	8	x	6	10.10
JB568	10	x	8	17.00
JB569	12	x	10	25.15
JB570	16	x	12	40.30
JB571	20	x	16	67.00
JB572	30	x	20	124.00
JC516	40	x	30	258.00
JC517	50	x	30	370.00
JC518	50	x	40	429.00
JB573	60	x	40	515.00

POLYETHYLENE TARPAULINS - SUPER HEAVY-DUTY SILVER

- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust resistant grommets every 30"
- Increased UV resistance for long life
- Water resistant coating
- Finished sizes may vary due to hem allowance
- 16 x 16 high density weave
- 300 micrometres (12-mil) thick
- 9" x 9" triple-layered on four corners



KLETON

Model No.	Dimensions			Price /Each
	L'	x	W'	
JC626	10	x	8	22.50
JC627	12	x	10	33.90
JC628	20	x	16	89.10
JC629	24	x	18	119.00
JC630	30	x	20	167.00
JC631	30	x	24	199.00
JC632	40	x	30	332.00
JC633	50	x	30	417.00
JC634	60	x	30	499.00
JC635	60	x	40	662.00

STEELCOR™ 10-PC. BUNGEE CORD SETS

- SteelCOR™
- Premium quality rubber cord for superior elasticity and strength
- Flat, steel I-beam hook is 3 times stronger than traditional bungee hooks
- Offset hook bends away allowing more room to attach
- Colour-coded for quick and easy length identification
- Includes: two each of 18", 24", 32", 40" and 10" mini bungee cords



Model No.	Mfg No.	Length"	Price /Each
PE066	3041DATSC	10	39.00

Master Lock

TWIN WIRE™ 10-PC. BUNGEE CORD SET

- Twin Wire™
- Two wires in the hook offer twice the strength
- Rounded hook end eliminates risk of scratching
- Colour-coded for quick and easy length identification
- Includes: 2 each of 18", 24", 32", 40" and 10" mini bungee cords



Model No.	Mfg No.	Length"	Price /Each
PE067	3043DATSC	10	29.20

Master Lock

RACKING & SHELVING

CLEAR TARPULINS

- Polyethylene tarpaulin with reinforced nylon gridding
- Water and mildew resistant coating
- Heavy-duty rust resistant grommets
- 3 x 3 weave density
- 200 micrometers (8-mil) thick
- Finished sizes may vary due to hem allowance



KLETON

Model No.	Dimensions			Price /Each
	L'	x	W'	
JD414	10	x	8	18.90
JD415	12	x	10	28.15
JD416	20	x	16	74.65
JD417	30	x	20	140.00
JD418	40	x	30	285.00
JD419	60	x	40	562.00

HEAVY DUTY POLYETHYLENE TARPULINS

- 10 x 10 weave density
- Water-resistant coating
- Reinforced polypropylene rope sewn in welded hems
- 150 micrometers (6 mil) thick
- Increased UV-resistance for long life
- Finished sizes may vary due to hem allowance
- Colour: Camouflage



KLETON

Model No.	Dimensions			Price /Each
	L'	x	W'	
JI319	8	x	6	9.15
JI320	10	x	8	15.00
JI322	16	x	12	36.55
JI321	20	x	10	38.20
JI323	20	x	16	61.10
JI324	24	x	18	75.20
JI325	30	x	20	113.00
JI326	40	x	30	226.00

INSULATED TARPULINS

- Lightweight and flexible, moisture resistant insulated tarpaulin
- Manufactured with 3/16" closed cell polyethylene foam insulation
- R-value is maintained in damp cold conditions
- Durable, water resistant polyethylene shell
- Heavy-duty rust resistant grommets every 2'
- R value: 1.0
- Thickness: 8 mils
- Material: Polyethylene
- Colour: Orange



KLETON

Model No.	Dimensions			Price /Each
	L'	x	W'	
JD420	20	x	12	178.00

LIGHT INDUSTRIAL DUTY POLYETHYLENE TARPULIN

- 14 x 14 weave density
- Water-resistant coating
- Reinforced polypropylene rope sewn in welded hems
- 200 micrometers (8 mils) thick
- Increased UV-resistance for long life
- Finished sizes may vary due to hem allowance
- Colour: Black



KLETON

Model No.	Dimensions			Price /Each
	L'	x	W'	
JI327	8	x	6	8.85
JI328	10	x	8	14.75
JI330	16	x	12	35.45
JI329	20	x	10	37.00
JI331	20	x	16	59.15
JI332	24	x	18	79.55
JI333	30	x	20	113.00
JI334	30	x	24	135.00
JI335	40	x	30	220.00
JI336	50	x	30	279.00
JI337	50	x	40	370.00
JI338	60	x	40	440.00

RUBBER TIE DOWNS

- Material: EPDM gives the ability to resist degradation resulting from weathering agents like UV rays and ozone making it perfect weather resistant rubber
- Retains its rebound qualities
- Rubber tie downs straps resist cracking and rotting
- Durable zinc plated steel "S" hooks



KLETON

Model No.	Length"	Max Safe Stretch"	Price /Each
PE366	5	7,5	1.35
PE367	9	13,5	1.50
PE368	15	22,5	1.85
PE369	21	31,5	2.30
PE370	31	46,5	2.80
PE371	41	61,5	3.35

RUBBER TIE DOWN SETS

- Same great features as Kleton rubber tie downs, in the convenience of sets

10-PC. BASIC TIE DOWN SET

Model No.	Set Includes	Price /Each
PF090	4 - 21" tie downs (PE369), 2 - 31" tie downs (PE370), 4 - 41" tie downs (PE371)	27.80

16-PC. ALL PURPOSE TIE DOWN SET

Model No.	Set Includes	Price /Each
PF091	2 - 9" tie downs (PE367), 2 - 15" tie downs (PE368) 4 - 21" tie downs (PE369), 4 - 31" tie downs (PE370), 4 - 41" tie downs (PE371)	37.85

20-PC. PROFESSIONAL TIE DOWN SET

Model No.	Set Includes	Price /Each
PF092	10 - 21" tie downs (PE369), 10 - 41" tie downs (PE371)	53.40


CANTILEVER BAR-STOCK RACKING

LIGHT-DUTY

- All-welded components assemble easily
- Seven 12" adjustable arms per column side
- Capacity per level: 1000 lbs.
- Dim.: 36" W x 18 1/4" D x 75" H
- Shipped knocked down
- FOB Concord, ONT**

REGULAR-DUTY

- Ideal for storing of steel, iron, aluminum, wood or plastic pipe
- All-welded components assemble easily
- Seven 14" adjustable arms per column side
- Capacity per level: 2000 lbs.
- Dim.: 36" W or 72" W x 21" D x 84" H
- Shipped knocked down
- FOB Concord, ONT**



LIGHT-DUTY

Model No.	Description	Capacity lbs./column	Wt. lbs.	Price /Each
RL730	Single Sided	7000	306	1106.00
RL731	Double Sided	14 000	434	1550.00

REGULAR-DUTY

Model No.	Description	Width"	Capacity lbs./column	Wt. lbs.	Price /Each
RL732	Single-Sided	36	14 000	315	1128.00
RL734	Double-Sided	36	28 000	452	1619.00
RL736	Single-Sided	72	14 000	329	1179.00
RL738	Double-Sided	72	28 000	466	1669.00

ADD-ON


RL733	Single-Sided	36	7000	168	599.00
RL735	Double-Sided	36	14 000	236	846.00
RL737	Single-Sided	72	7000	182	648.00
RL739	Double-Sided	72	14 000	250	899.00

HEAVY-DUTY ADJUSTABLE CANTILEVER RACKING


- Pre-designed and engineered free-standing systems
- Each kit consist of 3 basic components: single or double sided columns, arms and braces
- Column centres are set at 51"
- 3 arms per column for single sided units and 6 arms per column double sided units
- All welded components that are easily assembled
- Tapered columns eliminate deflection of rack into the aisles
- Tapered arms never deflect below horizontal
- Arms easily adjust to any vertical height on 3" centres
- FOB Concord, Ontario**



Single Side



Double Side



Column Height'	Number of Columns	Arm Length"	Length of Material Stored'	Capacity Per /Level	Single Sided Unit Model No.	Price /Each	Double Sided Unit Model No.	Price /Each
8	2	24	5 to 8	4500	RL676	1554.00	RL703	2193.00
8	3	24	9 to 12	5500	RL677	2430.00	RL704	3383.00
8	4	24	13 to 16	8000	RL678	3303.00	RL705	4576.00
8	2	36	5 to 8	4000	RL685	1846.00	RL712	2777.00
8	3	36	9 to 12	4500	RL686	2866.00	RL713	4261.00
8	4	36	13 to 16	6500	RL687	3885.00	RL714	5746.00
8	2	48	5 to 8	3000	RL694	2192.00	RL721	3485.00
8	3	48	9 to 12	3500	RL695	3381.00	RL722	5322.00
8	4	48	13 to 16	5000	RL696	4573.00	RL723	7158.00
10	2	24	5 to 8	4500	RL679	1767.00	RL706	2405.00
10	3	24	9 to 12	5500	RL680	2748.00	RL707	3704.00
10	4	24	13 to 16	8000	RL681	3727.00	RL708	5002.00
10	2	36	5 to 8	4000	RL688	2062.00	RL715	2990.00
10	3	36	9 to 12	4500	RL689	3188.00	RL716	4580.00
10	4	36	13 to 16	6500	RL690	4312.00	RL717	6172.00
10	2	48	5 to 8	3000	RL697	2391.00	RL724	3692.00
10	3	48	9 to 12	3500	RL698	3672.00	RL725	5626.00
10	4	48	13 to 16	5000	RL699	4954.00	RL726	7557.00
12	2	24	5 to 8	4500	RL682	1939.00	RL709	2621.00
12	3	24	9 to 12	5500	RL683	3002.00	RL710	4025.00
12	4	24	13 to 16	8000	RL684	4068.00	RL711	5431.00
12	2	36	5 to 8	4000	RL691	2254.00	RL718	3199.00
12	3	36	9 to 12	4500	RL692	3476.00	RL719	4896.00
12	4	36	13 to 16	6500	RL693	4696.00	RL720	6593.00
12	2	48	5 to 8	3000	RL700	2622.00	RL727	3959.00
12	3	48	9 to 12	3500	RL701	4028.00	RL728	6033.00
12	4	48	13 to 16	5000	RL702	5434.00	RL729	8104.00

OTHER OPTIONAL ARMS

Lip Stop



Flat plate front end lip stops prevent loose materials from rolling off.

Removable Pipes & Sockets



Safely contain broken bundles for elevations that are safely reached from the ground only.

Reel Adapters



- Available for reels with diameters of up to 80" and 15 000 lbs.
- Allows easy access to load and unload the coils
- Can be used with automated wire/cable puller equipment

Custom sizes available. Contact your Material Handling Specialist today for the most efficient and economical rack design and layout with thousands of possible column and arm combinations to suit our specific application.

RACKING & SHELVING

BAR STORAGE RACKS

All-steel vertical and horizontal racks are ideal for storing bars, tube, pipe and angle.

HORIZONTAL BAR RACKS

- Horizontally stores bars up to 10' long 9" deep arms with 9 storage levels at 6" intervals
- O.A. Dim.: 18" W x 40" D x 84" H
- Capacity: 1800 lbs.
- Weight: 68 lbs.
- Durable Kleton blue enamel finish
- Shipped knocked down

Model No. RB958
Price/Each \$679.00



COMBINATION VERTICAL RACKS

- Vertically stores bars up to 12' long
- 3 shelves for extra storage of small parts
- 8" deep arms divided into 3 sections
- O.A. Dim.: 36" W x 24" D x 84" H
- Capacity: 3000 lbs.
- Weight: 128 lbs.
- Durable Kleton blue enamel finish
- Shipped knocked down

Model No. RL922
Price/Each \$299.00



VERTICAL BAR RACKS

- All-welded steel construction
- Vertically stores bars up to 10' long
- Four - 24" deep dividers
- O.A. Dim.: 48" W x 24" D x 60" H
- 3000 lbs. capacity
- Weight: 100 lbs.
- Durable Kleton blue enamel finish

Model No. RL383
Price/Each \$729.00



MOBILE PIPE & BAR RACKS

- All-welded steel construction, ready to use
- 3 double sided storage levels with 7" high uprights to secure load
- Useable space per side 6"-11"-15" (top-middle-bottom)
- Durable Kleton blue enamel finish
- Capacity: 3000 lbs.
- Capacity is based on evenly distributed weight
- Wheel Material: Polyurethane




Model No.	Overall Dim.					Wt. lbs.	Price /Each
	W"	x	D"	x	H"		
M0248	48	x	36	x	60	205	889.00
M0249	72	x	36	x	60	245	959.00

STANDARD VERTICAL SHEET RACKS

- All-welded steel construction
- Designed for vertically storing sheet goods
- Constructed of heavy gauge steel 1 1/4" tube for bays and a heavy gauge steel 1" x 2" rectangular tube for the frame
- Each bay can hold up to 1000 lbs.
- O.A. Dim.: 84" W x 50" L x 36 3/4" H
- Number of bays: 4
- Distance between bays: 10"
- Weight: 200 lbs.
- Durable Kleton blue enamel finish

Model No. RL384
Price/Each \$1839.00



VERTICAL SHEET STORAGE RACKS


- Accommodates multiple sheet sizes
- All-welded steel construction, 1 1/4" OD round tube dividers
- Two 27" H uprights, two 36" H uprights and one 42" H upright
- Four equal size openings of 7 1/2" clear
- Holes for anchoring to the floor recommended
- Overall dimensions: 36" x 48" x 43 1/2"
- Capacity: 750 lbs. per bay; total of 3000 lbs.
- Shipping weight: 72 lbs.
- Durable Kleton blue enamel finish

Model No. RN014
Price/Each \$639.00



HORIZONTAL SHEET RACKS

- Designed for storage of sheet materials
- Flat storage fully supports materials and reduces warping
- Sheets are accessible from all four sides
- All-welded construction and the frame is made of 2" square tubing
- Five shelf design creates four storage bays spaced 9 1/2" apart and a open top bay
- Bay Capacity: 2000 lbs. evenly distributed
- Maximum rack capacity: 8000 lbs.



Model No.	L"	Overall Dim.				Number of Shelves	Net Wt. lbs.	Price /Each
		x	W"	x	H"			
RL923	103	x	55	x	48	5	575	2909.00




BUILT TO YOUR SPECIFIC DIMENSIONS

Kleton specializes in custom requests, be it a small modification to existing designs or a unique requirement. Our team of design specialists can help you get from concept, to drawings, to a finished product. From quantities of one to one thousand, Kleton treats your request with the same attention to detail that has become synonymous with the Kleton name.


STACKING RACKS

- Rugged all-welded 2" sq. tubing steel construction
- Utilize warehouse airspace and lower the chances of damage that is associated with bulk stacking
- Designed for storage of loose and palletized goods
- Holds 4000 lbs. per rack and can be stacked 4 high
- Durable Kleton blue enamel finish
- Posts and bases are sold separately

KLETON



Model RL414
w/2 Model RL419



Model RL414
w/4 Model RL421

Model No.	Inside Dimensions W" x D"	O.A. Dimensions W" x D"	Wt. lbs.	Price /Each
OPEN BASE FRAME				
RL414	44 x 38	48 x 42	85	509.00
RL415	44 x 44	48 x 48	90	559.00
CLOSED BASE FRAME				
RL416	44 x 38	48 x 42	110	609.00
RL417	44 x 44	48 x 48	115	679.00

ACCESSORIES

Model No.	Description	O.A. Dimensions W" x H"	Wt. lbs.	Price /Each
RL418	42" Side Rail	42 x 48	30	129.00
RL419	48" Side Rail	48 x 48	32	141.00
RL420	42" Upright Post-Pack of 4	2 x 42	35	153.00
RL421	48" Upright Post-Pack of 4	2 x 48	40	167.00
RL422	60" Upright Post-Pack of 4	2 x 60	50	221.00

RACKING AISLE PROTECTORS

- Prevent collision damage to shelving/racking from fork lifts, pallet trucks or other in-plant vehicle accidents
- Corner wraps are 12" high with an angle of 5" H x 3" W x 1/4" D with four holes for anchoring to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Colour: Safety yellow
- Material: Steel

RN059



KLETON



Model No.	Description	O.A. Dimensions L" x W" x H"	Fits Upright	Wt. lbs.	Price /Each
RN059	Single Wrap - Left	46 1/2 x 3 x 12	42 W	38	191.00
RN060	Single Wrap - Right	46 1/2 x 3 x 12	42 W	38	191.00
RN061	Single Wrap - Left	52 1/2 x 3 x 12	48 W	41	199.00
RN062	Single Wrap - Right	52 1/2 x 3 x 12	48 W	41	199.00
RN063	Double Wrap	50 1/4 x 3 x 12	42 W	46	284.00
RN064	Double Wrap	56 1/4 x 3 x 12	48 W	46	319.00

FLOOR ANGLE GUARD RAILS

- Floor angle guide rail helps keep traffic away from racking and shelving, walls, storage areas, offices, and other work areas
- The sturdy 5" H x 3" W x 1/4" D angle iron comes with holes to anchor to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Colour: Safety yellow
- Material: Steel




KLETON



Model No.	O.A. Dimensions L" x W" x H"	Wt. lbs.	Price /Each
RN065	48 x 3 x 5	26	86.99
RN066	60 x 3 x 5	33	98.89
RN067	120 x 3 x 5	66	221.00

SAFETY GUARDS

- Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4"x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Colour: Safety yellow powder coat finish



Model No.	Dimensions L" x H"	Wt. lbs.	Price /Each
KD127	24 x 18	65	339.00
KH855	36 x 18	75	389.00
KD128	48 x 18	85	399.00
KD136	24 x 42	95	459.00
KD139	48 x 42	115	509.00

UPRIGHT PROTECTORS


- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- 4 pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coated finish



Model No.	O.A. Dimensions W" x D" x H"	Wt. lbs.	Price /Each
KH858	7 x 7 x 12	12	32.19
RB925	7 x 7 x 18 1/4	15	42.85

HEAVY-DUTY STEEL BOLLARDS

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish



Model No.	Height"	Wt. lbs.	Price /Each
KD125	24	30	157.00
KH857	36	40	212.00
KD126	48	50	232.00

KLETON





RACKING & SHELVING



PRONTO BULK STORAGE RACKS

- Shelving units are ideal for storage of heavy/bulk merchandise
- Feature a maximum capacity of 8000 lbs./section and 2000 lbs./shelf
- Easy and quick installation, only 4 components involved: beams, frames, shelving and safety bars
- Vertical adjustability of beams in 4" increments provides the flexibility to suit your changing warehousing needs
- Frames and beams lock easily and securely
- Each Pronto bulk storage rack starter unit is comprised of two all-welded end frames, and three 5/8" presswood shelves flush-fitted into positive locking steel shelf beams (2 per shelf)
- Add-on units include only one end frame
- Additional shelves may be added into any unit at 4" vertical centres
- Order one starter unit, and multiple add-ons for a continuous racking set-up
- For extra stability and rigidity all units feature 3 safety bars per shelf
- Various other dimensions are available in Pronto racking
- Rack only units (no wood shelves) are available upon inquiry
- Centennial blue enamel finish

Note: Not recommended for powered lift truck applications.



24" SHELF DEPTH

36" SHELF DEPTH

48" SHELF DEPTH

Size W' x H'	Description	Cap. per level lbs.	Model No.	Wt. lbs.	Price /Each	Model No.	Wt. lbs.	Price /Each	Model No.	Wt. lbs.	Price /Each
7 x 8	Starter	1400	RA443	245	776.00	RA475	288	920.00	RA507	331	1008.00
7 x 8	Add-on	1400	RA441	217	668.00	RA473	258	806.00	RA505	299	881.00
7 -	Add'l shelf	1400	RA470	63	187.00	RA502	76	231.00	RA534	89	251.00
8 x 10	Starter	2000	RA453	302	940.00	RA485	351	1070.00	RA517	400	1144.00
8 x 10	Add-on	2000	RA451	268	804.00	RA483	315	928.00	RA515	362	999.00
8 -	Add'l shelf	2000	RA471	78	222.00	RA503	93	262.00	RA535	108	284.00
8 x 12	Starter	2000	RA463	316	966.00	RA495	365	1094.00	RA527	414	1170.00
8 x 12	Add-on	2000	RA461	275	817.00	RA493	322	940.00	RA525	369	1012.00
8 -	Add'l shelf	2000	RA471	78	222.00	RA503	93	262.00	RA535	108	284.00

22-GA. GALVANIZED SHELF PANELS

7/8" Model No.	1 3/8" Model No.	Size"	Cap. lbs.	Price /Each
RB889	RB020	6 x 24	258	10.40
RB890	RB021	6 x 30	200	15.20
RB891	RB022	6 x 36	165	16.70
RB892	RB023	6 x 42	139	21.30
RB893	RB024	6 x 48	120	25.60

WIDE SPAN RECORD STORAGE SHELVING

- Efficiently organize and store all records in a single information retrieval center
- 12-gauge steel posts and beams and wire mesh decks provide maximum strength
- Easy to install with snap together shelf beams, no nuts and bolts
- Wire mesh decking allows for increased flow and circulation
- Frame Colour: Grey



RN573



Model No.	Kit Type	No. of Shelves	Cap lbs. /Shelf	W"	x	Size D"	x	H"	Price /Each
RN577	Starter	3	1340	42	x	18	x	60	328.00
RN585	Add-On	3	1340	42	x	18	x	60	270.00
RN578	Starter	3	1340	42	x	32	x	60	416.00
RN586	Add-On	3	1340	42	x	32	x	60	340.00
RN579	Starter	4	1340	42	x	18	x	84	428.00
RN587	Add-On	4	1340	42	x	18	x	84	356.00
RN580	Starter	4	1340	42	x	32	x	84	534.00
RN588	Add-On	4	1340	42	x	32	x	84	443.00
RN573	Starter	3	800	72	x	18	x	60	455.00
RN581	Add-On	3	800	72	x	18	x	60	398.00
RN574	Starter	3	800	72	x	32	x	60	574.00
RN582	Add-On	3	800	72	x	32	x	60	498.00
RN575	Starter	4	800	72	x	18	x	84	598.00
RN583	Add-On	4	800	72	x	18	x	84	526.00
RN576	Starter	4	800	72	x	32	x	84	744.00
RN584	Add-On	4	800	72	x	32	x	84	653.00

HEAVY-DUTY SHELVING

- Modular design allows the unit to be set up as a shelving unit or as work bench
- Includes five Medium-Density Fiberboard (MDF) shelves
- Shelves snap into place quickly and easily
- Kit Type: Starter
- No. of Shelves: 5
- Shelf Capacity: 1200 lbs.
- Material: Steel
- Shelving Unit Type: Boltless
- Style: Open



KLETON

Model No.	W"	x	Dimensions D"	x	H"	Price /Each
RN455	36	x	18	x	72	178.00
RN456	36	x	24	x	72	201.00
RN457	48	x	18	x	72	210.00
RN458	48	x	24	x	72	232.00



RACKING & SHELVING

WIDE SPAN RECORD STORAGE SHELVING

- Efficiently organize and store all records in a single information retrieval center
- Record management is facilitated with easy to identify printed storage boxes
- 12-gauge steel posts and beams and warp free particle board decks provides maximum strength
- Easy to install with snap together shelf beams, no nuts and bolts
- Storage boxes constructed of white corrugated fibreboard, with handles, making it a durable and easily maneuverable box, a perfect choice for economical storage
- Order complete units, including shelving, deck and boxes, or shelving with deck only
- Colour: Grey



Model No.	Unit Type	No. of Shelves	W" x D" x H"	No. of Boxes	Capacity lbs.	Price /Each
SHELVING & DECK ONLY (WITHOUT BOXES)						
RL997	Starter	3	72 x 18 x 60	-	800	312.00
RL998	Starter	3	72 x 32 x 60	-	800	438.00
RL999	Starter	4	72 x 18 x 84	-	800	408.00
RN001	Starter	4	72 x 32 x 84	-	800	564.00
RN136	Add-on	3	72 x 18 x 60	-	800	255.00
RN137	Add-on	3	72 x 32 x 60	-	800	364.00
RN138	Add-on	4	72 x 18 x 84	-	800	336.00
RN139	Add-on	4	72 x 32 x 84	-	800	475.00
RN002	Starter	3	42 x 18 x 60	-	1340	226.00
RN003	Starter	3	42 x 32 x 60	-	1340	315.00
RN004	Starter	4	42 x 18 x 84	-	1340	294.00
RN005	Starter	4	42 x 32 x 84	-	1340	399.00
RN140	Add-on	3	42 x 18 x 60	-	1340	170.00
RN141	Add-on	3	42 x 32 x 60	-	1340	240.00
RN142	Add-on	4	42 x 18 x 84	-	1340	223.00
RN143	Add-on	4	42 x 32 x 84	-	1340	310.00



RN009



RN004

Model No.	Unit Type	No. of Shelves	W" x D" x H"	No. of Boxes	Capacity lbs.	Price /Each
COMPLETE UNITS (INCLUDES SHELVING, DECK & BOXES)						
RN006	Starter	3	72 x 18 x 60	30	800	564.00
RN007	Starter	3	72 x 32 x 60	60	800	943.00
RN008	Starter	4	72 x 18 x 84	40	800	744.00
RN009	Starter	4	72 x 32 x 84	80	800	1238.00
RN144	Add-on	3	72 x 18 x 60	30	800	508.00
RN145	Add-on	3	72 x 32 x 60	60	800	869.00
RN146	Add-on	4	72 x 18 x 84	40	800	673.00
RN147	Add-on	4	72 x 32 x 84	80	800	1148.00
RN010	Starter	3	42 x 18 x 60	18	1340	378.00
RN011	Starter	3	42 x 32 x 60	36	1340	618.00
RN012	Starter	4	42 x 18 x 84	24	1340	496.00
RN013	Starter	4	42 x 32 x 84	48	1340	804.00
RN148	Add-on	3	42 x 18 x 60	18	1340	322.00
RN149	Add-on	3	42 x 32 x 60	36	1340	543.00
RN150	Add-on	4	42 x 18 x 84	24	1340	425.00
RN151	Add-on	4	42 x 32 x 84	48	1340	714.00

EASY-UP 5000 SHELVING

- Offers the look of office shelving, the strength of industrial shelving and the economy of commercial shelving
- All shelving features 14 gauge beams front and back that adjust on 1" centres
- No cross braces required
- Loads can be accessed from all sides
- Designed for easy, trouble-free installation
- Beam and side braces hook into post slots to form a rigid frame
- No nuts, bolts nor clips required, thereby saving installation time and cost
- Shelves can easily be adjusted or added to your system at any time

COMPONENTS:

- End frames have slots on 1" centres, covering 3 sides with a clean front view
- Marked on 6" centres for quick beam installation. Half slots on top for flush mounted top shelf
- Frame connectors designed with a patented locking tab to be turned into the upright for safety and rigidity
- Beams have a double locking clip V-type design to support the particle board shelf
- Finished with a baked-on alkyd enamel over corrosion resistant phosphate undercoat
- Colour: Almond beige

Model No. RH907 Foot plate
Price/Each \$3.49

5-SHELF UNITS

Shelf Size D" x W"	Cap. per shelf lbs.	74" H Model No.	Price /Each	86" H Model No.	Price /Each	98" H Model No.	Price /Each
STARTER UNITS							
12 x 36	400	RH798	241.00	RH807	260.00	RH816	272.00
12 x 48	300	RH799	264.00	RH808	282.00	RH817	295.00
18 x 36	400	RH801	274.00	RH810	293.00	RH819	306.00
18 x 48	300	RH802	312.00	RH811	330.00	RH820	342.00
24 x 36	400	RH804	294.00	RH813	314.00	RH822	325.00
24 x 48	300	RH805	326.00	RH814	346.00	RH823	357.00
ADD-ON UNITS							
12 x 36	400	RH825	176.00	RH834	185.00	RH843	190.00
12 x 48	300	RH826	198.00	RH835	207.00	RH844	214.00
18 x 36	400	RH828	205.00	RH837	215.00	RH846	221.00
18 x 48	300	RH829	243.00	RH838	253.00	RH847	258.00
24 x 36	400	RH831	222.00	RH840	231.00	RH849	238.00
24 x 48	300	RH832	255.00	RH841	264.00	RH850	270.00

6-SHELF UNITS

Shelf Size D" x W"	Cap. per shelf lbs.	74" H Model No.	Price /Each	86" H Model No.	Price /Each	98" H Model No.	Price /Each
STARTER UNITS							
12 x 36	400	RH852	263.00	RH861	281.00	RH870	294.00
12 x 48	300	RH853	289.00	RH862	310.00	RH871	321.00
18 x 36	400	RH855	301.00	RH864	320.00	RH873	332.00
18 x 48	300	RH856	346.00	RH865	364.00	RH874	378.00
24 x 36	400	RH858	324.00	RH867	344.00	RH876	355.00
24 x 48	300	RH859	362.00	RH868	383.00	RH877	394.00
ADD-ON UNITS							
12 x 36	400	RH879	196.00	RH888	206.00	RH897	212.00
12 x 48	300	RH880	224.00	RH889	233.00	RH898	240.00
18 x 36	400	RH882	232.00	RH891	242.00	RH900	248.00
18 x 48	300	RH883	277.00	RH892	286.00	RH901	293.00
24 x 36	400	RH885	253.00	RH894	262.00	RH903	268.00
24 x 48	300	RH886	290.00	RH895	300.00	RH904	307.00



RACKING & SHELVING

HEAVY-DUTY ULTRACAP™ STEEL SHELVING

- Industrial-grade shelving made from 20-gauge steel is available in starter and add-on units for a wide variety of storage solutions
- Six 20-gauge welded tubular box shelves with lapped and welded corners provide for total capacity from 650 to 1100 lbs. per shelf based on evenly distributed loads
- 14-gauge box formed front posts provide full shelf access and assembly time when joining multiple units
- Posts are punched on 1" centres for easy shelf adjustment and a variety of configurations
- Powder coat grey finish provides added protection from chipping and rust
- Shipped knocked down



EXTRA SHELVES

Model No	Dimensions Width" Depth"	Wt. lbs.	Price /Each
RL244	36 12	8	36.10
RL245	36 18	10	38.40
RL246	36 24	13	46.90
RL247	48 12	10	47.90
RL248	48 18	13	60.30
RL308	48 24	15	329.00

SHELVING UNITS

Model No	Unit Type	Dimensions Width" Depth" Height"	Shelf Capacity lbs.	Wt. lbs.	Price /Each
RL220	Starter Open	36 12 85	1000	89	499.00
RL221	Starter Open	36 18 85	1050	102	519.00
RL222	Starter Open	36 24 85	1100	124	599.00
RL223	Starter Open	48 12 85	650	102	619.00
RL224	Starter Open	48 18 85	675	124	749.00
RL225	Starter Open	48 24 85	750	149	769.00
RL226	Add-on Open	36 12 85	1000	76	459.00
RL227	Add-on Open	36 18 85	1050	89	479.00
RL228	Add-on Open	36 24 85	1100	110	569.00
RL229	Add-on Open	48 12 85	650	89	579.00
RL230	Add-on Open	48 18 85	675	110	709.00
RL231	Add-on Open	48 24 85	750	135	739.00

Model No	Unit Type	Dimensions Width" Depth" Height"	Shelf Capacity lbs.	Wt. lbs.	Price /Each
RL232	Starter Closed	36 12 85	1000	126	619.00
RL233	Starter Closed	36 18 85	1050	147	659.00
RL234	Starter Closed	36 24 85	1100	178	769.00
RL235	Starter Closed	48 12 85	650	147	779.00
RL236	Starter Closed	48 18 85	675	177	919.00
RL237	Starter Closed	48 24 85	750	211	959.00
RL238	Add-on Closed	36 12 85	1000	107	569.00
RL239	Add-on Closed	36 18 85	1050	124	599.00
RL240	Add-on Closed	36 24 85	1100	150	709.00
RL241	Add-on Closed	48 12 85	650	128	739.00
RL242	Add-on Closed	48 18 85	675	153	869.00
RL243	Add-on Closed	48 24 85	750	182	899.00

COUNTER SHELVING

- Features a rugged 14-gauge steel countertop to provide a practical, useful work surface
- Each section is 36" wide, 18" or 24" deep and 39" high
- Available in 3 shelf open or closed and 4 shelf closed
- All shelves are adjustable up or down on 1 1/2" centres
- Shelf capacity, 900 lbs evenly distributed
- Tops are 21 7/16" deep for 18" counters, and 27 7/16" deep for 24" counters
- Open counter shelving is ideal for packing, assembly and inspection work, where bin openings are not required
- Closed-counter design offers barrier-separations for partitioning off areas, plus concealed storage under top
- Ideal for toolrooms, repair shops, auto parts stores, warehouses etc.
- Colour: Dove grey, other colours available
- Shipped knocked down



Open Shelf Unit



Closed Shelf Unit



18" DEEP

24" DEEP

SHELF TYPE	Steel Gauge	Starter Model No.	Price /Each	Add-on Model No.	Price /Each	Starter Model No.	Price /Each	Add-on Model No.	Price /Each
3 SHELF OPEN									
Heavy Duty	20	RG597	629.00	RG598	529.00	RG601	679.00	RG602	579.00
Standard	18	RG599	569.00	RG600	539.00	RG603	689.00	RG604	589.00
3 SHELF CLOSED									
Heavy Duty	20	RG605	739.00	RG606	619.00	RG609	799.00	RG610	679.00
Standard	18	RG607	739.00	RG608	629.00	RG611	799.00	RG612	679.00
4 SHELF CLOSED									
Heavy Duty	20	RG613	789.00	RG614	679.00	RG617	869.00	RG618	739.00
Standard	18	RG615	809.00	RG616	699.00	RG619	879.00	RG620	749.00



RACKING & SHELVING

MAGNUM BIN SHELVING UNITS

- Dimensions: 42" W x 18" D x 76" H
- Capacity: 480 lbs. per shelf
- Shipped knocked down



QUANTUM™
STORAGE
SYSTEMS

SERIES QMS531

- 27 QMS531 open hopper bins
- 19 3/4" L x 12 3/8" W x 5 7/8" H
- 10 heavy-duty grey enamel shelves


SERIES QMS532

- 21 QMS532 open hopper bins,
- 19 3/4" L x 12 3/8" W x 7 7/8" H
- 8 heavy-duty grey enamel shelves

Model No.				Description	Price /Each
Red	Blue	Yellow	Green		
QMS532 SERIES BIN SHELF UNIT					
CF072	CF073	CF074	CF075	Starter	966.00
CF089	CF090	CF091	CF092	Add-on	905.00
QMS531 SERIES BIN SHELF UNIT					
CF188	CF185	CF186	CF187	Starter	1111.00
CF784	CF785	CF786	CF787	Add-on	1048.00



CF187



CF074

MAGNUM BIN SHELVING UNITS

- Dimensions: 42" W x 18" D x 76" H
- Capacity: 480 lbs. per shelf
- Shipped knocked down

SERIES QMS516

- 4 QMS543 red, 3 QMS533 blue,
- 6 QMS532 yellow and
- 3 QMS531 blue open hopper bins
- 7 heavy-duty grey enamel shelves

SERIES QMS533


- 15 QMS533 open hopper bins
- 19 3/4" W x 12 3/8" D x 11 7/8" H
- 6 heavy-duty grey enamel shelves

Red	Blue	Model No. Yellow	Green	Description	Price /Each
QMS533 SERIES BIN SHELF UNIT					
CF080	CF081	CF082	CF083	Starter	819.00
CF097	CF098	CF099	CF100	Add-on	756.00
QMS516 SERIES BIN SHELF UNIT					
CF189*	-	-	-	Starter	897.00
CF788*	-	-	-	Add-on	835.00

* Mixed colours



CF189



CF081

OPEN HOPPER STORAGE SHELF UNITS

QUS239 SERIES

- 28 QUS239 Series bins
- 11" L x 8 1/4" W x 7" H
- 8 heavy-duty grey enamel shelves
- 36" W x 12" D x 76" H
- Cap.: 630 lbs. per shelf
- Shipped knocked down

QUS240 SERIES

- 28 QUS240 Series bins
- 14 3/4" L x 8 1/4" W x 7" H
- 8 heavy-duty grey enamel shelves
- 36" W x 12" D x 76" H
- Cap.: 630 lbs. per shelf
- Shipped knocked down

Model No.						Description	No. of Shelves	Price /Each
Black	Blue	Yellow	Red	Ivory	Green			
QUS239 SERIES BINS SHELF UNIT								
CF176	CF118	CF119	CF120	CF121	CF122	Starter	8	728.00
CF180	CF140	CF141	CF142	CF143	CF144	Add-On	8	665.00
QUS240 SERIES BINS SHELF UNIT								
CF178	CF123	CF124	CF125	CF126	CF127	Starter	8	802.00
CF182	CF150	CF151	CF152	CF153	CF154	Add-On	8	740.00



CF118



CF126

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Capacity is 800 lbs. per shelf evenly distributed
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required



RL984



RL989



Model No.	Shelving Size					No. of Shelves	No. of Bins	Colour	Price /Each
	W"	x	D"	x	H"				
RL984	66	x	18	x	60	3	12	Red	720.00
RL985	66	x	18	x	60	3	12	Blue	720.00
RL986	66	x	18	x	60	3	12	Green	720.00
RL987	66	x	18	x	60	3	12	Yellow	720.00
RL988	66	x	18	x	60	3	12	Red, Blue, Yellow	720.00
RL980	66	x	18	x	72	4	16	Red	930.00
RL981	66	x	18	x	72	4	16	Blue	930.00
RL982	66	x	18	x	72	4	16	Green	930.00
RL983	66	x	18	x	72	4	16	Yellow	930.00
RL989	66	x	18	x	72	4	16	Red, Blue, Yellow, Green	930.00

- Includes 10 QGH700 storage bins and heavy-duty grey enamel shelves
- 42" W x 18" D x 76" H
- Capacity: 500 lbs. per shelf
- Shipped knocked down



Model No.					Description	No. of Shelves	Price /Each
Grey	Blue	Ivory	Black	Red			
CF056	CF057	CF059	CF060	CF066	Starter	6	651.00
CF061	CF062	CF064	CF065	CF067	Add-On	6	589.00

OUS 250 SERIES

- 14 QUS 250 Series
bins 14 3/4" L x 16 1/2" W x 7" H
- 8 heavy-duty grey enamel shelves
- 36" W x 12" D x 76" H
- Cap.: 630 lbs. per shelf
- Shipped knocked down

OUS 240 & 230 SERIES

- 8 QUS 240 Series
bins 14 3/4" L x 8 1/4" W x 7" H
- 36 QUS 230 Series
bins 11" L x 5 1/2" W x 5" H
- 9 heavy-duty grey enamel shelves
36" L x 12" D x 76" H
- Cap.: 630 lbs. per shelf
- Shipped knocked down

Model No.						Description	No. of Shelves	Price /Each
Black	Blue	Yellow	Red	Ivory	Green			
QUS 250 SERIES BINS SHELF UNIT								
CF177	CF128	CF129	CF130	CF131	CF132	Starter Add-On	8	663.00
CF181	CF145	CF146	CF147	CF148	CF149		8	601.00
QUS 240 & 230 SERIES BINS SHELF UNIT								
CF179	CF133	CF134	CF135	CF136	CF137	Starter Add-On	9	795.00
CF183	CF175	CF155	CF156	CF157	CF158		9	733.00



CF132



CF135



RACKING & SHELVING

SLOTTED ANGLE SHELVING UNITS

- Cost-effective storage solution
- Shelving is easy to assemble, sturdy and long-lasting
- Ideal for temperature sensitive environments
- Kit Type: Starter
- Material: Galvanized Steel
- Shelving Type: Open
- Assembly required




Model No.	No. of Shelves	Shelf Capacity lbs.	Dimensions W" x D" x H"	Price/Each
RN199	6	400	36 x 12 x 72	187.00
RN200	6	400	36 x 15 x 72	200.00
RN201	6	400	36 x 18 x 72	226.00
RN202	6	400	36 x 24 x 72	254.00
RN203	6	300	48 x 12 x 72	218.00
RN204	6	300	48 x 15 x 72	246.00
RN205	6	275	48 x 18 x 72	271.00
RN206	6	275	48 x 24 x 72	334.00
RN207	7	400	36 x 12 x 84	215.00
RN208	7	400	36 x 15 x 84	229.00
RN209	7	400	36 x 18 x 84	259.00
RN210	7	400	36 x 24 x 84	293.00
RN211	7	300	48 x 12 x 84	251.00
RN212	7	300	48 x 15 x 84	284.00
RN213	7	275	48 x 18 x 84	312.00
RN214	7	275	48 x 24 x 84	387.00
RN215	8	400	36 x 12 x 96	242.00
RN216	8	400	36 x 15 x 96	258.00
RN217	8	400	36 x 18 x 96	294.00
RN218	8	400	36 x 24 x 96	332.00
RN219	8	300	48 x 12 x 96	284.00
RN220	8	300	48 x 15 x 96	321.00
RN221	8	275	48 x 18 x 96	353.00
RN222	8	275	48 x 24 x 96	438.00


SLOTTED ANGLE SHELVES

Model No.	Dimensions D" x W"	Shelf Capacity lbs.	Price/Each
RN152	12 x 36	400	19.10
RN153	15 x 36	400	21.40
RN154	18 x 36	400	25.90
RN155	24 x 36	400	30.90
RN156	32 x 42	300	60.40
RN157	12 x 48	300	24.60
RN158	15 x 48	300	29.50
RN159	18 x 48	275	33.70
RN160	24 x 48	275	44.80


Steel slotted angle allows you to design and build anything to your own specifications:




Metal Decking




Tubing Storage




Overhead Storage



Overhead Storage



Wide Storage



Special Work Benches

SLOTTED ANGLE ACCESSORIES

CORNER GUSSET PLATES


- Add strength and rigidity to your slotted angle assembly
- 3" W x 3" L

PLASTIC FEET

- 1 3/8" x 1 3/8" angle posts



RG994



RG996



RL344

ACCESSORIES

Model No.	Description	Wt. lbs.	Price /Each
RG994	Corner Gusset Plate 3"	0.70	1.11
RG995	Nut and Bolt	0.05	0.38
RG996	Boltless Shelf Clip	0.60	0.84
RL344*	Plastic Foot for Single Post	0.02	2.92

*For 1 3/8" X 1 3/8" posts

SLOTTED ANGLE POSTS

- Versatile post can be cut or bolted into workbenches, shelves, or tables
- Can also be used as top tie with Metalware Widespan and Interlock product line
- Angle Gauge: 14

Model No.	Height"	Type	Slotted Angle Dimensions"	Price /Each
RN161	72	125	1-3/8 x 1-3/8	10.00
RN162	84	125	1-3/8 x 1-3/8	11.60
RN163	96	125	1-3/8 x 1-3/8	13.30
RN164	120	125	1-3/8 x 1-3/8	16.70
RN165	144	125	1-3/8 x 1-3/8	20.00
RN166	72	225	1-1/2 x 2-1/4	14.10
RN167	84	225	1-1/2 x 2-1/4	16.40
RN168	96	225	1-1/2 x 2-1/4	18.80
RN169	120	225	1-1/2 x 2-1/4	23.50
RN170	144	225	1-1/2 x 2-1/4	28.20

SLOTTED ANGLE SIDE BRACES

Model No.	Length"	Price/Each
RN171	18	4.08
RN172	21	4.67
RN173	33	13.80
RN174	39	8.04

SLOTTED ANGLE BACK BRACES

Model No.	Length"	Price/Each
RN175	51	21.60

SLOTTED ANGLE END PANELS

Model No.	Dimensions D" x H"	Price /Each
RN178	12 x 72	21.60
RN179	12 x 84	25.10
RN180	12 x 96	28.50
RN181	15 x 72	27.00
RN182	15 x 84	31.50
RN183	15 x 96	36.10
RN184	18 x 72	32.50
RN185	18 x 84	36.70
RN186	18 x 96	40.70
RN187	24 x 72	44.40
RN188	24 x 84	48.40
RN189	24 x 96	52.60

SLOTTED ANGLE BACK PANELS

Model No.	Dimensions W" x H"	Price /Each
RN190	36 x 72	65.00
RN191	48 x 72	77.50
RN192	36 x 84	73.70
RN193	48 x 84	90.60
RN194	36 x 96	85.60
RN195	48 x 96	106.00

RACKING & SHELVING




BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down



**RK550
"T" Post**

**RK521
End Panels**



**RN361
RN305
Side and back
braces**



**RN344
Shelves**

"T" POSTS


- For open style shelving includes slots every 1" for shelf or brace installation
- 1 1/2" x 2" x 1/8" double-formed steel in a "T" style with a smooth unperforated face
- Capacity 11000 lbs.

Model No.	Height	Wt. lbs.	Price /Each
RK549	3'4"	4	15.10
RK550	6'4"	8	25.10
RK551	7'4"	9	28.10
RK548	8'4"	10	32.40
RK544	9'4"	11	41.40


SHELVES

- Shelves are easily installed using four clips
- Constructed from 18-gauge steel
- 4 clips included with each shelf

Model No.	Dimensions W" x D"	Capacity lbs.	Wt. lbs.	Price /Each
RN344	36 x 12	630	8	23.30
RN345	42 x 12	480	9	27.30
RN346	48 x 12	315	10.5	32.70
RN347	36 x 15	630	9.75	27.00
RN348	42 x 15	480	11.5	33.10
RN349	48 x 15	315	12.5	38.00
RN350	36 x 18	630	11.5	29.80
RN351	42 x 18	480	13	36.60
RN353	48 x 18	315	15	43.10
RN355	36 x 24	630	14.75	38.50
RN356	42 x 24	480	16.5	45.90
RN358	48 x 24	315	19	54.00
RN359	36 x 30	560	18	50.40



**RK470
Back panel**



**RN028
Doors**

DOORS

- Lockable swinging doors installs easily on closed style shelving
- Includes RN032 base plate

Model No.	Dimensions W x H	Wt. lbs	Price /Each
RN028	36" x 6'4"	43	566.00
RN029	36" x 7'4"	50	572.00
RN032*	Replacement Base Plate	2	10.20

*Only for units with doors

END PANELS

- For closed style shelving
- Each panel incorporates two slotted post

Model No.	Dimensions D x H	Wt. lbs	Price /Each
RK521	12" x 3'4"	10.5	50.10
RK522	12" x 6'4"	20.75	81.40
RK523	12" x 7'4"	23.5	88.30
RK520	12" x 8'4"	26.25	98.10
RK525	15" x 3'4"	11.5	52.80
RK526	15" x 6'4"	22.5	93.20
RK527	15" x 7'4"	25.5	96.30
RK524	15" x 8'4"	28.5	113.00
RK537	18" x 6'4"	24	96.30
RK538	18" x 7'4"	27	101.00
RK519	18" x 8'4"	30.5	117.00
RK529	24" x 3'4"	14	63.20
RK530	24" x 6'4"	27	111.00
RK531	24" x 7'4"	31	117.00
RK528	24" x 8'4"	34.5	132.00
RK532	30" x 8'4"	38.75	153.00

BACK PANELS

- For closed style shelving
- Attach easily to end panels using back brackets provided

Model No.	Dimensions W x H	Wt. lbs	Price /Each
RK470	36" x 6'4"	19	77.60
RK471	36" x 7'4"	22	85.80
RK460	36" x 8'4"	25	96.10
RK465	42" x 7'4"	25.5	97.10
RK462	42" x 8'4"	29	109.00
RK947	48" x 3'4"	13.5	46.20
RK468	48" x 6'4"	25.5	96.70
RK469	48" x 7'4"	29.5	108.00
RK466	48" x 8'4"	33.5	121.00

SIDE & BACK BRACES

- Provide stability to open style shelving units
- Sold in pairs

Model No.	Description	Wt. lbs	Price /Each
RN305	Back Brace	4	20.90
RN361	Side Brace	2	13.20



RACKING & SHELVING

BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down



**RN328
Dividers**



**RL757
Hanging Bar
Bracket**



**RN307
Bin Front**




**RN441
Shelf Boxes**



**RN340
Gusset**



**RN464
48" Hanger Bar**



**FM036
Foot Plate**

DIVIDERS

- Separate shelves into bin compartments
- Constructed of 20 gauge steel

Model No.	Dimensions			Wt. lbs	Price /Each
	D"	x	H"		
RN328	12	x	6	0.5	7.53
RN329	15	x	6	0.75	7.69
RN330	18	x	6	1	7.98
RN331	24	x	6	1.5	9.37
RN332	12	x	8	0.75	8.11
RN333	15	x	8	1	8.44
RN334	18	x	8	1.5	8.95
RN335	24	x	8	2	11.60
RN313	12	x	10	1	8.84
RN314	15	x	10	1.25	9.44
RN315	18	x	10	1.75	10.50
RN316	24	x	10	2.25	12.70
RN317	12	x	12	1.25	9.72
RN318	15	x	12	1.75	10.50
RN319	18	x	12	2	12.10
RN320	24	x	12	2.75	14.80
RN321	12	x	14	1.5	10.50
RN322	15	x	14	2	11.90
RN323	18	x	14	2.25	12.70
RN324	24	x	14	3.25	16.50
RN325	18	x	16	2.5	17.50
RN326	18	x	18	2.75	20.70

SHELF BOXES

- Slide onto properly spaced shelving
- Extends 100% without spills
- Constructed of 20 gauge steel

Model No.	Dimensions			Wt. lbs	Price /Each
	W"	x	D" x H"		
RN441	5 5/8	x	12 x 2 3/4	2.5	28.30
RN443	5 5/8	x	18 x 2 3/4	3.5	36.80
RN447	5 5/8	x	12 x 4 3/4	3.5	29.40
RN448	5 5/8	x	15 x 4 3/4	4	35.90
RN462	5 5/8	x	18 x 4 3/4	4.5	37.00
RN445	11	x	18 x 4 3/4	5	72.70
RN444	12	x	12 x 4 3/4	5.5	64.40

MISCELLANEOUS

Model No.	Description	Wt. lbs	Price /Each
FM036	Foot Plate	0.3	5.11
RN340	Gusset (Pairs)	1	10.50
RN464*	48" Hanger Bar	3.5	63.30
RL757	24" Hanging Bar Bracket	0.05	20.50
RC515	Shelf Clip	0.01	0.66
RN306	Back to Back Brackets	0.01	1.55
RC383	Back Panel Clip	-	1.29

*Requires two brackets (RL757)

BIN FRONTS

- Used in conjunction with bin dividers


Model No.	Dimensions			Wt. lbs	Price /Each
	W"	x	H"		
RN307	36	x	1	1.75	10.80
RN309	36	x	2	2	11.80
RN311	36	x	3	2.25	12.40
RN308	42	x	1	2	12.00
RN310	42	x	2	2.25	13.30
RN312	42	x	3	2.5	14.00

BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down



36" W X 6'4" H




4 SHELVES

Starter Unit	Depth"	Price /Each
RK205	12	240.00
RK207	18	267.00
RK209	24	302.00

Add-On Unit	Depth"	Price /Each
RK204	12	178.00
RK206	18	205.00
RK208	24	240.00

36" W X 6'4" H



7 SHELVES

Starter Unit	Depth"	Price /Each
RK217	12	311.00
RK219	18	358.00
RK221	24	421.00

Add-On Unit	Depth"	Price /Each
RK216	12	249.00
RK218	18	295.00
RK220	24	358.00

36" W X 6'4" H



10 SHELVES

Starter Unit	Depth"	Price /Each
RK229	12	383.00
RK231	18	448.00
RK233	24	538.00

Add-On Unit	Depth"	Price /Each
RK228	12	320.00
RK230	18	387.00
RK232	24	476.00

36" W X 6'4" H




13 SHELVES

Starter Unit	Depth"	Price /Each
RK241	12	454.00
RK243	18	540.00
RK245	24	657.00

Add-On Unit	Depth"	Price /Each
RK240	12	391.00
RK242	18	478.00
RK244	24	594.00

36" W X 7'4" H



4 SHELVES

Starter Unit	Depth"	Price /Each
RK309	12	252.00
RK311	18	278.00
RK313	24	314.00

Add-On Unit	Depth"	Price /Each
RK308	12	183.00
RK310	18	210.00
RK312	24	246.00

36" W X 7'4" H



7 SHELVES

Starter Unit	Depth"	Price /Each
RK333	12	323.00
RK335	18	370.00
RK337	24	432.00

Add-On Unit	Depth"	Price /Each
RK332	12	255.00
RK334	18	302.00
RK336	24	363.00

36" W X 7'4" H



8 SHELVES

Starter Unit	Depth"	Price /Each
RK321	12	347.00
RK323	18	400.00
RK325	24	472.00

Add-On Unit	Depth"	Price /Each
RK320	12	278.00
RK322	18	332.00
RK324	24	404.00

36" W X 7'4" H




15 SHELVES

Starter Unit	Depth"	Price /Each
RK345	12	513.00
RK347	18	613.00
RK349	24	746.00

Add-On Unit	Depth"	Price /Each
RK344	12	445.00
RK346	18	545.00
RK348	24	679.00

48" W X 7'4" H




4 SHELVES

Starter Unit	Depth"	Price /Each
RK285	12	291.00
RK287	18	333.00
RK289	24	378.00

Add-On Unit	Depth"	Price /Each
RK284	12	223.00
RK286	18	265.00
RK288	24	310.00

48" W X 7'4" H



7 SHELVES

Starter Unit	Depth"	Price /Each
RK297	12	390.00
RK299	18	465.00
RK301	24	544.00

Add-On Unit	Depth"	Price /Each
RK296	12	322.00
RK298	18	397.00
RK300	24	475.00

36" W X 8'4" H



5 SHELVES

Starter Unit	Depth"	Price /Each
RK425	12	293.00
RK427	18	327.00
RK429	24	371.00

Add-On Unit	Depth"	Price /Each
RK424	12	216.00
RK426	18	249.00
RK428	24	294.00

36" W X 8'4" H



9 SHELVES

Starter Unit	Depth"	Price /Each
RK401	12	388.00
RK403	18	447.00
RK405	24	528.00

Add-On Unit	Depth"	Price /Each
RK400	12	311.00
RK402	18	371.00
RK404	24	451.00



RACKING & SHELVING

BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down



36" W X 6'4" H



4 SHELVES

Starter Unit	Depth"	Price /Each
RK211	12	334.00
RK213	18	389.00
RK215	24	453.00

Add-On Unit	Depth"	Price /Each
RK210	12	258.00
RK212	18	299.00
RK214	24	349.00

36" W X 6'4" H



7 SHELVES

Starter Unit	Depth"	Price /Each
RK223	12	406.00
RK225	18	480.00
RK227	24	570.00

Add-On Unit	Depth"	Price /Each
RK222	12	330.00
RK224	18	390.00
RK226	24	466.00

36" W X 6'4" H



10 SHELVES

Starter Unit	Depth"	Price /Each
RK235	12	477.00
RK237	18	572.00
RK239	24	689.00

Add-On Unit	Depth"	Price /Each
RK234	12	400.00
RK236	18	481.00
RK238	24	585.00

36" W X 7'4" H



4 SHELVES

Starter Unit	Depth"	Price /Each
RK315	12	358.00
RK317	18	408.00
RK319	24	472.00

Add-On Unit	Depth"	Price /Each
RK314	12	275.00
RK316	18	313.00
RK318	24	363.00

36" W X 7'4" H



7 SHELVES

Starter Unit	Depth"	Price /Each
RK339	12	428.00
RK341	18	499.00
RK343	24	591.00

Add-On Unit	Depth"	Price /Each
RK338	12	347.00
RK340	18	405.00
RK342	24	481.00

36" W X 7'4" H



8 SHELVES

Starter Unit	Depth"	Price /Each
RK327	12	453.00
RK329	18	529.00
RK331	24	630.00

Add-On Unit	Depth"	Price /Each
RK326	12	370.00
RK328	18	435.00
RK330	24	521.00

36" W X 7'4" H



15 SHELVES

Starter Unit	Depth"	Price /Each
RK351	12	619.00
RK353	18	741.00
RK355	24	905.00

Add-On Unit	Depth"	Price /Each
RK350	12	536.00
RK352	18	648.00
RK354	24	796.00

48" W X 7'4" H



4 SHELVES

Starter Unit	Depth"	Price /Each
RK291	12	421.00
RK293	18	487.00
RK295	24	560.00

Add-On Unit	Depth"	Price /Each
RK290	12	338.00
RK292	18	393.00
RK294	24	452.00

48" W X 7'4" H



7 SHELVES

Starter Unit	Depth"	Price /Each
RK303	12	520.00
RK305	18	619.00
RK307	24	726.00

Add-On Unit	Depth"	Price /Each
RK302	12	437.00
RK304	18	525.00
RK306	24	617.00

36" W X 8'4" H



5 SHELVES

Starter Unit	Depth"	Price /Each
RK431	12	407.00
RK433	18	475.00
RK435	24	549.00

Add-On Unit	Depth"	Price /Each
RK430	12	315.00
RK432	18	367.00
RK434	24	425.00

36" W X 8'4" H



9 SHELVES

Starter Unit	Depth"	Price /Each
RK407	12	502.00
RK409	18	597.00
RK411	24	706.00

Add-On Unit	Depth"	Price /Each
RK406	12	410.00
RK408	18	488.00
RK410	24	583.00

36" W X 8'4" H



13 SHELVES

Starter Unit	Depth"	Price /Each
RK419	12	597.00
RK421	18	719.00
RK423	24	863.00

Add-On Unit	Depth"	Price /Each
RK418	12	506.00
RK420	18	610.00
RK422	24	739.00



BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down



36" W X 6'4" H



4 SHELVES W/DOORS

Starter Unit	Depth"	Price /Each
RK849	12	874.00
RK850	18	927.00
RK851	24	992.00

Add-On Unit	Depth"	Price /Each
RK852	12	797.00
RK853	18	838.00
RK854	24	888.00

36" W X 7'4" H



4 SHELVES W/ DOORS

Starter Unit	Depth"	Price /Each
RK893	12	906.00
RK894	18	956.00
RK895	24	1021.00

Add-On Unit	Depth"	Price /Each
RK896	12	824.00
RK897	18	862.00
RK898	24	913.00

36" W X 6'4" H



7 SHELVES W/DOORS

Starter Unit	Depth"	Price /Each
RK855	12	944.00
RK856	18	1019.00
RK857	24	1109.00

Add-On Unit	Depth"	Price /Each
RK858	12	868.00
RL013	18	928.00
RL015	24	1008.00

36" W X 7'4" H



7 SHELVES W/DOORS

Starter Unit	Depth"	Price /Each
RK899	12	978.00
RK900	18	1048.00
RK989	24	1139.00

Add-On Unit	Depth"	Price /Each
RK902	12	895.00
RK903	18	953.00
RK904	24	1030.00

36" W X 7'4" H



10 COMPARTMENTS W/DOORS

Starter Unit	Depth"	Price /Each
RK911	12	992.00
RK912	18	1056.00
RK913	24	1150.00

Add-On Unit	Depth"	Price /Each
RK914	12	909.00
RK915	18	961.00
RK916	24	1040.00

36" W X 7'4" H



21 COMPARTMENTS W/DOORS

Starter Unit	Depth"	Price /Each
RK921	12	1137.00
RK922	18	1247.00
RK923	24	1386.00

Add-On Unit	Depth"	Price /Each
RK924	12	1055.00
RK925	18	1153.00
RK926	24	1277.00

36" W X 6'4" H



14 COMPARTMENTS

Starter Unit	Depth"	Price /Each
RK259	12	483.00
RK261	18	576.00
RK263	24	689.00

Add-On Unit	Depth"	Price /Each
RK258	12	407.00
RK260	18	486.00
RK262	24	585.00

36" W X 6'4" H



18 COMPARTMENTS

Starter Unit	Depth"	Price /Each
RK265	12	522.00
RK267	18	625.00
RK269	24	748.00

Add-On Unit	Depth"	Price /Each
RK264	12	446.00
RK266	18	535.00
RK268	24	644.00

36" W X 6'4" H



72 COMPARTMENTS W/BIN FRONTS

Starter Unit	Depth"	Price /Each
RK271	12	1124.00
RK273	18	1264.00
RK275	24	1492.00

Add-On Unit	Depth"	Price /Each
RK270	12	1048.00
RK272	18	1174.00
RK274	24	1388.00

36" W X 7'4" H



14 COMPARTMENTS

Starter Unit	Depth"	Price /Each
RK363	12	512.00
RK365	18	601.00
RK367	24	722.00

Add-On Unit	Depth"	Price /Each
RK362	12	431.00
RK364	18	507.00
RK366	24	614.00

36" W X 7'4" H



21 COMPARTMENTS

Starter Unit	Depth"	Price /Each
RK369	12	588.00
RK371	18	698.00
RK373	24	837.00

Add-On Unit	Depth"	Price /Each
RK368	12	505.00
RK370	18	604.00
RK372	24	728.00

36" W X 7'4" H



84 COMPARTMENTS

Starter Unit	Depth"	Price /Each
RK905	12	1146.00
RK906	18	1300.00
RK907	24	1561.00

Add-On Unit	Depth"	Price /Each
RK908	12	1064.00
RK909	18	1206.00
RK910	24	1452.00



RACKING & SHELVING

BOLTLESS SHELVING UNITS

- Adjustable shelving system that provides high strength, yet economical storage capacity for your needs
- This system uses an innovative shelf clip, which slips into a slotted "T" post and is immediate ready to receive a shelf
- No-Bolt design reduces up to 80% of installation time
- Colour: Grey
- Ships knocked down



36" W X 7'4" H



36" W X 8'4" H



36" W X 6'4" H



36" W X 6'4" H



36" W X 6'4" H



36" W X 6'4" H



84 COMPARTMENTS
W/BIN FRONTS

Starter Unit	Depth"	Price /Each
RK383	12	1291.00
RK385	18	1444.00
RK387	24	1704.00

Add-On Unit	Depth"	Price /Each
RK382	12	1208.00
RK384	18	1349.00
RK386	24	1596.00

24 COMPARTMENTS

Starter Unit	Depth"	Price /Each
RK443	12	658.00
RK445	18	791.00
RK447	24	943.00

Add-On Unit	Depth"	Price /Each
RK442	12	566.00
RK444	18	681.00
RK446	24	820.00

36 BOXES

Starter Unit	Depth"	Price /Each
RK277	12	2711.00
RK886	18	3104.00

Add-On Unit	Depth"	Price /Each
RK276	12	2635.00
RK983	18	3014.00

57 BOXES

Starter Unit	Depth"	Price /Each
RK986	12	2601.00
RK890	18	3132.00

Add-On Unit	Depth"	Price /Each
RK891	12	2525.00
RK987	18	3042.00

72 BOXES

Starter Unit	Depth"	Price /Each
RK877	12	2524.00
RK878	18	3153.00

Add-On Unit	Depth"	Price /Each
RK879	12	2447.00
RK880	18	2651.00

108 BOXES

Starter Unit	Depth"	Price /Each
RK980	12	2998.00
RK982	18	4015.00

Add-On Unit	Depth"	Price /Each
RK979	12	2922.00
RK981	18	3926.00

36" W X 7'4" H



36" W X 7'4" H



36" W X 7'4" H



36" W X 7'4" H



36" W X 6'4" H



36" W X 7'4" H



42 BOXES

Starter Unit	Depth"	Price /Each
RK935	12	3141.00
RK936	18	3590.00

Add-On Unit	Depth"	Price /Each
RK937	12	3060.00
RK938	18	3496.00

69 BOXES

Starter Unit	Depth"	Price /Each
RK939	12	3001.00
RK940	18	3627.00

Add-On Unit	Depth"	Price /Each
RK941	12	2473.00
RK942	18	3533.00

84 BOXES

Starter Unit	Depth"	Price /Each
RK927	12	2922.00
RK928	18	3647.00

Add-On Unit	Depth"	Price /Each
RK929	12	2840.00
RK930	18	3553.00

126 BOXES

Starter Unit	Depth"	Price /Each
RK931	12	3477.00
RK932	18	4654.00

Add-On Unit	Depth"	Price /Each
RK933	12	3395.00
RK934	18	4560.00

24 COMPARTMENTS
& 30 BOXES

Starter Unit	Depth"	Price /Each
RK970	12	1518.00
RK868	18	1850.00

Add-On Unit	Depth"	Price /Each
RK969	12	1442.00
RK971	18	1759.00

27 COMPARTMENTS
& 30 BOXES

Starter Unit	Depth"	Price /Each
RK917	12	1593.00
RK918	18	1932.00

Add-On Unit	Depth"	Price /Each
RK919	12	1510.00
RK920	18	1837.00

RACKING & SHELVING

INTERLOK INTEGRATED MODULAR DRAWER SYSTEMS


FOR METALWARE SHELVING

- Full-height drawer sides & face front
- Non-slip ergonomic handle design for easy grip and secure hold
- Fully compatible and adjustable with all Interlok units
- Complete extension with sliding pull-out and push-back for easy viewing and accessibility
- Self-close with 450 lbs capacity per drawer
- Drawer unit is framed within the Interlok shelf using adaptor brackets for added security and unparalleled strength
- The boxed drawer sides and Delrin Roller rail-system increases coverage and support of goods
- The powder-coated finish adds to the streamlined and functional design



COMPATIBLE

Fully compatible and adjustable with all Interlok units





FULL-HEIGHT DRAWER SIDES & FACE FRONT

Feel confident that your wares are stored exactly where they need to be



ERGONOMIC DESIGN

Non-slip ergonomic handle design for easy grip and secure hold



DROP-IN DIVIDERS

Each drawer includes drop-in dividers offered in a variety of configurations to compartmentalize and maximize your storage needs

OVERALL HEIGHT: 18"



3 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN736	24	x	36	897.00
RN743	24	x	48	1123.00



4 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN737	24	x	36	1109.00
RN744	24	x	48	1384.00



5 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN738	24	x	36	1341.00
RN745	24	x	48	1691.00

OVERALL HEIGHT: 24"



4 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN739	24	x	36	1152.00
RN747	24	x	48	1437.00



5 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN740	24	x	36	1341.00
RN746	24	x	48	1673.00



6 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN741	24	x	36	1579.00
RN748	24	x	48	2000.00



7 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN742	24	x	36	1817.00
RN749	24	x	48	2303.00



RACKING & SHELVING

INTERLOK INTEGRATED MODULAR DRAWER SYSTEMS (CONT'D)



OVERALL HEIGHT: 36"



6 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN750	24	x	36	1651.00
RN757	24	x	48	2090.00



8 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN751	24	x	36	2081.00
RN758	24	x	48	2628.00



10 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN752	24	x	36	2558.00
RN759	24	x	48	3257.00

OVERALL HEIGHT: 48"



7 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN753	24	x	36	1957.00
RN760	24	x	48	2491.00



8 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN754	24	x	36	2177.00
RN761	24	x	48	2748.00



11 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN755	24	x	36	2819.00
RN762	24	x	48	3580.00



14 DRAWERS

Model No.	Dimensions D"	x	W"	Price /Each
RN756	24	x	36	3508.00
RN763	24	x	48	4479.00


Can't find what
you're looking for?
Call us today!



WIRE SHELVING

HEAVY-DUTY CHROMATE WIRE SHELVING

- Heavy-gauge chromate plated shelves with open wire design minimize dust, improve air circulation and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified
- Assembly required



KLETON

Kleton wire shelving can be assembled as you wish: End to End, at Right Angles or any combination.

4 SHELVES

Model No.	Type	Dimensions W" x D" x H"	Cap. lbs /Shelf*	Wt. lbs.	Price /Each
63" POSTS					
RL907	Starter	30 x 14 x 63	800	39	169.00
RL908	Add-on	30 x 14 x 63	800	32	143.00
RL632	Starter	36 x 14 x 63	800	43	189.00
RL633	Add-on	36 x 14 x 63	800	35.5	166.00
RL634	Starter	48 x 14 x 63	800	49	210.00
RL635	Add-on	48 x 14 x 63	800	42	189.00
RL636	Starter	60 x 14 x 63	600	64.75	230.00
RL637	Add-on	60 x 14 x 63	600	57.75	207.00
RL638	Starter	72 x 14 x 63	600	71.5	253.00
RL639	Add-on	72 x 14 x 63	600	64	228.00
RL059	Starter	36 x 18 x 63	800	48	223.00
RL060	Add-on	36 x 18 x 63	800	35	189.00
RL061	Starter	48 x 18 x 63	800	58	251.00
RL062	Add-on	48 x 18 x 63	800	53.5	213.00
RL063	Starter	60 x 18 x 63	600	81	301.00
RL064	Add-on	60 x 18 x 63	600	76.5	269.00
RL065	Starter	72 x 18 x 63	600	91	348.00
RL066	Add-on	72 x 18 x 63	600	86.5	306.00
RL067	Starter	36 x 24 x 63	800	62	237.00
RL068	Add-on	36 x 24 x 63	800	57.5	205.00
RL069	Starter	48 x 24 x 63	800	74	301.00
RL070	Add-on	48 x 24 x 63	800	69.5	269.00
RL071	Starter	60 x 24 x 63	600	95	348.00
RL072	Add-on	60 x 24 x 63	600	90.5	316.00
RL073	Starter	72 x 24 x 63	600	117	429.00
RL074	Add-on	72 x 24 x 63	600	112.5	395.00

* Evenly distributed

5 SHELVES

Model No.	Type	Dimensions W" x D" x H"	Cap. lbs /Shelf*	Wt. lbs.	Price /Each
74" POSTS					
RL909	Starter	30 x 14 x 74	800	46.5	206.00
RL910	Add-On	30 x 14 x 74	800	39	172.00
RL640	Starter	36 x 14 x 74	800	51	223.00
RL641	Add-on	36 x 14 x 74	800	44	189.00
RL642	Starter	48 x 14 x 74	800	59	239.00
RL643	Add-on	48 x 14 x 74	800	42.8	237.00
RL644	Starter	60 x 14 x 74	600	78.75	265.00
RL645	Add-on	60 x 14 x 74	600	71	260.00
RL646	Starter	72 x 14 x 74	600	87	311.00
RL647	Add-on	72 x 14 x 74	600	79.5	279.00
RL075	Starter	36 x 18 x 74	800	67.75	237.00
RL076	Add-on	36 x 18 x 74	800	58.25	226.00
RL077	Starter	48 x 18 x 74	800	80.25	252.00
RL078	Add-on	48 x 18 x 74	800	70.75	246.00
RL079	Starter	60 x 18 x 74	600	109	316.00
RL080	Add-on	60 x 18 x 74	600	99.5	287.00
RL081	Starter	72 x 18 x 74	600	121.5	365.00
RL082	Add-on	72 x 18 x 74	600	112	335.00
RL083	Starter	36 x 24 x 74	800	85.25	256.00
RL084	Add-on	36 x 24 x 74	800	75.75	249.00
RL085	Starter	48 x 24 x 74	800	100.25	309.00
RL086	Add-on	48 x 24 x 74	800	90.75	298.00
RL087	Starter	60 x 24 x 74	600	126.5	364.00
RL088	Add-on	60 x 24 x 74	600	117	347.00
RL089	Starter	72 x 24 x 74	600	154	444.00
RL090	Add-on	72 x 24 x 74	600	144.5	410.00
86" POSTS					
RL448	Starter	36 x 18 x 86	800	62	252.00
RL449	Add-on	36 x 18 x 86	800	53	231.00
RL450	Starter	48 x 18 x 86	800	69	286.00
RL451	Add-on	48 x 18 x 86	800	60	263.00
RL452	Starter	60 x 18 x 86	600	91.5	332.00
RL453	Add-on	60 x 18 x 86	600	82	302.00
RL454	Starter	72 x 18 x 86	600	96	381.00
RL455	Add-on	72 x 18 x 86	600	87	351.00
RL456	Starter	36 x 24 x 86	800	74	269.00
RL457	Add-on	36 x 24 x 86	800	65	260.00
RL458	Starter	48 x 24 x 86	800	90	332.00
RL459	Add-on	48 x 24 x 86	800	80	302.00
RL460	Starter	60 x 24 x 86	600	107	452.00
RL461	Add-on	60 x 24 x 86	600	97	436.00
RL462	Starter	72 x 24 x 86	600	129	520.00
RL463	Add-on	72 x 24 x 86	600	120	504.00

* Evenly distributed



WIRE SHELVING

HEAVY-DUTY WIRE SHELVING COMPONENTS

- Heavy-gauge chromate plated shelves with open wire design minimize dust, improve air circulation and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified
- Assembly required

WIRE SHELVES

Model No.	Dimensions W" x D"	Cap lbs.*	Wt. lbs.	Price /Each
RL606	30 x 14	800	7.5	33.60
RL607	36 x 14	800	8.25	34.85
RL608	48 x 14	800	10.5	41.90
RL609	60 x 14	600	14.25	45.85
RL610	72 x 14	600	17.5	52.05
RL035	30 x 18	800	8.5	39.90
RL036	36 x 18	800	9.75	43.75
RL037	48 x 18	800	12.5	51.70
RL038	60 x 18	600	18	64.55
RL039	72 x 18	600	20.5	74.65
RL040	36 x 24	800	13.25	46.90
RL041	48 x 24	800	16.25	64.10
RL042	60 x 24	600	21.5	75.25
RL043	72 x 24	600	27	88.75

* Evenly distributed weight

POSTS

Model No.	Height"	Wt. lbs.	Price /Each
RL611	33	4	13.75
RL330	54	6.3	16.75
RL331	63	7	17.80
RL332	74	8	19.85
RL333	86	8.8	22.75



ACCESSORIES



RL048



RL049



RL050 Divider



RL054 Split Sleeve



RL055 "S" Hook

Use S hooks to eliminate two posts per adjacent shelf.
Two required per shelf.



RL056
Leveling Foot



RL614 Ledge for Shelf



RL330
Posts

Model No.	Description	Wt. lbs.	Price /Each
RL048	Caster, 5", no brake	2.8	26.85
RL049	Caster, 5", with brake	2.7	28.20
RL050	Divider for shelf, 18"	1.7	15.20
RL051	Divider for shelf, 24"	2.2	18.50
RL052	Handle 18" - For utility carts	3.9	30.10
RL053	Handle 24" - For utility carts	4.4	30.95

Model No.	Description	Wt. lbs.	Price /Each
RL054	Split Sleeves, black 4 Pc/bag	0.1	5.35
RL055	S-Hook for attaching Add-On	0.1	4.50
RL056	Leveling feet (Die cast and foot bolt)	0.2	4.15
RL057	Die cast for leveling feet	0.1	1.80
RL058	Foot bolt for leveling feet	0.1	2.35

Model No.	Description	Wt. lbs.	Price /Each
RL614	Ledge for shelf, 14"	0.6	11.45
RL615	Ledge for shelf, 18"	0.75	12.10
RL616	Ledge for shelf, 24"	1	14.15
RL617	Ledge for shelf, 30"	2	17.15
RL618	Ledge for shelf, 36"	2.5	18.70
RL619	Ledge for shelf, 48"	3.5	22.40
RL620	Ledge for shelf, 60"	3.75	23.70
RL621	Ledge for shelf, 72"	4	30.00

DIRECT WALL MOUNTS FOR WIRE SHELVING

SAME GREAT FEATURES AS THE KLETON CHROMATE WIRE SHELVING, BUT WITH THE ADDED CONVENIENCE OF DIRECTLY MOUNTING ON A WALL

- Each wall mount unit consists of one shelf support and mounting plate
- Use single support at shelf ends; double support for adjoining shelves
- Installation note: Wall mounts must be securely fastened to materials of adequate load bearing strength. (Load rating: 200 lbs. (91kg) per system)
- NSF certified



RL612
Single Shelf
Support



RL613
Double Shelf
Support



Model No.	Shelf Support	Shelf Depth"	Price /Each
RL612	Single	14	38.55
RL898	Single	18	45.00
RL900	Single	24	46.90
RL613	Double	14	58.05
RL899	Double	18	68.80
RL901	Double	24	70.25

WALL MOUNT WIRE SHELVING KITS

- Kit includes shelves and supports
- NSF certified



RL911
Shelf and Support Kit




Model No.	Description	Shelf Dimensions"	Price /Each
RL911	1 Shelf	30 x 14	105.00
RL912	2 Shelves	30 x 14	194.00

WIRE SHELVING

STANDARD-DUTY WIRE MESH SHELVING

- Assembly required
- Adjustable feet compensate for surface irregularities
- Posts are double grooved every 8" and numbered for easy adjustment
- Capacity is based on evenly-distributed weight
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelves with open wire design minimize dust, improve air circulation and provide greater visibility of stored items
- Shelves can be adjusted at precise 1" intervals
- Unit capacity should not exceed 1000 lbs.
- NSF Certified
- Overall Capacity: 1000 lbs (evenly distributed weight)





Model No.	Kit Type	Shelf Capacity lbs.*	No. of Shelves	Dimensions					Price /Each
W"	x	D"	x	H"					
RN529	Starter	500	4	36	x	14	x	63	151.00
RN530	Add-On	500	4	36	x	14	x	63	137.00
RN531	Starter	500	4	36	x	18	x	63	179.00
RN532	Add-On	500	4	36	x	18	x	63	151.00
RN533	Starter	500	4	48	x	18	x	63	200.00
RN534	Add-On	500	4	48	x	18	x	63	170.00
RN535	Starter	500	4	48	x	24	x	63	240.00
RN536	Add-On	500	4	48	x	24	x	63	215.00
RN537	Starter	400	4	72	x	24	x	63	341.00
RN538	Add-On	400	4	72	x	24	x	63	315.00
RN539	Starter	500	5	36	x	14	x	74	177.00
RN540	Add-On	500	5	36	x	14	x	74	151.00
RN541	Starter	500	5	36	x	18	x	74	189.00
RN542	Add-On	500	5	36	x	18	x	74	181.00
RN543	Starter	500	5	48	x	18	x	74	202.00
RN544	Add-On	500	5	48	x	18	x	74	198.00
RN545	Starter	500	5	48	x	24	x	74	247.00
RN546	Add-On	500	5	48	x	24	x	74	240.00
RN547	Starter	400	5	72	x	24	x	74	355.00
RN548	Add-On	400	5	72	x	24	x	74	328.00

* Evenly distributed weight

WIRE SHELVING COMPONENTS

- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Basket shelf design allows loose items to be contained and easily displayed
- Slanted shelf design allows for visibility and easy access to stored goods
- Slanted shelves have a 3" front lip that prevents items from sliding off the shelf
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 1000 lbs.
- NSF certified



POSTS

Model No.	Height"	Price /Each
RN522	63	15.70
RN523	74	17.85

WIRE SHELVES

Model No.	Dimensions W" x D"	Capacity lbs.*	Price /Each
RN524	36 x 14	500	29.05
RN525	36 x 18	500	36.45
RN526	48 x 18	500	44.00
RN527	48 x 24	500	53.45
RN528	72 x 24	400	75.45

* Evenly distributed weight

WIRE BASKET SHELVES

Model No.	Dimensions W" x D"	Capacity lbs.*	Price /Each
RN549	36 x 18	400	110.00
RN550	48 x 18	400	134.00
RN551	48 x 24	400	167.00

* Evenly distributed weight

WIRE SLANTED SHELVES

Model No.	Dimensions W" x D"	Capacity lbs.*	Price /Each
RN552	36 x 18	400	57.70
RN553	48 x 18	400	76.20
RN554	48 x 24	400	97.85

* Evenly distributed weight



WIRE SHELVING

SLANTED WIRE SHELVING UNIT

- Slanted shelving allows for better visibility of stored items
- Includes 3 slanted shelves and 2 flat shelves
- Kit Type: Starter
- Shelf Capacity: 400 lbs.
- Overall Capacity: 1000 lbs.
- NSF Certified



KLETON

Model No.	W"	x	Dimensions D"	x	H"	Number of Shelves	Price /Each
RN589	36	x	18	x	63	5	299.00
RN590	48	x	18	x	63	5	347.00
RN591	48	x	24	x	63	5	425.00
RN592	36	x	18	x	74	7	399.00
RN593	48	x	18	x	74	7	496.00
RN594	48	x	24	x	74	7	614.00

SLANTED SHELF CARTS

- Slanted shelving allows for better visibility of stored items
- Includes: (3) slanted shelves, (2) flat shelves, (2) swivel casters, (2) Rigid Casters
- Kit Type: Starter
- Shelf Capacity: 400 lbs.
- Overall Capacity: 800 lbs.
- NSF Certified



KLETON

Model No.	W"	x	Dimensions D"	x	H"	Number of Shelves	Price /Each
RN595	36	x	18	x	75	5	383.00
RN596	48	x	18	x	75	5	446.00
RN597	48	x	24	x	75	5	525.00
RN598	36	x	18	x	86	7	499.00
RN599	48	x	18	x	86	7	599.00
RN600	48	x	24	x	86	7	714.00

WIRE BASKET SHELVING UNIT

- Basket shelves help to keep items organized and visible, while preventing items from falling off the shelves
- Open wire provides optimal airflow and helps to reduce dust
- Kit Type: Starter
- Shelf Capacity: 400 lbs.
- Overall Capacity: 1000 lbs.
- NSF Certified



KLETON

Model No.	W"	x	Dimensions D"	x	H"	Number of Shelves	Price /Each
RN589	24	x	36	x	74	5	299.00
RN590	48	x	18	x	74	5	347.00
RN591	48	x	24	x	74	5	425.00

WIRE BASKET SHELF CARTS

- Basket shelves help to keep items organized and visible, while preventing items from falling off the shelves
- Includes: (5) basket shelves, (2) swivel casters, (2) rigid casters
- Kit Type: Starter
- Shelf Capacity: 400 lbs.
- Overall Capacity: 800 lbs.
- No. of Shelves: 5
- NSF Certified




KLETON

Model No.	W"	x	Dimensions D"	x	H"	Number of Shelves	Price /Each
RN589	36	x	18	x	80	5	299.00
RN590	48	x	18	x	80	5	347.00
RN591	48	x	24	x	80	5	425.00

SLANTED WIRE SHELF CART WITH BINS

- Slanted shelving allows for better visibility of stored items
- Features 3 slanted shelves, 2 flat shelves
- Kit Type: Starter
- Shelf Capacity: 400 lbs.
- Overall Capacity: 1000 lbs.
- No. of Shelves: 5
- NSF Certified



KLETON

Model No.	W"	x	Dimensions D"	x	H"	Number of Bins	Bin Colour	Price /Each
RN601	63	x	18	x	36	16	Blue	512.00
RN602	63	x	18	x	36	16	Yellow	512.00
RN603	63	x	18	x	36	16	Green	512.00
RN604	63	x	18	x	36	16	Red	512.00
RN605	63	x	18	x	48	20	Blue	634.00
RN606	63	x	18	x	48	20	Yellow	634.00
RN607	63	x	18	x	48	20	Green	634.00
RN608	63	x	18	x	48	20	Red	634.00

SEE PAGE 987 FOR WIRE SHELF ACCESSORIES



WIRE SHELVING

HEAVY-DUTY WIRE SHELVING UNITS WITH STORAGE BINS

Same great features as the Kleton chromate wire shelving, but with the added convenience of heavy-duty storage bins.

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline, and most acids
- Ideal in production or for parts storage
- Assembly required
- NSF certified
- Unit's total capacity should not exceed 2000-lb.

KLETON



RL815



RL820



RL826



RL837



Model No.	Shelving Size W" x D" x H"	No. of Shelves	Bin Size W" x D" x H"	No. of Bins	Colour	Price /Each
RL815	36 x 14 x 74	8	8 3/16 x 14 x 6 3/16	28	Blue	580.00
RL816	36 x 14 x 74	8	8 3/16 x 14 x 6 3/16	28	Yellow	580.00
RL817	36 x 14 x 74	8	8 3/16 x 14 x 6 3/16	28	Green	580.00
RL818	36 x 14 x 74	8	8 3/16 x 14 x 6 3/16	28	Red	580.00
RL819	36 x 18 x 74	8	7 7/8 x 17 11/16 x 7	28	Blue	835.00
RL820	36 x 18 x 74	8	7 7/8 x 17 11/16 x 7	28	Yellow	835.00
RL821	36 x 18 x 74	8	7 7/8 x 17 11/16 x 7	28	Green	835.00
RL822	36 x 18 x 74	8	7 7/8 x 17 11/16 x 7	28	Red	835.00
RL823	36 x 24 x 74	5	15 1/2 x 25 x 13	8	Blue	604.00
RL824	36 x 24 x 74	5	15 1/2 x 25 x 13	8	Yellow	604.00
RL825	36 x 24 x 74	5	15 1/2 x 25 x 13	8	Green	604.00
RL826	36 x 24 x 74	5	15 1/2 x 25 x 13	8	Red	604.00
RL827	48 x 18 x 74	8	7 7/8 x 17 11/16 x 7	28	Blue	1037.00
		8	11 13/16 x 17 11/16 x 7	7	Blue	
RL828	48 x 18 x 74	8	7 7/8 x 17 11/16 x 7	28	Yellow	1037.00
		8	11 13/16 x 17 11/16 x 7	7	Yellow	
RL829	48 x 18 x 74	8	7 7/8 x 17 11/16 x 7	28	Green	1037.00
		8	11 13/16 x 17 11/16 x 7	7	Green	
RL830	48 x 18 x 74	8	7 7/8 x 17 11/16 x 7	28	Red	1037.00
		8	11 13/16 x 17 11/16 x 7	7	Red	
RL831	48 x 18 x 74	8	7 7/8 x 17 11/16 x 7	7	Blue	968.00
		8	11 13/16 x 17 11/16 x 7	21	Blue	
RL832	48 x 18 x 74	8	7 7/8 x 17 11/16 x 7	7	Yellow	968.00
		8	11 13/16 x 17 11/16 x 7	21	Yellow	
RL833	48 x 18 x 74	8	7 7/8 x 17 11/16 x 7	7	Green	968.00
		8	11 13/16 x 17 11/16 x 7	21	Green	
RL834	48 x 18 x 74	8	7 7/8 x 17 11/16 x 7	7	Red	968.00
		8	11 13/16 x 17 11/16 x 7	21	Red	
RL835	48 x 24 x 74	5	7 7/8 x 17 11/16 x 7	4	Blue	760.00
		5	11 13/16 x 17 11/16 x 7	7	Blue	
		5	15 1/2 x 25 x 13	6	Blue	
RL836	48 x 24 x 74	5	7 7/8 x 17 11/16 x 7	4	Yellow	760.00
		5	11 13/16 x 17 11/16 x 7	7	Yellow	
		5	15 1/2 x 25 x 13	6	Yellow	
RL837	48 x 24 x 74	5	7 7/8 x 17 11/16 x 7	4	Green	760.00
		5	11 13/16 x 17 11/16 x 7	7	Green	
		5	15 1/2 x 25 x 13	6	Green	
RL838	48 x 24 x 74	5	7 7/8 x 17 11/16 x 7	4	Red	760.00
		5	11 13/16 x 17 11/16 x 7	7	Red	
		5	15 1/2 x 25 x 13	6	Red	
RL839	36 x 18 x 74	8	7 7/8 x 17 11/16 x 7	7	Blue	811.00
		8	11 13/16 x 17 11/16 x 7	14	Blue	
RL840	36 x 18 x 74	8	7 7/8 x 17 11/16 x 7	7	Yellow	811.00
		8	11 13/16 x 17 11/16 x 7	14	Yellow	
RL841	36 x 18 x 74	8	7 7/8 x 17 11/16 x 7	7	Green	811.00
		8	11 13/16 x 17 11/16 x 7	14	Green	
RL842	36 x 18 x 74	8	7 7/8 x 17 11/16 x 7	7	Red	811.00
		8	11 13/16 x 17 11/16 x 7	14	Red	

WIRE-RAC™

- Snap on holders easily and quickly identify stored contents
- Clear, flexible plastic sleeves fit new or existing wire shelving with 1 1/4" facing; paper inserts included
- ON767 snaps onto wire shelf at 3 different angles; 90° (flat), 60° or 30°

Model No.	Dimensions W" x D" x L"	Qty /Box	Price /Each
RH683	1 5/16 x 3	25	35.10
RH684	1 5/16 x 6	25	61.90
RH685	1 5/16 x 12	12	57.60
RH686	1 5/16 x 24	6	57.00
ON767	1 1/4 x 3	25	59.20



ALH
ALIGNER LABEL HOLDER





WIRE SHELVING

HEAVY-DUTY GREEN EPOXY FINISH WIRE SHELVING

- Ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly

POSTS

Model No.	Height"	Price/Each
RL629	63	15.80
RL630	74	17.85
RL631	86	20.85

WIRE SHELVES

Model No.	Dimensions W" x D"	Cap lbs. /Shelf*	Price /Each
RN082	30 x 14	800	28.85
RN083	36 x 14	800	33.75
RN084	48 x 14	800	39.10
RN085	60 x 14	600	50.90
RN086	72 x 14	600	68.45
RN087	30 x 18	800	32.80
RL622	36 x 18	800	38.40
RL623	48 x 18	800	45.95
RL624	60 x 18	600	54.25
RL625	72 x 18	600	63.75
RL626	36 x 24	800	47.35
RL627	48 x 24	800	57.65
RL628	60 x 24	600	68.50

* Evenly distributed weight



- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- NSF certified



KLETON

COMPLETE SHELVING UNITS

Model No.	Type	Dimensions W" x D" x H"	Cap lbs. /Shelf*	Price /Each
4 SHELVES				
RN089	Starter	30 x 14 x 63	800	166.00
RN090	Add-on	30 x 14 x 63	800	143.00
RN091	Starter	36 x 14 x 63	800	182.00
RN092	Add-on	36 x 14 x 63	800	159.00
RN093	Starter	48 x 14 x 63	800	208.00
RN094	Add-on	48 x 14 x 63	800	185.00
RN095	Starter	60 x 14 x 63	600	244.00
RN096	Add-on	60 x 14 x 63	600	221.00
RN097	Starter	72 x 14 x 63	600	290.00
RN098	Add-on	72 x 14 x 63	600	268.00
RL648	Starter	36 x 18 x 63	800	207.00
RL649	Add-on	36 x 18 x 63	800	191.00
RL650	Starter	48 x 18 x 63	800	235.00
RL651	Add-on	48 x 18 x 63	800	221.00
RL652	Starter	60 x 18 x 63	600	266.00
RL653	Add-on	60 x 18 x 63	600	254.00
RL654	Starter	72 x 18 x 63	600	303.00
RL655	Add-on	72 x 18 x 63	600	290.00
RL656	Starter	36 x 24 x 63	800	240.00
RL657	Add-on	36 x 24 x 63	800	232.00
RL658	Starter	48 x 24 x 63	800	278.00
RL659	Add-on	48 x 24 x 63	800	266.00
RL660	Starter	60 x 24 x 63	600	318.00
RL661	Add-on	60 x 24 x 63	600	309.00
RN099	Starter	72 x 24 x 63	600	386.00
RN100	Add-on	72 x 24 x 63	600	363.00
5 SHELVES				
RN101	Starter	30 x 14 x 74	800	198.00
RN102	Add-on	30 x 14 x 74	800	176.00
RN103	Starter	36 x 14 x 74	800	218.00
RN104	Add-on	36 x 14 x 74	800	196.00
RN105	Starter	48 x 14 x 74	800	250.00
RN106	Add-on	48 x 14 x 74	800	229.00
RN107	Starter	60 x 14 x 74	600	295.00
RN108	Add-on	60 x 14 x 74	600	273.00
RN109	Starter	72 x 14 x 74	600	355.00
RN110	Add-on	72 x 14 x 74	600	333.00
RL662	Starter	36 x 18 x 74	800	251.00
RL663	Add-on	36 x 18 x 74	800	242.00
RL664	Starter	48 x 18 x 74	800	288.00
RL665	Add-on	48 x 18 x 74	800	277.00
RL666	Starter	60 x 18 x 74	600	324.00
RL667	Add-on	60 x 18 x 74	600	315.00
RL668	Starter	72 x 18 x 74	600	371.00
RL669	Add-on	72 x 18 x 74	600	362.00
RL670	Starter	36 x 24 x 74	800	309.00
RL671	Add-on	36 x 24 x 74	800	298.00
RL672	Starter	48 x 24 x 74	800	341.00
RL673	Add-on	48 x 24 x 74	800	333.00
RL674	Starter	60 x 24 x 74	600	415.00
RL675	Add-on	60 x 24 x 74	600	405.00
RN111	Starter	72 x 24 x 74	600	474.00
RN112	Add-on	72 x 24 x 74	600	452.00
RN113	Starter	36 x 18 x 86	800	245.00
RN114	Add-on	36 x 18 x 86	800	221.00
RN115	Starter	48 x 18 x 86	800	294.00
RN116	Add-on	48 x 18 x 86	800	270.00
RN117	Starter	60 x 18 x 86	600	334.00
RN118	Add-on	60 x 18 x 86	600	310.00
RN119	Starter	72 x 18 x 86	600	377.00
RN120	Add-on	72 x 18 x 86	600	353.00
RN121	Starter	36 x 24 x 86	800	284.00
RN122	Add-on	36 x 24 x 86	800	258.00
RN123	Starter	48 x 24 x 86	800	347.00
RN124	Add-on	48 x 24 x 86	800	322.00
RN125	Starter	60 x 24 x 86	600	415.00
RN126	Add-on	60 x 24 x 86	600	391.00
RN127	Starter	72 x 24 x 86	600	479.00
RN128	Add-on	72 x 24 x 86	600	454.00

* Evenly distributed weight

GREEN EPOXY FINISH WIRE SHELF CARTS

- Green epoxy wire shelf carts are ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Capacity: 600 lbs. evenly distributed
- Includes: 5" resilient rubber casters, two swivel, two with brake
- NSF certified
- One year limited warranty
- Shipped knocked down



Model No.	Dimensions W" x D" x H"	Price /Each
4 SHELVES		
RN129	36 x 18 x 69	274.00
RN130	48 x 18 x 69	314.00
RN131	60 x 18 x 69	347.00
RN132	36 x 24 x 69	306.00
RN133	48 x 24 x 69	356.00
RN134	60 x 24 x 69	411.00
RL803	18 x 36 x 80	324.00
RL804	18 x 48 x 80	361.00
RL805	18 x 60 x 80	394.00
RL806	24 x 36 x 80	364.00
RL807	24 x 48 x 80	403.00
RL808	24 x 60 x 80	450.00

Model No.	Dimensions W" x D" x H"	Price /Each
5 SHELVES		
RL809	18 x 36 x 92	376.00
RL810	18 x 48 x 92	415.00
RL811	18 x 60 x 92	456.00
RL812	24 x 36 x 92	420.00
RL813	24 x 48 x 92	473.00
RL814	24 x 60 x 92	535.00

WIRE SHELVING

SUPER ADJUSTABLE SUPER ERECTA SHELF®

- **Super Adjustable Super Erecta® Wire Shelving™** is the most advanced and innovative wire storage system available
- Super Adjustable Shelving works in conjunction with the entire Super Erecta™ System of shelves and accessories
- **Easily Adjustable:** Unique Corner Release and SiteSelect™ Posts, create a total system that offers tool-free, fast and easy adjustment at 1" (25 mm) intervals along the entire height of posts
- **Easily Assembled:** The Corner Release System and SiteSelect™ Posts, combined with the original bottom up assembly process, creates a complete shelving system in minutes
- SiteSelect™ Posts with the triple-groove visual guide feature, have circular grooves at 1" intervals and are numbered at 2" intervals
- Shelves simply snap into place using the Corner Release
- **Unique Shelf Design:** The open wire design of these heavy-gauge shelves minimizes dust accumulation and allows a free circulation of air, greater visibility of stored items and greater light penetration
- Shelf ribs run front to back allowing you to slide items on and off easily
- Shelves can be loaded and unloaded from all sides
- **Unique Post Design:** New SiteSelect™ post design provides a visual guide for positioning and adjusting shelves, saving considerable time during assembly and adjustment
- An easy-to-identify triple groove, every 8 inches, offers a quick way to align all shelves
- Bolt leveller on post bottom compensates for uneven surface
- **Fast, Easy Reconfiguration:** Super Adjustable Super Erecta Shelf® can change as quickly as your needs change
- By using various accessories available, hundreds of shelving configurations become possible
- **Choice of Finishes:** Super Adjustable Super Erecta Shelf® Wire Shelving™ is available in two options: Chrome-plated for dry storage and Metroseal III™ for corrosive environments
- Microban® antimicrobial product protection helps keep products cleaner and fresher by inhibiting the growth of bacteria, mold, mildew and fungi that cause stains and odours
- **Microban® is safe, clean, fresh and effective, and provides peace of mind!**




Super Adjustable Super Erecta® Chrome Shelving									Super Adjustable Super Erecta® Metroseal III™ Shelving										
W"	Dimensions			H"	No. of Shelves	Starter Model No.	Price /Each	Add-on Model No.	Price /Each	W"	Dimensions			H"	No. of Shelves	Starter Model No.	Price /Each	Add-on Model No.	Price /Each
	x	D"	x								x	D"	x						
36	x	18	x	62 9/16	4	RL464	385.00	RL465	341.00	36	x	18	x	62 9/16	4	RL512	474.00	RL513	420.00
48	x	18	x	62 9/16	4	RL466	441.00	RL467	399.00	48	x	18	x	62 9/16	4	RL514	541.00	RL515	487.00
60	x	18	x	62 9/16	4	RL468	498.00	RL469	456.00	60	x	18	x	62 9/16	4	RL516	613.00	RL517	558.00
72	x	18	x	62 9/16	4	RL470	575.00	RL471	533.00	72	x	18	x	62 9/16	4	RL518	682.00	RL519	628.00
36	x	18	x	74 5/8	5	RL480	467.00	RL481	420.00	36	x	18	x	74 5/8	5	RL528	574.00	RL529	514.00
48	x	18	x	74 5/8	5	RL482	538.00	RL483	491.00	48	x	18	x	74 5/8	5	RL530	659.00	RL531	599.00
60	x	18	x	74 5/8	5	RL484	610.00	RL485	562.00	60	x	18	x	74 5/8	5	RL532	748.00	RL533	690.00
72	x	18	x	74 5/8	5	RL486	705.00	RL487	658.00	72	x	18	x	74 5/8	5	RL534	835.00	RL535	777.00
36	x	18	x	86 5/8	5	RL496	495.00	RL497	433.00	36	x	18	x	86 5/8	5	RL544	595.00	RL545	526.00
48	x	18	x	86 5/8	5	RL498	566.00	RL499	505.00	48	x	18	x	86 5/8	5	RL546	679.00	RL547	610.00
60	x	18	x	86 5/8	5	RL500	637.00	RL501	576.00	60	x	18	x	86 5/8	5	RL548	769.00	RL549	700.00
72	x	18	x	86 5/8	5	RL502	732.00	RL503	672.00	72	x	18	x	86 5/8	5	RL550	855.00	RL551	786.00
36	x	24	x	62 9/16	4	RL472	462.00	RL473	419.00	36	x	24	x	62 9/16	4	RL520	545.00	RL521	490.00
48	x	24	x	62 9/16	4	RL474	521.00	RL475	480.00	48	x	24	x	62 9/16	4	RL522	633.00	RL523	578.00
60	x	24	x	62 9/16	4	RL476	593.00	RL477	551.00	60	x	24	x	62 9/16	4	RL524	728.00	RL525	674.00
72	x	24	x	62 9/16	4	RL478	693.00	RL479	649.00	72	x	24	x	62 9/16	4	RL526	826.00	RL527	772.00
36	x	24	x	74 5/8	5	RL488	563.00	RL489	516.00	36	x	24	x	74 5/8	5	RL536	663.00	RL537	605.00
48	x	24	x	74 5/8	5	RL490	638.00	RL491	591.00	48	x	24	x	74 5/8	5	RL538	772.00	RL539	714.00
60	x	24	x	74 5/8	5	RL492	727.00	RL493	682.00	60	x	24	x	74 5/8	5	RL540	892.00	RL541	833.00
72	x	24	x	74 5/8	5	RL494	852.00	RL495	805.00	72	x	24	x	74 5/8	5	RL542	1013.00	RL543	955.00
36	x	24	x	86 5/8	5	RL504	591.00	RL505	530.00	36	x	24	x	86 5/8	5	RL552	684.00	RL553	615.00
48	x	24	x	86 5/8	5	RL506	666.00	RL507	605.00	48	x	24	x	86 5/8	5	RL554	794.00	RL555	725.00
60	x	24	x	86 5/8	5	RL508	755.00	RL509	696.00	60	x	24	x	86 5/8	5	RL556	912.00	RL557	842.00
72	x	24	x	86 5/8	5	RL510	880.00	RL511	818.00	72	x	24	x	86 5/8	5	RL558	1035.00	RL559	964.00



WIRE SHELVING

METROMAX I® STORAGE SYSTEMS

- The most versatile storage system ever introduced
- Open shelf mats are easy to remove for cleaning
- Solid shelf mats, dividers, ledges, drop-in wire baskets, and an array of accessories, can easily be added or removed in seconds
- Completely Mobile** with the addition of 5" casters
- Strong and Durable:** Reinforced polymers give MetroMax I® incredible strength; 800 lbs. per shelf up to 42" in length and 600 lbs. per shelf up to 72" in length Also, shelves won't mark or crease
- Corrosion and Rust Proof:** MetroMax I® has a lifetime warranty against corrosion and rust, so it's perfect for damp, humid conditions as well as dry storage
- Fast, Easy Assembly:** MetroMax I® assembles easily in minutes, without tools
- Posts have numbered grooves at 1" increments, with 1/2" increment adjustment
- Wedge lock connectors, with window and pointer to locate desired post groove, snap onto posts
- Simply attach the wedge lock connectors at the desired post height and lower the shelf into place
- With unit complete, solid shelf and open-grid mats can be removed and/or interchanged at any time



METROMAX I® SHELVES*

Shelf Size W" x L"	Open Grid Model No.	Wt. lbs.	Price /Each	Solid Shelf Model No.	Wt. lbs.	Price /Each
18 x 24	RC538	9	196.00	RC537	11	223.00
18 x 30	RC540	11	205.00	RC539	12	231.00
18 x 36	RC542	12	205.00	RC541	14	231.00
18 x 42	RC549	14	246.00	RC548	16	279.00
18 x 48	RC551	15	246.00	RC550	18	279.00
18 x 54	RC558	17	292.00	RC557	20	333.00
18 x 60	RC560	18	292.00	RC559	22	333.00
18 x 72	RC561	18	341.00	-	-	-
24 x 24	RC563	11	244.00	RC562	13	277.00
24 x 30	RC565	13	249.00	RC564	15	281.00
24 x 36	RC567	14	249.00	RC566	17	281.00
24 x 42	RC569	16	305.00	RC568	19	344.00
24 x 48	RC571	18	305.00	RC570	22	344.00
24 x 54	RC573	20	359.00	RC572	24	406.00
24 x 60	RC575	22	359.00	RC574	26	406.00

* Shelf c/w frame, mat and wedge lock connectors.



Microban® antimicrobial product protection helps keep products cleaner and fresher by inhibiting the growth of bacteria, mold, mildew and fungi that cause stains and odors.



METROMAX I® POSTS

Model No.	Height"	Wt. lbs.	Price /Each
RC536	13	0.5	39.60
RC579	33	1	57.30
RC582	54	1.5	63.40
RC585	63	2	67.00
RC588	74	2.25	76.80
RC589	86	2.5	88.30

METROMAX I® STEM CASTER CARTS

- Ideal system for cooler/freezer applications, designed to withstand years of use
- Corrosion-proof materials provide a lifetime of worry-free use
- Removeable and dishwasher safe polymer shelf mats make cleaning this system quick and efficient
- Mobile MetroMax I® storage carts come complete with 4 shelves (open grid or solid mat), four 63" posts, wedge connectors and four 5" poly casters (two swivel/two with brake)
- Approximate height of cart: 69"
- Capacity/unit: 900 lbs.



Model No.	Shelf W" x L"	Wt. lbs.	Price /Each
WITH OPEN GRID SHELVES			
RG484	18 x 36	74	1390.00
RG485	18 x 48	86	1560.00
RG486	18 x 60	98	1740.00
RG487	24 x 36	82	1570.00
RG488	24 x 48	98	1790.00
RG489	24 x 60	114	2010.00
WITH SOLID MAT SHELVES			
RG490	18 x 36	74	1500.00
RG492	18 x 60	106	1900.00
RG493	24 x 36	86	1700.00
RG494	24 x 48	106	1950.00
RG495	24 x 60	122	2190.00

Note: Units also available with rubber casters (capacity: 600 lbs.)

CANTILEVER SHELVES

- Add convenient shelving space above a storage unit
- Drop mat design creates a retaining edge around the entire 12" deep shelf
- Standard Super Erecta® posts available separately
- Can also be used as an extension to an already mounted shelf for additional space
- Also available in the following colours: smoked glass, white and a wide assortment of designer colours



Length"	Wt. lbs.	Model No. Chrome	Price /Each	Model No. Black	Price /Each
SHELVES					
24	4 1/2	RH347	58.00	RH353	65.80
30	5	RH348	61.00	RH354	68.20
36	5 3/4	RH349	63.50	RH355	72.10
42	6 3/4	RH350	71.20	RH356	80.40
48	7 3/4	RH351	73.30	RH357	83.30
60	9 1/2	RH352	84.40	RH358	96.50



Height"	Wt. lbs.	Model No. Chrome	Price /Each	Model No. Black	Price /Each
POSTS					
34 1/2	2	RC827	20.00	RH293	22.40
54 1/2	3	RC850	23.00	RH294	25.80
62 1/2	3 1/2	RC895	24.30	RG797	27.30
74 5/8	4	RC924	26.40	RG798	30.70
86 1/2	5	RC932	33.70	RG799	38.00

WALL MOUNT WIRE SHELVING KITS

- Kit includes shelves and supports

Model No.	Description	Shelf Dimensions"	Price /Each
RL911	1 Shelf	14 x 30	105.00
RL912	2 Shelves	14 x 30	194.00



RL911 Shelf and Support Kit

DIRECT WALL MOUNTS FOR WIRE SHELVING

SAME GREAT FEATURES AS THE KLETON CHROMATE WIRE SHELVING, BUT WITH THE ADDED CONVENIENCE OF DIRECTLY MOUNTING ON A WALL.

- Each wall mount unit consists of one shelf support and mounting plate
- Use single support at shelf ends; double support for adjoining shelves
- Installation note: Wall mounts must be securely fastened to materials of adequate load bearing strength. (Load rating: 200 lbs. (91kg) per system)



RL612 Single Shelf Support



RL613 Double Shelf Support



Model No.	Shelf Support	Shelf Depth"	Price /Each
RL612	Single	14	38.55
RL898	Single	18	45.00
RL900	Single	24	46.90
RL613	Double	14	58.05
RL899	Double	18	68.80
RL901	Double	24	70.25

WIRE SHELVING

WIRE MESH UTILITY CARTS

- Durable, dependable transport solution that is easy to manoeuvre
- Highly rigid construction that is easily adjustable at 1" increments
- Two handles, indicated number of shelves, and casters
- Capacity: 800 lbs. evenly distributed
- Shipped knocked down
- NSF certified
- **One-year limited warranty**



MJ543



Model No.	Dimensions W" x D" x H"	Price /Each
2 SHELVES		
MK781	30 x 18 x 45	223.00
MK782	36 x 18 x 45	227.00
MK783	48 x 18 x 45	238.00
MK784	60 x 18 x 45	296.00
MK785	36 x 24 x 45	256.00
MK786	48 x 24 x 45	279.00
MK787	60 x 24 x 45	310.00
3 SHELVES		
MJ539	30 x 18 x 45	255.00
MJ540	36 x 18 x 45	267.00
MJ541	48 x 18 x 45	280.00
MJ542	60 x 18 x 45	323.00
MJ543	36 x 24 x 45	284.00
MJ544	48 x 24 x 45	310.00
MJ545	60 x 24 x 45	343.00

WIRE MESH OFFICE MAIL CART

- Ideal for carrying hanging folders, packages and office supplies
- Comes with three wire dividers and two removable baskets
- Shipped knocked down
- Capacity: 250 lbs.
- Colour: Chrome
- Overall Dimensions: 42" L x 23" D x 38" H
- Cart Material: Chrome Plated
- No. of Shelves: 2
- No. of Baskets: 2

Model No. MO843
Mfg. No. LS-4
Price/Each \$383.00



PUSH CARTS

- Durable, dependable transport solution
- Easy maneuverability
- Shelves can be adjusted quickly and easily
- Capacity: 800 lbs. evenly distributed
- Shipped knocked down
- **One-year limited warranty**



Model No.	Dimensions W" x D" x H"	Price /Each
4 SHELVES		
RL914	30 x 14 x 60	213.00
RL915	36 x 14 x 60	292.00
RL916	48 x 14 x 60	323.00
RL917	60 x 14 x 60	345.00
5 SHELVES		
RL918	30 x 14 x 60	235.00
RL919	36 x 14 x 60	328.00
RL920	48 x 14 x 60	377.00
RL921	60 x 14 x 60	398.00



RL915

WIRE SHELF CARTS

- Open-wire shelf design minimizes dust and increases air circulation and visibility
- High quality chromate shelves and posts prevent corrosion
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: 5" resilient rubber casters (two swivel, two with brake)
- Capacity: 800 lbs. evenly distributed
- Shipped knocked down
- NSF certified
- **One-year limited warranty**



MJ536



Model No.	Dimensions W" x D" x H"	Price /Each
4 SHELVES		
RL600	36 x 18 x 69	316.00
RL601	48 x 18 x 69	343.00
RL602	60 x 18 x 69	377.00
RL603	36 x 24 x 69	330.00
RL604	48 x 24 x 69	390.00
RL605	60 x 24 x 69	435.00
MJ527	36 x 18 x 80	328.00
MJ528	48 x 18 x 80	355.00
MJ529	60 x 18 x 80	390.00
MJ530	36 x 24 x 80	341.00
MJ531	48 x 24 x 80	403.00
MJ532	60 x 24 x 80	449.00
5 SHELVES		
MJ533	36 x 18 x 92	366.00
MJ534	48 x 18 x 92	421.00
MJ535	60 x 18 x 92	463.00
MJ536	36 x 24 x 92	394.00
MJ537	48 x 24 x 92	455.00
MJ538	60 x 24 x 92	498.00

GREEN EPOXY WIRE SHELF CARTS

- Green epoxy wire shelf carts are ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation, and provide greater visibility of stored items
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: 5" resilient rubber casters (two swivel, two with brake)
- Capacity: 800 lbs. evenly distributed
- Shipped knocked down
- **One-year limited warranty**



Model No.	Dimensions W" x D" x H"	Price /Each
4 SHELVES		
RN129	36 x 18 x 69	274.00
RN130	48 x 18 x 69	314.00
RN131	60 x 18 x 69	347.00
RN132	36 x 24 x 69	306.00
RN133	48 x 24 x 69	356.00
RN134	60 x 24 x 69	411.00
RL803	18 x 36 x 80	324.00
RL804	18 x 48 x 80	361.00
RL805	18 x 60 x 80	394.00
RL806	24 x 36 x 80	364.00
RL807	24 x 48 x 80	403.00
RL808	24 x 60 x 80	450.00
5 SHELVES		
RL809	18 x 36 x 92	376.00
RL810	18 x 48 x 92	415.00
RL811	18 x 60 x 92	456.00
RL812	24 x 36 x 92	420.00
RL813	24 x 48 x 92	473.00
RL814	24 x 60 x 92	535.00



RL803



WIRE SHELVING

SECURITY CARTS

- Security carts are ideal for safety storing and transporting of valuable goods
- Open wire construction allows for visibility into the unit so items can be checked at any time
- Double door design that allows for each door to open 270 degrees and can be secured along the side
- Shipped knocked-down



Model No	Overall Dimensions					No. of Shelves	Price /Each
	W"	x	D"	x	H"		
STATIONARY							
RL399	38.5	x	21.5	x	66 13/16	4	1325.00
RL400	50.5	x	21.5	x	66 13/16	4	1633.00
RL402	38.5	x	21.5	x	66 13/16	5	1399.00
RL403	50.5	x	21.5	x	66 13/16	5	1721.00
MOBILE							
RL408	38.5	x	21.5	x	68 1/2	4	1624.00
RL409	50.5	x	21.5	x	68 1/2	4	1832.00
RL411	38.5	x	21.5	x	68 1/2	5	1694.00
RL412	50.5	x	21.5	x	68 1/2	5	1925.00

COVERS FOR SHELF TRUCKS & CARTS

- Protect contents from dust and other air-borne contaminants
 - Covers deter pilferage and allow units to be loaded prior to transport
 - Available in either uncoated nylon or coated waterproof vinyl, with an aluminum zippered closure
 - Colour: White.
- Please note:** Axll covers are non-returnable




Nylon Size			Uncoated Model No.	Price /Each	Vinyl Coated Model No.	Price /Each
L"	x	H"				
FOR SHELF TRUCKS AND CARTS 18" WIDE						
36	x	54	RG460	157.00	RG466	263.00
36	x	62	RG461	163.00	RG467	266.00
48	x	54	RG462	174.00	RG468	274.00
48	x	62	RG463	172.00	RG469	284.00
60	x	54	RG464	180.00	RG470	296.00
60	x	62	RG465	181.00	RG471	303.00
FOR SHELF TRUCKS AND CARTS 24" WIDE						
36	x	54	RG472	179.00	RG478	271.00
36	x	62	RG473	181.00	RG479	285.00
48	x	54	RG474	189.00	RG480	320.00
48	x	62	RG475	219.00	RG481	327.00
60	x	54	RG476	255.00	RG482	349.00
60	x	62	RG477	258.00	RG483	358.00

Note: Other colours available.

ENCLOSED WIRE STOCK PICKING CARTS

- High quality chromate shelves and posts prevent corrosion
- Enclosed sides keeps items from falling out
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: (2) 5" swivel resilient casters, (2) 5" rubber caster with brakes
- Shipped knocked down
- One-year limited warranty
- Capacity is based on evenly distributed weight
- No. of Shelves: 4
- Capacity: 800 lbs.
- Cart Material: Chrome Plated
- NSF Certified



Model No.	Dimensions				Price /Each
	W"	x	D" x	H"	
RN559	18	x	36 x	69	467.00
RN560	18	x	48 x	69	620.00
RN561	18	x	60 x	69	630.00
RN562	24	x	36 x	69	620.00
RN563	24	x	48 x	69	641.00
RN564	24	x	60 x	69	662.00

WIRE ENCLOSURE PANELS

Model No.	Dimensions			Price /Each
	W"	x	H"	
RN556	15	x	61.5	64.65
RN557	18	x	61.5	70.80
RN558	21	x	61.5	77.35

WIRE SHELVING UNIT WITH PLASTIC SHELVES

- Steel wire mesh frame with durable, clip-in plastic shelves
- Unit ships knocked-down in single box
- Snap together design assembles in minutes
- Smooth, vented, open-grid surface allows for air circulation and minimal dust build-up
- Plastic shelves can easily be removed from wire shelves for easy cleaning, and are dishwasher safe
- Plastic will not dent, chip, rust or corrode
- Shelves easily adjust to your exact height needs
- Steel posts and frames with anti-bacterial blue finish
- No. of Shelves: 4
- Shelf Capacity: 600 lbs.
- Shelving Unit Type: Boltless
- Style: Open
- Frame Colour: Blue
- Shelf Colour: White



Model No.	Mfg. No.	Dimensions				Price /Each	
		W"	x	D"	x		H"
CG077	RPWR72-1830E	30	x	18	x	72	373.00
CG078	RPWR72-1836E	36	x	18	x	72	384.00
CG079	RPWR72-1848E	48	x	18	x	72	436.00
CG080	RPWR72-2430E	30	x	24	x	72	415.00
CG081	RPWR72-2436E	36	x	24	x	72	446.00
CG082	RPWR72-2448E	48	x	24	x	72	509.00

RACKING & SHELVING

STAINLESS STEEL SOLID RIVET SHELVING

- High quality stainless steel solid shelving made of type 304 stainless steel construction with brushed finish
- 18-gauge thick shelves adjustable in 1 1/2" increments
- Two-piece corner posts design includes plastic connectors
- **Includes:** Five adjustable shelves with a capacity of 600 lbs. per shelf
- Shipped knocked down, easy assembly

Model No.	Mfg. No.	Dimensions W" x D" x H"	Cap lbs. /Shelf	Price /Each
RL853	LWSS-1836	36 x 18 x 72	600	2244.00
RL855	LWSS-2436	36 x 24 x 72	600	2288.00



WELDED FRAME TIRE RACKS

- Ideal solution for all sizes of tires
- No nuts or bolts required for assembly
- Shelves can be loaded and are accessible from both the front and the back
- Easily adjustable on 2" increments
- Consists of 2 welded frames and 3 pairs of 2" front mount step beams


RN068



Model No	Rack Type	Tire Capacity	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
RN068	Starter	21	60 x 18 x 72	111	514.00
RN069	Starter	27	72 x 18 x 72	123	565.00
RN070	Starter	36	96 x 18 x 72	147	642.00
RN071	Add-on	21	60 x 18 x 72	90	410.00
RN072	Add-on	27	72 x 18 x 72	102	462.00
RN073	Add-on	36	96 x 18 x 72	126	531.00

E-Z GLIDE ROLL-OUT SHELVING

- Designed for heavy-duty loading and easy retrieval of hard-to-handle items
- Stores up to 2000 lbs. per shelf (evenly distributed)
- Every shelf extends 100%
- Adjustable shelf height based on 2" centres
- 3-shelf models available on the 84 1/2" H units
- Shipped knocked down



Starter & Add-on



Starter



Shelf Size"	Overall Height"	No. of shelves	Starter Model No.	Wt. lbs.	Price /Each	Add-on Model No.	Wt. lbs.	Price /Each	Additional Shelves	Wt. lbs.	Price /Each
36 x 36	62 1/2	3	RK064	911	8849.00	RK073	831	8629.00	RK082	210	2419.00
48 x 36	62 1/2	3	RK065	1053	9299.00	RK074	973	8849.00	RK083	248	2509.00
48 x 48	62 1/2	3	RK066	1260	10089.00	RK075	1174	9329.00	RK084	303	2739.00
36 x 36	72 1/2	3	RK067	932	8849.00	RK076	842	8289.00	RK082	210	2419.00
48 x 36	72 1/2	3	RK068	1074	9299.00	RK077	984	8849.00	RK083	248	2509.00
48 x 48	72 1/2	3	RK069	1281	10089.00	RK078	1185	9529.00	RK084	303	2739.00
36 x 36	84 1/2	4	RK070	1166	11319.00	RK079	1063	11089.00	RK082	210	2419.00
48 x 36	84 1/2	4	RK071	1348	11879.00	RK080	1245	11319.00	RK083	248	2509.00
48 x 48	84 1/2	4	RK072	1510	12999.00	RK081	1501	12329.00	RK084	303	2739.00

REEL RACK KITS

- Axle brackets are adjustable for different sized reels
- Unique design stores and dispenses material easily
- Steel construction offers rugged long lasting use
- High level capacity can handle the heaviest reels



RN635



Model No	Kit Type	Dimensions W" x D" x H"	No of Rods	Total Uniform Capacity lbs.	Price /Each
RN635	Starter	39-3/4 x 36 x 98-1/2	3	6000	1111.00
RN640	Add-On	36 x 36 x 98-1/2	3	6000	782.00
RN636	Starter	51-1/4 x 36 x 98-1/2	3	6000	1132.00
RN642	Add-On	48 x 36 x 98-1/2	3	6000	885.00
RN637	Starter	39-5/8 x 36 x 123	4	6000	1451.00
RN639	Add-On	36 x 36 x 123	4	6000	945.00
RN638	Starter	51-1/4 x 36 x 123	4	6000	1483.00
RN641	Add-On	48 x 36 x 123	4	6000	1049.00
RN643	Starter	39-3/4 x 36 x 98-1/2	3	10000	1235.00
RN648	Add-On	36 x 36 x 98-1/2	3	10000	833.00
RN644	Starter	51-1/4 x 36 x 98-1/2	3	10000	1348.00
RN650	Add-On	48 x 36 x 98-1/2	3	10000	937.00
RN645	Starter	39-5/8 x 36 x 123	4	10000	1450.00
RN647	Add-On	36 x 36 x 123	4	10000	1030.00
RN646	Starter	51-1/4 x 36 x 123	4	10000	1498.00
RN649	Add-On	48 x 36 x 123	4	10000	1152.00

PORTABLE DOUBLE SIDED REEL RACKS

- Axle brackets are adjustable for different sized reels
- Unique design stores and dispenses material easily
- Steel construction offers rugged long lasting use
- High level capacity can handle the heaviest reels
- Casters: 2 Swivel & 2 Rigid
- Caster Material: Glass-Filled Nylon

RN631




Model No.	Dimensions W" x D" x H"	No of Rods	Total Uniform Capacity lbs.	Price /Each
RN631	40 x 72-1/2 x 134-2/5	10	4000	2965.00
RN632	40 x 72-1/2 x 108	10	4000	2738.00
RN633	52-2/5 x 72-1/2 x 134-2/5	10	4000	3058.00
RN634	52-2/5 x 72-1/2 x 108	10	4000	2811.00



SLIP-ON FRAMING & FITTINGS

PIPE FITTINGS

There are many variations of fittings to suit a wide range of applications, providing the versatility to achieve any structural configuration. Kee Klamp® fittings are galvanized malleable iron castings designed to suit eight sizes of tube. A standard hex key and tube cutters are the only tools required to create strong, rigid structures. Recessed set screws, tightened by the hex key, firmly lock the tube into the fitting. The set screw is manufactured in case hardened steel and is coated to protect against corrosion.



KEE KLAMP®

- Simple method of constructing tubular structures
- Cost effective alternative to welding
- Galvanized to resist corrosion



SHORT TEES

Model No.	Pipe O.D."	Price /Each
RK597	1.05	12.30
RK598	1.315	14.40
RK599	1.66	20.30
RK600	1.90	23.40
RK601	2.375	44.10



LONG TEES

Model No.	Pipe O.D."	Price /Each
RK602	1.05	23.10
RK603	1.315	21.90
RK604	1.66	34.50
RK605	1.90	37.90
RK606	2.375	60.90



SIDE OUTLET TEES

Model No.	Pipe O.D."	Price /Each
RK607	1.05	18.30
RK608	1.315	18.80
RK609	1.66	27.40
RK610	1.90	31.30
RK611	2.375	57.90



TWO SOCKET CROSSES

Model No.	Pipe O.D."	Price /Each
RK612	1.05	19.10
RK613	1.315	21.90
RK614	1.66	26.50
RK615	1.90	35.00
RK616	2.375	59.20



90° ELBOWS

Model No.	Pipe O.D."	Price /Each
RK617	1.05	16.80
RK618	1.315	17.90
RK619	1.66	23.60
RK620	1.90	38.20
RK621	2.375	50.30



ANGLE CROSSES

Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK622	1.315	103.00
RK623	1.66	124.00
N/A	1.90	-
N/A	2.375	-



ANGLE TEES

Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
N/A	1.315	-
RK626	1.66	49.30
RK627	1.90	79.44
N/A	2.375	-



3 WAY 90° ELBOWS

Model No.	Pipe O.D."	Price /Each
RK628	1.05	24.70
RK629	1.315	24.20
RK630	1.66	35.10
RK631	1.90	43.40
N/A	2.375	-



ADJUSTABLE SHORT TEES

Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK632	1.315	23.30
RK633	1.66	31.30
RK634	1.90	35.50
N/A	2.375	-



ADJUSTABLE TWO SOCKET CROSSES

Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK635	1.315	37.60
RK636	1.66	50.00
RK637	1.90	57.20
N/A	2.375	-



BASE FLANGES

Model No.	Pipe O.D."	Price /Each
RK638	1.05	14.40
RK639	1.315	15.50
RK640	1.66	21.80
RK641	1.90	28.00
RK642	2.375	39.50



RAILING BASE FLANGES

Model No.	Pipe O.D."	Price /Each
RK643	1.05	27.10
RK644	1.315	27.00
RK645	1.66	31.10
RK646	1.90	40.40
RK647	2.375	55.10



PLASTIC END PLUGS

Model No.	Pipe O.D."	Price /Each
RA179	1.05	1.93
RA180	1.315	2.27
RA181	1.66	2.40
RA182	1.90	2.44
RA183	2.375	2.41



GROUND SOCKETS

Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK648	1.315	14.40
RK649	1.66	20.30
RK650	1.90	23.40
N/A	2.375	-



CLAMP-ON TEES

Model No.	Pipe O.D."	Price /Each
RK651	1.05	32.90
RK652	1.315	34.60
RK653	1.66	40.90
RK654	1.90	47.90
N/A	2.375	-



GATE EYES

Model No.	Pipe O.D."	Price /Each
RK655	1.05	13.50
RK656	1.315	14.10
RK657	1.66	15.80
RK658	1.90	17.60
N/A	2.375	-

SLIP-ON FRAMING & FITTINGS

PIPE FITTINGS

GATE HINGES



Model No.	Pipe O.D."	Price /Each
RK659	1.05	15.00
RK660	1.315	16.10
RK661	1.66	18.10
RK662	1.90	19.80
N/A	2.375	-

HANDRAIL BRACKETS



Model No.	Pipe O.D."	Price /Each
RK663	1.05	20.20
RK664	1.315	19.60
RK665	1.66	26.10
RK666	1.90	32.40
N/A	2.375	-

VERTICAL RAILING SUPPORTS



Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK667	1.315	46.90
RK668	1.66	61.30
RK669	1.90	23.40
N/A	2.375	-

HORIZONTAL RAILING SUPPORTS



Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK670	1.315	45.90
N/A	1.66	-
N/A	1.90	-
N/A	2.375	-

SIDE PALM FIXINGS



Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK671	1.315	31.10
RK672	1.66	31.80
RK673	1.90	35.50
N/A	2.375	-

INTERNAL SWIVEL TEES



Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK674	1.315	25.60
RK675	1.66	35.70
RK676	1.90	41.20
N/A	2.375	-

SHORT SWIVEL TEES



Model No.	Pipe O.D."	Price /Each
RK677	1.05	37.20
RK678	1.315	40.60
RK679	1.66	52.00
RK680	1.90	52.50
N/A	2.375	-

SLEEVE JOINTS



Model No.	Pipe O.D."	Price /Each
RK681	1.05	16.10
RK682	1.315	16.30
RK683	1.66	22.00
RK684	1.90	25.30
RK685	2.375	35.20

INTERNAL JOINTS



Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK686	1.315	17.40
RK687	1.66	23.40
RK688	1.90	34.00
N/A	2.375	-

4-WAY CROSSES



Model No.	Pipe O.D."	Price /Each
RK689	1.05	36.10
RK690	1.315	42.50
RK691	1.66	60.50
RK692	1.90	70.10
N/A	2.375	-

CLAMP-ON CROSSOVERS



Model No.	Pipe O.D."	Price /Each
RK693	1.05	12.70
RK694	1.315	14.90
RK695	1.66	24.20
RK696	1.90	26.10
N/A	2.375	-

90° CROSSOVERS



Model No.	Pipe O.D."	Price /Each
RK697	1.05	20.50
RK698	1.315	17.20
RK699	1.66	23.90
RK700	1.90	28.10
RK701	2.375	41.70

TEE/CROSSOVER COMBINATIONS



Model No.	Pipe O.D."	Price /Each
RK702	1.05	24.10
RK703	1.315	24.00
RK704	1.66	29.80
RK705	1.90	46.40
RK706	2.375	69.30

DOUBLE SWIVELS



Model No.	Pipe O.D."	Price /Each
RK707	1.05	55.50
RK709	1.315	56.30
RK711	1.66	62.50
RK713	1.90	70.10
RK715	2.375	134.00

MALE DOUBLE SWIVELS



Model No.	Pipe O.D."	Price /Each
RK708	1.05	25.20
RK710	1.315	25.70
RK712	1.66	25.70
RK714	1.90	26.20
RK716	2.375	38.80

MALE CORNER SWIVELS



Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK718	1.315	27.70
RK720	1.66	31.40
RK722	1.90	30.70
N/A	2.375	-

CORNER SWIVELS



Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK717	1.315	55.60
RK719	1.66	67.00
RK721	1.90	66.90
N/A	2.375	-

BASE PLATES



Model No.	Pipe O.D."	Price /Each
RK728	1.05	19.70
N/A	1.315	-
N/A	1.66	-
N/A	1.90	-
N/A	2.375	-

SWIVEL BASES



Model No.	Pipe O.D."	Price /Each
RK723	1.05	34.40
RK724	1.315	35.40
RK725	1.66	37.90
RK726	1.90	41.10
RK727	2.375	66.70

MESH PANEL CLIPS



Model No.	Pipe O.D."	Price /Each
RK729	1.05	5.65
RK730	1.315	5.65
RK731	1.66	6.54
RK732	1.90	6.54
N/A	2.375	-



SLIP-ON FRAMING & FITTINGS

PIPE FITTINGS

SINGLE SWIVEL SOCKETS



Model No.	Pipe O.D."	Price /Each
RK739	1.05	13.30
RK742	1.315	13.40
RK745	1.66	16.60
RK748	1.90	17.10
RK751	2.375	31.30

FEMALE SWIVEL SOCKETS



Model No.	Pipe O.D."	Price /Each
RK738	1.05	13.70
RK741	1.315	13.90
RK744	1.66	17.80
RK747	1.90	21.20
RK750	2.375	46.30

SINGLE SWIVEL COMBINATIONS



Model No.	Pipe O.D."	Price /Each
RK737	1.05	27.70
RK740	1.315	28.40
RK743	1.66	33.10
RK746	1.90	38.90
RK749	2.375	78.40

OUTLET TEES



Model No.	Pipe O.D."	Price /Each
RK752	1.05	22.70
RK753	1.315	26.80
RK754	1.66	39.00
RK755	1.90	42.20
RK756	2.375	88.70

LOCKING COLLARS



Model No.	Pipe O.D."	Price /Each
RK757	1.05	9.60
RK758	1.315	11.00
RK759	1.66	14.50
RK760	1.90	13.20
N/A	2.375	-

HOOKS



Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK761	1.315	11.70
RK821	1.66	16.00
RK763	1.90	17.20
N/A	2.375	-

EAVES FITTINGS



Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
N/A	1.315	-
N/A	1.66	-
RA301	1.90	56.00
N/A	2.375	-

WEATHER CAPS



Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
RK766	1.315	42.20
RK767	1.66	108.00
RK768	1.90	53.70
N/A	2.375	-

ADJUSTABLE FIXING BRACKETS



Model No.	Pipe O.D."	Price /Each
N/A	1.05	-
N/A	1.315	-
N/A	1.66	-
RK817	1.90	18.00
N/A	2.375	-

TOOLS



Model No.	Description	Price /Each
TX413	T-Handle hex key for 1.05", 1.315" and 1.66" pipes	9.69
TX414	T-Handle hex key for 1.90" and 2.375" pipes	14.80

PIPES

Build an unlimited array of strong rigid structures combining standard black iron (unthreaded) pipe or galvanized (threaded - on one side) pipe (schedule 40), with any combination of corresponding sized Kee Klamp® fittings. Pipe sizes are available from 1.05" to 2.375" (outside diameter). Standard pipe length is 21 ft., with cut lengths available upon request. A cutting charge will be added per cut length of piping.

Call for pricing.

Pipe O.D."	Pipe I.D."	Pipe Length'	Black Iron Model No.	Galvanized Iron Model No.
1.05	0.75	21	RA109	RA110
1.215	1	21	RA111	RA112
1.66	1.25	21	RA113	RA114
1.90	1.5	21	RA115	RA116
2.375	2	21	RA117	RA118

Model No. RG259 Cutting charge per cut length
Price/Each \$5.68



BARRIERS & FOLDING GATES

GALVANIZED FOLDING SECURITY GATES

- Secure outside access during the day and add security at night with heavy-duty, 14-gauge steel folding gates
- Constructed of galvanized steel U channels riveted using aircraft quality rivets for durability
- With double folding gates center drop pin rests in your pre-drilled holes to secure gate when extended
- Locks can be located on right or left side of single gates
- Durable 2" steel zinc-plated and welded to the frame, rubber casters that fully retract when not in use
- Installation hardware included

Note: Middle drop pin not included for models with a useable width of 7' and below



SINGLE FOLDING GATES


Lock on Left Model No.	Lock on Right Model No.	Usable Width'	Height Collapsed'	Height Expanded'	Wt. lbs.	Price /Each
KA035	KA036	3 to 4	6.5	6	69	429.00
KA037	KA038	3 to 4	7	6.5	73	479.00
KA039	KA040	3 to 4	7.5	7	77	519.00
KA041	KA042	3 to 4	8	7.5	80	569.00
KA043	KA044	3 to 4	8.5	8	84	589.00
KA045	KA046	4 to 5	6.5	6	73	439.00
KA047	KA048	4 to 5	7	6.5	74	489.00
KA049	KA050	4 to 5	7.5	7	78	529.00
KA051	KA052	4 to 5	8	7.5	80	579.00
KA053	KA054	4 to 5	8.5	8	82	599.00
KA055	KA056	5 to 6	6.5	6	76	489.00
KA057	KA058	5 to 6	7	6.5	79	529.00
KA059	KA060	5 to 6	7.5	7	81	579.00
KA061	KA062	5 to 6	8	7.5	84	619.00
KA063	KA064	5 to 6	8.5	8	86	639.00
KA065	KA066	6 to 7	6.5	6	82	549.00
KA067	KA068	6 to 7	7	6.5	85	589.00
KA069	KA070	6 to 7	7.5	7	87	639.00
KA071	KA072	6 to 7	8	7.5	90	679.00
KA073	KA074	6 to 7	8.5	8	92	699.00
KA075	KA076	7 to 8	6.5	6	88	599.00
KA077	KA078	7 to 8	7	6.5	92	639.00
KA079	KA080	7 to 8	7.5	7	96	679.00
KA081	KA082	7 to 8	8	7.5	99	729.00
KA083	KA084	7 to 8	8.5	8	104	769.00
KA085	KA086	8 to 9	7	6.5	102	789.00
KA087	KA088	8 to 9	7.5	7	104	839.00
KA089	KA090	8 to 9	8	7.5	106	879.00
KA031	KA032	9 to 10	7	6.5	109	799.00
KA033	KA034	9 to 10	8	7.5	112	879.00

DOUBLE FOLDING GATES

Model No.	Usable Width'	Height Collapsed'	Height Expanded'	Wt. lbs.	Price /Each
KA026	6 to 8	6.5	6	120	729.00
KA027	6 to 8	7	6.5	124	799.00
KA028	6 to 8	7.5	7	129	809.00
KA029	6 to 8	8	7.5	134	859.00
KA030	6 to 8	8.5	8	139	879.00
KA001	8 to 10	6.5	6	144	789.00
KA002	8 to 10	7	6.5	148	839.00
KA003	8 to 10	7.5	7	153	879.00
KA004	8 to 10	8	7.5	158	929.00
KA005	8 to 10	8.5	8	162	969.00
KA006	10 to 12	6.5	6	168	849.00
KA007	10 to 12	7	6.5	172	909.00
KA008	10 to 12	7.5	7	177	949.00
KA009	10 to 12	8	7.5	182	1039.00
KA010	10 to 12	8.5	8	187	1089.00
KA011	12 to 14	6.5	6	180	969.00
KA012	12 to 14	7	6.5	184	1019.00
KA013	12 to 14	7.5	7	189	1079.00
KA014	12 to 14	8	7.5	196	1129.00
KA015	12 to 14	8.5	8	199	1189.00
KA016	14 to 16	6.5	6	192	1109.00
KA017	14 to 16	7	6.5	196	1159.00
KA018	14 to 16	7.5	7	199	1219.00
KA019	14 to 16	8	7.5	201	1309.00
KA020	14 to 16	8.5	8	206	1419.00
KA021	16 to 18	7	6.5	204	1379.00
KA022	16 to 18	7.5	7	208	1489.00
KA023	16 to 18	8	7.5	211	1559.00
KA024	18 to 20	7	6.5	216	1499.00
KA025	18 to 20	8	7.5	230	1739.00

HEAVY-DUTY DOOR GATES

- Folding door gates can be installed in any doorway up to 48" wide inside or outside the jamb
- Gates pivot on a hinge so that they can open in or out, just like a door
- All folding door gates come with a locking bar that when padlocked provides maximum security
- Frame is constructed from 1 1/2" x 1 1/2", 12-gauge angle iron, zinc-plated
- Channel constructed from 3/8" x 3/4", 14-gauge steel
- Installation hardware not included



Model No.	Usable Width'	Collapsed Height'	Expanded Height'	Wt. lbs.	Price /Each
KH873	4	6.08	5.8	44	319.00
KH874	4	6.6	6.3	49	329.00
KH875	4	6.75	6.5	50	339.00

STOREFRONT WINDOW GATES

- Retail store front security gates provides the highest quality loss prevention and security solutions
- Frame constructed from 1 1/2" x 1 1/2", 12-gauge angle iron, zinc-plated
- Channel constructed from 3/8" x 3/4", 14-gauge galvanized steel
- For added security, add an H bracket to each gate



Model No.	Height Collapsed'	Height Expanded'	Width'	Wt. lbs.	Price /Each
SINGLE GATES					
KH876	6.4	6	3	64	719.00
KH877	6.4	6	6	76	1069.00
DOUBLE GATES					
KH879	6.4	6	10	124	1559.00
KH880	6.4	6	12	136	1789.00
OPTIONS					
KH884	H bracket for double gate	-	-	2.5	149.00

CUSTOM SIZES AVAILABLE. CONTACT US TODAY!



BARRIERS & FOLDING GATES

GALVANIZED ECO SECURITY GATE

- Constructed from 100% recycled, recyclable galvanized steel
- Secure outside access during the day and add security at night with heavy-duty, 16-gauge steel folding gates
- Galvanized steel U-channels riveted using aircraft-quality rivets for durability
- With double-folding gates, centre drop pin rests in your pre-drilled holes to secure gate when extended
- Durable 1-1/2" steel zinc-plated vertical angles welded to the frame, steel casters fully retractable when not in use
- Installation hardware and instructions included for easy install
- Non-toxic, corrosion-resistant finish
- 25% less steel usage than standard gates



Model No.	Collapsed		Expanded		Wt. lbs.	Price /Each
	Width"	Height'	Width'	Height'		
FL949	11	6.6	8	6	69	719.00
FL950	11	6.6	10	6	77	759.00
FL951	11	7.6	10	7	100	839.00
FL952	11	6.6	12	6	85	809.00
FL953	11	7.6	14	7	122	1029.00
FL954	11	6.6	16	6	102	1059.00



PORTABLE EXPANDING GATES

- Great for many applications: Blocking equipment, personnel and entrances
- Gates expand and lock to close off any opening
- When not in use, simply fold up, roll away and store
- Purchase optional add-on section to create larger barriers



Model No.	Collapsed		Expanded		Wt. lbs.	Price /Each
	Width"	Height"	Width"	Height"		
KA091	78	79.5	144	73.5	144	1559.00
KA126	Add-on section 6' long when expanded		72	-	-	909.00



CUSTOM SIZES AVAILABLE. CONTACT US TODAY!

EXPANDABLE BARRIERS

- Steel and aluminum construction
- Collapsible design allows for easy storage when not in use
- Lightweight and free standing for easy setup when needed
- Side hook allows multiple units to be used together
- Expanded width: 11'
- Height: 37"
- Weight: 20 lbs.
- Colour: Black and yellow
- Optional caster kit: **SDK991**



Model No. SDK990
Price/Each \$299.00

PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Overall size is 102" L x 40" H
- Distance between vertical bars: 7"
- Rail diameter: 1 5/8"
- Weight: 56 lbs.



Model No.	Description	Price /Each
SEE395	Galvanized Finish	190.00
SEE396	Safety Yellow Finish	195.00

ENCLOSURES

SELF-CLOSING SAFETY SWING GATES

- Suitable to use at any access point on a mezzanine or any fixed ladders
- Standard universal hinge assembly is versatile, fitting various railing types up to 2" O.D. or flat surface mounting
- Each gate has a 3-3/4" adjustment of gate width from nominal size
- Includes two stainless steel torsion spring self-closing mechanisms
- Economical, reliable, ships fully assembled and installs in minutes



POWDER COAT SAFETY YELLOW

Model No.	Dimensions of Opening"	Price /Each
ML349	16-3/4 to 20-1/2	439.00
ML350	19-3/4 to 23-1/2	449.00
ML351	22-3/4 to 26-1/2	449.00
ML352	25-3/4 to 29-1/2	459.00
ML353	28-3/4 to 32-1/2	459.00
ML354	31-3/4 to 35-1/2	469.00
ML355	34-3/4 to 38-1/2	479.00

HOT-DIP GALVANIZED

Model No.	Dimensions of Opening"	Price /Each
ML376	16-3/4 to 20-1/2	459.00
ML377	19-3/4 to 23-1/2	469.00
ML378	22-3/4 to 26-1/2	479.00
ML379	25-3/4 to 29-1/2	479.00
ML380	28-3/4 to 32-1/2	489.00
ML381	31-3/4 to 35-1/2	489.00
ML382	34-3/4 to 38-1/2	499.00

Note: All models are available in stainless steel.



INDUSTRIAL SAFETY GUARD RAILS

- Modular design allows you to customize your guard rail system to meet your specific needs
- Durable powder coated safety yellow finish for better visibility
- Overall Width: 3"
- Overall Height: 12"
- Colour: Safety Yellow
- Material: Steel

KI237



Model No.	Overall Length"	Nominal Length"	Price /Each
KI237	19	24	77.20
KI238	31	36	103.00
KI239	43	48	113.00
KI240	55	60	142.00
KI241	67	72	149.00
KI242	79	84	168.00
KI243	91	96	175.00
KI244	103	108	194.00
KI245	115	120	205.00

GUARD RAIL POSTS

- Modular design allows you to customize your guard rail system to meet your specific needs
- Durable powder coated safety yellow finish for better visibility
- Mounting hardware and plastic cap included, floor anchors and guard rails sold separately
- Overall Length: 5"
- Overall Width: 5"
- Colour: Safety Yellow
- Material: Steel

KI246



Model No.	Description	Overall Height"	Price /Each
KI246	Simple	17	118.00
KI247	Double	44	199.00

RACKING AISLE PROTECTORS

- Prevent collision damage to shelving/racking from fork lifts, pallet trucks or other in-plant vehicle accidents
- Corner wraps are 12" high with an angle of 5" H x 3" W x 1/4" D with holes for anchoring to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included • Overall Width: 3"
- Overall Height: 12" • Colour: Safety Yellow
- Material: Steel • All welded construction



Model No.	Description	Overall Length"	Fits Racking Uprights	Price /Each
RN059	Single Wrap - Left	46-1/2	42" W	191.00
RN060	Single Wrap - Right	46-1/2	42" W	191.00
RN061	Single Wrap - Left	52-1/2	48" W	199.00
RN062	Single Wrap - Right	52-1/2	48" W	199.00
RN063	Double Wrap	50-1/4	42" W	284.00
RN064	Double Wrap	56-1/4	48" W	319.00

PALLET RACK BACK GUARDS

Back guards help prevent accidents by keeping pallets and their contents from falling off the back of the rack. These guards increase safety where pedestrian pathways are behind the rack.

- Constructed using a 10-gauge frame, and 2" x 2", 10-gauge wire mesh with stiffeners
- Available in a variety of sizes to fit most pallet rack configurations
- Guard brackets are designed to fit almost any style of rack
- Durable safety yellow finish
- Hardware not included

KD131



ML231



Create a pallet rack back guard designed for your application

1. Choose one or a combination of back guard panels to create the required width and length

Model No.	Dimensions'	Weight lbs.	Price /Each
KH926	1 x 4	10	113.00
KH914	2 x 4	12	67.85
KH930	3 x 4	20	158.00
KD130	4 x 4	23	86.30
KD131	8 x 4	45	124.00

2. Choose a mounting bracket that provides the required depth
 - Minimum of four brackets required

Model No.	Dimensions"	Weight lbs.	Price /Each
ML231	4 x 6	2	17.19
ML232	4 x 9	2	18.99
ML233	4 x 12	3	18.99

3. **Hardware required**

For each additional panel, add: 2 x **MMB721** and 2 x **MMH254**
For each mounting bracket, add: 3 x **MMP624** and 3 x **MMB721**

RN063




PERIMETER GUARDS

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49-1/2" overall height, and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Safety yellow or Kleton blue finish




KLETON

Mesh style



Tubular style perimeter guards



MESH STYLE KITS

Description	Dimensions W" x H"	Wt. lbs.	Blue Model No.	Price /Each	Yellow Model No.	Price /Each
Starter Section	48 x 48	46	KH945	175.00	RL848	252.00
Add-On Section	48 x 48	34	KH946	131.00	RL849	194.00
Starter Section	96 x 48	65	KH947	215.00	RL850	297.00
Add-On Section	96 x 48	53	KH948	168.00	RL851	247.00

Note: Includes assembly fasteners, floor anchors and post caps

MESH STYLE INDIVIDUAL COMPONENTS

Description	Dimensions W x H	Wt. lbs.	Blue Model No.	Price /Each	Yellow Model No.	Price /Each
Mesh Panel	4' x 4'	20	KD036	86.30	KD130	86.30
Mesh Panel	8' x 4'	39	KD037	113.00	KD131	124.00
Post Universal	49-1/2" H	13	KH861	41.05	KD129	43.15
Post Universal	99" H	22	KD053	52.40	KH860	55.45

HARDWARE REQUIRED

Model No.	Description	Price /Each
KD001	Floor Anchors (Two per Post)	0.58
MMH262	5/16" x 3" Carriage Bolt (Four per Frame)	0.18
GM332	5/16" Hex Nut (One Nut for Each MMH262)	0.03
KD116	Post Caps (One per Post)	1.88

BOLLARDS

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base, complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish



KLETON

Model No.	Height"	Wt. lbs.	Price /Each
KD125	24	30	157.00
KH857	36	40	212.00
KD126	48	50	232.00



UPRIGHT PROTECTOR

- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- 4 pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coated finish



KLETON

Model No.	W"	O.A. Dimensions x D" x H"	Wt. lbs.	Price /Each
KH858	7	x 7 x 12	12	37.00
RB925	7	x 7 x 18-1/4	15	49.25



TUBULAR STYLE

Model No.	Description	Dimensions W" x H"	Wt. lbs.	Price /Each
KD132	Starter Section	48 x 49-1/2	45	221.00
KD133	Add-On Section *	46 x 49-1/2	32	181.00
KD134	Starter Section	96 x 49-1/2	66	295.00
KD135	Add-On Section *	94 x 49-1/2	53	263.00

*Hardware to attach add-on section is included

HARDWARE REQUIRED


Model No.	Description	Price /Each
KD001	Floor Anchors (2 per post)	0.58
KD116	Post Caps (1 per post)	1.88

SAFETY GUARDS

- Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Colour: Safety yellow powder coat finish




KLETON



Model No.	Dimensions W" x H"	Wt. lbs.	Price /Each
KD127	24 x 18	65	339.00
KH855	36 x 18	75	389.00
KD128	48 x 18	85	399.00
KD136	24 x 42	95	459.00
KD856	36 x 42	110	529.00
KD139	48 x 42	115	509.00

FLOOR ANGLE GUARD RAILS

- Floor angle guide rail helps keep traffic away from racking and shelving, walls, storage areas, offices, and other work areas
- The sturdy 5" H x 3" W x 1/4" D angle iron comes with holes to anchor to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Overall Width: 3"
- Overall Height: 5"
- Colour: Safety Yellow
- Material: Steel
- All welded construction



KLETON



Model No.	Overall Length"	Wt. lbs.	Price /Each
RN065	48	26	86.99
RN066	60	33	98.89
RN067	120	66	221.00

ENCLOSURES

COLUMN PROTECTORS

- Protect your building's columns from damaging bumps by moving vehicles
- Octagon configuration for more rebounding ability
- 100% rust proof
- Flexible deflection design
- Easy to assemble
- Nylon fasteners (included) for breakaway ability make these extremely versatile
- Protect columns under virtually any condition and temperature down to 0°F
- Colour: Yellow
- Dimensions: 23-1/2" L x 23-1/2" W x 39-1/2" H
- Material: Linear low density polyethylene (LLDPE)
- Weight: 42 lbs.



Model No.	Inside Opening"	Opening Shape	Description	Price /Each
RN047	6 x 6	Square	Fits square or round columns up to 6" sq.	459.00
RN048	8 x 8	Square	Fits square or round columns from 6" sq. to 8" sq.	459.00
RN049	9 Dia.	Round	Fits round columns up to 9" sq.	459.00
RN050	10 x 10	Square	Fits square or round columns up to 10" sq.	459.00
RN051	8 x 10	Rectangular	Fits rectangular columns only 8" x 10"	449.00
RN052	12 x 12	Square	Fits square or round columns up to 12" sq.	459.00

COLUMN PROTECTORS

- Affordable protection for warehouse and factory columns and beams
- Absorbs impact from tow motors, minimizing column, fork truck, and personnel damage and injury
- Blown-moulded (HDPE) protectors are resistant to most chemicals
- Feature key-lock to prevent slippage and assist with installation alignment
- Two halves attach with easy-to-install black straps (included)
- No tools required
- Colour: Yellow
- Material: High-density polyethylene (HDPE)



Model No.	Inside Opening"	Dimensions				Wt. lbs.	Price /Each
		L"	x	W"	x	H"	
RN041	4 x 6	13	x	13	x	42	16 239.00
RN040	6 x 6	24	x	24	x	42	40 382.00
RN039	8 x 8	24	x	24	x	42	40 382.00
RN037	10 x 10	24	x	24	x	42	40 382.00
RN038	12 x 12	24	x	24	x	42	40 382.00

SLIM COLUMN PROTECTOR

- Protect your building's columns from damaging bumps by moving vehicles
- Octagon configuration for more rebounding ability
- 100% rust proof
- Flexible deflection design
- Easy to assemble
- Nylon fasteners (included) for breakaway ability make these extremely versatile
- Protect columns under virtually any condition and temperature down to 0°F
- Slim column protectors are great for smaller beams such as mezzanine uprights
- Opening Shape: Square
- Dimensions L x W x H: 12" x 12" x 42"
- Colour: Yellow
- Material: Linear low density polyethylene (LLDPE)
- Weight: 17 lbs.



Model No.	Inside Opening"	Price /Each
M0036	3 x 3	289.00
M0037	4 x 4	289.00
M0038	5 x 5	289.00
M0039	6 x 6	289.00

SHORT COLUMN PROTECTOR


- Protect your building's columns from damaging bumps by moving vehicles
- Octagon configuration for more rebounding ability
- 100% rust proof
- Flexible deflection design
- Easy to assemble
- Nylon fasteners (included) for breakaway ability make these extremely versatile
- Protect columns under virtually any condition and temperature down to 0°F
- Designed for where lower impact points are the issue
- Opening Shape: Square
- Dimensions L x W x H: 24" x 24" x 24"
- Colour: Yellow
- Material: Linear low density polyethylene (LLDPE)
- Weight: 20 lbs.



Model No.	Inside Opening"	Price /Each
M0040	6 x 6	289.00
M0041	8 x 8	289.00
M0042	10 x 10	289.00
M0043	12 x 12	289.00

CORNER PROTECTORS

- Corner Protectors help prevent damage to walls in areas with forklifts, hand trucks and other warehousing traffic
- These guard high-visibility yellow
- Made with high density polyethylene (HDPE)
- Crack and chipp resist
- Feature unique energy absorbing construction
- Anchors not included
- Can be mounted end to end
- **Sold in sets of 2 protectors**



Model No.	Dimensions					Wt. lbs.	Price /Set
	L"	x	W"	x	H"		
KH994	10	x	6	x	21	10	124.00
KH995	10	x	6	x	42	20	200.00

WALL PROTECTORS

- Wall Protectors help prevent damage to walls in areas with forklifts, hand trucks and other warehousing traffic
- These guard high-visibility yellow
- Made with high density polyethylene (HDPE)
- Crack and chipp resist
- Feature unique energy absorbing construction
- Anchors not included
- Can be mounted end to end
- **Sold in sets of 2 protectors**



Model No.	Dimensions					Wt. lbs.	Price /Set
	L"	x	W"	x	H"		
KH996	42	x	2	x	6	8	143.00
KH997	42	x	2	x	10	14	162.00

STEEL SAFETY BOLLARDS

- Bollards can be used both indoors and outdoors to protect work areas, racking and personnel
- Colour: Yellow



Model No.	Overall Length"	Overall Width"	Overall Height"	Price /Each
KA102	4.5	4.5	24	121.00
KA105	5.5	5.5	24	132.00
KA103	4.5	4.5	36	143.00
KA106	5.5	5.5	36	155.00
KA104	4.5	4.5	42	153.00
KA107	5.5	5.5	42	175.00
MO016	4.5	4.5	48	242.00
MO017	6.5	6.5	48	283.00

FOLD-DOWN STEEL BOLLARDS

- Unique fold-down design ideal for use in parking control and security
- 42" high when in upright position and 4" high when collapsed
- Can be locked in raised position with the use of a padlock (Not included)
- Base plate must be anchored to the ground (Anchors not included)
- Size: 1-3/4" Dia. (Outside) 42"H (Extended)

Model No. KH818 - Galvanized
Price/Each \$174.00




Model No. KH819 - Powder Coat Yellow
Price/Each \$174.00



SOFT EDGE FLEXIBLE WARNING & PROTECTION SYSTEMS

- Tough, flexible polyurethane foam extrusions reduce the risk of personnel injury at high risk corners
- When applied to machinery, furnishings and walls, Soft Edge prevents impact damages by absorbing even the hardest of impacts
- Highly visible black and yellow markings offer permanent warning in dangerous areas
- Simple "peel-away" adhesive installation on grease-free surfaces
- Excellent temperature range from -40 °C to 100 °C

Knuffi



Style	1 Metre Model No.	Price /Each	5 Metres Model No.	Price /Each
A	KH866	42.80	KH865	200.00
B*	KH868	44.10	KH867	199.00
C	KH870	45.50	KH869	203.00
D	KH872	55.20	KH871	273.00
E	KH952	43.80	KH953	214.00
F	KH954	42.50	KH955	212.00
G*	KH956	56.20	KH957	281.00
H	KH958	57.60	KH959	288.00

* Does not have peel-away adhesive. Held by pressure fit.

CORNER ACCESSORIES

Makes a neat corner where two foam bumper guards protection profiles meet.



MN379



MN380



MN381



MN382

Knuffi

Model No.	Description	Price /Each
MN379	2 Way - Use with Profile A	36.40
MN380	3 Way - Use with Profile A	38.80
MN381	2 Way - Use with Profile E	32.90
MN382	3 Way - Use with Profile E	35.90
MN383	2 Way - Use with Profile H	39.80
MN384	3 Way - Use with Profile H	42.00

POLYETHYLENE BOLLARD COVERS

- Enhance and protect the appearance of your steel bollards
- Reduce maintenance; avoid scraping and painting each spring
- Constructed of 1/8" UV stable polyethylene for durability
- Easy installation with patented GripperTabs™ included
- Colour: Safety yellow with reflective red tape or high visibility red with white reflective tape, for great visibility day or night
- 5-year warranty against fading and cracking



Yellow Model No.	Red Model No.	Fits Bollard Diameter"	Fits Bollard Length"	Wt. lbs.	Price /Each
KH806	KH836	4.5	52	7	81.70
KH808	KH838	4.5	64	9	90.50
KH809	KH839	6.6	52	8	99.70
KH810	KH840	6.6	60	9	104.00
KH811	KH841	6.6	72	10	113.00

ENCLOSURES

Rugged Kleton wire mesh partitions and enclosures provide maximum security at a minimal cost. It is ideal for the storage of tools, valuable inventory, hazardous materials and any area of your plant where restricted access is required.

Wire mesh panels permit full visibility and allow for unrestricted circulation of air, heat and light, providing an ideal storage facility.

- 2" x 2" x 10-gauge wire mesh
- 10-gauge frame (stiffeners included on all applicable sizes)
- Pre-drilled modular components allow for quick and easy installation
- Durable Kleton blue or safety yellow finish (Other colours available)



WIRE MESH PARTITION COMPONENTS

Everything necessary to create your own custom enclosure. Fast and easy assembly, multiple sizes available. Please follow these guidelines for determining the components required.

1. UNIVERSAL POSTS

A post must be placed at each end of every panel (or of every stack of panels). Be sure to calculate an extra 2" of overall wall length for each post added. When a post meets an existing wall, add one **KD115** wall bracket for proper support (fasteners are included with **KD115** to mount to post, not to wall).

Universal Posts




Blue Model No.	Price /Each	Yellow Model No.	Price /Each	Height	Wt. lbs.
KD053	45.59	KH860	48.24	8' 3"	22
KD046	123.00	KH922	159.00	10' 3"	27
KD050	145.00	KH923	167.00	12' 3"	32

2. PANELS

Whenever possible, stacking panels horizontally (one above the other) is more economical than placing them vertically (next to each other) - this is because fewer posts are required for wall support when panels are stacked.

Examples:

- For an 8' high partition, stack two **KD037** (8' x 4') panels horizontally
- For a 10' high partition, stack two **KD037** (8' x 4') and one **KD033** (8' x 2') panel horizontally
- For a 12' high partition, stack three **KD037** (8' x 4') panels horizontally




Panels

Blue Model No.	Price /Each	Yellow Model No.	Price /Each	Black Model No.	Price /Each	Frame Dimensions W' x H'	Wt. lbs.
KD121	89.09	KH926	113.00	RN615	82.39	4 x 1	10
KD120	125.00	KH927	133.00	RN616	108.00	8 x 1	21
KD030	113.00	KH928	125.00	RN617	94.39	2 x 2	10
KD031	111.00	KH929	123.00	RN618	97.39	3 x 2	11
KD032	59.03	KH914	59.03	KI278	59.03	4 x 2	12
KD033	86.35	KH915	84.69	KI279	84.69	8 x 2	31
KD034	98.31	KH916	102.66	KI280	98.31	8 x 3	40
KD035	145.00	KH930	158.00	RN619	129.00	3 x 4	20
KD036	75.08	KD130	75.08	KI281	75.08	4 x 4	23
KD037	98.31	KD131	107.88	KI282	96.57	8 x 4	45

3. ADJUSTABLE FILLER PANELS

Adjustable filler panels fill in blank spots on the ends of wire mesh partitions to plug up potential security risks. Filler panels come in two sizes: 1' x 4' and 1' x 8' that slide over the ends of existing wire mesh sections. Bolt holes on the filler panels are separated per every inch and allow the filler panel to fill in a space between 6" and 10" wide. The holes line up with holes on the existing panel which are drilled in at the top and bottom to securely fasten the filler panel in two places.

Adjustable Filler Panels



Blue Model No.	Price /Each	Yellow Model No.	Price /Each	Black Model No.	Price /Each	Dimensions W' x H'	Wt. lbs.
KD119	64.19	KH924	75.09	RN620	70.49	4 x 1	5
KD118	92.89	KH925	103.00	RN621	98.89	8 x 1	10



Safety Yellow

WIRE MESH PARTITION COMPONENTS (CONTINUED)

Everything necessary to create your own custom enclosure. Fast and easy assembly, multiple sizes available. Please follow these guidelines for determining the components required.



CUSTOMIZE IT TO YOUR SPECIFICATIONS.

4. SWING DOORS


HEAVY-DUTY

- Frame constructed with 1-1/4" x 1-1/4" square tube and 1" x 1" angle iron
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right (except the heavy swing door with wicket which swings open to the left only)
- Fasteners are included

STANDARD-DUTY

- Frame constructed with 1-1/4" x 1-1/4" angle iron frame
- All are 7' in height and include a 1' transom for a total of 8' height
- May swing outwards to the left or to the right
- Fasteners are included

Blue Model No.	Price /Each	Yellow Model No.	Price /Each	Black Model No.	Price /Each	Description	Dimensions W' x H'	Wt. lbs.
KD110	489.00	KH933	509.00	RN628	489.00	Heavy-Duty Swing Door	3 x 7	65
KH853	449.00	KH934	469.00	RN626	439.00	Standard-Duty Swing Door	3 x 7	54
KD111	469.00	KH935	529.00	RN629	509.00	Heavy-Duty Swing Door	4 x 7	74
KH854	449.00	KH936	459.00	RN627	439.00	Standard-Duty Swing Door	4 x 7	62
KD112	1079.00	KH937	1239.00	RN630	1199.00	Heavy-Duty Swing Door w/Wicket	4 x 7	85



5. SLIDING DOORS


HEAVY-DUTY

- Frame constructed with 1-1/4" x 1-1/4" square tube and 1" x 1" angle iron
- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width

STANDARD-DUTY

- Frame constructed with 1-1/2" x 1-1/2" angle iron frame
- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width

Blue Model No.	Price /Each	Yellow Model No.	Price /Each	Black Model No.	Price /Each	Description	Dimensions W' x H'	Wt. lbs.
KH852	286.00	KH938	286.00	RN625	264.00	Standard-Duty Sliding Door	4 x 8	71
KD106	319.00	KH939	319.00	RN622	309.00	Heavy-Duty Sliding Door	4 x 8	85
KD108	629.00	KH940	719.00	RN624	699.00	Heavy-Duty Sliding Door	8 x 8	122
KD107	1089.00	KH941	1249.00	RN623	1209.00	Heavy-Duty Sliding Door	8 x 10	148



6. HARDWARE REQUIRED

For Each Stacked Panel Add:

- 4 x MMH254, 4 x MMM966 for each 8' stacked panel
- 2 x MMH254, 2 x MMM966 for each stacked panel under 8' long

For Each Post Add:

- 8 x MMH262, 8 x MMM966, 2 x KD001 for each 8' 3" post
- 12 x MMH262, 12 x MMM966, 2 x KD001 for each 10' 3" post
- 12 x MMH262, 12 x MMM966, 2 x KD001 for each 12' 3" post

Blue Model No.	Price /Each	Yellow Model No.	Price /Each	Black Model No.	Price /Each	Description	Wt. lbs.
KD029	192.00	KH942	199.00	RN656	199.00	8' Door Track	16
KD028	232.00	KH943	222.00	RN655	222.00	Sliding Door Hardware Kit	6
KD115	15.19	KH944	18.99	-	-	Wall Bracket Kit	0.1
MMH254*	0.11	-	-	-	-	5/16" x 1" Carriage Bolt	0.01
MMH262*	0.18	-	-	-	-	5/16" x 3" Carriage Bolt	0.01
MMM966	0.03	-	-	-	-	Nut 5/16" Hex	0.01
KD001	0.58	-	-	-	-	3/8" Floor Anchors	0.01

* 1 x MMM966 is required for each MMH254 and MMH262

For Each Sliding Door Add:

- 1 x Sliding Door Hardware Kit, 1 x 8' Door Track for each 4' wide sliding door (see chart for colours)
- 1 x Sliding Door Hardware Kit, 2 x 8' Door Track for each 8' wide sliding door (see chart for colours)

ENCLOSURES



WIRE MESH PARTITION KITS

Rugged Kleton wire mesh partitions and enclosures provide maximum security at low cost for tools, valuable inventory, hazardous materials, and any area of your plant where restricted access is required. Bolt-down posts and reinforced panels provide the strength that your application demands. Standard **STOCK SIZES** include all basic bolt-together hardware required for fast and easy installation of modular wall and roof panels, and a standard 4' x 8' or 8' x 8' sliding door which may be located on any side, opening left-to-right or right-to-left. This system provides the versatility needed to expand or modify your enclosure quickly and at minimum cost. Order an enclosure with a roof for maximum security. **CUSTOM SIZES** can be designed to suit your special application regardless of the size required.

Colour: Kleton blue.




TYPE A - 2 SIDES





Unit Height	Overall Wall Size W x D	Standard Sliding Door Size W' x H'	Without Roof Model No.	Wt. lbs.	Price /Each	With Roof Model No.	Wt. lbs.	Price /Each
8'3"	12'8" x 8'4"	4 x 8	KD069	417	1496.00	KD070	670	2541.00
8'3"	16'8" x 12'6"	4 x 8	KD057	535	1778.00	KD058	1009	3481.00
8'3"	24'8" x 16'6"	8 x 8	KD061	682	2508.00	KD062	1485	5432.00
12'3"	12'8" x 8'4"	4 x 8	KD067	583	2271.00	KD068	836	3306.00
12'3"	16'8" x 12'6"	4 x 8	KD055	758	2643.00	KD056	1232	4359.00
12'3"	24'8" x 16'6"	8 x 8	KD059	977	3756.00	KD060	1780	6410.00

TYPE B - 3 SIDES



Unit Height	Overall Wall Size W x D	Standard Sliding Door Size W' x H'	Without Roof Model No.	Wt. lbs.	Price /Each	With Roof Model No.	Wt. lbs.	Price /Each
8'3"	12'8" x 8'4"	4 x 8	KD085	511	1783.00	KD086	758	2777.00
8'3"	16'8" x 12'6"	4 x 8	KD073	690	2356.00	KD074	1158	4043.00
8'3"	24'8" x 16'6"	8 x 8	KD077	878	3234.00	KD078	1677	6094.00
12'3"	12'8" x 8'4"	4 x 8	KD083	730	2868.00	KD084	977	3823.00
12'3"	16'8" x 12'6"	4 x 8	KD071	997	3558.00	KD072	1465	5251.00
12'3"	24'8" x 16'6"	8 x 8	KD075	1273	4835.00	KD076	2072	7468.00

TYPE C - 4 SIDES



Unit Height	Overall Wall Size W x D	Standard Sliding Door Size W' x H'	Without Roof Model No.	Wt. lbs.	Price /Each	With Roof Model No.	Wt. lbs.	Price /Each
8'3"	12'8" x 8'4"	4 x 8	KD101	688	2339.00	KD102	923	3306.00
8'3"	16'8" x 12'6"	4 x 8	KD089	912	3059.00	KD090	1368	4678.00
8'3"	24'8" x 16'6"	8 x 8	KD093	1190	4228.00	KD094	1975	7007.00
12'3"	12'8" x 8'4"	4 x 8	KD099	996	3598.00	KD100	1231	4565.00
12'3"	16'8" x 12'6"	4 x 8	KD087	1330	4701.00	KD088	1786	6320.00
12'3"	24'8" x 16'6"	8 x 8	KD091	1740	6129.00	KD092	2525	8912.00



ENCLOSURES

- Curtain partitions screen, isolate, enclose and protect any area of any size
- Commonly used in welding and paint shops, but can be used anywhere
- Brackets made of 16-gauge steel and designed for wall or ceiling mount but can be self supported by floor stands
- Large selection of drape material can be utilized with any curtain

DESIGN YOUR OWN CURTAIN

Curtains - Take exact length of area of enclosure and add 10% fullness for proper draping. Then multiply length and height to obtain square footage. Curtains hemmed on top and two sides 2" pocket on bottom side. Brass grommet spacing must be specified when placing an order. Refer to model number for square footage cost of fabric required.

Track - Straight and curved. Straight track available in 5' and 10' lengths. Curved corners are 3' long with 2' radius welded splicer on each end included. When using a curved track, length is increased by 2', e.g. 8' straight track with a curve at each end overall = 12'.

Carriers - Since curtains are made to any length be sure to add one additional carrier to actual length of curtain ordered. For example every 10' of curtain is fabricated with 11 grommets on top side. Therefore 11 carriers are required. A double carrier should be used at the beginning of each curtain. Steel roller carriers are permanently lubricated enclosed bearings.

Clamps - Available for flush ceiling/beam mounting and floor mounting. Clamps can also be used as track splicers. All fasten with supplied Allen bolts. Order sufficient clamps to support track every 5'.

Standards - When free standing uprights are required, be sure to specify clamps for fastening track on posts **KB032** (Posts are required every 8'). Other custom heights on application.

Note: All posts should be lagged or welded to floor as required.

TRACKS









Model No.	Description	Price /Each
KB017	5', 16 ga. Track	38.30
KB016	10', 16 ga. Track	76.80
KB029	Track Splicer	10.20
KB012	End Stop	3.19

ROLLERS

KB013	Single Nylon Roller 25 lbs., Cap. 1" Hook	5.19
KB018	Single Steel Roller 75 lbs., Cap. 1" Hook	14.10
KB019	Double Steel Roller 125 lbs., Cap. 1" Hook	51.20
KB014	Overlap By-Pass Roller 12" Long x 2-3/4" High	66.40

WALL MOUNTS

KB020	Wall Connector Bracket, Down	14.40
KB021	Wall Connector Bracket, Up	14.40
KB011	End Connector Fastener, Up	13.70
KB010	End Connector Fastener, Down	13.70




CURTAINS

Model No.	Description	Price /Each
KB040	10 oz./sq.yd., Before Treatment Cotton Duck, Flame Resistant Army Green	4.38/sq.ft.
KB004	14 mil Yellow PVC, Flame Resistant	3.17/sq.ft.
KB003	14 mil Green PVC, Flame Resistant	3.17/sq.ft.
KB038	20 mil Clear PVC, Flame Resistant	3.83/sq.ft.

Note: Other colours are available.


FLOOR MOUNTS

Model No.	Description	Price /Each
KB009	3' 90° Curve Track	209.00
KB025	Track Splicer	69.50
KB027	90° Corner Connector	76.40
KB024	3-Way T-Connector	83.70
KB032	8' Square Post	109.00
KB005	12" x 12" Base	99.50




BEAM MOUNTS/SUSPENSION

KB008	3' 90° Curve Track	169.00
KB031	Ceiling Clamp	15.90
KB028	90° Corner Connector	54.80
KB023	3-Way T-Connector	69.10



CEILING MOUNTS

KB007	3' 90° Curve Track, 3 flush connectors	169.00
KB030	Track Splicer	19.60
KB026	90° Corner Connector	49.30
KB022	3-Way T-Connector	60.70



ENCLOSURES

STRIP CURTAIN DOORS

Everything you need in one package to install your own strip curtain door and save money!

ORDERING INFORMATION

Every strip curtain door comes complete with PVC strips, universal mounting header, hardware to attach strips and simple to follow installation instructions for door or wall mounting.

Note: If mounting on door above lintel, measure from floor to mounting height.

2. Select type of PVC material required: STANDARD or LOW TEMP.

Standard recommended for temperatures from -23°C to 66°C.

Low Temp. recommended for interior use only for temperatures from -40°C to 66°C.

3. Select from the standard sizes listed in the chart below.

Note: If required size is not available, order the next largest size. Installation instructions describe how simple trimming can custom fit almost any door opening.

4. Special size doors and hanging applications are available upon request.

5. For overhead doors, please call one of our sales representatives for assistance.



INTERIOR DOORS




Save energy costs

- The optimal solution to open door heat/cooling loss

Reduce noise pollution

- Provides the ideal acoustical barrier around noisy equipment

CONVEYORS




Provide extra safe passage

- People can see and be seen so there's less chance of accidents

Control smoke, dust and sprays

- Strip curtains can control in-plant contaminants to improve employee environment

DOCKS



Low maintenance

- Clear flexible vinyl resists stretching and stands up to abrasion
- All aluminum hardware is used for maximum durability
- May be quickly and easily cleaned with detergents or cleansing agents that are free from abrasives
- Deep stains and ingrained dirt can be removed by carefully applying ethanol



Customize it to your specifications.



Every strip curtain door comes complete with PVC strips, universal mounting header, hardware to attach strips and simple to follow installation instructions for door or wall mounting.

EASY TO ORDER

It's easy to order the strip curtain that fits your door exactly because seven standard sizes can be made to fit 95% of most door openings.

Special sizes are available.

IN-STOCK DELIVERY

We have the strip curtain package you need, in-stock, ready to be delivered to your door.

STANDARD DOOR SIZES

Strip Size	Door Opening W' x H'	Wt. lbs.	Model No. Standard	Price /Each	Model No. Low Temp.	Price /Each
8" (8" x 0.080)	4 x 7	25	KF022	158.00	KF004	179.00
	5 x 8	35	KF023	214.00	KF005	234.00
	6 x 8	40	KF024	244.00	KF006	266.00
12" (12" x 0.120)	8 x 8	80	KF026	419.00	KF008	539.00
	8 x 10	100	KF025	539.00	KF007	579.00
	10 x 10	125	KF020	689.00	KF002	719.00
	12 x 12	175	KF021	889.00	KF003	999.00

Note: Doors with 8" strips have 2" standard overlap. Doors with 12" strips have 4" standard overlap.


REPLACEMENT STRIPS - 5 PER CARTON

Strip Size	Wt. lbs.	Model No. Standard	Price /Each	Model No. Low Temp.	Price /Each
8" x 0.080 x 8'	15	KF032	99.99	KF013	105.00
12" x 0.120 x 12'	45	KF029	224.00	KF011	266.00

BULK ROLLS

Strip Size	Colour	Roll'	Wt. lbs.	Model No. Standard	Price /Each	Model No. Low Temp.	Price /Each
8" x 0.080	Clear	300	99	KI226	396.00	KI224	437.00
12" x 0.120	Clear	200	150	KI225	576.00	KI223	681.00
8" x 0.080	Dark Amber	300	99	ML959*	1119.00	-	-

* For welding applications.



FIXED MOUNTING SYSTEM

Model No.	Description	Price/Each
KF001	Complete 4' aluminum angle mount	49.99

CUSTOM STRIP DOORS

In some applications strip curtain door kits can not be used. However, custom doors can be designed to fit your application. Generally strip curtain material is available in 8" and 12" standard and low temperature versions. Commonly used mounting hardware includes universal mount aluminum angle, straight roller track and hinged roller track. For special applications the "ordering information" provided will help you determine the type of system you will require. Our customer service representatives are also available, should you require any assistance. Please call for special pricing whenever square footage is required.


ORDERING INFORMATION

- 1) Determine the type of mounting system required: angle mount or sliding door. Other custom doors can be designed.
- 2) Choose overlapping requirement based on the location and type of traffic involved.
- 3) Measure door opening giving proper allowances for the type of mounting system.
- 4) Calculate approximate amount of square feet required.

OVERLAPPING METHODS

Overlapping with Kleton custom doors offers three basic overlap methods. With holes on 1" centres, almost any overlap is possible. Our standard doors under 6' x 8' use 1/2 overlap. Doors over 8' x 8' use 2/3 overlap.

1/2, 2/3 overlap are the most common and are recommended for moderate temperature differential and personnel equipment passage. Full overlap is recommended for large temperature differentials and light winds, also ideal for noise control and doors in excess of 12' high.




FIXED MOUNTING SYSTEM

Universal aluminum angle mount can be used for both wall or lintel mount applications. Measure door opening, for wall mount add 6", lintel mounts use exact dimension. Angle comes in 4' sections, please indicate if a solid one length angle is required. All hardware included.

Model No. KF001 Aluminum Angle Per 4 ft. Complete
Price/Each \$49.99

SLIDING STEEL DOOR MOUNT

Strips are attached to a trolley assembly. The mechanism enables removal of strip material from door opening. Allowing unobstructed traffic movement. The "curtain-like" structure can be parted on either side or in the middle. Allow sufficient wall space on either side of door as needed. Track available in 5' or 10' lengths, cut lengths available. Trolley assembly available in 2' and 3' length with steel wheels, all trolleys interconnect. Also available in hinged roller track for curved door systems.



Model No.	Description	Price /Each
KB016	Roller Track 10'	76.80
KB017	Roller Track 5'	38.30
KB034	Roller Assembly 2' Steel Rollers	63.60
KB035	Roller Assembly 3' Steel Rollers	80.10

Model No.	Description	Price /Each
KB033	Hinged Trolley 1' Section	43.40
KB012	Track End Stop	3.19
KB020	Track Mounting Bracket/Coupler	14.40
KB036	4' Pull Rope	28.50

Note: Special sizes available.

THE GUARDIAN® SCATTER-FREE GLUEBOARD FLYTRAPS

- Lure flies and other pesky flying insects with a UV black light lamp to sticky glueboards
- Discreetly concealed in the front of the unit
- Capture and containment is invisible and silent
- Equipped with T8 diameter (energy efficient) lamps and 6' (1.83 m) electric cord
- Units may be either wall mounted or set to stand alone
- For best results the attraction lamp should be directly visible to an insect's flight path
- Continuous (24 hour) use is recommended
- Ideal for areas where other insect control devices are inadequate or not allowed:
 - Dining rooms/cafeterias/lunchrooms
 - Kitchens/deli prep
 - Fast food operations
 - Supermarket deli's/bakeries/meat, produce and seafood departments
 - Hospitality service areas
 - Waiter/wash stations
 - Testing laboratories
 - Veterinaries/small animal surgery
- Includes four glue boards
- Sand beige textured steel
- FDA accepted



ND248

INSECT-O-CUTOR

Model No.	Mfg. No.	Description	Price /Each
ND248	GE18	Flytrap 18-1/4" W x 5-1/4" D x 5-1/4" H	662.00
ND249	GE36	Flytrap 36-1/2" W x 5-1/4" D x 5-1/4" H	813.00
ND250	GB4-12	Glueboards, 12 pack	55.00
ND252	18	Replacement T-8 black Light for ND248	51.00
ND253	36	Replacement T-8 black Light for ND249	66.00

SERIES 7194E VERTICAL WALL MOUNT INSECT LIGHT TRAPS

- Ideal for warehouses, between loading docks, high traffic corridors
- Energy efficient-equipped with electronic ballasts and T8 diameter lamps reduce average electrical consumption by 26% to 40%
- Overall light out is increased 8% to 15% per lamp
- Power input: 110/120 V
- Power output: 4000 V
- Includes 3-36" T8 black light insect attraction lamps
- Internal metal insect collection drawer
- 3-wire ground cord and plug
- Rear keyhole slots for wall mounting
- Available in stainless steel or aluminized construction
- Unit dimensions: 16" W x 5-1/4" D x 45-1/4" H
- Note: Unit must be grounded
- ETL approved



NE484

INSECT-O-CUTOR

Model No.	Mfg. No.	Description	Price /Each
NE483	7194EDGA	Aluminized Steel	2555.00
NE484	7194EDGS	Stainless Steel	2962.00
ND253	36	Unfiltered T-8 Bulb	66.00
NE487	36B	Filtered T-8 Bulb	172.00

BINS & SUPPORTS

HI-STAK PLASTIC BINS

- Innovative stacking design allows for greater visibility and easier access to contents
- Distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline and most acids
- Ideal in production or for store display
- Included with each bin: I.D. card with clear plastic shield, four riser legs and connector clip



Inclined faceplate with removable label and protector



KLETON



1" riser legs increase loading capacity and stability



Stackable using built-in feet



Connector clip allows for back-to-back mounting




Built-in extrusions allow side-by-side interlock

Model No.				Outside Dimensions				Wt. lbs.	Price /Each	Faceplate & Label		Price /Each	Replacement Legs		Price /Package
Blue	Yellow	Green	Red	W"	x	D"	x			Model No.			Model No.		
CB260	CB261	CC234	CC242	4 13/16	x	7 1/8	x	3 3/16	0.10	2.50	CC441	0.35	CC263		2.65
CB262	CB263	CC235	CC243	5 7/8	x	9 13/16	x	4 11/16	0.15	4.35	CC441	0.35	CC263		2.65
CB264	CB265	CC236	CC244	8 3/16	x	14	x	6 3/16	0.35	8.35	CC443	0.75	CC437		3.95
CC239	CC240	CC237	CC245	7 7/8	x	17 11/16	x	7	0.55	13.65	CC443	0.75	CC437		3.95
CB266	CB267	CC238	CC246	11 13/16	x	17 11/16	x	7	0.60	16.75	CC443	0.75	CC437		3.95

Note: Add 1 inch to overall height when stacking on legs.

WIRE MESH STACK & HANG BINS

- Innovative mesh design offers nickel-chrome finish and a 3/8" x 3/8" grid pattern allowing complete visibility of bin contents
- This unique mesh pattern provides a dust and dirt free storage environment
- Mesh Bins feature a rear hanger that allows them to hang from any louvered wall panel or rail system
- Optional side hangers allow bin to stack one on top of the other
- The open hopper design allows for easy picking while allowing visual access to stored contents
- Material: Wire mesh
- Colour: Nickel-chrome
- Capacity: 100 lbs. Hang/175 lbs. Stack



Optional Divider



SEE PAGE 1015 FOR LOUVERED PANELS

CF751

CF755



QUANTUMTM
STORAGE
SYSTEMS

BINS

Model No.	Mfg. No.	Outside Dimensions					Inside Dimensions					Price /Each	Model No.	Mfg. No.	Price /Each
		W"	x	D"	x	H"	W"	x	D"	x	H"				
CF751	QMB510C	4 1/4	x	5 1/4	x	3	4	x	4 3/4	x	2 7/8	21.40	CF766	DMB510C	9.32
CF752	QMB520C	4 1/4	x	7 1/4	x	3	4	x	6 3/4	x	2 7/8	24.10	CF767	DMB520C	10.90
CF753	QMB530C	5 1/2	x	10 3/4	x	5	5 1/2	x	10 1/4	x	4 3/4	30.80	CF768	DMB530/535C	15.60
CF754	QMB535C	11	x	10 3/4	x	5	10 3/4	x	10 1/4	x	4 3/4	46.40	CF768	DMB530/535C	15.60
CF755	QMB539C	8	x	10 1/2	x	7	7 1/2	x	10	x	6 3/4	37.40	CF769	DMB539C	16.20
CF756	QMB540C	8	x	14 1/2	x	7	7 2/5	x	14	x	6 3/4	50.70	CF770	DMB540/550C	18.80
CF757	QMB550C	16 1/4	x	14 1/2	x	7	15 3/4	x	14	x	6 3/4	68.90	CF770	DMB540/550C	18.80
CF758	QMB560C	11	x	18 1/2	x	10 1/8	10 5/8	x	18 1/16	x	10	93.40	CF771	DMB560/570C	26.90
CF759	QMB570C	17 1/8	x	18 1/2	x	11 1/8	16 5/8	x	18 1/8	x	11	116.00	CF771	DMB560/570C	26.90


SIDE HANGERS*

Model No.	Mfg. No.	Description	Price /Each
CF760	HMB510C	For Bin CF751	6.18
CF761	HMB520C	For Bin CF752	6.37
CF762	HMB530/535C	For Bin CF753/CF754	7.06
CF763	HMB539C	For Bin CF755	7.53
CF764	HMB540/550C	For Bin CF756/CF757	7.15
CF765	HMB560/570C	For Bin CF758/CF759	8.51

*Hangers sold per pair





CF760



Optional Side Hangers

KLETON STACK & HANG BINS

- Designed to hang from bin racks, panels, rails and carts
- Bins reduce and control inventories, shorten assembly times and minimize parts handling
- Reinforced ribs, on both sides, prevent bins from spreading under loads
- Front, back and side grips for easy handling
- Stackable



KLETON

1. Full width hanger supports bins when suspended from louvered panels or rails
2. Reinforced rib design adds strength and prevents spreading when stacked
3. Extra-wide ledges for secure stacking and stability
4. Large front label slots ideal for larger bar code scanning and content identification
5. Anti-slide stop prevents stacked bins from shifting forward
6. Optional dividers increase storage options
7. Optional windows maximize storage capacity, prevent spillage and protect parts from dust and dirt

Blue	Red	Yellow	Green	Black	Series	Outside Dimensions				Inside Dimensions				Bottom Depth X"	Load Cap. lbs.	Price /Each	Uses Divider	Price /Each	Uses Clear Window	Price /Each		
						W"	x	D"	x	H"	W"	x	D"								x	H"
CF820	CF822	CF823	CF821	CF824	30210	4-1/8	x	5-3/8	x	3	3-7/16	x	4-3/4	x	2-13/16	4	10	P.O.A.	CB825	P.O.A.	-	
CF825	CF827	CF828	CF826	CF829	30220	4-1/8	x	7-3/8	x	3	3-7/16	x	6-3/4	x	2-13/16	6	10	P.O.A.	CB826	P.O.A.	-	
CF830	CF832	CF833	CF831	CF834	30230	5-1/2	x	10-7/8	x	5	4-3/8	x	10-1/4	x	4-3/4	9	30	P.O.A.	CB829	P.O.A.	CB814	P.O.A.
CF835	CF837	CF838	CF836	CF839	30235	11	x	10-7/8	x	5	10	x	10-1/4	x	4-3/4	9	50	P.O.A.	CB829	P.O.A.	CB815	P.O.A.
CF840	CF842	CF843	CF841	CF844	30239	8-1/4	x	10-3/4	x	7	6-9/16	x	10	x	6-3/4	8	50	P.O.A.	CB830	P.O.A.	CB818	P.O.A.
CF845	CF847	CF848	CF846	CF849	30240	8-1/4	x	14-3/4	x	7	6-9/16	x	14	x	6-3/4	12	60	P.O.A.	CB831	P.O.A.	CB818	P.O.A.
CF850	CF852	CF853	CF851	CF854	30250	16-1/2	x	14-3/4	x	7	14-3/4	x	14	x	6-3/4	12	75	P.O.A.	CB831	P.O.A.	CB819	P.O.A.

DIVIDERS

- Maximizes flexibility, keeps contents organized
- Allows for the separation of contents in bins
- Installed in a back to front position

KLETON



Model No.	Description	Dividers per Case	Price/Each
CB825	For 5-3/8" D x 3" H Bin	6	P.O.A.
CB826	For 7-3/8" D x 3" H Bin	6	P.O.A.
CB829	For 10-7/8" D x 5" H Bin	6	P.O.A.
CB830	For 10-3/4" D x 7" H Bin	6	P.O.A.
CB831	For 14-3/4" D x 7" H Bin	6	P.O.A.

BIN BUDDY™ & TRI-DEX™ LABEL HOLDERS

- Clear self-adhesive backing adheres to any plastic or metal container
- Clear bar code compatible window protects label from dirt and moisture
- Tri-Dex™ label holders snap into bin slots protecting label or barcode
- Includes a set of laser/ink jet compatible labels, 25/pack
- Extra refill labels are also available, sold 50/pack

ALH
AIGNER LABEL HOLDER

OK113

Bin not included



CLEAR WINDOWS

- Crystal styrene window front increases bin capacity
- Provides quick view on bin contents
- Snaps quickly into place


KLETON



Model No.	Description	Windows per Case	Price/Each
CB814	5-1/2" W x 5" H	12	P.O.A.
CB815	11" W x 5" H	6	P.O.A.
CB818	8-1/4" W x 7" H	6	P.O.A.
CB819	16-1/2" W x 7" H	6	P.O.A.

CLEAR COVER

- Provides high visibility and accessibility to bin contents
- Easy snap-in installation due to integrated hinge pins
- Clear covers protects from dust, dirt, and debris
- Can be used with dividers



QUANTUM™
STORAGE
SYSTEMS

Model No.	Description	Covers per Case	Price/Each
CF855	For 5-3/8" D x 4-1/8" W x 3" H Bin	24	3.12
CF856	For 7-3/8" D x 4-1/8" W x 3" H Bin	24	4.19
CF857	For 10-7/8" D x 5-1/2" W x 5" H Bin	12	7.92
CF858	For 10-7/8" D x 11" W x 5" H Bin	6	9.41
CF859	For 10-3/4" D x 8-1/4" W x 7" H Bin	6	8.90
CF860	For 14-3/4" D x 8-1/4" W x 7" H Bin	12	10.40

RECYCLED PLASTIC BINS

- Manufactured from recycled 100% post consumer, high density polyethylene
- Available in black only



QUANTUM™
STORAGE
SYSTEMS

Model No.	Mfg. No.	Outside Dimensions				Price /Each	Dividers	Price /Each
W" x D" x H"	W" x D" x H"	W" x D" x H"	W" x D" x H"	W" x D" x H"	W" x D" x H"	W" x D" x H"	W" x D" x H"	W" x D" x H"
CC553	QUS210BR	4/18 x 5 3/8 x 3	2.06	CB825	0.92			
CC554	QUS220BR	4/18 x 7 3/8 x 3	3.50	CB826	1.01			
CC555	QUS230BR	5 1/2 x 10 7/8 x 5	8.81	CB829	1.59			
CC558	QUS235BR	11 x 10 7/8 x 5	13.60	CB829	1.59			
CC559	QUS239BR	8 1/4 x 10 3/4 x 7	14.70	CB830	2.58			
CC560	QUS240BR	8 1/4 x 14 3/4 x 7	17.40	CB831	3.47			
CC562	QUS250BR	16 1/2 x 14 3/4 x 7	24.30	CB831	3.47			


BINS & SUPPORTS

QUANTUM™ BINS

- Heavy-duty, virgin, high density polypropylene/polyethylene
- Autoclavable up to 250° F
- Large multiple label slots
- Stackable
- Optional dividers and clear windows available for most units
- Hangs on louvered panels, rails and carts



CD669



DIVIDERS ONLY

											Depth Divider		Clear Window	
Black	Blue	Yellow	Model No.	Model No.	Model No.	Mfg. No.	Outside Dim.	Qty /Case	Bin load Cap. lbs.	Price /Each	Model No.	Price /Each	Model No.	Price /Each
			Red	Ivory	Green		W" x D" x H"							
CC975	CB739	CB741	CB744	CB745	CC264	QUS 200	4 1/8 x 5 x 3	24	8	1.89	CB824	1.95	-	-
CC976	CB747	CB750	CB751	CB753	CC265	QUS 210	4 1/8 x 5 3/8 x 3	24	10	2.11	CB825	0.92	-	-
CC977	CB756	CB757	CB759	CB762	CC266	QUS 220	4 1/8 x 7 3/8 x 3	24	10	3.61	CB826	1.01	-	-
CF376	CF377	CF378	CF379	CF380	CF381	QUS 221	6 x 9 1/4 x 5	12	20	5.00	CF501	3.42	CF560	2.64
CD276	CD249	CD262	CD263	CD264	CD265	QUS 224	4 1/8 x 10 7/8 x 4	12	30	5.44	CD250	3.62	CD266	2.64
CC978	CB763	CB765	CB766	CB768	CC267	QUS 230	5 1/2 x 10 7/8 x 5	12	30	9.07	CB829	1.59	CB814	2.74
CC974	CC971	CC972	CC973	CC990	CC970	QUS 234	5 1/2 x 14 3/4 x 5	12	50	10.60	CC569	4.40	CB814	2.74
CC980	CB775	CB777	CB778	CB780	CC269	QUS 235	11 x 10 7/8 x 5	6	50	14.00	CB829	1.59	CB815	3.91
CC576	CB781	CB783	CB784	CB786	CC270	QUS 239	8 1/4 x 10 3/4 x 7	6	50	15.10	CB830	2.58	CB818	3.52
CC577	CB787	CB789	CB790	CB792	CC271	QUS 240	8 1/4 x 14 3/4 x 7	12	60	17.90	CB831	3.47	CB818	3.52
CF382	CF383	CF384	CF385	CF386	CF387	QUS 241	8 1/4 x 13 5/8 x 6	12	60	17.70	CF394	5.19	CF396	3.52
CF388	CF389	CF390	CF391	CF392	CF393	QUS 242	8 1/4 x 13 5/8 x 8	12	60	19.20	CF395	6.07	CF397	4.11
CC983	CC282	CC283	CC284	CC285	CC286	QUS 245	16 1/2 x 10 7/8 x 5	6	60	21.00	CC297	3.72	CC300	7.64
CC578	CB794	CB795	CB796	CB797	CC272	QUS 250	16 1/2 x 14 3/4 x 7	6	75	20.40	CB831	3.47	CB819	7.73
CC579	CB798	CB800	CB801	CB802	CC273	QUS 255	11 x 16 x 8	4	75	25.40	CB833	10.30	CB820	6.46
CC580	CB803	CB804	CB806	CB807	CC274	QUS 260	11 x 18 x 10	4	75	38.00	CB834	5.28	CB821	6.55
CC581	CC287	CC288	CC289	CC290	CC291	QUS 265	8 1/4 x 18 x 9	6	60	27.50	CC298	9.40	CC301	6.17
CC582	CB808	CB809	CB810	CB811	CC275	QUS 270	16 1/2 x 18 x 11	3	75	41.10	CB835	10.30	CB822	9.21
CD674	CD669	CD670	CD671	CD673	CD672	QUS 275MOB*	16 1/2 x 18 x 14	3	-	68.00	CB835	10.30	CB822	9.21

* Mobile unit

OPEN HOPPER STORAGE SHELF UNITS

QUS 239 SERIES

- 28 QUS 239 Series bins
- 11" L x 8 1/4" W x 7" H
- 8 heavy-duty grey enamel shelves
- Dimensions: 36" W x 12" D x 76" H
- Capacity: 630 lbs. per shelf
- Shipped knocked down



CF118

QUS 240 SERIES

- 28 QUS 240 Series bins
- 14 3/4" L x 8 1/4" W x 7" H
- 8 heavy-duty grey enamel shelves
- Dimensions: 36" W x 12" D x 76" H
- Capacity: 630 lbs. per shelf
- Shipped knocked down



CF126

QUS 250 SERIES

- 14 QUS 250 Series bins
- 14 3/4" L x 16 1/2" W x 7" H
- 8 heavy-duty grey enamel shelves
- Dimensions: 36" W x 12" D x 76" H
- Capacity: 630 lbs. per shelf
- Shipped knocked down



CF132

QUS 240 & 230 SERIES

- 7 QUS 240 Series bins
- 14 3/4" L x 8 1/4" W x 7" H
- 36 QUS 230 Series bins
- 10 7/8" L x 5 1/2" W x 5" H
- 9 heavy-duty grey enamel shelves
- Dimensions: 36" L x 12" D x 76" H
- Capacity: 630 lbs. per shelf
- Shipped knocked down



CF135

Black	Blue	Yellow	Model No.	Model No.	Model No.	Description	No. of Shelves	Price /Each
			Red	Ivory	Green			
QUS 239 SERIES BINS SHELF UNIT								
CF176	CF118	CF119	CF120	CF121	CF122	Starter	8	726.00
CF180	CF140	CF141	CF142	CF143	CF144	Add-On	8	663.00
QUS 240 SERIES BINS SHELF UNIT								
CF178	CF123	CF124	CF125	CF126	CF127	Starter	8	799.00
CF182	CF150	CF151	CF152	CF153	CF154	Add-On	8	737.00


Black	Blue	Yellow	Model No.	Model No.	Model No.	Description	No. of Shelves	Price /Each
			Red	Ivory	Green			
QUS 250 SERIES BINS SHELF UNIT								
CF177	CF128	CF129	CF130	CF131	CF132	Starter	8	661.00
CF181	CF145	CF146	CF147	CF148	CF149	Add-On	8	599.00
QUS 240 & 230 SERIES BINS SHELF UNIT								
CF179	CF133	CF134	CF135	CF136	CF137	Starter	10	792.00
CF183	CF175	CF155	CF156	CF157	CF158	Add-On	10	730.00

METAL BIN SUPPORT RACKS

- Louvered bin panels can be wall-mounted, attached to back of shelving, mounted on benches, carts, inside cabinets, fastened to slotted angle components or used for service truck interiors
- Bins are easily removed, refilled and replaced
- Each heavy-duty panel is 16-gauge cold-rolled steel
- Slotted holes 3/4" L x 3/8" W at 6" centres simplify installation
- Kleton grey powder coated
- Installation Note:** Panels must be securely fastened to materials of adequate load bearing strength
- Each panel must be secured vertically at the centre

KLETON

CF412
Bins not
included



Model No.	Panel Size			Wt. lbs.	Price /Each
	W"	x	H"		
CF411	18	x	19	6	24.00
CF412	36	x	19	12	42.60

BIN QUANTITY TABLE

Quantity of identical plastic bins that fit model CF412 panel

Combined Panel Height 35 3/4" Wide		Bin CF820	Bin CF825	Bin CF830	Bin CF835	Bin CF840	Bin CF845	Bin CF850
1 Panel	= 19" H	32	32	18	9	8	8	4
2 Panels	= 37" H	72	72	36	18	18	16	8
3 Panels	= 55" H	104	104	54	27	28	28	14
4 Panels	= 73" H	144	144	72	36	36	36	18

For CF411 Panel, use 1/2 of bin quantities shown above.

BIN CARTS

- All-welded bin cart
- Work surface made of 14-gauge steel
- Includes bolted on 5" non-marking casters and 2 louvered bin panels
- 1000-lb. capacity
- Durable Kleton blue finish



CB365



CB367

KLETON

Model No.	Description	Cart Dimensions				Wt. lbs.	Price /Each		
		W"	x	D" x	H"				
CART ONLY									
CB365	Cart only	24	x	38 1/2 x	36 1/2	95	769.00		
CART & BIN COMBINATION									
Blue	Red	Yellow	Green						
CB366	CB367	CB368	CB689	24	x	38 1/2 x	36 1/2	133	986.00

BINS SUPPLIED


Bin Qty	Bin Dimensions				H"
	W"	x	D" x	H"	
16	8 1/4	x	14 3/4 x	7	
4	16 1/2	x	14 3/4 x	7	

QUANTUM® LOUVERED PANEL

- Ideal for mounting plastic hanging or wire mesh bins
- All welded construction
- Resists to any build-up of dust or dirt
- Mounting clips are included and can be fastened to any surface
- Mounting screws sold separately as they differ based on the type of surface
- Bins Included: No

SEE PAGE 1012
FOR WIRE MESH
STACK+HANG BINS

CF995
Bins not
included



QUANTUM™
STORAGE
SYSTEMS

Model No.	Overall Dimensions			Price /Each
	W"	x	H"	
CF994	36	x	18	100.00
CF995	36	x	30	174.00
CF996	48	x	30	195.00

DIRECT MOUNT CLIP

- Allows for louvered panel to be fastened to any surfaces such as wall, wood, concrete, and drywall
- Mounting screws sold separately as they differ based on the type of surface
- Qty/Pkg.: 4



Model No.	Price /Each
CF997	8.59

QUANTUM™
STORAGE
SYSTEMS

OFFSET MOUNT CLIP

- Allows for louvered panel to be mounted away from a wall surface
- Ideal for reaching behind the panel to clean
- Qty/Pkg.: 4



Model No.	Price /Each
CF998	8.71

QUANTUM™
STORAGE
SYSTEMS

BIN-CLIP™ HOLDERS

- Easily clips on most standard size bins and can be moved to other locations with no hassle
- Clip-on compression clamp makes label changing and bin rotating effortless
- Bar code compatible to ensure accurate and consistent scanning
- The UV treated clear window cover protects label inserts against dust, abrasion, humidity, chemicals and light
- Laser/inkjet sheets included
- Length: 3"
- Thickness: 0.1875"
- Height: 1"
- Plastic Colour: Clear
- Qty/Pkg.: 25



ALH
AIGNER LABEL HOLDER

Model No.	Mfg. No.	Price /Each
CF801	BC-13	49.80

BINS & SUPPORTS

MOBILE BIN RACKS

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable Kleton blue enamel finish

KLETON

RACK ONLY

Model No.	Description	Rack Type	Dimensions	Wt. lbs.	Price /Each
W" x D" x H"					
CB359	Rack only	Single	36 x 16 x 46-1/2	60	429.00
CB649	Rack only	Double	36 x 24 x 67-1/2	120	729.00

RACK & BIN COMBINATION

Blue	Model No.			Rack Type	Dimensions				Wt. lbs.	Price /Each	
	Red	Yellow	Green		W"	x	D"	x			H"
CB650	CB651	CB652	CB681	Single	36	x	16	x	52	83	586.00
CB089	CB090	CB091	CB683	Double	36	x	24	x	63	187	1201.00

BINS SUPPLIED WITH CART & BIN COMBINATION:

Bin Qty	Bin Dimensions	W" x D" x H"
W" x D" x H"		
SINGLE SIDED RACK		
36	5 1/2 x 10 7/8 x 5	
DOUBLE SIDED RACK		
32	4 1/8 x 5 3/8 x 3	
16	4 1/8 x 7 3/8 x 3	
24	5 1/2 x 10 7/8 x 5	
16	8 1/4 x 14 3/4 x 7	
8	16 1/2 x 14 3/4 x 7	

STATIONARY BIN RACKS

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double-sided racks to meet your storage needs
- Durable Kleton blue enamel finish



Round hook



Square hook

KLETON

RACK ONLY

Model No.	Description	Rack Type	Rack Dimensions	Wt. lbs.	Price /Each
W" x D" x H"					
CB373	Rack only	Single	36 x 12 x 61	60	379.00
CB653	Rack only	Double	36 x 24 x 61	100	529.00

RACK/BIN COMBINATION

Model No.					Rack Type	Overall Bin Dimensions			Bin Qty	Capacity lbs.	Price /Each
Blue	Red	Yellow	Green	W" x D" x H"							
CB654	CB655	CB656	CB685	Single	8 1/4 x 14 3/4 x 7	28	1680	649.00			
CB370	CB371	CB372	CB687	Double	8 1/4 x 14 3/4 x 7	56	3360	1082.00			

ACCESSORIES FOR LOUVERED PANELS

Model No.	Description	Price/Each
CC165	Round Hook, 6"	37.19
CC166	Round Hook, 12"	38.99
CC167	Square Hook, 6"	35.19
CC168	Square Hook, 12"	37.19

SINGLE SIDED

- Includes 3" casters and two louvered panels
- Capacity: 800 lbs.



CB359 Single sided

DOUBLE SIDED

- Includes bolted-on 5" non-marking casters and six louvered panels
- Capacity: 1000 lbs.



CB090 Double sided

MIX & MATCH

Need more bins that will fit the products on this page
See pages 1013-1014



BIN/PEGBOARD COMBO RACK

- Mobile rack designed with (1) side pegboard & (1) side louvered panels (2 continuous)
- All-welded construction
- Square tube frame with angle iron base
- Equipped with (4) 5" non-marking, blue rubber casters (2 swivel, 2 rigid)
- Durable Kleton Blue enamel finish
- Bins not included
- Unit Type: Double-sided



KLETON

Model No.	Capacity lbs.	Rack Dimensions	Price /Each
W" x D" x H"			
RN555	1000	38 x 24-1/2 x 55	699.00

BENCH LOUVERED RACKS

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Durable Kleton blue enamel finish

36" FREE STANDING RACKS


- Free standing unit made of 1" square tube frame
- May be placed on any flat surface near a worksite without the need for bolts or fasteners

72" BOLT-ON RACKS

- Constructed of 1 1/4" square tube frame
- Designed to be permanently installed on a 72" wide workbench



KLETON



CB147

MIX & MATCH

Need more bins that will fit the products on this?
See page 1013-1014



RACK ONLY

Model No.	Rack Type	W"	x	Dimensions D"	x	H"	Wt. lbs.	Price /Each
CB363	Free Standing	36	x	10	x	22	22	169.00
CB364	Bolt-On	72	x	15	x	40	95	609.00

RACK/BIN COMBINATION

Red	Blue	Model No.	Yellow	Green	Overall Bin Dimensions W" x D" x H"	Bin Qty	Bin Capacity lbs.	Price /Each
36" LOUVERED								
CB146	CB145	CB147	CF359		4 1/8 x 5 3/8 x 3	32	320	220.00
CB152	CB151	CB153	CF361		4 1/8 x 7 3/8 x 3	32	320	233.00
CB155	CB154	CB156	CF363		5 1/2 x 10 7/8 x 5	18	540	251.00
72" LOUVERED								
CB173	CB172	CB174	CF365		4 1/8 x 7 3/8 x 3	144	1440	900.00
CB176	CB175	CB177	CF367		5 1/2 x 10 7/8 x 5	72	2160	947.00
CB185	CB184	CB186	CF369		8 1/4 x 14 3/8 x 7	36	2160	950.00

CB176
Bench rack
with bins



Work bench not included

DEEP DOOR COMBINATION CABINETS

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated Kleton grey finish
- Padlock sold separately

84 BIN CABINETS

- 4 reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded into the cabinets doors

CABINET ONLY

Model No.	Description	W"	x	Dimensions D"	x	H"	Wt. lbs.	Price /Each
CB442	Cabinet only	38	x	24	x	72	324	1879.00
FB025	Extra shelf	38	x	18	x	1	18	109.00

CABINET & BIN COMBINATION

Blue	Red	Model No.	Yellow	Green	Description	Wt. lbs.	Price /Each
CB446	CB477	CB448	CB693		Cabinet and plastic bins	341	2047.00

BINS SUPPLIED

Bin Qty	W"	x	Bin Size D"	x	H"	Capacity lbs.
84	4 1/8	x	5 3/8	x	3	10

KLETON



CB446

BINS & SUPPORTS

DEEP DOOR COMBINATION CABINETS

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated Kleton grey finish
- Padlock sold separately

KLETON

96 BIN CABINETS

- Two reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

CABINET ONLY

Model No.	Description	W"	x	D"	x	H"	Wt. lbs.	Price /Each
FH820	Cabinet only	38	x	24	x	72	316	1963.00
FB025	Extra shelf	38	x	18	x	1	18	103.00

CABINET & BIN COMBINATION

Model No.				Description	Wt. lbs.	Price /Each
Blue	Red	Yellow	Green			
CF371	CF372	CF373	CF374	Cabinet and plastic bins	359	2114.00

BINS SUPPLIED

Bin Qty	W"	x	Bin Size D"	x	H"	Capacity lbs.
84	4 1/8	x	5 3/8	x	3	10
12	5 1/2	x	10 7/8	x	5	30

98 BIN CABINETS

- 2 reinforced 16-gauge main adjustable shelves with 500-lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

CABINET ONLY

Model No.	Description	W"	x	D"	x	H"	Wt. lbs.	Price /Each
FH820	Cabinet Only	38	x	24	x	72	316	1963.00
FB025	Extra shelf	38	x	18	x	1	18	103.00

CABINET & BIN COMBINATION

Model No.				Description	Wt. lbs.	Price /Each
Blue	Red	Yellow	Green			
CF355	CF356	CF354	CF357	Cabinet and plastic bins	385	2244.00

BINS SUPPLIED

Bin Qty	W"	x	Bin Size D"	x	H"	Capacity lbs.
48	5 3/8	x	4 1/8	x	3	10
36	7 3/8	x	4 1/8	x	3	10
8	14 3/4	x	8 1/4	x	7	60
6	14 3/4	x	16 1/2	x	7	75

118 BIN CABINETS

- Incorporates louvered bin hanging panels welded to the cabinet's back and doors

CABINET ONLY


Model No.	Description	W"	x	D"	x	H"	Wt. lbs.	Price /Each
CB441	Cabinet only	38	x	24	x	72	316	1689.00

CABINET & BIN COMBINATION

Model No.				Description	Wt. lbs.	Price /Each
Blue	Red	Yellow	Green			
CB443	CB444	CB445	CB691	Cabinet and plastic bins	385	2124.00

BINS SUPPLIED

Bin Qty	W"	x	Bin Size D"	x	H"	Capacity lbs.
42	5 3/8	x	4 1/8	x	3	10
42	7 3/8	x	4 1/8	x	3	10
18	10 7/8	x	5 1/2	x	5	30
12	14 3/4	x	8 1/4	x	7	60
4	14 3/4	x	16 1/2	x	7	75





CORRUGATED PARTS BINS & DIVIDERS

- Economical standard duty bins constructed of durable corrugated fibreboard
- Ideal for storing any loose small parts
- Assembled easily without staples or tape, just fold
- Bins are designed to hang from the shelf for hands-free access
- Bins dividers not included
- Qty per case: 100
- Shipped knocked down

Standard corrugated bins & dividers



Removable dividers ease handling

12" DEEP PARTS BINS, CTN. QTY 100

Dimensions W" x H"	Model No.	Ctn. Wt. lbs.	Price /Each
2 x 4 1/2	CB063	17	0.98
3 x 4 1/2	CB064	19	1.04
4 x 4 1/2	CB065	20	1.15
6 x 4 1/2	CB066	25	1.23
8 x 4 1/2	CB067	31	1.39
9 x 4 1/2	CB068	36	1.50
10 x 4 1/2	CB052	38	1.68
12 x 4 1/2	CB053	44	1.75

18" DEEP PARTS BINS CTN. QTY 100

Model No.	Ctn. Wt. lbs.	Price /Each
CB056	22	1.47
CB057	27	1.61
CB058	30	1.75
CB059	38	2.09
CB060	45	2.58
-	-	-
CB054	50	2.97
CB055	57	3.38

3 5/8" DEEP REMOVABLE DIVIDERS, CTN. QTY 100

Dimensions W" x H"	Model No.	Ctn. Wt. lbs.	Price /Each
1 3/4 x 4 1/8	CB071	7	0.90
2 3/4 x 4 1/8	CB072	9	0.94
3 3/4 x 4 1/8	CB073	10	0.98
5 3/4 x 4 1/8	CB074	14	1.01

Dimensions W" x H"	Model No.	Ctn. Wt. lbs.	Price /Each
7 3/4 x 4 1/8	CB075	22	1.05
9 3/4 x 4 1/8	CB069	27	1.24
11 3/4 x 4 1/8	CB070	31	1.32
-	-	-	-

PARTS STORAGE SHELVING UNITS

- Provides a versatile heavy-duty storage facility for parts storage bins
- 40" high unit c/w 48-4" bins
- 76" high unit c/w 96-4" bins
- Available with plastic shelf bins, fibreboard bins or shelving only
- Grey enamel finish
- Shipped knocked down



Model No.	W"	Dimensions x x H"	Bin Type	Wt. lbs.	Price /Each
CF048	36	x 12 x 40	Corrugated Bins	90	339.00
CF049	36	x 12 x 40	Blue Plastic Bins	96	420.00
CF050	36	x 12 x 40	Red Plastic Bins	96	420.00
CF051	36	x 12 x 40	Yellow Plastic Bins	96	420.00
RK203	36	x 12 x 40	Shelving only	80	289.00
CF184	36	x 12 x 76	Corrugated Bins	163	558.00
CF053	36	x 12 x 76	Blue Plastic Bins	176	716.00
CF054	36	x 12 x 76	Red Plastic Bins	176	716.00
CF055	36	x 12 x 76	Yellow Plastic Bins	176	716.00
RK241	36	x 12 x 76	Shelving only	144	454.00

Ask us about volume prices!



In many cases you will benefit from quantity prices.

BINS & SUPPORTS

LABEL HOLDERS

- Clearly identify your shelf/bin contents with the efficient and time-saving Aigner holders
- Versatile, highly protective, easy to read, and even custom designed with a special matte finish, making bar code applications easy
- Ideal for all types of racking, shelving and bin/drawer storage systems
- Labels provided

HOL-DEX®

- Can be custom cut to your specific size specifications
- Package of 12



SUPERSCAN®

- Available in 4 extra large sizes for pallet-racking installation
- Clear plastic matte finish assures precise bar code reading everytime
- Inserts are laser ink jet printer compatible for easy labeling



SUPERSCAN® (CLEAR ONLY)

Model No.	Dimensions W" x L"	Qty /Box	Price /Box	Model No.	Dimensions W" x L"	Qty /Box	Price /Box
SELF-ADHESIVE				MAGNETIC			
OG356	2 x 3.5	50	44.30	OG357	2 x 3.5	50	71.10
RG670	3 x 5	50	53.50	RG672	3 x 5	50	73.60
RG671	4 x 6	50	62.70	RG673	4 x 6	50	92.00
RG681	5 x 7	25	55.20	RG683	5 x 7	25	71.10

WIRE-RAC™

- Snap-on holders easily and quickly identify stored contents
- Clear, flexible plastic sleeves fit new or existing wire shelving with 1 1/4" facing; paper inserts included

Model No.	Dim. W" x L"	Qty /Box	Price /Each
RH683	15/16 x 3	25	35.10
RH684	15/16 x 6	25	61.90
RH685	15/16 x 12	12	57.60
RH686	15/16 x 24	6	57.00



SLIP 'N STIK™ AISLE SIGNS

- Create your own customized warehouse signs
- Built-in flexible hinge prevents breakage
- Included: 10 sign holders (11" x 8 1/2"), 12 yellow laser/ink jet sheets and instructions

Model No. OE798 Snap-On

Price/Each \$57.00

- Snaps into pallet rack assembly holes, can snap out to relocate

Model No. OJ943 Self-Adhesive

Price/Each \$57.00

- Adheres to flat surfaces, for more permanent applications



WRITE-ON MAGNETIC TAGS


- A fast, simple and inexpensive means of labeling high-volume applications, primary uses in warehouses and other storage areas
- Newly formulated write-on/wet erase tags come with a strong magnetic backing
- Special wet-erase feature will keep tags clear and clean for extended periods
- Mark with a standard wet erase marker, erase with a damp cloth and remark

50' ROLLS

Model No.	Width"	Price /Each
RH698	1	119.00
RH699	2	199.00
RH700	3	269.00


TAGS, 25/BOX

Model No.	Dimensions W" x L"	Price /Each
RH696	3 x 6	73.60
RH697	3 x 8	94.40
RH693	2 x 6	55.20



MAGNETIC TAPES FOR LABELS

- Peel and stick computer printed or hand written labels to non magnetic (matte) side
- Scissor cut to desired length
- Magnetic (shiny) side adheres to metal surface
- Can change label or relocate as required



Model No.	Dimensions W" x L"	Price /Each
OJ940	1 x 50	61.90
OJ941	2 x 50	109.00
OJ942	3 x 50	149.00

Custom pre-scored sizes available

SLIP STRIP™ LABEL HOLDING SYSTEM

- Excellent for displaying bar codes, messages, prices or other information on pallet racking and shelving
- Self-adhesive label/document holder system allows you to change labels without messy adhesive build-up
- 6/pkg



Model No.	Dimensions W" x L"	Price /Each
OE802	1 x 3	59.30
OE803	1 1/4 x 4	77.70
OE804	2 x 4	93.70

MAGNETIC CARD HOLDERS


- Fast, simple and versatile means of labeling
- Great for metal racks, shelves, bins, drawers and more
- Insertable magnetic C channel design allows for labels to be changed simply by re-marking the paper insert or re-positioning the magnet
- Colour: Black
- Custom cut sizes available on special order
- Inserts included



Model No.	Dimensions W" x L"	Qty /Box	Price /Each
OE250	1 x 3	25	21.70
OE251	1 x 4	25	27.60
OE252	1 x 6	25	37.60
OE253	1 x 8	25	47.70
OE254	2 x 3	25	29.90
OE255	2 x 4	25	37.60
OE256	2 x 6	25	52.70
OE257	2 x 8	25	67.70
OE258	3 x 4	25	52.70
OE259	3 x 6	25	74.40
OE260	3 x 8	25	94.40

PREMIUM JOB TICKET HOLDERS

- Protect work orders, production schedules, inventory cards and other important documents from excessive handling and wear
- Sewn edges are reinforced with heavy-duty vinyl and a brass eyelet is centered for hanging
- Clear 8 mil. PVC for easy visibility



Model No.	Dimensions W" x L"	Qty /Box	Price /Each
PC529	9 x 6	25	109.00
PC530	12 x 9	25	129.00

QUANTUM™ HULK CONTAINERS

- Heavy-duty injection-molded polypropylene stackable containers
- Organize and store your larger bulky items
- Extra large stacking containers offer a generous 2 to 2 1/2' in length to store your larger items
- Ideal for back-to-back use on 48" pallet rack or heavy-duty, extra deep shelving, and are available in a variety of widths and heights
- Heavy-duty front, back and side grips allow for easy handling
- Optional clear plastic window increases bin capacity and provides a quick view of the bin contents
- Optional dividers maximize flexibility and keep contents organized
- Wide stacking ledge and anti-slide lock keep stacked bins steady and prevent forward shifting
- Waterproof bins resist rust and corrosion
- Bins are autoclavable up to 250°F and are resistant to extreme cold
- **Do not hang on louvered panels or rail systems**



Model No.				Mfg. No.	Outside Dim.					Price /Each	Dividers	Price /Each	Windows	Price /Each
Blue	Red	Yellow	Clear		W"	x	D"	x	H"					
CD545	CD546	CD547	CF525	QUS950	8 1/4	x	23 7/8	x	7	31.30	CD563	15.00	CD569	5.77
CD548	CD549	CD550	CF526	QUS951	8 1/4	x	23 7/8	x	9	33.60	CD564	15.40	CD570	5.87
CD551	CD552	CD553	CF527	QUS952	11	x	23 7/8	x	7	36.20	CD563	15.00	CD571	5.97
CD554	CD555	CD556	CF528	QUS953	11	x	23 7/8	x	10	37.80	CD566	17.70	CD572	11.80
CD557	CD558	CD559	CF529	QUS954	16 1/2	x	23 7/8	x	11	41.10	CD567	19.20	CD573	12.40
CD560	CD561	CD562	CF530	QUS955	18 1/4	x	23 7/8	x	12	41.80	CD568	20.20	CD574	17.30
CF196	CF197	CF198	-	QUS970	8 1/4	x	29 7/8	x	7	43.00	-	-	CD569	5.77
CF199	CF200	CF201	-	QUS973	11	x	29 7/8	x	10	45.40	-	-	CD572	11.80
CF202	CF203	CF204	-	QUS974	16 1/2	x	29 7/8	x	11	47.80	-	-	CD573	12.40
CF205	CF206	CF207	-	QUS975	18 1/4	x	29 7/8	x	12	48.00	-	-	CD574	17.30
CF208	CF209	CF210	-	QUS976	16 1/2	x	29 7/8	x	15	57.40	-	-	CF211	17.70

STORE MORE™ PLASTIC SHELF BINS

- Durable, high density polypropylene bins
- Economical way to store and display parts and components
- Feature a moulded-in label holder and a built-in rear hang-lock which allows bins to tilt out for complete access when on shelving
- A wide hopper front allows complete access to the contents of the bin
- Edges are reinforced for added strength
- Designed for 12", 18" and 24" deep shelf units, racks or standard shelving
- Bins are waterproof, impervious to most chemicals and unaffected by grease or oil



Store more with 6" high shelf bins



Model No.			Mfg. No.	Outside Dim.					Inside Dim.					Price /Each	Dividers up to 7/bin	Bin Cups/Bin	
Blue	Yellow	Red		W"	x	D"	x	H"	W"	x	D"	x	H"			CD036	CD041
CF212	CF213	CF214	QSB201	4 1/8	x	11 5/8	x	6	3	x	10 1/6	x	6	4.44	CF248	6	2
CF215	CF216	CF217	QSB202	6 5/8	x	11 5/8	x	6	5 1/2	x	10 1/6	x	6	6.86	CF249	9	4
CF218	CF219	CF220	QSB207	8 3/8	x	11 5/8	x	6	7 1/8	x	10 1/6	x	6	7.77	CF250	12	4
CF221	CF222	CF223	QSB209	11 1/8	x	11 5/8	x	6	10	x	10 1/6	x	6	12.50	CF251	18	6
CF224	CF225	CF226	QSB203	4 1/8	x	17 7/8	x	6	3	x	16 1/2	x	6	6.47	CF252	9	3
CF227	CF228	CF229	QSB204	6 5/8	x	17 7/8	x	6	5 1/2	x	16 1/2	x	6	8.55	CF253	15	6
CF230	CF231	CF232	QSB208	8 3/8	x	17 7/8	x	6	7 1/8	x	16 1/2	x	6	9.80	CF254	19	6
CF233	CF234	CF235	QSB210	11 1/8	x	17 7/8	x	6	10	x	16 1/2	x	6	20.60	CF255	29	8
CF236	CF237	CF238	QSB205	4 1/8	x	23 5/8	x	6	3	x	22 1/8	x	6	12.90	CF256	13	4
CF239	CF240	CF241	QSB206	6 5/8	x	23 5/8	x	6	5 1/2	x	22 1/8	x	6	13.60	CF257	21	8
CF242	CF243	CF244	QSB214	8 3/8	x	23 5/8	x	6	7 1/8	x	22 1/8	x	6	23.50	CF258	24	8
CF245	CF246	CF247	QSB216	11 1/8	x	23 5/8	x	6	10	x	22 1/8	x	6	27.70	CF259	35	16

BIN DIVIDERS

Model No	Price /Each
CF248	1.45
CF249	1.67
CF250	3.81
CF251	4.40
CF252	1.45
CF253	1.67
CF254	3.81
CF255	4.40
CF256	1.45

BIN DIVIDERS

Model No	Price /Each
CF257	1.67
CF258	3.81
CF259	4.40

BIN CUPS

Model No	Dimensions					Price /Each
	W"	x	D"	x	H"	
CD036	3	x	13/4	x	3	0.92
CD041	5 1/8	x	23/4	x	3	1.75

BINS & SUPPORTS

STORE-MAX SHELF BINS

- Helps maximize and organize your space
- Features a molded-in label holder and built-in rear hanglock which allows bin to tilt out for easy access
- Wide hopper front allows for complete access
- Reinforced edges for additional strength
- Designed for use on 12", 18" and 24" deep shelving
- Bins nest when empty



Model No.				Mfg. No.	Outside Dim.					Price /Each	Dividers up to 7/bin	Bin Cups/Bin			
Blue	Red	Yellow	Clear		W"	x	D"	x	H"			CD036	CD041	CD035	CD040
CF864	CF865	CF866	CF867	QSB801	4 3/8	x	11 5/8	x	8	5.53	CF912	6	2	6	2
CF868	CF869	CF870	CF871	QSB802	6 5/8	x	11 5/8	x	8	8.59	CF913	9	4	9	4
CF872	CF873	CF874	CF875	QSB807	8 3/8	x	11 5/8	x	8	9.75	CF914	12	4	12	4
CF876	CF877	CF878	CF879	QSB809	11 1/8	x	11 5/8	x	8	15.10	CF915	18	6	18	6
CF880	CF881	CF882	CF883	QSB803	4 3/8	x	17 7/8	x	8	8.07	CF916	9	3	9	3
CF884	CF885	CF886	CF887	QSB804	6 5/8	x	17 7/8	x	8	10.70	CF917	15	6	15	6
CF888	CF889	CF890	CF891	QSB808	8 3/8	x	17 7/8	x	8	12.30	CF918	19	6	19	6
CF892	CF893	CF894	CF895	QSB810	11 1/8	x	17 7/8	x	8	23.40	CF919	29	8	29	8
CF896	CF897	CF898	CF899	QSB805	4 3/8	x	23 5/8	x	8	16.40	CF920	13	4	13	4
CF900	CF901	CF902	CF903	QSB806	6 5/8	x	23 5/8	x	8	17.40	CF921	21	8	21	8
CF904	CF905	CF906	CF907	QSB814	8 3/8	x	23 5/8	x	8	27.10	CF922	24	8	24	8
CF908	CF909	CF910	CF911	QSB816	11 1/8	x	23 5/8	x	8	31.90	CF923	35	16	35	16

STORE-MAX DIVIDERS

- Colour: Black
- Fits horizontally across bins to create compartments



Model No.	Mfg No.	Description	Price /Each
CF912	DSB801	Divider, 3" wide	1.45
CF913	DSB802	Divider, 5 1/2" wide	1.85
CF914	DSB807	Divider, 7 1/8" wide	2.34
CF915	DSB809	Divider, 10" wide	4.70
CF916	DSB803	Divider, 3" wide	1.45
CF917	DSB804	Divider, 5 1/2" wide	1.85
CF918	DSB808	Divider, 7 1/8" wide	2.34
CF919	DSB810	Divider, 10" wide	4.70
CF920	DSB805	Divider, 3" wide	1.46
CF921	DSB806	Divider, 5 1/2" wide	1.85
CF922	DSB814	Divider, 7 1/8" wide	2.44
CF923	DSB816	Divider, 10" wide	4.79

DIVIDER LABEL TAB

- Improve visibility of bin labels and scanning of barcodes
- Colour: Black




Model No.	Mfg No.	Description	Qty/Box	Price /Box
CF925	DLT-6	Black Divider Label Tab	6	6.55

BIN CUPS



Model No.	Mfg No.	Colour	Description	Price /Each
CD035	QBC111	Blue	Bin Cup, 3 1/4" x 1 3/4" x 3"	0.94
CD036	QBC111	Yellow	Bin Cup, 3 1/4" x 1 3/4" x 3"	0.92
CD040	QBC112	Blue	Bin Cup, 5 1/8" x 2 3/4" x 3"	1.85
CD041	QBC112	Yellow	Bin Cup, 5 1/8" x 2 3/4" x 3"	1.75

SHELF BINS - EXTENDED LABEL HOLDERS



Model No.	Mfg No.	Colour	Angle	Qty/Box	Price /Box
CF398	ELH410	Black	10°	24	63.60
CF399	ELH415	Black	45°	24	63.60

CLEAR LABEL HOLDER & INSERT

- Laser & inkjet compatible inserts
- 8 1/2" x 11" perforated sheets included
- Colour: Clear
- Fits all 8" high Quantum™ shelf bins




Model No.	Mfg No.	Description	Qty/Box	Price /Box
CF924	LTR-1253	Label Holder & Insert	25	49.10

SHELF BINS

- Economical way to store and display parts and components
- Durable polypropylene
- Designed for use on 12", 18" and 24" deep shelving, or vertical storage units and retrieval units
- Shelf bins "nest" when empty
- Bin cups and dividers available



EXTENDED LABEL HOLDERS



The special built-in hanglock catches the underside of the shelf above, allowing each bin to be tilted out for complete access.

Bin Model No.					Mfg. No.	Outside Dimensions					Price /Each	Dividers, up to 7 per bin	Bin Cup Per Bin			
Blue	Red	Yellow	Clear	Green		W"	x	D"	x	H"			CD035	CD040	CD036	CD041
CC992	CC994	CC993	-	CC995	QSB100	2 3/4	x	11 5/8	x	4	2.77	N/A	3	-	3	-
CC998	CD001	CC999	-	CD002	QSB101	4 1/8	x	11 5/8	x	4	3.09	CB861	6	2	6	2
CD005	CD007	CD006	-	CD008	QSB102	6 5/8	x	11 5/8	x	4	4.77	CB862	9	4	-	-
CC393	CC394	CC395	CF531	CD023	QSB107	8 3/8	x	11 5/8	x	4	5.19	CB867	12	4	12	4
CC396	CC397	CC398	CF532	CD026	QSB109	11 1/8	x	11 5/8	x	4	7.78	CB869	18	6	18	6
CD011	CD013	CD012	-	CD014	QSB103	4 1/8	x	17 7/8	x	4	4.30	CB861	9	3	9	3
CD017	CD019	CD018	-	CD020	QSB104	6 5/8	x	17 7/8	x	4	5.88	CB862	15	6	15	6
CC399	CC400	CC401	CF533	CD029	QSB108	8 3/8	x	17 7/8	x	4	8.09	CB867	19	6	19	6
CC402	CC403	CC404	CF534	CD032	QSB110	11 1/8	x	17 7/8	x	4	12.90	CB869	29	8	29	8
CC405	CC406	CC407	CF535	CD045	QSB105	4 1/8	x	23 5/8	x	4	8.47	CB861	13	4	13	4
CC408	CC409	CC423	CF536	CD048	QSB106	6 5/8	x	23 5/8	x	4	11.70	CB862	21	8	21	8
CC411	CC412	CC413	CF537	CD051	QSB114	8 3/8	x	23 5/8	x	4	14.60	CB867	24	8	24	8
CC414	CC415	CC416	CF538	CD054	QSB116	11 1/8	x	23 5/8	x	4	18.00	CB869	35	16	35	16

BIN DIVIDERS

Model No.	Mfg. No.	Description	Price /Each
CB867	DSB107	Divider, 8 1/8" wide	2.34
CB869	DSB109	Divider, 11 1/8" wide	2.83
CB861	DSB101	Divider, 4 1/8" wide	0.88
CB862	DSB102	Divider, 6 5/8" wide	0.96

BIN CUPS

Model No.	Mfg. No.	Colour	Description	Price /Each
CD035	QBC111	Blue	Bin cup, 3 1/4" x 1 3/4"	0.94
CD040	QBC112	Blue	Bin cup, 5 1/8" x 2 3/4"	1.85
CD036	QBC111	Yellow	Bin cup, 3 1/4" x 1 3/4"	0.92
CD041	QBC112	Yellow	Bin cup, 5 1/8" x 2 3/4"	1.75

EXTENDED LABEL HOLDERS

Model No.	Mfg. No.	Colour	Angle	Qty/Box	Price/Box
CF398	ELH410	Black	10°	24	63.60
CF399	ELH415	Black	45°	24	63.60

RECYCLED SHELF BINS

- Manufactured from recycled 100% post consumer, high density polypropylene
- Available in black only

Model No.	Mfg. No.	Outside Dimensions				Price /Each	Dividers up to 7/bin		Price /Each
		W"	x	D"	x		Model No.		
CC303	QSB 100 BR	2 3/4	x	11 5/8	x	2.77	-	-	-
CB850	QSB 101 BR	4 1/8	x	11 5/8	x	3.07	CB861		0.88
CB851	QSB 102 BR	6 5/8	x	11 5/8	x	4.74	CB862		0.96
CB852	QSB 103 BR	4 1/8	x	17 7/8	x	4.28	CB861		0.88
CB954	QSB 104 BR	6 5/8	x	17 7/8	x	5.86	CB862		0.96
CB854	QSB 105 BR	4 1/8	x	23 5/8	x	8.39	CB861		0.88
CB855	QSB 106 BR	6 5/8	x	23 5/8	x	11.80	CB862		0.96
CB857	QSB 108 BR	8 3/8	x	17 7/8	x	8.06	CB867		2.34
CB860	QSB 114 BR	8 1/8	x	23 5/8	x	14.20	CB867		2.34
CC304	QSB 116 BR	11 1/8	x	23 5/8	x	17.50	CB869		2.83




BINS & SUPPORTS



EURO DRAWERS


- Heavy-duty design for efficient organization of heavy parts, supplies, tools or equipment
- Injection moulded from virgin grade high-impact polystyrene
- 12-gauge thick wall
- Completely waterproof
- Oil and chemical-resistant
- Smooth front curved pull handle has ample room for pressure sensitive identification labels or bar codes
- Front handle has 3/4" opening
- Full width back ledge ensures spill free use




CC502



CC508



CC509



CC515




Add dividers to Euro Drawers for additional storage possibilities!

Model No.				Mfg. No.	Outside Dimensions					Price /Each	Divider Model No.	Price /Each
Blue	Grey	Red	Yellow		W"	x	D"	x	H"			
CE289	CE291	CE292	CE290	QED401	5 9/16	x	11 5/8	x	2 5/8	9.29	CE309	1.56
CE293	CE295	CE296	CE294	QED501	3 3/4	x	11 5/8	x	4 5/8	9.61	CC518	284.00
CC501	CC503	CC504	CC502	QED601	5 9/16	x	11 5/8	x	4 5/8	10.40	CC517	626.00
CC505	CC507	CC508	CC506	QED602	5 9/16	x	17 5/8	x	4 5/8	15.20	CC517	626.00
CC509	CC511	CC512	CC510	QED603	5 9/16	x	23 7/8	x	4 5/8	19.50	CC517	626.00
CC513	CC515	CC516	CC514	QED604	3 3/4	x	17 5/8	x	4 5/8	13.10	CC518	284.00
CE305	CE307	CE308	CE306	QED606	8 3/8	x	17 5/8	x	4 5/8	16.80	CE312	2.93
CE297	CE299	CE300	CE298	QED701	8 3/8	x	11 5/8	x	4 5/8	12.60	CE312	2.93
CE301	CE303	CE304	CE302	QED801	11 1/8	x	11 5/8	x	4 5/8	15.60	CE314	3.42

EURO DRAWER CLOSED SHELF UNITS

- 13 heavy-duty grey enamel shelves
- Capacity: 630 lbs. per shelf
- Shipped knocked down



INCLUDES:

- 72 QED601 Series Euro drawers, 11 5/8" W x 5 9/16" D x 4 5/8" H
- Dimensions: 36" W x 12" D x 76" H

Model No.				Description	No. of Shelves	Price /Each
Blue	Yellow	Grey	Red			
CF102	CF103	CF104	CF105	Starter	13	1362.00
CF159	CF160	CF161	CF162	Add-On	13	1286.00

- 72 QED602 Series Euro drawers 17 5/8" W x 5 9/16" D x 4 5/8" H
- Dimensions: 36" W x 18" D x 76" H

CF106	CF107	CF108	CF109	Starter	13	1859.00
CF163	CF164	CF165	CF166	Add-On	13	1769.00

- 108 QED604 Series Euro drawers 17 5/8" W x 3 3/4" D x 4 5/8" H
- Dimensions: 36" W x 18" D x 76" H

CF110	CF111	CF112	CF113	Starter	13	2216.00
CF167	CF168	CF169	CF170	Add-On	13	2126.00

- 72 QED603 Series Euro drawers 23 7/8" W x 5 9/16" D x 4 5/8" H
- Dimensions: 36" W x 24" D x 76" H

CF114	CF115	CF116	CF117	Starter	13	2351.00
CF171	CF172	CF173	CF174	Add-On	13	2247.00

RACKBIN™ 42" PALLET RACK CONTAINERS

- Extra-large bins offer a generous 42" in length to store your larger items
- 42" length ensures no wasted space on 42" deep rack
- Heavy-duty front, back and side grips allow for easy handling
- Wide stacking ledge and anti-slide lock keeps stack bins steady and prevent forward shifting
- Have eight 1/4" drill hole pattern on bottom of bin for easy hole insertion for drainage and air circulation if needed
- Waterproof bins are corrosion free
- Available in blue and gray



Model No.		Mfg No.	Outside Dimension				Inside Dimensions				Wt. lbs.	Price /Each		
Blue	Gray		W"	x	D"	x	H"	W"	x	D"			x	H"
CF539	CF540	QRB166	16 1/2	x	41 7/8	x	17 1/2	14	x	40 1/8	x	16 1/2	16	155.00
CF541	CF542	QRB206	19 7/8	x	41 7/8	x	17 1/2	17 3/8	x	40 1/8	x	16 1/2	17	166.00
CF543	CF544	QRB246	23 7/8	x	41 7/8	x	17 1/2	21 1/2	x	40 1/8	x	16 1/2	19	187.00

GIANT STACKING CONTAINERS

- Injection moulded from high density polypropylene
- Extra heavy, double wall thickness with interlock preformed lip allows containers to stack securely
- Moulded carrying handle on backside
- Moulded-in divider and label slots
- Optional windows available
- Can withstand temperatures ranging from -40° to 250°F
- Waterproof, will not rust or corrode
- Unaffected by chemicals and solvents
- Mobile bin comes with 2 swivel, 2 rigid 3" casters
- 250-lb mobile capacity
- 150-lb stack capacity



MAGNUM



CC447

BINS

Blue	Model No.				Mfg. No.	Outside Dimensions				Price /Each
	Green	Red	Yellow			W"	x	D"	x	H"
CC361	CC362	CC363	CC364		QMS531	12 3/8	x	19 3/4	x	5 7/8
CC365	CC366	CC367	CC368		QMS532	12 3/8	x	19 3/4	x	7 7/8
CC369	CC370	CC371	CC372		QMS533	12 3/8	x	19 3/4	x	11 7/8
CC373	CC374	CC375	CC376		QMS543	18 3/8	x	19 3/4	x	11 7/8
CC377*	CC378*	CC379*	CC380*		QMS743	18 3/8	x	29	x	11 7/8
CC447*	CC449*	CC448*	CC450*		QMS843MOB**	18 3/8	x	29	x	11 7/8

DIVIDERS

Model No.	Price /Each
CC381	10.20
CC382	12.20
CC383	14.50
CC384	14.50
-	-
-	-

WINDOWS

Model No.	Price /Each
CC385	7.93
CC386	9.50
CC387	10.10
CC388	11.10
-	-
-	-

* Includes heavy-duty spread bar for extra strength and support ** Mobile bins

GIANT OPEN HOPPER BIN SHELVING UNITS

- Dimensions: 18" D x 42" W x 76" H
- Capacity: 480 lbs. per shelf
- Shipped knocked down



CF189



CF193



CF081

SERIES QMS516

- 4-QMS543-red, 3-QMS533-blue, 6-QMS532-yellow and 3-QMS531-blue open hopper bins (see chart above for bin dimensions)
- 7 heavy-duty grey enamel shelves

Model No.					Price
Red	Blue	Yellow	Green	Description	/Each
SERIES QMS531					
CF188	CF185	CF186	CF187	Starter	1107.00
CF784	CF785	CF786	CF787	Add-on	1044.00
SERIES QMS532					
CF072	CF073	CF074	CF075	Starter	963.00
CF089	CF090	CF091	CF092	Add-on	901.00
SERIES QMS533					
CF080	CF081	CF082	CF083	Starter	816.00
CF097	CF098	CF099	CF100	Add-on	753.00
SERIES QMS543					
CF193	CF190	CF191	CF192	Starter	832.00
CF789	CF790	CF791	CF792	Add-on	769.00
SERIES QMS516					
CF189	-	-	-	Starter	894.00
CF788	-	-	-	Add-on	832.00

* Mixed colors

SERIES QMS543

- 10-QMS543 open hopper bins
- 19 3/4" W x 18 3/8" D x 11 7/8" H
- 6 heavy-duty grey enamel shelves



CF074

SERIES QMS533

- 15 QMS533 open hopper bins
- 19 3/4" W x 12 3/8" D x 11 7/8" H
- 6 heavy-duty grey enamel shelves



CF187

SERIES QMS532

- 21 QMS532 open hopper bins
- 19 3/4" W x 12 3/8" D x 7 7/8" H
- 8 heavy-duty grey enamel shelves

SERIES QMS531

- 27-QMS531 open hopper bins
- 19 3/4" W x 12 3/8" D x 5 7/8" H
- 10 heavy-duty grey enamel shelves

BINS & SUPPORTS

JUMBO PLASTIC CONTAINERS

- Extra-large size provides massive amount of storage capacity
- Guaranteed unbreakable and distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline, and most acids
- Nesting design allows for minimal storage space when not in use
- Stackable for added space savings, up to 4 high
- Outside dimensions: 15 1/2" W x 25" D x 13" H
- Inside dimensions: 13 1/2" W x 22 3/5" D x 12" H
- Capacity: 200 lbs.

KLETON



Model No.	Colour	Price /Each
CF329	Green	39.80
CF327	Red	39.80

Model No.	Colour	Price /Each
CF328	Blue	39.80
CF330	Yellow	40.60

WIDE SPAN SHELVEING WITH JUMBO PLASTIC BINS

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Capacity is 800 lbs. per shelf evenly distributed
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required



RL984



RL989

KLETON



Model No.	Shelving Size W" x D" x H"	No. of Shelves	No. of Bins	Colour	Price /Each
RL984	66 x 18 x 60	3	12	Red	718.00
RL985	66 x 18 x 60	3	12	Blue	718.00
RL986	66 x 18 x 60	3	12	Green	718.00
RL987	66 x 18 x 60	3	12	Yellow	718.00
RL988	66 x 18 x 60	3	12	Red, Blue, Yellow	718.00
RL980	66 x 18 x 72	4	16	Red	927.00
RL981	66 x 18 x 72	4	16	Blue	927.00
RL982	66 x 18 x 72	4	16	Green	927.00
RL983	66 x 18 x 72	4	16	Yellow	927.00
RL989	66 x 18 x 72	4	16	Red, Blue, Yellow, Green	927.00

WIRE SHELVEING UNITS WITH STORAGE BINS

Same great features as the Kleton chromate wire shelving, but with the added convenience of heavy-duty storage bins.

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline, and most acids
- Ideal in production or for parts storage
- NSE certified
- Assembly required
- Unit's total capacity should not exceed 2000-lb.



See page 1020 for Aigner Wire-Rac™ labels & holders

KLETON

Model No.	Shelving Size W" x D" x H"	No. of Shelves	Bin Size W" x D" x H"	No. of Bins	Colour	Price /Each
RL823	36 x 24 x 74	5	15 1/2 x 25 x 13	8	Blue	604.00
RL824	36 x 24 x 74	5	15 1/2 x 25 x 13	8	Yellow	604.00
RL825	36 x 24 x 74	5	15 1/2 x 25 x 13	8	Green	604.00
RL826	36 x 24 x 74	5	15 1/2 x 25 x 13	8	Red	604.00



RL826



RL825



STACK & NEST CONTAINERS



- Polyewton Stack-N-Nest containers used in general manufacturing, food processing and distribution applications
- Injection moulded from high density polyethylene
- Will not rust, rot or corrode, resist damaging effects of oil, most chemical solvents, water and steam
- Stack without covers
- Nest at alternating 180° positions when empty
- Withstands wide temperature variances
- Easily cleaned

Manufactured from FDA compliant materials

COVERS

	Model No.			Price /Each
	Grey	Red	Blue	
A.	CA334	CC877	CC883	12.90
B.	CA337	CC880	CC886	13.70
C.	CA335	CC878	CC884	12.50
D.	CA336	CC879	CC885	17.20
E.	CA339	CC882	CC888	23.30
F.	CA338	CC881	CC887	24.80

CONTAINERS

Grey	Model No.			Mfg No.	Outside Dimensions Top			Outside Dimensions Bottom			Overall Height"	Volume cu.ft.	Nesting Ratio	Wt. lbs.	Uses Cover*	Price /Each
	Red	Blue			L"	x	W"	L"	x	W"						
CA341	CC859	CC868		SN2012-6	20.1	x	13.0	18.5	x	11.5	6.2	0.6	2.1:1	2.1	A	81.80
CA344	CC860	CC869		SN2414-8	24.0	x	14.1	21.8	x	11.5	7.9	1.1	4:1	3.4	B	13.20
CA342	CC861	CC870		SN2013-12	19.4	x	12.9	17.3	x	10.9	12.1	1.3	4:1	3.8	C	13.20
CA343	CC862	CC871		SN2117-12	21.0	x	17.0	18.8	x	15.0	12.0	1.8	4:1	5.0	D	13.20
CA346	CC863	CC872		SN2618-10	26.1	x	18.7	24.0	x	15.9	10.5	2.1	4:1	5.4	E	17.80
CA348	CC864	CC873		SN3022-6	29.6	x	22.4	28.3	x	21.0	6.1	2.1	4:1	4.8	N/A	19.80
CA347	CC865	CC874		SN2818-10	28.4	x	18.7	26.0	x	15.9	10.5	2.3	4:1	5.8	N/A	17.80
CA345	CC866	CC875		SN2420-13	24.0	x	20.0	21.6	x	17.7	13.0	2.7	4:1	6.1	F	17.80
CA349	CC867	CC876		SN3024-15	30.1	x	24.0	27.0	x	21.0	15.1	4.7	4.5:1	11.0	N/A	19.80

STACK-N-NEST® STORAGE BINS

- Great for storing, assembling and transporting small parts, components and finished goods
- Designed for maximum efficiency and utility
- Set together one way they stack and the other way they nest
- May be used on shelving or stacked up
- Heavy-duty design allows higher stacking
- In the plant, use the same bin for storage, handling, and assembly, no need to transfer contents



Model No.	Colour	Outside Dimensions					Wt. lbs.	Price /Each
		L"	x	W"	x	D"		
CC890	Blue	15 1/4	x	12 1/4	x	6	2	14.50

STACK & NEST CONTAINERS

STACK & NEST TOTES

- Will stack with or without lids for maximum storage and shipping
- Ability to stack and can be turned 180° to nest when empty
- Textured bottoms ensure safe and easy, non-slip grip transit on conveyors
- Will not rust, corrode or bend out of shape
- Are unaffected by chemicals and are waterproof
- Fit on standard 48" x 40" pallets
- Can withstand temperature ranges from -10°F to 250°F
- Ribs under lip prevent jamming when nested
- Handle grips on either side
- Injection molded high density polypropylene
- FDA compliant materials



All nine sizes of totes have the ability to use the optional clear label holder. It securely attaches to SNT with or without lid for easy part identification.



Optional lids protect container contents. As pictured, lids can be fastened and locked for added security.

COVERS

	Model No.				Price /Each
	Blue	Grey	Red	Clear	
A.	CC342	CC343	CC344	CG094	13.20
B.	CC345	CC346	CC347	CG095	17.80
C.	CC348	CC349	CC350	CG096	19.80
D.	CC351	CC352	CC353	CG097	26.80
E.	CC354	CC355	CC356	CG098	28.10
F.	CC357	CC358	CC359	CG099	35.90



CONTAINERS

Model No.				Mfg. No.	Outside Dimensions				Inside Dimensions				Use Cover	Price /Each		
Blue	Grey	Red	Clear		L"	x	W"	x	H"	L"	x	W"			x	H"
CC315	CC316	CC317	CG085	SNT180	18	x	11	x	6	15 1/4	x	9 3/8	x	5 7/8	A	16.90
CC318	CC319	CC320	CG086	SNT185	18	x	11	x	9	15 1/8	x	9 1/8	x	8 7/8	A	20.40
CC321	CC322	CC323	CG087	SNT190	19 1/2	x	15 1/2	x	10	16	x	13 1/4	x	9 7/8	B	31.70
CC324	CC325	CC326	CG088	SNT195	19 1/2	x	15 1/2	x	13	15 7/8	x	13 3/8	x	12 7/8	B	32.90
CC327	CC328	CC329	CG089	SNT200	19 1/2	x	13 1/2	x	8	16 3/8	x	11 1/2	x	7 7/8	C	28.00
CC330	CC331	CC332	CG090	SNT225	23 1/2	x	19 1/2	x	10	19 3/8	x	16 7/8	x	9 7/8	D	40.00
CC333	CC334	CC335	CG091	SNT230	23 1/2	x	19 1/2	x	13	19 1/2	x	16 7/8	x	12 7/8	D	47.70
CC336	CC337	CC338	CG092	SNT240	23 1/2	x	15 1/2	x	12	19 5/8	x	13	x	11 7/8	E	43.30
CC339	CC340	CC341	CG093	SNT300	29 1/2	x	19 1/2	x	15	25 1/8	x	16 5/8	x	14 7/8	F	81.80

Model No. CC360

Label holder, accommodates up to 3" x 5". Fits all SNT containers.



QUANTUB NESTING TOTES

- High-density polyethylene
- Rolled top rim for comfortable grip
- Eight 1/4" position drill holes on bottom allow for drainage
- Dimensions: 24 1/2" L x 19" W x 9 1/2" H
- Made of FDA compliant materials

Model No. CD244 Grey

Model No. CD434 Blue

Price/Each \$43.30





COLLAPSIBLE CONTAINERS

- Polypropylene construction
- Collapses to 21" L x 14" W x 2" H for convenient storage
- Open dimensions 21" L x 14" W x 10 1/2" H
- Reinforced base for added durability
- 16 heavy-duty steel pins built in for increased strength
- Capacity: 160 lbs.

Model No. CF326

Price/Each \$32.40



Collapsed





STACK & NEST CONTAINERS

STACK-N-NEST® PLEXTON CONTAINERS

- Ideal solution for heavy-duty storage, work-in-process and distribution applications
- Can withstand temperatures as low as -60°F and as high as 250°F (continuous)
- Resistant to moisture, chemicals, solvents and most oils
- Capacity: 500 lbs. per container



STACK-N-NEST® CONTAINERS

									COVERS		DOLLIES	
Model No.		Outside Dimensions Top			Inside Dimensions Top			Overall Height"	Qty/Case	Price /Each	Model No.	Price /Each
Red	Grey	L"	x	W"	L"	x	W"				Model No.	Price /Each
CD179	CD193	17.9	x	10.8	15.9	x	10.1	5	10	38.70	CD216	27.90
CD180	CD194	19.8	x	12.8	18.1	x	11.9	6	10	43.20	CD217	29.30
CD181	CD195	20.6	x	13.0	18.0	x	12.3	8	10	56.10	CF672	44.50
CD182	CD196	24.1	x	11.4	20.0	x	10.7	6.9	10	54.00	CD219	34.80
CD183	CD197	24.1	x	11.4	20.0	x	10.6	9	10	57.30	CD219	34.80
CD184	CD198	24.3	x	14.8	21.7	x	14.1	5.1	8	55.80	CD220	39.00
CD185	CD199	24.3	x	14.8	21.5	x	13.9	8	8	65.40	CD220	39.00
CD186	CD200	25.3	x	18.1	21.4	x	18.1	6.1	10	63.90	CD221	44.10
CD187	CD201	25.3	x	18.1	22.8	x	17.3	10.1	5	77.70	CD221	44.10
CD188	CD202	27.5	x	19.9	23.1	x	18.9	14.0	5	119.00	CD222	52.60
CD189	CD203	29.6	x	13.8	26.7	x	12.9	7	10	63.80	-	-
CD190	CD204	30.6	x	16.9	26.3	x	15.9	11.1	5	109.00	CD223	44.70
CD191	CD205	34.1	x	24.0	30.1	x	21.6	8.1	5	119.00	-	-
CD192	CD206	42.5	x	20.1	38.1	x	19.0	14.1	5	169.00	CD224	73.50
											CD233	219.00

STACK-N-NEST® PLEXTON HOPPERS

- Fibreglass
- Ideal for heavy parts storage and hardware merchandising
- Nest within their own dimensions and provide positive-lock stacking
- Front label area accommodates adhesive labels



			Outside Dimensions						Inside Dimensions						Overall Height"	Wt. lbs.	Price /Each
Red	Model No.	Grey	Top			Bottom			Top			Bottom					
	Green		L"	x	W"	L"	x	W"	L"	x	W"	L"	x	W"			
CD267	CD268	CD269	18.1	x	11.4	13.1	x	9.9	16.0	x	8.0	12.8	x	7.5	7.6	3.8	55.00
CD270	CD271	CD272	24.0	x	11.4	19.2	x	9.2	21.5	x	8.8	19.0	x	7.6	7.9	5.1	66.60
CD273	CD274	CD275	24.1	x	16.3	19.1	x	14.4	21.8	x	12.9	18.8	x	11.6	8.0	7.0	83.70

See page 1020
for adhesive
labels



STACK & NEST CONTAINERS

GIANT STACKING CONTAINERS

- Designed for multiple applications in recycling, storing parts, tools and warehouse items
- Will stack up to 6 high creating sturdy, tall storage systems
- Large grip side handles
- Extra thick side walls with reinforcing ribs allow for 100 lbs. stack capacity per bin
- Six 1/4" drill holes in bottom allow for drainage
- Outside dimensions: QGH700: 19 7/8" W x 15 1/4" D x 12 7/16" H
QGH600: 10 7/8" W x 17 1/2" D x 12 1/2" H
QGH800: 16 1/2" W x 17 1/2" D x 12 1/2" H



QUANTUM™
STORAGE
SYSTEMS




CLEAR WINDOW

Grey	Blue	Model No. Ivory	Black	Red	Mfg. No.	Price /Each
CB838	CB839	CB841	CB842	CC305	QGH700*	32.60
CD575	CD576	-	-	CD577	QGH600	25.50
CD578	CD579	-	-	CD580	QGH800	32.40

Model No.	Price /Each
CB843	11.00
CD581	8.03
CD582	10.10

*Optional label **CB844** is available for the QGH700 series




GIANT STACK CONTAINER SHELF UNITS

- Organize, store and easily access your parts with a complete bin centre
- Strong steel shelving is powder coated and features reinforced cross bracing for increased stability
- Easy assembly
- Bins are included with shelf
- 500-lb capacity per shelf and over 21 cubic feet of storage space
- One colour per unit
- Replacement bins available (See product above)
- Shipped knocked-down



Grey	Model No. Blue	Red	Mfg No.	Dimensions W" x D" x H"	Description	Qty of Bins Included	Price /Each
CF056	CF057	CF066	QSBU-700	42 x 18 x 75	Starter	10	649.00
CF061	CF062	CF067	QSBU-700	42 x 18 x 75	Add-on	10	587.00
CF779	CF260	CD590	QSBU-600	36 x 18 x 75	Starter	15	654.00
CF780	CF781	CF782	QSBU-600	36 x 18 x 75	Add-On	15	592.00




CD590



CF057

KLETON



CANADA'S LEADING
MATERIAL HANDLING SUPPLIER



STACK & NEST CONTAINERS

MOBILE TUB RACKS

- All welded 16 gauge stainless steel construction
- Allows for storage and transportation of various products
- Includes 5" x 1-1/2" polyurethane casters (2 swivel and 2 rigid) with side brakes
- Ships fully assembled and ready for use
- Unit Type: Double-sided
- Material: Stainless Steel

FM028




FM029

DURHAM MFG®
Est. 1922

Model No.	Mfg. No.	Dimensions					Capacity lbs.	No. of Bins	Bin Capacity lbs.	Weight lbs.	Price /Each
		W"	x	H"	x	D"					
FM028	STBR-183042-3-SPU	26	x	42	x	18	300	3	100	70	1269.00
FM029	STBR-303642-6-SPU	26	x	42	x	36	600	6	100	115	2349.00
FM030	STBR-303672-12-SPU	26	x	74	x	36	1200	12	100	185	3839.00

MOBILE TUB RACKS

- Constructed of 14 gauge steel with plastic bins
- Durable grey, textured, powder coat finish
- Includes 5" x 1-1/2" polyolefin casters (2 swivel and 2 rigid) with side brakes
- Unit Type: Double-sided
- Material: Steel



FM026



FM027

DURHAM MFG®
Est. 1922

Model No.	Mfg. No.	Dimensions					Capacity lbs.	No. of Bins	Bin Capacity lbs.	Weight lbs.	Price /Each
		W"	x	H"	x	D"					
FM024	TBR-183042-3-SP0-95	26	x	42	x	18	300	3	100	75	1259.00
FM025	TBR-183072-6-SP0-95	26	x	74	x	18	600	6	100	150	2189.00
FM027	TBR-303672-12-SP0-95	26	x	74	x	36	1200	12	100	220	3709.00
FM026	TBR-187847-12B-SPU-95	78	x	47	x	18	1800	12	150	215	3799.00

STACK & NEST CONTAINERS

STAKPAK® PLUS 4845 SYSTEM CONTAINERS


- Stack-only, injection moulded, straight-wall modular containers
- High-density polyethylene (HDPE)
- Reinforced external ribbing adds maximum stacking strength
- Smooth, straight interior walls provide maximum space utilization and easy cleaning

- Modular design optimizes cube on standard 48" x 48" pallet, allows for mixing and matching of various sizes
- Ergonomically designed handles for comfort and safety
- Containers hold up under temperatures from -10°F to 120°F
- Optional covers and cardholders available


ORBIS




48"	x	15"	(1/3)
24"	x	15"	(1/6)
12"	x	15"	(1/12)
12"	x	7"	(1/24)



48"	x	22"	(1/2)
24"	x	22"	(1/4)
24"	x	11"	(1/8)



16"	x	15"	(1/4)
on AIAG 30" x 32"			
15"	x	15"	(1/9)
on AIAG 45" x 48"			



12"	x	15"	(1/6)
-----	---	-----	-------

STAKPAK® CONTAINERS

Model No.			Pallet Modularity (AIAG)		Outside Dimensions Top		Outside Dimensions Bottom		Total Container Height"	Product Clearance"	Volume cu.ft.	48' Trailer Capacity (containers)	Wt. lbs.	Use with Cover	Use with Cardholder	Price /Each
Medium Green	Royal Grey	Blue	30" x 36"	45" x 48"	L" x W"	L" x W"	L" x W"	L" x W"								
CA498	CA499	CC112	1/12	1/24	12.0 x 7.4	12.0 x 7.4	12.0 x 7.4	12.0 x 7.4	5.0	4.5	0.1	8640	1.1	A	D	20.10
CA500	CA501	CC113	1/6	1/12	12.0 x 15.0	12.0 x 15.0	12.0 x 15.0	12.0 x 15.0	5.0	4.4	0.3	4320	1.7	B	D	21.80
CA502	CA503	CC114	1/6	1/12	12.0 x 15.0	12.0 x 15.0	12.0 x 15.0	12.0 x 15.0	7.5	6.8	0.5	3456	2.4		E	26.70
CA504	CC174	CC115	1/6	1/12	12.0 x 15.0	12.0 x 15.0	12.0 x 15.0	12.0 x 15.0	9.5	8.8	0.6	2304	2.5		E	30.50
CA507	CA508	CC116	-	1/6	24.0 x 15.0	24.0 x 15.0	24.0 x 15.0	24.0 x 15.0	5.0	4.4	0.7	2592	3.0	C	D	31.80
CA509	CA510	CC117	-	1/6	24.0 x 15.0	24.0 x 15.0	24.0 x 15.0	24.0 x 15.0	7.5	6.8	1.1	1728	3.5		E	40.80
CA511	CA512	CC118	-	1/6	24.0 x 15.0	24.0 x 15.0	24.0 x 15.0	24.0 x 15.0	9.5	8.8	1.4	1296	4.4		E	38.50
CA505	CA506	CC119	-	1/6	24.0 x 15.0	24.0 x 15.0	24.0 x 15.0	24.0 x 15.0	14.5	13.8	2.2	864	5.4		E	52.30

* When containers are stacked on top of each other approximately 1/2" is lost to nesting.

STAKPAK® COVERS

	Model No.			Dimensions		Wt. lbs.	Price /Each
	Med. Green	Grey	Royal Blue	L" x W"	L" x W"		
A.	N/A	CA488	N/A	12.0 x 7.4	12.0 x 7.4	0.4	12.00
B.	CA489	CA490	CC121	12.0 x 15.0	12.0 x 15.0	0.8	13.80
C.	N/A	CA492	CC122	24.0 x 15.0	24.0 x 15.0	2.1	20.40

CARDHOLDERS

	Model No.	Dimensions L" x W"	Price /Each
D.	CA448	8.5 x 4.0	2.49
E.	CA449	8.5 x 4.6	2.49

DISTRIBUTION CONTAINERS

FLIPAK®

- Reusable, returnable, attached-lid containers are ideal for use in wholesale product distribution and as picking containers
- Hinged covers with tight interlocking fit provide maximum security and protection

- Stack with lids closed and nest with lids open for optimum use of space in trucks, trailers or on pallets
- Load capacity per container is a maximum of 70-75 lbs.
- Bottom container will support 250 to 300 lbs. when stacked (Please inquire for exact load capacities)

FLIPAK® POLYETHYLENE PLASTIC (PE) DISTRIBUTION CONTAINERS

- High density polyethylene (HDPE) construction offers maximum product protection from moisture, impact and chemicals



FLIPAK® CLEAR POLYPROPYLENE PLASTIC (PP) DISTRIBUTION CONTAINERS

- Offer all the same benefits as the polyethylene containers, plus provide easy content identification
- Polypropylene (PP) is the same family as polyethylene
- Polypropylene's advantages over polyethylene include its greater stiffness and elevated use
- Temperature range: 30°F - 150°F



ORBIS

Model No.			Outside Dimensions		Overall Height"	Volume Cu. Ft.	Nesting Ratio	Wt. lbs.	Price /Each
Grey	Red	Blue	Top L" x W"	Bottom L" x W"					
LESS THAN 2.0 CU.FT.									
CA452	-	CF265	11.8 x 9.8	9.3 x 7.0	7.7	0.3	2.8:1	2.1	26.20
CA453	-	CF266	15.2 x 10.9	12.8 x 7.8	9.7	0.6	4.0:1	3.0	29.90
CA454	-	-	21.8 x 15.1	18.9 x 13.7	5.5	0.7	3.6:1	5.7	44.40
CA455	-	CF268	19.7 x 11.8	16.9 x 9.3	7.3	0.7	3.0:1	3.4	26.30
CA456	-	-	20.6 x 13.5	18.2 x 11.7	6.5	0.8	2.1:1	6.2	46.90
CA457	-	-	20.6 x 13.2	17.7 x 11.0	11.6	1.4	4.4:1	5.9	48.90
CF559	CF556	CF557	21.9 x 15.2	19.1 x 13.3	9.3	1.3	4.4:1	5.0	29.90
CA461	-	CF273	22.3 x 13.0	19.1 x 10.9	12.8	1.6	3.8:1	6	34.10
CA462	CA463	CF274	21.8 x 15.2	18.6 x 12.9	12.9	1.8	4.0:1	6.5	34.40
CA464	-	-	23.5 x 15.7	19.9 x 13.0	13.0	1.9	4.5:1	6.9	47.30
2.0 CU.FT. & GREATER									
CF504*	CF503*	CF506*	26.9 x 16.9	24.4 x 14.7	12.1	2.3	4.2:1	7.8	39.20
CA468	CA469	CF277	23.9 x 19.6	21.1 x 17.1	12.6	2.7	5.3:1	7.8	55.20
CA471	-	-	39.0 x 14.0	36.3 x 11.3	13.0	3.3	4.9:1	10.8	94.70
CF724*	CF726*	CF725*	27.9 x 20.9	25.8 x 18.8	15.2	4.0	2.7:1	12.0	66.50
CA475	-	-	30.0 x 22.0	27.4 x 19.4	20.5	6.1	4.0:1	16.5	169.00

*Dollies available for these sizes

ORBIS

Model No.	Outside Dimensions						Overall Height"	Volume Cu. Ft.	Nesting Ratio	Wt. lbs.	Price /Each
	Top			Bottom							
	L"	x	W"	L"	x	W"					
LESS THAN 2.0 CU.FT.											
CC128	11.8	x	9.8	9.3	x	7.0	7.7	0.3	2.8:1	2.1	34.10
CC129	15.2	x	10.9	12.8	x	7.8	9.7	0.6	4.0:1	3.0	39.70
CC130	19.7	x	11.8	16.9	x	9.3	7.3	0.7	3.0:1	3.4	42.20
CF558	21.9	x	15.2	19.1	x	13.3	9.3	1.3	4.4:1	5.0	42.50
CC132	21.8	x	15.2	18.6	x	12.9	12.9	1.8	4.0:1	6	49.90
2.0 CU.FT. & GREATER											
CF505*	26.9	x	16.9	24.4	x	14.7	12.1	2.3	5.3:1	7.8	59.20

*Dollies available for these sizes

FLIPAK® DOLLY

- Allows for easy and efficient transport of multiple for Flipak® containers
- High corner supports hold totes in place
- Dollies securely stack together
- All-plastic construction is durable, increases service life and reduces product damage
- Rugged rubber casters withstand varying ground surfaces
- Standard 3" casters included

Model No.	Description	Inside Dim."	External Dim."	Height w/o Casters"	Price/Each
CF935	Compatible w/CF724 to CF726	24.6 L x 14.9 W	26 L x 18.9 W	6.25	279.00
CF936	Compatible w/CF503 to CF506	24.4 L x 14.6 W	26.9 L x 16.9 W	7	239.00

ORBIS



FLIP TOP PLASTIC DISTRIBUTION CONTAINERS

- Reusable containers are ideal for use in wholesale product distribution and as picking containers
- Hinged lids with tight interlocking fit provide added security and protection
- When lids are closed, containers can be easily stacked
- Nests with lids open for optimal use of space
- Volume Cu. Ft.: 1.8
- Height: 12.5"
- Width: 21.65"
- Depth: 15.5"

Model No.	Colour	Price /Each
CG125	Grey	23.75
CG126	Red	23.75
CG127	Blue	23.75



CG125



CG127

CG126



KLETON

DISTRIBUTION CONTAINERS

DIVIDER BOX® CONTAINERS

- Injection-molded HDPE
- Large, flat areas on all four sides for content identification
- Comfort grip handle
- Stacking rims and multi-ribbed external sides provide high impact strength
- All containers can be divided into compartments by length and/or width
- Molded-in stacking ridge assures containers will stack securely with or without covers
- Two cardholder snaps included
- Full range of optional accessories available including snap on card holders, short and long dividers and covers
- Load capacity 40 lbs. per container
- Can be divided into compartments of 1.25" centers with easy to add dividers
- Manufactured in high density polyethylene



				Dimensions										Volume Cu. Ft.	Uses Dividers & Accessories	Price /Each
Grey	Model No. Red	Light Blue	Mfg. No.	L"	x	W"	x	H"	L"	x	W"	x	H"			
CA562	CC833	CC846	DC1025	10.8	x	8.3	x	2.5	9.2	x	6.6	x	2.5	0.07	A	11.60
CA565	CC836	CC849	DC2025	16.5	x	10.9	x	2.5	14.8	x	9.2	x	2.5	0.16	B	15.00
CA566	CC840	CC853	DC2070	16.5	x	10.9	x	7.0	15.0	x	9.3	x	7.0	0.51	C	25.20
CA567	CC842	CC855	DC3050	22.4	x	17.4	x	5.0	20.3	x	15.3	x	5.0	0.79	D	31.30

VERTICAL DIVIDERS

	Model No.	Divider Type	Maximum # of Dividers	Price /Each
A.	CA568	Short	7	1.53
A.	CA571	Long	5	1.64
B.	CA571	Short	11	1.64
B.	CA577	Long	7	2.39
C.	CA575	Short	11	3.79
C.	CA581	Long	7	4.29
D.	CA584	Short	15	3.59
D.	CA588	Long	11	3.89

ACCESSORIES

	Clear Lids Model No.	Price /Each	Card Holders Model No.	Price /Each
A.	CA556	12.20	CC314	2.49
B.	CA561	19.20	CC314	2.49
C.	CA561	19.20	CA446/CC314	2.59

DIVIDER BOX® CONTAINERS

- Made of FDA compliant materials
- Large, flat areas on all four sides for content identification
- Comfort grip handle
- Stacking rims and multi-ribbed external sides provide high impact strength
- All containers can be divided into compartments by length and/or width
- Moulded-in stacking ridge assures containers will stack securely with or without covers
- Full range of optional accessories available including hook and loop card holders, short and long dividers and covers
- Can be divided into subdivisions as small as 1 1/8" squares



				Dimensions										Volume Cu. Ft.	Uses Dividers & Accessories	Price /Each
Grey	Model No. Red	Blue	Mfg. No.	L"	x	W"	x	H"	L"	x	W"	x	H"			
CF947	CF948	CF946	DG91025	10.9	x	8.3	x	2.5	9.2	x	6.6	x	2.0	0.38	A	9.67
CC641	CC934	CC946	DG91035	10.9	x	8.3	x	3.5	9.2	x	6.6	x	3.0	0.10	B	10.70
CC642	CC935	CC947	DG91050	10.9	x	8.3	x	5.0	9.2	x	6.6	x	4.5	0.19	C	11.10
CC643	CC936	CC948	DG92035	16.5	x	10.9	x	3.5	14.9	x	9.3	x	3.0	0.24	D	13.40
CF951	CF952	CF950	DG92050	16.5	x	10.9	x	5.0	14.9	x	9.3	x	4.5	1.71	E	17.60
CC644	CC937	CC949	DG92060	16.5	x	10.9	x	6.0	14.9	x	9.3	x	5.5	0.44	F	19.50
CC645	CC938	CC950	DG92080	16.5	x	10.9	x	8.0	14.9	x	9.3	x	7.5	0.60	G	29.10
CC646	CC939	CC951	DG93030	22.5	x	17.5	x	3.0	20.6	x	15.6	x	2.5	0.44	H	32.10
CC647	CC940	CC952	DG93060	22.5	x	17.5	x	6.0	20.6	x	15.6	x	5.5	0.97	I	35.70
CC648	CC941	CC953	DG93080	22.5	x	17.5	x	8.0	20.6	x	15.6	x	7.5	1.32	J	41.20
CC649	CC942	CC954	DG93120	22.5	x	17.5	x	12.0	20.6	x	15.6	x	11.5	2.03	K	47.10

VERTICAL DIVIDERS

	Model No.	Divider Type	Maximum # of Dividers	Price/Each
A.	CF959	Short	7	2.36
A.	CF954	Long	5	3.48
B.	CC659	Short	7	2.14
B.	CC650	Long	5	2.93
C.	CC660	Short	7	2.25
C.	CC651	Long	5	3.13
D.	CC661	Short	11	3.03
D.	CC652	Long	7	4.40
E.	CF955	Short	11	4.00
E.	CF960	Long	7	3.75
F.	CC662	Short	11	3.81
F.	CC653	Long	7	4.40
G.	CC663	Short	11	4.01
G.	CC654	Long	7	5.28
H.	CC664	Short	15	5.28
H.	CC655	Long	11	5.87
I.	CC665	Short	15	5.38
I.	CC656	Long	11	6.17
J.	CC666	Short	15	7.05
J.	CC657	Long	11	7.93
K.	CC667	Short	15	12.90
K.	CC658	Long	11	14.30

ACCESSORIES

	Clear Lids Model No.	Price /Each	Card Holders Model No.	Price /Each
A.	CD437	10.00	CF351	4.99
B.	CD437	10.00	CF351	4.99
C.	CD437	10.00	CF352	5.29
D.	CD438	14.50	CF351	4.99
E.	CD438	14.50	CF532	9.31
F.	CD438	14.50	CF532	9.31
G.	CD438	14.50	CF353	5.58
H.	CD439	27.10	CF351	4.99
I.	CD439	27.10	CF352	5.29
J.	CD439	27.10	CF353	5.58
K.	CD439	27.10	CF353	5.58



DISTRIBUTION CONTAINERS

ESD DIVIDER BOXES

- Provide conductive and shielding protection for use in electronics manufacturing
- All boxes can be divided into compartments by length and/or width
- Dividers are on 1.25" centres
- Made of permanently conductive black, carbon-filled, injection molded polypropylene copolymer resin
- A Faraday cage is created when used with ESD safe divider box covers
- Unaffected by washing or humidity
- Static decay rate from 5000 volts to 0 of less than two seconds
- Surface resistivity of $< 1.0 \times 10^5$ ohms/square




ORBIS

Model No.	Outside Dim. Top			Outside Dim. Bottom			Overall Height"	Vol. Cu. Ft.	Wt. lbs.	Price /Each	Short Dividers			Long Dividers			Covers	
	L"	x	W"	L"	x	W"					Model No.	Max. Dividers	Price /Each	Model No.	Max. Dividers	Price /Each	Model No.	Price /Each
CONDUCTIVE BINS																		
CB935	10.8	x	8.3	9.8	x	7.3	2.5	0.07	0.5	20.60	CB938	7	2.69	CB939	5	2.89	CB911	10.40
CB936	10.8	x	8.3	9.8	x	7.3	3.5	0.11	0.7	22.40	CB940	7	2.89	CB942	5	3.49	CB911	10.40
CB909	10.8	x	8.3	9.8	x	7.3	5	0.16	0.9	27.50	CB907	7	3.39	CB908	5	4.19	CB911	10.40
CB910	16.5	x	10.9	15.5	x	9.9	2.5	0.16	1.0	29.80	CB939	11	2.89	CB945	7	3.59	CB923	21.30
CB913	16.5	x	10.9	15.5	x	9.9	3.5	0.24	1.1	32.00	CB942	11	3.49	CB947	7	5.49	CB923	21.30
CB914	16.5	x	10.9	15.5	x	9.9	5	0.36	1.4	37.00	CB908	11	4.19	CB924	7	7.19	CB923	21.30
CB915	16.5	x	10.9	15.5	x	9.9	6	0.43	1.6	39.20	CB925	11	6.39	CB926	7	7.59	CB923	21.30
CB937	16.5	x	10.9	15.5	x	9.9	7.0	0.51	1.9	48.60	CB941	11	6.89	CB943	7	8.89	CB923	21.30
CB916	16.5	x	10.9	15.5	x	9.9	8	0.59	2	51.30	CB927	11	7.29	CB928	7	9.89	CB923	21.30
CB912	22.4	x	17.4	20.9	x	15.9	5	0.79	2.8	69.80	CB944	15	7.49	CB946	11	8.19	CB921	36.80
CB917	22.4	x	17.4	20.9	x	15.9	6	0.97	3.0	77.80	CB929	15	8.19	CB930	11	9.39	CB921	36.80
CB918	22.4	x	17.4	20.9	x	15.9	8	1.32	4.0	91.60	CB931	15	9.19	CB934	11	11.60	CB921	36.80
CB919	22.4	x	17.4	20.9	x	15.9	12	2	6	109.00	CB932	15	18.90	CB933	11	19.90	CB921	36.80

ESD TRAYS

- Trays provide conductive and shielding protection for use in electronics manufacturing
- Resistant to abrasion and chemicals
- Easy to clean with steam or water (temperature range: -60°F to 250°F)
- Trays are permanently dissipative and are unaffected by washing



Model No.	Dimensions				Wt. lbs.	Price /Each
	L"	x	W"	x	H"	
CF261	18	x	12	x	1	46.30
CF262	18	x	14	x	1	47.00

Model No.	Dimensions				Wt. lbs.	Price /Each
	L"	x	W"	x	H"	
CF263	20.36	x	15.13	x	1	52.60
CF264	25.75	x	17.88	x	1.1	59.90

ORBIS

RECYCLED BINS

- Manufactured from recycled, 100% post consumer, high density polypropylene
- Can be stacked or hung in louvered pannels
- Available in black only



Model No.	Mfg. No.	Outside Dimensions					Price /Each	Dividers Model No.	Price /Each
		W"	x	D"	x	H"			
CC552	QUS200BR	4 1/8	x	5	x	3	1.85	CB824	1.95
CC553	QUS210BR	4 1/8	x	5 3/8	x	3	2.06	CB825	0.92
CC554	QUS220BR	4 1/8	x	7 3/8	x	3	3.50	CB826	1.01
CE872	QUS224BR	4 1/8	x	10 7/8	x	4	5.31	CD250	3.62
CC555	QUS230BR	5 1/2	x	10 7/8	x	5	8.81	CB829	1.59
CC557	QUS234BR	5 1/2	x	14 3/4	x	5	10.30	CC569	4.40
CC558	QUS235BR	11	x	10 7/8	x	5	13.60	CB829	1.59
CC559	QUS239BR	8 1/4	x	10 3/4	x	7	14.70	CB830	2.58
CC560	QUS240BR	8 1/4	x	14 3/4	x	7	17.40	CB831	3.47
CC561	QUS245BR	16 1/2	x	10 7/8	x	5	20.40	CC297	3.72
CC562	QUS250BR	16 1/2	x	14 3/4	x	7	24.30	CB831	3.47
CC563	QUS255BR	11	x	16	x	8	18.00	CB833	10.30
CC564	QUS260BR	11	x	18	x	10	38.80	CB834	5.28
CC565	QUS265BR	8 1/4	x	18	x	9	26.70	CC298	9.40
CC566	QUS270BR	16 1/2	x	18	x	11	44.80	CB835	10.30

RECYCLED SHELF BINS

- Manufactured from recycled 100% post consumer, high density polypropylene
- Available in black only



Model No.	Mfg. No.	Outside Dimensions					Price /Each	Dividers Model No.	Price /Each
		W"	x	D"	x	H"			
CB850	QSB 101BR	4 1/8	x	11 5/8	x	4	3.07	CB861	0.88
CB851	QSB 102BR	6 5/8	x	11 5/8	x	4	4.74	CB862	0.96
CB954	QSB 104BR	6 5/8	x	17 7/8	x	4	5.86	CB862	0.96
CB854	QSB 105BR	4 1/8	x	23 5/8	x	4	8.39	CB861	0.88
CB855	QSB 106BR	6 5/8	x	23 5/8	x	4	11.80	CB862	0.96
CB857	QSB 108BR	8 3/8	x	17 7/8	x	4	8.06	CB867	2.34
CB860	QSB 114BR	8 1/8	x	23 5/8	x	4	14.20	CB867	2.34
CC304	QSB 116BR	11 1/8	x	23 5/8	x	4	17.50	CB869	2.83
CC241	QGH 700BR	19 7/8	x	15 1/4	x	12 7/16	31.70	N/A	

FOOD APPROVED BOTTLES & CONTAINERS

QUANTUB NESTING TOTES

- High-density polyethylene
- Rolled top rim for comfortable grip
- Six 1/4" position drill holes on bottom allow for drainage
- Dimensions: 24 1/2" L x 19" W x 9 1/2" H
- Injection molded high-density polypropylene
- FDA compliant materials



Model No.	Colour	Price /Each
CD244	Grey	43.30
CD434	Blue	43.30

CROSS STACK BINS

- Ideal for production, assembly and order picking
- Injection molded from high impact polypropylene; will not crack or rust, and easy to clean
- Can be turned 90° to cross stack
- Built-in handle and bottom grooves for easy handling
- Capacity: 100 lbs.
- FDA approved
- Optional clear label holder CC360
- Drill hole pattern on bottom can be opened for drainage purposes



BINS

LIDS

Model No.	Model No.	Model No.	Dimensions	Price	Model No.	Model No.	Model No.	Price
Blue	Grey	White	L" x W" x H	/Each	Blue	Grey	White	/Each
CD583	CD584	CD585	17 1/4 x 11 x 12	20.00	CF016	CD586	CF017	14.40
CD247	CD246	CD248	25 1/8 x 16 x 8 1/2	31.30	CF018	CD606	CF019	23.10

BUS/UTILITY BOXES

USDA Meat and Poultry Equipment Group Listed and assists in complying w/HACCP guidelines

- Made of durable, commercial grade plastic
- Reinforced handles, bottom and ribs for added strength
- Capacity: 17.5 L
- 20" L x 15" W x 5" H

Model No. CD445 Grey
Model No. CD446 White
Price/Each 7.50

Model No. CD662
Grey cover
Price/Each 16.54



AGRICULTURAL PLASTIC STACK-N-NEST CONTAINER

- Used for field harvest, in-plant handling, staging and processing of fruits and vegetables
- High quality, impact resistant, durable and reusable hand-held container
- Ventilated design can easily be cleaned and sanitized
- Ideal for moist environments
- Stacks securely with bail arm engaged
- Fits 4-up on standard 40 x 48 pallets
- Nests when empty
- Material: Plastic
- FDA approved
- Fully recyclable
- Colour: Beige



ORBIS

Model No.	Mfg. No.	Overall Dim. W" x D" x H"	Bottom dim L" x W"	Inside Top Dim. L" x W"	Inside Bottom Dim. L" x W"	Price /Each
CF926	AF-1	20.3 x 24 x 6.8	21.4 x 17.8	22.5 x 19	20.9 x 17.5	39.80
CF927	AF-21	20 x 24 x 13.4	21.3 x 17.9	22.4 x 19	20.7 x 17.3	54.30

AGRICULTURAL PLASTIC STACK-N-NEST CONTAINER

- High quality, impact resistant, durable and reusable hand-held container
- Used in field harvesting
- Ventilated design can easily be cleaned and sanitized
- Stacks when full
- Nests when empty
- Fits 5-up on a standard 40 x 48 pallet
- Material: Plastic
- FDA approved
- Fully recyclable



ORBIS

Model No.	Mfg. No.	Overall Dim. W" x D" x H"	Bottom Dim. L" x W"	Inside Top Dim. L" x W"	Inside Bottom Dim. L" x W"	Price /Each
CF928	SNX2416-7	16 x 23.9 x 7.3	22.3 x 14.5	19.7 x 15.7	20.2 x 12.3	25.40

AGRICULTURAL PLASTIC STACK-N-NEST CONTAINER

- High quality, impact resistant, durable and reusable hand-held container
- Used for field harvest, in-plant handling, staging and processing of fruits and vegetables
- Ventilated design can easily be cleaned and sanitized
- Material: Plastic
- FDA approved
- Nests when empty
- Colour: Green
- Fully recyclable



ORBIS

Model No.	Mfg. No.	Overall Dim. W" x D" x H"	Bottom Dim. L" x W"	Inside Top Dim. L" x W"	Inside Bottom Dim. L" x W"	Price /Each
CF929	AF2013-6	13.1 x 19.7 x 5.6	17.1 x 11.6	17 x 11.6	16.6 x 11.2	21.80
CF931	NPL654B	16 x 23.9 x 8.8	22.1 x 15.9	19.9 x 13.7	19.2 x 12.6	35.50

PLASTIC DAIRY CASE

- Reusable case maintains its shape and performance through stacking, pressure washing and transportation
- Reinforced base and corners allows for cases to be stacked
- Universally compatible
- Fits 9-up on standard 40 x 40 dairy pallet
- Inside Dimensions: 12-1/10" L x 12-1/10" W
- Approvals: FDA-Approved
- Capacity: 40 lbs.
- Fully recyclable



ORBIS

Model No.	Mfg. No.	Overall Dim. H" x W" x D"	Price /Each
CF932	NPL004-BLACK	11 x 13-1/10 x 13-1/10	18.20



FOOD APPROVED BOTTLES & CONTAINERS

COLD FOOD PANS

- Dishwasher and microwave safe
- Non-stick surface allows for easy cleaning
- Won't rust, dent or bend
- Features a peg hole for easy storing and fast drying
- FDA compliant
- NSF Certified
- Temperature Range:
-40°F/-40°C to 102°F/39°C
- Lid sold separately



JD620

Model No.	Capacity	Volume Capacity	Dimensions L" x W" x H"	Price /Each	Full Lid Model No.	Notched Lid Model No.	Price /Each
JD620	1.6 L	1-2/3 qt.	10.4 x 6.4 x 2.5	10.24	OP048	OP049	7.24
JD621	2.5 L	2-5/8 qt.	12.8 x 6.9 x 2.5	10.24	OP055	OP056	7.78
JD622	3.8 L	4 qt.	12.8 x 6.9 x 4.0	13.86	OP055	OP056	7.78

COLD FOOD PANS

- Dishwasher and microwave safe
- Non-stick surface allows for easy cleaning
- Won't rust, dent or bend
- Features a peg hole for easy storing and fast drying
- FDA compliant
- NSF Certified
- Temperature Range:
-40°F/-40°C to 102°F/39°C
- Lid sold separately

OP071



Model No.	Capacity	Volume Capacity	Dimensions L" x W" x H"	Price /Each	Lids Model No.	Price /Each
OP071	3.4 L	3-5/8 qt.	20.8 x 6.4 x 2.5	18.34	OP073	15.82
OP072	5.2 L	5-1/2 qt.	20.8 x 6.4 x 4.0	22.78	OP073	15.82

COLD FOOD PANS

- Dishwasher and microwave safe
- Non-stick surface allows for easy cleaning
- Won't rust, dent or bend
- Features a peg hole for easy storing and fast drying
- FDA compliant
- NSF Certified
- Temperature Range:
-40°F/-40°C to 102°F/39°C
- Lid sold separately

OP066



Model No.	Capacity	Volume Capacity	Dimensions L" x W" x H"	Price /Each	Full Lids Model No.	Notched Lid Model No.	Price /Each
OP065	8.5 L	9 qt.	20.8 x 12.8 x 2.5	23.90	OP069	OP070	20.86
OP066	13.0 L	13-3/4 qt.	20.8 x 12.8 x 4.0	30.56	OP069	OP070	20.86
OP067	19.5 L	20-5/8 qt.	20.8 x 12.8 x 6.0	36.10	OP069	OP070	20.86
OP068	25.7 L	27-1/8 qt.	20.8 x 12.8 x 8.0	42.22	OP069	OP070	20.86

SPACE SAVING SQUARE CONTAINERS

- Square containers store up to 25% more on a shelf than round containers
- Break-resistant clear polycarbonate material allows for great visibility
- Easy to clean
- Nests when empty
- Features precise measurement graduations
- FDA compliant
- HACCP Compliant
- NSF Certified
- Temperature Range:
-40°F/-40°C to 212°F/100°C
- Lid sold separately



Model No.	Capacity	Volume Capacity	Dimensions L" x W" x H"	Price /Each	Lids Model No.	Price /Each
CF705	1.9 L	2 qt.	8.8 x 8.8 x 2.7	11.10	CA626	7.34
CF706	3.8 L	4 qt.	8.8 x 8.8 x 4.8	15.82	CA626	7.34
CF707	7.6 L	8 qt.	8.8 x 8.8 x 8.8	22.78	CA626	7.34
CF708	11.4 L	12 qt.	11.3 x 10.5 x 7.8	31.10	CA627	10.02
CF709	17 L	18 qt.	11.3 x 10.5 x 11.9	52.22	CA627	10.02

CARB-X® FOOD BOX

- Clear, break-resistant polycarbonate provides visibility, durability, and stain-resistance
- Helps reduce food spoilage costs
- Box features date control panel
- Dishwasher and freezer safe
- FDA compliant
- HACCP Compliant
- NSF Certified
- Lid sold separately

CF695



Model No.	Capacity	Volume Capacity	Dimensions L" x W" x H"	Price /Each	Lids Model No.	Price /Each
CF695	47.3 L	12-1/2 gal.	26 x 18 x 9.0	84.16	CF697	33.62
CF696	81.4 L	21-1/2 gal.	26 x 18 x 15	120.84	CF697	33.62
CF698	18.9 L	5 gal.	18 x 12 x 9.0	46.12	CF703	16.96
CF699	18.9 L	5 gal.	26 x 18 x 3.5	49.16	CF697	33.62
CF700	7.6 L	2 gal.	18 x 12 x 3.5	27.20	CF703	16.96
CF701	32.2 L	8-1/2 gal.	26 x 18 x 6.0	63.90	CF697	33.62
CF702	13.2 L	3-1/2 gal.	18 x 12 x 6.0	34.16	CF703	16.96
CF704	62.9 L	16-5/8 gal.	26 x 18 x 12	105.84	CF697	33.62

DUR-X® FOOD BOX

- White polyethylene material is ideal for economical storage and transport applications
- Box features date control panel
- Helps reduce food spoilage costs
- Dishwasher and freezer safe
- FDA compliant
- HACCP Compliant
- NSF Certified
- BPA Free
- Lid sold separately



OP160



Model No.	Capacity	Volume Capacity	Dimensions L" x W" x H"	Price /Each	Lids Model No.	Price /Each
OP160	7.6 L	2 gal.	18 x 12 x 3.5	20.28	OP163	15.60
OP162	13.2 L	3-1/2 gal.	18 x 12 x 6.0	25.20	OP163	15.60
OP158	18.9 L	5 gal.	18 x 12 x 9.0	33.16	OP163	15.60
OP159	18.9 L	5 gal.	26 x 18 x 3.5	33.40	OP157	25.76
OP161	32.2 L	8-1/2 gal.	26 x 18 x 6.0	43.50	OP157	25.76
OP155	47.3 L	12-1/2 gal.	26 x 18 x 9.0	56.94	OP157	25.76
OP166	62.9 L	16-5/8 gal.	26 x 18 x 12	105.14	OP157	25.76
OP156	81.4 L	21-1/2 gal.	26 x 18 x 15	81.16	OP157	25.76

PROSERVE® INSULATED TOP-LOAD FOOD PAN CARRIERS

- Keeps hot food hot and cold food cold safely for 4 hours
- ProServe® carriers are lighter than solid competitive products, decreasing risk of ergonomic stress
- Time temperature monitoring and labeling is easy with large identification window secured to each carrier
- Dishwasher safe and bleach safe

OQ752



Model No.	Capacity	Dimensions L" x W" x H"	Colour	Price /Each
OQ752	20.7 gal.	19 x 16.8 x 15	Grey	307.30
OQ753	45.5 gal.	19.3 x 28 x 19.5	Grey	498.06

FOOD APPROVED BOTTLES & CONTAINERS

CYLINDRICAL TANKS

- Easy to clean and heavy-duty cylindrical tanks
- Ideal for mixing and storage of chemicals and food products
- Molded from 100% virgin LLDPE (linear low density polyethylene)
- Can remain full of liquids at room temperature without support
- An economical alternative to stainless steel tanks
- Naturally translucent so that the product level can be viewed at a glance
- Includes a lid
- Accepted for use in Canadian food processing facilities



TECHSTAR
PLASTICS INC.

Model No.	Mfg. No.	Capacity Gallons	Inside Diameter"	Depth"	Wall Thickness"	Tank Weight lbs.	Lid Weight lbs.	Price /Each
CF793	1635	25	16	35	3/16	8	1	97.40
CF794	2234	45	22.5	34	3/16	17	3	223.00
CF795*	3048	125	30	48	1/4	38	-	535.00

* Lid not included

GREENSKEEPER® CONTAINER

- Ideal for washing, draining and storing produce
- Built-in reservoir lets water drain continuously
- Seamless construction is easy to clean
- FDA compliant
- HACCP Compliant
- Includes dolly and lid



Rubbermaid
Commercial Products

Model No.	Capacity	Volume Capacity	Dimensions Height x Diameter	Price /Each
JD984	75.7 L	20 gal.	33.5" x 22.5"	527.50
JD985	121.1 L	32 gal.	38.35" x 25"	671.02

GENERAL PURPOSE PAIS

- Snap on lids available: **Dry seal type** or **gasket type** for liquid handling
- Galvanized steel handles except Model **CB040**
- Lids sold separately



ROPAK

Model No.	Description	Dimensions Dia" x W"	Lid Type	Wt. lbs.	Price /Each
CONTAINERS					
CB040	4-L pail w/plastic handle	8 1/4 x 6	-	0.5	6.36
CB043	11.4-L pail w/metal handle	11 x 9	-	1.1	11.60
CB046	20-L pail w/metal handle	11 7/8 x 15 3/8	-	2.0	18.90

Model No.	Description	Dimensions Dia" x W"	Lid Type	Wt. lbs.	Price /Each
LIDS					
CB039	Lid for pails 4, 5, 6 L w/static joint	8 1/2 x 1/2	Gasket	0.2	2.82
CB041	Lid for pails 11.4 L w/o static joint	11 3/8 x 5/8	Dry Seal	0.3	4.56
CC426	Lid for 20-L pail	12 1/2 x 5/8	Dry Seal	0.4	5.88
CB045	Heavy-duty lid for 20 and 23-L pails w/pouring spout	12 1/8 x 3/4	Gasket	0.6	8.13

MOBILE INGREDIENT BINS

- Provide storage, protection and easy movement of all your ingredients with a hinged lid
- Smooth inside surface for easy cleaning
- 3" heavy-duty casters (two fixed, two swivel) provide both stability and manoeuvrability
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities



TECHSTAR
PLASTICS INC.

Model No.	Capacity Cu. ft.	Capacity Imperial Gal.	Outside Dimensions L" x W" x H"	Lid	Wt. lbs.	Price /Each
NG953	3.36	21	29 x 12.25 x 27	Hinged	20	245.00
NG954	4.4	28	29 x 15 x 27	Hinged	25	256.00
NG955	6	45	33 x 19 x 29	Sliding	35	288.00

PROSAVE™ MOBILE INGREDIENT BINS WITH 32-OZ. SCOOP

- Seamless construction, rounded corners and smooth walls make these bins easy to clean and bacteria free
- Clear, see-through lid with slide-back feature ideal for placing bin under counters
- Includes a scoop hook allowing scoop to be stored in bin and out of product, an ideal solution where cross contamination is a concern, and a 32-oz scoop
- USDA meat and poultry listed
- NSF Certified
- Made of FDA compliant materials



Rubbermaid
Commercial Products

Model No.	Description	Capacity Cu. ft.	Dimensions L" x W" x H"	Price /Each
CA616	Slant front	2 3/4	29.25 x 13.13 x 28	435.64
CA617	Slant front	3 1/2	29.50 x 15.50 x 28	465.68
CA618	Slant front	4 1/8	29.75 x 18 x 28	495.72

ROUND STORAGE CONTAINERS

- Large ergonomic pull-tab lids makes for easy opening
- Double seal lids help minimize leaking, spoilage and spills
- Dishwasher safe, durable plastic construction
- Ergonomic, easy-grip handles for comfort and control
- Lids sold separately



Rubbermaid
Commercial Products

CONTAINERS

Model No.	White	Clear	Description	Capacity	Wt. lbs.	Price /Each
CB583	CB584		Round storage container	2 qt/1.89 L	0.35	5.48
CB585	CB586		Round storage container	4 qt/3.79 L	0.58	7.64
CB587	CB588		Round storage container	6 qt/5.68 L	0.73	9.54
CB589	CB590		Round storage container	8 qt/7.57 L	0.85	10.90
CB591	CB592		Round storage container	12 qt/11.36 L	1.25	19.34
CB593	CB594		Round storage container	18 qt/17.03 L	1.8	26.30
CB599	CB600		Round storage container	22 qt/20.82 L	2.4	30.48

LIDS

Model No.	Description	Wt. lbs.	Price /Each
CB595	Bright yellow lid, fits CB583, CB584, CB585, CB586	0.22	3.62
CB596	Bright yellow lid, fits CB587, CB588, CB589, CB590	0.28	4.16
CB597	Bright yellow lid, fits all other containers	1	10.02



FOOD APPROVED BOTTLES & CONTAINERS

NARROW-MOUTH BOTTLES

- These sturdy all-purpose bottles offer a large variety of uses
- Guaranteed leakproof
- Max temp.: 120°C/ 248°F
- Min.Temp.: -100°C/-148°F
- Lid included



Model No.	Size	Price /Each
HA887	1/4 oz.	0.95
HA888	1/2 oz.	1.29
HA881	1 oz.	1.32
HA882	2 oz.	1.44
HA883	4 oz.	1.96
HA884	8 oz.	3.45
HA885	16 oz.	5.12
HA886	32 oz.	7.29

DROP DISPENSERS

HB233	1/2 oz.	2.75
HB234	1 oz.	3.78
HB235	2 oz.	4.62

WIDE-MOUTH BOTTLES

- The larger Nalgene® wide-mouth bottles are great for almost anything
- Guaranteed leakproof
- Max. temp.: 120°C/248°F
- Lid included



NALGENE®

Model No.	Size	Price /Each
HB005	1 oz.	2.43
HB006	2 oz.	2.24
HB007	4 oz.	2.65
HB008	8 oz.	4.61
HC678	16 oz.	5.02
HC679	32 oz.	11.91
HB037	1/2 gal.	52.19
HB038	1 gal.	41.15

ONE GALLON SQUARE BOTTLES

- Heavy-duty walls will not puncture or split under rough conditions
- This 1 gallon leakproof bottle is perfect for solids, powders or liquids
- The convenient wide mouth and handgrips make it easy to fill and pour contents
- Lid included

Model No. HB039
Price/Each \$62.45



NALGENE®

STRAIGHT-SIDED JARS

- These attractive canister-style jars are ideal for a wide variety of uses
- These jars lock out moisture to help preserve freshness
- Stackable and impact resistant
- Not recommended for liquid storage
- Max temp.: 135°C/275°F
- Min. temp.: -135°C/-211°F
- Lid included



NALGENE®

Model No.	Size	Price /Each
HB025	1 oz.	4.29
HB026	2 oz.	2.96
HB027	4 oz.	5.03
HB028	8 oz.	11.21
HB029	16 oz.	8.80
HB030	32 oz.	13.65

EASY-GRIP SPACE-SAVER BOTTLES RECTANGULAR & SQUARE

PERFECT FOR SOLIDS, POWDERS OR LIQUIDS!

- Heavy-duty walls will not puncture or split under rough conditions
- Perfect for solids, powders or liquids
- Guaranteed leakproof
- Max Temp.: 120°C/248°F
- Min. Temp.: -100°C/-148°F
- Lid included



NALGENE®

Model No.	Size	Price /Each
RECTANGULAR		
HA902	4 oz.	2.19
HA903	8 oz.	3.25
HA904	16 oz.	4.92
HA905	32 oz.	9.44
HA906	64 oz.	24.55
SQUARE		
HB014	2 oz.	2.68
HB015	6 oz.	3.84
HB016	8 oz.	10.20
HB017	16 oz.	8.25
HB018	32 oz.	22.14

SAMPLE JARS

- Excellent for storing dry materials, medicines, first aid supplies and spare parts for equipment
- Friction fit snap caps



NALGENE®

Model No.	Size"	Price /Each
HD015	1 x 1 1/3	1.20

SMALL PARTS STORAGE

ROTABIN STORAGE UNITS

- Revolving units allow for greater accessibility and visibility
- Shelves sit securely on ball bearings held with a solid steel pin
- Each shelf rotates smoothly and independently

TO ORDER:

- 1) Measure available floor space to determine Rotabin shelf diameter that will not intrude on aisles.
- 2) Determine number of Rotabin shelves required by matching the unit height with the available storage height.
- 3) Select the appropriate Rotabin unit: 17", 28", 34", 44" or 58" diameter units

DURHAM MFG®
Est. 1922

28" DIAMETER

- 6 permanent 14 1/2" wide compartments per shelf
- Model **CA221** dividers can be inserted on 1" centres
- Capacity: 500 lbs. per shelf

34" DIAMETER

- 5 permanent 21" wide compartments per shelf
- Optional removable pans for 34" diameter units allow for easy parts inventory, restocking, transporting to work area or to get weighted
- Capacity: 500 lbs. per shelf

Model No.	No. of Shelves	No of Pans*	Unit Height"	Wt. lbs.	Price /Each
UNIT ONLY 28" (PANS NOT AVAILABLE)					
CA193	5	-	38	125	1459.00
CA194	6	-	41	144	1659.00
CA195	7	-	47	163	1859.00
CA196	8	-	53	182	2049.00
CA197	9	-	60	201	2249.00
CA198	10	-	66	220	2429.00
UNIT ONLY 34" (PANS NOT INCLUDED)					
CA225	4	60	35	135	1499.00
CA226	5	75	43	162	1759.00
CA227	6	90	50	188	1999.00
CA228	7	105	66	215	2269.00
CA229	8	120	66	240	2519.00
GREY PANS FOR 34" UNIT					
CA258	-	-	-	-	13.10

*Max number of Pans (Pans Not included)

CA229



44" & 58" DIAMETER

- Designed for storage of larger quantities of small parts or fasteners, or heavier parts
- Scoop compartment design is manufactured from one piece of heavy gauge steel, with dividers welded in place
- 44" diameter units have 5 compartments per shelf, with a 625-lb. capacity each shelf
- 58" diameter units have 10 compartments per shelf, with a 2000 lbs. capacity each shelf
- Grey enamel finish

CA273



Model No.	No. of Shelves	Unit Height"	Wt. lbs.	Price /Each
44" DIAMETER				
CA262	3	34	154	2089.00
CA263	4	45	196	2639.00
CA264	5	56	238	3189.00
CA265	6	67	284	4069.00
58" DIAMETER				
CA273	5	66	563	7349.00

17" DIAMETER

- Can be used on counter tops or workbenches
- Each shelf has 4 permanent compartments
- Can have up to 16 compartments per shelf using model **CA192** adjustable dividers
- Curved bottom facilitates removal of small parts

CA188



Model No.	No. of Shelves	Unit Height"	Wt. Capacity per Shelf lbs.	Wt. lbs	Price /Each
CA188	4	18 1/2	60	25	389.00
CA189	6	26 1/8	60	34	539.00
CA190	8	34 1/2	60	43	859.00
CA191	10	42 1/8	60	52	869.00

Model No.	Description	Wt. lbs.	Price /Each
CA192	Adjustable Divider	0.02	5.89

MULTI-PURPOSE BINS

- Removable vertical dividers allow creation of multi-width compartments
- Scoop shelves allow contents to be removed easily
- Keyhole slots provide for wall mounting
- 36 bins (3 7/8" W x 4 5/8" D x 3 3/4" H)
- 23 3/4" W x 4 3/4" D x 23 3/4" H
- Weight: 25 lbs.
- Powder coat grey finish

Model No. **CA161**
Price/Each \$219.00



DURHAM MFG®
Est. 1922



SMALL PARTS STORAGE

MODULAR SMALL PARTS STORAGE UNITS

- Unit is ideal for organization and storage of multipurpose small parts and variety of sized components
- Not included: Mounting/fastening hardware (requires 12 x 1/4" nuts & bolts)
- Steel construction
- Grey powder-coated finish



FN371



FN372



FN373



FN374



FN375



FN376



FN377



FN378

(1) 72-HOLE BOLT BIN, (1) 18-DRAWER CABINET & (1) ELEVATED BASE

- 33-3/4" W x 12-1/4" D x 58-5/8" H
- No. of Drawers: 18
- Weight: 123 lbs.
- Drawer Cabinet Dimensions: 33-3/4" W x 11-5/8" D x 10-7/8" H
- Bolt Bin Dimensions: 33-3/4" W x 12" D x 42" H
- Base Dimensions: 33-3/4" W x 12-1/4" D x 5-3/4" H

Model No. FN371 Price/Each \$769.00

(1) 40-HOLE BOLT BIN, (1) 18-DRAWER CABINET & (1) ELEVATED BASE

- 33-3/4" W x 12-1/4" D x 40-1/2" H
- No. of Drawers: 18
- Weight: 105 lbs.
- Drawer Cabinet Dimensions: 33-3/4" W x 11-5/8" D x 10-7/8" H
- Bolt Bin Dimensions: 33-3/4" W x 12" D x 23-7/8" H
- Base Dimensions: 33-3/4" W x 12-1/4" D x 5-3/4" H

Model No. FN374 Price/Each \$619.00

(1) 40-HOLE BOLT BIN, (2) 24-DRAWER CABINETS & (1) ELEVATED BASE

- 33-3/4" W x 12-1/4" D x 58-3/8" H
- No. of Drawers: 48
- Weight: 124 lbs.
- Bolt Bin Dimensions: 33-3/4" W x 12" D x 23-7/8" H
- Drawer Cabinet Dimensions: 33-3/4" W x 11-5/8" D x 14-3/8" H
- Base Dimensions: 33-3/4" W x 12-1/4" D x 5-3/4" H

Model No. FN377 Price/Each \$979.00

(3) LARGE SLIDE RACKS, (12) LARGE COMPARTMENT BOXES & (1) ELEVATED BASE

- 20-3/8" W x 16" D x 60-1/8" H
- No. of Drawers: 12
- Weight: 48 lbs.
- Large Slide Rack Dimensions: 20" W x 15-3/4" D x 15" H
- Large Compartment Box Dimensions: 18" W x 12" D x 3" H
- Base Dimensions: 20-9/16" W x 16-1/8" D x 15" H

Model No. FN372 Price/Each \$1289.00

(2) LARGE SLIDE RACKS, (8) LARGE COMPARTMENT BOXES, (1) SINGLE-DOOR UTILITY CABINET, (1) 40-HOLE BOLT BIN & (1) ELEVATED BASE

- 33-3/4" W x 12-1/4" D x 59-5/8" H
- No. of Drawers: 8
- Weight: 118 lbs.
- Large Slide Rack Dimensions: 20" W x 15-3/4" D x 15" H
- Large Compartment Box Dimensions: 18" W x 12" D x 3" H
- Utility Cabinet Dimensions: 13-3/4" W x 12-3/4" D x 30" H
- Bolt Bin Dimensions: 33-3/4" W x 12" D x 23-7/8" H
- Base Dimensions: 33-3/4" W x 12-1/4" D x 5-3/4" H

Model No. FN375 Price/Each \$1389.00

(1) SMALL SLIDE RACK, (4) SMALL COMPARTMENT BOXES, (1) 9-DRAWER CABINET, (1) 42-HOLE BOLT BIN & (1) ELEVATED BASE

- 33-3/4" W x 12-1/4" D x 59" H
- No. of Drawers: 13
- Weight: 122 lbs.
- Small Slide Rack Dimensions: 15-1/4" W x 11-3/4" D x 11-1/4" H
- Large Compartment Box Dimensions: 13-1/8" W x 9-1/4" D x 2" H
- Drawer Cabinet Dimensions: 17-1/4" W x 11-5/8" D x 10-7/8" H
- Bolt Bin Dimensions: 33-3/4" W x 12" D x 42" H
- Base Dimensions: 33-3/4" W x 12-1/4" D x 5-3/4" H

Model No. FN378 Price/Each \$939.00

(1) 42-HOLE BOLT BIN, (1) 18-DRAWER CABINET & (1) ELEVATED BASE

- 33-3/4" W x 12-1/4" D x 58-5/8" H
- No. of Drawers: 18
- Weight: 115 lbs.
- Drawer Cabinet Dimensions: 33-3/4" W x 11-5/8" D x 10-7/8" H
- Bolt Bin Dimensions: 33-3/4" W x 12" D x 42" H
- Base Dimensions: 33-3/4" W x 12-1/4" D x 5-3/4" H

Model No. FN373 Price/Each \$739.00

(1) DOUBLE-DOOR UTILITY CABINET, (1) 40-HOLE BOLT BIN & (1) ELEVATED BASE

- 33-3/4" W x 12-1/4" D x 55-1/2" H
- No. of Drawers: 0
- Weight: 99 lbs.
- Utility Cabinet Dimensions: 33-3/4" W x 12" D x 23-7/8" H
- Bolt Bin Dimensions: 33-3/4" W x 12" D x 23-7/8" H
- Base Dimensions: 33-3/4" W x 12-1/4" D x 5-3/4" H

Model No. FN376 Price/Each \$679.00

DURHAM MFG®
Est. 1922

SMALL PARTS STORAGE

INDUSTRIAL DRAWER CABINETS

- Provide a rugged modular storage system for small parts
- Select from a range of drawer capacities from 9 to 96 drawers per cabinet
- Various drawer sizes are available including drawer heights of 2 3/4" and 3 1/2", and drawer depths of 11 1/8" and 17"
- Each drawer includes 2 adjustable dividers and full width handles
- Drawer sides are slotted to hold dividers

DURHAM MFG®
Est. 1922



A. Drawer Cabinets, Base included

Type	Model No.	No. of Drawers	Drawer Size				Cabinet Height"	Wt. lbs.	Price /Each	Replacement Drawers	Price /Each
A	FI356	30	5 3/8	x	11 1/4	x 3 1/2	26 7/8	107	1189.00	CD661	20.90
A	CA936	48	5 3/8	x	11 1/8	x 2 3/4	33 3/4	176	1179.00	CA921	16.10
A	FI357	60	5 3/8	x	11 1/4	x 3 1/2	48	194	1779.00	CD661	20.90
A	CA939	72	5 3/8	x	11 1/8	x 2 3/4	48 1/8	238	1499.00	CA921	16.10
A	FI358	90	5 3/8	x	11 1/4	x 3 1/2	69 1/8	281	2369.00	CD661	20.90
A	CA941	96	5 3/8	x	11 1/8	x 2 3/4	62 1/2	300	1799.00	CA921	16.10
B	CA924	18	5 3/8	x	11 1/4	x 2 3/4	10 7/8	50	299.00	CA921	16.10
B	CA925	18	5 3/8	x	11 1/4	x 3 1/2	12 7/8	87	339.00	CD661	20.90
B	CA926	18	5 3/8	x	17	x 3 1/2	12 7/8	75	459.00	CA923	32.90
C	CA930	24	5 3/8	x	11 1/4	x 2 3/4	14 3/8	60	359.00	CA921	16.10
C	CA932	24	5 3/8	x	17	x 3 1/2	17	96	589.00	CA923	32.90
D	CA942	9	5 3/8	x	11 1/4	x 2 3/4	10 7/8	28	189.00	CA921	16.10
E	CA934	30	5 3/8	x	11 1/4	x 3 1/2	21 1/8	87	599.00	CD661	20.90
E	CA935	30	5 3/8	x	17	x 3 1/2	21 1/8	118	739.00	CA923	32.90
-	CA946		Extra Divider for 2 3/4" H Drawer						0.1	1.57	-
-	CA947		Extra Divider for 3 1/2" H Drawer						0.1	1.68	-



B. 18-Drawer Cabinets



C. 24-Drawer Cabinets



D. 9-Drawer Cabinets



E. 30-Drawer Cabinets

HEAVY-DUTY 2-SIDED MOBILE CARTS/WORK STATIONS

- Two rigid and two swivel casters with locking brakes
- Sturdy tubular handle allows ease of mobility
- Rubber tray mat provides safe, secure, non-skid work surface
- Finished in rust and acid resistant grey powder coat
- Heavy-duty casters, capacity of 1000 lbs.
- Shipped fully welded

DURHAM MFG®
Est. 1922



- Two 12-compartment bins back-to-back
 - Overall dimensions: 34" W x 24" D x 32" H
 - Ship weight: 139 lbs.
- Model No. CD330**
Price/Each \$1049.00



- Two 40-compartment bins back-to-back
 - Overall dimensions: 34" W x 24" D x 32" H
 - Ship weight: 159 lbs.
- Model No. CD349**
Price/Each \$1069.00



Front



Back

- One lockable 4-compartment storage cabinet
 - One storage bin with 12 compartments
 - 12 easily dividable pull out storage drawers, six one each side
 - Overall dimensions: 34" W x 24" D x 34" H
 - Ship weight: 180 lbs.
- Model No. MO070**
Price/Each \$1309.00



SMALL PARTS STORAGE

STEEL STORAGE BINS

- Pigeonhole type steel storage bin units organise small parts
- Best suited where space is limited and organization is crucial
- Produced of prime cold rolled steel
- Fully welded, will not warp, twist or sag
- Fully hemmed label holders provide adequate space for content identification
- Each divider is hemmed in a tear drop design to avoid sharp edges
- Doors with padlock attachment and bases to raise units are available with most models
- All units are 33 3/4" wide and are available in depths of 12" or 8 1/2"
- 12" deep units feature a 45° slope front for easy removal of parts
- Finished in grey powder coat

DURHAM MFG®
Est. 1922



CA151



CA152

Perfect for organising your shop - can be filled with just about anything!



CA154



Base for storage bins

CA157



CA136



CA141

Door for storage bins



CA149

CA133



Model No.	Dimensions					No. of Bins	Bin Dimensions					Wt. lbs.	Price /Each	Base Model No.	Price /Each	Door Model No.	Price /Each
	W"	x	D"	x	H"		W"	x	D"	x	H"						
12" DEEP STORAGE BINS																	
CA133	33 3/4	x	12	x	11 1/2	16	4	x	11 7/8	x	5 1/8	25	179.00	CA157	93.60	-	-
CA134	33 3/4	x	12	x	19 1/4	18	5 3/8	x	11 7/8	x	6 3/8	38	259.00	CA157	93.60	-	-
CA136	33 3/4	x	12	x	23 7/8	24	5 3/8	x	11 7/8	x	5 1/2	44	249.00	CA157	93.60	-	-
CA149	33 3/4	x	12	x	23 7/8	40	4	x	11 7/8	x	4 1/2	50	269.00	CA157	93.60	-	-
CA151	33 3/4	x	12	x	42	42	5 3/8	x	11 7/8	x	5 1/2	71	399.00	CA157	93.60	CA141	149.00
CA152	33 3/4	x	12	x	42	56	4 7/8	x	11 7/8	x	5 1/8	75	419.00	CA157	93.60	CA141	149.00
CA154	33 3/4	x	12	x	42	72	4	x	11 7/8	x	4 1/2	80	429.00	CA157	93.60	CA141	149.00
8 1/2" DEEP STORAGE BINS																	
CA150	33 3/4	x	8 1/2	x	22 1/4	40	4	x	8 3/8	x	4 1/2	50	279.00	CA158	119.00	-	-
CA155	33 3/4	x	8 1/2	x	42	72	4	x	8 3/8	x	4 1/2	85	399.00	CA158	119.00	CA141	149.00

EZ-EDGE™ SELF ADHESIVE STRIPS

- Self adhesive strip featuring a bottom guide for easy installation and instant organization
- Made of heavy-duty UV treated PVC
- Clear front and black back are barcode compatible
- Can be trimmed to retro-fit many other bins and shelving products
- No inserts included
- Plastic Colour: Clear
- Thickness: 0.15625"
- Height: 1-1/8", Length: 32-5/8"



Model No.	Description	Price /Each
CF798	EZ-Edge™ Self Adhesive Strips - Pack of 5	43.00
CF799	EZ-Edge™ Self Adhesive Strips - Pack of 9	77.70

REPLACEMENT INSERTS

OK120	Compatible with all EZ-Edge™ and Tri-Dex™ strips - Inserts per Package: 800	35.10
OP955	Compatible with all EZ-Edge™ and Shelf-Clip™ strips - Inserts per Package: 400	35.60



SMALL PARTS STORAGE

STEEL PARTS CABINETS

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- Label with clear plastic cover and divider included with every drawer
- Plastic tabs (except model CF323) and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish

KPC-HD HEAVY-DUTY PARTS CABINETS

- Drawer size: 6.5" W x 14.8" D x 4.1" H
- Heavy-duty ABS beige drawers
- Heavy-duty steel shelves provide extra durability

KLETON

Model No.	No. of Drawers	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
CF323	30	34.6 x 15.7 x 34.6	119	794.00

REPLACEMENT PARTS

Model No.	Description	Price /Each
CF324	Drawer	39.70
CF546	Black Divider	2.50
CF343	Label Cover	1.00
CF344	Label	0.40



CF323

KPC-100 PARTS CABINETS

- Drawer size: 6.4" W x 11.3" D x 2.7" H
- Heavy-duty ABS beige drawers

KLETON

Model No.	No. of Drawers	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
CF283	12	23 x 11.4 x 13.8	28	273.00
CF285	36	23 x 11.4 x 36.9	60	469.00

REPLACEMENT PARTS

Model No.	Description	Price /Each
CF286	Drawer	21.10
CF545	Black Divider	1.80
CF287	Clear Divider	1.60
CF341	Label Cover	0.40
CC310	Label	0.25

CF285



CF283

KPC-200 PARTS CABINETS

- Drawer size: 5.9" W x 9.8" D x 3.3" H
- Heavy-duty ABS beige drawers

KLETON

Model No.	No. of Drawers	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
CA889	30	21.3 x 10.4 x 36.9	58	423.00

REPLACEMENT PARTS

Model No.	Description	Price /Each
CF481	Drawer	8.35
CF548	Black Divider	1.00
CF341	Label Cover	0.40
CC310	Label	0.25



CA889



SMALL PARTS STORAGE

STEEL PARTS CABINETS

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- Label with clear plastic cover and divider included with every drawer
- Plastic tabs (except model **CF323**) and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish

KPC-300 PARTS CABINETS

- Drawer size: 5.9" W x 9.8" D x 1.6" H
- Clear polystyrene drawers

KLETON

Model No.	No. of Drawers	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
CF293	18	21.3 x 10.4 x 12.2	25	212.00
CF289	24	14.3 x 10.4 x 22.5	32	282.00
CA890	60	21.3 x 10.4 x 36.9	60	556.00

REPLACEMENT PARTS

Model No.	Description	Price /Each
CB984	Drawer	7.25
CF549	Black Divider	2.50
CF024	Label Cover	0.65
CF340	Label	39.80

KPC-400 PARTS CABINETS

- Drawer size: 4.7" W x 8.6" D x 2.7" H
- Heavy-duty ABS beige drawers

KLETON

Model No.	No. of Drawers	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
CF298	16	23.1 x 8.7 x 13.8	24	232.00
CA891	24	17.3 x 8.7 x 25.6	33	268.00
CA892	48	22.6 x 8.7 x 36.9	58	422.00
CD440*	48	22.6 x 10.8 x 36.9	66.8	614.00

* Comes with locking door

REPLACEMENT PARTS

Model No.	Description	Price /Each
CB985	Drawer	6.95
CF550	Black Divider	0.60
CF341	Label Cover	0.40
CC310	Label	0.25

KPC-500 PARTS CABINETS


- Drawer size: 3.5" W x 8.6" D x 2.7" H
- Clear polystyrene drawers

KLETON

Model No.	No. of Drawers	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
CF305	16	18.3 x 8.7 x 13.8	21	214.00
CF304	15	13.9 x 8.7 x 16.3	22	165.00
CC453	32	18.1 x 8.7 x 25.6	31	308.00
CC454	60	22.6 x 8.7 x 36.9	68	515.00

REPLACEMENT PARTS

Model No.	Description	Price /Each
CC455	Drawer	6.35
CF551	Black Divider	0.35
CF341	Label Cover	0.40
CC310	Label	0.25



SMALL PARTS STORAGE

STEEL PARTS CABINETS

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- Label with clear plastic cover and divider included with every drawer

- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish

KPC-600 PARTS CABINETS

- Drawer size: 3.5" W x 8.6" D x 2.2" H
- Clear polystyrene drawers

KLETON

Model No.	No. of Drawers	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
CF311	18	13.9 x 8.7 x 16.3	19	170.00
CF312	20	18.3 x 8.7 x 13.8	21	211.00
CF313	25	23.1 x 8.7 x 13.8	27	252.00
CF314	40	18.3 x 8.7 x 25.3	40	324.00
CF315	75	23.1 x 8.7 x 36.9	66	572.00

REPLACEMENT PARTS

Model No.	Description	Price /Each
CF316	Drawer	5.00
CF552	Black Divider	0.85
CF341	Label Cover	0.40
CC310	Label	0.25

KPC-700 PARTS CABINETS

- Drawer size: 4.7" W x 8.6" D x 2.2" H
- Clear polystyrene drawers

KLETON

Model No.	No. of Drawers	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
CF319	30	17.5 x 8.7 x 25.3	40	314.00
CF320	60	23.1 x 8.7 x 36.9	71	504.00

REPLACEMENT PARTS

Model No.	Description	Price /Each
CF321	Drawer	8.30
CF553	Black Divider	0.80
CF341	Label Cover	0.40
CC310	Label	0.25



HEAVY-DUTY INDUSTRIAL CAROUSEL DRAWER CABINETS

- Create your customized carousel cabinet
- Each level accommodates 4 parts cabinets with same height
- For a multiple tier cabinet (maximum 3 tiers), you require add-on-shelves and threaded rods as per the following: 1 add-on-shelf model **CF402** for each level of cabinets 14" rod required for each level of **CF312** or **CF305** cabinets 25" rod required for each level of **CC453** or **CF314** cabinets
- Rotational base allows for 800-lb. capacity
- All-welded 11-gauge steel base
- Durable Kleton grey enamel finish

KLETON

Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.	Price /Each
3 TIER CABINETS KITS				
CF405	192 Drawers	18.3 x 8.7 x 48	392	2644.00
CF406	240 Drawers	18.3 x 8.7 x 48	407	2591.00
CF407	384 Drawers	18.3 x 8.7 x 80	497	3728.00
CF408	480 Drawers	18.3 x 8.7 x 80	600	3723.00

COMPONENTS

CF401	Base and Top Cover	27.5 x 27.5 x 4	80	519.00
CF402	Add-on Shelf	27.5 x 27.5 x 1	18	69.79
CF403	Threaded Rod - 14"	0.375 x - x 14	1	28.79
CF404	Threaded Rod - 25"	0.375 x - x 25	1.5	34.49
CF305	Parts Cabinet - 16 Drawers	18.3 x 8.7 x 14	21	214.00
CF312	Parts Cabinet - 20 Drawers	18.3 x 8.7 x 14	21	211.00
CC453	Parts Cabinet - 32 Drawers	18.3 x 8.7 x 25	31	308.00
CF314	Parts Cabinet - 40 Drawers	18.3 x 8.7 x 25	40	324.00

CF408



Includes:

- Qty: 12 - **CF314** - Cabinet - 40 drawers
 Qty: 1 - **CF401** - Base and Top Cover
 Qty: 2 - **CF404** - Threaded Rod 25"
 Qty: 2 - **CF402** - Add-on Shelf

DRAWER CABINET

- Durable, high-impact polypropylene frame with clear polypropylene drawers and bins
- Heavy-duty reinforced construction
- See-through drawers come with dividers
- Pre-drilled holes on rear side allow easy wall mounting
- Drawer stops prevent bins from falling out
- Colour: Black
- Material: Plastic



Model No.	Mfg. No.	Height"	Width"	Depth"	No. of Drawers	Wt. lbs.	Price /Each
CG061	PDC-12BK	10-1/4	10-1/2	6-1/4	12	3	37.20
CG062	PDC-18BK	18-3/4	15	6-1/4	18	5	83.20
CG063	PDC-22BK	10	19-1/2	6-1/4	22	5	63.60
CG064	PDC-39BK	18-3/4	15	6-1/4	39	6	92.00
CG065	PDC-60BK	18-3/4	15	6-1/4	60	7	104.00
CG066	PDC-930BK	18-3/4	15	6-1/4	39	6	92.00

MODULAR PARTS CABINETS

- Organise and control small parts inventory
- Standard cabinets come with light grey polystyrene drawers
- Transparent windows on drawer fronts
- Label holder on drawer pull allows for instant identification
- Comes with two removable dividers per drawer
- Stackable steel cabinet frames finished in grey baked enamel
- Dimensions: 17" W x 11" D x 11" H



Model No.	Mfg. No.	No. of Drawers	Drawer Dimensions				Wt. lbs.	Price /Each	Dividers Model No.	Price /Each	Replacement Drawers Model No.	Price /Each
CA853	19228	28	2 3/16	x	10 9/16	x 2 1/16	24	257.00	CB126	1.14	CA859	9.20
CA854	19320	20	3 3/16	x	10 9/16	x 2 1/16	21	242.00	N/A	-	CC143	10.10
CA856	19416	16	4	x	10 9/16	x 2 1/8	20	242.00	CA878	2.06	N/A	-
CA857	19715	15	3 3/16	x	10 9/16	x 3 1/16	20	242.00	N/A	-	CA863	20.10
CA858	19909	9	5 3/16	x	10 9/16	x 3 1/16	18	242.00	N/A	-	CA865	21.10

HEAVY-DUTY DRAWER CABINETS

- Heavy-duty parts cabinets feature break resistant high impact clear plastic "scoop" drawers for easy removal of small parts, with two adjustable compartment dividers
- Drawers measure 2 7/8" W x 5 1/2" D x 1 7/8" H each
- Welded steel cabinets are finished in grey powder coat



Model No.	No. of Drawers	Cabinet Dimensions W" x D" x H"	Wt. lbs.	Price /Each
CA899	64	25 1/2 x 6 1/2 x 21 3/4	34	529.00
CA898	20	16 1/2 x 6 1/2 x 11 1/4	12	249.00

SMALL PARTS STORAGE

COMPACT POLYPROPYLENE COMPARTMENT BOXES

- High strength, oil resistant polypropylene, boxes with covers fitted with heavy-duty reinforced hinges
- Hinges have a special "stop" feature which allows the cover to remain in open position
- Covers overlap on all sides of the bottom tray
- Two snap latches assure secure closure
- Stackable




COMPARTMENT BOX CABINETS

- All steel grey powder coat cabinet holds five plastic compartment boxes
- Bolt holes permit stacking and keyhole slots are furnished for wall mounting
- Convenient carry handle



DURHAM MFG
Est. 1922



Model No.	Overall Dimensions					No. of Compartments	Compartment Dimensions					Wt. lbs.	Price /Each
	W"	x	D"	x	H"		W"	x	D"	x	H"		
CB513	11	x	6 3/4	x	1 3/4	6	1 3/4	x	6 1/4	x	1 9/16	0.7	7.99
CB509	11	x	6 3/4	x	1 3/4	12	1 3/4	x	3 1/8	x	1 9/16	0.7	7.99
CB511	11	x	6 3/4	x	1 3/4	18	1 3/4	x	2 1/16	x	1 9/16	0.7	7.99
CB507	13 1/8	x	9	x	2 5/16	6	2	x	8 1/2	x	2	0.8	14.20
CB501	13 1/8	x	9	x	2 5/16	12	2	x	4 3/32	x	2	0.8	14.20
CB503	13 1/8	x	9	x	2 5/16	18	2	x	(6) 4 3/4 (12)	x	2	0.8	14.20
CB505	13 1/8	x	9	x	2 5/16	24	2	x	2	x	2	0.8	14.20

COMPARTMENT BOX RACKS (BOXES NOT INCLUDED)

Model No.	Description	W"	x	D"	x	H"	Wt. lbs.	Price /Each
CB631	Small Box Rack	11 1/4	x	6 3/4	x	10 3/4	7	85.20
CB632	Large Box Rack	13 1/2	x	9 1/8	x	13 1/4	11	109.00

COMPARTMENT CASES

- High strength, high quality polypropylene case
- Translucent lid allows for quick view of contents
- Snap latch ensures a secure closure
- Removable dividers allow for different configurations

TLZ117



CF333





aurora tools

Model No.	Overall Dimensions	No. of Compartments	Wt. lbs.	Price /Each
	W" x D" x H"			
CF333	10 3/4 x 5 3/8 x 1 1/2	Variable up to 17	0.7	6.25
TLZ117	5 3/8 x 5 3/8 x 1 3/8	Variable up to 9	0.3	4.45


LARGE CASES

18 1/2" L X 13" W

- Large "Super Satchel" organise tool cribs, maintenance departments, shop floors and allow complete portability
- See-through lids allow quick identification of contents
- Brass pinned hinges provide strength and durability
- Molded integral feet, making ideal presentation cases



Model No. CB496
24 compartments
Weight: 3.5 lbs.
Price/Each \$66.90



Model No. CB497
8 to 32 compartments
24 partitions provided
Weight: 3.5 lbs.
Price/Each \$66.90




SMALL CASES

15" L X 11 3/4" W


- Small "Satchel" store and organise large, medium, small and flat parts, removable partitions
- See-through lids allow quick identification of contents
- Brass pinned hinges provide strength and durability
- Divided style (CB499) or double case (CB500) with two cases sonically welded back to back
- Can be stored flat or upright

A: 15"
B: 2"
C: 3 1/8"
D: 2 1/8"
E: 2"
F: 11 3/4"
G: 2 1/2"



Model No. CB499
9 to 24 compartments
Weight: 2.9 lbs.
Price/Each \$46.90

A: 15"
B: 2"
C: 3 1/8"
D: 2 1/8"
E: 2"
F: 11 3/4"
G: 5"



Model No. CB500
18 to 48 compartments
Weight: 5.8 lbs.
Price/Each \$93.90





SMALL PARTS STORAGE

COMPARTMENT STEEL SCOOP BOXES

- Manufactured of prime cold rolled steel
- Choose from between 8 to 32 fixed compartment boxes
- Small box dimension: 13 3/8" x 9 1/4" x 2"
- Large box dimension: 18" x 12" x 3"
- Durable polypropylene plastic dividers have rounded scoops, making it easy to remove small parts
- Finished in rust and acid resistant grey powder coat
- All models have covers designed to stay open
- See chart below for drawer configurations

DURHAM MFG®
Est. 1922


CB015

CB032

CA997



FIXED COMPARTMENT CONFIGURATIONS, ORDER BY NUMBER OF COMPARTMENTS



Number of Compartments	LARGE BOXES 18" X 12" X 3"			SMALL BOXES 13 1/4" X 9 1/4" X 2"		
	Model No.	Wt. lbs.	Price /Each	Model No.	Wt. lbs.	Price /Each
8	-	-	-	CB032	4	34.60
12	CA986	8	52.10	CB015	4	38.40
16	CA989	8	52.10	CB017	4	38.40
20	CA992	8	52.10	CB023	4	38.40
21	CA995	8	52.10	CB026	4	37.00
24	CA997	8	52.10	CB029	4	38.40
32	CB002	8	52.10	-	-	-

COMPARTMENT BOX CABINETS

- Carriages extend 100% of the boxes depth for easy access to parts
- May be mounted on a raised base
- Available for both small and large box sizes
- Boxes and cabinet are sold separately
- Optional locking hinge prevents boxes from sliding out during transport
- Stackable up to three units high

DURHAM MFG®
Est. 1922

Model No.	Dimensions				For Box	Box Capacity	Cradle Cap. lbs.	Price /Each
	W"	x	D"	x H"				
CA963	20	x	15 3/4	x 8 1/8	Large	2	40	159.00
CA965	20	x	15 3/4	x 15	Large	4	40	249.00
FI361*	20	x	15 3/4	x 15	Large	4	75	284.00
CA972	15 1/4	x	11 3/4	x 11 1/4	Small	4	30	199.00
CA975	15 1/4	x	11 3/4	x 16 3/8	Small	6	30	269.00
CB037	Optional Locking Hinge for CA972				-	-	-	17.20
CB038	Optional Locking Hinge for CA965, FI361 and CA975				-	-	-	19.40

*Heavy-duty



CA965

Cabinet and boxes sold separately



ADJUSTABLE COMPARTMENT BOXES

- Adjustable compartments provide the added flexibility of arranging your boxes according to your changing needs
- Removable dividers can be "slotted" into place or removed altogether



DURHAM MFG®
Est. 1922

Model No.	Dimensions				Description	Wt. lbs.	Price /Each
	W"	x	D"	x H"			
CA977	18	x	12	x 3	Large	8	53.60
CA979	13 3/8	x	9 1/4	x 2	Small	4	39.60

CABINET BASES

- Cabinet bases raise your cabinet/box combination 12" off of the floor or workbench
- Models are available to adapt to both small and large box size cabinets



DURHAM MFG®
Est. 1922

Model No.	Overall Dimensions				For Box	Wt. lbs.	Price /Each
	W"	x	D"	x H"			
CA980	20 3/8	x	16	x 15 1/8	Large	13	93.90
CA983	15 1/2	x	12 1/8	x 15 1/8	Small	12	84.70

SMALL PARTS STORAGE

HEAVY-DUTY TILT BINS

- Extremely durable ABS plastic housing and drawer body
- Transparent polystyrene front window for easy viewing
- Conveniently connects to each other with grooved channels on top, bottom and sides
- Shake resistant design prevents drawers from opening on their own
- Keyholes on back for wall mounting applications
- Colour: Black and Grey



CF474



CF473



CF472



CF471

KLETON

Model No.	No. of Drawers	Bin Dimensions					Cabinet Dimensions					Price /Each
		W"	x	D"	x	H"	W"	x	D"	x	H"	
CF471	8	2-3/4	x	3-1/4	x	3-5/8	11-3/4	x	2-3/4	x	7-7/8	27.95
CF472	6	3-11/16	x	4	x	4-5/8	11-3/4	x	3-1/2	x	9-3/4	26.10
CF473	5	4-1/2	x	4-7/8	x	5-1/2	23-1/2	x	4	x	5-7/8	30.60
CF474	4	5-5/8	x	6-3/8	x	7-1/2	23-1/2	x	5-1/2	x	7-7/8	49.70

MOBILE TILT BIN RACKS

- Heavy-duty steel frame
- Durable powder coat paint finish on galvanized steel
- 3" swivel casters with brake
- Single or double sided use
- Overall dimensions: 26-1/4" W x 22" D x 57-1/2" H
- Colour: Grey

MOUNTING CHANNEL CF476 FOR MOBILE TILT BIN RACK

- Takes up to six mounting channels per side
- CF473 tilt bins take up to eight mounting channels per side
- CF471 and CF472 take 2 bin units per level per side



SEE PLASTIC BINS FOR CF502 MOUNTING CHANNEL ON PAGES 1012-1014



KLETON

Model No.	Description	Bin Units Included	Price/Each
CF477	Single Sided	2 of each CF471, CF472, CF473, CF474	646.00
CF478	Double Sided	4 of each CF471, CF472, CF473, CF474	998.00
CF475	Cart Only*	-	289.00
CF476	Mounting Channel for Heavy-Duty Tilt Bins	-	14.75
CF502	Mounting Channel for Plastic Bins	-	14.35

* Mounting channels and bins not included



TILT BINS UNIT

- One-mold set of 21 tilt bin compartments
- Blue-coloured handles are impact resistant and non-breakable
- Sleek design keeps small and medium-sized parts organized, sorted and easy-to-find
- Overall width: 23-5/8"
- Overall depth: 3-5/8"
- Overall height: 11-1/6"
- No. of bin compartments: 21
- Weight: 0.8 lbs.
- Housing colour: Grey
- Bin colour: Clear w/blue handle

Model No. CG076
Mfg. No. QTB669GY
Price/Each \$145.00



**QUANTUM™
STORAGE
SYSTEMS**

Can't find what
you're looking for?
Call us today!



TIP-OUT™ BIN MODULAR STORAGE SYSTEMS

- Each bin has a slot for labeling
- Bins can be completely removed for replenishing or cleaning
- Uniform widths of 23.6" (for units of 2 to 9 bins)
- Can be used free-standing or with stands and pedestals
- Transparent compartments tip out for easy access and viewing
- Colour: Beige or Grey



CB540




3 bins

CB546



5 bins

CB976



1 bin

CB549



6 bins

CB543




4 bins

CB552



9 bins

CB978



2 bins

TILT BINS

Beige	Model No.		Mfg. No.	Bin Dimensions					Cabinet Dimensions					Wt. lbs.	Price /Each
	Grey			W"	x	D"	x	H"	W"	x	D"	x	H"		
CB552	CB553	QTB309		23 3/16	x	13 3/4	x	2 1/2	23 5/8	x	2 1/2	x	3 1/8	2.0	31.50
CB549	CB550	QTB306		3 1/2	x	2 5/8	x	3 3/4	23 5/8	x	3 5/8	x	4 1/2	3.0	37.30
CB546	CB547	QTB305		4 1/4	x	3 3/4	x	5 3/4	23 5/8	x	5 1/4	x	6 1/2	5.0	61.90
CB543	CB544	QTB304		5 5/8	x	5	x	7 1/2	23 5/8	x	6 5/8	x	8 1/8	7.0	87.80
CB540	CB541	QTB303		7 3/8	x	5 7/8	x	8 5/8	23 5/8	x	7 3/4	x	9 1/2	9.0	96.60
CB977	CB978	QTB302		11 1/16	x	8 7/8	x	13 5/8	23 5/8	x	11 7/8	x	13 7/8	14	223.00
CB975	CB976	QTB301		11 1/16	x	8 7/8	x	13 5/8	11 3/16	x	11 7/8	x	13 7/8	7	155.00
CB573	Two discs and two screws set (1 needed for each bin)													6.13	

TIP OUT™ FRAMES



CB562



CB563



CB565



CB952



CB953

FRAME ONLY: BINS NOT INCLUDED

Model No.	Description	Dimensions					Bin Quantity Table QTB Series Bins						Price /Each
		W"	x	D"	x	H"	302	303	304	305	306	309	
FLOOR STANDS													
CB562	48" 1 Sided	23 5/8	x	8	x	52	3	5	6	7	11	16	431.00
CB563	70" 1 Sided	23 5/8	x	8	x	75	5	7	8	10	15	23	524.00
CB565	48" 2 Sided	23 5/8	x	16	x	52	6	10	12	14	22	32	771.00
CB568	70" 2 Sided	23 5/8	x	16	x	75	10	14	16	20	30	46	853.00
MOBILE FLOOR STANDS													
CB952	48" 2 Sided	23 5/8	x	16	x	52	6	10	12	14	22	32	939.00
CB953	70" 2 Sided	23 5/8	x	16	x	75	10	14	16	20	30	46	1018.00
WALL FRAMES													
CB559	48"						3	5	6	7	11	16	153.00
CB561	70"						5	7	8	10	15	23	205.00
CB573*	Disc & Screw Set (2 disks/2 screws)												6.13

*Disc & screw set required for each bin cabinet to be mounted on a frame

SMALL PARTS STORAGE

SECTIONAL STACKBINS®


A. SECTIONAL STACKBIN® UNITS

An economical alternative to standard Stackbins®, as individual compartments are created from a standard 37" wide unit divided by welded steel partitions. Each unit may be stacked on a larger, or similar sized unit, with covers, bases, and filler strips available to complete the unit (as shown).

B. TRUCKS

Available to mobilise your sectional Stackbin® units. Standard blue baked enamel finish for all component

A. Shown with base
(sold separately)



B. Shown with stack bins
(not included)



STACKBIN

Model No.	W"	x	D"	x	H"	Bins in Section	Wt. lbs.	Price /Each
A. SECTIONAL STACKBINS®								
CA786*	37	x	8	x	4 1/2	8	11.0	179.00
CA787*	37	x	12	x	4 1/2	6	13.8	189.00
CA788	37	x	15 1/2	x	6	5	20.0	209.00
CA789	37	x	18 3/4	x	7 1/2	4	29.0	249.00
CA790	37	x	20 1/2	x	9 1/2	3	35.0	299.00
CA791	37	x	24	x	11	2	40.0	299.00
B. SECTIONAL TRUCKS (BINS NOT INCLUDED)								
CA809	Fits CA789						39.0	489.00
CA810	Fits CA790						39.0	509.00
CA811	Fits CA791						39.0	509.00

Model No.	Description	Price /Each
SECTIONAL BASES		
CA793	Base for CA788	179.00
CA794	Base for CA789	189.00
CA795	Base for CA790	199.00
CA796	Base for CA791	209.00
SECTIONAL COVERS		
CA797	Cover for CA786	34.50
CA798	Cover for CA787	42.10
CA799	Cover for CA788	48.00
CA800	Cover for CA789	55.90
CA801	Cover for CA790	60.80
CA802	Cover for CA791	69.90

* No bases available

PRE-ENGINEERED SECTIONAL SYSTEMS

- Complete with Sectional Stackbin® 6" high base and top cover
- 5000-lb stocking capacity

STACKBIN

Model No.	Description	Wt. lbs.	Price /Each
USING CA788 SECTIONAL STACKBINS®			
CD354	7 row unit w/35 Comp.	136.5	1659.00
CD355	8 row unit w/40 Comp.	156	1869.00
USING CA789 SECTIONAL STACKBINS®			
CD356	6 row unit w/24 Comp.	174	1689.00
CD357	7 row unit w/28 Comp.	226.5	1949.00
USING CA790 SECTIONAL STACKBINS®			
CD358	5 row unit w/15 Comp.	200	1699.00
CD359	6 row unit w/18 Comp.	235	1989.00
USING CA791 SECTIONAL STACKBINS®			
CD360	4 row unit w/8 Comp.	183.5	1459.00
CD361	5 row unit w/10 Comp.	222.5	1759.00



STEEL STACKBINS®

- Hopper-front steel Stackbins® are available with capacities from 70 cubic inches up to 5100 cubic inches
- They may be easily stacked one on top of another, or housed in steel Stackracks®, together with Stackracks® base allowing lower units to be removed without disturbing units stacked above them
- Standard blue baked enamel finish



STACKBIN



Model No.	Capacity Cu. in.	Dimensions W" x D" x H"	Wt. lbs.	Price /Each	Top Cover Model No.	Price /Each	Front Cover Model No.	Price /Each
CA765	70	4 1/2 x 8 x 4 1/2	1.8	34.40	-	-	-	-
CA766	200	5 1/2 x 12 x 4 1/2	3	41.60	CD369	22.30	CD368	18.50
CA767	500	7 1/2 x 15 1/2 x 6	5.5	47.70	CD370	22.30	CA734	18.50
CA768	900	9 x 18 3/4 x 7 1/2	9	61.40	CA706	22.80	CA735	18.50
CA772	1400	10 x 24 x 8	12	80.00	CA710	30.10	CA739	20.60
CA769	1600	12 x 20 1/2 x 9 1/2	12.5	80.90	CA707	28.00	CA736	20.40
CA770	2800	15 x 24 x 11	20.5	119.00	CA708	34.20	CA737	26.60
CA771	5100	18 x 30 x 12	30	209.00	CA709	47.90	CA738	32.00



STACKRACKS®

- Stackracks® are designed to be teamed up with Stackbins® to create a heavy-duty storage system
- Stackracks® allow for bins to be removed easily from a setup
- Can support any weight that fits within the cube of the coinciding container
- Easily stack together without tools or fasteners and feature Stackbins® patented locking system
- Can be reconfigured or added to at any time



Shown with 10 - CA769 bins,
10 - CA776 single Stackracks®
and 1 - CA693 Base 2 bins wide



STACKRACKS®

Model No.	Description	Wt. lbs.	Price /Each
CD447	Stackrack for Bin CA765	3.5	48.20
CA773	Stackrack for Bin CA766	4	52.00
CA774	Stackrack for Bin CA767	5.5	52.90
CA775	Stackrack for Bin CA768	8.5	56.30
CA780	Stackrack for Bin CA772	9	57.80
CA776	Stackrack for Bin CA769	10	66.90
CA778	Stackrack for Bin CA770	12	77.40
CA779	Stackrack for Bin CA771	14	99.00

STACKRACKS® COVERS

Model No.	Description	Price /Each
CA715	Stackrack Cover for CA775	48.70
CA730	Stackrack Cover for CA780	67.00
CA720	Stackrack Cover for CA776	49.20
CA724	Stackrack Cover for CA778	82.30
CA727	Stackrack Cover for CA779	86.50

STACKBIN

12" HIGH BASES

- Can be butt-up to each other to make continuous rows of storage bins
- Bases are made specifically for each size steel container
- 14-gauge legs and supports
- Spot welded
- Capacity: 1000 lbs.

Model No.	Description	Price /Each
1-BIN WIDE		
CA687	Base for Stackrack CA775	189.00
CA692	Base for Stackrack CA776	199.00
CA696	Base for Stackrack CA778	209.00
CA699	Base for Stackrack CA779	209.00
2-BIN WIDE		
CD448	Base for Stackrack CA774	179.00
CA688	Base for Stackrack CA775	189.00
CA703	Base for Stackrack CA780	199.00
CA693	Base for Stackrack CA776	199.00
CA697	Base for Stackrack CA778	209.00
CA700	Base for Stackrack CA779	209.00
3-BIN WIDE		
CD449	Base for Stackrack CA774	189.00
CA689	Base for Stackrack CA775	209.00
CA704	Base for Stackrack CA780	219.00
CA694	Base for Stackrack CA776	229.00

PRE-ENGINEERED BIN COMBINATIONS

17-COMPARTMENT SYSTEM INCLUDES:

- 1 row of CA770 bins (2 wide)
- 3 rows of CA768 bins (3 wide)
- 2 rows of CA767 bins (3 wide)
- All corresponding Stackracks®, adapter covers-which allow bins to stack and 12" base

Colour: Blue
Model No. CD378
Price/Each \$2619.00

31-COMPARTMENT SYSTEM INCLUDES:

- 1 row of CA770 bins (4 wide)
- 1 row of CA769 bins (5 wide)
- 1 row of CA768 bins (6 wide)
- 1 row of CA767 bins (7 wide)
- 1 row of CA766 bins (9 wide)
- All corresponding Stackracks®, adapter covers-which allow bins to stack and 12" base

Colour: Blue
Model No. CD379
Price/Each \$4989.00



STACKBIN


BULK CONTAINERS

BULK STACKING CONTAINERS

- Heavy-duty all-welded construction
- Mesh containers use 2" x 2" x 10 gauge wire mesh
- All containers use a 13-gauge corrugated sheet steel base
- 2" x 2" x 3/16" angle posts
- 4-way fork truck entry with 4" under-clearance
- Available with one drop gate or fully enclosed sides
- Height: 24" inside, 30" overall
- Stackable up to 5 high
- Other sizes are available
- Painted durable Kleton blue

KLETON

Model No.	Description	Capacity lbs.	Width"	Length"	Weight lbs.	Price /Each
MESH CONTAINERS						
CF449	Fully Enclosed	3000	34.5	40.5	125	449.00
CF450	One Drop Gate	3000	34.5	40.5	130	529.00
CF451	Fully Enclosed	3000	40.5	48.5	150	509.00
CF452	One Drop Gate	3000	40.5	48.5	160	609.00
SHEET CONTAINERS						
CF453	Fully Enclosed	3500	34.5	40.5	150	699.00
CF454	One Drop Gate	3500	34.5	40.5	150	799.00
CF455	Fully Enclosed	3500	40.5	48.5	185	809.00
CF456	One Drop Gate	3500	40.5	48.5	185	919.00
CORRUGATED CONTAINERS						
CF457	Fully Enclosed	4500	34.5	40.5	160	799.00
CF458	One Drop Gate	4500	34.5	40.5	160	899.00
CF459	Fully Enclosed	4500	40.5	48.5	195	919.00
CF460	One Drop Gate	4500	40.5	48.5	195	1029.00



CF449



CF453



CF457



CF450

OPEN MESH CONTAINERS

- Rugged construction ensures long lasting, trouble free service
- 3/4" - 13 gauge expanded metal mesh panels
- 2 half drop gates
- Four-way fork truck access
- 4 1/4" underclearance
- Overall dimensions: 34 1/2" x 40 1/2" x 32 1/4"
- Stackable up to 5 high
- 15 cu.ft. capacity
- Deck capacity: 2500 lbs. mesh deck, 3000 lbs. sheet metal deck
- Blue enamel finish

M & P TOOL

Model No.	Style	Wt. lbs.	Price /Each
CA397	Mesh deck	105	338.00
CA398	Sheet metal deck	114	362.00
CA368	Cup Foot	0.72	5.16



COLLAPSIBLE WIRE CONTAINERS

- Welded, square mesh wire allows full visibility and excellent ventilation
- Foldable and constructed of durable 3-gauge wire
- 4-way entry for easy use with lift trucks
- Convenient drop gate design for easy access to products
- Safety rating plates with static load capacity and static load height
- Stack up to 4 high
- 4" under clearance



NASHVILLE WIRE PRODUCTS

Model No.	Mfg. No.	Weight Cap. Lbs.	Dimensions" W x D x H	Usable Height"	Drop Gate	Wt. Lbs.	Mesh Size"	Price /Each
CF462	JR1	1,000	20 x 32 x 21	16	32" side	43	1x1	P.O.A.
CF463	JR5	1,000	20 x 32 x 21	16	32" side	55	1/2 x 1/2	P.O.A.
CF464	C324048S4	4,000	32 x 40 x 34	28	40" side	122	2 x 2	P.O.A.
CF465	C404824S4	4,000	40 x 48 x 30	24	48" side	150	2 x 2	P.O.A.
CF466	C404830S4	4,000	40 x 48 x 36	30	48" side	163	2 x 2	P.O.A.
CF467	C404830E4	4,000	40 x 48 x 36	30	40" end	163	2 x 2	P.O.A.
CF468	C404836S4	4,000	40 x 48 x 42	36	48" side	176	2 x 2	P.O.A.



Shows
2 units
stacked



CF468

COLLAPSIBLE WIRE CONTAINER

- Welded, mesh wire maximizes visibility and ventilation
 - Can be stacked up to 4 high
 - Features a drop gate for easy access to products
 - Equipped with 4 caster plates that are compatible with all Kleton casters
 - Capacity: 4000 lbs.
 - Overall Depth: 48"
 - Overall Height: 42"
 - Overall Width: 40"
 - No. of Drop Gates: 1
 - Collapsed height: 9"
- Model No. CG021**
Price/Each \$411.00



KLETON

MEDIUM-DUTY COLLAPSIBLE BULKPAK CONTAINERS

- Sturdy and quick to erect or knock down, fully recyclable Orbis containers replace tons of corrugated paper and wood packaging waste
- They can be collapsed to one-third their height for space-saving return shipment
- They stack safely, full or folded to create warehouse space without racking
- Weight capacity: 1500 lbs.
- Colour: Black

ORBIS

COVERS

	Model No.	Price/Each
A	CF489	199.00
B	CF486	189.00



Model No.	Description	Ext. Dimensions L" x W" x H"	Cap. Cu. Ft.	Wt. lbs.	Covers	Price /Each
CF487	Collapsible Container, 2 Drop Gate	48 x 40 x 34	27.9	150	A	899.00
CF488	Collapsible Container, 2 Drop Gate	48 x 40 x 39	32.8	160	A	909.00
CF483	Collapsible Container, 2 Drop Gate	30 x 32 x 25	8.4	60	B	599.00
CF484	Collapsible Container, 2 Drop Gate	30 x 32 x 34	12.5	80	B	659.00

Prices F.O.B. Mississauga, Ont.

COLLAPSIBLE BULK CONTAINER

- Drop gates knock-down with ease
 - Quickly collapsed, folded, and stacked for convenient transportation
 - Lid sold separately
 - Colour: Grey
 - Max. Height: 39.4"
 - Max. Length: 47.2"
 - Max. Width: 39.4"
 - No. of Drop Gates: 2
 - Material: High-density polyethylene (HDPE)
 - Weight Capacity: 2000 lbs.
 - Folded Height: 14.2"
 - Weight 121.3 lbs. (55 kg)
- Model No. CF862**
Price/Each \$616.00



LID

- For use with Kleton collapsible bulk container
 - Material: High-density polyethylene (HDPE)
 - Colour: Light Grey
 - Weight: 13.2 lbs. (6 kg)
- Model No. CF863**
Price/Each \$76.00



KLETON

NESTING FORKLIIFT BIN

- Storage Capacity: 24 cu.ft.
 - Load Capacity: 1200 lbs.
 - Barrel type nesting stops
 - Nest when empty
 - Colour: Blue
 - Dimensions: 42" W x 48" D x 30" H
- Model No. CF775**
Price/Each \$390.00



LID

- Dimensions: 48" L x 42" W
- Model No. CF776**
Price/Each \$215.00

TECHSTAR PLASTICS INC.

COLLAPSIBLE STRUCTURAL POLYETHYLENE CONTAINERS

Sturdy, long-lived and quick to erect or knock down, fully recyclable Orbis containers replace tons of corrugated paper and wood packaging waste. With as many as four sidewall heights, these space-efficient collapsibles cube out trailers and ISO containers. They can be collapsed to one-third their height for space-saving return shipment. And they stack safely, full or folded to create warehouse space without racking. **Models featured below include standard 2 drop gates (1 drop and no drop also available per special request). Models below have a 2000 lbs. capacity and 4-way entry. They can be used with pallet trucks and forklifts.**



COVERS

	Model No.	Price/Each
A	CC169	199.00
B	CC170	219.00
C	CC171	229.00


ORBIS

Model No.	Description	Ext. Dimensions L" x W" x H"	Cap. Cu. Ft.	Wt. lbs.	Covers	Price /Each
CF447	Collapsible Container, 2 drop gate	48 x 45 x 25	19.7	115	C	879.00
CF448	Collapsible Container, 2 drop gate	48 x 45 x 34	29.4	140	C	979.00
CF445	Collapsible Container, 2 drop gate	48 x 40 x 34	24.9	150	B	1029.00
CF446	Collapsible Container, 2 drop gate	48 x 40 x 39	29.8	160	B	1069.00
CF443	Collapsible Container, 2 drop gate	30 x 32 x 25	8.7	60	A	679.00
CF444	Collapsible Container, 2 drop gate	30 x 32 x 34	12.9	80	A	729.00

Prices F.O.B. Mississauga, Ont.

HEAVY-DUTY BULK TOTE® CONTAINER

- Ideal for metal stampings and other heavy, dense components
 - Unique fork opening at the top of the container offers the ability to present the short side to the assembly line
 - Wide stacking ridge allows for secure load stacking
 - Reusable and long-lasting durability bulk container
 - Handheld and collapsible container replaces wire baskets, steel tubs or wood/corrugated packaging
 - Capacity: 500 lbs.
 - Dimensions: 16" W x 30" D x 19.2" H
 - Colour: Black
 - Material: High-density polyethylene (HDPE)
 - Maximum Loaded Stack Static: 4 high
 - Maximum Loaded Stack Dynamic: 2 high
 - Pallet Entry: 4-Way
 - Total Empty Weight: 30 lbs.
- Model No. CF934**
Price/Each \$409.00



ORBIS