

SPRING & SUMMER

2023



PRICES IN EFFECT UNTIL JUNE 30TH, 2023

STATIONARY 6.5 PEAK HP 60 GALLON AIR COMPRESSOR KC-6160V2

- 150 PSI max pressure
- 13.4 CFM @ 40 PSI
- 11.2 CFM @ 90 PSI

2 cylinder cast iron single stage oil lubricated pump

\$1099.



Thermally protected Marathon® 6.5 peak HP motor with reset

ASME safety valve

8" LOW SPEED LONG SHAFT BUFFER KC-899LSB

- Powerful 1/2 HP motor
- Arbor shaft diameter: 5/8"
- Motor no load speed: 1,750 RPM
- Comes with two 8" x 1/2" spiral sewn cloth buffing wheels

\$159.99



MILLING DRILLING MACHINE with SAFETY GUARD & LIMIT SWITCH

PDM-30

- 16 1/2" swing
- 1 1/4" Drilling capacity
- 3" Face mill capacity
- 5" stroke
- Spindle taper R8
- 12 speeds (150-2500 RPM)

OPTIONAL TABLE POWERFEED ATTACHMENT PFM-32

For # PDM-30

\$679.

**5 PC. ACCESSORY
BONUS PACKAGE FREE**
INCLUDED WITH THE PURCHASE OF A
PDM-30 MILLING DRILLING MACHINE
Includes: angle drill press vise,
drill chuck with key, drill chuck
arbor, carbide tipped face mill
and face mill arbor

MILLING DRILLING MACHINE STAND SS-45

\$399.99

\$2999.



11 Amp.
(220V)

PREMIUM HYBRID POLYMER GARDEN HOSES

Extreme All-Weather Flexibility Kink resistant

K-5058GH
5/8" x 50 ft.
\$45.

K-10058GH
5/8" x 100 ft.
\$77.

150 PSI (Working) / 450 PSI (Burst)



KING INDUSTRIAL

KING RULES THE METAL SHOP



- Woodworking
- Fabrication
- Metalworking
- Tooling/Supplies

Locations: Dartmouth, Moncton,
Saint John & St. John's
Phone: 1800-498-7779
Web: stellarindustrial.ca
E-Store: shop.stellarindustrial.ca
E-Mail: sales@stellarindustrial.ca

29 PC. TITANIUM
DRILL BIT SET
KDB-29T
29 (1/16"-1/2" x 1/64")

\$39.99



12" BENCH VARIABLE SPEED DRILL PRESS KC-12HS-VS

- Powerful 1/2 HP, 5 Amp motor.
- Variable speeds (580 - 3200 RPM)
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys



Digital
Readout

Mechanical
variable speed
system



\$449.99



Digital
Readout

Mechanical
variable speed
system

15" FLOOR VARIABLE SPEED DRILL PRESS KC-15HS-VS

- Powerful 3/4 HP, 8.6 Amp. motor
- 4" stroke capacity allows drilling workpieces up to 4" thick
- Variable speeds 2 (280 - 1100/ 900-3300) RPM
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys

\$699.99

16" X 20" COMBO LATHE/MILL KC-1620CLM

- Two powerful 3/4 HP 110V motors
- Comes with 5"-3 jaw chuck, imperial & metric change gears, quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & MT#4 dead centres, 1/2" drill chuck and tool box with adjusting tools



\$3499.

OPTIONAL STAND

SS-1620CLM
(41-3/8" x 19-1/4" x 30-1/2")

\$399.

OPTIONAL KM-124

Elevating block
with 7/16" T-slots
(7-7/8" x 5-7/8" x 5")

\$199.

5 PC. CUTTER HOLDER SET KM-046

3/8" Shank
Fits: KC-0712ML,
KC-1022ML,
KC-1620CLM

\$59.99

H.S.S. cutters
• Kit comes in a wooden box

The Most Innovative Drill Presses

DVR WITH ADAPTIVE CONTROL™ SOFTWARE

Safety Guard
with
Limit Switch



83750
Fits #83705

\$399.

Safety Guard
with
Limit Switch



58501
Fits #58006

\$399.

16" NOVA VIKING DVR DRILL PRESS 83705

- Powerful direct drive 1 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill

\$1699.

18" NOVA VOYAGER DVR DRILL PRESS 58006

- Powerful direct drive 1.75 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill

\$2399.

7" X 12" METAL CUTTING BANDSAW KC-712BC

- 11.5 Amp. motor • Coolant system
- Adjustable ball bearing guides
- 4 speeds (85-130-180-235 FPM)



\$1999.

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")							
Model	Length	Width	Blade Material	TPI	Thickness	Price	
KBB-712-10	93"	3/4"	H.S.S.	10	.032"	\$24.99	
KBB-712-14	93"	3/4"	H.S.S.	14	.032"	\$24.99	
KBB-712-18	93"	3/4"	H.S.S.	18	.032"	\$24.99	
KBB-712-BM-610	93"	3/4"	Bi-Metal	6-10	.032"	\$69.99	
KBB-712-BM-1014	93"	3/4"	Bi-Metal	10-14	.032"	\$69.99	

RETRACTABLE AIR HOSE 50 FT. x 3/8" REEL WITH HYBRID POLYMER AIR HOSE

- All-Weather Flexibility (-40°C to 65°C)
- Comes with wall mounting hardware

\$109.99



MANUAL AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE

- 360° swivel base
- All-Weather Flexibility (-40°C to 65°C)

\$109.99



AIR TOOL KIT

8171

Comes with 1/2" Impact Wrench, 3/8" Ratchet Wrench, Air Hammer and 1/4" Die Grinder


\$149.99



71 PC.

SPRAY GUN KITS

8180



\$37.99

8182



\$49.99

8185



\$69.99

8190 HVLP



\$79.99

8195



\$99.99

5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KC-2051H2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron
single stage oil
lubricated pump



ASME
safety
valve

\$749.

AIR COMPRESSORS & ACCESSORIES

**KING
INDUSTRIAL**

TIRE INFLATION GUN WITH PRESSURE GAUGE

K-1630



\$23.99

COMPRESSOR OIL BOTTLE (850ml)

KW-077 **\$9.99**



HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-5160V2

- 150 PSI max pressure
- 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI

3 cylinder cast iron
single stage oil
lubricated pump

HIGH OUTPUT 7.5 PEAK HP 80 GALLON AIR COMPRESSOR

KC-7180V3-MS

- 200 PSI max pressure
- 43 CFM @ 40 PSI
- 28 CFM @ 175 PSI

2 cylinder cast iron
single stage oil
lubricated pump

NEW & IMPROVED

High Performance
Air Compressor with
high output of
28 CFM @ 175 PSI

5.5 PEAK HP 24 GALLON AIR COMPRESSOR

KC-3124V2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron
single stage oil
lubricated pump



ASME
safety
valve

\$875.



ASME
safety
valve

\$1499.



Comes
with
magnetic
starter

ASME
safety
valve

\$3999.

HEPA CARTRIDGE FILTERS

HEPA (high-efficiency particulate air) filters are designed to capture all particles that are 0.3 microns or smaller

KVAC-1145

FITS: 8520LP, 8530LP, 8531LP-B, 8540LST

KVAC-1150

FITS: 8560LST



\$39. EA.

8520LP

- Powerful 3.5 Peak HP motor
- 5 US Gallon (20L)
- Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice tool



\$69.99

Tank
water
drain

8530LPN

- Powerful 4 Peak HP motor
- 8 US Gallon (30L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



\$95.

8540LST

- Powerful 5 Peak HP motor
- 10 US Gallon (40L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



\$179.99

Tank
water
drain

Double filtration system

8560LST

- Powerful 6.5 Peak HP motor
- 16 US Gallon (60L)
- Convenient 18 ft. power cord
- Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag



\$299.99

MAGNETIC SWITCHES



Comes with twist lock emergency stop button



Comes with padlock and 2 spare keys

\$119.99 ea.

KMAG-110-811	110V (8-11 Amp.)
KMAG-110-1114	110V (11-14 Amp.)
KMAG-110-1417	110V (14-17 Amp.)
KMAG-220-811	220V (8-11 Amp.)
KMAG-220-1114	220V (11-14 Amp.)
KMAG-220-1417	220V (14-17 Amp.)
KMAG-220-1721	220V (17-21 Amp.)

2 HP METAL DUST COLLECTOR

KC-7300C

- Powerful 2 HP, 220V motor
- 2 Step activation safety switch with line voltage interruption
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips collection drawer
- 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- Comes with large paper filter and iron activated carbon filter

\$1699.



FIREPROOF 3" METAL DUST COLLECTION HOSES KIT

KM-102

Kits Includes: 2 - 8ft. (2.5M) Fireproof hoses 4 - hose clamps (3")

RATED 130°C

\$79.99



DIGITAL FRACTIONAL CALIPER

KM-106

- Converts to inches (decimal and fractional) and metric readings
- Waterproof to IP54 standards
- Two 3V Lithium batteries included

\$35.




3" X 79" METAL BELT SANDER

KC-379MS

- Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control
- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"

Hinged top cover for access to entire length of belt for larger pieces



2 HP (220V)



Comes with Canadian made 80 Grit pure zirconia sanding belt



80 Grit pure zirconia sanding belt

\$1099.

3" X 79" PURE ZIRCONIA SANDING BELTS



Model	Belt Size	Grit	Unit	Price
SB-379-60	3"x79"	60	1	\$19.99
SB-379-80	3"x79"	80	1	\$19.99
SB-379-120	3"x79"	120	1	\$19.99

10" WET/DRY SHARPENER KIT

KC-4900S

- 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening
- Comes with angle guide honing compound and a square edge jig for sharpening a variety of blades and wood chisels




\$229.99

OPTIONAL

4 pc. Accessory Kit

KM-130

(Short knife jig, long knife jig, scissors jig & axe jig)



\$69.99

BENCH GRINDER STAND

SS-150

- Made of cast iron with coolant reservoir
- 32 3/4" high



\$89.99

BENCH GRINDER

KC-690

- 3.5 Amp. motor
- 3500 RPM



\$69.99

8" LOW SPEED BENCH GRINDER WITH LIGHT

KC-895LS

Comes complete with diamond wheel dressing tool, tool rests, eye shields, coarse 60 grit and fine 120 grit 8" x 1" white aluminum oxide grinding wheels



\$159.99

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND

KC-1295

- Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection
- Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels



1.5 HP (220V) Direct Drive Motor

\$1699.

RECIRCULATING PARTS WASHERS

CLEANING BRUSH
FOR PARTS WASHERS

KM-059



\$19.99



5 GALLON

KPW-205

- Safety lever has fusible link
- Durable pump included

\$89.99

20 GALLON

KPW-220

- Safety lever has fusible link
- Durable pump included

\$199.99

40 GALLON

KPW-240

- Safety lever has fusible link
- Durable pump included

\$299.99

VARIABLE SPEED HAND-HELD BLOWER/VACUUM

8317

- 116 CFM, max air speed 195 km/h (121 mph)
- Variable speed (6,000-14,000 RPM)
- Trigger lock-on button for continuous operation
- Comes complete with soft flexible rubber blower nozzle and a vacuum dust bag.



Vacuum mode

\$29.99

SANDBLAST CABINETS WITH LED LIGHT

- 4 different sized ceramic nozzles
- 2 rubber gauntlet gloves
- Dual large access doors allow user to sandblast longer pieces of metal (KSB-350-LED only)
- Comes with 5 replacement adhesive window protectors

LED light for improved visibility



KSB-110N-LED

\$199.99

KSB-350-LED

\$699.

ADHESIVE WINDOW PROTECTORS

KM-097

Fits: KSB-110N-LED
5 PC. KIT

\$27.

KM-098

Fits: KSB-350-LED
5 PC. KIT

\$27.


REPLACEMENT CERAMIC NOZZLES

KM-036

Fits:
KSB-110N-LED
& KSB-350-LED
4 PC. KIT

\$27.

LED WORK LIGHTS



KC-3002LED-ST
40W work light emits
6000 lumens

- Quick release latch
- For indoor and outdoor use in dry locations

\$149.99

KC-4002LED-ST
72W work light emits
8000 lumens

- Quick release latch
- For indoor and outdoor use in dry locations

\$219.99

KC-1501LED
15W Work light emits
1500 lumens

\$35.99

KC-3001LED
20W work light emits
3000 lumens

\$59.99

KC-4001LED
36W work light emits
4000 lumens

\$99.99



2 TON FOLDING SHOP CRANE

KFC-2TC

- 8 ton hydraulic ram features top-of-stroke and safety overload bypass system for maximum pump protection
- Compact design with retractable boom and foldable legs
- Fold-up legs with safety pins extend to 65"

\$399.
PRESSURE ABRASIVE
SANDBLASTERS

- Safety pressure relief valve
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve
- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape

KSB-10

10 GALLON

KSB-20

20 GALLON



\$269.99

\$329.99

HYDRAULIC SHOP PRESSES WITH GRID GUARD

- Great for straightening, pressing, bending or stamping
- Used to install or remove gears, bushings or bearings
- Adjustable bed height with support rods
- Comes with 2 pressure plates

Optional
9 PC. PUNCH
& DIE KIT
KM-045
\$129.99



KHP-10T-GGN
\$379.99

KHP-20T-GGN
\$559.99

CORDLESS LED WORK LIGHTS

750 Lumen LED Work light

KC-750LED-B

\$19.99

COMES WITH MAGNETIC BASE & 4 PANASONIC AA BATTERIES

10W Work light emits
1500 lumens

KC-1502LED-C

CORDLESS

\$59.99

14" CUT-OFF SAW

8342LN

- Quick release vise for holding workpiece, allows cuts up to a 45° angle

Powerful 15 Amp motor

\$169.99



METAL FORMING MACHINES

SLIP ROLLS

KC-S5016

- Max. length 50"
- Capacity 16 Gauge
- Weight 540 lbs

\$1849.

KC-S3622

- Max. length 36"
- Capacity 22 Gauge
- Weight 176 lbs

\$779.

KC-S2422

- Max. length 24"
- Capacity 22 Gauge
- Weight 81 lbs

\$679.



52" FOOT SHEAR

KC-F5216

- Cutting length 52"
- Capacity 16 Gauge
- Weight 1080 lbs

\$2799.

12" HAND SHEAR

KC-HS12

- Level arm with compensating spring

\$249.




4 TON HAND NOTCHER

KC-N616

- 16 Gauge notching capacity (mild steel)
- 18 Gauge piercing capacity (mild steel)
- Maximum notch (6" X 6" x 90°)
- Weight 165 lbs

\$749.



ARBOR PRESS

KAP-3

- Capacity: 3 Ton
- Diameter of work: 12 1/2"
- Capacity over table: 12"

\$379.




COMBINATION ROTARY MACHINE

KC-RM22

- Cutting capacity (mild steel): 22 Gauge
- Distance between shaft centers: 2"
- Depth of throat to frame: 7"
- Includes 6 dies for hooking (2), burring, wiring, ogee beads and crimping

\$749.



3 IN 1

METAL FORMING MACHINES



SHEAR, BRAKE AND ROLL

KC-1220

- Max. length 12"
- Maximum thickness 20 Gauge
- Weight 95 lbs

\$659.

KC-3020

- Max. length 30"
- Maximum thickness 20 Gauge
- Weight 300 lbs

\$999.

KC-4020

- Max. length 40"
- Maximum thickness 20 Gauge
- Weight 387 lbs

\$1599.

16 GAUGE BOX AND PAN BRAKE

KC-BP4816

- Bending length 48 1/2"
- Capacity 16 Gauge
- Weight 380 lbs

\$1299. NEW HEAVIER DUTY MODEL



FLOOR MODEL BOX AND PAN BRAKE

KC-BP4812

- Bending length 48"
- Capacity 12 Gauge
- Weight 1140 lbs



\$3999.



MILLING DRILLING MACHINES

MILLING DRILLING MACHINE WITH DIGITAL READOUT, SAFETY GUARD & LIMIT SWITCH

KC-20VS-2

- 1 HP Motor
- 13" Max. distance spindle nose to table
- 13" swing
- R8 Spindle taper
- 2" Spindle stroke
- Speeds 2(50-1125 / 100-2250 RPM)
- 7 1/16" x 27 1/2" Table dimensions
- 1/2" Size of T-Slot on table
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches, hex. keys and tool box



HEADS TILTS 90° TO THE LEFT AND RIGHT



Column tilts 45° to the right or left

MINI MILLING DRILLING MACHINE

KC-15VS

- Variable speed gear drive
- Spindle depth fine feed control with micro downfeed dial
- Adjustable depth stop
- Chuck guard
- Emergency stop button
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches and hex. keys



POWERFUL
3/4 HP
MOTOR

OPTIONAL

MILLING DRILLING MACHINE STAND

SS-20VS

\$349.⁹⁹

\$2349.

\$1099.

FAGOR DIGITAL READOUT SYSTEMS

20i-M-1836

(Fits 1050VS)
2 AXIS with
18" x 36"
scales

\$2099.



30i-M-183616

(Fits 1050VS)
3 AXIS with
18" x 36" x 16"
scales


\$3099.



GEARHEAD MILLING DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-45

- 1.5 HP Motor
- Forward & Reversing Switch
- 20 7/16" Swing
- 5" Stroke
- 6 speeds (60-1500 RPM)
- 9 1/2" X 32 1/4" Table
- 1 1/4" Drill capacity
- 4" Face mill capacity
- Spindle taper R8



OPTIONAL

TABLE POWERFEED ATTACHMENT

PFM-32
For # KC-45

\$679.

OPTIONAL

MILLING DRILLING MACHINE STAND

SS-45


\$399.⁹⁹

\$5999.

VERTICAL TURRET MILLING MACHINE

1050VS

- 5 HP Motor • ISO-40 Spindle taper
- Size of table 10" x 50" • Table travel 36"
- Saddle travel 16 1/2" • Knee travel 16"
- Quill travel 5" • 2 speed variable speed drive (70-500, 600-4200 RPM)
- Max. distance spindle to table 18"
- Distance spindle to column 24"
- Quill power feed (.0015", .003", .006")
- Ram movement 24"



TURRET HEAD
SWIVELS 360°

INCLUDED
TABLE
POWERFEED
ATTACHMENT
(550 LBS
TORQUE)
LONGITUDINAL

5.2 Amp.
(600V)

\$15999.

12" SLOW SPEED COLD CUT SAW

KC-315CS

- 4.5 HP motor
- Low 52 RPM blade speed is ideal for cutting ferrous metals
- Mitering head pivots to the right or left with positive stops at 45° and 90°

Blade not included



OPTIONAL
12" COLD CUT
SAW BLADE
KM-1200
(Made in Italy)

\$359.

\$3599.

18 PC. COLLET SETS

Includes straight shank, 15 collets, wrench and plastic case.

KCS-4015

- Straight shank taper ISO 40
- Draw Bar 5/8" WII

KCS-R8-15

- Straight shank taper R8
- Draw Bar 7/16" NF 20



\$399.⁹⁹ ea.

DIVIDING PLATES FOR ROTARY TABLE

KC-DPRT-6

Size 6"

KC-DPRT-8

Size 8"

\$159.⁹⁹ ea.



K-TYPE SWIVEL BASE MILLING VISES

3"	4"	6"	8"
KMV-3M	KMV-4M	KMV-6M	KMV-8M
\$129.	\$199.	\$259.	\$369.



HORIZONTAL & VERTICAL ROTARY TABLES

KC-HVRT-6

Size 6"

KC-HVRT-8


Size 8"

\$499.

\$659.



FAGOR DIGITAL READOUT SYSTEMS



20i-T-840
(Fits KC-1440ML-6
& KC-1440ML-2)

2 AXIS with
8" x 40" scales

\$2399.

20i-T-1040
(Fits KC-1640ML)

2 AXIS with
10" x 40" scales

\$2699.

LIVE CENTERS



\$75.
KLC-2M
TAPER SHANK -
MT#2

\$85.
KLC-3M
TAPER SHANK
MT#3

7 PC. CARBIDE CUTTER HOLDER

- 2 positions carbide indexable Cutter Inserts (5pc.)
- H.S.S. inserts (2pc.)

INCLUDED
Screwdriver and
3 adjustment keys



KM-047
3/8" Shank

\$199.

KM-057
5/8" Shank

\$219.

Fits Models: KC-0712ML, KC-1022ML
Fits Models: KC-1236ML, 14440ML-2, 14440ML-6, KC-1640GH, KC-1640ML & KC-1660GH

TAPER ATTACHMENT



Taper Attachment must be ordered together with

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models KC-1236ML, KC-1440ML-2 & KC-1640ML

7 PC. QUICK CHANGE TOOL POST KITS



KQCT-0012
Fits most lathes up
to 0 to 12" swing

\$299.99

KQCT-1015
Fits most lathes between
10" to 15" swing

\$359.99

KQCT-1318
Fits most lathes between
13" to 18" swing

\$499.99

METAL LATHES & ACCESSORIES



7" X 12"

VARIABLE SPEED MINI METAL LATHE

KC-0712ML

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

\$1099.

5.5 Amp.
(110V)

INCLUDES - 4" - 3 JAW CHUCK & STEADY REST



10" X 22"

BELT DRIVE METAL LATHE

KC-1022ML

- 1" spindle bore
- Spindle speeds 6 (150-2400) RPM
- Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, and chuck key

\$2999.

12 Amp.
(110V)

**OPTIONAL
CABINET
STAND
SS-1022**



\$379.99



12" X 36"

GEARHEAD METAL LATHE

- 1 1/2" spindle bore
- Spindle speeds 9 (60-1500) RPM
- 40(4-112 T.P.I.) 30(2 - 4.5mm) thread cutting
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys

KC-1236ML/SS-1236

\$5999.

**WITH TAPER ATTACHMENT
KC-1236ML/KM-053/SS-1236**

\$6499.

1.5 HP
(220V)



**BONUS
CABINET STAND
INCLUDED**

14" X 40"

GEARHEAD METAL LATHE

- Spindle speeds 8(70-2000 RPM)
- 34(4-56 T.P.I.) 26(4 - 7mm) thread cutting
- Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, MT#6-MT#3 sleeve, tool box, chuck keys, and cabinet stand with foot brake


KC-1440ML-2

\$9499.

**WITH TAPER ATTACHMENT
KC-1440ML-2/KM-054**

\$9999.

2 HP
(240V)



**CABINET STAND WITH
FOOT BRAKE INCLUDED**

16" X 40"

HIGH PRECISION "TOOL ROOM" METAL LATHE

- Spindle speeds 16(45-1800 RPM)
- 2" spindle bore diameter
- 45(2-72 T.P.I.) thread cutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches


KC-1640ML

\$16999.

**WITH TAPER ATTACHMENT
KC-1640ML/KM-055**

\$17499.

4 HP
(600V)



**CABINET STAND WITH
FOOT BRAKE INCLUDED**

PALLET TRUCKS

5500 LBS
CAPACITY

KC-2145N-NYL
(21" X 45")
Nylon wheels
429.99

KC-2748N-NYL
(27" X 48")
Nylon wheels
429.99

KC-2748NP
(27" X 48")
Poly wheels
429.99

3 position control handle
Max. raised height of forks 7 1/2"
Min. height of forks 2.95"

QUICK RELEASE
FOOT PEDAL

QUICK RELEASE
FOOT PEDAL



3000 PSI GASOLINE HIGH PRESSURE WASHER

KPW-3001FM

- 3000 PSI, 2.3 GPM maximum water flow
- Thermal relief valve on pump to protect against overheating
- 25' high pressure hose and inlet hose quick connect coupling
- Comes with 10" pneumatic wheels for portability and 4 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

\$499.99



7 HP

GASOLINE WATER PUMPS

• 105' (KCG-2WPG) or 92' (KCG-3WPG) total head lift (total height at sea level, to which water can be raised above original water level)

Powerful 7 HP,
4 stroke air cooled
OHV engine

2" NPT inlet
and outlet

Powerful 7 HP,
4 stroke air cooled
OHV engine

3" NPT inlet
and outlet



KCG-2WPG
\$339.99

Standard
accessories



KCG-3WPG
\$399.99

WATER PUMP HOSE KITS

Each hose kit comes with a
type A threaded camlock adaptor

CLEAR PVC REINFORCED
SUCTION HOSES

FLAT PVC
DISCHARGE HOSES



\$119.99

\$199.99

\$89.99

\$119.99

KW-252
2" X 25 ft

KW-253
3" X 25 ft

KW-502
2" X 50 ft

KW-503
3" X 50 ft

GASOLINE ENGINES

- Ideal for compressors, generators, pressure washers, go-karts and log splitters
- Counterclockwise drive shaft direction

KCG-65

Powerful 6.5 HP,
4 stroke air
cooled OHV engine

\$229.



KCG-130

Powerful 13 HP,
4 stroke air
cooled OHV engine

\$449.



2000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-2001i

- Powerful 3 HP, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/13.3 Amp. AC output



4500W GASOLINE DIGITAL INVERTER GENERATOR

KCG-4500i

- Powerful 8 HP, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output



15000W V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE

- Powerful 20 HP, V-Twin horizontal shaft 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp.

**AUTO-IDLE DOWN
FUNCTION** extends
running time by
automatically
adjusting engine
speed to idle when
not under load



\$699.99

\$1249.99

\$2499.99





DUAL/FUEL GASOLINE/PROPANE GENERATORS



5100W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START
KCG-5101GE-DF

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation



\$599.99

Comes with propane tank connection cable

12000W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START
KCG-12001GE-DF

- Powerful 18 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC and DC reset



\$1299.99

Comes with propane tank connection cable

PORTABLE GASOLINE GENERATORS

1800W GASOLINE GENERATOR KCG-1501GX

- Powerful 3 HP, 4 stroke air cooled OHV engine
- Low oil shut-off with indicator light
- Duplex Outlet: 120V/11.6 Amp. AC output
- Terminals: 12V, 8 Amp. DC output

\$399.99



5100W GASOLINE GENERATOR WITH WHEEL KIT KCG-5100G

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC

\$449.99



6500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT KCG-6502GE

- Powerful 10 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC

\$659.99



10000W GASOLINE GENERATOR WITH ELECTRIC START KCG-10001GE

- Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp. and 120V/240V/30 Amp. AC

\$959.99



12000W GASOLINE GENERATOR WITH ELECTRIC START KCG-12000GE

- Powerful 18 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC

\$1099.99



GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10
Extension cord length: 10 feet
Gauge (AWG)/Cord: 12 (S)TW 4/C



\$39.99

K-L1430R-25
Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (S)TW 4/C



\$99.99

K-L1430-25-AT
Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (S)TW 4/C



\$99.99

K-L1430-25EXT
Extension cord length: 25 feet
Gauge (AWG)/Cord:



\$99.99

50 AMP. GENERATOR ADAPTOR CORD
Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle
K-1450P-2
Cord length: 1.5 feet
Gauge (AWG)/Cord: 10 (STW 4/C)



\$69.99

Female receptacle with lighted end

GENERATOR HOME CONNECTION KIT K-X7500

Outdoor to indoor receptacle kit
Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware



\$109.99



MILLING DRILLING MACHINES & ACCESSORIES

17" DRILL PRESS



DRILL PRESS
CHUCK SAFETY
GUARD
KM-118
Fits KC-118FC

\$29.99

- KC-118FC**
- 12.5 Amp. motor
 - 16 speeds (240-3400 RPM)
 - 17" swing
 - 3 1/4" stroke
 - 5/8" chuck

\$899.

17" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



- KC-118FC-LS**
- 12.5 Amp. motor
 - 16 speeds (240-3400 RPM)
 - 17" swing
 - 3 1/4" stroke
 - 5/8" chuck

\$999.

17" LONG STROKE DRILL PRESS with SAFETY GUARD



- KC-119FC-LS**
- 12.5 Amp. motor
 - 12 speeds (255-2750 RPM)
 - Spindle taper MT #3
 - 16 15/16" swing
 - 6" stroke
 - 3/4" chuck

\$1199.

22" DRILL PRESS



DRILL PRESS
CHUCK SAFETY
GUARD
KM-122
Fits KC-122FC

\$29.99

- KC-122FC**
- 12.5 Amp. motor
 - 1 1/4" capacity
 - Spindle taper MT #4
 - 12 speeds (180-4200 RPM)
 - 4 3/4" stroke
 - 3/4" chuck

\$1299.

22" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH




- KC-122FC-LS**
- 12.5 Amp. motor
 - 1 1/4" capacity
 - Spindle taper MT #4
 - 12 speeds (180-4200 RPM)
 - 4 3/4" stroke
 - 3/4" chuck

\$1399.

15" VARIABLE SPEED INDUSTRIAL DRILL PRESS



Variable speed
handwheel with
digital readout



Safety guard with
limit switch protection



LONG 6" STROKE

- KC-30HS-VS**
- Powerful 1 HP motor
 - E-stop 2 step activation safety switch with line voltage interruption
 - Variable speeds: 400-5,000 RPM
 - 5/8" drill chuck and key

\$2999.

29 PC. TITANIUM DRILL BIT SET

KDB-29T



\$39.99

29 (1/16"-1/2" x 1/16 4")

CROSS SLIDE VISES



4" - KCV-4N \$69.99

5" - KCV-5N \$99.99

6" - KCV-6N \$129.99

DRILL PRESS VISES



3" - KPV-3 \$20.99

4" - KPV-4 \$26.99

5" - KPV-5 \$39.99

6" - KPV-6 \$49.99

KEYLESS DRILL CHUCKS

KDC-12X



1/2" JT#33 \$79.99

KDC-58X 5/8" JT#3 \$99.99

KDC-34X 3/4" JT#4 \$129.99

COMPOUND SLIDE TABLE



KCT-618 \$249.99

• 6" X 18 1/2" - 1/2" T- slots

52 PC. CLAMPING KITS



KCL-5212 \$89.99

Fits 1/2" table slots

KCL-52 \$89.99

Fits 5/8" table slots

20 PC. TITANIUM COATED END MILL SET

KM-120



\$199.99

2 & 4 Flute (10 pcs. each) Imperial, Single End

HEAD TILTS
90° TO THE
LEFT AND
30° TO THE
RIGHT



21" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-40HS (220V)

KC-40HS-6 (600V)

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper MT#3
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"

FREE
ANGLE
VISE

\$4999.

HEAD TILTS
90° TO THE
LEFT AND
30° TO THE
RIGHT



21" GEARHEAD DRILLING/MILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-40HC (220V)

KC-40HC-6 (600V)


- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper R-8
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"
- Working surface of table 23"x 7 1/2"

FREE
ANGLE
VISE

\$5999.



POWER
DOWNFEED
& TAPPING



RECIRCULATING
COOLANT
SYSTEM

28" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-50

- 2 HP motor
- 27 1/2" swing
- 7" stroke
- Speeds (60-870 / 120-1740)
- 1 1/2" capacity

- Spindle taper MT#4
- 5/8" Chuck & key included

\$6999.

RADIAL DRILLING MACHINE WITH SAFETY GUARD

KC-35/SS-35

- 1.5 HP Motor
- 21 1/4" Max. distance spindle nose to table
- Speeds 5(340-3000 R.P.M.)
- 5 1/4" Spindle stroke
- MT #3 Spindle taper
- 38 1/2" swing
- 4 1/2" Column diameter
- 21 5/8" x 19 5/8" Table dimensions
- 14" Head travel
- 5/8" Size of T-Slot on table
- Forward reverse switch
- 1/2" chuck with key, safety guard and stand

HEAD
SWIVELS
180°

\$4999.

METAL CUTTING BANDSAWS



PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW

KC-8377

- Variable speed 0-420 SFPM
- Cutting capacity of 5" x 5"
- Blade tension lever
- Comes with standard 44-7/8" x 1/2" blade

\$199.99



OPTIONAL
Miter Stand
turns this
Bandsaw into
a Cut-off Saw
SS-8377

\$99.99

BI-METAL BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-8376-BM-1014	44 7/8"	1/2"	10-14	.020"	\$22.99
KBB-8376-BM-1418	44 7/8"	1/2"	14-18	.020"	\$22.99

5" x 6" METAL CUTTING BANDSAW

KC-129C

- 3 speeds (80-120-200 FPM)
- Comes with wheels for portability

**8 Amp.
(110V)**




\$699.

H.S.S. & BI-METAL BLADES					
Model	Length	Width	Blade Material	TPI	Thickness Price
KBB-115-10	64 1/2"	1/2"	H.S.S.	10	.025" \$17.99
KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025" \$17.99
KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025" \$17.99
KBB-115-24	64 1/2"	1/2"	H.S.S.	24	.025" \$17.99
KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025" \$39.99
KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025" \$39.99
KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025" \$39.99

5" x 6" DUAL SWIVEL METAL CUTTING BANDSAW

KC-129DS

- Head swivels 0° - 45° to the right and 0° - 60° to the left
- Adjustable hydraulic downfeed control
- Automatic shut-off



**ADJUSTABLE
HYDRAULIC
CYLINDER**

**8 Amp.
(110V)**



\$949.

10" x 18" METAL CUTTING BANDSAW

KC-227-2 (220V)

KC-227-6 (600V)

- 4 speeds (114, 196, 288, 377 FPM)
- Carbide ball bearing blade guide
- Control panel with automatic shut-off
- Adjustable hydraulic downfeed control
- Both adjustable control arms can be positioned as close to the cut as possible
- Coolant system with regulator valves

**PRECISION
PRESSURE
GAUGE
INDICATES
THE BLADE
TENSION**



H.S.S. BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-10	122"	1"	10	.032"	\$39.99
KBB-225-14	122"	1"	14	.032"	\$39.99

**11.5 Amp. @ 220V
2.6 Amp. @ 600V**

10" x 18" VARIABLE SPEED SWIVEL METAL CUTTING BANDSAW

KC-228S-V-2 (220V)

KC-228S-V-6 (600V)

**11.5 Amp. @ 220V
2.6 Amp. @ 600V**

- Swivel base from 0° to 45°
- Position adjustable control panel and automatic shut-off
- Adjustable hydraulic down feed control
- Carbide ball bearing blade guides
- Coolant system with regulator valves

BI-METAL BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-BM-610	122"	1"	6-10	.032"	\$99.99
KBB-225-BM-812	122"	1"	8-12	.032"	\$99.99



\$7999.

**PATENTED
TRU-LOCK™ quick
locking vise system.**

**Exclusive
24 Volt
control
panel**

**Exclusive
24 Volt
control
panel**



\$5999.

METAL CUTTING BANDSAWS

7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW

KC-712DS

6 Amp.
(220V)

- Returning coolant system
- 4 speeds (98-164-246-328 FPM)
- Automatic shut-off
- Adjustable ball bearing guides

PATENTED
TRU-LOCK™ quick
locking vise system.

\$3599.

9" x 18" METAL CUTTING SWIVEL BANDSAW

KC-918S-V

- Returning coolant system
- Variable speeds (80-250 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- Precision blade tension adjustment
- Head swivels 0° to 45° in one direction
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles

VARIABLE
SPEED

8 Amp.
(220V)

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-918-10	131 3/4"	1"	H.S.S.	10	.032"	\$39.99
KBB-918-14	131 3/4"	1"	H.S.S.	14	.032"	\$39.99
KBB-918-BM-610	131 3/4"	1"	Bi-Metal	6-10	.032"	\$99.99
KBB-918-BM-812	131 3/4"	1"	Bi-Metal	8-12	.032"	\$99.99

\$8499.

nova™

7" x 12" NOVA DVR METAL CUTTING BANDSAW

59001

- Smart metal bandsaw features state of the art technology
- Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive Control™ Software
- Constant torque under load and electronic braking emergency stop
- Includes a 240V conversion components kit

NEW

**DVR
Smart**
THE WORLD FIRST
SMART BANDSAW
WITH DIGITAL
DISPLAY

Available
June 2023

\$3799.

17" VARIABLE SPEED METAL/WOOD CUTTING BANDSAW

KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
- Variable speeds (metal): 100-650 SFPM
- Voltage (input power): 220V, 1 phase, 60 Hz
- Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide

Blade speed
digital
readout

RESAW FENCE
SYSTEM

23 1/2" x 17"
cast iron table
Tilts 5° to the left
& 45° to the right

2- 4" Dust
chutes for
dust collector
hook-up

2HP
(8 Amp. @ 220V)

\$4499.

18" METAL CUTTING BANDSAW

KC-450

- Variable speed
- Handwheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light

7.5 Amp.
(220V)

\$5499.