



SAFETY EQUIPMENT & SUPPLIES

Safety Cans & Containers	406 - 410
Safety Cabinets	411 - 419
Fire Protection	420 - 426
WHMIS Requirement & Labels	427 - 432
Spill Control Management	433 - 473
Emergency Eyewash & Shower Equipment	474 - 490
First Aid	491 - 539
Eye Protection	540 - 564
Respiratory Protection	566 - 607
Gas Detection	608 - 615
Confined Space Entry	616 - 623
Fall Protection	624 - 663
Hearing Protection	664 - 682
Communication	683 - 686
Head Protection	688 - 697
Face Protection	700 - 705
Limited Use General Protective Clothing	706 - 721
Rainwear	722 - 725
Personal Flotation Devices	726
High Visibility Safety Apparel	727 - 734
Work Clothing	735 - 743
Flame Resistant Clothing & Arc Flash Protection	744 - 756
Heat Stress Prevention	757 - 762
Knee Pads, Braces & Supports	763 - 768
Hand Protection	770 - 844
Foot Protection	845 - 854
Vehicle Identification	855 - 861
Traffic Safety Markings & Crowd Control	862 - 890
Mirrors	891 - 894
Locks & Lockout Devices	895 - 912
Accident Prevention & Lockout Tags	913 - 921
Stamps & Stencils	922 - 927
Signs & Identification	928 - 949
Motivation & Safety Awareness	950 - 953
Labelling Systems & Supplies	954 - 972
Ergonomic Matting	973 - 993
Entrance Matting	994 - 1000

Ansell



**Master
Lock**



Honeywell



SAFETY CANS & CONTAINERS

DISPENSER BOTTLES

Dispense flammable liquids and solvents safely without waste or exposure.

- Small size allows for easy, one-handed dispensing of liquids directly onto work surface
- Brass dispenser valves are leak-proof and self-closing
- Minimizes spills and waste
- Bottle design is textured for firm gripping
- FM approved for flammables



Model No.	Mfg. No.	Capacity	Dimensions Outer Dia." x H"	Approval Listing	Price /Each
SC311	14002	4 oz.	2 1/4 x 5 1/2	-	45.74
SA131	14004	8 oz.	3 1/8 x 5 1/2	FM	27.86
SA133	14010	1 quart	4 x 10 1/2	FM	31.08

DISPENSING SQUEEZE BOTTLES

Allow safe dispensing of liquid small components or sub-assemblies with a minimum of over-spray. Squeezing the bottle produces a fine stream of liquid.

- Low-density polyethylene with stainless steel wire that allows stem to be shaped to reach hard-to-reach areas



Model No.	Mfg. No.	Capacity oz.	Dimensions Outer Dia." x H"	Price /Each
SA132	14009	16	3 x 7 1/2	17.26
SA134	14011	32	3 1/2 x 9 1/8	26.83

ECO® GAS CANS

- The safest, most environmentally-friendly cans available
- Uses patented DuPont® Laminar Technology resulting in a permeation level well below the CARB required rate of 0.40 grams/gallon/day
- Equipped with self-venting spout that automatically shuts off when gas tank is full
- Rustproof, unbreakable and non-corroding
- ULC and CSA approved



Model No.	Mfg. No.	Colour	Capacity US Gal.	Capacity Litres	Price /Each
SA0954	07450	Red	1 1/4	5	18.65
SA0955	07378	Red	2 1/2	10	24.74
SAK866	05096	Red	5	18.8	46.01

REPLACEMENT PARTS

Model No.	Mfg. No.	Description	Price/Each
SAK867	05459	Eco® spout	14.18



JERRY CANS

- Made from high-density polyethylene
- Lightweight, crushproof design with extra headspace built-in to accommodate expansion
- User-friendly "easy pour" design, self-venting spouts and child-resistant closures
- The cans are rustproof, unbreakable and non-corroding
- 5 US gallon available in two colours; red for gasoline and yellow for diesel
- SAK857 is a combo can, gasoline and oil
- ULC and CSA approved



Model No.	Mfg. No.	Colour	Application	Capacity US Gal.	Capacity Litres	Price /Each
SAP356	07081	Red	Gasoline	1 1/4	5	8.35
SAP357	07079	Red	Gasoline	2 1/2	10	11.19
SA0958	07622	Red	Gasoline	5.3	20	24.20
SAK856	03609	Red	Gasoline	5.3	20	26.98
SAK857	03615	Red (combo)	Gasoline/oil	1 1/2 & 2 3/4 Qts	6 & 2.5	26.98
SAP399	07649	Yellow	Diesel	5.3	20	24.11

REPLACEMENT PARTS

Model No.	Mfg. No.	Description	Price/Each
SAS111	03583	Black cap, yellow stopper and vent cap	4.10
SAS112	03647	Black cap, yellow stopper, spout and vent cap	5.60



SAFETY CANS & CONTAINERS

FLO N' GO™ SUPERFLO™ COMBO JERRY CANS

- Fuel siphon pumps gas in any direction for easy, clean fill-ups in hard-to-reach fuel tanks
- Siphon comes with a 10-L (2.5 gal.) fuel can
- At-the-handle pump control allows for auto shut-off and restarts, as well as clean, hassle-free siphon control
- Delivers a flow rate of 1 Gal. (3.7 L) per minute when in siphon mode
- Child safety lock included
- Ideal for smaller engines including lawnmowers, trimmers, chainsaws, generators, blowers, edgers, snow throwers, or any small engine that requires refuelling

Model No. SAR369
Mfg. No. 06921
Price/Each \$54.59



Scepter
 SYMBOL OF QUALITY

STOP FLOW SAFETY SPOUTS

- Convenient, easy-to-use spout that reduces the amount of fuel spills
- Push down to engage the spout to pour and lift to close the spout when finished

Model No. SAR373
Mfg. No. SFPS
Price/Each \$12.56

Scepter
 SYMBOL OF QUALITY



FLO N' GO™ MAXFLO™ COMBO JERRY CANS

- Siphon pumps gas in any direction for easy, clean fill-ups in hard-to-reach fuel tanks
- Combo also comes with a 25-L (6.6 Gal.) fuel can
- At-the-handle pump control allows for auto shut-off and restarts, as well as clean, hassle-free siphon control
- Delivers a flow rate of over 2 Gal. per minute (7.5--L) when used in siphon mode
- Child safety lock included
- Ideal for larger applications including lawn tractors, boat engines, Jet Skis/PWC, ATVs, snowmobiles, farm equipment, pressure washers, snow throwers, and light commercial equipment



Scepter
 SYMBOL OF QUALITY

Model No.	Mfg. No.	Description	Price/Each
SAR370	06922	Combo w/ 25 L (6.6-Gallon Capacity) Can	80.56
SAR371	06799	Siphon Only	64.45

FLO N' GO™ DURAMAX™ FUEL CONTAINERS

- Large, portable fuel container on wheels designed for industrial, commercial, and recreational applications
- High density polyethylene resistant to corrosion and denting
- Sturdy 6" wheels and extra-deep patented gas pump handle allows you to eliminate spillage and overfills
- Flow rate of 2 GPM in siphon mode
- Two shut-off valves make it safe and easy to disconnect the pump for refilling and transportation
- Includes: 14 Gal. (53-L) fuel container with the patented Flo n' go Maxflo™ siphon/pump and 10' (3 m) hose

Model No. SAR302
Mfg. No. 06792
Price/Each \$320.38

Scepter
 SYMBOL OF QUALITY



WATER CONTAINERS

- 20-L (5.3 Gal.) capacity
- Polyethylene
- Crushproof
- Rustproof

Model No. SAR372
Mfg. No. W520
Price/Each \$25.60

Scepter
 SYMBOL OF QUALITY



MINI BENCH-TOP OILY WASTE CANS

- Small footprint is convenient in confined work areas
- Constructed of durable galvanized steel
- Easily accommodates counter top applications
- Specially designed SoundGard™ lid significantly reduces lid closure noise
- Fire resistant design makes it ideal for disposing of hazardous waste materials like swabs or wipes that contain flammable solvents, adhesives, or cleaning agents
- Compact height easily accepts standard long cotton-tip applicators used for cleaning parts
- Lid opens to a maximum 60° and is self closing to minimize the chance of fire caused by spontaneous combustion
- Chemically resistant red powder coat paint finish for extended service life
- Leak-proof 0.45 Gal. (1.7- L) capacity container
- Reusable, will not rust or puncture
- Fire tested and FM and OSHA approved

Model No.	Mfg. No.	Dimensions	Wt. lbs.	Price /Each
SAS238	09410	4 5/8" Base x 6 1/2"	2	79.26

* 6 1/2" (165 mm) diameter across the top including the limit stop



JUSTRITE®



SAFETY CANS & CONTAINERS

OILY WASTE CANS

- OSHA compliant oily waste cans are essential whenever solvent cloths and wiping rags are used
- Self-closing cover reduces oxygen source to prevent fire from starting
- Round construction and raised bottom encourage air circulation to disperse heat and prevent rust
- Rugged galvanized steel body in a variety of sizes accommodate any work area
- Carrying handle for portability
- 6 - 21 US Gal. foot-operated models are FM and UL approved
- 2 US gallon hand-operated, countertop model is FM approved



SoundGard™ Silver Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Red Model No.	Mfg. No.	Capacity US Gal.	Dimensions			Wt. lbs.	Price /Each
							Outer Dia."	x	H"		
-	-	SR361	09200Y	SR356	09200	2	9 5/8	x	9 1/8	6	67.94
SAR304	09104	SR362	09101	SR357	09100	6	11 7/8	x	15 7/8	10	73.48
SAR305	09304	SR363	09301	SR358	09300	10	13 15/16	x	18 1/4	12	91.43
SAR306	09504	SR364	09501	SR359	09500	14	16 1/16	x	20 1/4	15	98.60
SAR307	09704	SR365	09701	SR360	09700	21	18 3/8	x	23 7/16	22	150.21

DRIP CANS

- Ideal for placement below drum faucets, drains or valves to catch drips or overflows of liquids
- Perforated metal fire baffle acts as a flame arrester to protect contents from fire exposure
- Catches up to one US gallon of liquid
- Top removes for quick cleaning
- Made of 24-gauge steel with a durable powder coat paint finish
- Easily portable with handy side handles
- 9 3/8" O.D. x 4 1/2" H
- Weight: 3 lbs.
- FM approved

Model No. SAH514
Mfg. No. 10376
Price/Each \$56.24



PLUNGER CANS FOR EASY MOISTENING

- Dispense flammable liquids and solvents safely onto cloths or swabs without waste or exposure
- Plunger fills upper pan for soaking
- Surplus liquid drains safely back into can
- Brass pump parts resist corrosion
- Steel and polyethylene cans available
- FM approved



Model No.	Mfg. No.	Capacity	Dimensions			Price /Each
			Outer Dia."	x	H"	
STEEL PLUNGER CANS						
SA129	10008	1 Pint	4 7/8	x	6	54.46
SA130	10108	1 Quart	7 1/4	x	6 1/2	59.07
SC309	10308	1 US Gallon	7 1/4	x	11	60.57
POLYETHYLENE PLUNGER CANS						
SC310	14018	1 Quart	5 1/2	x	9	78.28

FUSIBLE LINK SELF-CLOSING DRUM COVERS

- Convert open top 55 US gallon steel drums into fire-safe receptacles for combustible trash
- Replaceable fusible link assembly inside the cover melts at 160°F, automatically slamming the cover shut if a fire occurs in the drum
- Steel construction
- Solvent resistant, red baked-on enamel finish
- Fits drums from 22 1/2" to 22 3/4" in diameter
- Weight: 16 lbs.
- FM approved

Model No. DA097
Mfg. No. 26750
Price/each \$196.00



D.O.T. ACCUFLOW™ SAFETY CANS

- Hold-down bracket with easy-to-grip tightening screw prevents vapour release and spills during transport
- Easy-to-engage fusible link bracket melts at 165°F (75°C) to prevent dangerous pressure build-up
- AccuFlow's™ exclusive Safe-Squeeze™ trigger mechanism allows for smooth flow and accurate pouring
- Leak-tight, self-closing lid automatically vests between 3 and 5 PSIG
- Heavy roll bars protect the spout
- D.O.T. compliant and FM approved

SED121



SED119



Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Capacity Gal.	Hose Dim. Outer Dia." x H"	Can Dim. Outer Dia." x H"	Price /Each
SED117	7325120	SED121	7325220	2.5	5/8 x 9	11 3/4 x 12	419.21
SED118	7325130	SED122	7325230	2.5	1 x 9	11 3/4 x 12	419.21
SED119	7350110	SED123	7350210	5	5/8 x 9	11 3/4 x 17 1/4	420.95
SED120	7350130	SED124	7350230	5	1 x 9	11 3/4 x 17 1/4	420.95

TYPE II ACCUFLOW™ SAFETY CANS

- AccuFlow™ exclusive Safe-Squeeze™ trigger mechanism allows for smooth flow and accurate pouring
- Auto-venting pressure relief cap
- Leak-proof self-closing gasketed lid controls vapours and spills
- Long lasting stainless steel flame arrester dissipates heat and prevents flashback ignition
- Extra large ID zone reduces misuse and has warning in three languages
- FM approved, UL/ULC listed
- 10-year limited warranty



Model No.	Mfg. No.	Capacity US Gal.	Colour	Hose Width"	Price /Each
SEA217	7210120	1	Red	5/8	91.95
SEA218	7210220	1	Yellow	5/8	91.95
SEA219	7210320	1	Blue	5/8	91.95
SEA221	7220120	2	Red	5/8	95.89
SEA222	7220220	2	Yellow	5/8	95.89
SEA253	7220320	2	Blue	5/8	95.89
SEA224	7225120	2.5	Red	5/8	93.30
SEA225	7225130	2.5	Red	1	93.30
SEA232	7250120	5	Red	5/8	94.07
SEA233	7250130	5	Red	1	94.07

Note: Other colour/capacity/hose width combinations available, call us today!



SEA233

TYPE I SAFETY CANS

- Compliant Type I Safety Cans are designed with a single spout for filling and pouring of all types of flammable liquids
- High performance, chemical resistant stainless steel flame arrester that stops flashback ignition, provides faster liquid flow, and offers exceptional durability and corrosion protection for long life
- Self-venting, self-closing leak tight lid prevents ruptures from pressure build-up and controls vapours and spills
- Unique counterbalance design with full-fisted grip handle offers gravity-assisted pouring
- Warning label includes large ID zone for user labelling to avoid misuse, reduce the potential for incompatible mixtures, or may be used to designate department or individual owner
- Optional poly funnel offers targeted pouring
- Finished in a tough powder coat paint, Justrite® cans resist chemicals and stand up to heavy abuse
- FM approved, UL/ULC listed
- 10-year limited warranty



SEA215



SEA213



With Funnel Model No.	Mfg. No.	Without funnel Model No.	Mfg. No.	Capacity	Ext. Dim. Dia." x H"	Colour	Wt. lbs.	With Funnel Price/Each	Without funnel Price/Each
-	-	SAI516	10001	1 pint	4 5/8 x 6 3/4	Red	2	-	94.29
-	-	SAI517	10101	1 quart	4 5/8 x 8 1/4	Red	2	-	81.82
SEA240	7110110	SEA199	7110100	1 gal.	9 1/2 x 11	Red	4	48.43	42.75
SEA241	7110210	SEA200	7110200	1 gal.	9 1/2 x 11	Yellow	4	48.43	42.75
SEA242	7110310	SEA201	7110300	1 gal.	9 1/2 x 11	Blue	4	48.43	42.75
SEA204	7120110	SEA203	7120100	2 gal.	9 1/2 x 13 3/4	Red	5	51.45	45.52
SEA244	7120210	SEA205	7120200	2 gal.	9 1/2 x 13 3/4	Yellow	5	51.45	45.52
SEA245	7120310	SEA206	7120300	2 gal.	9 1/2 x 13 3/4	Blue	5	51.45	45.52
SEA208	7125110	SEA207	7125100	2.5 gal.	11 3/4 x 11 1/2	Red	6	55.64	49.20
SEA247	7125210	SEA209	7125200	2.5 gal.	11 3/4 x 11 1/2	Yellow	6	55.64	49.20
SEA248	7125310	SEA210	7125300	2.5 gal.	11 3/4 x 11 1/2	Blue	6	55.64	49.20
SEA213	7150110	SEA212	7150100	5 gal.	11 3/4 x 16 7/8	Red	8	55.17	48.99
SEA250	7150210	SEA214	7150200	5 gal.	11 3/4 x 16 7/8	Yellow	8	55.17	48.99
SEA251	7150310	SEA215	7150300	5 gal.	11 3/4 x 16 7/8	Blue	8	55.17	48.99

Note: Other colours available, call us today!

SAFETY CANS & CONTAINERS

LABORATORY SAFETY CANS IN STEEL & POLYETHYLENE

Convenient dispensing in two styles for use on shelves or in tilt stands.

- Self-closing faucets offer controlled dispensing of hazardous liquids
- Fill spouts have self-closing pressure relief caps with built-in vacuum breakers and double mesh flame arresters
- The lab faucet allows easier dispensing into containers with small openings
- FM approved
- 5 US Gal. cans



Model No.	Mfg. No.	Description	Faucet	Price /Each
SEC080	7150140	Steel Shelf Can	Control Flow Lab, 3/4" Brass	224.07
SEC081	7150150	Steel Plate Shelf Can	3/4" NPT Rigid Brass	157.38
SEC082	7150146	Steel Plate Tilt Can w/Stand	Control Flow Lab, 3/4" Brass	285.42
SEC083	7150156	Steel Plate Tilt Can w/Stand	3/4" NPT Rigid Brass	283.82
SEC084	14545	Polyethylene Shelf Can	Control Flow Lab, 3/4" Brass	266.61
SEC085	14535	Polyethylene Tilt Can w/Stand	Control Flow Lab, 3/4" Brass	355.47



TYPE I POLYETHYLENE SAFETY CANS

Choose type I nonmetallic safety cans when dent and chemical resistance are important. Type I safety cans constructed of high-density polyethylene offer distinct advantages over steel units.

- Dent, chip and puncture-resistant polyethylene stands up to harsh corrosives
- Current carrying carbon insert grounds the opening and flame arrester
- Self-close spout and pressure relief mechanism
- Flame arrester prevents ignition sources from entering the can
- Stainless steel hardware provides chemical protection
- FM approved



Model No.	Mfg. No.	Capacity US Gal.	Dimensions			Price /Each
FM APPROVED - OVAL						
SC291	14160	1	7 5/8	x 4 5/8	x 12 3/4	66.38
Model No.	Mfg. No.	Capacity US Gallons	Dimensions			Price /Each
FM, UL, ULC APPROVED - ROUND						
SC293	14261	2 1/2	10 3/4	x	14 1/4	115.77
SC295	14561	5	12 3/4	x	16	124.09



POLYETHYLENE LIQUID DISPOSAL CANS

- High-density polyethylene cans contain corrosives and flammable liquids better than conventional metal cans
- Large opening for better control when disposing of liquids
- Fixed position handle allows lid to stay open for easier pouring
- Flame arrester guards against outside sources
- When closed, the cap automatically vents between 3 and 5 PSIG
- Stainless steel hardware provides chemical protection
- FM approved



SC306

Model No.	Mfg. No.	Capacity US Gal.	Dimensions Outer Dia." x H"	Price /Each
SC306	14762	2	12 x 14 3/4	150.59
SC308	14765	5	12 x 20	154.99

QUICK-DISCONNECT SAFETY DISPOSAL CANS

- Collect waste liquid easily and safely with FM approved quick-disconnect safety disposal cans
- Ideal for HPLC applications
- Safeguard against spills and accidents associated with common collection practices
- Stainless steel fittings with Teflon® O-rings for chemical resistance or economically priced polypropylene fittings
- FM approved



Solvents flow freely into can through 3/8" tubing and can is easily disconnected with a special valved fitting without vapour release or solvent leakage.



Model No.	Mfg. No.	Fitting Material	Capacity US Gal.	Dimensions			Material	Price /Each
				Outer Dia."	x	H"		
SAI569	PP12752	Polypropylene	2	12	x 14 3/4		EPDM	355.65
SAI570	TF12752	Stainless Steel	2	12	x 14 3/4		Teflon®	705.92
SAI571	PP12755	Polypropylene	5	12	x 20		EPDM	383.11
SAI572	TF12755	Stainless Steel	5	12	x 20		Teflon®	743.99

AN INFORMED CHOICE IS ALWAYS THE BEST CHOICE

CONSIDER THE FOLLOWING WHEN MAKING THE SELECTION THAT IS JUST RIGHT FOR YOU:

1. Type of chemical being stored
2. Applicable regulations
3. Capacity needed
4. Type of container being stored
5. Door and handle style preference
6. Warning label system
7. Performance testing (3rd party approvals)



CONVENIENCE AND PROTECTION FACTORS

DOOR STYLE PREFERENCE

Whereas door style is usually chosen by preference, the Uniform Fire Code (UFC) mandates the use of self-closing cabinets. Cabinets with self-closing and self-latching doors provide an extra measure of protection.



MANUAL

Economical manual-close doors permit doors to open a full 180°. When pushed closed they will automatically self-latch.



SLIDING

A single bi-fold, sliding door glides smoothly on a spring loaded track for easy, one handed access to cabinet contents. It self-latches and self-closes, and is equipped with a fusible link to hold the door open during use and melts at 165°F (74°C) to automatically close door under fire conditions.



SELF-CLOSE

This style self-indexes, self-latches and self-closes to automatically shut doors upon release. Mechanism is concealed in the top wall, maximizing available shelf space. Fusible links hold doors open during use. In the event of a fire, fusible links will melt at 165°F (74°C) to automatically close doors.

All Justrite® cabinet doors feature a continuous piano hinge for smooth operation, a three-point closure with keyed lock and our exclusive self-latching mechanism on all door styles.

DOOR HANDLE



SURE-GRIP® U-LOC™ HANDLE

Attractive, self-latching paddle style handle offers easy fingertip access to contents. Flush mounted design keeps aisles clear and reduces dangerous "catches" from passing traffic. Exclusive padlock tag offers added security. Padlock serves as a visual deterrent and provides the flexibility of the lock being master keyed, keyed alike or keyed different for convenience.

REFLECTIVE WARNING LABELS



HAZ-ALERT™ SYSTEM

When illuminated with a flashlight, hazardous warning labels burst with high visibility under fire conditions or power outages. Labels are strategically positioned in high and low zones to help firefighters easily locate volatile liquids.

APPLICABLE REGULATIONS AND APPROVALS

THIRD PARTY TESTING IS YOUR ASSURANCE OF PERFORMANCE.



Factory Mutual



CODE COMPLIANCE

Federal, provincial and local regulations may apply. Contact your local fire department for guidance.

OSHA 29 CFR -6 / NFPA Code 30 Section 4.3.3

TYPE OF CHEMICAL TO BE STORED

Using colour and labeling in your storage practices helps identify, organize and segregate liquids. It also helps fire department personnel recognize hazards when responding to fire situations.

CAPACITY NEEDS

A wide variety of code compliant Justrite® cabinets are available in sizes ranging from 4 gallons US (15 litres) to 120 gallons US (454 litres). Smaller cabinets allow solvents to be stored at worksite locations saving costly trips to a central storage room. Undercounter, wall mount and countertop style cabinets add to safe storage, even when space is at a premium. For high capacity storage, larger sized cabinets designed specifically to house 30-gallon US (114 litres) or 55-gallon US (208 litres) US drums are available.

PERFORMANCE TESTING

Justrite® cabinets are third-party tested by Factory Mutual Research and/or Underwriters Laboratories and built to OSHA/NFPA standards.

A SELF-LATCHING CABINET MAKES A DIFFERENCE!

A self-latching door and handle is critical as it does not require the user to manually rotate a handle to ensure the three-point latch is properly engaged. This is an important detail since an unlatched cabinet leaves the flammable contents exposed to a potential fire, where every single second of protection counts. A safety cabinet must be latched for it to perform according to code, providing maximum safety under fire conditions. A stainless steel bullet latching system offers optimum longevity with increased heat resistance.

SAFETY CABINETS

SURE-GRIP® EX FLAMMABLE STORAGE CABINETS

- Double wall welded 18-gauge steel construction with 1 1/2" of insulating air space
- Doors self-latch for easy and secure closure with 3-point stainless steel bullet latches
- U-Loc™ handle comes with 2 keys or accepts optional padlock for greater security
- Two flame arrester vents and ground wire connection screw
- 2" deep leak proof sill
- Adjustable leveler legs, and galvanized *SpillSlope™* shelves that adjust on 3" centres
- Durable yellow powder coat paint finish provides long life and exceptional chemical resistance
- *Haz-Alert™* reflective warning labels offer visibility under dark conditions
- Meets NFPA and OSHA requirements
- FM approved

SAR312



Cabinet Cover



SAR313



SAQ023

SAP509



JUSTRITE®

Backed by our
10 Year
Limited Warranty

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.	Price /Each
SAP509	893000	2 Doors, Manual	30	1	43 x 18 x 44	231	798.00
SAQ020	893080	Sliding, Self-Closing	30	1	43 x 18 x 44	246	982.74
SAQ021	893020	2 Doors, Self-Closing	30	1	43 x 18 x 44	237	936.13
SAP510	894500	2 Doors, Manual	45	2	43 x 18 x 65	310	975.00
SAQ022	894580	Sliding, Self-Closing	45	2	43 x 18 x 65	330	1168.70
SAQ023	894520	2 doors, Self-Closing	45	2	43 x 18 x 65	313	1123.70
SAQ024	896000	2 Doors, Manual	60	2	34 x 34 x 65	387	1175.00
SAQ025	896020	2 doors, Self-Closing	60	2	34 x 34 x 65	392	1304.97
SAQ026*	899000	2 Doors, Manual	90	2	43 x 34 x 65	480	1504.29
SAQ027*	899020	2 doors, Self-Closing	90	2	43 x 34 x 65	480	1629.71

* Codes state that not more than 60 gallons may be Class I and Class II liquids

ACCESSORIES

Model No.	Mfg. No.	Description	Dimensions"	Wt. lbs.	Price/Each
SAP839	29937	Extra Shelf for 30 and 45-Gallon Cabinets	-	9	37.50
SAQ028	29944	Extra Shelf for 60-Gallon Cabinets	-	14	53.50
SAQ029	29945	Extra Shelf for 90-Gallon Cabinets	-	18	78.02
SAK285	25987	Cabinet Cover for 30 and 45-Gallon Cabinets	8 1/2 x 42 1/2 x 18	-	385.36
SAK286	25989	Cabinet Cover for 60-Gallon Cabinets	16 x 33 1/2 x 34	-	679.43
SAR311	84000	Seismic Bracket Kit to Secure Cabinet to Wall	47	-	212.76
SAR312	84002	Cabinet Riser Frame for Forklift or Pallet Jack	18 x 43	-	228.00
SAR313	84001	Rolling Cart for 30-Gallon Cabinets	18 x 43	-	268.95

SURE-GRIP® EX HIGH SECURITY FLAMMABLE SAFETY CABINETS

- The same durable construction as Justrite's regular *Sure-Grip®* cabinet with added layers of security
- Safely store and protect costly fuels or chemicals from tampering or theft
- Security system includes 1/4" x 2" steel bar stock, a high visibility barrier bar secured across both doors
- Crossbar is firmly supported by two brackets welded across the front of the cabinet doors and interlocks onto two sidewall brackets
- Padlock lugs on crossbar and side bar channel accept 2 x No. 5 *Master Lock®* keyed-alike (SR867, sold separately)
- Lockable doors with *Sure-Grip®* handle are designed with a three-point latch for an extra measure of security
- FM approved



Support brackets are firmly welded to cabinet door for extra tamper resistance.



Contrasting crossbar can be completely removed from the cabinet when not in use.



JUSTRITE®

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Price /Each
SAN604	SC29883Y	2 Doors, Self-Close, Yellow	30	1	43 x 18 x 44	1835.17
SAN606	SC29883R	2 Doors, Self-Close, Red	30	1	43 x 18 x 44	1810.61
SAN578	29884Y	2 Doors, Manual, Yellow	45	2	43 x 18 x 65	1548.59
SAN605	SC29884Y	2 Doors, Self-Close, Yellow	45	2	43 x 18 x 65	1806.61
SAN580	29884R	2 Doors, Manual, Red	45	2	43 x 18 x 65	1499.25
SAN607	SC29884R	2 Doors, Self-Close, Red	45	2	43 x 18 x 65	1721.54

FLAMMABLE STORAGE CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arresters
- Full-height piano hinges open a full 180° for easy access
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centres
- Adjustable levelling feet
- Tough corrosive-resistant finish
- Manual-close doors automatically self-latch
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage of Class I, II and III liquids
- FM Approved

ZENITH®
Safety Products

10 YEAR
Limited Warranty



Model No.	Door Type	Capacity Gallons	Adjustable Shelves	W"	x	Ext. Dim. D"	x	H"	Wt. lbs.	Price /Each
SEE911	Single	12	1	23	x	18	x	35	99	499.00
SEE912	Single	16	1	23	x	18	x	44	116	615.00
SEE913	Double	22	1	35	x	22	x	35	151	699.00
SEE914	Double	24	3	42	x	44	x	44	173	712.00
SAQ325	Double	30	1	42	x	18	x	44	174	758.00
SAQ326	Double	45	2	43	x	18	x	65	252	929.00
SAS521	Double	60	2	34	x	34	x	65	430	1115.00

EXTRA SHELVES

Model No.	Description	For Use With	Dimensions W"	x	D"	Wt. lbs.	Price /Each
SEE922	Extra Shelf	SEE911, SEE912	19 1/2	x	14	5	38.95
SEE923	Extra Shelf	SEE913	31 1/2	x	18	9	55.95
SEE924	Extra Shelf	SEE913	39 1/2	x	8	6	45.95
SAQ328	Extra Shelf	SAQ325, SAQ326	39 3/8	x	14	9	53.90
SAS574	Extra Shelf	SAS521	30 3/8	x	30	12	84.65

Call us for all your
Safety Equipment
& Supplies
requirements!



SAFETY CABINETS

STORE SMALLER QUANTITIES NEARBY!

When storing smaller quantities of flammable liquids at a work station or adding to existing storage capacities, specialty cabinets make it possible to store flammables safely even when available space is at a minimum. These cabinets offer U-Loc™ handles and come with a double key set or accept an optional padlock for greater security. They also have Haz-Alert™ reflective warning labels to offer visibility under dark conditions. Meet NFPA and OSHA regulations.

WALL MOUNT SURE-GRIP® EX SAFETY CABINETS

- Avoids taking up extra floor space
- Mounts easily with furnished brackets
- Holds up to 20 gallons
- Yellow powder coat paint finish
- Meets NFPA and OSHA regulations



SAQ040



Backed by our
10 Year
Limited Warranty



UNDERCOUNTER SURE-GRIP® EX SAFETY CABINETS

- Designed to fit under most counters and feature one adjustable shelf
- Designed with a kick plate to match existing casework
- Chemical resistant powder coat paint resists corrosion for years of service



SAQ041

COUNTERTOP AND COMPAC SURE-GRIP® EX SAFETY CABINETS

- Improved access to often used liquids, without compromising safety
- Portable size keeps work areas flexible
- Each has one adjustable shelf
- A great size for the home handyman



Compac
SAQ036

Countertop
SAQ035

Model No.	Mfg. No.	Door Type	Capacity /Gallons	Adjustable Shelves	W" x D" x H"	Ext. Dim. x x H"	Listing /Approvals	Wt. lbs.	Price /Each
SAQ034	890400	1 Door, Manual, Countertop	4	1	17 x 17 x 22	17 x 17 x 22	-	62	420.21
SAQ035	890420	1 Door, Self-Closing, Countertop	4	1	17 x 17 x 22	17 x 17 x 22	-	62	527.59
SAQ036	891200	1 Door, Manual, Compac	12	1	23 1/4 x 18 x 35	23 1/4 x 18 x 35	FM	129	549.00
SAQ037	891220	1 Door, Self-Closing, Compac	12	1	23 1/4 x 18 x 35	23 1/4 x 18 x 35	FM	131	633.78
SAQ038	891500	1 Door, Manual, Compac	15	1	23 1/4 x 18 x 44	23 1/4 x 18 x 44	FM	154	698.00
SAQ039	891520	1 Door, Self-Closing, Compac	15	1	23 1/4 x 18 x 44	23 1/4 x 18 x 44	FM	157	810.38
SAQ040	893400	2 Doors, Manual, Wall mount	20	5	43 x 12 x 44	43 x 12 x 44	FM	221	1026.83
SAQ041	892300	2 Doors, Manual, Undercounter	22	1	35 x 2 x 35	35 x 2 x 35	FM	190	774.00
SAQ042	892320	2 Doors, Self-Closing, Undercounter	22	1	35 x 22 x 35	35 x 22 x 35	FM	204	881.45

EXTRA SHELVES

Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SAQ043	29936	12 & 15-Gallon Compac Cabinets	5	34.90
SAQ044	29939	22-Gallon Undercounter Cabinets	10	79.00

SURE-GRIP® EX SLIMLINE SAFETY CABINETS

SLIMLINE SAFETY CABINETS TURN TIGHT QUARTERS INTO STORAGE SPACE!

- Three adjustable shelves provide flexible, safe storage
- Small footprint allows placement almost anywhere
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels
- Yellow powder coat paint finish
- Meets NFPA and OSHA regulations
- FM approved



Slimline

Backed by our
10 Year
Limited Warranty



SURE-GRIP® EX STACKABLE "PIGGYBACK" CABINETS

"PIGGYBACK" CABINETS ARE DESIGNED TO MOUNT ON TOP OF JUSTRITE'S STANDARD 30 & 45-GALLON SAFETY CABINETS

- Can be used singly or stacked to provide expanded or segregated storage of flammables
- Suitable for wall mounting or countertop use
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels
- Yellow powder coat paint finish
- Meets NFPA and OSHA regulations
- FM approved



Piggyback

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	W" x D" x H"	Ext. Dim. x x H"	Listing Approvals	Wt. lbs.	Price /Each
SAQ030	891300	2 Doors, Manual, Piggyback*	12	-	43 x 18 x 18	43 x 18 x 18	FM	129	645.53
SAQ031	891700	2 Doors, Manual, Piggyback*	17	1	43 x 18 x 24	43 x 18 x 24	FM	157	736.61
SAQ032	892200	1 Door, Manual, Slimline	22	3	23 x 18 x 65	23 x 18 x 65	FM	200	859.46
SAQ033	892220	1 Door, Self-Close, Slimline	22	3	23 x 18 x 65	23 x 18 x 65	FM	200	885.58

*Piggyback cabinets are not to be used with sliding door cabinets.

SURE-GRIP® EX AEROSOL CAN BENCHTOP CABINET

- Fits virtually anywhere
- Double-wall, 18-gauge welded steel with 1 1/2" of insulating air space
- 24-gauge galvanised steel roll-out shelves with stop-guard protection
- Two fixed position shelves have twelve 2 3/4" dia. openings and accept cans up to 10" tall
- Shelves are removable for easy cleaning
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels
- Durable yellow powder coat paint finish
- Meets NFPA and OSHA regulations



Model No.	Mfg. No.	Door Type	Capacity	W"	x	Ext. Dim. D"	x	H"	Wt. lbs.	Price /Each
SAQ045	890500	1 Door, Manual	24 Aerosol Cans	21	x	18	x	27	100	1200.43

DRUM STORAGE SURE-GRIP® EX SAFETY CABINETS

Suitable for storage of larger quantities of flammable liquids and have all the same features as Justrite's standard safety cabinets.

SURE-GRIP® EX VERTICAL DRUM STORAGE CABINETS

- Safely store one or two 30 to 55-gallon US drums
- Half-depth shelf allows additional storage of Class III flammables
- Accommodates drums equipped with pumps or funnels so cabinet can be used for waste accumulation or as a pumping station
- Rollers at bottom of cabinet facilitate drum movement (**sold separately**)
- Ramp for drum cabinets (**sold separately**) aids in loading drums with a hand truck

SURE-GRIP® EX HORIZONTAL DRUM STORAGE CABINETS

- Designed to house drums being used for gravity flow dispensing
- Interior provides room for a drip can and includes tracks to guide a cradle into position. Drum cradle is not included

SURE-GRIP® EX DOUBLE-DUTY SAFETY CABINET

- Combines vertical drum and safety storage into one partitioned cabinet
- Safely stores up to twelve 5-gallon US safety cans on the left side, and one vertical 30 or 50-gallon US drum on the right side
- Both compartments have an independently self-latching, locking door for maximum protection under fire conditions

SAQ053



SAQ052



SAQ046



Model No.	Mfg. No.	Door Type	Drum US Cap.	W"	x	Ext. Dim. D"	x	H"	Listings & Approvals	Wt. lbs.	Price /Each
YELLOW VERTICAL DRUM STORAGE CABINETS											
SAQ046	896260	2 Doors, Manual	1-55 Gallons	34	x	34	x	65	FM	425	1495.84
SAQ047	896270	2 Doors, Self-Close	1-55 Gallons	34	x	34	x	65	FM	425	2449.70
SAQ048	899160	2 Doors, Manual	2-55 Gallons	59	x	34	x	65	-	781	2681.56
SAQ049	899060	2 Doors, Manual	2-30 Gallons	43	x	34	x	65	FM	495	2251.01
SAQ050	899070	2 Doors, Self-Close	2-30 Gallons	43	x	34	x	65	FM	495	3046.13
YELLOW HORIZONTAL DRUM STORAGE CABINETS											
SAQ051	899300	2 Doors, Manual	1-55 Gallons	30	x	48	x	50	-	371	1553.24
SAQ052	899320	2 Doors, Self-Close	1-55 Gallons	30	x	48	x	50	-	371	1619.46
YELLOW DOUBLE-DUTY SAFETY CABINETS											
SAQ053	899260	2 Doors, Manual	1-55 Gallons	59	x	34	x	65	-	700	3330.94
SAQ054	899270	2 Doors, External Self-Close	1-55 Gallons	59	x	34	x	65	-	700	4978.28
ACCESSORIES											
DESCRIPTION											
SAI480	25932	Drum Ramp for all Justrite® Drum Cabinets		-		-			-	28	442.37
SAK286	25989	Cabinet Cover for SAQ046 and SAQ047		-		-			-	100	679.43
SEE311	25920	Drum Rollers for Single Drum Vertical Cabinets		-		-			-	52	524.90
SEE312	25922	Drum Rollers for Double Drum Vertical Cabinets		-		-			-	99	953.63

SAFETY CABINETS

HAZARDOUS WASTE SAFETY CABINETS

- For temporary on-site accumulation and storage of waste liquids.
- All-welded 18-gauge double wall construction with 1 1/2" air space
- 2" leakproof sill and 2" flame arrester vents
- One galvanised steel, half-depth shelf adjustable on 2 1/4" centres
- U-Loc™ handle comes with double key set or accepts optional padlock for greater security
- Rollers at bottom of cabinet facilitate drum movement (**Sold separately**)
- All models have 2 doors
- Haz-Alert™ reflective warning labels
- Meets OSHA and NFPA regulations
- FM approved



Model No.	Mfg. No.	Door Type	Drum Capacity	W"	x	D"	x	H"	Wt. lbs.	Price /Each
SAQ073	8962053	Manual	1-55 Gallon	34	x	34	x	65	405	1840.26
SAQ074	8962253	Self-Closing	1-55 Gallon	34	x	34	x	65	406	2400.57
SAQ075	8991653	Manual	2-55 Gallon	59	x	34	x	65	615	3448.61

Model No.	Mfg. No.	Description	Dimension L"	x	W"	Wt. lbs.	Price /Each
SEE311	25920	Rollers for Single Cabinet	29.5	x	30	52	524.90
SEE312	25922	Rollers for Double Cabinet	55.5	x	30	99	953.63



POLYETHYLENE ACID CABINETS

One-piece molded body for maximum chemical resistance and leak protection. Both units can be padlocked to prevent unauthorized access.

COUNTERTOP ACID CABINET

- Spill tray inside the cabinet is removable for easy cleaning
- Includes a handy work tray stored under cabinet
- Door can be hinged from either side

ACID CABINET

- Two adjustable shelves and storage in doors for small containers
- Removable sumps for easy cleaning
- Two compartments allow segregation of non-compatible corrosives
- Two vent holes on the back of cabinet; one at the bottom left and one at the top right
- Cabinet top doubles as a handy workspace
- Cabinet is sized to fit under counter or free standing and can be secured to wall for stability



Model No.	Mfg. No.	Door Type	Bottles Capacity	W"	x	Ext. Dim D"	x	H"	Wt. lbs.	Price /Each
SE385	24040	1 Door, Manual	2-4 Litre	14 1/4	x	16 1/4	x	19 3/4	30	549.90
SE386	24160	2 Doors, Manual	30-1 Litre	36	x	23 1/2	x	35	120	1295.16



SE385



SE386

Look for this symbol for environmentally friendly products!



SURE-GRIP® EX ACID/CORROSIVE STORAGE CABINETS

Built to the same standards as *Justrite*®'s flammable storage cabinets with the addition of poly tray liners and a specially formulated epoxy, powder coat paint.

- Poly liners on shelves and poly sump liner are removable for easy cleaning
- 30-gallon cabinet is also equipped with a poly cabinet top work tray
- All cabinets come with the stylish flush-mounted *U-Loc™* handle that offers easy fingertip access and accepts optional padlock
- *Haz-Alert™* reflective warning labels
- Undercounter model has a 3 1/2" H x 2 1/2" D kick plate to mount flush with other cabinetry
- Meets NFPA and OSHA regulations
- FM approved

Note:

Not to be used with phenol, nitric and sulfuric acids.



SAQ055



SAQ056



SAQ057

Quality Backed by our
10 Year
Limited Warranty



Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.	Price /Each
SAQ055	892302	2 Doors, Manual, Undercounter	22	1	35 x 22 x 35	210	873.45
SAQ056	892202	1 Door, Manual, Slimline	22	3	23 x 18 x 65	200	1314.70
SAQ057	893002	2 Doors, Manual	30	1	43 x 18 x 44	233	1056.14
SAQ058	893082	Sliding, Self-Closing	30	1	43 x 18 x 44	250	2076.20
SAQ059	893022	2 Doors, Self-Closing	30	1	43 x 18 x 44	242	1688.31
SAQ060	894502	2 Doors, Manual	45	2	43 x 18 x 65	316	1195.97
SAQ061	894542	Sliding Door, Self-Closing	45	2	43 x 18 x 65	335	1966.61
SAQ062	894522	2 doors, Self-Closing	45	2	43 x 18 x 65	317	1412.40

ACCESSORIES

SAQ044	29939	Extra Shelf for 22-Gallon Undercounter Cabinets				10	79.00
SAQ063	29965	Poly Tray for 22-Gallon Undercounter Cabinets				6	108.54
SAP839	29937	Extra Shelf for 30 and 45-Gallon Cabinets				8	37.50
SAQ064	29962	Poly Tray for 30 and 45-Gallon Cabinets				22	101.31

CHEMCOR® LINED ACID/CORROSIVE STORAGE CABINETS

Unique, flame-coated *ChemCor®* thermoplastic liner is applied to *Justrite*®'s acid/corrosive safety cabinets for unsurpassed corrosion protection and fire protection.

- 100% seamless liner on all interior walls, ceiling, sump, inside doors and shelves protects exposed cabinet surfaces without gaps
- Seam-free surface eliminates the need for rivets or fasteners which risk corrosion from seep-through chemicals
- *U-Loc™* handle comes with double key set or accepts optional padlock for greater security
- *Haz-Alert™* reflective warning labels
- Durable, thermoplastic non-porous interior coating resists staining and cleans-up easily
- Maximum protection from harsh acids and corrosive chemicals plus fire protection and code compliance in a wide variety of double-wall steel safety cabinets
- FM approved



SAQ067

Seamless liner



Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.	Price /Each
SAQ065	8923022	2 Doors, Manual, Undercounter	22	1	35 x 22 x 35	210	2345.50
SAQ066	8922022	1 Door, Manual, Slimline	22	3	23 x 18 x 65	200	2610.03
SAQ067	8930022	2 Doors, Manual	30	1	43 x 18 x 44	233	1782.06
SAQ068	8930822	Sliding, Self-Closing	30	1	43 x 18 x 44	250	2828.69
SAQ069	8930222	2 Doors, Self-Closing	30	1	43 x 18 x 44	242	2592.85
SAQ070	8945022	2 Doors, Manual	45	2	43 x 18 x 65	316	2359.56
SAQ071	8945822	Sliding, Self-Closing	45	2	43 x 18 x 65	335	3589.70
SAQ072	8945222	2 Doors, Self-Closing	45	2	43 x 18 x 65	317	2891.51


SAFETY CABINETS

PAINT & INK STORAGE CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arresters
- Full-height piano hinges open a full 180° for easy access
- Manual-close doors automatically self-latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centres
- Adjustable levelling feet
- Tough corrosive-resistant finish
- Meets NFPA Code 30 and OSHA standard 1910.106 for storage Class I, II and III liquids
- FM Approved

10 YEAR
Limited Warranty

ZENITH®
Safety Products



Vent w/
flame arrester



Locking Handle



Model No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim.					Wt. lbs.	Price /Each
				W"	x	D"	x	H"		
SAQ327	2-Door, Manual	60	5	43	x	18	x	65	267	1220.00

ACCESSORIES

Model No.	Description	For use With	Dimensions W" x D"	Wt. lbs.	Price /Each
SAQ328	Extra Shelf	60-Gallon Paint Cabinet	39 3/8 x 14	9	53.90


SURE-GRIP® EX PAINT & INK SAFETY STORAGE CABINETS

Separate and identify Class III combustibles in high performance paint and ink safety storage cabinets. They have the same safety and quality features and options that are available in *Justrite*'s safety cabinets for flammables with additional shelves.

- Multiple shelves are ideal for 1-gallon paint cans (Class III liquids)
- Cabinets are available in 20, 40, 60 and 120-gallon capacities
- *U-Loc™* handle comes with double key set or accepts optional padlock for greater security
- *Haz-Alert™* reflective warning labels offer visibility under dark conditions
- Durable red powder coat paint finish easily identifies contents and is highly chemical resistant
- Meets NFPA and OSHA regulations
- FM approved

JUSTRITE®

Backed by our
10 Year
Limited Warranty



SAR311



SAR313



Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim					Wt lbs.	Price /Each
					W"	x	D"	x	H"		
SAQ079	891511	1 Door, Manual, Compac	20	2	23 1/4	x	18	x	44	154	847.32
SAQ080	891531	1 Door, Self-Closing, Compac	20	2	23 1/4	x	18	x	44	157	1215.51
SAQ081	893011	2 Doors, Manual	40	3	43	x	18	x	44	239	907.58
SAQ082	893091	Sliding, Self-Closing	40	3	43	x	18	x	44	260	1403.62
SAQ083	893031	2 Doors, Self-Closing	40	3	43	x	18	x	44	254	979.12
SAQ084	894511	2 Doors, Manual	60	5	43	x	18	x	65	345	1285.97
SAQ085	894591	Sliding, Self-Closing	60	5	43	x	18	x	65	330	2696.47
SAQ086	894531	2 Doors, Self-Closing	60	5	43	x	18	x	65	361	1383.02
SAQ087*	896011	2 Doors, Manual	96	5	34	x	34	x	65	424	1621.81
SAQ088*	896031	2 Doors, Self-Closing	96	5	34	x	34	x	65	434	2161.12

ACCESSORIES

Model No.	Mfg. No.	Description	Dimensions"	Price /Each
SAP839	29937	Extra Shelf for 40-Gallon Cabinets	-	37.50
SAQ028	29944	Extra Shelf for 60-Gallon Cabinets	-	53.50
SAR311	84000	Seismic Bracket Kit to Secure Cabinet to Wall	47	212.76
SAR313	84001	Rolling Cart for 40-Gallon Cabinet	18 x 43	268.95

* Codes state that not more than 60 gallons may be Class I and Class II liquids.

DOCUMENT STORAGE BOXES

ACCESSIBLE STORAGE & PROTECTION

- Weather resistant, no metal parts to corrode - keeps papers clean and dry in dusty, harsh environments
- High density polyethylene is durable, rustproof and easy to clean
- Mounts on cabinets, machinery, equipment or walls for fast, easy access to information at point of use
- Lock holes on medium and large units accept padlocks or zip ties
- Four built-in mounting holes on medium and large sized units provide added mounting options
- Designated area to add your own labels or optional label pack available
- Also handy for portable document storage
- High visibility red colour
- Includes heavy-duty tape for drill-free mounting
- Keeps MSDS documents for compliance with OSHA 29 CFR 1910.1200
- Optional label pack includes 4 yellow labels (2 blank and 2 printed - MSDS and instruction manual) (**Sold separately**)



INDUSTRIAL



CONSTRUCTION



MATERIAL HANDLING



COMMERCIAL



AND MORE...

Agriculture
Office
Recreational
Healthcare
Marine

STORE...

MSDS sheets
Receiving bills
Evacuation plans
Schedules
Plant layouts

Inventory checklists
Operator manuals
Emergency contacts
Certificates
Medical records



Use nearly anywhere!
4 sizes - 3 styles



Document storage boxes conveniently
store and protect important papers



Model No.	Mfg. No.	Description	Int. Dim. (approx.)					Ext. Dim.					Gasketed Closure	Lock Hole Dia."	Price /Each
			W"	x	D"	x	H"	W"	x	D"	x	H"			
SAN581	23303	Medium Top Opening	8 3/4	x	15/8	x	11 1/2	10 1/4	x	2 1/4	x	12 1/2	No	1/4	63.27
SAN582	23304	Medium Front Opening	8 5/8	x	1	x	12 1/4	11	x	2 1/8	x	14 1/2	Yes	3/8	69.05
SAN584	23306	Large Front Opening	10 3/4	x	2 1/4	x	13 1/4	13 1/8	x	3 9/16	x	15 3/4	Yes	3/8	91.78
SAN583	23305	Tube Twist-On Lid	3" Dia.		x		12" H	3 11/16" Dia.		x		12 1/2" H	Yes	-	40.84
SAN585	23310	Label Pack - 4 Yellow Labels: 2 Blank and 2 Printed - MSDS and Instruction Manual											-	-	6.24

FIRE PROTECTION

CLASSES OF FIRE:

Fires are classified according to the material that is burning. Fire extinguishers are rated by the area each will cover for a particular class of fire. The higher the number, the bigger the fire area you can fight.

Note: Maintenance and recharging of all fire extinguishers should be performed by a qualified service company.



CLASS A fires are the most common. They involve ordinary combustibles such as wood, paper, cloth, rubber, a number of plastics, and other ordinary materials.



CLASS B fires are caused by gasoline, grease, oil, paint and other flammable liquids. Commonly strikes in warehouses and manufacturing plants.



CLASS C for live electrical equipment. Often occurs in computers, monitors, wiring and appliances.

STEEL DRY CHEMICAL ABC FIRE EXTINGUISHERS

- Steel cylinder complete with cylinder skirt
- Industrial-strength cylinder has high corrosion and impact-resistant polyester powder paint finish
- Waterproof stainless steel gauge
- Anodised aluminum valve
- Strong polyester powder-coated steel handles
- Completely rechargeable
- Full hand grip for ease of operation
- ULC listed

SC951
Wall Hooks



Model No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Included Bracket	Wt. lbs.	Price /Each
SAQ814	WBDL-ABC110VB	2.5	1A:10BC	8 - 10	12-14	150	15 1/2	3 1/8	Vehicle	4 1/4	39.18
SA445	WBDL-ABC310LV	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Wall	10 1/2	55.26
SC946	WBDL-ABC310VVB	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2	58.28
SED109*	WBDL-ABC340LV	5	3A:40BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2	61.23
SA443	WBDL-ABC10WH	10	6A:80BC	10 - 15	14 - 16	235	21 1/4	5 1/8	Wall	19 1/4	85.41
SA444	WBDL-ABC20WH	20	10A:120BC	10 - 15	20 - 22	235	24	7 1/8	Wall	35 1/4	159.78
SED110	WBDL-ABC30WH	30	10A:120BC	10 - 15	28	195	30 3/4	7 1/8	Wall	50 1/3	288.20

*Meets requirements for forklifts

ACCESSORIES

Model No.	Mfg. No.	Description	Fits	Price /Each	Model No.	Mfg. No.	Description	Fits	Price /Each
SC951	C160738	Wall Hook	5 lbs.	2.10	SA442	UP2	Vehicle Bracket	2.5 lbs.	5.48
SC952	C160752	Wall Hook	10 lbs.	2.20	SC955	UB5	Vehicle Bracket	5 lbs.	5.48
SC953	C160791	Wall Hook	20 lbs.	2.30					

ALUMINUM CYLINDER CARBON DIOXIDE (CO₂) FIRE EXTINGUISHERS

- Well suited for corrosive environments
- Industrial-strength aluminum cylinder is up to 30% lighter than steel
- Stainless steel hose band
- Strong impact-resistant horn
- Bar-coded label
- Easy to service
- Comes with wall hook
- ULC listed



Model No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	H"	Dia."	Wt. lbs.	Price /Each
SAJ098	SF-5CO2	5	5BC	6-12	10	17 1/4	5 3/4	13 1/4	190.94
SAJ099	SF-10CO2	10	10BC	6-12	10	19 3/4	6 3/4	27	269.33
SAJ100	SF-15CO2	15	10BC	6-12	15	26 3/4	6 3/4	37	321.59
SAL344	SF-20CO2	20	10BC	6-12	20	26 3/4	8	48 1/8	376.86

ACCESSORIES

Model No.	Mfg. No.	Description	Fits	Price /Each	Model No.	Mfg. No.	Description	Fits	Price /Each
SAM953	SF5SWH	Wall Hook	5 lbs.	2.20	SAP900	HDVB-2	Vehicle Bracket	5 lbs.	43.60
SAM954	SF1015WH	Wall Hook	10-15 lbs.	2.20	SAM957	HDVB-3	Vehicle Bracket	10 lbs.	50.24
SAM955	SF20WH	Wall Hook	20 lbs.	2.80	SED313	HDVB-4	Vehicle Bracket	15 lbs.	90.65

K CLASS WET CHEMICAL EXTINGUISHERS

- Brass valve construction
- Specially designed and tested for address fires in restaurants and commercial fryers
- Very effective on cooking oil and grease fires
- Ideal for restaurants, kitchens, cafeterias, food courts, and other locations with high temperature cooking materials
- Nozzle designed to prevent splashing
- Designed to be used in conjunction with a kitchen suppression system



Model No.	Mfg. No.	Cap. Liters	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Included Bracket	Wt. lbs.	Price /Each
SED438	SF-6LK	6	1-A:K	10-12	60	100	21 1/2	7	Wall	25	254.99

STANDARD VEHICLE & MARINE BRACKETS FOR ABC FIRE EXTINGUISHERS

- Black polyester powder-coated with stainless steel strap
- ULC listed



Model No.	Mfg. No.	Fits	Price /Each
SA442	UP2	2.5 lbs.	5.48
SC955	UB5	5 lbs.	5.48

MEDIUM-DUTY VEHICLE & MARINE BRACKETS FOR ABC FIRE EXTINGUISHERS

- Black polyester powder-coated with two stainless steel straps
- Ideal for forklifts, industrial equipment and warehouse retail
- ULC listed



Model No.	Mfg. No.	Fits	Price /Each
SED311	UB5-MD	5 lbs.	13.47
SED312	UP10	10 lbs.	19.95

HEAVY-DUTY VEHICLE & MARINE BRACKETS FOR FIRE EXTINGUISHERS

- Ideal for construction equipment, industrial and commercial trucks
- Corrosion-resistant
- Uni-body steel construction
- Rounded corners for added safety



Model No.	Mfg. No.	Fits ABC	Fits CO ₂	Price /Each
SAP900	HDVB-1	5 lbs.	-	43.60
SAM956	HDVB-2	10 lbs.	5 lbs.	46.22
SAM957	HDVB-3	20 lbs.	10 lbs.	50.24
SED313	HDVB-3	30 lbs.	15 lbs.	90.65

SURFACE-MOUNTED FIRE EXTINGUISHER CABINETS

- Extinguishers are readily available while keeping them safe from potential vandals
- Complete with cylinder lock keyed alike
- Baked white enamel finish with acrylic plastic viewing panel
- Break glass hammer and chain with "break glass" sticker



Model No.	Mfg. No.	Dimensions W" x D" x H"	Accommodates	Price /Each
SAS062*	C-100	8 1/2 x 6 x 20 1/2	5-lb Dry Chemical	66.32
SD028	C-999	10 9/16 x 6 9/16 x 24 5/16	10-lb Dry Chemical	93.21
SD027	C-104	14 1/8 x 9 1/16 x 30 1/8	20-lb Dry Chemical or 10-lb CO ₂	148.60

*Break glass hammer and chain not included.

FIRE EXTINGUISHER COVERS

- Reinforced vinyl covers fasten over wall-mounted extinguishers
- Protect valves, fittings and gauges from dust and corrosive fumes
- Velcro® closure on back provides quick and easy removal with a quick jerk of pull handle
- Fluorescent red colour provides high visibility
- Available with or without window to check pressure gauge
- Available in English, French or bilingual



Model No.	Mfg. No.	Description	Dimensions W" x H"	Fits	Price /Each
SD019	E-FEC10	English w/Window	12 x 20	10 lbs.	21.98
SD020	E-FEC10NW	English w/o Window	12 x 20	10 lbs.	21.98
SD021	E-FEC20	English w/Window	16 x 25	20 & 30 lbs.	24.44
SD022	E-FEC20NW	English w/o Window	16 x 25	20 & 30 lbs.	24.44
SE271	F-FEC10	French w/Window	12 x 20	10 lbs.	21.98
SE272	F-FEC10NW	French w/o Window	12 x 20	10 lbs.	21.98
SE273	F-FEC20	French w/Window	16 x 25	20 & 30 lbs.	24.44
SE274	F-FEC20NW	French w/o Window	16 x 25	20 & 30 lbs.	24.44
SD023	B-FEC10	Bilingual w/Window	12 x 20	10 lbs.	21.98
SD024	B-FEC10NW	Bilingual w/o Window	12 x 20	10 lbs.	21.98
SD025	B-FEC20	Bilingual w/Window	16 x 25	20 & 30 lbs.	24.44
SD026	B-FEC20NW	Bilingual w/o Window	16 x 25	20 & 30 lbs.	24.44

HEAVY-DUTY OUTDOOR FIRE EXTINGUISHER CABINETS

- 16-gauge cold-rolled steel
- Welded construction with sloped roof
- Full-length stainless steel piano hinge and weatherproof gasket around door jam
- Full metal door with keyed paddle latch
- Baked red acrylic enamel over phosphate treated steel
- Accommodates up to a 30-lb dry chemical ABC extinguisher




Model No.	Mfg. No.	Inside Dimensions W" x D" x H"	Price /Each
SAN296	OEC	14 x 10 x 28	380.60

SAFETY SIGNS



Fire Extinguisher Model No.	Mfg. No.	Fire Hose Model No.	Mfg. No.	Size cm	Material	Price /Each
SD215	MPCS534VS	SD227	MPCS535VS	15	Adhesive Vinyl	9.74
SAW806	MPCS534VP	SAW808	MPCS535VP	15	Plastic	10.82
SEA464	MPCS534VA	SEA466	MPCS535VA	15	Aluminum	16.67
SD217	MPCS584VS	SD229	MPCS585VS	30	Adhesive Vinyl	18.26
SAW807	MPCS584VP	SAW809	MPCS585VP	30	Plastic	20.20
SEA465	MPCS584VA	SEA467	MPCS585VA	30	Aluminum	39.20



FIRE PROTECTION

FIRST RESPONSE™ GENERAL PURPOSE SMOKE ALARMS

- Battery powered, 9 V battery (included)
- Suitable for all rooms
- Dual-ionization technology
- *Easy Touch™ Alarm-Pause* feature
- Alarm and power test feature
- Operating LED
- Up to 30 days low battery warning
- Easy installation, mounting hardware included
- 10-year limited warranty (battery excluded)
- ULC listed



AMERICAN SENSORS™ MC

Model No.	Mfg. No.	Description	Dia." x D"	Price /Each
SEA773	SAFA318A	Battery Powered Smoke Alarm	4.4 x 1.5	10.54
XB876	EN22	Replacement Battery, 9 V, 12/Pkg		35.15

LONG LIFE LITHIUM SMOKE ALARMS

- Ionization technology
- Mute/test button
- Low battery warning
- Loud 85 dB alarm
- EZ Access battery door
- Optional theft-prevention lock
- 10-year lithium battery included
- 10-year limited warranty
- ULC listed

Model No. SEB238
Mfg. No. SA305CNA
Price/Each \$29.60



First Alert®

TAMPERPROOF 10-YEAR LITHIUM BATTERY SMOKE ALARMS

- Battery powered, long life (10 years) lithium battery (included)
- Ionization technology
- Sealed tamperproof cover design
- Features alarm power test and *Alarm-Pause* silence buttons
- Up to 30 days low battery warning
- Operating LED
- Dimensions: 4.25" W x 1.5" D x 4.25" H
- Mounting hardware included
- 10-year limited warranty (battery included)
- ULC listed

Model No. SAL341
Mfg. No. SA901
Price/Each \$47.74

AMERICAN SENSORS™ MC



PHOTOELECTRIC SMOKE ALARMS

- Battery powered, 9 V battery included
- Loud 85 dB alarm
- Photoelectric technology is most sensitive to large particles generated by smoldering fires
- Ideal for cooking areas to reduce unwanted alarms caused by cooking smoke
- Mute/test button
- EZ access battery door
- Optional theft-prevention lock
- 10-year limited warranty (battery excluded)
- Meets applicable standards



First Alert®

Model No.	Mfg. No.	Description	Dia." x D"	Price /Each
SAS115	SA710CNA	Photoelectric Smoke Alarm	8.56 x 2.58	34.17
XB876	EN22	Replacement Battery, 9 V, 12/Pkg	-	35.15

120 V AC HARDWIRE SMOKE ALARMS W/BATTERY BACK-UP

- 120 V hardwire with a 9 V battery back-up feature (battery included)
- *Alarm-Pause* silencer feature
- Ionization technology
- Interconnectable up to 18 units (combined with CO alarms)
- Alarm source indicator
- Alarm and power test feature and LED's
- Low battery warning
- Tamper resistant "Lock-it" key mounting hardware included
- 10-year limited warranty (battery excluded)
- ULC listed



AMERICAN SENSORS™ MC

Model No.	Mfg. No.	Description	Dia." X D"	Price /Each
SAQ316	670LBX	120V Hardwire Smoke Alarm	5.25 x 1.75	29.32
XB876	EN22	Replacement Battery, 9 V, 12/Pkg	-	35.15

COMBINATION CARBON MONOXIDE & SMOKE ALARMS

- 120 V hardwire
- Dual protection – CO/Smoke
- *Alarm-Pause* silence feature
- Ionization technology
- Alarm source indicator
- Distinct audible and visual alarm indicators
- Instant test/reset feature
- Interconnectable up to 18 units
- Tamper-resistant "Lock-it" key mounting hardware included
- Dimensions: 5" dia. x 1.7" deep
- 5-year limited warranty
- ULC listed

Model No. SAL259
Mfg. No. COS2010
Price/Each \$91.96

AMERICAN SENSORS™ MC



CARBON MONOXIDE DETECTORS

- Advanced semiconductor sensing technology
- Instant test/reset feature
- Self-diagnosing circuitry
- Power and alarm light indicators
- Emergency alarm
- Loud 85 dB alarm pattern
- No batteries or replacement sensor required
- Available in 120 V AC plug-in or hardwire
- Model **SD531** comes with standard and octagon mounting plates
- 5-year limited warranty
- ULC listed • Not for industrial use

**AMERICAN
SENSORS™** MC



Model No.	Mfg. No.	Description	Dimensions					Price /Each
			W"	x	D"	x	H"	
SD530	C0800	Plug-In	3	x	1.7	x	5	56.74
SD531	C0810	Hardwire	3	x	1.7	x	5	61.74

PROPANE GAS DETECTORS

- Monitors, detects, and measures the concentration of propane gas
- Unit is easy to install - simply plug into any standard 120 V AC wall outlet (requires no batteries)
- Loud 85 dB alarm is set to alarm before gas levels reach 25% of lower explosive level
- Instant test feature and self-diagnosing circuitry
- Power and alarm light indicator
- Mounting hardware included
- 5-year comprehensive warranty
- UL listed
- Not for industrial use

Plugs into any standard AC outlet, 120 V AC



**AMERICAN
SENSORS™** MC

Model No.	Mfg. No.	Description	Dimensions					Price /Each
			W"	x	D"	x	H"	
SD534	LP200	Plug-In	6.5	x	1.4	x	3.5	71.56

NATURAL GAS DETECTORS

- Measures the concentration of natural gas
- Install by simply plugging into any standard 120 V AC wall outlet (requires no batteries)
- Loud 85 dB alarm is set to alarm before gas levels reach 25% of lower explosive level
- Instant test feature and self-diagnosing circuitry
- 6' drop cord and mounting plate included
- 5-year comprehensive warranty
- UL listed
- Not for industrial use

Plugs into any standard AC outlet, 120 V AC



**AMERICAN
SENSORS™** MC

Model No.	Mfg. No.	Description	Dimensions					Price /Each
			W"	x	D"	x	H"	
SD536	NG200	Plug-In	6.5	x	1.375	x	3.5	78.57

SMOKE DETECTOR TESTER™

- Puts both ionization and photoelectric smoke detectors through their paces to ensure their circuitry, alarm and power are all functioning
- Patented formulation simulates the entire range of fire conditions
- 2.5-oz. Aerosol spray can contains 200+ sprays per can
- Leaves no residue, non-toxic, and 100% ozone safe
- NFPA 72 compliant testing when used as directed
- UL and ULC listed

HOME SAFEGUARD INDUSTRIES, INC.



Model No.	Mfg. No.	Description	Price /Each
SAI386	255	Smoke Detector Tester™ 2.5 oz. Aerosol Spray Can	17.21

EXTENSION POLES & ACCESSORIES

- Used with smoke detector tester, light weight aluminum poles allow user to test detectors up to 30' in height without the use of ladders
- The head extension pole holds the aerosol can, while the arm extension pole allows you to reach greater distances
- Multiple arm extension poles must be used in conjunction with the head extension pole to reach the maximum height of 30'
- The fiberglass adapter tube reduces the tendency to overspray and maintains the aerosol an appropriate distance from the detector, making it easier to conduct tests

HOME SAFEGUARD INDUSTRIES, INC.



Model No.	Mfg. No.	Description	Dimensions					Price /Each
			W"	x	D"	x	H"	
SAI387	N30	30" Head Extension Pole	4	x	4	x	30	339.83
SAI388	N59	50" Arm Extension Pole	4	x	4	x	60	324.73
SAI391	1490	18" Spray Adapter Tube	18	x	3	x	3	48.73



FIRE PROTECTION

FIRE ALARM COVERS

- Unique and patented device to help stop false alarms, without restricting legitimate devices
- Clear, tamperproof, super tough polycarbonate shield and frame that fits over manual pull stations
- Cover is UV-stabilized against sun deterioration and connected to frame by a cable
- Ideal for schools, hospitals, nursing homes, stores, hotels or any public buildings



SE455

STOPPER® II INDOOR ALARM COVERS

- When lifted to gain access to actual alarm, it sounds a piercing 95 dB or 105 dB warning horn, drawing attention to area or pranksters
- Horn will sound until cover is snapped back onto the frame (or for the life of the battery)

MINI WEATHER STOPPER® II OUTDOOR ALARM COVERS

- Includes weather gaskets
- Contains no horn



SE470



Model No.	Mfg. No.	Mounting Type	Language	Price/Each
STOPPER® II				
SE455	STI1100	Flush	English	225.14
SE456	STI1100F	Flush	French	236.99
SE457	STI1130	Surface	English	265.02
SE458	STI1130F	Surface	French	265.02
MINI WEATHER STOPPER® II				
SE469	STI6525	Flush	English	98.93
SE470	STI6535	Surface	English	140.32

EXIT STOPPER® DOOR ALARMS

- Highly effective alarm alerts you to any unauthorized exits/entries through emergency exit doors and rear doors
- Highly visible "stop sign" design acts as a deterrent
- Housing is moulded of super tough polycarbonate and is UV-stabilized against sun deterioration
- Compact patented design 5" in diameter and 1.875" deep
- Emits an ear piercing 105 dB warning alarm when activated which can be preset to sound for 30 seconds, 3 minutes or indefinitely
- A key-operated override silences the alarm and allows authorized exits
- In annunciation mode, alarm announces door entry with a set of 10 beeps
- Fitted with a long life 9-VDC alkaline battery
- Lifetime guarantee against breakage of polycarbonate housing in normal use



Model No.	Mfg. No.	Description	Price /Each
SE461	STI6400	Exit Stopper® w/Exit Key	217.54

EMERGENCY KEY BOXES

- Sturdy all-metal construction
- Heavy-gauge steel
- Scratch-resistant red paint
- Rust proof
- Includes steel smash rod and chain
- Replaceable glass, 3" W x 4.8" H
- Complete with key hook, two screws and plugs
- Pre-slotted mounting holes
- Secure, multifunctional cam lock with two keys
- 6.92" W x 2.04" D x 6.8" H



Model No.	Mfg. No.	Description	Price /Each
SAG773	5151	Key Box	50.33
SAG774	5151-G	Replacement Glass	10.80

KEY BOXES

- Durable ABS red plastic
- Unique snap-in design
- Pre-slotted mounting holes
- Printed glass, "Break Glass For Key"
- Replacement glass available
- 4 1/4" W x 1 1/4" D



Model No.	Mfg. No.	Description	Price /Each
SAG771	KB	Key Box	44.09
SAG772	RKBG	Replacement Glass	12.16

Call us for quantity pricing!



EMERGENCY ESCAPE LADDERS

- Quickly and easily attaches to any window
- No tools or assembly required
- Tangle-free design
- Constructed of durable and flame-resistant aluminum
- Anti-slip rungs
- Tested to 1000 lbs.
- Available in two-story (13') or three-story (25') ladder
- 5-year limited warranty



SAF946

Model No.	Mfg. No.	Length'	Price /Each
SAF946	HW2D	13	112.39
SAF947	HW3D	25	199.64

CLASS™ FIRE RETARDANT

- Professional grade fire retardant
- Reduces dangerous flame spread on a range of materials including draperies, furniture, mattresses, wooden structures, cardboard and external clothing
- All flame treated items must be able to absorb moisture and have a minimum content of 30% natural fibre
- Non toxic • Low odour • Easy to apply
- ASTM - EB4-81A earned a flame spread of 25 "A" rating



Model No.	Mfg. No.	Description	Price /Each
AA904	61314-SPRAYBOTTLE	350 g Spray Bottle	11.14

FIRE BLANKET

- Made of fire-resistant, 19-oz premium fibreglass fabric with sewn edges
- Smothers burning clothing and small fires; can also be used to construct an escape route
- Resistant to chemicals and solvents; unaffected by sunlight or age
- Recommended for industry, work sites, motor vehicles, laboratories, schools, homes, cottages, police, marine (boating) areas, hospitals and nursing homes
- Complete with a wall-mountable nylon storage bag in high-visibility red
- Blanket is easily accessible - simply pull down handle and remove
- Dimensions: 59" x 72"



Model No. SAY462
Mfg. No. 26180
Price/Each \$124.68

WOOL BLANKETS WITH POUCH

- 100% wool fire-resistant blanket and pouch
- Compact, fluorescent red pouch has touch-and-hold nylon fastener to release blanket instantly
- Built-in handle and mounting hanger
- Available with bilingual signage
- Blanket size: 83" x 59"
- Kit size: 16" W x 5" D x 11" H

Model No. SE090
Mfg. No. EB/99W
Price/Each \$127.51

NORTH
by Honeywell



FIRE BLANKETS

- Protects equipment and personnel from dangerous welding sparks
- Improves employee safety and reduces fire risk
- Manufactured of lightweight non-asbestos fibreglass
- Suitable for continuous temperatures up to 1000°F; capable of higher temperatures for shorter durations
- Soft, flexible and easy to use
- Resists organic solvents, most acids and alkalis
- Will not attract mildew or mould
- Thermal insulation properties
- Available in two standard sizes: 5' W x 6' H (white) and 6' W x 6' H (orange)
- Bag size: 16" W x 23" H



SB884

SINCE 1875
SOPER'S
ENGINEERED FABRIC SOLUTIONS

Model No.	Mfg. No.	Description	Size W' x H'	Price /Each
ORANGE				
SB884	W03-48700	w/Bag	6 x 6	150.37
SAF799	W03-48700	w/o Bag	6 x 6	117.30
WHITE				
SAF800	W03-48300	w/Bag	5 x 6	106.38
SAF801	W03-48300	w/o Bag	5 x 6	73.31

WATER JEL® FIRE BLANKETS

- Multipurpose fire blanket made of 100% wool, saturated with Water Jel® gel
- Packaged in a high-density, water-resistant, polyethylene case
- Size: 60" x 72"

Uses:

- emergency burn victim care and fire protection
- to extinguish small fires
- to construct an escape route
- to shield and protect a rescuer from intense heat and flames

Model No. SAY460
Mfg. No. 06622
Price/Each \$287.32

MOUNTING BRACKET

Model No. SAY461
Mfg. No. 06623
Price/Each \$115.24



Call us for all your
Safety Equipment
& Supplies
requirements!



FIRE PROTECTION

HEAVY-DUTY BUTT CANS

- Rugged heavy-duty fire safe galvanized steel base and neck tube finished in a tough powder-coated red paint
- Polyethylene topper with molded-in graphics for cigarette butt disposal
- Self-extinguishing design offers maximum convenience and reduces the risk of fire



Model No.	Dimensions			Capacity US Gallons	Wt. Lbs.	Price /Each
	Dia."	x	H"			
JB906	11 1/2	x	34	2.5	9.6	90.08
JB907	11 1/2	x	38 1/2	5	10.5	94.07

ELITE™ SMOKERS CEASE FIRE®

- Polyethylene receptacle that will not rust and features a patented oxygen-restricting, self-extinguishing design to safely collect burning butts
- Stainless steel perforated snuffer and restricted entry design reduces unwanted trash
- Quick and easy assembly with snap-lock closures – no tools required, easy maintenance
- Packaged in a small 18" cube carton, sized to average a 30% cost savings on shipping, and reduces inventory space
- Fire tested and approved by FM Global
- 38" Dia. x 12" H
- Capacity: 4 US gal/15 L
- Weight: 12 lbs/5 kg

JC064



Model No.	Colour	Price /Each
JC064	Cool Grey	137.42
JC065	Sierra Tan	137.42
JC066	Jet Black	137.42
JC067	Aspen Green	137.42

Model No.	Description	Price /Each
JC068	Anchoring Cable Kit	76.01
JC069	Padlock	11.90
JC070	Replacement Pail	53.56

SMOKERS CEASE-FIRE®

- Innovative design limits the flow of oxygen to safely and quickly extinguish cigarettes and reduce the risk of fire
- Low-maintenance, high-density polyethylene construction with a flame-retardant additive
- UV protection, will not rust, dent, crack or peel - no more unsightly rust rings
- Molded-in graphics clearly identify unit for cigarette butt disposal
- Complete with large 16 qt. (15 L) capacity galvanised steel liner pail for easy cleaning excluding Personal Smokers Cease-Fire®
- FM approved

NH832



NI701



NI378



Product Description	Dimensions			Capacity US Gal.	Wt. lbs.	Pewter Grey Model No.	Adobe Beige Model No.	Deco Black Model No.	Terra Cotta Model No.	Forest Green Model No.	Price /Each
	Dia."	x	H"								
Original Smokers Cease-Fire®	16 1/2	x	38 1/2	4	12	NH832	NI378	NI694	NI587	NI695	92.03
Personal Smokers Cease-Fire®	11	x	30	1	6	NI701	NI702	NI703	NI705	NI704	63.53

CEASE-FIRE® ASHTRAYS

- Specially designed contoured head directs smoke and gas from any fire inside the container back into the combustion area
- Air supply is limited and flames are extinguished in seconds
- Drum bodies made of heavy gauge steel with a grey enamel exterior and a rust preventive interior coating
- FM approved, corrosion-free aluminum heads provide easy clean-up and can be used with standard steel drums
- Aluminum heads can be easily replaced and are available separately



Model No.	Capacity US Gal.	Dimensions		Opening Dia."	Wt. lbs.	Price /Each
		Dia."	x H"			
NC444	4.5	11 7/8	x 14 1/4	5	6	73.20
NC445	6	11 3/4	x 17 3/4	5	6	75.55
NC446	12	14 1/2	x 23	5 1/4	10	114.10
NC447	15	14 1/2	x 27 3/4	5 1/4	12	111.83
NC448	30	19 1/4	x 31 3/4	7	28	169.42
NC449*	55	23 3/4	x 38 1/2	7 7/8	35	208.03

*Drum should be filled 3/4 full only.

REPLACEMENT ALUMINUM HEADS

Model No.	Fits Gal. Size	Price/Each
NI416	4.5 & 6	48.24
NI417	12 & 15	71.34
NI418	30	75.55
NI419	55	97.35



WHMIS REQUIREMENTS

The Workplace Hazardous Material Information System (WHMIS) is enforced nationwide. It was developed as a way of protecting workers from the adverse effects of hazardous materials in the workplace. WHMIS gives both the employers and employees the right to know about hazards associated with chemicals they work with. This is accomplished through the use of Material Safety Data Sheets (MSDS), proper labelling and training.

Material Safety Data Sheets must:

1. Accompany every shipment of hazardous material.
2. Be kept on file and be accessible to all employees.
3. Be updated and revised every 3 years.

Must contain the following information (as a minimum):

- Hazardous ingredients
- Preparation information
- Product information
- Physical data
- Fire or explosion data
- Reactivity data
- Toxicological properties
- Preventative measure
- First aid measures

Supplier label must:

1. Be supplied by the manufacturer of the chemical.
2. Be applied to every container of hazardous material.
3. Have the distinct Hash border.

Must contain a total of 7 pieces of information:

- Product identifier
- Supplier identifier
- Hazard symbol
- Risk phrase
- Precautionary measures
- First Aid measures
- Reference to MSDS

Workplace labels are required:

1. When the supplier label has been damaged or fallen off.
2. When transferring chemical from the original container to a smaller one.
3. To contain at least 3 pieces of information:
 - Product identifier
 - Precautionary measure
 - Reference to MSDS

Training is an important part of WHMIS.

Training must cover such things as:

- How to read and understand labels and MSDS
- Procedures for safe use, storage, handling and disposal of hazardous material
- Procedures to be followed in case of emergency

Every employee who comes in contact with hazardous material must be trained

THE GLOBALLY HARMONIZED SYSTEM (GHS)


The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) is an international system established by the United Nations to replace pre-existing classification and labeling methods. GHS presents a unified code to eliminate discrepancies in labeling conventions from one country to another. Using a harmonized standard reduces the chance of misinterpretation or confusion, thereby increasing safety regardless of the language spoken or even the level of literacy of those working with the substances.

It covers the following:

- Classification of physical health and environmental hazards
- Labeling environments
- Universal symbols and pictograms
- Hazard warning statements, aspiration hazards
- Signal word for type of hazard
- Safety data sheet format

The risk of chemical exposure lurks at any stage; be it production, transport, handling or use. Incomplete or ambiguous data can be not only dangerous but have a negative impact on productivity. As such, GHS is designed to protect the environment as well as workers, consumers, transport workers, and emergency responders.

One of the other aims of GHS is to improve and expand international knowledge of the chronic health hazards of chemicals and thereby reduce, eliminate and/or replace these chemicals. Due to the complex nature of this domain, the GHS is constantly being modified and revised. Effective date is proposed to be two years after publication of final rule passage by Congress. For this reason, it's important to contact our customer service department expert to stay abreast of the latest GHS developments and how they affect you.




WHMIS REQUIREMENTS & LABELS



RIGHT-TO-KNOW LABELING KITS

- Quickly and easily customise adhesive vinyl labels with Right-To-Know information
- Write in chemical name and hazard ratings
- Use WHMIS pictogram stickers to identify hazards and personal protection
- Available in two formats: NFPA Diamond or Colour Bar
- Use clear overlaminate for added protection



WHMIS WORKPLACE LABELS

- Easy-to-use, adhesive vinyl, write-on label
- Write in product name, precautionary measures and first aid information
- Check off appropriate hazard and protective equipment symbols
- Available in 3 sizes
- Use clear overlaminate for added protection

Size	Model No.	Price/Each
127 mm x 89 mm (5" x 3 1/2")	SAX174	3.02
178 mm x 127 mm (7" x 5")	SAX175	7.61
254 mm x 178 mm (10" x 7")	SAX176	9.74

Style	Size"	Model No.	Price/Each
NFPA Diamond	3 1/2 x 5	SAX167	7.61
NFPA Diamond	5 x 7	SAX168	13.99
Colour Bar	5 x 3 1/2	SAX169	7.61
Colour Bar	7 x 5	SAX170	13.99

CLEAR OVERLAMINATE

Size	Model No.	Price/Each
127 mm x 89 mm (5" x 3 1/2")	SAX177	1.52
178 mm x 127 mm (7" x 5")	SAX178	3.80
254 mm x 178 mm (10" x 7")	SAX179	4.88



CUSTOM WHMIS SUPPLIER LABELS

Manufacturers and suppliers of hazardous materials or chemicals are required to label drums, pails, bottles, and any other container of the product - as specified by the Hazardous Products Act, Controlled Products Regulations, Subsection 24(3).

Labels are specific in appearance and must follow particular format and information guidelines as specified by WHMIS. These labels must contain detailed hazard information in both English and French.

To order, specify material by model number below and provide us a size. We will get back to you with a quote, proof, and delivery time.

Label Material

Pressure Sensitive Paper
Adhesive Vinyl
Durable Laminated Adhesive Vinyl

Call us today for a quote!

When ordering labels, please provide us the following information for required label elements:



PRODUCT IDENTIFIER

use the same name that appears on the MSDS, which can be the common, generic, trademark, or brand name.

RISK PHRASES

the hazards for the symbols shown are in short statements.

PRECAUTIONARY MEASURES

describe precautions to take when exposed to handling or using the product.

FIRST AID MEASURES

describe immediate first aid requirements in case of accidental exposure to the product.

HAZARD SYMBOLS

symbols are universal design in hazard classes for which the product is regulated.

REFERENCE TO MSDS

statement indicates MSDS is available

SUPPLIER IDENTIFIER

supplier name and address.

WHMIS REQUIREMENTS & LABELS



WHMIS & PPE PICTOGRAM LABELS

- Pictograms communicate universally understood WHMIS Hazard symbols and approval PPE wear requirements
- Adhere to containers to convey the controlled product message
- Labels are high-performance, adhesive dura-vinyl (overlaminated graphics)
- Resistant to abrasive, humidity, chemicals, solvents, and sunlight fade
- Available in two sizes

WHMIS

Label Size
2" (~50 mm)
4" (~100 mm)



Class A
Compressed Gas
SAX239
SAX240



Class B
Flammable/ Combustible
SAX253
SAX254



Class C
Oxidizing
SAX241
SAX242



Class D - Division 1
Immediately/Seriously Toxic
SAX245
SAX246



Class D - Division 2
Other Toxic
SAX249
SAX250



Class D - Division 3
Biohazardous Infectious
SAX243
SAX244



Class E
Corrosive
SAX251
SAX252



Class F
Dangerously Reactive
SAX247
SAX248

PPE

Label Size
2" (~50 mm)
4" (~100 mm)



Safety Goggles
SAX255
SAX256



Face Shield
SAX257
SAX258



Apron
SAX259
SAX260



Dust Mask
SAX261
SAX262



Vapour Respirator
SAX263
SAX264



Self-Contained Air Respirator
SAX265
SAX266



Label Size
2" (~50 mm)
4" (~100 mm)

Gloves
SAX267
SAX268



Boots
SAX269
SAX270



Full Protection Suite
SAX271
SAX272



Label Size	Qty/Pkg.	Price/Pkg.
2" (~50 mm)	10	35.37
4" (~100 mm)	5	31.42

OTS WHMIS LABELS

- On-The-Spot WHMIS labels
- Convenient, easy-to-use
- Create workplace labels in minutes
- Made of vinyl material
- Self-laminating labels for extra protection against chemical contact
- Simply enter the product identifier using a pen or a permanent marker, pick the appropriate WHMIS and PPE symbols, add any specific handling precautions, apply laminate and adhere label to the container
- Sold in packages of 25



SHARPIE MARKER

- Black fine Point Marker
- Extra tough tip that won't spread or mush
- High visibility ink

Model No. PA393
Mfg. No. SAN30001
Price/Each \$1.40



Model No.	Mfg. No.	Size"	Description	Price /Pkg.
SY084	08657	5 x 5	Self Laminating	67.61
SY083	08660	3 x 6	Self Laminating	67.21
SY074	08662	2 x 4	Self Laminating	50.16

R27971E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT
& SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

WHMIS REQUIREMENTS & LABELS

COMPLIANCE CENTRES

- Zippered binder keeps important safety information in while keeping dirt and grime out
- Use for MSDS, Lockout Procedures, Right-To-Know or customize to your needs
- Includes wall bracket labels and binder face sheets in English, French and Spanish



Master Lock

Model No.	Mfg. No.	Description	Price/Each
SAP977	S315	Wall Bracket Compliance Centre with 1.5" Binder	81.52
SAP978	S317	Wall Bracket Compliance Centre with Two 1.5" Binder	137.34
SAP979	S330	Wall Bracket Compliance Centre with 3" Binder	85.81

WHMIS WALLET CARDS

Indicated date of WHMIS certification verifying employee's WHMIS training. Reverse side features a handy reminder of WHMIS symbols. Package: 25 cards.



BRADY

Model No.	Mfg. No.	Description	Price /Pkg.
SJ010	09403	English	13.28
SJ012	09396	Bilingual	13.28

COMPLETE WHMIS INFORMATION CENTRES

GET STARTED WITH A COMPLETE WHMIS INFORMATION CENTRE

Manufactured in a strong, durable 1/4" flextop plastic to ensure long lasting quality. They are brightly coloured to stand out in the workplace. All centres come with sturdy metal pockets to hold MSDS binders up to 4" thick. Each centre prominently displays pertinent information on all aspects of WHMIS including class symbols and labeling.

INCOM
MANUFACTURING GROUP
TOP TAPE & LABEL

Model No.	Mfg. No.	Description	Size"	Price /Each
SI989	W9097	Complete WHMIS Information Centre - Single Centre	18 x 24	194.47
SI990	W9096	Complete WHMIS Information Centre - Double Centre	24 x 36	320.60



2" MSDS binder(s) included

RIGHT-TO-KNOW BASKET STYLE CENTRE BOARDS

- Sturdy 0.063" thick aluminum backboard measures
 - Single basket style: 508 mm x 381 mm (20" H x 15" W)
 - Double basket Style: 610 mm x 462 mm (24" H x 30" W)
- Coated wire basket bolted to lower portion to hold MSDS binder
- Binders included
- Boards have holes for wall mounting



ACCUFORM SIGNS

Style	Model No.	Price/Each
Single Basket	SAX182	105.40
Double Basket	SAX183	182.52

HAZ-MAT, WHMIS BASKET STYLE CENTRE BOARDS

- Constructed of sturdy 0.063" thick aluminum for durability
- Backboard is 508 mm x 381 mm (20" H x 15" W)
- Coated wire basket bolted to lower portion holds MSDS binder
- Binder included
- Boards have holes for wall mounting



ACCUFORM SIGNS

Model No.	Price/Each
SAX184	105.40

WHMIS REQUIREMENTS & LABELS

RIGHT-TO-KNOW STORAGE CABINETS

- Cabinet protects MSDS documents from dust, dirt and splashes
- Constructed of 20-gauge steel, powder-coated safety yellow
- Measures 571 mm x 673 mm x 127 mm (22 1/2" x 26 1/2" x 5")
- Holds 2 MSDS binders (included)
- Cabinet front becomes desktop when open
- Also includes Haz-Com/Haz-Mat symbols poster



Model No.	Price/Each
SAX185	384.39

MSDS STORAGE BOXES

- Durable 20-gauge steel box secures MSDS documents
- Sloping hinge lid has lockable hasp and foam gasket lining for outdoor exposure
- 2 1/2" MSDS binder included
- Dimensions: 13 1/2" x 13 1/2" x 4 1/2"



Model No.	Price/Each
SAX191	248.27

MSDS BINDERS


- Organise MSDS documents in bright, safety yellow binders
- Contrasting red letters on front cover and spine
- 3-ring binders have 914 mm (36") metal security chain



Version	Ring Size"	Model No.	Price/Each
English	1 1/2	SAX186	26.14
English	2 1/2	SAX187	34.06
English	3	SAX188	38.56
Bilingual	1 1/2	SAX189	26.14
Bilingual	2 1/2	SAX190	34.06

SELF-LAMINATING ROLL LABELS

- Fill in hazard codes and symbols in area provided
- Clear polyester film adheres and covers label to protect information
- Vinyl label has self-adhesive back




Size"	Model No.	Price/Roll of 100
1 x 3	SAX298	42.32


Note: Available in English only

HAZ-MAT WARNING LABEL POSTERS

- Reference posters quickly decipher hazardous material warning label systems
- Choose from combination of NFPA and HMCIS (SAX192) or NFPA, HMCIS and WHMIS (SAX193)
- 457 mm x 610 mm (18" x 24") durable plastic laminated posters



SAX192



SAX193



Model No.	Price/Each
SAX192	36.13
SAX193	36.13

Note: Available in English only

WHMIS REQUIREMENTS & LABELS

SINGLE MSDS CENTRES

Centres come complete with one sturdy metal pocket for an MSDS binder up to 4" thick with a sturdy 1/4" plastic board. Centres are sold with one MSDS pre-printed (2") vinyl binder with A-Z dividers. Size: 18" x 24"

INCOM
MANUFACTURING GROUP
TOP TAPE & LABEL



Model No.	Mfg. No.	Price /Each
SI983	W9002	180.40

DOUBLE MSDS CENTRES

Centres come with two sturdy metal pockets for binders up to 4" thick. Centres are sold with two MSDS pre-printed vinyl binders (2"), with A-Z dividers for easy location of MSDS sheets. Board for centre is constructed with 1/4" rigid plastic with four mounting holes. Size: 24" x 36"

INCOM
MANUFACTURING GROUP
TOP TAPE & LABEL



Model No.	Mfg. No.	Price /Each
SI984	W8846	295.47

DURABLE MSDS BINDERS

Keep your Material Safety Data Sheets organized with a durable, English/French MSDS Binder (3-rings with triggers). Printed in bright red, these binders will be highly visible in your workplace. They are available in 2" as well as 4" size. Each binder holds standard 8 1/2" x 11" paper. MSDS sheets not included. Large 4" binders have 3 1/2" slant D-rings for extra capacity. Comes with A - Z dividers.

Model No.	Mfg. No.	Size"	Price /Each
SI985	W8746R	2	31.56
SI987	W9100R	4	38.14



INCOM
MANUFACTURING GROUP
TOP TAPE & LABEL


WHMIS INFORMATION CHARTS

This wall chart provides detailed information on proper WHMIS labeling, descriptions of class symbols, personal protective equipment symbols, MSDS, and it also outlines the responsibilities of suppliers, employers and employees. Made of 1/8" thick rigid plastic board. Centre is bilingual (English & French).

Available in two sizes.

INCOM
MANUFACTURING GROUP
TOP TAPE & LABEL

Model No.	Mfg. No.	Size"	Price /Each
SB611	W9095	12 x 18	74.37
SB612	W9094	24 x 36	105.53



Proper way to label W.H.M.I.S. for compliance

Personal Protective Equipment Symbols and meanings

Supplier, Employer & Employee responsibilities outlined

ECONO MELT BLOWN SORBENTS – OIL ONLY

- Pure melt blown polypropylene fibre pads and rolls are the most cost effective absorption technology today
- Fast wicking fibres absorb 25 times their weight in hydrocarbon and will repel water
- Booms and socks provide containment and absorption while repelling aquatic liquids
- Pillows are ideal for catch basins and sumps
- **Sold per package**

Priced per Package

Model No.	Mfg. No.	Description	Size L x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
PADS						
SAP116	P100	Heavy Weight	18" x 15"	27	100	68.03
SAP117	P100-25	Heavy Weight	18" x 15"	7	25	23.43
SAP118	EP100	Medium Weight	18" x 15"	22	100	54.74
SAP119	P200S	Light Weight	18" x 15"	14	100	44.62
SAP120	P50	Heavy Weight	34" x 30"	48	50	154.61
ROLLS						
SAK174	R144	Heavy Weight	150' x 30"	48	1	146.70
SAJ781	SR144S	Heavy Weight	150' x 15"	24	1	64.96
SAJ780	ER144	Medium Weight	150' x 30"	36	1	115.96
SAK175	ESR144S	Medium Weight	150' x 15"	18	1	65.88



Model No.	Mfg. No.	Description	Size L x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
BOOMS						
SB785	B510		10' x 5"	26	4	128.76
SAG317	B810		10' x 8"	52	4	173.38
SOCKS						
SAH439	MOP01248		4' x 3"	10	12	50.51
SB786	MOP02548		4' x 3"	21	25	92.68
SAG316	MOP010120		10' x 3"	21	10	114.86
PILLOWS						
SAH440	SP818		18" x 8"	8	10	50.66
SAH441	SP1818		18" x 18"	16	10	82.63

ECONO MELT BLOWN SORBENT PADS & ROLLS – UNIVERSAL & CHEMICAL

- Suitable for acids, caustic, oils, coolant, solvents and solutions
- Perforated
- **Sold per package**



Priced per Package

Model No.	Mfg. No.	Description	Size L x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
PADS						
SAP129	UP118	Heavy Weight	18" x 15"	27	100	77.93
SAP130	UP118-25	Heavy Weight	18" x 15"	7	25	24.45
SAP131	UP118-9	Medium Weight	18" x 15"	22	100	63.77
SAP132	UP200S	Light Weight	18" x 15"	18	100	50.70
SAP133	UP200G	Light Weight	18" x 15"	27	200	95.66
ROLLS						
SAJ784	UR118-9S	Medium Weight	150' x 15"	18	1	68.71
SAK185	UR136-9	Medium Weight	150' x 30"	36	1	127.53
SAJ783	URP118S	Heavy Weight	150' x 15"	24	1	82.88
SAK186	URP136	Heavy Weight	150' x 30"	48	1	155.88

R30734E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE


MATERIAL
HANDLING &
STORAGE

433

SPILL CONTROL MANAGEMENT

SONIC BONDED SORBENT PADS & ROLLS – OIL ONLY

- Oil select bonded pads and rolls are ideal for wiping applications when increased tensile strength is necessary
- The sonic bonded process creates a stronger, more durable fibre without affecting absorption
- Perforated
- Sold per package



Pads



Perforated static resistant pads



Rolls

Priced per Package

Model No.	Mfg. No.	Description	L	Size x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
PADS							
SAP121	BP100	Heavy Weight	18"	x 15"	27	100	80.61
SAP122	BP100-25	Heavy Weight	18"	x 15"	7	25	25.08
SAP123	BEP100	Medium Weight	18"	x 15"	22	100	69.22
SAP124	BP200	Light Weight	18"	x 15"	36	200	94.56
ROLLS							
SAK178	BSR144PS	Heavy Weight	150'	x 15"	44	1	87.86
SAK095	BR144	Heavy Weight	150'	x 30"	89	1	160.90
SAK179	BR288P	Light Weight	300'	x 30"	178	1	205.59

SONIC BONDED SORBENTS – OIL & UNIVERSAL

- Fine fibre pads and rolls are made from the purest and highest quality American-made polypropylene
- Outer layers are made from small diameter densely woven polypropylene fibres
- These layers are ultrasonically bonded to a high-loft, melt blown core
- Pads and rolls are perforated
- Sold per package



Priced per Package

Model No.	Mfg. No.	Description	L	Size x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
WHITE – OIL ONLY							
SAQ214	Q100P	Pads, Heavy Weight	18"	x 15"	25	100	98.62
SAQ215	QE100P	Pads, Medium Weight	18"	x 15"	25	100	87.58
SAQ216	QR150P	Rolls, Heavy Weight	150'	x 30"	48	1	176.76
SAQ217	QSR150P-S	Split Rolls, Heavy Weight	150'	x 15"	24	1	92.32
SAQ218	QER150P	Rolls, Medium Weight	150'	x 30"	26	1	150.72
SAQ219	QESR150P-S	Split Rolls, Medium Weight	150'	x 15"	48	1	82.78
GREY – UNIVERSAL							
SAQ226	UQ100P	Pads, Heavy Weight	18"	x 15"	25	100	105.12
SAQ227	UEQ100P	Pads, Medium Weight	18"	x 15"	22	100	91.71
SAQ228	UQR150P	Rolls, Heavy Weight	150'	x 30"	48	1	185.11
SAQ229	UQSR150-S	Split Rolls, Heavy Weight	150'	x 15"	24	1	100.08
SAQ230	UQER150P	Rolls, Medium Weight	150'	x 30"	48	1	156.52
SAQ231	UESR150P-S	Split Rolls, Medium Weight	150'	x 15"	18	1	85.39
YELLOW – HAZMAT							
SEC871	YP100F	Pads, Heavy Weight	18"	x 15"	25	100	100.25
SEC872	YP200F	Pad, Light Weight	18"	x 15"	25	200	126.85
SEC873	YR150F	Rolls, Heavy Weight	150'	x 30"	27	1	200.48
SEC874	YSR150F	Rolls, Heavy Weight	150'	x 15"	24	2	200.48

SPILL CONTROL MANAGEMENT

AIR MATRIX™ SORBENTS

- Manufactured using recycled ultra long 100% polypropylene fibers
- Exceptional web structure that provides added strength
- Extremely soft and drapable

OIL ONLY

- High water chemical resistance

UNIVERSAL

- Premium line of universal sorbents that outperforms meltblown sorbents
- Great for outdoor use, very wet environments or to wrap around tight fitting equipment



Oil Only Pads



Oil Only Rolls



Universal Pads



OIL ONLY

Model No.	Mfg. No.	Dimensions L x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
PADS					
SEB763	AMEP100	18" x 16"	27	100	70.24
ROLLS					
SEB764	AMER150	150' x 28"	54	1	139.01
SEB765	AMESR150	150' x 14"	27	1	139.01


UNIVERSAL

Model No.	Mfg. No.	Dimensions L x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
PADS					
SEC881	AMEUP100	18" x 16"	27	100	80.67
ROLLS					
SEC882	AMEUPR150	150' x 28"	54	1	157.73
SEC883	AMEUSR150	150' x 24"	27	1	157.73

UNIVERSAL HAZMAT SORBENTS

- Absorb all liquids from water-based fluids to aggressive acids
- Absolute necessity for any HazMat spill or spill contingency planning
- Sold per package

Pads



Socks

Rolls



Priced per Package

Model No.	Mfg. No.	Description	Size L x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
PADS						
SAP134	UQ100	Heavy Weight	15" x 18"	27	100	91.71
ROLLS						
SAK188	UQ150S-5	Heavy Weight	150' x 15"	24	1	96.64
SAK187	UQ150	Heavy Weight	150' x 30"	48	1	183.39
BOOMS						
SB790	UB510	-	10' x 5"	26	4	145.51
SAG323	UB810	-	10' x 8"	52	4	195.93
SOCKS						
SH091	MOPU2548	-	4' x 3"	10	25	92.68
SAH450	MOPU1248	-	4' x 3"	21	12	50.51
SAG322	MOPU10120	-	10' x 3"	21	10	119.19
PILLOWS						
SAI923	SPU1818-10	-	18" x 18"	16	10	82.63
SAI922	SPU1818-10	-	18" x 8"	8	10	50.66

CHEMICAL HAZMAT SORBENTS – YELLOW

- Universal pads and rolls will absorb all liquids from water-based fluids to aggressive acids
- A necessity for any HazMat spill or spill contingency planning
- Both are bonded for tensile strength and absorb 25 times their weight in all liquids
- Sold per package

Priced per Package

Model No.	Mfg. No.	Description	Size L x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
PADS						
SEC875	YP118	Heavy Weight	18" x 15"	27	100	69.62
ROLLS						
SEC877	YR150	Heavy Weight	150' x 30"	48	1	175.70
SEC878	YSR150	Heavy Weight	150' x 15"	48	2	175.70
SOCKS						
SEC879	MOPY3048	-	48" x 3"	21	30	183.20
SEC880	MOPY815	-	96" x 3"	21	15	183.20




SPILL CONTROL MANAGEMENT

COLDFORM™ SORBENTS

AN ENVIRONMENTALLY FRIENDLY ALTERNATIVE TO MELT BLOWN

- Offers excellent value, delivers greater price stability and absorbs 20% to 70% more than melt blown products
- Uses renewable and recycled resources, uses less energy to produce and are 50% to 95% oil-free therefore reduces dependency on oil
- Available in *HazMat* upon request
- Sold per package




NATURAL BONDED

Highly versatile product, made from 95% renewable and recycled materials, can be used as pads, rolls, wipers, and socks. It offers outstanding absorbency and durability at an unheard value.

Priced per Package

Model No.	Mfg. No.	Description	L	Size x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
NATURAL WHITE – OIL ONLY							
SAQ232	C100	Pads, Heavy Weight	18"	x 16"	27	100	62.39
SAQ233	EC100	Pads, Medium Weight	18"	x 16"	22	100	48.09
SAQ234	CR150	Rolls, Heavy Weight	150'	x 28"	48	1	104.55
SAQ235	CSR150-S	Split Rolls, Heavy Weight	150'	x 16"	24	1	56.67
SAQ236	CER150	Rolls, Medium Weight	150'	x 28"	36	1	100.32
SAQ237	CESR150-S	Split Rolls, Medium Weight	150'	x 16"	18	1	50.15
GREY – UNIVERSAL							
SAQ238	UC100	Pads, Heavy Weight	18"	x 16"	27	100	58.86
SAQ239	UEC100	Pads, Medium Weight	18"	x 16"	22	100	50.04
SAQ240	UC200	Pads, Light Weight	18"	x 16"	27	200	68.71
SAQ241	UCR150	Rolls, Heavy Weight	150'	x 28"	48	1	103.00
SAQ242	UCRS150-S	Split Rolls, Heavy Weight	150'	x 16"	24	1	55.91
SAQ243	UCER150	Rolls, Medium Weight	150'	x 28"	36	1	85.18
SAQ244	UCESR150-S	Split Rolls, Medium Weight	150'	x 16"	18	1	47.00



LAMINATED

One of the toughest sorbents on the market, its Heavy Weight spun-bond covers make it extremely abrasion resistant and almost lint-free.

Priced per Package

Model No.	Mfg. No.	Description	L	Size x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
WHITE – OIL ONLY							
SAQ245	QP100	Pads, Heavy Weight	18"	x 16"	27	100	65.26
SAQ246	QEP100	Pads, Medium Weight	18"	x 16"	22	100	54.00
SAQ247	QR150	Rolls, Heavy Weight	150'	x 28"	48	1	114.69
SAQ248	QRS150-S	Split Rolls, Heavy Weight	150'	x 16"	24	1	128.42
SAQ249	QER150	Rolls, Medium Weight	150'	x 28"	36	1	94.51
SAQ250	QESR150-S	Split Rolls, Medium Weight	150'	x 16"	18	1	51.81
GREY – UNIVERSAL							
SAQ251	UQP100	Pads, Heavy Weight	18"	x 16"	27	100	69.41
SAQ252	UEP100	Pads, Medium Weight	18"	x 16"	22	100	57.84
SAQ253	UQR150	Rolls, Heavy Weight	150'	x 28"	48	1	121.45
SAQ254	UQSR150	Split Rolls, Heavy Weight	150'	x 16"	24	1	136.58
SAQ255	UQER150	Rolls, Medium Weight	150'	x 28"	36	1	106.14
SAQ256	UQESR150	Split Rolls, Medium Weight	150'	x 16"	18	1	55.16



FINE FIBRES

Premium line, a melt blown look-alike, combines the benefits of fine fibre melt blown covers with a highly absorbent *ColdForm™* core.

Priced per Package

Model No.	Mfg. No.	Description	Size			Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
			L	x	W			
WHITE – OIL ONLY								
SAQ196	QF100	Pads, Heavy Weight	18"	x	16"	27	100	85.86
SAQ197	QEF100	Pads, Medium Weight	18"	x	16"	22	100	89.75
SAQ198	QF150	Rolls, Heavy Weight	150'	x	28"	48	1	146.57
SAQ199	QSF150-S	Split Rolls, Heavy Weight	150'	x	16"	24	1	73.30
SAQ200	QEF150	Rolls, Medium Weight	150'	x	28"	36	1	169.17
GREY – UNIVERSAL								
SAQ202	UQF100	Pads, Heavy Weight	18"	x	16"	27	100	85.41
SAQ203	UEF100	Pads, Medium Weight	18"	x	16"	22	100	77.06
SAQ204	UQF150	Rolls, Heavy Weight	150'	x	28"	48	1	171.45
SAQ205	UQSF150-S	Split Rolls, Heavy Weight	150'	x	16"	24	1	75.02
SAQ206	UEF150	Rolls, Medium Weight	150'	x	28"	36	1	165.44



GENERAL PURPOSE SOCKS

- Used for non-aggressive chemicals and oils, such as motor oil and antifreeze
- Made of cellulose-based product
- **Sold per package**

Priced per Package

Model No.	Mfg. No.	Size L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
SAH451	GP3048	4 x 3	67	30	82.74
SAI924	GP10120	10 x 3	56	10	79.99



SPC BASIC™

- Superior structure with great absorbency
- SPC Basic™ line of oil only and universal sorbents equip companies of all sizes and budgets with absorbent solutions for a safe, compliant and productive work environment.
- Made from meltblown polypropylene, this single-ply absorbent is value-priced for a good quality, economical sorbent
- Recommended use for all your basic drips and spills

SPC Basic™ Sorbent Features & Benefits:

- Absorbs up to 20 times their weight
- Dimpled for additional durability
- Perforated to minimize waste – Use only what you need
- Cost effective with less disposal costs
- Economical – Low cost alternative
- Low linting finish

SPC BASIC™ OIL ONLY SORBENTS

- Provide users with a durable absorbent for cleaning up petroleum based spills and leaks
- Repels water, floats indefinitely and is effective in both industrial and environmental applications

Model No.	Mfg. No.	Description	Dimensions L x W	Absorption Cap/Pkg. Gallon	Qty/ Case	Price /Each
SEB508	BPO100	Pads, Heavy Weight	17" x 15"	20.5	100	48.92
SEB509	BPO500	Pads, Light Weight	17" x 15"	17	100	41.48
SEB510	BPO200	Pads, Light Weight	17" x 15"	34	200	66.39
SEB511	BR0150	Rolls, Heavy Weight	150' x 30"	38	1	119.70



Pads

SPC BASIC™ UNIVERSAL SORBENTS

Economical, general purpose sorbent to clean up oils, coolants, solvents, and water-based fluids anywhere in your facility.

Model No.	Mfg. No.	Description	Dimensions L x W	Absorption Cap/Pkg. Gallon	Qty/ Case	Price /Each
SEB512	BPU100	Pads, Heavy Weight	17" x 15"	20.5	100	56.73
SEB513	BPU500	Pads, Light Weight	17" x 15"	17	100	46.31
SEB514	BPU200	Pads, Heavy Weight	17" x 15"	34	200	71.41
SEB515	BRU150	Rolls, Heavy Weight	150' x 30"	38	1	132.77

Pads



SPC BASIC™ HIGH TRAFFIC MAT

Offers a strong and durable top layer that is ideal for foot traffic and busy problem areas in manufacturing plants and similar environments.

Model No.	Mfg. No.	Description	Dimensions L x W	Absorption Cap/Pkg. Gallon	Qty/ Case	Price /Each
SEB516	BHT150	Heavy Weight	30" x 150'	22	1	130.76



Mat

SPILL CONTROL MANAGEMENT

GP™ UNIVERSAL SORBENTS

FOR ECONOMICAL GENERAL PURPOSE MAINTENANCE!

- Can clean up virtually any liquid
- Grey colour helps hide dirt
- Basic, universal products that perform well and are more competitively priced

Priced per Package

Model No.	Mfg. No.	Description	Size			Absorbant Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
L	x	W						
PADS								
SAL562	GP100	Heavy Weight	20"	x	16"	30	100	100.47
SAL563	GP200	Economy-Weight, Double Coverage	20"	x	16"	44	200	104.79
ROLL								
SAL564	GP30	Heavy Weight	150'	x	30"	48	1	176.44



HIGH TRAFFIC ROLLS

Built for durability and high absorbency, the economical high traffic roll is ideal for your busy problem areas. This universal sorbent is tough enough for even your forklift traffic.

SAH470 – Three-ply construction that includes a tough bottom layer for extra strength. Can be used as a pad, roll, sock or as a wipe. In dispenser box.

BattleMat™ – Camouflage pattern masks drips and spills. Soaks up oil, water, coolants, solvents, acids and bases. Perforated for precisely the right amount. Incinerates to less than 0.02% ash.

Priced per Package

Model No.	Mfg. No.	Description	L"	Size x W"	Absorbant Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
ROLLS							
SAL565	HT153	Light Weight, Perforated	300	x 15	32	1	144.91
SAL566	HT303	Light Weight, Double Perforated	300	x 30	63	1	231.55
SAH470	HT555	Heavy Weight, 300 Pads/Roll	150	x 15	23	1	141.57
BATTLEMAT™							
SAH490	BM15	Heavy Weight, Perforated Every 9" and Up Centre	150	x 15	26	1	155.70
SAH491	BM30	Heavy Weight, Perforated Every 15" and Up Centre	150	x 30	52	1	307.64



ENV™ OIL SORBENTS

CONTRACTOR GRADE

- Basic melt blown polypropylene
- Now made with MAXX Technology, offering enhanced performance at an economical price
- Incinerates to less than 0.02% ash
- Will not pick up water or water-based fluids
- Ideal for environmental applications



Priced per Package

Model No.	Mfg. No.	Description	Size			Absorbant Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
			L	x	W			
PADS								
SAL545	ENV100	Heavy Weight	19"	x	15"	33	100	83.12
SAL546	ENV300	Medium Weight	19"	x	15"	28	100	68.56
SAL547	ENV200	Light Weight, Double Coverage	19"	x	15"	51	200	87.42
ROLLS								
SAL548	ENV150	Medium Weight	150'	x	30'	44	1	127.96
BOOMS								
SAL549	ENV510	Blue Sleeve, Lint Free	10'	x	5"	32	4	132.13
SAL550	ENV810	Blue Sleeve, Lint Free	10'	x	8"	65	4	169.57



MRO PLUS™ SORBENTS

ALL-PURPOSE THREE-PLY MAINTENANCE SORBENT

- All-purpose grey dimpled maintenance sorbents
- Enhanced thickness and strength
- Low-linting, perforated, incinerates to less than 0.02% ash
- Suitable for any industrial application, absorbs oil, water and chemicals
- Dirt-masking colour fosters longer use before disposal



Priced per Package

Model No.	Mfg. No.	Description	Size			Absorbant Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
			L	x	W			
PADS								
SAH469	MRO100	Heavy Weight, Perforated	20"	x	16"	26	100	120.68
SAL567	MRO100-2	Heavy Weight, Perforated	20"	x	16"	13.5	50	64.52
SAL568	MRO150DND	SAH469 w/Dispense-N-Dispose System	20"	x	16"	36	150	170.12
SAL569	MRO300	Medium Weight	20"	x	16"	20.5	100	95.50
ROLLS								
SAH472*	MRO15-DPS	Heavy Weight, Perforated	73'	x	15"	12	1	74.36
SAL570	MRO12P	Heavy Weight, Perforated Every 12"	150'	x	12"	20	1	96.18
SAH471	MRO15P	Heavy Weight, Perforated Every 18"	150'	x	15"	25	1	144.80
SAL571	MRO15-DP	Heavy Weight, Perforated Every 9" and Up Centre	150'	x	15"	24	1	148.43
SAL572	MRO315P	Medium Weight, Perforated Every 18"	150'	x	15"	20	1	98.72
SAL573	MRO24-DP	Heavy Weight, Perforated Every 12" and Up Centre	150'	x	24"	39	1	184.40
SAH473	MRO30P	Heavy Weight, Perforated Every 30"	150'	x	30"	50	1	222.38
SAL574	MRO30-DP	Heavy Weight Perforated Every 15" and Up Centre	150'	x	30"	50	1	225.75
SAL575	MRO30	Heavy Weight	150'	x	30"	49	1	151.26
SAH474	MRO350-DP	Medium Weight, Double Perforated	150'	x	30"	38	1	157.86

* Refill for Spill Kaddie

UXT™ UNIVERSAL SORBENTS

PREMIUM EXTRA-TOUGH UNIVERSAL SORBENT FOR INDUSTRIAL MAINTENANCE & HAZMAT

- The ultimate universal wipe down sorbent
- Abrasion resistant and non-abrasive
- Low-linting with maximum strength and absorbency for cleaning/wiping surfaces
- Three-ply construction of a double-sided low-linting coverstock and melt blown core
- Incinerates to less than 0.02% ash
- Dimpled perforated
- 15 times more absorbent than clay

Priced per Package

Model No.	Mfg. No.	Description	L	Size x W	Absorbant Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
PADS							
SAL576	UXT100	Heavy Weight, Perforated	19"	x 15"	19	100	112.20
SAL577	UXT200	Light Weight, Perforated	19"	x 15"	31.5	200	131.77
ROLLS							
SAL578	UXT15P	Heavy Weight, Perforated Every 18"	150'	x 15"	17	1	117.45
SAL579	UXT30-DP	Heavy Weight, Perforated Every 15" and Up Centre	150'	x 30"	35	1	209.18



SXT™ INDUSTRIAL OIL SORBENTS

PREMIUM EXTRA-TOUGH OIL ONLY PADS & ROLLS

- The ultimate oil only wipe down sorbent
- Abrasion resistant and non-abrasive
- Low-linting with maximum strength and absorbency for cleaning/wiping surfaces
- Three-ply construction of a double-sided low-linting coverstock and melt blown core
- Incinerates to less than 0.02% ash
- 15 times more absorbent than clay

Priced per Package

Model No.	Mfg. No.	Description	L	Size x W	Absorbant Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
PADS							
SAL558	SXT100	Heavy Weight, Perforated	19"	x 15"	19.5	100	96.58
SAL559	SXT200	Light Weight, Perforated	19"	x 15"	31.5	200	113.02
ROLLS							
SAL560	SXT15P	Heavy Weight, Perforated Every 18"	150'	x 15"	18	1	102.08
SAL561	SXT30-DP	Light Weight, Perforated Every 15" and Up Centre	150'	x 30"	37	1	158.26



SPILL CONTROL MANAGEMENT

UNIVERSAL PLUS™

CHEMICAL SORBENT!

- Absorbs up to 16 times its weight in chemicals, oil and water
- All purpose sorbent
- Ideal sorbent for hazardous liquid cleanup
- High chemical resistance

Priced per Package

Model No.	Mfg. No.	Description	Size L x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
PADS						
SAH475	UN1719	Medium Weight, Perforated	19" x 15"	20.5	100	176.99
ROLLS						
SAH476	UN1019	Medium Weight, Perforated Every 9" and Up Centre	150' x 15"	39	2	259.29
SAH477	UN3800	Medium Weight, Perforated Every 15" and Up Centre	150' x 30"	39	1	259.29



OIL PLUS™ SORBENTS

THREE-PLY PERFORMANCE

- Superior performing oil only white dimpled pads and rolls for industry
- Low-linting, perforated, incinerates to less than 0.02% ash
- Enhanced thickness and strength
- Suitable for industrial and environmental applications
- Will not pick up water or water-based fluids

Priced per Package

Model No.	Mfg. No.	Description	Size L x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
PADS						
SAH465	OP100	Heavy Weight, Perforated, Dimpled	19" x 15"	26	100	106.95
SAL551	OP150DND	SAH465 w/Dispense-n-Dispose System	19" x 15"	39	150	155.85
SAL552	OP50	Heavy Weight, Dimpled	30" x 30"	41	50	174.69
SAL553	OP300	Medium Weight	19" x 15"	29.5	100	92.26
ROLLS						
SAH466	OP15P	Heavy Weight, Perforated Every 18"	150' x 15"	25	1	134.31
SAL554	OP15-DP	Heavy Weight, Perforated Every 9" and Up Centre	150' x 15"	24	1	137.93
SAH467*	OP15-DPS	Heavy Weight, Dimpled Double Coverage	73' x 15"	12	1	70.99
SAL555	OP315P	Medium Weight, Perforated Every 18"	150' x 15"	19	1	95.50
SAH468	OP30	Heavy Weight	150' x 30"	49	1	197.47
SAL556	OP30-DP	Heavy Weight, Perforated Every 15" and Up Centre	150' x 30"	49	1	208.23
SAL557	OP350-DP	Medium Weight, Double Perforated	150' x 30"	38	1	153.27

* Refill for Spill Kaddie



LARGE SPILL TRUCK

- Large yellow polyethylene bin is chemical and water resistant
- Wheel-mounted for maximum mobility
- Universal kit
- Absorbs up to 126 US gallons
- 47" L x 34" W x 43" H

Contents:

200	Pads (15" x 9")	1	Pair safety goggles
24	Socs (4' x 3")	3	Pairs nitrile gloves
12	Socs (12' x 3")	15	Pairs disposal gloves
8	Pillows (17" x 19")	1	Emergency response handbook

Priced per Kit

Model No.	Mfg. No.	Description	Price /Each
SAL583	SKA-LT	Allwik®	1990.78



Allwik® – All-purpose maintenance polypropylene, suitable for most industrial applications and petroleum-based spills

RE-FORM™ SORBENTS

Re-Form™ material's unique composition gives users an environmentally friendly sorbent that absorbs up to 50% more than traditional meltblown polypropylene sorbents.

- For basic drips & spills
- Netted construction for extra durability
- Indoor use or dry-weather outdoor use
- General purpose sorbent (not for use w/ highly aggressive acids and caustics)



Re-Form™



RE-FORM™ PLUS SORBENTS

Re-Form™ Plus material has the same absorbency performance as the basic Re-Form™ material, but adds a spunbond coverstock making it ideal for handling foot traffic and wiping applications.

- For drips, spills and wiping applications
- Tough abrasion resistant coverstock on two sides for extra durability
- Perforated, use only what you need
- Indoor use or dry-weather outdoor use
- General purpose sorbent (not for use w/ highly aggressive acids and caustics)




Re-Form™ PLUS




Re-Form™
Multiwik™ Socks



Re-Form™
Plus Rolls



Re-Form™
Pads



Priced per Package

Model No.	Mfg. No.	Description	Dimensions L x W	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
RE-FORM™ PADS						
SAS483	RF100	Heavy Weight	19" x 15"	40	100	90.12
SAS484	RF300	Medium Weight	19" x 15"	32	100	76.19
SAS485	RF500	Light Weight	19" x 15"	24	100	60.08
RE-FORM™ PLUS PADS (WITH COVERSTOCK)						
SAS486	RFP100	Heavy Weight	19" x 15"	40	100	96.56
SAS487	RFP300	Medium Weight	19" x 15"	32	100	81.53
SAS488	RFP500	Light Weight	19" x 15"	24	100	66.51
RE-FORM™ PLUS ROLLS (WITH COVERSTOCK)						
SAS489	RFP28-DP	Heavy Weight, Double Perforated	150' x 28.5"	62	1	167.37
SAS490	RFP14P	Heavy Weight, Perforated	150' x 14.25"	30	1	100.86
SAS491	RFP328-DP	Medium Weight, Double Perforated	150' x 28.5"	53	1	133.03
SAS492	RFP314P	Medium Weight, Perforated	150' x 14.25"	29	1	77.25
RE-FORM™ MULTIWIK™ SOCKS						
SAS493	MS-50	Multiwik™ Socks	4' x 3"	40	40	129.21
SAS494	MS-412	Multiwik™ Socks	4' x 3"	12	12	63.31
SAS495	MS-806	Multiwik™ Socks	8' x 3"	12	6	63.31
SAS496	MS-124	Multiwik™ Socks	12' x 3"	12	4	63.31

R30743E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

SPILL CONTROL MANAGEMENT

ABSORBENT SOCS

FOR ROUTINE SPILL CONTAINMENT & CONTROL

- Dependable, flexible tubes that contain and absorb liquids
- Mold around corners and conform to uneven surfaces
- Wide variety of sizes



BEFORE



AFTER



Priced per Package

Model No.	Mfg. No.	Description	Size L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
SAH480	SW46	Slikwik®	3 1/2 x 3	20	40	113.42
SAH481	OIL430	Oil Only	4 x 3	28	30	178.07
SAH482	OIL806	Oil Only	8 x 3	12	6	91.73
SAL580	AW430	Allwik®	4 x 3	30	30	155.70
SAL581	AW806	Allwik®	8 x 3	12	6	96.98
SAH483	HAZ412	Hazwik®	4 x 3	12	12	112.73
SAS493	MSS0	Reform™ Multiwik™	4 x 3	40	40	129.21



- Slikwik® - Corncob-filled for quick dependable pick up on all but aggressive fluids
 Oil Only - Specialized oil-only polypropylene for use against oil
 Allwik® - All-purpose maintenance polypropylene, suitable for most industrial applications and petroleum-based spills
 Hazwik® - The filled with chemical resistant polypropylene preferred when aggressive fluids are a problem
 Reform™ - A wringable filled with universal polypropylene product for non-aggressive fluids

SLIKWIK® PILLOWS

- Frequently combined with drip pans
- These pillows are excellent for absorbing spills and leaking fluids in tight spaces
- Allwik™ for absorption of oil, water and chemicals



Priced per Package

Model No.	Mfg. No.	Size L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
SAH485	AW99	9 x 9	21	32	134.31
SAH486	AW1818	18 x 18	28	16	113.02

SLIKWIK® DRIP PANS

- Durable, low profile polyethylene pans
- Fit conveniently under leaky drip spigots and other problem areas
- Capture up to 3/4 of a gallon of liquid
- Wide base prevents tipping
- Available as a single use unit and as refillable pans with replacement pillows
- 10" W x 10" L



Priced per Package

Model No.	Mfg. No.	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
SAH487	DPA24	24	24	238.95

OIL ONLY ACCESSORIES

- Drum covers are pre-cut with bung cut to fit on 45-gallon drums
- Drip pan is filled with sorbent pillow for oils only
- Sold per package

Priced per Package

Model No.	Mfg. No.	Description	L	x	Size W	x	D	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
SAH442	SW100	Sweep	100'	x	19"	x	-	31	1	163.69
SH132	ODTP25	Drum Covers			22" Dia.			27	25	112.37
SAH443	MOPO515	Bilge Boom	18"	x	5"	x	-	30	12	109.50
SAN342	ODP12	Drip Pan	10 1/2"	x	10 1/2"	x	3"	1	1	13.14

Oil Only Drip Pan




UNIVERSAL ACCESSORIES

- Drum covers are pre-cut with bung cut to fit on 45-gallon drums
- Drip pan is filled with polypropylene sorbent for oils, water-based and other non-aggressive liquids
- Sold per package

Priced per Package

Model No.	Mfg. No.	Description	L"	x	Size W"	x	D"	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
SH133	UDTP25	Drum Cover			22" Dia.			10	25	112.37
DA105	1670	Drip Pan	10 1/2"	x	10 1/2"	x	3"	1	1	17.11

Universal Drip Pan



Drum Cover

RAG RUG

- Confines leaks, drips and oversprays
- Manufactured from 100% recycled textile fibre
- Absorbs all non-aggressive liquids
- Suitable for work areas where overspray and drips occur
- High durability makes rug ideal for heavy foot traffic areas
- Absorbs up to 10 times its weight in water, grease and oil

Priced per Package

Model No.	Mfg. No.	L'	Size x W"	Absorption Cap/Pkg Gallon	Price /Each
SAH513	RAGRUG150	150	x 36	100	156.37



Rag Rug

CAMOUFLAGE UNIVERSAL SORBENTS

- Popular choice for keeping work surfaces cleaner
- The distinctive pattern is a great way to "camouflage" dirt

Priced per Package

Model No.	Mfg. No.	Description	L	Size x W	Absorption Cap/Pkg Gallon	Qty /Pkg.	Price /Each
SAQ257	CM100	Pads, Heavy Weight	18"	x 16"	25	100	99.42
SAQ259	CMR150	Rolls, Heavy Weight	150'	x 28"	48	1	169.02
SAQ260	CMSR150	Split Rolls, Heavy Weight	150'	x 16"	48	1	89.26

Split Roll



SPILL CONTROL MANAGEMENT

SPILL KITS ALLOW FOR IMMEDIATE CLEAN-UP OF SPILLS

Choice of oil or universal spill kits. Oil kits can handle oil and fuel spills on land or on water. Universal kits can handle acids, caustics (bases), common fluids such as coolants, ethanol and pesticides, as well as solvents. Kits available for small spills such as in labs, to large spills in plants or on open water. Hazmat kits also available.



CONTAINER STYLES:

A.



B.



C.



A.

UNIVERSAL – SORBENT CAPACITY: 9 GALLONS

Packaged In: 5-Gallon polyethylene pail

Contents:

- 5 Universal sorbent socks (3" x 4')
- 1 Pair nitrile gloves
- 1 Pair safety goggles
- 2 Disposal bags (26" x 36")



OIL – SORBENT CAPACITY: 7 GALLONS

Packaged In: 5-Gallon polyethylene pail

Contents:

- 1 Oil sorbent sock (3" x 10')
- 20 Oil sorbent pads (15" x 18")
- 1 Pair nitrile gloves
- 2 Disposal bags (26" x 36")



Model No.	Mfg. No.	Description	Price/Each
SAK219	978	Spill Kit	81.10
SG957	978R	Replacement Kit	47.33

Model No.	Mfg. No.	Description	Price/Each
SAK221	979	Spill Kit	87.99
SG958	979R	Replacement Kit	48.38

B.

UNIVERSAL – SORBENT CAPACITY: 13 GALLONS

Packaged In: 14-Gallon polyethylene Drum

Contents:

- 5 Universal sorbent socks (3" x 4')
- 5 Universal sorbent pillows (8" x 18")
- 1 Pair nitrile gloves
- 1 Pair safety goggles
- 3 Disposal bags (26" x 36")



OIL – SORBENT CAPACITY: 27 GALLONS

Packaged In: 30-Gallon polyethylene drum

Contents:

- 4 Oil sorbent socks (3" x 10')
- 50 Oil sorbent pads (15" x 18")
- 1 Drain cover (36" x 36" x 1/16")
- 1 Repair putty
- 2 Pairs nitrile gloves
- 5 Disposal bags (26" x 36")



Model No.	Mfg. No.	Description	Price/Each
SAK225	980	Spill Kit	212.56
SG959	980R	Replacement Kit	99.83

Model No.	Mfg. No.	Description	Price/Each
SAK229	983	Spill Kit	425.21
SG962	983R	Replacement Kit	219.88

C.

UNIVERSAL – SORBENT CAPACITY: 20 GAL.

Packaged In: 20-Gallon overpack drum

Contents:

- 50 Sorbent pads (15" x 18")
- 4 Sorbent socks (3" x 48")
- 2 Sorbent pillows (8" x 18")
- 1 Pair of safety goggles
- 1 Disposal bag (26" x 36")
- 1 Pair of nitrile gloves

Model No. SAK271
Mfg. No. HAZSK20
Price/Each \$208.16



PORTABLE ECONOMY SPILL KIT™

- Highly visible yellow PVC bag
- Just right for small spills
- Universal kit

Contents:

- 10 Pads (15" x 19")
- 2 Socks (3" x 4')
- 1 Pair nitrile gloves
- 1 Disposal bag
- 1 Instruction sheet



Priced per Kit


Model No.	Mfg. No.	Description	Absorption Cap/Pkg Gallon	Price /Each
SAL582	SKA-PP	Alliwick™	5	55.32



BSM™ BARRIER SPILL MATTING

FOR HIGH TRAFFIC AREAS & WORKSTATIONS – MAKES WORKPLACE SAFE

- Made of needle-punched polypropylene fibres
- Three-ply construction prevents fluids from penetrating to the floor, and provides the best non-slip surface
- Absorbs oil, water and chemicals
- Resists curling and buckling
- Medium weight




Priced per Package

Model No.	Mfg. No.	Size L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
SAH489	BSM3650	50 x 36	12	1	203.93

SIR™ SORBENT INDUSTRIAL RUGS

- Made of needle-punched polypropylene fibres
- Absorbs 10 to 12 times its weight in oil, water, or chemicals
- Rolls prevent slippery areas and eliminate unsightly tracking between plant and office
- Can stand up to the most aggressive chemicals



Priced per Package

Model No.	Mfg. No.	Size L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.	Price /Each
SAP083	SIR-36	300 x 36	59	1	414.59

SORBENT CENTRES

FOR STOCKING/DISTRIBUTION

- Modular, mobile, and stackable storage cabinet for sorbents
- Designed to be flexible and customizable to meet all spill control needs
- No special refills required when restocking
- Accessory pack (SAP087) includes: Goggles, gloves, disposal bags with ties, and an emergency handbook



Model No.	Mfg. No.	Description	Price /Each
SAP084	SC-3000	Cabinet (1 Unit)	444.80
SAP085	SC-4	Casters (Set of 5)	94.29
SAP086	SC-MB	Wall Mounting Bracket	36.37
SAP087	SC-ACC	Accessory Pack	30.30
SAP088	SC-D15	15" Dowel	23.02
SAP089	SC-D40	40" Dowel	32.46



SAP084
with Caster Set
SAP085



Sample Setup
(6 units shown)

SPILL CONTROL MANAGEMENT

CONTAINER STYLES:

D.



E. & G.



F.



D.

UNIVERSAL – SORBENT CAPACITY: 34 GALLONS

Packaged In: 30-Gallon polyethylene drum

Contents:

- 4 Universal sorbent socks (3" x 10')
- 75 Universal sorbent pads (15" x 18")
- 1 Drain cover (36" x 36" x 1/16")
- 1 Caution tape (3" x 500')
- 2 Pairs nitrile gloves
- 2 Pairs safety goggles
- 2 Tyvek® coveralls
- 5 Disposal bags (26" x 36")



Model No.	Mfg. No.	Description	Price/Each
SAK227	982	Spill Kit	429.51
SG961	982R	Replacement Kit	263.02

E.

UNIVERSAL – SORBENT CAPACITY: 62 GALLONS

Packaged In: 95-Gallon polyethylene overpack drum

Contents:

- 5 Universal sorbent socks (3" x 4')
- 5 Universal sorbent pillows (8" x 18")
- 4 Universal sorbent booms (5" x 10')
- 50 Universal sorbent pads (15" x 18")
- 1 Universal sorbent roll (15" x 150')
- 1 Drain cover (36" x 36" x 1/16")
- 1 Caution tape (3" x 500')
- 2 Pairs nitrile gloves
- 2 Pairs safety goggles
- 2 Tyvek® coveralls
- 10 Disposal bags (26" x 36")



Model No.	Mfg. No.	Description	Price/Each
SAK239	989	Spill Kit	947.16
SAK241	989M	w/Casters	1102.36
SG964	989R	Replacement Kit	523.00

F.

UNIVERSAL – SORBENT CAPACITY: 73 GALLONS

Packaged In: Spill control locker (42" x 30" x 29")

Contents:

- 10 Universal sorbent socks (3" x 10')
- 8 Universal sorbent pillows (8" x 18")
- 100 Universal sorbent pads (15" x 18")
- 1 Drain cover (36" x 36" x 1/16")
- 1 Caution tape (3" x 500')
- 2 Pairs nitrile gloves
- 2 Pairs safety goggles
- 2 Tyvek® coveralls
- 10 Disposal bags (26" x 36")



Model No.	Mfg. No.	Description	Price/Each
SAK231	984	Spill Kit	1218.93
SAK233	985	w/Casters	1419.93
SG967	984R	Replacement Kit	399.58

HazMat kits available upon request

G.

UNIVERSAL – SORBENT CAPACITY: 73 GALLONS

Packaged In: 95-Gallon polyethylene overpack drum

Contents:

- 10 Universal sorbent socks (3" x 10')
- 8 Universal sorbent pillows (8" x 18")
- 100 Universal sorbent pads (15" x 18")
- 1 Drain cover (36" x 36" x 1/16")
- 1 Caution tape (3" x 500')
- 2 Pairs nitrile gloves
- 2 Pairs safety goggles
- 2 Tyvek® coveralls
- 10 Disposal bags (26" x 36")



Model No.	Mfg. No.	Description	Price/Each
SAK247	988	Spill Kit	859.87
SAK249	988M	w/Casters	924.67
SG963	988R	Replacement Kit	501.37

HazMat kits available upon request

COLDFORM™ ECO-FRIENDLY SORBENTS KITS

5-GALLON ECONOMY COTTON SPILL KITS

Packaged in: Zip-Lock Bag or Nylon Bag

Contents:

10 Cotton pads	1 Pair gloves
1 Sock	1 Disposal bag

Model No.	Mfg. No.	Description	Price /Each
SAS053	CSKCSP0	Zip-Lock Bag, Oil Only	55.93
SAS054	CSKCSPU	Zip-Lock Bag, Universal	60.63
SAS329	CSKCSNO	Nylon Bag, Oil Only	75.53
SAS330	CSKCSNU	Nylon Bag, Universal	74.85



ZENITH®
Safety Products



16-GALLON TRUCK SPILL KITS

Packaged in: Zip-Lock Bag, Nylon Bag or 10-gallon Drum

Contents:

10 Cotton pads	1 Pair gloves
3 Socks	1 Pair safety goggles
2 Pillows	1 Disposal bag

Model No.	Mfg. No.	Description	Price /Each
OIL ONLY			
SAS331	CSKCVOP	Poly Zip-Lock Bag	59.09
SAS332	CSKCVON	Nylon Bag	100.25
SAS333	CSKCVOD	10-Gallon Drum	183.45
SAS334	CSKCVOR	Replacement Kit	51.76
UNIVERSAL			
SAS335	CSKCVUP	Poly Zip-Lock Bag	54.27
SAS336	CSKCVUN	Nylon Bag	97.46
SAS337	CSKCVUD	10-Gallon Drum	180.66
SAS338	CSKCVUR	Replacement Kit	49.34



ZENITH®
Safety Products



20-GALLON SPILL KITS

Packaged in: 20-gallon overpack drum

Contents:

50 Cotton pads	1 Pair safety goggles
4 Socks	1 Disposal bag
2 Pillows	
1 Pair gloves	

Model No.	Mfg. No.	Description	Price /Each
SAS340	SKC200	Oil Only Kit	205.36
SAS339	SKC20U	Universal Kit	196.28



ZENITH®
Safety Products



45-GALLON ECONOMY SPILL KITS

Packaged in: 10-gallon polyethylene drum

Contents:

50 Cotton pads	1 Pair gloves
3 Socks (10')	1 Pair goggles
5 Socks (4')	2 Tyvek® coveralls
1 Drain cover	3 Disposal bags

Model No.	Mfg. No.	Description	Price /Each
OIL ONLY			
SAS341	CSKC45	Spill Kit	435.08
SAS342	CSKC45R	Replacement Kit	169.75
UNIVERSAL			
SAS343	CSKC45U	Spill Kit	412.23
SAS344	CSKC45UR	Replacement Kit	149.70



ZENITH®
Safety Products



SPILL CONTROL MANAGEMENT



9-GALLON VEHICLE SPILL KITS

- Allows for immediate clean-up of spills up to 9 gallons
- Packaged in:** nylon bag

Contents:

- 20 Sorbent pads (15" x 18")
- 2 Sorbent socks (3" x 4')
- 2 Sorbent pillows (8" x 18")
- 1 Pair nitrile gloves
- 1 Pair safety goggles
- 2 Disposable bags (26" x 36")
- 1 Repair putty



Model No.	Mfg. No.	Description	Price /Each
OIL ONLY			
SAK267	CSK21	Spill Kit	81.38
SAG194	CSK21R	Replacement Kit	61.10
UNIVERSAL			
SAK269	CSK21U	Spill Kit	82.92
SAG195	CSK21UR	Replacement Kit	62.64

HazMat kits available upon request

11-GALLON TRUCK SPILL KITS

- Allows for immediate clean-up of spills up to 11 gallons
- Packaged in:** poly zip lock bag, nylon bag or 10-gallon drum

Contents:

- 10 Sorbent pads (15" x 18")
- 3 Sorbent socks (3" x 4')
- 2 Sorbent pillows (8" x 18")
- 1 Pair nitrile gloves
- 1 Pair safety goggles
- 1 Disposable bag (26" x 36")



Model No.	Mfg. No.	Description	Price /Each
OIL ONLY			
SAK255	CSKVOP	Poly Zip Lock Bag	54.23
SAK257	CSKVON	Nylon Bag	98.61
SAK259	CSKVOD	10-Gallon Drum	193.97
SAG192	CSKVOR	Replacement Kit	56.12
UNIVERSAL			
SAK261	CSKVUP	Poly Zip Lock Bag	54.86
SAK263	CSKVUN	Nylon Bag	99.43
SAK265	CSKVUD	10-Gallon Drum	194.44
SAG193	CSKVUR	Replacement Kit	56.75

TRUCK SPILL KIT OPTIONS

Model No.	Mfg. No.	Description	Price /Each
SH104	DC36	Neoprene Drain Cover	21.41
SH105	31270	Repair Putty	9.41

HazMat kits available upon request

7-GALLON SERVICE VEHICLE SPILL KITS

- Contains products suitable for small unexpected spills
- Can be stored under service vehicle seats
- Packaged in:** nylon bag

Contents:

- 4 Sorbent pillows (8" x 18")
- 2 Sorbent socks (3" x 4')
- 1 5-lb. bag of Oil Gator
- 2 Disposal bags



Model No.	Mfg. No.	Description	Price/Each
SAQ276	CSKSVSKU	Universal	87.65
SAQ277	CSKSVSKO	Oil Only	85.90

17-GALLON WESTERN CANADA SPILL KITS

- Contains a full complement of items to ensure that small leaks and spills are safely and properly handled
- Packaged in:** nylon bag

Contents:

- 10 Sorbent pads (15" x 18")
- 3 Sorbent socks (3" x 4')
- 1 2-lb. bag of SpeediKleen
- 1 2-lb. bag of Cansorb
- 1 Plug n'Dike® repair putty
- 1 Folding shovel
- 1 Disposal bag
- 1 Containment pool
- 1 Pair nitrile gloves



Model No.	Mfg. No.	Description	Price/Each
SAQ274	CSKWCSKU	Universal	211.77
SAQ275	CSKWCSKO	Oil Only	211.09

SPILL CONTROL MANAGEMENT

45-GALLON ECONOMY SPILL KITS

CAPACITY: 45 GALLONS

Packaged In: 45-Gallon drum

Contents:

- 50 Sorbent pads (15" x 18")
- 3 Sorbent socks (3" x 10')
- 5 Sorbent socks (3" x 4')
- 1 Drain cover (36" x 36" x 1/16")
- 1 Pair nitrile gloves
- 1 Pair safety goggles
- 2 Tyvek® coveralls
- 3 Disposal bags (26" x 36")



SAL269



Model No.	Mfg. No.	Description	Price /Each
OIL ONLY			
SAL269	CSK45	Spill Kit	407.77
SAL270	CSK45R	Replacement Kit	243.10
UNIVERSAL			
SAL272	CSK45U	Spill Kit	418.20
SAL273	CSK45UR	Replacement Kit	242.16

47-GALLON ECONOMY MOBILE SPILL KITS

CAPACITY: 47 GALLONS

Packaged In: Mobile spill cart (30" X 29" x 42")

Contents:

- 100 Sorbent pads (15" x 18")
- 4 Sorbent socks (3" x 10')
- 4 Sorbent pillows (18" x 18")
- 1 Drain cover (36" X 36" x 1/16")
- 1 Bag of Speedikleen
- 2 Pairs nitrile gloves
- 2 Pairs safety goggles
- 3 Disposal bags (26" x 36")



SAL281



Model No.	Mfg. No.	Description	Price /Each
OIL ONLY			
SAL278	CSK250M	Spill Kit	681.40
SAL279	CSK250MR	Replacement Kit	299.73
UNIVERSAL			
SAL281	CSK250MU	Spill Kit	689.28
SAL282	CSK250MUR	Replacement Kit	301.18

MOBILE TOOL KADDIE SPILL KITS

CAPACITY: 45 GALLONS

- Provide easy access to a wide array of spill control tools
- **Packaged In:** mobile push-cart

Contents

- 40 Sorbent pads (15" x 18")
- 5 Sorbent socks (3" x 4')
- 2 Sorbent socks (3" x 10')
- 8 Sorbent pillows (8" x 18")
- 50 Wipes
- 2 Pairs nitrile gloves
- 1 Pair safety goggles
- 4 Epoxy sticks
- 2 Disposal bags
- 1 Emergency response guide



Model No.	Mfg. No.	Description	Price /Each
OIL ONLY			
SAQ284	MOBSKTOOL-OS	Oil Only Spill Kit	1343.23
SAQ285	MOBSKTOOL-OR	Replacement Kit	546.86
UNIVERSAL			
SAQ282	MOBSKTOOL-GS	Universal Spill Kit	1381.16
SAQ283	MOBSKTOOLGS-UR	Replacement Kit	578.14

TOOL BOX SPILL KITS

CAPACITY: 33 GALLONS

- Utility box spill kit is especially designed for spill response in areas that are prone to spills whether in the warehouse or on a job site
- **Packaged In:** 24-gallon waterproof tote, ideal for storage in service vehicles or trucks

Contents

- 25 Sorbent pads (15" x 18")
- 4 Sorbent socks (3" x 4')
- 5 Sorbent pillows (8" x 18")
- 1 Bag of Gator
- 1 Drain cover
- 2 Pairs nitrile gloves
- 2 Pairs safety goggles
- 3 Disposal bags



Model No.	Mfg. No.	Description	Price/Each
SAQ278	CSKTOOL35U	Universal Spill Kit	402.88
SAQ279	CSKTOOL35	Oil Only Spill Kit	390.72

SPILL CONTROL MANAGEMENT

CAUSTIC SPILL KITS

Spill kit with sufficient material to neutralise up to 15 litres of highly concentrated caustic liquids. Comes in a 20-gallon Overpack yellow drum.

Packaged In: 20-Gallon overpack drum

Contents:

- | | | | |
|----|--|---|---------------------------|
| 8 | 1 L Hazkleen cst powder neutraliser w/colour indicator | 2 | Tyvek® coveralls |
| 15 | Sorbent pads (15" x 18") | 2 | Pairs nitrile gloves |
| 2 | Sorbent socks (3" x 4') | 2 | Pairs safety goggles |
| | | 2 | Disposal bags (26" x 36") |

Model No. SAL293

Mfg. No. CSK-SK-3AK Price/Each \$528.17



ZENITH®
Safety Products

ACID SPILL KITS

Spill kit with sufficient material to neutralise and absorb up to 10 litres of various concentrated acids – comes in a 20-gallon Overpack yellow drum.

Packaged In: 20-Gallon overpack drum

Contents:

- | | | | |
|----|--|---|---------------------------|
| 1 | 20-Gallon overpack drum | 2 | Tyvek® coveralls |
| 4 | 4 kg ACD powder neutraliser w/colour indicator | 2 | Pairs nitrile gloves |
| 35 | Sorbent pads (15" x 18") | 2 | Pairs safety goggles |
| 2 | Sorbent socks (3" x 4') | 5 | Disposal bags (26" x 36") |

Model No. SAL291

Mfg. No. CSK-SK-2L-CA Price/Each \$503.85



ZENITH®
Safety Products

MERCURY SPILL KITS

Effectively cleans up mercury spills while protecting personnel from harmful vapours.

ZENITH®
Safety Products

LARGE KIT

Portable spill kit with sufficient material for up to 40 ml mercury spill.

Packaged In: hard red plastic case

Contents:

- | | | | |
|---|----------------------------------|---|---------------------------|
| 1 | 750 g mercury neutraliser | 1 | Pair Tyvek® boots |
| 1 | 180 g mercury vapour suppressant | 3 | Syringes |
| 2 | Universal pads (15" x 18") | 1 | Dust pan w/brush |
| 2 | Pairs nitrile gloves | 1 | Spray bottle |
| 1 | Dust mask | 3 | Disposal bags (26" x 36") |

Model No. SAL287

Mfg. No. CSK-MERK Price/Each \$379.26

SMALL KIT

Sufficient material for up to 50 ml mercury spill. No case included.

Contents:

- | | |
|---|--------------------------|
| 1 | Hg Absorb jar |
| 2 | Hg Absorb sponges |
| 1 | 500 g Absorb powder |
| 1 | Pair nitrile gloves |
| 1 | Pair safety goggles |
| 1 | Disposal bag (26" x 36") |

Model No. SAL289

Mfg. No. CSK-SMMERK Price/Each \$107.17



Large Kit

BATTERY ACID SPILL KITS

Battery acid spill kit in a yellow 20-gallon overpack drum with sufficient material to neutralise up to 32 litres of battery acid.

Packaged In: 20-Gallon overpack drum

Contents:

- | | | | |
|----|--|---|---------------------------|
| 4 | 4 kg Hazkleen acid powder neutraliser w/colour indicator | 2 | Tyvek® coveralls |
| 20 | Sorbent pads (15" x 18") | 2 | Pairs nitrile gloves |
| 3 | Sorbent socks (3" x 4') | 2 | Pairs safety goggles |
| | | 3 | Disposal bags (26" x 36") |

Model No. SAL297

Mfg. No. CSK-SK-2BA Price/Each \$478.41



ZENITH®
Safety Products

POLY-SPILLPAD™ PADS

- Handles spent batteries, 5-gallon pail, 16 US gallon drums and your small jobs
- Sturdy 22-oz. vinyl provides protection, while an inner polyethylene beam keeps incidental spills contained
- Lightweight and easily moved on floor or travels to prevent incidental spills
- Large sump area allows for an extended response time
- Removable 100% polyethylene grate allows easy access to sump



Model No.	Mfg. No.	Exterior Dimensions				Sump Cap.	Load Bearing	Wt.	Price
		L"	x	W"	x	H"	US Gal.	Cap. lbs.	/Each
SD519	5600-YE	28	x	28	x	2 1/4	2	4000	13 210.98
SD520	5610-YE	31 1/2	x	54	x	2 1/4	7.5	8000	21 335.08
SD521	5620-YE	55 1/2	x	55	x	2 1/2	12	16000	25 484.01



LAB SPILL KITS

- Acid base neutraliser spill kit is ideal for cleanup of small lab spills
- Contents are stored in a durable plastic case for protection against rough handling
- Splash goggles and nitrile gloves provide protection while cleaning
- **Packaged In:** Plastic carry case (15" x 12" x 4")

Contents:

- | | |
|-----------------------------------|----------------------------|
| 4 Sorbent pads (17" x 8 1/2") | 1 Pair of safety goggles |
| 1 Acid neutraliser (2 lb. bottle) | 1 Pair of nitrile gloves |
| 1 Base neutraliser (2 lb. bottle) | 1 Disposal bag (24" x 36") |

Model No. SAK273 Mfg. No. ABK001 Price/Each \$133.85



ZENITH
Safety Products

20-GALLON LAB PACKS

- Water and chemical resistant
- Polyethylene container with screw top lid
- For small to medium response
- Capacity: 15 gallons
- UN approved

Contents:

- | |
|-----------------------|
| 12 Pads (15" x 19") |
| 3 Socs (3" x 12') |
| 2 Pillows (17" x 19") |
| 1 Pair safety goggles |
| 1 Pair nitrile gloves |
| 3 Disposal bags |
| 1 Emergency handbook |



Model No.	Mfg. No.	Description	Price /Each
SAP090	SKO-20	Oil Only	321.80
SAP091	SKA-20	Universal	321.80

NEUTRALISERS

- Neutralise the aggressive nature of acid, caustic and formaldehyde spills
- Acid and caustic (base) neutralisers contain colour change indicators to signify when neutralisation has taken place
- Neutralisers are available in dry, granular or liquid forms



Model No.	Mfg. No.	Type	Description	Price /Each
ACID NEUTRALISERS				
SAH507	AN001	Dry	2-lb Shaker	25.17
SAH508	NEUTB1	Dry	5-Gallon Pail	255.61
SC896	NRDAN-03	Dry	4-kg Bottle	49.96
SAH509	NEUTLIQD4	Liquid	5-Gallon Pail	299.76
CAUSTIC (BASE) NEUTRALISERS				
SAH510	BN001	Dry	2-lb Shaker	33.95
SAH511	NEUTA1	Dry	5-Gallon Pail	465.13
SC901	NRDCN-03	Dry	3.79-kg Bottle	111.88
SAH512	NEUT5GAL	Liquid	5-Gallon Pail	347.87

TABLETOPS SPILLBERM™

CAPTURE SMALL SPILLS BEFORE THEY HIT THE FLOOR!

- 3/4" tall "miniberm" bends to form any shape
- Non-absorbing urethane design allows for easy clean-up
- For use in laboratory, medical and industrial applications
- Dimensions: 48" L x 1" W x 3/4" H
- Weight: 2 lbs.




Model No. SAG331
Mfg. No. 2051
Price/Each \$124.74

POLY-LABTRAY™

BRINGS SPILL PROTECTION TO THE LABORATORY BENCH!

- Reduces unrecoverable spills and overflows of liquid and free-flowing powder chemicals during the transfer of materials in the lab
- Holds four one gallon bottles
- Removable grate for easy cleaning, 20 3/4" L x 17 1/4" W
- Molded-in corner spout makes waste disposal clean, easy and efficient
- 2.5 US gallon sump capacity
- 40-lb static load weight



Model No.	Mfg. No.	Exterior Dimensions				Wt. lbs.	Price /Each
		L"	x	W"	x	H"	
SB768	5248-YE	25	x	21 1/2	x	3	86.87

SPILL CONTROL MANAGEMENT

3M™ FOLDED SORBENTS

- The 4-in-1 folded sorbents are the easy-to-use solution for cleaning up spills, drips and fluid leaks
- 5' x 50' roll can be used as a boom, pillow, pad or roll
- Perforations every 16" allow you to select the length you need
- Available for either general purpose maintenance (non-aggressive liquids), petroleum-based products (oil only) or chemical spill cleanups
- Sorbent capacity is 34 L per box



Model No.	Mfg. No.	Description	Price /Each
SC402	M-FL550DD	Maintenance	67.44
SC403	P-FL550DD	Petroleum	64.46
SC404	C-FL550DD	Chemical Sorbent	96.04

PLUG RUG® MATS

- Will seal even if the surface is dirty and rough
- Just lay it over drains, storm sewer inlets or in front of curb culverts to seal off and prevent the spill from entering



Priced per Case

Model No.	Mfg. No.	Dimensions"	Qty/ Case	Price /Each
SAR436	PND8R-4	8 x 8	4	241.77
SAR437	PLRUG16	16 x 16	4	244.74
SAR438	PLRUG24	24 x 16	4	311.81

PLUG N'DIKE® SEALANTS

- Plug N'Dike® is an easy-to-use and convenient emergency sealant
- The bentonite clay and polymer blend creates an instant seal on containers and drums which help to control leaks and spills of flammable or hazardous liquids
- Can be used with hydrocarbons and water-based chemicals
- Antifreeze mix prevents hardening in cold weather applications



Model No.	Mfg. No.	Description	Price /Each
SAQ271	PND2A	Plug N'Dike®	19.28
SAR435	1PMPA	Plug N'Dike® w/Antifreeze	31.21

PLUG N'DIKE® GRANULAR

- Pour out a dike of the dry, granular Plug N'Dike® and spray the surface with water
- It immediately contains the spill and protects adjacent areas
- Can also be mixed with water to form a paste to plug leaks



Priced per Case

Model No.	Mfg. No.	Format	Qty/ Case	Price /Each
SAR439	PND48	5-Gallon Pail	1	111.50
SAR440	10PND	1-Gallon Jar	4	135.20

CANSORB-ALL ABSORBENTS

- Fast acting, Cansorb All picks up 6-8 times its weight
- Prefers oil and greases, but will absorb aqueous liquids
- Lightweight, non-WHMIS, biodegradable and suitable for fuel blending
- 8 lbs. per bag

Model No. SAQ270
Mfg. No. CSA-8
Price/Each \$79.42



CANSORB ABSORBENTS

- Compressed at approximately 1.5:1 ratio
- Provides value without compromising the quality of the compressed fibre
- Bales can easily be broken down into disbursement barrels
- 2 cu. ft./20 lbs. compressed bale
- 20-gallon absorption
- Yield of 3 cu. ft./85 L

Model No. SAP082
Mfg. No. CB-20 Price/Each \$39.68



QUALISORB™ GOLD ABSORBENTS

- Non-corrosive, non-toxic product that offers the best absorbency
- Absorbs almost twice as much as other product in water or oil
- Can be used in all applications, even for toxic waste absorption
- It absorbs spills in no time leaving floor safe and dry
- Used in plants, refineries repair shops, machine shops and garages
- Bag size: 20 lbs/9.1 kg

Model No. SAJ503 Mfg. No. 7023
Price/Each \$15.29



LOOSE PARTICULATE ABSORBENTS

- Absorbs aqueous liquids, chemicals, hydraulic fluids, fuels, oils and other hydrocarbons
- SpeediKleen absorbs approximately 100% of its own weight
- Suitable for aggressive environments, in plants, refineries repair shops, machine shops and garages
- Bag size: 20 lbs.

Model No. SAK673
Mfg. No. HD2205 Price/Each \$13.43



SPILL CONTROL MANAGEMENT

OIL-DRY® QUICK SORB® ABSORBENTS

- Specially designed to absorb up to twice as much fluid per pound as conventional clay
- Smaller granules offer more surface area for greater absorption power
- Strong granules improve traction and will not break down when saturated
- Comes in an easy-to-carry store pail
- Pail size: 20 lbs/9.1 kg

Model No. SAR329

Price/Each \$21.63



OIL-DRY® PREMIUM ABSORBENTS

- Superior moisture extraction process increases absorption and minimizes dust
- Non-toxic, virtually dust-free product absorbs aggressive and non-aggressive fluids in minutes and leaves no residue
- Holds liquids in; will not breakdown and turn to mud
- Low density: more scoops per pound saves money
- Bag size: 25 lbs/11.25kg

Model No. SAR328

Price/Each \$13.62



OIL-DRY® GENERAL-PURPOSE ABSORBENTS

- Superior retention of liquids such as oil, grease, hydraulic fluid, water and other liquid spills, all non-aggressive fluids
- Virtually dust free, lowering airborne contamination
- Its high absorbency, low density, enables more scoops per pound
- Packaged in a poly bag making it next to unbreakable and water resistant
- Composed of light grey fuller's earth



Model No.	Mfg. No.	Size	Price /Each
S1965	18002	40 lbs. (18 kg)	14.58
SAR327	15005	33 lbs. (15 kg)	13.87

CHEMKLENZ IMMEDIATE SPILL RESPONSE GRANULES

- Universal chemical absorbent that neutralizes both acids and bases, including HF and a wide variety of hazardous chemicals
- Portable, no premixing required
- Easy to operate, compact delivery system
- Rapid acting upon contact

SEC933



SEC935

Model No.	Mfg. No.	Description	Wt. lb.	Price/Each
SEC933	FA324-0750-00EP	750 g Shaker	2	218.43
SEC934	FD324-0901-00EP	Wall Mount Only	1	62.05
SEC935	FA-CKWK	Shaker and Wall Mount Kit	3	273.03

MAGIC SORB™ ABSORBENTS

- Blend of inert, inorganic minerals, contains no hazardous ingredients
- Safely absorbs oils, mineral acids (except hydrofluoric acid), caustics, alcohols, solvents, paints, toxics and other liquids instantly and completely
- Spill cleanup is fast and easy and saves 66% in spill and disposal cost versus clay absorbents
- Dust-free, will not foul machinery or contaminate manufactured products
- Contains no free silica
- Ideal for hazmat spill response, smaller spills, leaks from materials or other equipment
- Shaker dispenser allows for fast, easy dispensing and eliminates the need to handle sorbents



Devcon

Model No.	Mfg. No.	Description	Size	Price /Each
SC886	48000	Bag	25 lbs.	30.65
SC888	48100	Sock	42" L x 3" W	15.90

ENSORB® SUPER ABSORBENTS

- Virtually unlimited uses as a dry absorbent that is safe in all applications
- Picks up all liquids, of any viscosity, off any hard surface
- Turns the spilled liquid into a solid that can be disposed of easily
- Lightweight and simple to use, it dramatically reduces cleanup costs
- Not injurious to soil, cement, asphalt, tile, plants, animals, or humans
- Contains no reactive chemicals, is not toxic or flammable
- 15 to 20 times the absorption capacity of clay-based products
- Biodegradable, and is environmentally safe and friendly



Model No.	Mfg. No.	Description	Wt. lb.	Price/Each
SEC928	ENP D225	1.5 Cu. Ft. Bag	15	22.34

ENSORB SOK® – SPILL & ODOR KILLER ABSORBENTS

- Quickly neutralize odors at the source with Ensorb® Sok
- Effective and environmentally safe
- Safe to use around kids, pets and virtually anywhere



SEC929



SEC930



SEC931



SEC932



Model No.	Mfg. No.	Description	Wt. lb.	Price/Each
SEC929	EG029-0121-00EP	Travel Kit	6	173.75
SEC930	ECO29-0160-06EP	Shaker	5	104.25
SEC931	ECO29-0009-00EP	5 gal. Pail	12	248.21
SEC932	ECO29-0025-00EP	15 gal. Drum	35	620.53

SPILL CONTROL MANAGEMENT



COLLAPSIBLE EMERGENCY RESPONSE SHOVELS

- Non-sparking, aluminum shovels are designed to be packed inside spill kits
- Quick-connect lock buttons allow shovels to be assembled in seconds
- 39" shovel features a telescoping shaft and can be packed inside 20-gallon or larger kits
- Tempered aluminum scoop measures 10" x 11" on both models

Model No.	Mfg. No.	Assembled Length"	Collapsed Size"			Wt. lbs.	Price /Each
SB748	401	29	15	x	10 x 3	1 1/2	92.07
SB749	402	39	19 1/2	x	10 x 3	13/4	106.93



TELESCOPIC SHOVELS

- Compact storage
- Durable plastic
- Extends to 37"
- Large shovelling capacity
- Ideal for picking up sorbent material

Model No. SAG332

Mfg. No. TS-001

Price/Each \$30.29



SAFETY SHOVELS

- Non-sparking polypropylene safety shovels are versatile, lightweight and will not rust or corrode, chemical resistant
- Anti-static agent in blade on two-piece shovels except model SAL467
- Two-piece construction disassembles for easy storage, easy to use locking mechanism
- Working temperature range: -22°F/-30°C to 176°F/80°C; intermittent use may increase temperature range
- Emergency blade shovels are injection moulded, structural poly compact shovel which collapses for easy storage
- Variety of blade and handle configurations
- Ideal for spill kits, hazmat response and environmental clean up

Safety Shovels



REACO
PRODUCTS

Model No.	Mfg. No.	Description	Handle	L"	x	W"	x	H"	Price /Each
INDUSTRIAL SHOVELS (ONE-PIECE)									
SAL460	RG6981	Small Blade, Grey	Standard D-Grip	11	x	14	x	38	59.95
SAL464	RG6982	Large Blade, Grey	Standard D-Grip	14	x	17	x	42	64.77
HYGIENIC SHOVELS (ONE-PIECE)									
SAL457	69815	Small Blade, White	Standard D-Grip	11	x	14	x	38	67.04
SAL458	69813	Small Blade, Blue	Standard D-Grip	11	x	14	x	38	67.04
SAL459	69812	Small Blade, Green	Standard D-Grip	11	x	14	x	38	67.04
SAL461	69825	Large Blade, White	Standard D-Grip	14	x	17	x	42	71.52
SAL462	69823	Large Blade, Blue	Standard D-Grip	14	x	17	x	42	71.52
SAL463	69822	Large Blade, Green	Standard D-Grip	14	x	17	x	42	71.52
SAFETY SHOVELS (TWO-PIECE)									
SAL465	6892SS	Medium Blade	Standard D-Grip	10.5	x	14	x	38.5	80.08
SAL466	6895SS	Medium Blade, pan	Blade Only	10.5	x	14	x	20	39.38
SAL468	6896SS	Medium Blade	Extended D-Grip	10.5	x	14	x	43.5	82.93
SAL470	6898SS	Medium Blade	Short D-Grip	10.5	x	14	x	33	92.16
SAL469	6897SS	Large Blade	Short D-Grip	14	x	18	x	35	116.80
SAL471	6900SS	Large Blade	Standard D-Grip	14	x	18	x	40.5	105.57
SAFETY ALL BLACK (TWO-PIECE)									
SAL467	6896BKSS	Medium Blade	Extended D-Grip	10.5	x	14	x	43.5	86.09
EMERGENCY BLADE SHOVELS									
SAL473	6880EBO	Compact Orange/Grey	T-Grip	10	x	12	x	24 - 36	51.13

Hygienic One-Piece Shovels



Emergency Blade Shovels



HAZMAT SQUEEGEES

- Made of chemically resistant polyethylene, they're tough and economical
- High-density polyethylene block, low-density polyethylene blade
- The curved-blade model will push large volumes of liquid and contain spill areas more effectively
- Requires the use of a European-thread handle
- Custom lengths available



Model No.	Mfg. No.	Description	Dimensions			Price /Each
			L"	x	W"	
SAL475	6608	Polyethylene Blade	8	x	4.2	24.82
SAL476	6612	Polyethylene Blade	12	x	4.2	27.10
SAL477	6618	Polyethylene Blade	18	x	4.2	31.69
SAL478	6624	Polyethylene Blade	24	x	4.2	33.47
SAL479	6630	Polyethylene Blade	30	x	4.2	37.22



HAZMAT SQUEEGEE HANDLES

- Strong honeycomb core for rigid, crush resistant handle
- Polyester gel coat to protect hands from glass fibres
- Tapered European-thread fitting
- Custom length handles available



Model No.	Mfg. No.	Description	Length"	Price/Each
EUROPEAN-THREAD HANDLES				
SAL481	6012	Fibreglass Handle	12	8.36
SAL482	6024	Fibreglass Handle	24	12.36
SAL483	6036	Fibreglass Handle	36	22.01
SAL484	6053	Fibreglass Handle	53	22.08
SAL485	6061	Fibreglass Handle	61	24.35
SAL486	6072	Fibreglass Handle	72	34.65
SAL487	6080	Fibreglass Handle	80	30.69
SPECIALTY HANDLES, EUROPEAN THREAD				
SAL488	6228	Compact Utility, Fibreglass	28 - 47	53.89
SAL489	6264	Extension Utility Handle, Fibreglass	6' 10" - 11' 9"	84.17

SPILL KIT TOOLS

- Rugged, non-sparking, anti-static and chemically resistant
- Specifically designed for spill kits and environmental and industrial clean-up applications
- European-thread handle required for brushes
- Model SAL503 with blue bristles



Model No.	Mfg. No.	Description	Dimensions				Price /Each	
			L"	x	W"	x	H"	
DUSTPANS								
SAL490	6350	Dustpan Charcoal Grey, Polypropylene	12	x	12	x	2	13.02
SCOOPS								
SAL491	64005	Small, 32 oz. - White	6	x	5	x	3.5	7.47
SAL492	64002	Small, 32 oz. - Green	6	x	5	x	3.5	9.79
SAL494	65005	Large, 82 oz. - White	9	x	6	x	3.5	9.23
SAL495	65002	Large, 82 oz. - Green	9	x	6	x	3.5	9.39
SCRAPERS								
SAL497	69615	Small, White	8	x	3			6.77
SAL498	69612	Small, Green	8	x	3			6.89
SAL500	69625	Large, White	9.7	x	4.4			9.26
SAL501	69622	Large, Green	9.7	x	4.4			8.77

Model No.	Mfg. No.	Description	Dimensions			Price /Each
			L"	x	W"	
BRUSHES						
SAL503	31783	Polypropylene Broom, Soft	2	x	15.7	55.34
SAL504	2915	Polyester Broom, Stiff	3	x	11.7	70.71
SAL505	2920	Polyester Broom, Stiff	2.5	x	18.5	71.63
HANDLES						
SAL488	6228	Compact Utility, Fibreglass	28"	-	47"	53.89
SAL489	6264	Extension Utility Handle, Fibreglass	6' 10"	-	11' 9"	84.17



SPILL CONTROL MANAGEMENT

FACTORY INDUSTRIAL WET/DRY VACS 3.0 PEAK HP – 2 STAGE MOTOR

Factory tough large capacity 44 gal. vacuum and head assembly built to handle the toughest shop jobs. Complete with hose and utility nozzle. Electrical 120 V, 60 Hz, 11 A. Model **NG343** converts your steel drum into a wet/dry vac. Heavy-duty dolly with Model **NG342** only.

Includes:

- 12' hose (NC249)
- Master nozzle chrome plated 6" (NC239)
- Elbow joint 2 1/2" (NC277)
- Ultra web cartridge filter (NI735)

NG343



Model No.	Mfg. No.	Tank Cap. gal/L	Tank Type	CFM	Sealed Pressure"	Cord Length'	Wt. lbs.	Price /Each
NG342	970-05	44/204.5	Metal	109	100	18	82	1194.26
NG343	970-06	Head Assem.	N/A	109	100	18	30	711.91



NG342


CLEANSTREAM® FILTERS

- 99.97% efficient down to 0.3 microns
- Picks up wet or dry, no need to remove filter anymore
- Fits on Shop-Vac® brand dry/wet vacuums

Model No. NI530

Mfg. No. 903-40

Price/Each \$53.09



WET/DRY VACS 2.5 PEAK HP 2 STAGE MOTOR

- Powerful industrial vacuum at moderate cost
- Poly tank capacity: 10 gal/45.5 L
- Includes accessory basket

1 1/2" plastic accessories included:

- Master nozzle 14" (NG627)
- Squeegee shoe 14" (NG628)
- Brush shoe 14" (NG630)
- Rug shoe 14" (NG629)
- Crevice tool (NG631)
- Utility nozzle (NG632)
- Ultra-Web® cartridge filter (NI735)
- Foam sleeve (NC252)
- Round brush (NC269)
- 10' hose with locking swivel end (NG363)
- High efficiency dual ply collector bag (NG358, NG359 or NG360)
- Chrome-plated extension wands (2 pcs.) (NG626)



Model No.	Mfg. No.	CFM	Electrical 120 V, 60 Hz	Sealed Pressure"	Cord Length'	Wt. lbs.	Price /Each
NI732	962-21	100	9 A	90	35	27	732.60

COMPRESSED AIR VACUUMS

- Dependability, safety and efficiency over conventional electric powered vacuums
- No electricity required
- Dramatically more powerful – up to 259" of water lift
- Safe in almost any wet environment
- Extremely versatile – pick up chips, dust, powder, debris and most liquids
- Features a Venturi system – creates an extremely powerful vacuum performance up to five times more suction lift
- Nortech vacuums feature a forever warranty that guarantees years of trouble-free service

Includes:

- Vacuum generating head with standard cloth filter
- Canister style drum with dolly and handle
- 1 1/2" x 20' standard-duty vinyl vacuum hose
- Metal wet/dry floor tool (12" wide) with 4' wand
- 24" long metal crevice tool
- 3/4" x 20' air supply hose with fittings
- Incoming Airline Pressure: 100



Model No.	Description	Air Consump. (SCFM)	Min Comp. Size	Vacuum Lift (in H ₂ O)	Vacuum Flow (SCFM)	Wt. lbs.	Price /Each
JB510	15 Gallons	47	10	213	60	79	1906.19

HAWG AIR VACS

Last longer and need little maintenance, with no moving parts, cleanable filters and corrosion resistant epoxy-coated tanks. Computer design Venturi system provides increased motor efficiency. Pick up wet or dry and potentially hazardous materials safely because they use no electricity.* 60 gpm water pick-up capacity. Pick up fine material and filter down to 5 microns.

Model No.	Mfg. No.	Description	Pick up Hose"	Water Lift"	Flow SCFM	CFM@ 90 PSIG	Inlet	Wt. lbs.	Standard Equipment	Price /Each
TG260	MP8000	6-Gallon	1 1/2	116	110	5.5	3/8	19.3	TG284, TG389	1028.00
TG261	MP8001	20-Gallon	1 1/2	116	110	5.5	3/8	39.5	TG284, TG390	1831.00
TG262	MP8002	55-Gallon**	1 1/2	116	110	5.5	3/8	18.5	TG284, TG391	942.00

STANDARD ACCESSORIES

Model No.	Mfg. No.	Description	Price/Each
TG284	710040	10' x 1 1/2" Vinyl Hose	145.88
TG389	718460	Two Stage Filter Cartridge For Model TG260	38.67
TG390	718461	Two Stage Filter Cartridge For Model TG261	62.92
TG391	718462	Two Stage Filter Cartridge For Model TG262	105.46

*CAUTION: Vac must be grounded and conductive hose used to control static electricity. Recommended air supply hose size: 1/2" I.D. Performance rated at 90 PSIG.

**Lid only, drum not included.



ULTRA-DRAINSEALS® MATS

- Both sides will quickly seal drains
- Flexible polyurethane material with reinforced, tear-resistant mesh
- One unit per box easily cuts to special shapes, sizes
- Cleans with soap and water
- Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Optional *Ultra-DrainSeals®* wallmount units for quick response – made of polypropylene with *Velcro®* straps for quick and easy access
- Safety orange colour

Circular Seal



Wallmount Holder



Square Seal

Model No.	Mfg. No.	Size"	Thickness"	Price/Each
DRAIN SEALS – SQUARE				
SAG348	2126	18 x 18	3/8	163.37
SAG349	2127	24 x 24	3/8	249.48
SAG350	2130	36 x 36	3/8	522.73
SAP052	2131	42 x 42	3/8	650.47
SAG351	2132	48 x 48	3/8	837.59
SAP053	2133	54 x 54	3/8	1042.51
DRAIN SEALS – RECTANGULAR				
SAP058	2124	12	3/8	576.20
SAP059	2125	20	3/8	977.19
DRAIN SEALS – CIRCULAR				
SAP054	2134	12" Dia.	3/8	142.58
SAP055	2135	20" Dia.	3/8	240.60
SAP056	2136	30" Dia.	3/8	359.39
SAP057	2137	42" Dia.	3/8	585.11

Model No.	Mfg. No.	Size"	Price/Each
WALLMOUNT HOLDER			
SAL264	2140	Fits 18" and 24" Drain Seals	261.39
SAL265	2142	Fits 36" Drain Seals	317.81
SAL266	2143	Fits 48" Drain Seals	347.50

STORMWATER GRATEGUARDS® MATS

- Captures sediment, silt, debris and other run-offs before they enter waterways
- For use with flat grate catch basins
- Allows run-off to flow through while blocking sediment and/or capturing oil
- Helps comply with NPDES, 40 CFR 122.26 (1999) when used as Best Management Practice in Storm Water Pollution Prevention Plans
- Standard and custom sizes available

SEDIMENT ONLY

OIL & SEDIMENT

Model No.	Mfg. No.	Model No.	Mfg. No.	L"	x	Dimensions D"	x	H"	Price /Each
SAR397	9272-SED	SAR398	9272-O/S	18	x	24	x	4	127.72
SAR399	9273-SED	SAR400	9273-O/S	24	x	24	x	4	127.72
SAR401	9274-SED	SAR402	9274-O/S	28	x	28	x	4	127.68
SAR403	9275-SED	SAR404	9275-O/S	30	x	32	x	4	127.68
SAR405	9276-SED	SAR406	9276-O/S	24	x	36	x	4	127.68
SAR407	9277-SED	SAR408	9277-O/S	24	x	40	x	4	127.68
SAR409	9278-SED	SAR410	9278-O/S	24	x	48	x	4	127.68



NEOPRENE DRAIN COVERS

- Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Cleans easily with soap and water between uses

36" X 36" X 1/16"
Model No. SH104
Mfg. No. DC36
Price/Each \$21.41

48" X 48" X 1/16"
Model No. SAP060
Mfg. No. DC48
Price/Each \$35.84



SPILL CONTROL MANAGEMENT

STORM SENTINEL™ DRAINS

- Adjustable storm drain and catch basin insert
- Catches oil and sediment headed into storm drains and sewers
- Equipped with an oil-absorbent media in a screened bag
- 300 GPM overflow rate helps avoid ponding
- Requires no special tools to install
- Dispose of the used insert according to company policy and all applicable laws and regulations
- Helps comply with NPDES, 40 CFR 122.26 (1999) when used as Best Management Practice in Storm Water Pollution Prevention Plans
- Fits size: 16" x 20" up to 28" x 36"
- Custom sizes available



Model No.	Mfg. No.	Description	Price /Each
SAS048	1340	Round or Oval, Sediment Only	69.50
SAS049	1341	Rectangular, Sediment Only	69.50
SAS050	1343	Round or Oval, Sediment and Oil, (w/Package)	99.28
SAS051	1344	Rectangular, Sediment and Oil, (w/Package)	99.28

CONICAL DRAIN SEAL™

- Prevents spills and leaks from entering circular drains 2" to 4" in diameter
- Tough, chemical resistant material forms tight seal
- Removable eyebolt allows easy installation and removal of plug
- Resists oils and most aggressive chemicals
- Cleans easily with soap and water

Model No.	Mfg. No.	Description	Price /Each
SR351	2113	2" Drain Plug	98.02
SR352	2114	3" Drain Plug	124.74
SR755	2115	4" Drain Plug	142.58
SR353	2116	Kit, 2", 3", 4" in Rigid Plastic Box	397.99



ROOF LEAK DIVERTERS

- Large, vinyl-coated fabric catches roof leaks and channels them to standard hose hook-up
- Hose can then be directed to proper drainage point
- Lightweight flame retardant material
- Heavy-duty D-rings securely attached in each corner make installation quick and easy

Model No.	Mfg. No.	Dimensions'	Price /Each
SAP061	2525	2.5 x 2.5	62.88
SAP062	3080	3 x 8	119.02
SAG334	1785	5 x 5	89.05
SAP063	5010	5 x 10	156.16
SAG335	1786	7 x 7	157.22
SAG336	1787	10 x 10	203.01



ULTRA DRAIN GUARD® FOR OIL & SEDIMENT


- Keeps sediment and other pollutants from entering the water system
- Designed for use in industrial facilities, construction sites, parking lots, and retail facilities
- Removes up to 0.87 gallons of hydrocarbons as well as dirt, sand and other contaminants (up to 40 lbs)
- 48" L x 36" W x 18" H
- Custom sizes are available



Model No.	Mfg. No.	Qty/Pkg.	Price /Each
SAP064	9217	1	89.11
SAP065	9218	10	837.59

ULTRA SPILLBERM™ SPILL CONTAINMENT

- Bends and turns to form almost any shape while temporarily "bonding" to any smooth surface
- Seals off spills and leaks
- For use in emergency spill response and planned maintenance applications
- Cut it to size and use corners and connectors to complete the area
- Non-absorbing, non-toxic material cleans easily
- Flexible polyurethane material
- Resists oil, water and most aggressive chemicals



Model No.	Mfg. No.	Description	Dimensions					Price Each
			L'	x	W"	x	H"	
SAG330	2052	Low Profile Spillberm™	10	x	2 1/4	x	1 3/8	647.48
SB750	2100	Ultra Spillberm™	10	x	4	x	2 1/4	986.12
SAP051	2054	Ultra Spillberm Plus™	5	x	4	x	4 1/2	801.94
SB751	2101	Connector			-			68.32
SB752	2102	Corner			-			169.30

PIPE LEAK DIVERTERS

- Keep fluid leaks off the floor eliminating slip hazards and chemical exposure
- 18" H and 18" dia. opening
- Bottom fitting connects to a standard garden hose
- Rugged, 18-oz. coated vinyl construction
- Includes bungee cords and hooks for quick installation
- 7-gallon fluid capacity


Model No. SAG333 Mfg. No. 1780
Price/Each \$136.94



SPILL CONTROL MANAGEMENT

UNIVERSAL POLY-DRUM FUNNEL™

- Patented scalloped design, high sidewall and bung fitting holders
- For use with 30 and 55 US gallon drums
- Funnel's nest for compact shipment
- Safety funnel includes a non-sparking safety bung closure with flame arrestor for use with flammable liquids
- Optional cover keeps the weather and other hazards out
- **Exterior dimensions:** 26" dia. x 5 1/2" H
- **Interior dimensions:** 22" dia. x 4" H



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SAH565	3004-YE	Funnel	3	54.61
SAH566	3004-YE-SF	Safety Funnel	5	459.19
SAH567	3040-YE	Funnel Cover	3	62.05

POLY-PAIL FUNNEL™

Mounts to 3 1/2, 5 and 6-gallon tight-head pails. Also fits open top pails with 12" diameter. Optional Poly-Pail Funnel™ cover available.

POLY-PAIL FUNNEL™

- **Exterior dimensions:** 9 1/4" top dia. x 11" bottom dia. x 2 3/4" H
- **Interior dimensions:** 8 1/2" x 2 3/8" side wall height

POLY-PAIL FUNNEL™ COVER

- **Exterior dimensions:** 9 1/4" dia. x 2 3/8" H



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
DA098	3005-YE	Poly-Pail Funnel™	2	64.53
SG291	3051-YE	Poly-Pail Funnel™ Cover	3	64.53

POLY-DRUM TOPPER™ COVERS

- Snaps directly onto any 45-gallon open or closed-head drum to keep out debris and protect drum tops
- **Exterior dimensions:** 25 1/2" dia. x 3 3/4" H



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SAQ193	3065-BK	Poly-Drum Topper™	1.5	71.98

SAFETY DRUM FUNNELS

- Suitable for handling flammables, minimise potentially dangerous spills
- Large 10 3/4" mouth provides quick dumping
- Steel construction with 6" flame arrestor for the DA102 and 32" flame arrestor for the DA101
- Hinged cover with fusible link reduces spread of vapours
- 2" NPS
- FM approved



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
DA101	8205	32" Flame Arrestor	12	440.43
DA102	8207	6" Flame Arrestor	12	230.01

SAFETY FUNNELS WITH VENT

- Provides safe waste solvent disposal due to automatic pressure and vacuum relief
- 9" diameter polyethylene funnel comes with brass safety vent and 6" flame arrestor
- Cap comes with safety chain to prevent loss
- 2" NPS
- Weight: 4 lbs.
- FM approved

Model No. DA103
Mfg No. 8211
Price/Each \$223.01



Can't find what
you're looking for?
Call us today!



SPILL CONTROL MANAGEMENT

POLY-OVERPACK® 20 & 30 DRUMS

- Versatile units that can contain solids and sludges with security
- Nestable for compact shipment
- 1/2-turn lid for easy opening and closing
- Built-in shoulder for easy handling
- UN rated salvage drums



POLY-OVERPACK® 20

- Accepts bottles, cans, and 5-gallon pails
- **Exterior dimensions:** 23" top Dia. x 18" bottom Dia. x 19" H
- **Interior dimensions:** 21 1/2" top Dia. x 17" bottom Dia. x 17 1/2" H
- 20 US gallon sump capacity
- Weight: 10 lbs.

Model No. SAG189 Mfg. No. 1220-YE
Price/Each \$79.43



POLY-OVERPACK® 30

- Unit can contain up to 16 US gallon drums
- **Exterior dimensions:** 23" top Dia. x 18" bottom Dia. x 30" H
- **Interior dimensions:** 21 1/2" top Dia. x 17" bottom Dia. x 28 1/2" H
- 30 US gallon sump capacity
- Weight: 13 lbs.

Model No. SAH551 Mfg. No. 1230-YE
Price/Each \$104.25

POLY-OVERPACK® 65 SALVAGE DRUMS

- Appropriate for 30 US gallon drums
- Nests for easy storage
- Gasket in the lid for secure containment
- Can be used as a spill kit container
- Light enough for one person to handle and large enough to pack sufficient absorbent for incidental spills
- Meets Group 1 packaging standards, salvage drum regulation
- Meets performance-oriented packaging requirements of US DOT and UN regulations
- **Exterior dimensions:** 28 1/4" top Dia. x 23" bottom Dia. x 37.37" H
- **Interior dimensions:** 23 1/2" top Dia. x 21 3/4" bottom Dia. x 33 1/2" H
- Maximum handling capacity: 440 lbs.
- Weight: 47 lbs.

Model No. SE471
Mfg. No. 1065-YE
Price/Each \$225.87



POLY-OVERPACK® 95 SALVAGE DRUMS

LIGHTWEIGHT POLYETHYLENE OVERPACK CAN CONTAIN A BROAD RANGE OF HAZARDOUS CHEMICALS INCLUDING ACIDS & CORROSIVES!

- Damaged and deformed drums can be overpacked easily
- Twist on lid with a closed cell polyethylene gasket can be closed securely and easily by using any long object, like a two-by-four
- Accepts all 55 US gallon drums
- Meets performance-oriented packaging requirements of U.S. DOT and UN regulations as well as Group 1 packaging standards and salvage drum regulations
- Moulded area allows for easy gripping and pick-up by material handling equipment
- **Exterior dimensions:** 31 3/4" top Dia. x 26" bottom Dia. x 41 1/2" H
- **Interior dimensions:** 27" top Dia. x 24 3/4" bottom Dia. x 37" H
- 95 US gallon sump capacity
- Weight: 48 lbs.

Model No. SB756
Mfg. No. 1237-YE
Price/Each \$250.69



WHEELED OVERPACK® SALVAGE DRUMS

Wheeled *Overpack*® is the first mobile one-piece *Overpack*® that can handle 55 US gallon drums. A salvage drum and dolly all in one! It completely eliminates the need for a separate dolly for transportation. Ideal for spillkits, these polyethylene UN rated salvage drums have built-in handles and 6" polyolefin wheels that allow for easy steering through doorways or around any obstacle.

Also available in 6" pneumatic wheels.

- Fits through doorways
- Choose polyolefin wheels for indoor use, or pneumatic wheels for outdoor use
- UN rated salvage drum
- Sump capacity of 95 US gallons

OVERPACK® 50

No modèle SAL223

• Exterior dimensions:

23" top Dia. x 18 1/2" bottom Dia. x 43 1/2" H

Interior dimensions:

20" top Dia. x 17 3/4" bottom Dia. x 36" H

OVERPACK® 95

No modèle SAH549, SAH550

• Exterior dimensions:

31 1/2" top Dia. x 25 3/4" bottom Dia. x 47 1/2" H

Interior dimensions:

27" top Dia. x 25" bottom Dia. x 38 1/2" H



Model No.	Mfg. No.	Description	Sump Capacity	Wt. lbs.	Price /Each
OVERPACK® 50 DRUM					
SAL223	1259-YE	Polyolefin Wheels	50	38	335.08
OVERPACK® 95 DRUM					
SAH549	1299-YE	Polyolefin Wheels	95	56	359.91
SAH550	1299-YE-A	Pneumatic Wheels	95	56	397.14

DRUM/OVERPACK® LIFTERS

- A safe method of moving 45 and 75 gallon steel drums
- Design allows for quick, gentle loading drum stays upright during lift
- Low-profile clamp design on 45-gallon lifter lowers open (lid must be on) or closed head steel drums all the way to bottom of overpack
- 70-gallon *Overpack*® lifter picks up both 70-gallon steel *Overpack*® drums and 45-gallon steel drums
- Universal DA876 handles many lever-lock closure fibre drums, typical steel drums and 45-gallon rimmed plastic drums
- Handling capacity: 1000 lbs.



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
DA224	90S	45-Gal. Lifter	21	217.98
DA225	90S-a	75-Gal. <i>Overpack</i> ®/ 45-gal. Lifter	22	244.35
DA876	92	Universal Lifter	25	263.04
DC094	92-SS	Stainless Steel Universal Lifter	25	569.36

POLY-SPILLCART™ CARTS

ELIMINATES RISK OF SPILLS DURING TRANSPORT!



- Tough polyethylene construction will not rust or corrode
- Dual drain plugs let you empty sump easily
- Removable structural foam grate for easy cleaning
- Built-in tool tray
- 10" polyolefin wheels
- Rear wheels move around freely, brake for secure position
- Available as an all terrain cart (ATC) with heavy-duty aggressive wheels
- 66 1/2" L x 29" W x 43 3/4" H
- 57-gallon sump capacity
- 500-lb load bearing capacity



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SB766	5200-YE	<i>Poly-Spillcart</i> ™	126	955.61
SR438*	5200-YE-A	<i>Poly-Spillcart</i> ™ ATC	133	1116.95

* All Terrain Cart with heavy-duty pneumatic rubber wheels.

Look for this symbol



for environmentally friendly products!

SPILL CONTROL MANAGEMENT

POLY-COLLECTOR™

- Portable hazardous materials collection systems
- Built of tough UV-stabilized polyethylene for excellent chemical resistance to a broad range of industrial materials
- Equipped with the universal *Poly-Drum Funnel™* to prevent over-spills while allowing multiple oil filters, pails, and cans to drain at once
- Ideal for collecting waste oil, antifreeze and chemicals



SE556



(Drum Dolly Sold Separately)

POLY-COLLECTOR™ 66

- Poly outer shell holds 70 US gallons
- Inner drum holds 55 US gallons
- **Interior dimensions:** 27" top dia. x 25 3/4" bottom dia. x 29 1/4" H
- Available with shell only, 70 US gallon sump capacity

POLY-COLLECTOR™ 110

- Outer shell holds 103 US gallons
- Poly inner drum that holds 55 US gallons
- Twist-on lid ensures safe and easy closure
- **Interior dimensions:** 27 1/4" top dia. x 24 3/4" bottom dia. x 41 1/4" H

Model No.	Mfg. No.	Description	Exterior Dimensions					Wt. lbs.	Price /Each
			Top Dia"	x	Bottom Dia."	x	H"		
POLY-COLLECTOR™ 66									
SE554	8001-YE	W/Steel Drum	32 1/2	x	26 1/4	x	42	81	632.94
SE555	8002-YE	W/Poly Drum	32 1/2	x	26 1/4	x	42	65	694.99
SE556	8075-YE	Shell Only	32 1/2	x	26 1/4	x	31	25	223.39
POLY-COLLECTOR™ 110									
SE558	8081-YE	W/Steel Drum	31 3/4	x	25 3/4	x	49	107	719.81
SE557	8080-YE	W/Poly Drum	31 3/4	x	25 3/4	x	49	92	781.86
DOLLY									
SE153	8050-BU	Drum Dolly	27 1/2	x	-	x	5 1/2	17.5	186.16

SPILL SCOOTER™

- Polyethylene construction
- Contains incidental spills and drips
- Spout included for easy draining
- Holds 55 US gallon drums
- Optional metal T-handle available separately, 36 5/8" long
- 34 1/2" diameter x 9" high
- 500-lb load bearing capacity
- 10 US gallon capacity

Drum Not Included



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SB767	5205-YE	Spill Scooter™	26	215.94
SC554	5206-BK	T-Handle	3	49.64

DRIP CATCHER DOLLIES

- Handles standard 45-gallon drums and larger containers up to 27" in diameter
- 2" lip contains drips
- Absorbent sock included
- 3 3/4" x 1/4" rubber casters
- Overall dimensions: 31 1/2" dia. x 5 3/4" H
- 1000-lb capacity
- Weight: 26 lbs.

Model No. DA600
Mfg. No. 9713
Price/Each \$249.95



Drum Not Included

POLY-DOLLY®

THE MULTI-FUNCTIONAL, TWO-WHEEL DISPENSING STATION!

- Holds 55 US gallon drums
- Tilts to become an efficient self-dispensing station
- Acts as its own secondary containment unit
- Integrally moulded handles for extra strength
- Double looped strap for easy loading
- Accessible to forklift from the rear
- Raised ribbed dispensing well
- Drain plug for removal of contents from sump
- Available as an all terrain dolly
- 69" L x 32 1/2" W x 26 1/2" H
- 80 US gallon sump capacity
- 600-lb handling capacity



Drum Not Included

SR444



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SB769	5300-YE	Poly-Dolly®	98	771.94
SB770*	5300-YE-A	Poly-Dolly® ATD	104	918.38
SR444	5300-TARP	Tarp	4	260.62
SR442	6005-BK	Universal Well Liner	1.5	74.46

* All Terrain Dolly with heavy-duty pneumatic rubber wheels



SB769

THE POLY-RACK™ SYSTEM

THE MOST EFFICIENT DISPENSING/STORAGE SYSTEM!

POLY-RACKER™

- One-piece polyethylene rack that holds two 55 US gallon drums securely in place
- 100 plus gallon containment sump ensures spill safety even in worst-case drum leaks
- Deep dispensing well easily holds 5-gallon pails while containing incidental spills and splashes in a ribbed bottom without contaminating the sump
- Dispensing wells have a scalloped edge so pails can be easily removed
- Both sides of the unit have a drain plug
- Entire unit can be transported by forklift
- Rated to hold up to 3000 lbs.
- Can easily handle up to six drums when used with two Poly-Stacker™

POLY-STACKER™

- Holds two 55 US gallon drums
- Can be quickly stacked with a forklift
- Any spills from the second and third level falls into the dispensing well for containment and easy cleanup
- Increase safety and productivity by adding Poly-Shelf™ to the Poly-Racker™ System

MULTI-PURPOSE RACKER/STACKER™

- Holds up to two 55 US gallon drums
- Unit can be placed on the floor (no sump) or on a pallet
- Use with the Poly-Shelf™ for easy dispensing into 5 or 6-gallon pails
- Forkliftable

POLY-SHELF™

- It easily attaches to Poly-Stacker™
- Allows simultaneous dispensing from all drums
- A hole in the bottom of the Poly-Shelf™ drains into the dispensing well in the Poly-Racker™



Drums Not Included



SR442



Drums & Pallet Not Included



Model No.	Mfg. No.	Description	Max Capacity lbs.	L"	x	Dimensions W"	x	H"	Wt. lbs.	Price /Each
SB771	6000-YE	Poly-Racker™	3000	49	x	52 1/2	x	22 1/2	120	786.83
SB772	6002-YE	Poly-Stacker™	2400	49	x	41	x	13	56	342.53
SR466	6006-YE	Single Poly-Racker™	1600	31	x	53	x	32	95	434.37
SR467	6007-YE	Single Poly-Stacker™	800	31	x	40 1/2	x	20	50	260.62
SE410	6004-YE	Multi-Purpose Racker/Stacker™	2400	48 1/2	x	41	x	20	87	397.14
SB773*	6003-YE	Poly-Shelf™	60	17	x	22	x	17 1/2	10	121.62
SR442	6005-BK	Universal® Well Liner	-	12 3/4	x	15 1/2	x	2 1/2	1.5	74.46

* Use only with Poly-Racker™ or Poly-Stacker™

DRUM-UP™ TRAYS

THE INCIDENTAL SPILL SOLUTION!

- Catch liquid before it reaches the floor, reducing the risk of slip and fall injuries
- Ideal for use as a drum pumping station
- Secondary containment unit features a unique geometric design covering more floor area
- Drain hole makes emptying easy

DRUMS-UP™

- Contains drips for containers up to 55 US gallons
- Control nuisance spills from drums with a 20 US gallon capacity


DRUMS-UP JR™

- Containment for 16 to 30 US gallon drums and 5-gallon pails
- 7 1/2 US gallon capacity



SD361

Drum Not Included



DA104

Model No.	Mfg. No.	Description	Dimensions Dia"	x	H"	Wt. lbs.	Price /Each
DA104	8091-YE	Drums-Up™	34	x	7 1/4	12	116.66
SD361	8200-YE	Drums-Up Jr.™	21 1/2	x	7 1/2	4	86.87

SPILL CONTROL MANAGEMENT

POLY-SPILLPALLET™ 2000

- 100% polyethylene provides excellent chemical resistance
- Removable grates for easy cleaning
- Forkliftable on two sides
- Holds two 55 US gallon drums
- Load bearing capacity of 2000 lbs.
- Sump capacity of 58 US gallons
- Available with drain hole and plug
- Meets EPA 40 CFR 264.175
- Overall dimensions: 53 1/2" L x 29" W x 17" H



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SC548	5253-YE	Poly-Spillpallet™	55	349.98
SC547	5253-YE-D	Poly-Spillpallet™ w/Drain	55	387.21
SR431	5253-TARP	Tarp	5	260.62

Drums Not Included



LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000

- 100% polyethylene
- Holds four 55 US gallon drums
- Low 12" profile
- Non-skid, removable grates
- Load bearing capacity of 3000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 98" L x 25 1/4" W x 12" H
- Poly-Ramp™ allows for easy loading of pallet



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SB762	5102-YE	Poly-Spillpallet™	84	421.96
SB763	5102-YE-D	Poly-Spillpallet™ w/Drain	84	459.19
SAQ186	5039-BK	Poly-Ramp™	65	382.24
SR430	5102-TARP	Tarp	9	297.85

Drums Not Included



POLY-SPILLPALLET™ 6000

- Includes the same rugged features as the Poly-Spillpallet™ 2000
- Two removable grates
- Forkliftable from all sides
- Holds four 55 US gallon drums
- Load bearing capacity of 6000 lbs.
- Sump capacity of 83 US gallons
- Overall dimensions: 50" L x 50" W x 17" H



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SB795	5001-YE	Poly-Spillpallet™	88	496.42
SB794	5001-YE-D	Poly-Spillpallet™ w/Drain	88	533.65
SR432	5001-TARP	Tarp	7	297.85

Drums Not Included



POLY-SLIM-LINE™ 6000

- Offers all of the same advantages as the Poly-Spillpallet™ 6000
- Features a low 12" profile
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 54" L x 54" W x 12" H
- Poly-Ramp™ allows for easy loading of pallet



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SE408	5400-YE	Poly-Slim-Line™	91	421.96
SE409	5400-YE-D	Poly-Slim-Line™ w/Drain	91	459.19
SAQ186	5039-BK	Poly-Ramp™	65	382.24
SR429	5400-TARP	Tarp	7	297.85

Drums Not Included



SPILL CONTROL MANAGEMENT

WORKSTATIONS™

Workstations™ are the easiest to load with low profile design and optional ramp. One piece construction optimises space for increased durability, safety and efficiency. With ample sump capacity in each workstation, this secondary containment product is perfect for a dispensing station or work centre. Each workstation is designed for stand-alone use or combines with other workstations for a customised work area. The rolled-edge design helps resist cracking and warpage.

- Tough polyethylene construction, cannot rust or corrode
- Multi-Purpose Work Ramp™ hooks into any workstation for easy loading
- Heavy-duty removable structural foam grates for easy cleaning

LINK-LOCK™

- Link and lock multiple workstations together in a wide variety of configurations
- Made of 100% polyethylene
- Sold in pairs



Drums Not Included



Link-Lock™

Model No.	Description	Exterior Dimensions				Sump Cap. US Gallons	Load Bearing Cap. lbs.	Wt. lbs.	Price /Each	
		L"	x	W"	x	H"				
SR437	2-Drum	53	x	28 1/2	x	6	22	2400	38	300.33
SR436	4-Drum	52 1/2	x	53	x	6	43	6000	70	384.73
SR435	6-Drum	76 1/2	x	53	x	6	61	7000	102	496.42
SB764	8-Drum	100	x	53 1/4	x	6	77	8000	173	771.94
SAQ187	Work Ramp™	25 1/2	x	48	x	6 1/4	-	1000	30	285.44
SAQ188	Link-Lock™	9 1/2	x	7	x	3 1/2	-	-	3	124.11

SPILLPAL™ FLEXIBLE WORKSTATIONS

- Provides incidental spill control during temporary storage of equipment
- Can be used as a washdown pad or pumping station
- Alternative to hard plastic pallets
- Features 4" high foam sidewalls that spring back into place after any type of pressure is applied
- Folded unit ships easily
- When not using, store on a shelf, freeing up valuable floor space
- Easy drive-in and drive-out with a hand truck or forklift



Drums Not Included

Model No.	Mfg. No.	Description	L'	Exterior Dim. x W' x H"	Sump Cap. US Gallons	Wt. lbs.	Price /Each
SAF814	5750-YE	1-Drum	2	x 2 x 4	10	2	104.25
SAF815	5755-YE	2-Drum	2	x 4 x 4	20	4	188.64
SAF816	5760-YE	4-Drum	4	x 4 x 4	40	5	268.07
SAF817	5765-YE	4-Drum In-Line	2	x 8 x 4	40	6	327.64
SAF818	5770-YE	6-Drum	4	x 6 x 4	60	7	397.14
SAF819	5775-YE	8-Drum	4	x 8 x 4	80	9	484.01
SE553	7006-BK	Optional Grate	48	x 23 x 1 3/4	-	18	62.05
SAP041	7007-BK	Optional Grate	25 1/2	x 24 x 1 3/4	-	9	49.64

ULTRA-SPILLDECK BLADDER SYSTEMS

- Hidden containment bladder automatically unfurls to capture large spills or drum leaks
- Low profile, rugged, double layer polyethylene containment decks
- Low 5" deck height allows safe and convenient drum loading, even without drum handling equipment
- Meets EPA container storage regulations 40 CFR 264.175 and Uniform Fire Code Spill Containment regulations

Note: SpillDecks do not require usage of the bladder attachment to meet EPA and Uniform Fire Code regulations. Require adequate aisle space to allow the bladder to unfurl properly.

Model No.	Mfg. No.	Description	L" x W" x H"	Dimensions x W' x H"	Total Containment Cap. US gallons	Wt. lbs.	Price /Each
SE411	1320	1-Drum, 11 US Gal Cap.	25 7/8	x 30 1/2 x 5 3/4	66	27	515.95
SE412	2329	2-Drum, 22 US Gal Cap.	52	x 30 1/2 x 5 3/4	77	44	733.63
SE413	2330	4-Drum, 44 US Gal Cap.	52	x 56 5/8 x 5 3/4	99	66	977.19
SE414*	2317	Bladder Attachment	25 1/8	x 4 5/8 x 4 5/8	-	4	261.39
SE415	2320	Replacement Bladder	66	x 58 (unfurled)	55	2	127.72

* w/bladder



Drums Not Included

SPILL CONTROL MANAGEMENT

ECOPOLYBLEND™ SPILL CONTROL PALLETS

THE FIRST AND ONLY SPILL CONTROL LINE MADE OF RECYCLED POLYETHYLENE!

Eco-friendly pallets are made of up to 100% recycled polyethylene, making them twice as good for the environment! They not only protect against groundwater contamination, they also utilize post-industrial material that might have otherwise been discarded into the waste stream.

Quality engineered with a robust design, pallets withstand the toughest environments for superior spill control. Durable, UV-protected *EcoPolyBlend™* polyethylene is nearly impervious to chemical attack from hazardous acids, caustics and solvents. Seamless construction eliminates leaks even if a 55-gallon (200 L) drum fails and completely empties its contents.

Fully compliant, *Justrite® EcoPolyBlend™* Pallets feature oversized leak proof sumps that meet or exceed regulations. Sturdy, removable grates are nearly 2 1/2" (64 mm) thick for superior crack resistance. Self-locating, they reduce the chance of grate "ride-up" and remove for quick sump inspection and cleaning.

2-drum and 4-drum square pallets include wide forklift pockets for easy relocation. Square pallet may be equipped with an optional ramp to facilitate loading and unloading of heavy drums.

Yellow = For high visibility or liquid segregation when desired; material content consist of virgin poly sumps with 100% recycled grates resulting in a total of 35% recycled content.

Black = Are made of 100% recycled material. Their dark color camouflage dirt and keeps workplaces looking clean.



SBA844

Drums Not Included



SBA848



SBA855 Shown
with Ramp SBA859



Yellow Model No.	Black Model No.	Description	Exterior Dimensions					Sump Cap. US Gallons	Load Bearing Cap.	Wt. lbs.	Price /Each
			W"	x	D"	x	H"				
WITHOUT DRAIN											
SBA997	SBA844	2-Drum, In-Line	49	x	25	x	15 1/2	66	2500	44	330.40
SBA853	SBA846	3-Drum, In-Line	73	x	25	x	11 5/8	75	3750	58	438.23
SBA857	SBA850	4-Drum, In-Line	97	x	25	x	9	75	5000	77	514.54
SBA855	SBA848	4-Drum, Square	49	x	49	x	10 1/4	72	5000	68	495.95
WITH DRAIN											
SBA852	SBA845	2-Drum, In-Line	49	x	25	x	15 1/2	66	2500	44	390.96
SBA854	SBA847	3-Drum, In-Line	73	x	25	x	11 5/8	75	3750	58	434.55
SBA858	SBA851	4-Drum, In-Line	97	x	25	x	9	75	5000	77	701.11
SBA856	SBA849	4-Drum, Square	49	x	49	x	10 1/4	72	5000	73	517.46
ACCESSORIES											
SBA859	-	Ramp for 4-Drum Square	49	x	33	x	10 1/2	-	1000	40	306.17
SBA860	-	2-Drum Replacement Grate	24	x	48	x	2 1/2	-	-	16	80.08

ECOPOLYBLEND™ ACCUMULATION CENTERS

THE ONLY SPILL PLATFORMS MADE FROM RECYCLED POLYETHYLENE!

Get reliable, high performance spill control and help reduce landfills by using recycled products. These economical, low profile secondary containment platforms are eco-friendly made of up to 100% recycled, post-industrial, durable polyethylene that might have otherwise been discarded into the waste stream.

Long lasting *EcoPolyBlend™* polyethylene is nearly impervious to chemicals, including acids and corrosives. Accumulation centres feature a seamless design to ensure any leaks or spills are captured in the sump, before they reach floor drains or create a slip hazard. Sturdy grates are nearly 2 1/2" (64 mm) thick for superior crack resistance. Self-locating, they reduce the chance of grate "ride-up" and remove for easy cleaning.

Modular centres offer the ability to create a customized system. As capacity needs increase, use optional joining clips to firmly lock units together and expand storage space. Sumps remain separate and clips can be removed for easy repositioning. In applications calling for a continuous sump, optional *Sump-to-Sump™* drain kit (includes joining clips and transfer tube), allows centers to be joined together on-site for full compliance to EPA and fire codes when combined sump capacities need to meet 66 gallons (250 L).

Optional companion ramp facilitates movement of heavy drums and features anti-skid ribs for maximum safety. It can be located anywhere on any 2-drum or larger centre.

Yellow = For high visibility or liquid segregation when desired; material content consist of virgin poly sumps with 100% recycled grates resulting in a total of 35% recycled content.

Black = Are made of 100% recycled material. Their dark colour camouflage dirt and keeps workplaces looking clean.



SBA866



SBA869 With
Ramp SBA871

Drums Not Included



SBA867



Yellow Model No.	Black Model No.	Description	Exterior Dimensions					Sump Cap. US Gallons	Load Bearing Cap.	Wt. lbs.	Price /Each
			W"	x	D"	x	H"				
SBA866	SBA861	1-Drum Unit	25	x	25	x	5 1/2	12	1250	17	185.23
SBA867	SBA862	2-Drum Unit	49	x	25	x	5 1/2	22	2400	40	216.89
SBA868	SBA863	4-Drum Unit	49	x	49	x	5 1/2	43	6000	69	393.44
SBA869	SBA864	6-Drum Unit	73	x	49	x	5 1/2	64	7000	93	600.24
SBA870	SBA865	8-Drum Unit	97	x	49	x	5 1/2	85	8000	185	879.34
SBA871	-	Ramp	48	x	33	x	6 1/4	-	1000	41	298.72

SPILL CONTROL MANAGEMENT

STEEL SPILL CONTAINMENT PALLETS

RUGGED STEEL PALLETS FOR INDUSTRIAL APPLICATIONS OFFER LONGEVITY
WITH 100% TESTED LEAK TIGHT SUMPS FOR COMPLIANT SPILL CONTROL

- Durable and corrosion resistant
- 100% tested leak tight sump, fully compliant
- Constructed of 11-gauge hot rolled steel and strengthened with formed edging
- Provide excellent chemical resistance and durability
- Generous sump capacities are fully compliant
- Safely stores hazardous and flammable liquids to protect the environments
- Protect workers and the environment from hazardous leaks or spills
- Sturdy, galvanised steel bar grating keeps drums out of overflow
- Removable grating for convenient sump inspection and easy cleaning
- Sump is nestable for storage and transport to save space during shipping
- Large forklift pockets (8 3/8" W x 3 7/8" H) in front and back makes relocation easy
- Available in two finishes: environmentally friendly, tough powder coat paint in blue; or steel, hot-dipped galvanised after fabrication, for greater protection against rust and corrosion
- Meets EPA 40 CFR 264.175
- Meets NFPA 1 the *Uniform Fire Code* 60.3.2.10
- Meets International Fire Code 2704.2.3
- Spill Prevention, Control and Countermeasures (SPCC) Compliant



Drums Not Included



Model No.	Mfg. No.	Description	Colour	Sump Capacity (Gal.)	Load Bearing Capacity (lbs.)	W"	Nominal Outside Dim.			Approval/Lstg Regulation	Weight (lbs.)	Price /Each
							x	D"	x	H"		
SAS578	28610	2-Drum	Blue	72	1200	47 1/4	x	31 1/2	x	16 5/16	165	877.77
SAS579	28611	2-Drum	Galvanised	72	1200	47 1/4	x	31 1/2	x	16 5/16	165	905.46
SAS580	28612	4-Drum In Line	Blue	102	2400	94 1/8	x	31 1/2	x	13 1/16	305	1320.81
SAS581	28613	4-Drum In Line	Galvanised	102	2400	94 1/8	x	31 1/2	x	13 1/16	305	1359.58
SAS582	28614	4-Drum Square	Blue	77	2400	47 1/4	x	47 1/4	x	13 1/16	215	1176.83
SAS583	28615	4-Drum Square	Galvanised	77	2400	47 1/4	x	47 1/4	x	13 1/16	215	1210.06

ZENITH®
Safety Products

We guarantee your safety!

POLY-SAFETYPACK®

SAFE, SECURE TWO-DRUM STORAGE!

- Tough, indoor or outdoor performer protects two 55 US gallon drums
- Hinged, gull-wing covers provides convenient, safe access for decanting and removal of drums
- 100% polyethylene has excellent resistance to chemicals as well as weather
- Security locks are included to secure the covers and contents
- Removable polyethylene grating 48" x 24" x 1 3/4"
- Translucent yellow sidewalls allow visual leak detection without removing lids
- Easily handles by forklift or pallet jack from two sides
- For easier mobility, use the *Poly-Safetypack*® caster frame assembly **SE565**
- 130 US gallon sump capacity
- **Exterior Dimensions:** 60 1/4" L x 36 1/2" W x 45 3/4" H
- **Interior Dimensions:** 52" L x 26 1/2" W x 37" H



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SB757	2038-YE	<i>Poly-Safetypack</i> ®	103	1054.90
SR415	2038-YE-D	<i>Poly-Safetypack</i> ® w/Drain	103	1079.72
SE565	2200-BK	<i>Poly-Safetypack</i> ® Caster Frame	37	484.01



HAZARD HUT®

THE SOLUTION TO YOUR INDOOR STORAGE PROBLEM IS OUTDOOR CONTAINMENT!

- One-piece moulded 100% polyethylene construction so there are no joints or seams to leak
- Moulded-in side vents reduce fumes and condensation inside
- Removable interior decking makes it easy to clean
- 72 US gallon sump capacity ensures leak and spill containment
- Double doors provide easy access for up to four 55 US gallon drums
- Double-wall construction and heavy-duty hinges and lock latches keep contents secure
- Four-way forklift entry design
- Loading the *Hazard Hut*® is easy with the *Hazard Hut*® Poly Ramp
- Door Opening: 41 1/2" W x 48 1/2" D

HAZARD HUT® POLY-RAMP

- Integrally moulded handles
- 5" polyolefin wheels
- 10° slope allows for easy loading
- Ribbed, non-skid surface
- 100% polyethylene



Model No.	Mfg. No.	Description	Exterior Dimensions					Load Bearing Cap. lbs.	Wt. lbs.	Price /Each
			L"	x	W"	x	H"			
SB758	4000-YE	Hazard Hut®	63 1/2	x	67	x	71 1/2	4000	269	2469.70
SB759	4001-BK	Poly-Ramp	115	x	31	x	16 1/2	100	154	856.33



JOB HUT™

OUTDOOR STORAGE HAS NEVER BEEN SO PRACTICAL... OR SO AFFORDABLE!

- Constructed of tough 100% polyethylene
- Won't rust or corrode
- Moulded-in vents to reduce fumes and condensation inside
- Heavy-duty double-walled doors and lock keep contents secure
- Tie down feature for secure anchorage
- Eight 55 US gallon drums capacity
- Load bearing capacity of 8000 lbs.
- 72 US gallon maximum sump capacity (to top of grate) that eliminates the risk of spills or leaks
- Structural foam grates remove for easy cleaning
- Low profile design allows for easy access
- Forkliftable from all sides for effortless handling
- *Job Hut*™ meets EPA regulation 40 CFR 264.175, is not fire rated
- Multi-purpose work ramp attaches to the *Job Hut*™ in seconds

MULTI-PURPOSE WORK RAMP

Lightweight and easy to handle!

- Featuring a 10° non-skid slope facilitates loading drums quickly and safely
- Load bearing capacity of 1000 lbs.



Extra-wide doorway allows for easy forklift entry

Drums not included



Model No.	Mfg. No.	Description	L"	x	W"	x	H"	Wt. lbs.	Price /Each
SE563	4010-YE	Job Hut™	90	x	60 1/2	x	93 (ext.)	480	4887.27
			70	x	51	x	82 (int.)		
SAQ187	5111-BK	Ramp	25 1/2	x	48	x	6 1/4	30	285.44

SPILL CONTROL MANAGEMENT

POLY-SAFETY PACK® PLUS

- Inside height of 54 1/4"
- Allows the lids to be closed with the pumps in place
- Optional drain
- **Exterior dimensions:** 60 1/2" L x 36 1/2" W x 63 1/4" H
- **Interior dimensions:** 51 1/4" L x 26 1/4" W x 54 1/4" H
- 264 US gallon sump capacity

Equipment
Not Included



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SR416	2077-YE	Poly-Safety Pack® Plus	137	1228.64
SR417	2077-YE-D	Poly-Safety Pack® Plus w/Drain	137	1241.05

DRUM HARDCOVER & SPILLPALLET™ SYSTEMS

- Ideal for indoor/outdoor storage of 55 US gallon drums
- Roll-top design allows it to be used in limited space or next to buildings where swing-open doors would be a problem
- Top or front loadable
- *Poly-Ramp™* available to assist in the loading of drums
- Optional drain



Drums Not
Included




SI740
4-Drum System
with Optional Ramp

2-DRUM HARDCOVER & SPILLPALLET™

- Holds up to two 55 US gallon drums
- Used in conjunction with the *Poly-Spillpallet™* 2000
- Load bearing capacity of 2000 lbs.
- Sump capacity of 58 US gallons
- Ramp extender to accommodate 17" high pallets

SI743
2-Drum System

Model No.	Mfg. No.	Description		Ext. Dimensions					Wt. lbs.	Price /Each
				L"	x	W"	x	H"		
2-DRUM SYSTEM										
SI743	4062-YE	Hardcover and <i>Spillpallet™</i>	60	x	37	x	72	210	1253.46	
SI744	4062-YE-D	Hardcover and <i>Spillpallet™</i> w/Drain	60	x	37	x	72	210	1290.70	
SC548	5253-YE	<i>Poly-Spillpallet™</i> 2000	53 1/2	x	29	x	17	55	349.98	
SC547	5253-YE-D	<i>Poly-Spillpallet™</i> 2000 w/Drain	53 1/2	x	29	x	17	55	387.21	
SAQ186	5039-BK	<i>Poly-Ramp™</i>	67	x	30 1/2	x	12 3/4	65	382.24	
SI746	5038-BK	Ramp Extender	29 1/2	x	8 1/2	x	6 1/2	6	106.73	
4-DRUM SYSTEM										
SI740	4064-YE	Hardcover and <i>Spillpallet™</i>	65	x	58	x	69	269	1608.40	
SI741	4064-YE-D	Hardcover and <i>Spillpallet™</i> w/Drain	65	x	58	x	69	269	1645.64	
SE408	5400-YE	<i>Poly-Slim Line™</i> 6000 Pallet	54	x	54	x	12	91	421.96	
SE409	5400-YE-D	<i>Poly-Slim Line™</i> 6000 w/Drain	54	x	54	x	12	91	459.19	
SAQ186	5039-BK	<i>Poly-Ramp™</i>	67	x	30 1/2	x	12 3/4	65	382.24	

IBC 2000i™

INTERMEDIATE BULK CONTAINMENT MADE EASY!

Integrated IBC 2000i™ gives intermediate bulk container users more versatile spill containment. It fits more than 99% of all IBC dispensing units and features a large sump capacity of 385 US gallons, exceeding EPA 40 CFR 264.175 regulations. The unit also comes with an integrated 5-gallon pail holder for quick and easy dispensing.

- One-piece, lightweight, 100% polyethylene
- Forkliftable and nestable
- Will not rust or corrode or have adverse reactions with chemicals
- Optional drain available
- Sump capacity: 385 US gallons
- **Exterior dimensions:** 72" L x 80" W x 29" H
- **Pedestal dimensions:** 55" L x 55 1/2" W x 29" H



IBC Dispensing Unit
Not Included



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SR446	5469-YE	IBC 2000i™	291	1898.81
SR685	5469-YE-D	IBC 2000i™ w/Drain	291	1936.04

SPILL CONTROL MANAGEMENT

PROWLER POOL™

- Made of high-density polyethylene and a low-density coating
- Offers excellent resistance to the widest range of chemicals, acids, leaded and unleaded gasoline, diesel fuels and other hazardous materials
- Resistant to cold temperatures, as low as minus 65°F, as well as abrasion, punctures and ultraviolet rays
- Lightweight; half the weight of comparably sized PVC pools while offering double the strength



Model No.	Mfg. No.	Base"	Dimensions x Top"	x Height"	Sump Cap. US Gallons	Price /Each
SAQ189	5920-YE	28 Dia.	x 18 Dia.	x 13	20	106.73
SAQ190	5966-YE	48 Dia.	x 36 Dia.	x 13	66	151.41
SAQ191	5900-YE	48 Dia.	x 32 Dia.	x 18	100	161.34
SAQ192	5950-YE	60 Dia.	x 44 Dia.	x 18	150	173.75

DRIPILLOW BERM™

Have a small leak or spill? *Dripillow Berm™* comes in four convenient sizes to capture small leaks and drips, and with its stable weighted base, it will not tip or splash in windy conditions. Eliminates nuisance drips under vehicles, hydraulic lines, or equipment.

- Grommets in the corners provide attachment points
- Fold for easy carrying
- Replaceable UV protected pad available
- Available in OD green upon request



Model No.	Mfg. No.	Description	Exterior Dim. L" x W" x H"	Cap. US Gal.	Wt. lbs.	Price /Each
SAH552	5650-YE	w/Pad - Small	22 x 22 x 3	1	7	67.02
SAH553	5660-YE	w/Pad - Medium	24 x 36 x 3	2	9	81.91
SAH554	5670-YE	w/Pad - Large	24 x 54 x 3	3	11	114.18
SAH555	5680-YE	w/Pad - X-Large	38 x 42 x 3	4	9	156.37

ECONO SPILL SHELLS

- 5" sidewall allows for more sump space
- Diamond center pulls spills away from the drums
- Drip parameter retains liquids for cleaner sump area



Model No.	Mfg. No.	Dimensions L" x W" x H"	Capacity US Gal.	Price /Each
SEC889	5002-BK	45 x 35 x 5	21.5	198.57
SEC890	5004-BK	51 x 47 x 5	36	235.80

STINGER YELLOW JACKET™

LIGHTWEIGHT, PORTABLE PALLET CAN BE CARRIED ANYWHERE TO PREVENT SPILLS FROM OCCURRING!

- Made of vinyl coated polyester
- Chemical-resistant, stands up to corrosive battery acid, and is a great addition to any spill kit
- Unique snap-up support strips create a sturdy sidewall when unit is opened
- Optional removable polyethylene grates for easy access to the sump (SE553)
- Grates helps you comply with EPA 40 CFR 264.175 when used with a pallet



Model No.	Mfg. No.	Dimensions L" x W" x H"	Cap. US Gal.	Wt. lbs.	Price /Each
SE472	5700-YE	48 x 48 x 8	80	15	565.92
SE473	5710-YE	48 x 72 x 8	120	18	625.49
SE474	5720-YE	48 x 96 x 8	160	28	732.22
SE475	5730-YE	96 x 96 x 8	320	31	1032.56
SE476	5740-YE	96 x 120 x 8	400	38	1141.77
REMOVABLE GRATE					
SE553	7006-BK	48 x 23 x 1 3/4	-	18	62.05

Note: Interior dimensions for grates are 12" less than the exterior length and width.

SPILL CONTROL MANAGEMENT

STINGER BERM™

Large-scale spill containment has met its match with *Stinger Berm™*. Flexible sidewalls and easy-to-assemble design allows immediate response for industrial, government, construction, transportation and emergency response applications.

- Designed for quick set up and compact fold-up, storage and transport
- Feature excellent rip, tear and puncture resistance for the most demanding application or terrain
- Sidewalls fold down for easy drive-in and drive-out
- Chemical and abuse resistance
- Custom colours and sizes available



Model No.	Mfg. No.	Exterior Dimensions					Sump Cap. US Gallons	Wt. lbs.	Price /Each
		L'	x	W'	x	H'			
SAF806	4804-BK-SU	4	x	6	x	1	179	28	915.90
SAF807	4806-BK-SU	6	x	6	x	1	269	36	1107.02
SAF808	4810-BK-SU	10	x	10	x	1	748	60	1831.79
SAF809	4820-BK-SU	10	x	26	x	1	2333	112	3005.83
SAF810	4836-BK-SU	12	x	36	x	1	3410	156	4341.20

Tracmats™ and ground pads are available in any size/dimensions to match any style berm.

STINGER SNAP-FOAM BERM™



- One time set-up and then continual drive in and drive out capability
- Foam sidewall system consists of urethane (fed. Spec. PPP-C-1752D, Type 1, Class 1, Grade A)
- Foam end caps from 2-way air-relief system to snap end walls back automatically to their upright position
- High fuel/chemical resistant containment area
- Replacement sidewall stays, instant fabric field repair
- Custom sizes available for your convenience

Shown with *Tracmat™* (Sold Separately)



Model No.	Mfg. No.	Exterior Dimensions					Sump Cap. US Gallons	Wt. lbs.	Price /Each
		L'	x	W'	x	H'			
SAP046	4820-BK-SF	10	x	26	x	1	1944	142	3457.57
SAP047	4836-BK-SF	12	x	36	x	1	2231	170	5090.80
SAP048	4854-BK-SF	14	x	54	x	1	5654	252	7039.25

Tracmats™ and ground pads are available in any size/dimensions to match any style berm.

BERM ACCESSORIES

TRACMAT™

- Placed inside the berm, allowing trucks to drive in and out while protecting the berm from punctures and tears
- Available in sizes and dimensions to match any style *Stinger Berm™*



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SEC894	4804-TM	For 4' x 6' Berm	14	215.94
SEC895	4806-TM	For 6' x 6' Berm	22	215.94
SEC898	4812-TM	For 12' x 12' Berm	60	354.94
SEC902	4850-TM	For 15' x 50' Berm	200	1288.21
SEC903	4854-TM	For 14' x 54' Berm	220	1310.55

GROUND PADS

- Protects berms from truck wheels or rough terrain
- Prevents underside punctures from sharp objects when placed directly underneath the berm



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SEC912	4804-GP	For 4' x 6' Berm	14	89.36
SEC913	4806-GP	For 6' x 6' Berm	22	114.18
SEC914	4808-GP	For 8' x 10' Berm	40	270.55
SEC916	4812-GP	For 12' x 12' Berm	56	364.87
SEC920	4850-GP	For 15' x 50' Berm	192	1275.80
SEC921	4854-GP	For 14' x 54' Berm	124	1397.43

STORAGE & TRANSPORT BAGS

- Heavy-duty chemically resistant bag for ease in maneuverability and storage



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SEC906	4810-BAG	For SAF808	5	409.55
SEC908	4820-BAG	For SAP046 and SAF809	7	459.19
SEC909	4836-BAG	For SAP047 and SAF810	21	484.01
SEC910	4854-BAG	For SAP048	7	508.83

DELUXE BERM REPAIR KITS

Contents:

- 1 Leister professional heat gun
- 1 XR material 1 sq. yd. (black)
- 1 PVC material 1 sq. yd. (yellow)
- 4 Replacement berm stays
- 5 Peel and stick berm patches
- 1 Rubber brayer roller
- 1 Cutting knife
- 1 Locking tool box



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SEC892	48-BRK-DLX-12	For Berm with 12" Side Walls	15	1861.58
SEC893	48-BRK-DLX-8	For Berm with 8" Side Walls	15	1861.58

STANDARD BERM REPAIR KITS

Contents:

- 4 Peel and stick sheets (8" x 11")



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SEC891	48-BRK	Four 8" x 11" Peel and Stick Sheets	1	47.16

SPILL CONTROL MANAGEMENT

BAZOOKA™

- Water will continually drain through the filter, but in case of a spill within the berm, when an organic substance is detected, the *Imbiber Bead*® technology takes over (colour change), and the flow is completely shut off
- This automated shut off system allows water drainage of containment berm applications
- Utilises an innovative system for detection of Class I and II organics such as diesel fuel
- Trickle filter allows water flow rate of 20 gallons per hour
- Optional kit contains all you need for an easy field installation



SAR417



SAR418



Model No.	Mfg. No.	Description	Price /Each
SAR417	BAZOOKA	Trickle Filter w/Automatic Shutoff	757.04
SAR418	BAZOOKA-12KIT	Bazooka™ & Installation Kit	893.56

IMBIBER BEADS® IMBICATOR®

Imbiber Beads® Imbicator® are the ONLY color-change-indicating product on the market. They change from white, to pink, to red... as the concentration of organic liquid increases. And they're unaffected by water!

- Capture and contain a broad range of liquids and hazardous chemicals
- Eliminate "Free Liquids", up to 99% vapor reduction
- Estimated 600% reduction rate of volatile vapor (over polypropylene)
- Color-changing technology indicates full absorption



Priced per Package

Model No.	Mfg. No.	Size L" x W"	Absorption Cap/Pkg. Gallon	Qty /Package	Wt. lbs.	Price /Each
SEC936	ENP-IE0077	7 x 7	6.75	30	9	285.44
SEC937	ENP-IE1421	12 x 21	6.75	5	7	260.62
SEC938	ENP-IE2135	21 x 35	8	2	8	260.62




RMP-ECO® cleaning products are the Green solution to industrial cleaning. All RMP-ECO® products are EcoLogo™ certified. RMP-ECO® is safe for you and the environment.



R30775E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

EMERGENCY EYEWASHES & SHOWERS

A GUIDE TO EMERGENCY EYEWASH & SHOWER EQUIPMENT

Emergency showers, eyewashes and tepid water delivery systems are required to provide emergency treatment in preventing permanent eye and skin damage from accidental exposure to chemicals, biohazards or airborne debris.

In the absence of a uniquely Canadian standard for the design and placement of emergency eyewash and shower equipment, provincial authorities in all jurisdictions in Canada refer to the ANSI Z358.1-2009 standard for recommendations and enforcement regarding emergency eyewash and shower requirements. We offer a comprehensive range of products and services to help comply with ANSI emergency shower and eyewash guidelines including site audits of existing or future installations to ensure compliance.

Emergency drenching fixtures must be readily accessible for use in manufacturing, laboratories, refineries, mines, construction sites and wherever workers may be accidentally splashed or sprayed with injurious solvents, acids, harmful particulates and, in some cases, biological hazards.



SEE PAGE 482 FOR
MORE INFORMATION
ON TEPID WATER
DELIVERY SYSTEMS



Safety flushing devices are not a substitute for primary personal protective devices such as proper eyewear and clothing. Chemical MSDS' dictate proper first aid measures in case of accidental exposures.



THE COMPLETE ANSI STANDARD IS AVAILABLE FROM:
International Safety Equipment Association
1901 North Moore Street, Ste 808
Arlington, VA 22209
USA

EMERGENCY EYEWASHES & SHOWERS

KEY REQUIREMENTS FROM THE ANSI STANDARD Z358.1-2009 INCLUDE:

- Device must be positioned within 10 seconds (55') from hazard
- Device must be activated with one motion in one second or less
- Device must be capable of delivering minimum flow of flushing fluid for at least 15 minutes*
- Device must provide "tepid" water (16-38°C, 60-100°F)
- Device must be activated weekly to remove dust/debris
- There must be no obstruction in the pathway to the device
- The water supply uninterrupted at the valve
- Device must be identified with highly visible signage
- Device must be well lighted
- Device must be fully inspected annually

* Because of the limited quantity of fluid they contain, supplemental eyewash devices alone (such as bottled eyewash) cannot meet the 15 minute flushing requirements in the ANSI standard. These should be used for initial first aid only to treat a patient during the path to certified eyewash. You should never substitute a fully compliant eyewash station with supplemental devices.



Depending on site conditions and severity of the hazard, emergency eyewash and shower devices are found in various forms including:

- Plumbed-In
- Enclosed Safety Showers
- Portable
- Laboratory
- Tempering Systems
- Supplemental Devices

Bradley 



R32030E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

EMERGENCY EYEWASHES & SHOWERS

PLUMBED-IN EYEWASH STATIONS & SHOWERS are designed to direct a fixed water source to eyes, face or body in emergencies. Wall mount or pedestal-mounted eyewashes and eye/face washes should be located nearest the point of need but no more than 10 seconds (55') from the hazard.

HALO™ WALL MOUNT EYEWASH STATIONS

- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coating for easy visual identification in an emergency
- *Aquaduct™* self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provide industry leading 85% facial coverage
- Activate by push handle or by lifting dust cover
- Optional see-through dust cover (shown) makes inspection simple and keeps device free of debris and ready for use
- Stainless steel models are ideal for corrosive, high abuse environments
- Wheelchair accessible
- Arrives fully assembled
- ULC certified to ANSI standard Z358.1-2009

IMPORTANT:

Regulations require tepid water (18-37°C). See page 482 for water tempering devices



SEB795



SEB798



Model No.	Mfg. No.	Bowl	Dust Cover Included	Price /Each
EYEWASHES				
SEB793	S19-224EW	Plastic	-	265.08
SEB794	S19-224PDC	Plastic	Plastic	367.94
SEB795	S19-224B	Stainless Steel	-	384.74
SEB796	S19-224DC	Stainless Steel	Stainless Steel	678.52
EYE/FACE WASHES				
SEB797	S19-224FW	Plastic	-	333.32
SEB798	S19-224PCFW	Plastic	Plastic	436.18
SEB799	S19-224T	Stainless Steel	-	453.00
SEB800	S19-224DCFW	Stainless Steel	Stainless Steel	746.76

WALL-MOUNT AXION MSR™ EYE/FACE WASH STATIONS

- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Wall mounts with an aluminum bracket
- 11" diameter bowl
- Mesh strainer collects debris
- Durable stainless steel ball valve
- Certified by CSA to meet the ANSI standard Z358.1-2009



SEB239



SEB240



Model No.	Mfg. No.	Description	Price /Each
EYE/FACE WASHES			
SEB239	7260B-7270B	ABS Plastic Bowl	345.38
SEB240	7360B-7460B	Stainless Steel Bowl	413.32
ACCESSORIES			
SEB264	9102	Dust Cover	266.11

COMBINATION SERVICE SINK FAUCET & EYEWASH STATIONS

- Service sink faucet with attached eyewash/drench hose
- Squeeze valve activation with automatic stay open device
- Two spray outlets with flip-top dust caps
- Allows both units to operate independently from one another
- Compliant with ANSI standard Z358.1-2009 when installed with a thermostatic mixing valve
- Thermostatic mixing valve sold separately

Model No. SAY103
Mfg. No. SEF-9000
Price/Each \$731.36

SPEAKMAN®



WALL-MOUNT AXION MSR™ EYE/FACE WASH STATIONS

- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- No bowl, floor drain recommended
- Wall mounts with an ABS plastic wall bracket
- Durable stainless steel ball valve
- Certified by CSA to meet the ANSI standard Z358.1-2009

Model No. SEB241
Mfg. No. 7324
Price/Each \$356.70



HALO™ PEDESTAL MOUNT EYEWASH STATIONS

- Pedestal safety eyewash fixtures are ideal where wall mount is not practical, and allow placement closest to point-of-need
- Features antimicrobial protection, integral strainers, and rugged powder coat safety-yellow coating for easy visual identification in an emergency
- Aquaduct™ self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provides industry leading 85% facial coverage
- Activate by push handle or by lifting dust cover
- Optional see-through dust cover (shown) makes inspection simple and keeps device free of debris and ready for use
- Stainless steel models are ideal for corrosive, high abuse environments
- Arrives fully assembled
- Wheelchair accessible
- ULC certified to ANSI standard Z358.1-2009

IMPORTANT: Regulations require tepid water (18-37°C).
See page 482 for water tempering devices



Model No.	Mfg. No.	Bowl	Dust Cover Included	Price /Each
EYEWASH				
SEB785	S19-214EW	Plastic	-	344.20
SEB786	S19-214PDC	Plastic	Plastic	447.08
SEB787	S19-214-B	Stainless Steel	-	463.88
SEB788	S19-214DC	Stainless Steel	Stainless Steel	757.64
EYE/FACE WASH				
SEB789	S19-214FW	Plastic	-	412.46
SEB790	S19-214PDCFW	Plastic	Plastic	514.32
SEB791	S19-214Y	Stainless Steel	-	532.12
SEB792	S19-214DCFW	Stainless Steel	Stainless Steel	825.90



SEB787



SEB790

AXION MSRT™ PEDESTAL EYE/FACE WASH STATIONS

- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- 11" diameter bowl
- Galvanized stanchion for long life
- Mesh strainer collects debris
- Durable stainless steel ball valve
- Certified by CSA to meet the ANSI standard Z358.1-2009



Model No.	Mfg. No.	Description	Price /Each
EYE/FACE WASH			
SEB242	7261-7271	ABS Plastic Bowl	475.60
SEB243	7361-7461	Stainless Steel Bowl	588.84
ACCESSORIES			
SEB264	9102	Dust Cover	266.11



SEB242



SEB243

EMERGENCY EYEWASHES & SHOWERS

COMBINATION SHOWER & EYEWASH FIXTURES pair-up eyewash with emergency showers when the MSDS calls for both eye and skin irrigation. To accommodate various site conditions, combination units provide several options including: Stainless components, PVC, foot-treadle operation, anti-scald or anti-freeze valves and freeze-protected heat trace units.

HALO™ COMBINATION EMERGENCY SHOWER & EYEWASH STATIONS

- Combine Halo™ eyewash technology with SpinTec™ shower features for high performance safety installations
- SpinTec™ showers yield superior fluid distribution
- Durable ABS plastic showerhead
- Compact profile means less in-plant damage
- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coating for easy visual identification in an emergency
- Aquaduct™ self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provides industry leading 85% facial coverage
- Activate by push handle or by lifting dust cover
- Eyewash models feature unique flip open dust caps
- Optional see-through dust cover (shown) makes inspection simple and keeps device free of debris and ready for use
- Stainless steel models are ideal for corrosive, high abuse environments
- Arrives fully assembled
- ULC certified to ANSI standard Z358.1-2009

IMPORTANT: Regulations require tepid water (18-37°C). See page 482 for water tempering devices



Model No.	Mfg. No.	Bowl	Dust Cover Included	Special Features	Price /Each
EYEWASH					
SEB801	S19-314EW	Plastic	-	-	842.70
SEB802	S19-314P	Plastic	-	Drench Hose	1082.06
SEB803	S19-314PDC	Plastic	Plastic	-	945.56
SEB804	S19-314SB	Stainless Steel	-	-	962.38
SEB805	S19-314DC	Stainless Steel	Stainless Steel	-	1256.14
EYE/FACE WASH					
SEB806	S19-314FW	Plastic	-	-	910.94
SEB807	S19-314PDCFW	Plastic	Plastic	-	1013.82
SEB808	S19-314SBFW	Stainless Steel	-	-	1030.64
SEB810	S19-314DCFW	Stainless Steel	Stainless Steel	-	1324.38
SEB813	S19-314BF	Stainless Steel	-	Wheelchair Accessible	1082.06



COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- Hydrodynamic shower design produces equal flow distribution
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- 11" diameter green ABS plastic bowl
- Galvanized stanchion for long life
- Mesh strainer collects debris
- Durable stainless steel ball valve
- Certified by CSA to meet the ANSI standard Z358.1-2009

DUST COVERS

- Stainless steel dust cover assembly can be used with most 11" diameter stainless steel or plastic bowls
- Protects the unit against airborne contaminants

Model No.	Mfg. No.	Description	Price /Each
SEB257	8320-8325	Combination Shower and Eye/Face Wash	1036.14
SEB264	9102	Dust Cover	266.11



EMERGENCY EYEWASHES & SHOWERS

HORIZONTAL & VERTICAL SUPPLY EMERGENCY SHOWER STATIONS

- Designed for wall (horizontal) or ceiling (vertical) mounting
- SpinTec™* showerhead improves water distribution
- Activated with stainless steel pull rod and 1" IPS chrome-plated brass stay-open ball valve
- Constructed with 1" galvanized steel pipe, coated with safety-yellow *Bradtech™* polyurethane to prevent corrosion
- Water supply: 1" IPS (female)
- Includes safety sign and inspection tag
- SEI certified to ANSI standard Z358.1-2009



SA414



Model No.	Mfg. No.	Shower Head	Price /Each
HORIZONTAL SUPPLY			
SA414	S19-120	Plastic	226.58
SAK644	S19-120A	Stainless Steel	291.33
VERTICAL SUPPLY			
SA416	S19-130	Plastic	223.89
SAK645	S19-130A	Stainless Steel	289.53

FLUSH-MOUNTED EMERGENCY SHOWER STATIONS WITH HORIZONTAL SUPPLY

- Integral flange mounts flush with ceiling
- Concealed pipe and fittings
- Exceed minimum water flow of 20 GPM at 30 PSI
- Universal identification sign and inspection tag included
- SEI certified to ANSI standard Z358.1-2009

Model No. SAR320
Mfg. No. S19-120FM
Price/Each \$411.82



CORROSION RESISTANT COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- SpinTec™* showerhead activated by a stainless steel pull rod and 1" IPS chrome-plated stay-open ball valve
- Impact-resistant plastic eyewash bowl with twin plastic spray heads
- Activated by a PVC push handle and 1/2" NPT stainless steel stay-open valve
- Fittings are all stainless steel
- 2" schedule 80 PVC pipe and floor flange withstands highly corrosive environments including chlorine
- SEI certified to ANSI standard Z358.1-2009




SAK638



Model No.	Mfg. No.	Description	Price /Each
SAK638	S19-310PVC	Combination Shower and Eye/Face Wash	1560.04
SR377	S53-063	Replacement Dust Caps (sold per each)	12.17

HEAT-TRACED COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- Intended for use in areas where temperatures fall below freezing
- Heat trace cable protects unit from freezing down to -50°F
- Unit is encased in highly-visible yellow ABS removable plastic shell that resists chemicals and other harsh environmental conditions
- SpinTec™* showerhead improves water distribution
- shower activated by a stainless steel pull rod and 1/2" IPS chrome-plated stay-open ball valve
- Eye/face wash is activated by a large, highly visible push handle
- Twin-perforated disc eye/face wash heads with pop-off dust caps to protect spray heads from debris
- Includes universal identification sign and inspection tag
- SEI certified to ANSI standard Z358.1-2009



SAK640



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
120 VOLTS				
SAK640	S19-300D2T1AEFW	Top Water Supply	110	4048.05
SAK641	S19-300D2B1AEFW	Bottom Water Supply	110	4048.05
220 VOLTS				
SAK642	S19-300D2T2AEFW	Top Water Supply	110	4048.05
SAK643	S19-300D2B2AEFW	Bottom Water Supply	110	4048.05

HEAT-TRACED COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATIONS

- Hydrodynamic shower design produces equal flow distribution
- 120 VAC cable-heated
- Perfect for extreme weather conditions dropping down to -30°F
- Solid stainless steel pipe stanchion and galvanized fittings offer durability and corrosive-resistance
- Universal design allows for top or bottom water supply
- Unit is pre-built and fully water/pressure tested to reduce installation time
- Certified by CSA to meet the ANSI standard Z358.1-2009

Model No. SEB261
Mfg. No. 8317CTEP
Price/Each \$4710.75



Call us for all your



Safety Equipment & Supplies requirements!

R32701E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

479

EMERGENCY EYEWASHES & SHOWERS

LABORATORY, FAUCET-MOUNTED & SWING-AWAY EYEWASH & SHOWER FIXTURES are uniquely designed for indoor environments where space is at a premium, including healthcare, university, and the QC lab. Product solutions include swing-activated units, faucet-mounted eyewash stations, and combination fixtures; all designed to provide the safest possible lab environment.

BARRIER-FREE WALL-MOUNTED EYE/FACE WASH STATIONS

- Barrier-free accessibility
- Design saves space and fits easily into any work environment
- Stainless steel eyewash 10" diameter bowl and wraparound skirt
- Operates quickly by a stainless steel push handle
- Chrome-plated brass spray head assembly
- Chrome-plated brass 1/2" IPS stay-open ball valve
- 2" chrome-plated brass pipe and fittings, 1/2" IPS water supply, 1 1/4" waste drain fitting
- Universal identification sign and inspection tag included
- SEI certified to ANSI standard Z358.1-2009

Model No. SAR317
Mfg. No. S19-220BF
Price/Each \$870.40



BARRIER FREE RECESS-MOUNTED EMERGENCY SHOWER STATIONS

- Designed to accommodate areas where space considerations are a concern
- Push-down handle for quick and easy activation
- Exceeds minimum water flow of 20 GPM at 30 PSI
- Universal Identification Sign and Inspection Tag Included
- SEI certified to ANSI standard Z358.1-2009

Model No. SAR321
Mfg. No. S19-125BF
Price/Each \$614.13



BARRIER FREE CONCEALED CABINET EYEWASH STATIONS

- Saves space and fits easily into any work environment
- Activated with opening of stainless steel door
- Waste water collected back into the cabinet's internal drain
- Chrome-plated brass pipe and fittings
- Designed to mount between 2 x 4 wall studs 16" on centers
- Universal identification sign and inspection tag included
- SEI certified to ANSI standard Z358.1-2009

Model No. SAR316
Mfg. No. S19-282
Price/Each \$1630.20



LABORATORY EYE/FACE WASH STATIONS

- Heavy gauge corrosion-resistant stainless steel 12 7/8" diameter bowl
- Bowl flush mounts
- Deck/counter mount
- Activated by push-down handle
- 1/2" IPS chrome plated stay open ball valve
- Twin spray heads with integral flow control
- Chrome-plated brass pipe, 1/2" water supply, 1 1/4" waste drain
- Replacement caps sold per each, two required per eye/face wash
- SEI certified to ANSI standard Z358.1-2009




Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SA439	S19-260	Eye/Face Wash	12	580.87
REPLACEMENT DUST CAPS				
SR377	S53-063	Eye/Face Wash	-	12.17

FAUCET-MOUNT EYEWASH STATIONS

- Cost effective solution for applications with an existing faucet
- Mounts to standard or gooseneck type faucets
- Twin spray heads include a flow control and pop-off dust covers
- One-step activation
- Activated by an actuator pin on adapter when pin is in closed position, faucet can be used for normal operation
- Includes a safety sign and inspection tag
- Weight: 1 lb.
- SEI certified to ANSI standard Z358.1-2009

Model No. SAK621
Mfg. No. S19-200B
Price/Each \$70.13



Faucet not included



SWING-ACTIVATED EYEWASH STATIONS

- Swing-activated eye and eye/face wash stations mount to a counter or a wall
- Swing-over unit mounts to a counter only
- 90° swivel activates eyewash over sink to begin flow of water to cleanse eyes
- Stows neatly to side of sink when not in use to save space
- Twin spray heads include a flow control and pop-off dust covers
- Include a safety sign and inspection tag
- SEI certified to ANSI standard Z358.1-2009

SAK622



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
EYEWASH				
SAK622	S19-270C	Counter-Mounted, Swing Over	5	298.51
SAK623	S19-270HD	Counter-Mounted, Swing Down	5	455.89
SAK624	S19-270HW	Wall-Mounted, Swing Down	5	455.89
EYE/FACE WASH				
SAK625	S19-270E	Counter-Mounted, Swing Over	5	326.40
SAK626	S19-270JD	Counter-Mounted, Swing Down	5	483.75
SAK627	S19-270JW	Wall-Mounted, Swing Down	5	483.75

SWING-AWAY SINK-MOUNTED EYE/FACE WASH STATIONS

- Single-action swing-away eye/face wash stations can be mounted on left or right side of sink to better fit numerous locations
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Dust cover protects the unit from debris when not in use
- Certified by CSA to meet ANSI standard Z358.1-2009

Model No. SEB252
Mfg. No. 7611
Price/Each \$486.93



axion™
 by HAWS



PULL-DOWN SINK-MOUNTED EYE/FACE WASH STATIONS

- Barrier-free pull down eye/face wash can be mounted to a sink or deck
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Extended-length pull down arms are designed to accommodate wheelchair access
- Rear mount design allows the sink to remain open to other uses
- Certified by CSA to meet ANSI standard Z358.1-2009

Model No. SEB251
Mfg. No. 7610
Price/Each \$645.46



axion™
 by HAWS

EYEPOD™ EYEWASH STATIONS

- Faucet-mounted eyewash in an attractive, low-cost, compact package
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Sleek, smooth, stainless steel exterior blends with any décor
- Includes a variety of industry-standard adapters, making installation a snap
- Easy to use and clean, the Eyepod™ activates with just a quick rotation
- Features a built-in thermostatically safe valve that automatically shuts off eyewash flows at 100°F (37°C)

Model No. SEC658
Mfg. No. 7620
Price/Each \$272.73



COMBINATION FAUCET & EYEWASH STATIONS

- Unique chrome-plated design combines a fully functional gooseneck faucet with an independently operated eyewash
- Incorporates two separate water channels in the faucet body, one for the eyewash and the other for the faucet
- Simple pull handle activates the eyewash and delivers a safe water temperature to the eyes each and every time
- Faucet always remains functional
- Two aerated yellow ABS plastic spray heads with flip-top dust caps
- 2.4 gpm at 30 PSI
- Universal emergency sign included
- Certified to meet ANSI standard Z358.1-2009

Model No. SAI288
Mfg. No. SEF-1800
Price/Each \$762.60

SPEAKMAN®



EMERGENCY EYEWASHES & SHOWERS




WATER TEMPERING PRODUCTS are designed to meet ANSI standard Z358.1-2009 requirements to deliver "tepid" water to injured workers. In addition to discouraging use of a safety flushing device, a 15-minute deluge of cold water to the injured worker can negatively affect core body temperature, and hypothermia can result. Therefore, ANSI standard Z358.1-2009 requires emergency showers and eyewashes to deliver "tepid" water. ANSI defines "tepid" water as 15.6°C to 38°C (60-100°F). Tempering solutions include steam, instantaneous (on demand) heaters and thermostatic mixing valves (TMV's). TMV's blend hot and cold water to meet strictly specified water temperature ranges.

THERMOSTATIC MIXING VALVES

- Blend hot and cold water to a comfortable flushing temperature
- Reliable liquid-filled thermostat with a 10-year manufacturer's warranty
- Check stops on inlets
- Adjustable set point within temperature range
- Accurate temperature control to within $\pm 3^{\circ}\text{F}$
- Built-in cold water bypass, assuring cold flow
- Easy installation and serviceability

- Positive shut-off of hot supply when cold supply is lost
- Dirt and lime resistant
- Dial thermometer
- Factory assembled and tested
- Universal mounting capability
- Rough bronze finish
- SEI certified to ANSI standard Z358.1-2009
- Temperature adjustment are vandal resistant



Model No. SAI289

8 gallons per minute; accommodates up to three eyewashes or one eye/face wash



Model No. SAI294

36 gallons per minute; accommodates one combination shower with eyewash or multiple eyewashes



Model No. SAI299

67 gallons per minute; accommodates up to two combination showers with eyewashes or multiple eyewashes

Model No.	Mfg. No.	Description	Price /Each
SAI289	S19-2000	8 GPM @ 30 PSI	602.44
SAI294	S19-2100	36 GPM @ 30 PSI	932.44
SAI299	S19-2200	67 GPM @ 30 PSI	1288.51



THERMOSTATIC MIXING VALVES

- Designed to mix hot and cold water
- Flows from 12 - 78 GPM
- Modular brass design with internal check stops
- Wax based thermostat technology for fast response time
- Oversized valve seals resist failures caused by foreign matter
- Proven highly reliable temperature control



SEC204



SEC205



SED975

Model No.	Mfg. No.	Description	Price /Each
SEC204	9201EFE	12 GPM @ 30PSI	787.01
SEC205	9201E	31 GPM @ 30 PSI	1336.22
SEC206	9202E	78 GPM @ 30 PSI	1596.67
SED975*	TWBS.HF	78 GPM @ 30 PSI	5209.00

*Lead-free with full-flow bypass

Call us for
quantity pricing!



R33733E

EMERGENCY EYEWASHES & SHOWERS

PORTABLE EYEWASH STATIONS provide self-contained fluid where plumbed water is not available. Gravity-fed or pressurized portable eyewash systems should deliver the ANSI minimum 15-minute safety eyewash drench. To keep water stored in these portable systems safe for ophthalmic use, an antibacterial agent is included or available separately. These units often can be freeze protected for outdoor applications.

ON-SITE® GRAVITY-FED EYEWASH STATIONS

- Ideal for locations where a plumbed water source is not available
- High-visibility yellow, moulded pedestal and tank
- Transparent tank allows solution level to be checked easily
- Hinged eyewash tray activates in one quick motion
- Stainless steel clamps secure the tank during transport
- Vandal-resistant unit: foreign objects cannot be introduced into tank because all openings are sealed once the tank is installed
- One of the lightest portable eyewashes on the market
- SEI certified to ANSI standard Z358.1-2009
- Includes wall bracket (can also deck mount)

ON-SITE® WASTE CARTS

- High-visibility yellow
- Captures used fluid, 56-gallon capacity
- Tapered sump, easy to drain

ON-SITE® HEATER JACKETS

- Protects against freezing: down to -23.3°C (-10°F)
- Insulated heater jacket conceals a 121 W heater
- Secondary thermostat prevents overheating if primary thermostat fails
- Requires 120-volt AC line
- All UL-listed components

SAK609

SAK610

SAK611

Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SAK609	S19-921	Gravity-Fed Eyewash	23	278.75
SAK610	S19-921H	Gravity-Fed Eyewash w/Heater Jacket	25	1578.95
SAK611	S19-399	Waste Cart	28	329.98
SAK613	S19-865	Water Preservative, Four 8-oz. Bottles	3	37.81
SEE656	S19-949	Inspection Kit (Includes: Inspection Tag, Three Cap Liners and Replacement Cap)	-	15.42

Bradley 

9-GALLON PORTABLE EYEWASH STATIONS

- 9-gallon high density green polyethylene tank made from FDA compliant materials
- Gravity fed to supply a continuous flow of water for 15 minutes at 0.4 GPM
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- Wide-fill opening with threaded cap allows easy inspection, cleaning and filling
- Light design and mounting bracket (included) make relocation simple
- Includes one bottle of bacteriostatic additive, which permits storage of the water for up to six months
- Certified by CSA to meet ANSI standard Z358.1-2009



16-GALLON PORTABLE EYEWASH STATIONS

- 16-gallon high density green polyethylene tank made from FDA compliant materials
- Gravity fed to supply a continuous flow of water for 15 minutes at 0.4 GPM
- Model SEB246 features a 1000 watts, 120 VAC submersible thermostatically controlled heater, which produces the ideal temperature in environments as low as -30°F
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- Wide-fill opening with threaded cap allows easy inspection, cleaning and filling
- Light design and mounting bracket (included) make relocation simple
- Includes one bottle of bacteriostatic additive, which permits storage of the water for up to six months
- Certified by CSA to meet the ANSI standard Z358.1-2009



 **Haws®**

 **Haws®**

Model No.	Mfg. No.	Description	Price /Each
SAR314	7501	Portable Gravity Eyewash Fountain	237.80
SAR315	9082	Bacteriostatic Water Preservative, 2 oz., 4/case	56.62

Model No.	Mfg. No.	Description	Price /Each
SEB245	7500	Portable Gravity Fed Eyewash Station	362.37
SEB246	7500EB	Portable Gravity Fed Eyewash Station w/Heater Jacket	2327.07
SAR315	9082	Bacteriostatic Water Preservative, 2 oz., 4/case	56.62

R33734E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

483

EMERGENCY EYEWASHES & SHOWERS

PURE FLOW 1000™ EYEWASH STATIONS

- Sure-grip handle provides instant, simple activation
- Activation straps display expiration date
- Integral drain valve allows easy draining of reservoir after use
- Integral fluid reservoir captures waste fluid, eliminating potential safety hazards and simplifying fluid disposal
- Once activated, this device automatically displays a prominent, Warning Service Immediately, notice on the front of the unit; new fluid cartridges must be installed
- Requires two 3.8-gal. *Eyesaline*® fluid cartridges (sold separately)
- Device must be mounted on a wall or other suitable vertical surface
- Comes complete with product registration card, operating manual, metal hanging bracket for installation and an emergency eye wash sign
- SEI certified to meet ANSI standard Z358.1-2009

Honeywell

Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SD552	32-001000-0000	Eyewash Station (English Instructions)	40	652.09
SAJ678	32-001000-0022	Eyewash Station (French Instructions)	40	652.09
SD553	32-001050-0000	Fluid Cartridges (2/pkg)	70	239.17

SD552



PORTA STREAM® II & III EYEWASH STATIONS

- Versatile portability and 15-minutes of uninterrupted flushing - without costly plumbing
- Simple installation and operation
- Features a nozzle strap that is easily removed to activate flushing, leaving hands free to hold eyelids open
- Can be easily and affordably placed near most workplace hazards with single bracket mounting device or universal stand
- Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include *Eyesaline*® - a preserved, buffered, saline solution superior to tap water for emergency eye care, and *Fend-all* water additive
- Large 16-gallon (60.5 L) capacity
- *Porta Stream*® III is electrically heated thermostatically to 72°F
- SEI certified to meet ANSI standard Z358.1-2009

SA408



SAJ677



SA427



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SA427	32-000200-0020	Porta-Stream® II - 16 gal., 15 min. Flush (English Instructions)	36	506.09
SAJ676	32-000200-0022	Porta-Stream® II - 16 gal., 15 min. Flush (French Instructions)	36	510.50
SA428	32-000310-0020	Porta-Stream® III, Freeze Protected 15 min. Flush (English Instructions)	42	2419.40
SA411	32-000513-0020	Eyesaline® Concentrate, 180 oz. (For Porta-Stream® II, III)	13	118.81
SAJ677	32-001100-0022	Water Preservative, 4 - 8 oz. Bottles	-	47.83
SA426	32-000102-0000	Replacement Pull-Strap, (Fits Porta-Stream® I, II, III)	1	28.43
SA412	32-000517-0000	Dust Cover (Fits Porta-Stream® II, III)	1	37.29

Honeywell

PORTA-STREAM® FLUID DISPOSAL CARTS

- Portable, self-contained eyewash stations provide flexible, emergency eyewash capability in economical systems
- Lightweight, portable units don't require plumbing
- Heavy-duty, polyethylene, wheeled disposal cart
- Provides a convenient mean to transport waste solution to the nearest disposal site
- Can be used to catch fluid when testing plumbed emergency eyewash and showers that do not have drain
- Can hold up to 20 gallons of fluid
- 3.94" diameter hole

Model No. SE137
Mfg. No. 32-000511-0000
Price/Each \$303.24

Honeywell



10-GALLON PORTABLE PRESSURISED EYEWASH STATIONS

- Stainless steel pressure tanks include tire filler valve with 0-100 PSI air gauge, pressure relief valve to prevent over pressurization and built-in carry handles for easy transportation
- Eyewash assembly includes twin eyewash heads with a flow control and pop-off dust covers
- Eyewash activated by a large stainless steel push handle with stay-open ball valve
- 8' drench hose with hand-held squeeze valve
- Optional 4-wheel, stainless steel cart
- SEI Certified to ANSI Z358.1-2009

10-GALLON UNIT:

- Drench hose flow: 3 1/2-minute water flow

15-GALLON UNIT:

- Eyewash flow: Minimum 22-minute water flow
- Drench hose flow: 5-minute water flow

HEATED UNITS:

- 510 watt heater
- Maintain average water temperature at 75°F (24°C)
- Secondary thermostat prevents overheating
- UL-listed components
- Plug into 120-volt AC line, GFCI recommended



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SAK628	S19-690	10 Gallons	30	1177.91
SAK629*	S19-690H	10 Gallons w/Heater Jacket	31	1907.13
SAK630	S19-788	15 Gallons	35	1310.98
SAK631*	S19-788H	15 Gallons w/Heater Jacket	36	2119.33
SAK632	S19-690A	Transport Cart	12	229.27
SAK613	S19-865	Water Preservative (4-8 oz)	3	37.81

* Eyewash only, no drench hose



SAK628



SAK632



SAK631

13-GALLON PORTABLE PRESSURISED EYEWASH STATIONS

- 13-gallon ASME rated stainless steel tank
- Pressure fed to supply a continuous flow of water for 15 minutes at 0.4 GPM
- Safety features include an air pressure gauge, pressure relief valve, and a tire-type air fill valve
- Includes one bottle of bacteriostatic additive, which permits storage of the water for up to six months
- Includes a 6' hose to extend body-spray reach
- Certified by CSA to meet the ANSI Z358.1-2009 standard



Model No.	Mfg. No.	Description	Price /Each
SEB248	7601.10.2	Pressurized Eyewash Station	3340.56
SAR315	9082	Bacteriostatic Water Preservative, 2 oz., 4/case	56.62
SEB250	9008	Transport Cart	396.34

37-GALLON PORTABLE PRESSURISED EYEWASH STATIONS

- 37-gallon ASME rated stainless steel tank
- Pressure fed to supply a continuous flow of water for 15 minutes at 0.4 GPM
- Safety features include an air pressure gauge, pressure relief valve, and a tire-type air fill valve
- Includes one bottle of bacteriostatic additive, which permits storage of the water for up to six months
- Includes a 6" hose to extend body-spray reach
- Certified by CSA to meet the ANSI Z358.1-2009 standard



Transport cart sold separately

Model No.	Mfg. No.	Description	Price /Each
SEB249	7601.37	Pressurized Eyewash Station	6381.03
SAR315	9082	Bacteriostatic Water Preservative, 2 oz., 4/case	56.62
SEB250	9008	Transport Cart	396.34

TRANSPORT CARTS FOR PORTABLE EYEWASH STATIONS

- Constructed of heavy-duty 1" square steel tubing
- Provides mobility for short-range positioning or long-distance transfers
- Tough powder-coat finish

Model. No. SEB250
Mfg. No. 9008
Price/Each \$396.34



EMERGENCY EYEWASHES & SHOWERS



SUPPLEMENTAL EYEWASHES include bottled eyewash and other devices that do not meet 15-minute drench criteria. These supplemental solutions are designed to treat nuisance hazards and/or as an initial first aid to injured workers during the path to certified eyewash, but they do not meet the 15 minute drench criteria of the ANSI standard Z358.1-2009. Bottled eyewash is designed to be positioned close to the point of need. Acceptable for immediate first-aid, bottled eyewashes should support, but not substitute, a primary eyewash or shower unit.

SALINE EYEWASH BOTTLES

- Contains a buffered saline solution that is sterile and superior to tap water for emergency eye care
- Blow-Fill-Seal (BFS) bottle is tamper resistant, and maintains the sterility and integrity of the eyewash
- Easy to remove and open in emergency situations
- 1, 4, and 8 oz. bottles have user controlled delivery, delivering drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle
- Includes bilingual instructions
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement



SALINE EYEWASH WALL STATIONS

- Holds bottle firmly in place while allowing easy access in an emergency
- Mounts to wall with provided screws
- Integral overhand protects bottles from dust and debris
- Durable plastic is easy to clean
- Simple, highly visible operating instructions are provided on each unit
- Bottle contains a buffered saline solution that is sterile and superior to tap water for emergency eye care
- Blow-Fill-Seal (BFS) bottle is tamper resistant, and maintains the sterility and integrity of the eyewash
- Delivers drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement



Honeywell

Model No.	Mfg. No.	Instruction Language	Cap. Oz.	Price /Each
SEC458	32-000451-0020	French	1	3.58
SEC467	32-000451-0000	English	1	3.58
SEC459	32-000452-0020	French	4	5.65
SEC468	32-000452-0000	English	4	5.65
SEC460	32-000445-0020	French	8	9.06
SEC469	32-000445-0000	English	8	9.06
SEC461	32-000454-0020	Bilingual	16	11.71
SEC471	32-000455-0000	Trilingual	32	16.29

Honeywell

Model No.	Mfg. No.	Instruction Language	Station Type	Bottle Cap. Oz.	Price /Each
SEC463	32-000460-0020	Bilingual	Single	16	38.28
SEC464	32-000465-0020	Bilingual	Double	16	57.76
SEC465	32-000461-0020	Bilingual	Single	32	44.04
SEC466	32-000462-0020	Bilingual	Double	32	65.48

CEDERROTH EYEWASH BOTTLES

- Easy-to-use bottle with an ergonomic eye cup and a generous flow of fluid
- Opens using one easy twisting motion
- Integral dust cover keeps the eye cup clean and acts as an opening device
- Buffered eye wash solution has a neutralising effect on splashes from acids or alkalis
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement

SAY473
(Bottle not included)



SAY475



SAY474



SEB188



Model No.	Mfg. No.	Description	Price /Each
SAY472	04100	235 ml	23.47
SAY473	04101	Holster for SAY472	10.07
SAY474	04102	500 ml	26.55
SAY475	04103	Wall Bracket for SAY474	16.38
SAY476	04104	Strap for Wall Bracket for SAY475	8.58
SEB188	04106	Portable Wall Case, Five 500ml Bottles	234.27
SEB189	04107	Wall Bracket for SEB188	33.14

EMERGENCY EYEWASHES & SHOWERS

PORTA-STREAM® I EYEWASH STATIONS

- Delivers 6 minutes of flushing fluid
- Easy installation with no plumbing required
- Single bracket mounting device included
- One-piece, molded construction with no moving parts
- Large hole simplifies refilling and cleaning
- Features simple, highly visible instructions on the unit itself
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement

Honeywell

Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SA425	32-000100-0020	Porta-Stream® I - 6 gal, 6 min. Flush (Bilingual English/French Instructions)	19	350.29
SAM656	32-000100-0022	Porta-Stream® I - 6 gal, 6 min. Flush (French Instructions)	19	346.89
SA408	32-000509-0020	Eyesaline® Concentrate, 70 oz. (For Porta-Stream® I)	5	48.85
SAJ677	32-001100-0022	Water Preservative, 4 - 8 oz. Bottles	-	47.83
SA426	32-000102-0000	Replacement Pull-Strap, (Fits Porta-Stream® I, II, III)	1	28.43



SA425

SA408

FLASH FLOOD® EYEWASH STATIONS

- Delivers 3 minutes of flushing fluid
- One-gallon sealed cartridges are easy to store and offer quick changes without mixing or measuring
- Easily wall or table mounted
- Features simple, highly visible instructions on the unit itself
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement

Honeywell

Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SA419	32-000400-0000	Flash Flood Eyewash Station (English Instructions)	14	213.61
SAM657	32-000400-0022	Flash Flood Eyewash Station (French Instructions)	14	213.61
SA403	32-000401-0000	Eyesaline® 1 Gal. Refill (4/Pkg.) (English Instructions)	36	217.99
SAM658	32-000401-0022	Eyesaline® 1 Gal. Refill (4/Pkg.) (French Instructions)	36	214.01
SA420	32-000402-0000	Wire Rack for Cartridges	3	63.23
SA421	32-000403-0000	Replacement Pull Strap	1	27.91



SA403

SA419

EYEWASH STATIONS

- Recommended for use in workplaces, industry, laboratories, schools, garages and food processing plants
- Acrylic mirror to assist the user
- Wall mountable
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement

SAY483



EYE WASH

STERILE

- Ready-to-use solution for eye irrigation
- Cleanses the eye to help relieve irritation, discomfort, burning, stinging, smarting or itching by removing loose, foreign material, air pollutants (smog or pollen) or chlorinated water



Model No.	Mfg. No.	Description	Price /Each
SAY483	04074	Plastic Station w/One 946 ml Empty Eyewash Bottle	28.82
SAY487	01490	Metal Station w/One 946 ml Empty Eyewash Bottle	62.58
SAY484	04066	Plastic Station w/One 1 L Eyewash Solution	33.69
SAY489	04068	Metal Station w/One 1 L Eyewash Solution	67.45
SAY485	04757	Plastic Station w/Two 946 ml Empty Eyewash Bottle	44.71
SAY486	04067	Plastic Station w/Two 1 L Eyewash Solution	54.45
REPLACEMENT EMPTY EYEWASH BOTTLES			
SAY491	04700	Empty 473 ml Bottle w/Eyecup	16.89
SAY492	04099	Empty 946 ml Bottle w/Eyecup	14.90

Model No.	Mfg. No.	Size	Price /Each
SAY477	04076	500 ml	10.13
SAY478	04077	1 L	19.77
SAY479	04078	4 L	39.25

EMERGENCY EYEWASHES & SHOWERS

ACCESSORIES & SERVICE PARTS provide enhanced emergency shower and eyewash installation and include: drench hoses, alarm systems, matting, shower testers, spray pattern gauges, modesty curtains, and signage. There are a wide variety of accessories and service parts available. If you can't find what you're looking for here, please contact us and we'll be glad to find what you're looking for.

WALL-MOUNTED DRENCH HOSES

- Quick-access emergency eye and face spray features soft flow spray head for flooding large areas as well as eyes only
- Self-coiling highly visible yellow-coloured hose retracts for easy storage while allowing instant extension
- Water flows when handle on chrome-plated brass assembly is squeezed
- Wall bracket and protective spray head cover included
- Universal identification sign and inspection tag included



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SA441	S19-610	25' Hose	12	468.45

HAND-HELD DRENCH HOSES

- Laboratory spray valve easily attaches to any Bradley drench shower or eyewash station
- Includes all necessary fittings and hanger for attaching hose to the units
- 8' highly visible yellow reinforced thermoplastic hose
- Handle stays open once it is squeezed
- Integral flow control assures safe, steady flow under varying water supply conditions



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SAK646	S19-430EH	For Eyewash Units	4	207.71
SAK647	S19-430SH	For Drench Showers	5	217.60

RETROFIT DUST COVERS

- Provides maximum protection from dust or other contaminants



Model No.	Mfg. No.	Style	Price /Each
SAK620	S45-1964	Classic	124.98
SED814*	S90-390	Halo™	126.46

*Halo™ dust covers are integral to the activation system. New eyewash bowl included.

FLOW SWITCH ALARM SYSTEMS

- Automatic, audible and visual system with 6' cord
- Strobe light and flow switch are UL Listed and CSA approved
- Alarm horn in adjustable from 78-103 decibels and is UL listed
- Designed to meet NEMA No. 3 code (waterproof)
- Includes: Remote wiring contacts




Model No.	Mfg. No.	Description	Price /Each
SAR322	S19-320	Connects to 1 1/4" Inlet Piping	1409.00
SAR323	S19-320A	Connects to 1/2" Inlet Piping	1287.62

DRENCH SHOWER TESTERS

- Heavy-duty tester provides a convenient way to comply with ANSI specifications for weekly testing on all drench showers - without getting wet
- 84" long, watertight chemical resistant Tyvek® funnel with weighted bottom directs water to a drain or bucket
- 8" telescoping aluminum handle

Model No. SC338
Mfg. No. S19-330ST
Price/Each \$116.00



EYEWASH TEST GAUGES

- Makes sure eyewash achieves a compliant pattern per ANSI standard Z358.1-2009

Model No. SAQ294
Mfg. No. 269-1444
Price/Each \$14.84



EMERGENCY EYEWASHES & SHOWERS

EYEWASH STATION SIGNS

- Make sure your emergency eyewash & shower stations are well identified in accordance with ANSI standard Z358.1-2009
- Conveniently available in several material choices to meet your needs:
 - 4-mil thick moisture resistant adhesive vinyl with permanent acrylic adhesive is perfect for light-duty applications
 - 0.055" thick semi-flexible plastic with UV inhibitors is ideal for indoor and sheltered outdoor applications
 - 0.040" thick aluminum with 2-mil UV polyester over-laminate film has superior abrasion and chemical resistance and is ideal for indoor and outdoor applications



7" X 10"

10" X 14"

	English Model No.	French Model No.	Price /Each	English Model No.	French Model No.	Price /Each
Adhesive Vinyl	SAU145	SP603	9.74	SAU148	SP604	13.99
Plastic	SAU146	SP601	10.82	SAU149	SP602	16.15
Aluminum	SAU147	SP599	16.67	SAU150	SP600	28.03

EYEWASH STATION PROJECTION™ SIGNS



- 0.10" thick high-impact plastic
- 3D signs, projecting 45° from the wall, provide optimum viewing from front and sides
- 90D signs, projecting 90° from the wall, are viewed from either side
- Includes mounting holes and hardware

SAW431



SED963




Model No.	Description	Panel Size	Overall Size	Price/Each
ENGLISH				
SAW431	3D	6" x 5"	6" x 8 1/2" x 4"	17.37
SAW432	90D	8" x 8"	8" x 8" x 1 1/2"	18.80
FRENCH				
SED962	3D	6" x 5"	6" x 8 1/2" x 4"	17.37
SED963	90D	8" x 8"	8" x 8" x 1 1/2"	18.80

EMERGENCY SHOWER STATION MATS NO. 465

Use under emergency showers or eyewash stations to draw attention to the emergency equipment and to keep accident victims from slipping.

- 7/8" thick with drainage ports throughout, keeps employees safely above the overflow area as the hazardous chemicals are washed off
- High-traction design on the mat's surface also provides safe footing
- Following ANSI standard Z535.1-2006 for colour-coding, the mat effectively calls attention to the safety shower (red mats) or eyewash areas (green mats)
- Highly visible tiles designate the location of first aid and safety equipment, and the yellow borders denote caution
- Borders are 6" wide and have a gradual slope for easy access



SAN335



Model No.	Dimensions			Colours	Price /Each
	W"	x	L"		
SAN335	30	x	36	Green	242.32
SAN336	30	x	48	Green	318.26
SA0082	30	x	36	Red	242.32
SA0083	30	x	48	Red	318.26

PRIVACY CURTAINS

- Double-laminated, chemical-resistant Tyvek®
- Durable construction with top and bottom reinforcements
- Highly visible yellow color
- Stainless steel curtain rail and mounting brackets included
- Dimensions: 70" L x 145" W

Model No. SAQ295
Mfg. No. S19-330
Price/Each \$450.47



R3211E

OFFICE PRODUCTS

INSTRUMENTS, SCALES & ELECTRICAL

SHIPPING & PACKAGING

TOOLS & EQUIPMENT

WELDING & METALWORKING

SAFETY EQUIPMENT & SUPPLIES

JANITORIAL & MAINTENANCE

MATERIAL HANDLING & STORAGE

EYE SHIELDS

- Semi-rigid, ventilated plastic eye shade with elastic strap
- For use on right or left eyes

Model No. SAY469

Mfg. No. 04210

Price/Each \$1.02



EYE CUPS

- Used together with eye cleansing solutions to bathe the eye

Model No. SAY471

Mfg. No. 04166

Price/Each \$0.94



EYE PADS

STERILE

- Oval-shaped eye pads made of absorbent cotton filler and enclosed in a non-woven fine mesh gauze
- Suitable for eye injury care and medication application
- Individually wrapped in tamper-proof packaging
- Size: 1 5/8" x 2 5/8"



Model No.	Mfg. No.	Qty /Box	Price /Each
SEE486	04270	12	5.83
SAY470	04273	50	17.79

POLYSPORIN EYE/EAR DROPS

- For the treatment of external eye or ear infections

Model No. SEE485

Mfg. No. 04497

Price/Each \$24.96



MURINE™ EYE DROPS

STERILE

- Liquid supplemental tears clean and refresh the eyes
- For relief of minor irritations caused by dryness, fatigue, sun, wind and dust
- 15 ml bottle

Model No. SAY465

Mfg. No. 04087

Price/Each \$9.58



VISINE™ OPHTHALMIC SOLUTION

STERILE

- For fast, soothing relief of redness and minor eye irritations caused by dust, smoke, smog, wind, sun, night driving, reading, television, bathing and contact lenses
- 15 ml bottle

Model No. SAY466

Mfg. No. 04572

Price/Each \$13.25



TEARS NATURALE® FREE EYE DROPS

STERILE

- Preservative-free artificial tears for dry sensitive eyes
- For temporary relief of discomfort due to minor irritations of the eye or exposure to wind or sun
- Twenty-four 6 ml units per box

Model No. SAY468

Mfg. No. 04452

Price/Each \$19.67



CEDERROTH EYE RINSE DISPENSERS

- Small practical ampoules containing sodium chloride solution
- Rinse dust and dirt out of your eyes
- Practical cardboard dispenser wall mounts
- Contains ten 20 ml ampoules

Model No.	Mfg. No.	Description	Price /Each
SEE512	04110	Wall Dispenser with 10 Ampoules	19.81
SEE513	04111	Refill, 12 Ampoules	22.01



Look for this symbol



for environmentally friendly products!

OCCUPATIONAL HEALTH AND SAFETY REGULATION FIRST AID KITS

Occupational first aid kits meet regulations required by federal, provincial and territorial jurisdictions.

For more information regarding federal and provincial first aid regulations, please visit the websites listed on the following pages.

Regulations change on a continuing basis. Requirements vary from jurisdiction to jurisdiction and are dependent on a number of factors including (but not limited to):

- Maximum number of employees at the work site (or per shift)
- Location of the place of employment/industry
- Type of industry and potential hazards
- Proximity or travel time to a medical facility

FEDERAL REGULATION FIRST AID KITS

Common federal employers include the following interprovincial and international industries:

- Banks
- Railways, highway and air transport
- Ferries, tunnels, bridges and canals
- Telephone and telegraph systems
- Pipelines
- Radio and television broadcasting and cable systems
- Shipping and shipping services
- Employment in the operation of ships, trains and aircraft
- Licensed grain elevators, and certain feed mills and feed warehouses, flour mills and grain seed clearing warehouses, flour mills and grain seed clearing plants
- Federal public service and persons employed by the public service and Crown corporation and agencies
- Indian reserves
- Exploration and development of petroleum on lands subject to federal jurisdiction



SAY106



FEDERAL FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
TYPE A, 2 - 5 WORKERS (ANY ONE TIME)			
SAY106	51200	10-unit Plastic	20.79
SAY107	51203	10-unit Metal	32.61
SAY108	51212	Refill	18.02
TYPE B, 6 - 19 WORKERS (ANY ONE TIME)			
SAY109	51231	24-unit Plastic	39.04
SAY110	51234	24-unit Metal	54.70
SAY111	51242	Refill	32.78
TYPE C, 20 - 199 WORKERS (ANY ONE TIME)			
SAY112	51260	# 2 Plastic	96.02
SAY113	51263	# 2 Metal	113.95
SAY114	51272	Refill	76.54
TYPE D			
SAY115	512908	Medium Promo Plastic	7.51

FEDERAL SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type	Price /Each
SEE514	01770	Truck Kit	16-unit Plastic	24.58
SEE515	01777	Workplace Standard Kit	# 6 Metal	208.13

STANDARD REGULATION KIT CONTENTS LIST

Item	Description	Type A Qty	Type B Qty	Type C Qty	Type D Qty	Reorder Qty
SAY283	Plastic Bandages, 3"	12	48	100	6	100
SAY356	Abdominal Pad 5" x 9"	-	-	6	-	1
SEE669	Conforming Stretch Bandage 3" x 4 yds.	2	6	24	-	1
SAY348	Gauze Pads, 4" x 4"	4	12	24	2	25
SAY352	Gauze Sponges, 4" x 4"	10	40	200	-	200
SAY369	Compress Bandage, 4" x 4"	1	2	-	-	1
SAY375	Triangular Bandage	2	6	8	1	1
SEE688	Clear Plastic Tape 1/2" x 5 yds.	-	-	-	1	1
SEE686	Clear Plastic Tape 1" x 5 yds.	1	2	4	-	1
SAY430	Alcohol Swabs	10	10	40	10	100
SAY530	Accident/Illness Record Book	1	1	1	1	1
SAY535	Blunt Tip Scissors	1	1	-	-	1
SAY536	Paramedic Scissors	-	-	1	-	1
SAY540	Blunt Splitter Forceps	1	1	1	-	1
SEE697	Nitrile Medical Examination Gloves	4	8	40	2	2
SEE694	Infectious Waste Bags	-	-	2	-	25
SAY567	CPR Faceshield	1	1	1	-	1
SAY608	Foil Emergency Blanket	1	-	-	-	1

SAY113



VISIT <http://laws.justice.gc.ca/en/SOR-86-304/> FOR MORE INFORMATION

FIRST AID

PROVINCIAL REGULATION KITS

BRITISH COLUMBIA FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
PERSONAL			
SAY116	500008	Small Promo Plastic	5.11
BASIC			
SAY117	50006	36-unit Plastic	47.69
SAY118	50009	36-unit Metal	64.57
SAY119	50021	Refill	38.89
SAY120	50018B	Soft Pack Briefcase	46.06
LEVEL 1			
SAY121	50026	# 2 Plastic	75.23
SAY122	50024	# 2 Metal	93.17
SAY123	50027	Refill	55.75
LEVEL 2			
SAY125	50032	# 2 Plastic	102.79
SAY126	50030	# 2 Metal	120.73
SAY127	50036	Refill	83.32
LEVEL 3			
SAY128	50041	# 2 Plastic	102.79
SAY129	50039	# 2 Metal	120.73
SAY130	50045	Refill	83.32

BRITISH COLUMBIA SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type	Price /Each
SEES16	01812	Truck Kit	10-unit Plastic	14.76
SEES17	01814	Contractors' Kit	16-unit Plastic with Gasket	40.92
SEES18	01817	Office Standard Kit	36-unit Metal	101.15
SEES19	01819	Workplace Standard Kit	# 6 Metal	215.28

STANDARD REGULATION KIT CONTENTS LIST

Item	Description	Personal Qty	Basic Qty	Level 1 Qty	Level 2 & 3 Qty	Reorder Qty
SEE677	Plastic Bandages, Assorted Sizes	6	50	100	150	50
SAY357	Abdominal Pad, 8" x 10"	-	2	4	10	1
SAY348	Gauze Pads, 4" x 4"	-	6	12	12	25
SAY365	Compress Bandage, 2" x 2"	1	-	-	-	4
SAY374	Compress Bandage w/ Elastic Tails, 4" x 6"	-	2	4	4	1
SAY375	Triangular Bandage	-	4	6	12	1
SEE667	Esmarch Bandage, 3" x 5 yds.	-	-	-	1	1
SEE469	Cotton Tipped Applicators	-	6	12	-	100
SEE686	Clear Plastic Tape, 1" x 5 yds.	-	1	1	2	1
SEE471	Cotton Cloth Tape, 2" x 5 yds.	-	-	-	2	1
SAY395	Elastic Compression Bandage, 3" x 5 yds.	-	1	2	6	1
SAY433	Benzalkonium Chloride Antiseptic Towelette	6	12	24	24	100
SEE682	Green Soap Antiseptic Cleanser, 50ml	-	-	-	1	1
SEE681	Hand Cleansing Moist Towelettes	-	30	60	-	100
SAY421	Sodium Chloride Irrigation Solution, 500ml	-	-	-	1	1
SAY530	Accident/Illness Record Book	-	-	1	1	1
SEE692	Instruction Card for Reporting (B.C.)	1	1	-	-	18
SEE693	Patient Assessment Chart	-	-	-	6	10
OC957	Pencil	-	-	1	1	12
SAY534	Bandage Scissors	-	1	1	-	1
SEE698	Paramedic Scissors	-	-	-	1	1
SAY537	Fine-Point Splinter Forceps	-	1	1	1	1
SEE690	Safety Pins, 1.5"	-	2	4	-	12
SEE697	Nitrile Medical Examination Gloves	-	12	12	12	2
SAY569	CPR Faceshield in Plastic Case	-	1	1	-	1
SAY632	Penlight (with batteries)	-	-	-	1	1

SAFE + CROSS
FIRST AID LTD.

SAY116



SAY126



VISIT www.worksafebc.com
FOR MORE INFORMATION

See pages 511-517
for other bandages,
gauze, dressings
and first aid tape



PROVINCIAL REGULATION KITS (CONT'D)

ALBERTA FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
TYPE P			
SAY131	50154B	Soft Pack Belt Pouch Small	10.60
NO. 1			
SAY132	50100	16-unit Plastic with Gasket	30.40
SAY133	50103	16-unit Metal	44.34
SAY134	50112	Refill	25.35
NO. 2			
SAY135	50124	36-unit Plastic with Gasket	47.36
SAY136	50127	36-unit Metal	62.36
SAY137	50136	Refill	36.68
NO. 3			
SAY138	50140	#2 Plastic with Gasket	101.16
SAY139	50139	#2 Metal	116.16
SAY140	50148	Refill	78.75

ALBERTA SPECIALTY KITS

Model No.	Mfg. No.	Description	Meets Regulation	Container Type	Price /Each
SEES20	01829	Truck Kit		10-unit Plastic with Gasket	15.94
SEES21	01831	Contractors' Kit		16-unit Plastic with Gasket	42.25
SEES22	01834	Office Standard Kit		36-unit Metal	88.75
SEES23	01836	Workplace Standard Kit		# 6 Metal	210.09

STANDARD REGULATION KIT CONTENTS LIST


Item	Description	Type P Qty	#1 Qty	#2 Qty	#3 Qty	Reorder Qty
SAY283	Plastic Bandages, 3"	-	25	50	100	100
SEE677	Plastic Bandages, Assorted Sizes	10	-	-	-	50
SAY357	Abdominal Pad, 8" x 10"	-	-	1	4	1
SEE669	Conforming Stretch Bandage, 3" x 4 yds.	-	2	2	6	1
SAY348	Gauze Pads, 4" x 4"	5	10	20	50	25
SAY369	Compress Bandage, 4" x 4"	1	2	3	6	1
SAY371	Compress Bandage, 6" x 6"	-	2	3	6	1
SAY375	Triangular Bandage	1	3	4	12	1
SEE686	Clear Plastic Tape, 1" x 5 yds.	-	1	1	2	1
SAY395	Elastic Compression Bandage, 3" x 5 yds.	-	1	2	4	1
SAY361	Tubular Gauze w/ Applicator, 5/8" x 5 yds.	-	-	-	1	1
SAY433	Benzalkonium Chloride Antiseptic Towelette	5	10	10	24	100
SEE486	Eye Dressing Pad	-	-	1	2	12
SAY527	First Aid and Emergency Care Guide, Bilingual	-	1	1	1	1
SAY535	Blunt Tip Scissors	-	1	1	1	1
SAY540	Blunt Splinter Forceps	-	1	1	1	1
SAY543	Safety Pins, Assorted Sizes	-	5	8	12	12
SEE697	Nitrile Medical Examination Gloves	2	8	12	24	2
SEE694	Infectious Waste Bags	1	1	1	2	25
SAY567	CPR Faceshield	-	1	1	1	1

SAFE + CROSS
FIRST AID LTD.

SAY135



SAY139



VISIT www.gov.ab.ca FOR MORE INFORMATION

See pages
521-522
for first aid
instruments



FIRST AID

PROVINCIAL REGULATION KITS (CONT'D)

SASKATCHEWAN FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
1 - 9 WORKERS			
SAY141	50200	24-unit Plastic	36.85
SAY142	50203	24-unit Metal	52.49
SAY143	50212	Refill	30.57
10 - 40 WORKERS			
SAY144	50215	36-unit Plastic	51.68
SAY145	50218	36-unit Metal	68.56
SAY146	50227	Refill	42.88
40+ WORKERS			
SAY147	50228	36-unit Plastic	64.72
SAY148	50229	36-unit Metal	81.60
SAY149	50233	Refill	55.92

SASKATCHEWAN SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type	Price /Each
SEES24	01851	Office Standard Kit	36-unit Metal	95.42
SEES25	01853	Workplace Standard Kit	# 6 Metal	209.47

STANDARD REGULATION KIT CONTENTS LIST

Item	Description	1-9 Qty	10-40 Qty	40+ Qty	Reorder Qty
SAY283	Plastic Bandages, 3"	12	24	36	100
SAY356	Abdominal Pad 5" x 9"	2	4	6	1
SEE668	Conforming Stretch Bandage, 2" x 4 yds.	1	2	3	1
SEE671	Conforming Stretch Bandage, 2" x 4 yds.	1	2	3	1
SAY326	Gauze Bandage Roll, 2" x 5 yds.	2	4	6	4
SAY330	Gauze Bandage Roll, 4" x 5 yds.	2	4	6	2
SAY343	Gauze Pads, 2" x 2"	2	4	6	25
SAY345	Gauze Pads, 3" x 3"	2	4	6	25
SAY369	Compress Bandage, 4" x 4"	2	4	6	1
SAY375	Triangular Bandage	2	4	6	1
SEE687	Clear Plastic Tape, 3/4" x 1 yd.	1	2	3	1
SAY430	Alcohol Swabs	10	20	30	100
JD093	Hand Soap	1	1	1	72
SEC499	Eye Dressing Kit (Pad & Shield)	1	2	3	1
SAY527	First Aid and Emergency Care Guide, Bilingual	1	1	1	1
SAY530	Accident/Illness Record Book	1	1	1	1
SAY534	Bandage Scissors	1	1	1	1
SAY540	Blunt Splinter Forceps	1	1	1	1
SAY543	Safety Pins, Assorted Sizes	4	8	12	12
SEE697	Nitrile Medical Examination Gloves	12	12	12	2
SAY569	CPR Faceshield in Plastic Case	1	1	1	1

SAFE + CROSS
FIRST AID LTD.

SAY141



SAY144



SAY148



VISIT labour.gov.sk.ca
FOR MORE INFORMATION

Call us for
quantity
pricing!



PROVINCIAL REGULATION KITS (CONT'D)

MANITOBA FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
25 WORKERS			
SAY150	50303	24-unit Plastic	39.77
SAY151	50306	24-unit Metal	55.43
SAY152	50138	Refill	33.51

MANITOBA SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type	Price /Each
SEES26	01863	Truck Kit	10-unit Plastic	14.45
SEES27	01865	Contractors' Kit	16-unit Plastic with gasket	40.68
SEES28	01868	Office Standard Kit	36-unit Metal	95.20
SEES29	01870	Workplace Standard Kit	# 3 Metal	202.63

STANDARD REGULATION KIT CONTENTS LIST

Item	Description	Personal Qty	25 Person Qty	Reorder Qty
SAY285	Plastic Bandages, 1" x 3"	-	32	100
SEE677	Plastic Bandages, Assorted Sizes	10	-	50
SAY281	Fabric Dressing Strip, 3" x 1 yd.	-	1	1
SEE671	Conforming Stretch Bandage, 4" x 4 yds.	-	2	1
SAY345	Gauze Pads, 3" x 3"	-	16	25
SAY348	Gauze Pads, 4" x 4"	5	-	25
SEE676	Non-Adherent Pads, 3" x 4"	-	4	100
SAY369	Compress Bandage, 4" x 4"	1	2	1
SAY375	Triangular Bandage	1	3	1
SEE685	Clear Plastic Tape, 1" x 1.5 yds.	1	2	1
SAY395	Elastic Compression Bandage, 3" x 5 yds.	-	2	1
SAY430	Alcohol Swabs	-	25	100
SAY433	Benzalkonium Chloride Antiseptic Towelette	5	-	100
SEE683	Hand Sanitizer Gel, 3.7ml	-	2	100
SAY517	Instant Cold Pack, 4" x 6"	-	1	1
SAY527	First Aid and Emergency Care Guide, Bilingual	-	1	1
SAY534	Bandage Scissors	-	1	1
SAY540	Blunt Splinter Forceps	-	1	1
SAY543	Safety Pins, Assorted Sizes	-	12	12
SEE697	Nitrile Medical Examination Gloves	2	2	2
SEE694	Infectious Waste Bags	1	1	25
SAY567	CPR Faceshield	-	1	1

SAY150



SAFE + CROSS
FIRST AID LTD.



VISIT www.gov.mb.ca/labour
FOR MORE INFORMATION

See page 518
for burn
treatment
dressings



FIRST AID

PROVINCIAL REGULATION KITS (CONT'D)

ONTARIO FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
SEC. 8, 1 - 5 WORKERS			
SAY153	50400	10-unit Plastic	10.51
SAY154	50402	10-unit Metal	22.33
SAY155	50408	Refill	7.74
SEC. 9, 6 - 15 WORKERS			
SAY156	50428	36-unit Plastic	32.84
SAY157	50430	36-unit Metal	49.72
SAY158	50436	Refill	24.05
SEC. 10, 16 - 199 WORKERS			
SAY159	50449	# 2 Plastic	67.90
SAY160	50448	# 2 Metal	85.83
SAY161	50452	Refill	48.42

ONTARIO DELUXE FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
SEC. 8 DELUXE, 1 - 5 WORKERS			
SAY162	50410	10-unit Plastic	19.39
SAY163	50412	10-unit Metal	31.21
SAY164	50418	Refill	16.63
SEC. 9 DELUXE, 6 - 15 WORKERS			
SAY165	50438	36-unit Plastic	60.64
SAY166	50440	36-unit Metal	77.52
SAY167	50446	Refill	51.85
SEC. 10 DELUXE, 16 - 199 WORKERS			
SAY168	50455	# 2 Plastic	112.41
SAY169	50454	# 2 Metal	130.34
SAY170	50458	Refill	92.93

ONTARIO SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type	Price /Each
SEE530	01351	Office Standard Kit	36-unit Metal	94.56
SAY240	01378	Truck Kit	10-unit Plastic	15.00
SAY242	01335	Contractors' Kit	16-unit Plastic with Gasket	42.63
SAY244	01379	Workplace Standard Kit	# 6 Metal	217.65
SAY245	01391	Workplace Deluxe Kit	# 4 Metal	275.28

STANDARD REGULATION KIT CONTENTS LIST

Item	Description	Sec. 8 Qty	Sec. 9 Qty	Sec. 10 Qty	Reorder Qty
SAY283	Plastic Bandages, 3"	12	24	48	100
SAY324	Gauze Bandage Roll, 1" x 5 yds.	-	-	12	6
SAY326	Gauze Bandage Roll, 2" x 5 yds.	2	4	8	4
SAY330	Gauze Bandage Roll, 4" x 5 yds.	-	4	8	2
SAY345	Gauze Pads, 3" x 3"	4	12	48	25
SAY369	Compress Bandage, 4" x 4"	2	4	6	1
SAY375	Triangular Bandage	1	6	12	1
SEE685	Clear Plastic Tape, 1" x 1.5 yds.	-	-	2	1
SAY527	First Aid and Emergency Care Guide, Bilingual	1	1	1	1
SAY543	Safety Pins, Assorted Sizes	12	12	24	12
SAY545	Emesis Basin	-	-	1	1
SAY583	Wooden Splint Set, Assorted Sizes	-	-	6	6
SAY584	Wire Mesh Splint	-	1	-	1
SAY585	Splint Padding	-	2	2	1



SAFE + CROSS
FIRST AID LTD.

SAY153



SAY156



SAY162



SAY165



VISIT www.gov.on.ca/english/hs
FOR MORE INFORMATION

PROVINCIAL REGULATION KITS (CONT'D)

QUEBEC FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
SEC. 4			
SAY174	50500	36-unit Plastic	40.67
SAY175	50503	36-unit Metal	57.55
SAY176	50512	Refill	31.88
SEC. 5			
SAY171	50515	10-unit Plastic	15.73
SAY172	50518	10-unit Metal	27.55
SAY173	50527	Refill	12.96

QUEBEC SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type	Price /Each
SEES31	01880	Truck Kit	10-unit Plastic	18.85
SEES32	01882	Contractors' Kit	16-unit Plastic with Gasket	41.07
SEES33	01885	Office Standard Kit	36-unit Metal	100.37
SEES34	01887	Workplace Standard Kit	# 6 Metal	214.02
SEES35	50550	Daycare Kit	36-unit Plastic	51.21

STANDARD REGULATION KIT CONTENTS LIST

Item	Description	Sec. 4 Qty	Sec. 5 Qty	Reorder Qty
SAY285	Plastic Bandages, 1" x 3"	25	5	100
SAY333	Gauze Bandage Roll, 2" x 10 yds.	4	1	1
SAY336	Gauze Bandage Roll, 4" x 10 yds.	4	1	1
SAY348	Gauze Pads, 4" x 4"	25	5	25
SAY369	Compress Bandage, 4" x 4"	4	2	1
SAY375	Triangular Bandage	6	2	1
SAY389	Clear Plastic Tape, 1" x 10 yds.	1	1	1
SAY430	Alcohol Swabs	25	5	100
SAY527	First Aid and Emergency Care Guide, Bilingual	1	1	1
SAY535	Blunt Tip Scissors	1	1	1
SAY540	Blunt Splinter Forceps	1	-	1
SAY543	Safety Pins, Assorted Sizes	12	12	120

SAFE + CROSS
FIRST AID LTD.

SAY175



SAY171



See pages 474-490



for Emergency Shower
and Eyewash equipment



VISIT www.csst.qc.ca FOR MORE INFORMATION

Can't find what
you're looking for?
Call us today!



FIRST AID

PROVINCIAL REGULATION KITS (CONT'D)

NEW BRUNSWICK FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
PERSONAL			
SAY177	50736	10-unit Plastic	10.02
SAY178	50745B	Soft Pack Belt Pouch, Small	9.87
STANDARD			
SAY179	50754	36-unit Plastic	83.79
SAY180	50757	36-unit Metal	100.67
SAY181	50775	Refill	74.99

NEW BRUNSWICK SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type	Price /Each
SEE536	01898	Truck Kit	10-unit Plastic	13.97
SEE537	01900	Contractors' Kit	16-unit Plastic with Gasket	40.68
SEE538	01903	Office Standard Kit	# 2 Metal	131.00
SEE539	01905	Workplace Standard Kit	# 6 Metal	235.84

STANDARD REGULATION KIT CONTENTS LIST

Item	Description	Personal Qty	Standard Qty	Reorder Qty
SEE677	Plastic Bandages, Assorted Sizes	10	24	50
SAY357	Abdominal Pad, 8" x 10"	-	6	1
SAY334	Gauze Bandage Roll, 3" x 10 yds.	-	2	1
SAY343	Gauze Pads, 2" x 2"	-	4	25
SAY345	Gauze Pads, 3" x 3"	-	4	25
SAY348	Gauze Pads, 4" x 4"	5	4	25
SAY369	Compress Bandage, 4" x 4"	1	4	1
SAY375	Triangular Bandage	1	6	1
SEE469	Cotton Tipped Applicators	-	12	100
SAY389	Clear Plastic Tape, 1" x 10 yds.	-	2	1
SAY395	Elastic Compression Bandage, 3" x 5 yds.	-	2	1
SAY433	Benzalkonium Chloride Antiseptic Towelette	5	12	100
SEE681	Hand Cleansing Moist Towelettes	-	12	100
SAY416	Antiseptic Skin Cleanser, 60ml	-	1	1
SEE680	First Aid Cream, 65g	-	1	1
SAY451	Water Jel Burn Dressing, 2" x 6"	-	3	1
SAY452	Water Jel Burn Dressing, 4" x 4"	-	1	1
SAY527	First Aid and Emergency Care Guide, Bilingual	-	1	1
SAY530	Accident/Illness Record Book	-	1	1
OC957	Pencil	-	1	12
SAY533	Surgical Scissors	-	1	1
SAY540	Blunt Splinter Forceps	-	1	1
SAY543	Safety Pins, Assorted Sizes	-	12	12
SEE697	Nitrile Medical Examination Gloves	2	12	2
SEE694	Infectious Waste Bags	1	4	25
SAY567	CPR Faceshield	-	1	1
OG274	Sugar Packets	-	6	1000
SAY608	Foil Emergency Blanket	-	1	1

SAFE + CROSS
FIRST AID LTD.



VISIT www.whscc.nb.ca
FOR MORE INFORMATION

See pages
519-520 for
ointments and
antiseptics



PROVINCIAL REGULATION KITS (CONT'D)

NOVA SCOTIA FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
1 WORKER			
SAY182	50600	10-unit Plastic	22.59
SAY183	50603	10-unit Metal	34.41
SAY184	50612	Refill	19.80
NO. 2, 2 - 19 WORKERS			
SAY185	50615	16-unit Plastic	29.67
SAY186	50618	16-unit Metal	44.92
SAY187	50627	Refill	25.92
NO. 3, 20 - 49 WORKERS			
SAY188	50630	24-unit Plastic	38.23
SAY189	50633	24-unit Metal	53.89
SAY190	50645	Refill	31.96
NO. 3 PLUS, 50 - 99 WORKERS			
SAY191	50649	# 2 Plastic	78.58
SAY192	50648	# 2 Metal	96.51
SAY193	50651	Refill	59.10

NOVA SCOTIA SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type	Price /Each
SEE540	01915	Truck Kit	16-unit Plastic	25.84
SEE541	01917	Contractors' Kit	24-unit Plastic	53.18
SEE542	01920	Office Standard Kit	36-unit Metal	91.02
SEE543	01922	Workplace Standard Kit	# 3 Metal	202.55

STANDARD REGULATION KIT CONTENTS LIST

Item	Description	Reg. # 1 Qty	Reg. # 2 Qty	Reg. # 3 Qty	Reg. # 3 Plus Qty	Reorder Qty
SAY285	Plastic Bandages, 1" x 3"	12	24	32	64	100
SAY326	Gauze Bandage Roll, 2" x 5 yds.	1	2	3	6	4
SAY345	Gauze Pads, 3" x 3"	12	16	32	64	25
SAY369	Compress Bandage, 4" x 4"	2	2	6	12	1
SAY375	Triangular Bandage	3	6	6	12	1
SEE689	Cotton Cloth Tape, 1" x 2.5 yds.	1	1	2	2	1
SAY433	Benzalkonium Chloride Antiseptic Towelette	12	12	12	24	100
SEE681	Hand Cleansing Moist Towelettes	6	24	24	48	100
SAY527	First Aid and Emergency Care Guide, Bilingual	1	1	1	1	1
SAY530	Accident/Illness Record Book	1	1	1	1	1
OC957	Pencil	1	1	1	1	12
SAY535	Blunt Tip Scissors	1	1	1	1	1
SAY540	Blunt Splinter Forceps	1	1	1	1	1
SAY543	Safety Pins, Assorted Sizes	6	12	12	12	12
SEE697	Nitrile Medical Examination Gloves	4	4	8	8	2
SEE694	Infectious Waste Bags	1	1	1	1	25
SAY567	CPR Faceshield	1	1	1	1	1

SAFE + CROSS
FIRST AID LTD.

SAY182



SAY185



SAY188



SAY192



VISIT www.gov.ns.ca
FOR MORE INFORMATION

PROVINCIAL REGULATION KITS (CONT'D)

PRINCE EDWARD ISLAND FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
NO. 1, 1 - 4 EMPLOYEES			
SAY194	50900	10-unit Plastic	16.47
SAY195	50903	10-unit Metal	28.29
SAY196	50912	Refill	13.69
NO. 2, 5 - 15 EMPLOYEES			
SAY197	50915	36-unit Plastic	33.91
SAY198	50918	36-unit Metal	50.78
SAY199	50927	Refill	25.10
NO. 3, 16 - 100 EMPLOYEES			
SAY200	50930	36-unit Plastic	42.71
SAY201	50933	36-unit Metal	59.59
SAY202	50942	Refill	33.91

PRINCE EDWARD ISLAND SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type	Price /Each
SEE544	01932	Truck Kit	16-unit Plastic	20.73
SEE545	01934	Contractors' Kit	24-unit Plastic with Gasket	47.29
SEE546	01937	Office Standard Kit	36-unit Metal	93.15
SEE547	01939	Workplace Standard Kit	# 3 Metal	200.27

STANDARD REGULATION KIT CONTENTS LIST

Item	Description	Reg. # 1 Qty	Reg. # 2 Qty	Reg. # 3 Qty	Reorder Qty
SEE677	Plastic Bandages, Assorted Sizes	30	50	50	50
SAY356	Abdominal Pad 5" x 9"	2	2	6	1
SAY343	Gauze Pads, 2" x 2"	12	24	36	25
SAY375	Triangular Bandage	2	6	10	1
SEE469	Cotton Tipped Applicators	12	12	12	100
SEE687	Clear Plastic Tape, 3/4" x 1 yd.	1	2	2	1
SAY430	Alcohol Swabs	10	20	20	100
SAY418	Hydrogran Peroxide, 100ml	1	1	1	1
SEE486	Eye Dressing Pad	2	2	2	12
SAY527	First Aid and Emergency Care Guide, Bilingual	1	1	1	1
SAY530	Accident/Illness Record Book	1	1	1	1
SAY535	Blunt Tip Scissors	1	1	1	1
SAY540	Blunt Splinter Forceps	1	1	1	1
SAY543	Safety Pins, Assorted Sizes	6	12	12	12
SAY583	Wooden Splint Set, Assorted Sizes	-	6	6	6
SAY608	Foil Emergency Blanket	-	1	1	1



VISIT www.wcb.pe.ca FOR MORE INFORMATION

SAFE + CROSS
FIRST AID LTD.

SAY194



SAY197



SAY201



See pages
526-529 for
cold packs,
splints, and
stretchers



PROVINCIAL REGULATION KITS (CONT'D)

NEWFOUNDLAND & LABRADOR FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
POCKET			
SAY203	50848B	Medium romo Plastic	11.00
NO. 1, 1 WORKER			
SAY204	50800	10-unit Plastic	17.93
SAY205	50803	10-unit Metal	29.75
SAY206	50812	Refill	15.17
NO. 2, 2 - 14 WORKERS			
SAY207	50815	16-unit Plastic	22.18
SAY208	50818	16-unit Metal	37.41
SAY209	50827	Refill	18.43
NO. 3, 15 - 199 WORKERS			
SAY210	50830	24-unit Plastic	40.03
SAY211	50833	24-unit Metal	55.67
SAY212	50845	Refill	33.74

NEWFOUNDLAND & LABRADOR SPECIALTY KITS

Model No.	Mfg. No.	Description	Container Type	Price /Each
SEES48	01949	Truck Kit	16-unit Plastic	22.07
SEES49	01951	Contractors' Kit	24-unit Plastic with gasket	50.74
SEES50	01954	Office Standard Kit	36-unit Metal	88.98
SEES51	01956	Workplace Standard Kit	# 3 Metal	199.65

STANDARD REGULATION KIT CONTENTS LIST


Item	Description	Sec. 19 Qty	#1 Qty	#2 Qty	#3 Qty	Reorder Qty
SAY285	Plastic Bandages, 1" x 3"	12	12	16	32	100
SAY269	Fabric Knuckle Bandages	-	-	-	10	50
SAY272	Fabric Fingertip Bandages	-	-	-	10	50
SAY326	Gauze Bandage Roll, 2" x 5 yds.	1	-	-	-	4
SAY343	Gauze Pads, 2" x 2"	2	-	-	-	25
SAY345	Gauze Pads, 3" x 3"	-	12	16	32	25
SAY365	Compress Bandage, 2" x 2"	1	-	-	-	4
SAY369	Compress Bandage, 4" x 4"	-	2	2	6	1
SAY375	Triangular Bandage	-	4	6	6	1
SEE688	Clear Plastic Tape, 1/2" x 5 yds.	1	1	-	-	1
SEE686	Clear Plastic Tape, 1" x 5 yds.	-	-	1	2	1
SAY361	Tubular Gauze w/ Applicator, 5/8" x 5 yds.	-	-	-	1	1
SAY418	Hydrogran Peroxide, 100ml	-	1	1	1	1
SAY416	Antiseptic Skin Cleanser, 60ml	1	-	-	-	1
SAY480	Eye Wash, 20ml	1	-	-	-	60
SAY527	First Aid and Emergency Care Guide, Bilingual	-	1	1	1	1
SAY530	Accident/Illness Record Book	-	1	1	1	1
SAY535	Blunt Tip Scissors	-	1	1	1	1
SAY540	Blunt Splinter Forceps	-	1	1	1	1
SAY543	Safety Pins, Assorted Sizes	6	12	12	12	12
SAY581	Ammonia Inhalant Ampoules	2	-	-	-	10

SAFE + CROSS
FIRST AID LTD.

SAY207



SAY211



VISIT www.gov.nf.ca FOR MORE INFORMATION

See pages 530-531
for resuscitation
and CPR devices



PROVINCIAL REGULATION KITS (CONT'D)

NORTHWEST TERRITORIES & NUNAVUT FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
NO. 1			
SAY213	51100	24-unit Plastic	48.50
SAY214	51103	24-unit Metal	64.16
SAY215	51115	Refill	42.22
NO. 2			
SAY216	51119	# 2 Plastic	142.16
SAY217	51118	# 2 Metal	160.09
SAY218	51121	Refill	122.68
NO. 3			
SAY219	51124	# 6 Metal Cabinet	235.66
SAY220	51127	Refill	170.37

STANDARD REGULATION KIT CONTENTS LIST

Item	Description	#1 Qty	#2 Qty	#3 Qty	Reorder Qty
SAY278	Fabric Bandages, Assorted Sizes	100	200	200	100
SAY317	Steri-Strip Closures, Assorted	-	-	5	19
SEE467	Abdominal Pad, 10" x 12"	-	-	6	1
SAY324	Gauze Bandage Roll, 1" x 5 yds.	-	1	1	6
SAY326	Gauze Bandage Roll, 2" x 5 yds.	6	10	10	4
SAY349	Gauze Compress, 36" x 36"	1	5	5	1
SAY343	Gauze Pads, 2" x 2"	-	12	12	25
SAY345	Gauze Pads, 3" x 3"	6	6	6	25
SAY351	Gauze Sponges, 3" x 3"	-	-	48	200
SAY365	Compress Bandage, 2" x 2"	-	-	6	4
SAY367	Compress Bandage, 3" x 3"	-	-	6	1
SAY369	Compress Bandage, 4" x 4"	1	1	6	1
SAY371	Compress Bandage, 5" x 5"	-	5	-	1
SAY373	Compress Bandage, 5 1/2" x 15"	-	4	-	1
SAY374	Compress Bandage w/ Elastic Tails, 4" x 6"	1	1	1	1
SAY375	Triangular Bandage	2	3	12	1
SEE666	Esmarch Bandage, 3" x 1.5 yds.	-	-	2	1
SEE470	Tongue Depressors	-	-	12	25
SEE689	Cotton Cloth Tape, 1" x 2.5 yds.	1	1	2	1
SAY395	Elastic Compression Bandage, 3" x 5 yds.	1	3	6	1
SAY433	Benzalkonium Chloride Antiseptic Towelette	6	12	12	100
SEE682	Green Soap Antiseptic Cleanser, 50 ml	-	-	1	1
SEE684	Burn Dressings, 2" x 2"	-	12	-	50
SAY471	Plastic Eye Cup	-	-	1	1
SAY469	Plastic Eye Shield	-	1	2	1
SEE673	Eye Dressing Kit (2 Pads, Tape)	1	-	-	1
SEE674	Eye Dressing Kit (6 Pads, Tape)	-	1	1	1
SAY480	Eye Wash, 20ml	-	-	3	60
SAY517	Instant Cold Pack, 4" x 6"	-	-	3	1
SAY527	First Aid and Emergency Care Guide, Bilingual	1	1	1	1
SAY530	Accident/Illness Record Book	1	1	1	1
SAY534	Bandage Scissors	1	1	1	1
SAY537	Fine-Point Splinter Forceps	1	1	1	1
SAY538	Feilchenfeld Splinter Forceps	-	-	1	1
SEE691	Safety Pins, 2"	12	12	12	12
SEE679	Medicine Dropper	-	-	1	1
SEE695	Nail Scrub Brush	-	1	1	1
SAY546	Emesis Basin	-	-	1	1
SEE697	Nitrile Medical Examination Gloves	10	10	10	2
SAY567	CPR Faceshield	2	2	1	1
SAY581	Ammonia Inhalant Ampoules	-	-	20	10
SAY584	Wire Mesh Splint	-	1	2	1

See page 535
for first aid guides
and accident
record books



SAFE + CROSS
FIRST AID LTD.

SAY213



SAY217



VISIT www.gov.nt.ca FOR MORE INFORMATION

PROVINCIAL REGULATION KITS (CONT'D)

YUKON FIRST AID KITS

Model No.	Mfg. No.	Container Type	Price /Each
NO. 01			
SAY221	51300	10-unit Plastic	20.38
SAY222	51303	10-unit Metal	32.20
SAY223	51312	Refill	17.61
NO. 1			
SAY224	51315	16-unit Plastic	33.74
SAY225	51318	16-unit Metal	48.99
SAY226	51327	Refill	29.99
NO. 2			
SAY227	51330	36-unit Plastic	76.45
SAY228	51333	36-unit Metal	93.33
SAY229	51342	Refill	67.66

STANDARD REGULATION KIT CONTENTS LIST

Item	Description	#01 Qty	#1 Qty	#2 Qty	#3 Qty	Reorder Qty
SAY285	Plastic Bandages, 1" x 3"	50	75	150	100	100
SAY278	Fabric Bandages, Assorted Sizes	-	-	-	50	100
SAY312	Butterfly Skin Closures, Assorted	-	-	-	24	20
SEB215	Woundseal With Applicator	-	-	-	1	2
SAY357	Abdominal Pad, 8" x 10"	-	-	-	3	1
SEE467	Abdominal Pad, 10" x 12"	-	-	-	3	1
SAY324	Gauze Bandage Roll, 1" x 5 yds.	-	-	-	3	6
SAY326	Gauze Bandage Roll, 2" x 5 yds.	-	-	-	2	4
SAY328	Gauze Bandage Roll, 3" x 5 yds.	-	-	-	1	2
SAY330	Gauze Bandage Roll, 4" x 5 yds.	-	-	-	4	2
SEE675	Gauze Bandage Rolls w/ Tape	1	1	1	-	1
SAY349	Gauze Compress, 36" x 36"	1	1	3	3	1
SAY345	Gauze Pads, 3" x 3"	-	-	-	36	25
SAY348	Gauze Pads, 4" x 4"	-	-	-	36	25
SAY351	Gauze Sponges, 3" x 3"	-	-	-	100	200
SAY365	Compress Bandage, 2" x 2"	4	4	8	6	4
SAY369	Compress Bandage, 4" x 4"	1	2	6	6	1
SAY374	Compress Bandage w/ Elastic Tails, 4" x 6"	-	-	-	3	1
SAY375	Triangular Bandage	-	1	6	12	1
SEE667	Esmarch Bandage, 3" x 5 yds.	-	-	-	2	1
SEE469	Cotton Tipped Applicators	-	-	-	100	100
SEE470	Tongue Depressors	-	-	-	100	25
SEE686	Clear Plastic Tape, 1" x 5 yds.	-	-	-	2	1
SEE471	Cotton Cloth Tape, 2" x 5 yds.	-	-	-	1	1
SAY404	Cotton Cloth Tape, 3" x 5 yds.	-	-	-	1	1
SAY393	Tape Remover, 100ml	-	-	-	1	1
SAY395	Elastic Compression Bandage, 3" x 5 yds.	-	-	-	4	1
SAY399	Coban Self-Adherent Wrap, 2" x 5 yds.	-	-	-	1	1
SAY361	Tubular Gauze w/ Applicator, 5/8" x 5 yds.	-	-	-	1	1
SAY430	Alcohol Swabs	20	20	40	-	100
SEE681	Hand Cleansing Moist Towelettes	-	-	-	36	100
SEE670	Hand Cleansing Kit	1	2	4	-	1
SAY417	Antiseptic Skin Cleanser, Spray Pump, 125 ml	-	-	-	1	1
SAY441	First Aid Cream, 25 g	-	-	-	1	1
SEE680	First Aid Cream, 65 g	-	1	2	-	1
SAY457	Water Jel Cool Jel, 118ml	-	-	-	1	1
SAY471	Plastic Eye Cup	-	-	-	1	1
SEE672	Eye Dressing Kit (2 Pads, 2 Shields)	-	1	2	2	1
SEE678	Eye Wash, 250ml	-	-	-	1	1
SAY517	Instant Cold Pack, 4" x 6"	-	-	-	3	1
SAY530	Accident/Illness Record Book	-	-	-	1	1
SAY535	Blunt Tip Scissors	1	1	1	-	1
SAY533	Surgical Scissors	-	-	-	1	1
SAY534	Bandage Scissors	-	-	-	1	1
SAY540	Blunt Splinter Forceps	1	1	1	-	1
SAY537	Fine-Point Splinter Forceps	-	-	-	1	1
SAY543	Safety Pins, Assorted Sizes	-	-	-	14	12
SEE699	Rail Forceps	-	-	-	1	1
SEE679	Medicine Dropper	-	-	-	1	1
SEE696	Guedel Airway Kit 3/Set	-	-	-	1	1
SAY581	Ammonia Inhalant Ampoules	-	-	-	10	10
SAY584	Wire Mesh Splint	-	-	-	6	1



SAY224



SAY228



VISIT www.wcb.yk.ca FOR MORE INFORMATION

FIRST AID

MULTIPURPOSE FIRST AID KITS

- Contains items for treating both small and large wounds
- Ideal for motor vehicles, boats, recreational vehicles, cottages and homes

Model No. SAY233

Mfg. No. 01363

Price/Each \$18.02



SAFE + CROSS
FIRST AID LTD.

BELT POUCH FIRST AID KITS

- Contains supplies to treat the most common incidents/accidents that may occur during an outdoor trip or vacation
- Compact, portable, slim design, water-resistant nylon bag features sturdy double belt loops

Model No. SAY232

Mfg. No. 01350

Price/Each \$11.24



PROMOTIONAL FIRST AID KITS

- For vehicle, personal, sporting, vacation and recreational needs
- Ideal for promotional and incentive programs, employee gifts, fund-raising and awards

Model No.	Mfg. No.	Description	Price /Each
SEE503	01367	Promo "A"	2.57
SAY230	01368	Promo "B"	5.35
SAY231	01369	Promo "C"	7.42

Promo B

Promo C



RECTANGLE FIRST AID KITS

- General-purpose first aid kits for personal and recreational use
- Suitable for outdoor activities, vacations, family outings, motor vehicles, cottages and homes

Model No. SAY234

Mfg. No. 01341

Price/Each \$14.27



BRIEFCASE FIRST AID KITS

- Includes insect bite treatment, waterless hand cleaner, eye pads and wipes, CPR protective device, rescue foil blanket, purified drinking water, burn care and an assortment of bandages and dressings
- Ideal for motor vehicles, boats, recreational vehicles, cottages and homes

Model No. SAY235

Mfg. No. 01375

Price/Each \$43.61



ADVENTURE FIRST AID KITS

- Ideal for treating minor injuries that may occur during an outdoor adventure
- Contains supplies for blister care and prevention, as well as items to treat insect bites, cuts and scrapes

Model No. SAY236

Mfg. No. 01338

Price/Each \$24.22



HIKERS' FIRST AID KITS

- Ideal for hiking and cycling outings, as well as general outdoor use
- Contains supplies to treat small and large wounds as well as insect bites

Model No. SAY237

Mfg. No. 01372

Price/Each \$24.86



SPORTS FIRST AID KITS

- Comprehensive first aid kit ideal for on-site treatment of sport-related injuries
- Contains a full assortment of practical, single-use, disposable products to treat injuries in a sanitary way

Model No. SAY238

Mfg. No. 01376

Price/Each \$27.95



SAFE + CROSS
FIRST AID LTD.

ATHLETIC FIRST AID KITS

- Ideal for track events and team sports such as baseball, football, hockey, basketball, volleyball and soccer
- Also recommended for playground activities
- Durable, weather and water-resistant utility boxes come complete with convenient lift-out trays, recessed carrying handles and metal securing latches

Model No. SAY239

Mfg. No. 01360

Price/Each \$103.29



TRUCK FIRST AID KITS

- General-purpose first aid kit designed for transport vehicles
- Contains supplies to treat small and large injuries.

Model No.	Mfg. No.	Container Type	Price/Each
SAY240	01378	10 Unit Plastic	15.00
SAY241	01386	10 Unit Metal	26.82



SAY240

CONTRACTORS' FIRST AID KITS

- General-purpose first aid kit designed for mobile contract workers
- Ideal for the construction industry including carpenters, plumbers, electricians, landscapers and general contractors

Model No. SAY242

Mfg. No. 01335

Price/Each \$42.63



OFFICE STANDARD FIRST AID KITS

- Ideal for treating injuries that may occur in an office setting
- Contains a full assortment of practical, single-use, disposable products to treat injuries in a sanitary way

Model No. SAY243

Mfg. No. 01361

Price/Each \$61.05



WORKPLACE FIRST AID KITS

- Comprehensive first aid kit contains supplies for treating common injuries, wounds and burns
- Includes waterless hand cleaner, foil rescue blanket, CPR protective device, first aid and CPR reference guide, first aid ointment and spray, burn care; as well as an assortment of bandages, dressings and splints
- Deluxe first aid kit contains additional recommended supplies for treating common injuries, wounds and burns

Model No.	Mfg. No.	Description	Price /Each
SAY244	01379	Standard	217.65
SAY245	01391	Deluxe	275.28

SAY245



SAY244

FIRST AID

WATER JEL®

- Provides cool and soothing temporary relief of pain, protects against contamination and stops burn progression
- Lowers and stabilizes skin temperature; cools through transference, not evaporation, to reduce the risk of hypothermia
- Water-based, water-soluble gel is easy to remove and assists in the removal of burnt clothing
- Non-toxic and non-irritating
- Unaffected by prior freezing, air travel and hot temperatures

SAFE + CROSS
FIRST AID LTD.

EMERGENCY BURN KITS

- Contains an assortment of sterile burn dressings and *Cool Jel*®

Model No.	Mfg. No.	Description	Container Type	Price /Each
SAY458	06641	Standard Kit I	10-Unit Plastic	45.71
SAY459	06639	Large Kit II	16-Unit Plastic	120.32



BURN CARE STATIONS

- Individual compartments allow rapid use and easy refilling of assorted *Water Jel*® burn dressings

Model No.	Mfg. No.	Description	Price /Each
SEC208	06647	Standard	59.12
SEC209	06648	Large	170.88



SEC209



SEC208

WELDERS' FIRST AID KITS

- For quick response to emergencies caused by flash burns and sparks from welding equipment
- Contains an assortment of products for immediate care and relief of pain to the skin and eye areas

Model No. SAY248 Mfg. No. 01250 Price/Each \$50.95



S.O.S. DISTRESS FIRST AID KITS

- Contains an extensive assortment of first aid and emergency rescue supplies
- Ideal for motorist distress emergencies; also as a promotional item for employee incentive programs and gifts, fund-raising, awards and golf tournaments

Model No. SAY249 Mfg. No. 01365 Price/Each \$118.93



TRAUMA & CRISIS FIRST AID KITS

- Features a comprehensive assortment of first aid and emergency rescue supplies for quick response to minor and major medical emergencies
- Suitable for emergency rescue personnel, police, fire fighters, paramedics, first aiders, lifeguards, nurses and ski patrol personnel
- Deluxe kit contains all the features of the standard kit plus additional supplies to deal with more serious injuries

Model No.	Mfg. No.	Description	Price /Each
SAY250	01377	Small	244.46
SEE508	01326	Standard	369.05
SAY251	01356	Deluxe	407.49



SAY250

SAY251



PLASTIC FIRST AID KIT CONTAINERS

- Manufactured from high-quality, lightweight polypropylene
- Weather and water-resistant
- Will not rust or corrode
- Wall-mountable
- Dimensions: 14 1/4" W x 3 1/8" D x 9 3/4" H

Model No. SAY252

Mfg. No. 01552

Price/Each \$9.93



METAL FIRST AID KIT CONTAINERS

- Manufactured from high-quality steel with a baked-on white enamel finish
- Withstands cold conditions
- Complete with carrying handle
- Wall-mountable
- Some models include a gasket to protect contents from moisture, dust, and dirt

SAY253

SAY254

SAY255

Model No.	Mfg. No.	W"	x	Dimensions H"	x	D"	Gasket Included	Price /Each
SAY253	01477	9 1/2	x	9 1/2	x	2 9/16	Yes	29.61
SAY254	01030	14	x	9 1/2	x	2 9/16	Yes	34.77
SAY255	01031	15 3/4	x	12 3/8	x	4 5/16	No	50.66



MEDICINE-STYLE CABINETS

- Manufactured from high-quality steel with a baked-on white enamel finish
- Fixed shelves provide ample space to store a complete line of first aid products
- Wall-mountable
- Model SAY257 includes windowed door and lock with 2 keys

Model No.	Mfg. No.	W" x H" x D"	Description	Price/Each
SEE509	01026	15 1/4 x 16 1/2 x 5 5/8	No. 3 Cabinet	67.80
SAY256	01034	14 1/2 x 18 5/16 x 6 3/8	No. 6 Cabinet	88.42
SEE510	01035	15 1/4 x 22 3/8 x 5 5/8	No. 4 Cabinet	78.96
SAY257	01798	18 x 27 x 8	No. 7 Cabinet	543.93
SEE511	99052	14 7/8 x 16 1/4	12-Pocket Door Pouch	10.93



NYLON TRAUMA BAGS

- Constructed of lightweight, 420-denier, PVC-coated nylon with a waterproof backing
- Bag features one large main compartment and four easy-access side/end pockets, sturdy reinforced carrying handles with fast-stick connector, detachable adjustable shoulder strap, single reflective strip for visibility and safety, plastic buckles, two-way zippers, replaceable bottom and a clear plastic pouch for identification tag
- Front pocket includes multiple easy-access pouches, pockets and elasticized loops for storage of supplies and instruments.
- Plastic stabilizing feet keep the bag clean and dry
- Ideal for rescuers, first aiders, health care and security personnel, schools, industry and motor vehicles
- Suitable for outdoor activities and sporting events
- Dimensions: 19 1/2" W x 11 1/2" D x 13 1/4" H

Model No. SAY258

Mfg. No. 01444

Price/Each \$66.23



HEAVY-DUTY TRAUMA BAGS

- Constructed of heavy-duty, 1000-denier, urethane-coated, durable, water-repellent nylon
- Features sturdy reinforced carrying handles with fast-stick connector, detachable adjustable shoulder straps, heavy-duty metal buckles and two-way zippers
- Spacious interiors and side pockets keep contents organized and protected
- Front pockets include multiple easy-access pouches, pockets and elasticized loops for storage of supplies and instruments
- Reinforced with impact-absorbing foam liners
- Plastic stabilizing feet keep the bag clean and dry
- Double reflective strips for visibility and safety
- Ideal for rescuers, first aiders, police, fire fighters, ambulance attendants, health care and security personnel, schools, industry and motor vehicles

SAY259



SAY260



Model No.	Mfg. No.	W" x D" x H"	Price/Each
SAY259	01446	19 1/2 x 11 1/2 x 13 1/4	206.98
SAY260	01445	26 1/2 x 11 x 12 1/2	289.77

FABRIC DRESSINGS

- High-quality cotton/rayon woven fabric bandages and dressing strips cushion wounds and offer protection against infection
- For minor cuts, scrapes, abrasions and burns
- Open-weave construction permits the skin to breathe for faster healing
- Strong adhesive allows the dressings to stick and stay in place
- Highly absorbent, non-adherent pads keep the wound clean and dry for faster healing
- Latex-free

SAFE CROSS
FIRST AID LTD.

ELASTIC BANDAGES - STERILE

- Rectangular shaped dressings for general use

Model No.	Mfg. No.	Dimensions W" x L"	Description	Quantity /Box	Price /Each
SAY261	03569	7/8 x 1 1/2	Heavyweight	50	3.48
SAY262	02122	7/8 x 3	Heavyweight	12	1.30
SAY263	03026	7/8 x 3	Heavyweight	100	7.74
SAY264	03029	7/8 x 3	Lightweight	100	7.36
SAY265	03570	1 1/2 x 1 1/2	Heavyweight	50	5.44
SAY266	03533	2 x 3	Heavyweight	12	2.30
SAY267	03035	2 x 3	Heavyweight	50	8.54

KNUCKLE BANDAGES - STERILE

- Heavyweight bandages designed to provide coverage, protection and comfort for hard-to-bandage knuckle and elbow areas
- Special construction permits maximum protection and flexibility
- Size: 1 1/2" x 3"

Model No.	Mfg. No.	Quantity /Box	Price /Each
SAY268	02123	12	1.90
SAY269	03025	50	7.25
SAY270	03451	100	13.92

FINGERTIP BANDAGES - STERILE

- Heavyweight bandages designed to provide coverage, protection and comfort for hard-to-bandage elbow, fingertip and toe areas
- Special construction permits maximum protection and flexibility

Model No.	Mfg. No.	Dimensions W" x L"	Quantity /Box	Price /Each
SAY271	02124	1 3/4 x 2	12	1.69
SAY272	03016	1 3/4 x 2	50	6.24
SAY273	03454	1 3/4 x 2	100	11.92
SAY274	02125	1 3/4 x 3	12	2.20
SAY275	03017	1 3/4 x 3	50	8.25
SAY276	03455	1 3/4 x 3	100	15.90

ASSORTED FABRIC BANDAGES - STERILE

- Selection of seven different shapes and sizes

Model No.	Mfg. No.	Quantity /Box	Price /Each
SAY277	03004	25	3.79
SAY278	03006	100	13.82

ELASTIC DRESSING STRIPS

- Dressings can be cut to the exact shape or size required
- Non-adherent centre pad runs parallel throughout the roll

Model No.	Mfg. No.	Dimensions W" x L"	Price /Each
SAY279	03575	1 1/2 x 3	4.54
SAY280	03577	2 1/2 x 3	5.62
SAY281	03579	3 x 3	6.24



SAY261



SAY262



SAY263



SAY266



SAY267



SAY265



SAY268



SAY269



SAY270



SAY271



SAY272



SAY273



SAY274



SAY275

SAY276



SAY279

SAY280

SAY281

BANDAGES & DRESSINGS

- High-quality plastic bandages promote healing and offer protection against infection
- For minor cuts, scrapes, abrasions and burns
- Strong adhesive allows the dressings to stick and stay in place
- Highly absorbent, non-adherent pads keep the wound clean and dry for faster healing
- Water-resistant
- Latex-free



PLASTIC BANDAGES - STERILE

- Rectangular shaped dressings for general use

Model No.	Mfg. No.	W"	Dim. x L"	Qty /Box	Price /Each
SAY282	02021	3/4	x 3	24	1.41
SAY283	03041	3/4	x 3	100	4.16
SAY284	02203	1	x 3	25	1.69
SAY285	03040	1	x 3	100	5.54



SAY284



SAY285

PLASTIC JUNIOR STRIPS - STERILE

Model No.	Mfg. No.	W"	Dim. x L"	Qty /Box	Price /Each
SAY287	03270	3/8	x 1 1/2	50	1.61



SAY287

ASSORTED PLASTIC BANDAGES - STERILE

- Selection of four different shapes and sizes
- 100 bandages per box

Model No.	Mfg. No.	Price /Each
SAY286	03526	5.93

COVERPLAST® PLASTIC BANDAGES

STERILE

- Manufactured from water-resistant, flexible film
- Perforated construction allows skin to breathe
- Non-adherent island pad construction seals out dirt and contaminants and cushions the wound
- 100 bandages per box
- Latex-free

Model No.	Mfg. No.	W"	Dim. x L"	Price /Each
SAY288	03211	3/4	x 2 27/32	6.73



SAY288

COVERPLAST® CLASSIC FABRIC BANDAGES

STERILE

- Made of breathable, high-quality cotton/rayon woven fabric that flexes and stretches with every movement
- Open weave fabric allows skin to breathe for faster healing
- Highly absorbent, non-adherent island pad helps keep the wound dry and clean

Model No.	Mfg. No.	Image	Application	W"	Dim. x L"	Qty /Box	Price /Each
SAY289	03195	A	General	7/8	x 1 1/2	100	10.13
SAY290	03189	B	General	7/8	x 2 27/32	100	15.51
SAY291	03196	C	General	1 1/2	x 1 1/2	100	14.61
SAY292	03190	D	Knuckle	1 1/2	x 2 27/32	100	23.35
SAY293	03192	E	Small Fingertip	1 3/4	x 2	50	12.92
SAY294	03191	F	Large Fingertip	1 3/4	x 2 27/32	100	29.41
SAY295	03193	G	General	2	x 27/32	100	30.30



FIRST AID

NEXCARE™ COMFORT STRIPS

STERILE

- Flexible bandages for all minor wound care needs
- Specially designed microporous backing encourages circulation for proper wound healing
- Durable moisture-resistant adhesive
- Latex-free

Model No.	Mfg. No.	Description	Dim. W" x L"	Quantity /Box	Price /Each
SN659	CS102	Rectangular Strips	3/4 x 3	80	6.52
SAY297	03079	Assorted – 10 Fingertip and 10 Knuckle	1 1/2 x 2 1/4 (Fingertip) 1 1/2 x 3 (Knuckle)	20	6.62
SN661	CS103	Knee and Elbow	2 x 4	10	4.00
SN660	CS203	Assorted Sizes	-	80	6.52

3M

SN659



SAY297



SN661

NEXCARE™ ACTIVE™ FLEXIBLE FOAM BANDAGES

STERILE

- Flexible foam strips designed to protect minor cuts, scrapes, burns and blisters
- Soft, absorbent pad provides added protection and will not stick to the wound during healing
- Stretches and flexes to provide comfortable wear - even around joints
- Heavy-duty, moisture-resistant adhesive will not loosen during work, play, immersion in water and exposure to damp or sweaty skin
- Latex-free

Model No.	Mfg. No.	Colour	Dim. W" x L"	Quantity /Box	Price /Each
SAY299	03049	Tan	1 x 3	100	9.94
SAY300	03048	Multi-Coloured	1 x 2.2	80	11.53

3M

SAY299



SAY300

NEXCARE™ WATERPROOF BANDAGES

STERILE

- Transparent waterproof bandages protect wounds and promote healing
- Added seal around island pad blocks out water, dirt and contaminants
- Ultra-thin, breathable material bends and flexes with every movement
- Latex-free
- Assorted sizes





Model No.	Mfg. No.	Description	Qty/Box	Price/Each
SAY301	03067	Standard	30	7.56
SEE463	CL301	Knee and Elbow	8	7.40

3M



KLETON

Canada's Leading Material Handling Manufacturer



METAL DETECTABLE BANDAGES

STERILE

- High-quality plastic and fabric metal detectable bandages cushion wounds and offer protection against infection
- For minor cuts, scrapes, abrasions and burns
- Bright blue colour and metallic content allow for misplaced or lost bandages to be easily detected and retrieved
- Recommended for use in the food and restaurant industries
- Latex-free



Model No.	Mfg. No.	Description	Dim. W" x L"	Quantity /Box	Price /Each
SAY307	03197	Fabric	1 x 3	100	11.13
SAY311	03358	Plastic	1 x 3	100	7.56
SAY310	03198	Fabric Knuckle	1 1/2 x 3	50	9.64
SAY309	03199	Fabric Fingertip	1 3/4 x 3	50	11.62
SAY308	03200	Fabric Patch	2 x 3	50	12.82

STERI-STRIP™ REINFORCED SKINCLOSURES

STERILE

- Advanced skin closures, made of porous, non-woven rayon material, allow skin to breathe; reinforced with filaments to provide extra strength
- For use as a skin closure device for lacerations and surgical incisions
- For use with or without skin sutures (stitches)
- Provides additional support after the removal of sutures or staples



Model No.	Mfg. No.	Dim. W" x L"	Strips /Envelope	Envelopes /Box	Price /Each
SD935	R1540	1/8 x 3	5	50	61.93
SD937	R1541	1/4 x 3	3	50	63.77
SAY317	03486	Assorted	Assorted	19	12.33

NEXCARE™ NO STING LIQUID BANDAGE SPRAY

- Ideal for large scrapes and abrasions that are difficult to cover with traditional bandages
- Provides soothing, breathable, waterproof protection to promote healing
- Non-stinging formula dries in 30 seconds
- Each 18 ml bottle contains 60 applications

Model No. SAY321
Mfg No. 03324
Price/Each \$12.02



WOUNDSEAL™

- A non-prescription topical powder that controls external bleeding
- Composed of a hydrophilic polymer and potassium ferrate
- Pour onto a bleeding wound and apply pressure to form an instant waterproof seal that stops bleeding and protects the wound
- Falls off naturally as the wound heals



Model No.	Mfg. No.	Package Format	Applications	Price /Each
SEB214	06022	Pour Pack, 2/pack	Easy to Reach Wounds	9.33
SEB215	06025	Applicator, 2/pack	Nosebleeds, Head Wounds, and Hard-to-Reach Wounds	11.23
SEB216	06028	Rapid Response Reclosable Bottle	Larger or Multiple Wounds	14.20

BUTTERFLY SKIN CLOSURES

STERILE

- Waterproof dressings designed to hold wounds together, support sutures (stitches) and provide post-surgical support after the removal of sutures



Model No.	Mfg. No.	Dim. W" x L"	Quantity /Box	Price /Each
SAY312	03674	Assorted (10 Med., 10 Lg.)	20	3.79
SAY313	03219	Medium 3/8 x 1 3/4	100	11.92
SAY314	03220	Large 1/2 x 2 3/4	100	14.90

HYPAFIX® ADHESIVE DRESSING RETENTION SHEETS

- Non-woven adhesive dressing retention sheets cover and secure wound dressings, gauze and absorbent pads
- Vapour-permeable to permit the skin to breathe
- Adjustable for use on awkward body contours



Model No.	Mfg. No.	Dim. W" x L'	Price /Each
SAY318	03057	2 x 33	9.84
SAY319	03058	4 x 33	15.51

TEGADERM™ TRANSPARENT DRESSING

STERILE

- Semi-permeable transparent surgical dressings used to protect abrasions, closed surgical wounds and pressure ulcers
- Barrier protects against outside contamination from liquids and bacteria
- Permits oxygen and moisture vapour transmission to encourage healing
- Allows for easy visibility of the skin, wound or site
- Easy to apply; comfortable and conformable
- 2 3/8" x 2 3/4" dressings (6/box)
- Waterproof

Model No. SAY320
Mfg No 07634
Price/Each \$12.72



NEW-SKIN® SPRAY ON BANDAGE

- Antiseptic liquid bandage for use on minor wounds in place of bandages
- Dries rapidly to form a tough protective cover
- Prevents and protects against blisters
- Flexible and waterproof
- Allows the skin to breathe
- 285 g (10z.) aerosol

Model No. SAY322
Mfg No. 03322
Price/Each \$12.72



NO BLEED

- Astringent coagulant promotes blood clotting
- For use on minor cuts and scratches
- Dropper dispenser lessens the chance of contamination and facilitates easy and precise application
- 25 ml bottle



Model No.	Mfg. No.	Price/Each
SAY428	06020	5.24

FIRST AID

CEDERROTH FIRST AID KITS

WALL PANEL FIRST AID KIT

- Includes 4-in-1 blood stoppers, triangular bandage, protection kit, bandage dispenser with 45 bandages, wound cleaners, and first aid instructions
- Two additional storage spaces allow you to adapt your station to your specific needs
- Transparent door with rubber edges protects against dust and dirt

Model No. SEE448
Mfg. No. 01206
Price/Each \$239.30



SAVETT WOUND CLEANSERS

- Convenient and easy to use individually packaged wound cleansers
- Do away with cotton wool and bottles of antiseptic
- Cleansing fluid consists of sterile physiological saline solution



Model No.	Mfg. No.	Description	Price /Each
SEE451	06056	Wall Dispenser w/ 40 pcs	20.20
SEE452	06057	Dispenser Refill, 40 pcs	14.35
SEE449	06058	First Aid Kit Refill, 20 pcs	7.46

4-IN-1 BLOODSTOPPER

- A sterile universal dressing with four different functions:
- Pressure pad for heavy bleeding
 - Protective dressing for superficial wounds
 - Burn dressing with special wound-protecting surface
 - Temporary support dressing



Model No.	Mfg. No.	Description	Price /Each
SEE453	02590	Small Pad (3" x 5") w/ 1 Disposable Elastic Bandage	4.10
SEE454	02592	Large Pad (5.5" x 9") w/ 2 Disposable Elastic Bandages	7.66

SOFT FOAM BANDAGES

- Suitable for any kind of small wounds in all hot, cold, wet and dry conditions
- Will stay in place in water
- Self adhesive, does not use any kind of glue
- To use, tear off a strip large enough to wind once or twice around the wound
- Blue bandages are designed for use when handling food
- Contains latex
- Size: 2.5" x 6.5 yds



Model No.	Mfg. No.	Colour	Price /Each
SEE455	07814	Tan	27.37
SEE456	07815	Blue	27.37

SALVEQUICK® BANDAGE DISPENSING SYSTEMS

STERILE

- Clear cover allows the user to view contents to ensure an adequate supply is available when needed
- Features an automatic locking system to ensure bandages are dispensed individually
- Reduces consumption and theft of bandages
- Adhesive is exposed when bandage is removed from dispenser for immediate application
- Sturdy plastic panel easily mounts to wall



SAY302

DISPENSERS

Model No.	Mfg. No.	Description	Price /Each
SAY302	03460	Assortment of 45 Sterile Plastic and 40 Sterile Fabric Bandages	37.43
SAY303	03461	Assortment of 70 Sterile Metal Detectable Plastic Bandages	53.81

REFILLS

Model No.	Mfg. No.	Type	Contains	Quantity /Box	Price /Each
SAY304	03462	Plastic	27 - 3/4" x 2 27/32" 18 - 1" x 2 27/32"	6	47.21
SAY305	03463	Fabric	24 - 3/4" x 2 27/32" 16 - 1" x 2 27/32"	6	58.49
SAY306	03464	Metal Detectable	21 - 3/4" x 2 27/32" 14 - 1" x 2 27/32"	6	104.30



SAY304



SAY305



SAY306

GAUZE BANDAGE ROLLS

- Individually wrapped, high-quality gauze bandages
- Made of 100% bleached cotton
- Non-stretch



Model No.	Mfg. No.	Dim.			Quantity	Price /Each
		W"	x	L'		
SAY323	02228	1	x	15	Single Roll	0.26
SAY324	02102	1	x	15	6/box	1.79
SAY325	02229	2	x	15	Single Roll	0.45
SAY326	02018	2	x	15	4/box	2.10
SAY327	02230	3	x	15	Single Roll	0.65
SAY328	02285	3	x	15	2/box	1.61
SAY329	02231	4	x	15	Single Roll	0.84
SAY330	02022	4	x	15	2/box	2.00
SAY331	02149	1	x	30	1/box	0.84
SAY332	02407	2	x	30	Single Roll	0.75
SAY333	02150	2	x	30	1/box	1.12
SAY334	02151	3	x	30	1/box	1.41
SAY335	02233	4	x	30	Single Roll	1.30
SAY336	02152	4	x	30	1/box	1.69

CONFORMING BANDAGES

- Soft, lightweight conforming bandages provide non-slip support and compression
- Ideal for securing and retaining general dressings
- Bandages conform and hold securely to body contours while allowing patient movement and soft tissue swelling
- 1-ply stretch rayon/nylon blend bandage
- Provides low compression and support
- Individually wrapped in non-sterile and sterile formats
- Rolls are 3.7 m (4.1 yds) in length when stretched

Sterile



Non-Sterile



Model No.	Mfg. No.	Width"	Qty /Pkg.	Price /Each
NON-STERILE				
SAY337	02331	2	1	0.65
SAY338	02332	3	1	0.84
SAY339	02333	4	1	1.02
SEE464	02542	2	12	4.95
SEE465	02543	3	12	6.93
SEE466	02544	4	12	8.94
STERILE				
SAY340	02570	2	1	1.02
SAY341	02571	3	1	1.20
SAY342	02572	4	1	1.41

GAUZE COMPRESSES

- High-quality gauze bandage made of 100% cotton
- Highly absorbent - can be used folded or unfolded
- Dimensions: 36" x 36"



Model No.	Mfg No.	Price/Each
SAY349	02206	2.30

JELONET® PARAFFIN GAUZE DRESSINGS

- Non-medicated, non-adherent, paraffin-based tulle gras gauze dressings
- For minor burns, scalds, skin loss wounds, lacerations, abrasions, leg ulcers and donor and recipient graft sites
- May be used with topical antiseptic or antibiotics
- May be used with an absorbent secondary dressing for wound drainage
- Can be cut to size
- Individually wrapped
- Size: 4" x 4"

Model No. SEE479

Mfg. No. 05268

Price/Each \$29.74



GAUZE PADS

STERILE

- High-quality, absorbent 12-ply gauze pads
- For wound dressing and general cleaning
- Individually wrapped in water-resistant, tamper-proof packaging

Model No.	Mfg. No.	Dim. W" x L"	Quantity /Box	Price /Each
SAY343	03186	2 x 2	25	3.59
SAY344	03143	2 x 2	100	10.54
SAY345	03052	3 x 3	25	4.26
SAY346	03085	3 x 3	100	13.21
SAY347	02221	4 x 4	25	5.62
SAY348	03222	4 x 4	100	18.69



FIRST AID

NON-STERILE GAUZE SPONGES

- Low-linting 8-ply gauze sponges made of 100% cotton
- Ideal for wound dressing and general cleaning
- 200/package



Model No.	Mfg. No.	Dim. W" x L"	Price /Each
SAY350	03071	2 x 2	3.38
SAY351	03437	3 x 3	6.24
SAY352	03269	4 x 4	8.44

ABDOMINAL PADS

STERILE

- Thick, super-absorbent pads consisting of three layers: soft outer non-woven layer, fluff filler to absorb and disperse fluid and wet-proof moisture barrier to prevent fluid strike-through
- Cushions wounds and burns



Model No.	Mfg. No.	Dim. W" x L"	Price /Each
SAY356	03505	5 x 9	0.84
SAY357	03504	8 x 10	1.20

ABDOMINAL/COMBINE PADS

- Thick, super-absorbent pad features a soft non-woven outer layer for patient comfort and fluff filler for absorbency
- Cushions draining wounds, burns and prevents skin maceration (breakdown)
- Can be folded or stacked to accommodate the size of the wound and the required absorbency
- Edges are sealed to prevent lint residue and leaking
- Outer layer facing has a topside indicator stripe to ensure proper application

Model No. SEE467

Mfg. No. 03001

Price/Each \$2.51



SURGITUBE® TUBULAR GAUZE BANDAGES

- Seamless knitted tubular cotton gauze bandages used to secure primary bandages
- Can be cut to any size and is applied with an applicator
- Complete with applicator for fingers and toe
- One 5/8" x 15' bandage per box

Model No. SAY361


Mfg. No. 31651

Price/Each \$4.85



NON-WOVEN SPONGES

- High-quality, 4-ply non-woven polyester/viscose blend sponges provide optimum absorbency and air permeability
- Non-fraying edges reduce linting, unravelling and snagging for cleaner, safer wound management
- 200/package



Model No.	Mfg. No.	Dim. W" x L"	Price /Each
NON-STERILE			
SAY353	03440	2 x 2	3.79
SAY354	03441	3 x 3	6.42
SAY355	03442	4 x 4	9.84
STERILE			
SEE445	03445	2 x 2	3.26
SEE446	03446	3 x 3	4.77
SEE447	03447	4 x 4	6.18

TRAUMA DRESSINGS

STERILE

- Large dressing consists of a super-absorbent inner layer and a soft non-woven cover
- Cushions and protects large draining wounds and burns, while helping to prevent contamination
- Pad measures 10" x 30"

Model No. SAY358

Mfg No. 02783

Price/Each \$7.85



TELFA® "OUCHLESS" NON-ADHERENT DRESSINGS

STERILE

- Used as a primary dressing over surgical incisions, lacerations and abrasions
- Will not disturb or stick to the wound
- Encourages air circulation and light fluid collection



Model No.	Mfg. No.	Dim. W" x L"	Quantity /Box	Price /Each
SAY359	03183	2 x 3	100	18.38
SAY360	03184	3 x 4	100	35.66
SAY488	03185	2 x 3 3/4	50	25.05

FINGER BOB BANDAGE ROLLS

- Cloth covering for fingers and toes
- Comprised of two-rolled bandage rings for easy roll-on application
- No tape or adhesive required
- 25 rolls/package



Model No.	Mfg. No.	Dim.	Price/Each
SAY362	31671	Medium	22.95
SAY363	31672	Large	32.28

COMPRESS (PRESSURE) BANDAGES

STERILE

- Used to stop bleeding without the need for separate gauze pads and gauze bandage rolls
- Non-adherent pad will not disturb or stick to the wound
- Moisture-proof packaging resists water and ensures sterility
- Fast and easy to apply in emergency situations
- Compressed and vacuum-packed for maximum use of space in first aid kits



Model No.	Mfg. No.	W"	Size x L"	Units	Price /Each
SAY365	02020	2	x 2	4/box	4.75
SAY367	02011	2 1/2	x 3 3/8	1/box	1.61
SAY369	02024	3 1/2	x 4 1/4	1/box	1.69
SAY371	02760	4 1/2	x 6	1/box	2.61

EMERGENCY TRAUMA COMPRESS BANDAGES

- Easy-to-use, 1-piece compress bandage for the treatment of heavily bleeding injuries and trauma
- Stops blood flow efficiently and applies pressure directly to the wound site
- Patented design uses a unique pressure bar that applies pressure and facilitates various bandaging options for dressing the wound
- Non-adherent pad features a super-absorbent inner layer and will not stick to the wound
- Includes white rubber elastic tails for extra compression and a secure, comfortable fit
- Straight-forward and simple to apply; can be applied with one hand
- Packaged in waterproof polyethylene pouches
- Dimensions: 3-3/4" x 7"

Model No. SEE468
Mfg. No. 02880
Price/Each \$12.41



FIELD DRESSINGS

STERILE

- High-quality pressure dressing features a non-adherent, double-thick secondary pad for extra absorbency, strength and patient comfort
- Pad measures 4" x 4"

Model No. SAY372
Mfg No. 02876
Price/Each \$3.20



LARGE COMPRESS BANDAGES

STERILE

- Versatile, super-absorbent pressure dressing
- Features a non-adherent pad and stretch gauze tails
- 5 1/2" x 5 1/2" when used as a triple pad
- 15" x 5 1/2" when used fully expanded

Model No. SAY373
Mfg No. 02567
Price/Each \$6.83



COMPRESS BANDAGES WITH RUBBER ELASTIC TAILS

STERILE

- High-quality pressure dressing
- Features rubber elastic tails for extra compression and a secure, comfortable fit
- Non-adherent triple pad construction provides extra absorbency and comfort
- Fastens securely with affixing clip (included)
- Pad measures 4" x 6"

Model No. SAY374
Mfg No. 02727
Price/Each \$4.44



Call us for
quantity pricing!



FIRST AID

MICROPORE™ PAPER TAPE

- Lightweight, gentle, breathable paper tape
- Ideal for securing bandages or dressings that require frequent changes
- Suitable for use on sensitive skin and fragile skin areas
- Tears easily without scissors
- 1" x 30'
- Latex-free
- 12 rolls/box

Model No. SAY387

Mfg No. 1530-1

Price/Each \$12.18

3M



BLENDERM™ WATERPROOF PLASTIC TAPE

- Waterproof, transparent plastic tape
- Protects wounds from outside moisture, fluids and contaminants
- Clear tape allows for wound monitoring
- Flexible for hard-to-tape areas
- 1" x 15'
- Latex-free
- 12 rolls/box

Model No. SAY388

Mfg No. 1525-1

Price/Each \$23.38

3M



TRANSPORE™ PLASTIC TAPE

- Clear, easy-to-tear, perforated plastic tape
- Ideal for securing bulky dressings
- Stretches and conforms to body contours for greater holding power
- Suitable for active, hard-to-bandage areas such as knees, elbows or fingers
- Transparent for visualization of the skin and wound monitoring
- Perforated for easier, bi-directional tearing
- 1" x 30'
- Latex-free
- 12 rolls/box

Model No. SAY389

Mfg No. 1527-1

Price/Each \$17.68

3M



LEUKOPLAST® PLASTIC TAPE

- Versatile waterproof plastic tape
- Constructed from thin, flesh-coloured PVC film
- Ideal for securing and protecting dressings likely to be exposed to fluids and moisture
- Specially designed for skin contact
- Protects against water, oil and contaminants
- 1" x 10'
- Latex-free

Model No. SAY390

Mfg. No. 03699

Price/Each \$7.95



BANTEX® COHESIVE GAUZE TAPE

- Resists perspiration, washing, soaking, bathing and immersion in soapy or detergent solutions; will not loosen, slip or distort when wet
- Safe for sensitive skin; will not adhere to skin, hair or clothing
- Medical uses: protects cuts, burns, sprains and other injuries; retains dressings and provides support for sprains, weak arches, ankles and wrists
- Industrial uses: protects fingers and hands from industrial hazards; improves the user's grip; protects delicate products from finger and hand contaminants



WATERPROOF ADHESIVE TAPE

- High-tensile strength, vinyl-coated cloth with a zinc oxide adhesive backing
- Includes protective spool and shell
- Model SAY385 is triple cut; each roll contains 3 pre-cut widths: 1/2", 5/8", and 7/8"



Model No.	Mfg. No.	W"	Dim. x L'	Price /Each
SAY383	07045	1/2	x 15	2.40
SAY384	07037	1	x 15	3.00
SAY385	07392	Triple Cut	x 15	6.52

Model No.	Mfg. No.	W"	Dim. x L'	Qty /Pack	Price /Each
SAY391	07271	3/4	x 90	16	39.64
SAY392	07799	1	x 90	12	39.64

HOSPITAL QUALITY COTTON TAPE

- Premium-quality, bleached cotton tape with a zinc oxide adhesive backing
- Specially formulated for skin contact and good adhesion
- 1" x 30'
- 12 rolls per box

Model No. SAY386

Mfg No. 07311

Price/Each \$29.81



WATERPROOF VINYL/CLOTH TAPE

- High-tensile strength, vinyl-coated cloth with a zinc oxide adhesive backing
- Effective under a wide range of temperatures and extreme humidity conditions

Model No. SEE471

Mfg. No. 07046

Price/Each \$7.95



TRAINERS' FOAM TAPE UNDERWRAP

- Lightweight, non-adhesive, protective underwrap made of polyurethane foam
- For use under tape or sports equipment
- Prevents friction, rubbing and tape adhesion to the skin

Model No. SEE473

Mfg. No. 07678

Price/Each \$5.72



TRAINERS' COTTON CLOTH TAPE

- Multipurpose, white cloth athletic tape with a zinc oxide adhesive
- For a variety of personal and sporting needs including: binding and supporting ankles, wrists and joints; wrapping and protecting equipment
- Can be used under a wide range of temperatures and extreme humidity conditions

Model No. SEE472

Mfg. No. 07677

Price/Each \$5.44



ADHESIVE TAPE REMOVER

- Quickly removes adhesive tape and residue
- Non-irritating formula
- 100 ml bottle

Model No. SAY393

Mfg. No. 14883

Price/Each \$4.75



RUBBER ELASTIC BANDAGES

- Reusable, lightweight, non-fraying bandages provide tension, firm support and compression to encourage proper healing of sprains and strains
- Additional uses include: post-cast support; dressing retention; control of swelling; and prevention of scuffs and bruising
- Complete with metal affixing clips
- Rolls are 4.5 m in length when stretched
- Latex-free



Model No.	Mfg. No.	Width"	Applications	Price /Each
SAV394	08048	2	Wrists, Feet	1.30
SAV395	08049	3	Elbows, Knees, Ankles, Lower Legs	1.69
SAV396	08050	4	Shoulders, Knees, Lower Legs	2.10
SAV397	08051	6	Chest, Shoulders	2.89

COBAN™ SELF-ADHERENT WRAPS

- Rubber-based, porous self-adhering wraps designed for compression, tension and support without clips, pins or tape
- Will not stick to skin or dressings
- Lightweight and comfortable
- Can be cut to size
- Rolls are 4.6 m in length when stretched
- Applications: supporting strains and sprains; wrapping splints; holding and protecting primary and compression dressings



Model No.	Mfg. No.	Width"	Price /Each
SN461	1581	1	1.75
SD907	1582	2	3.38
SD908	1583	3	3.94
SD909	1584	4	4.98

TENSOPLAST® ELASTIC ADHESIVE TAPE

- Flexible fabric tape made of extensible, comfortable, open-weave stretch fabric with a strong zinc oxide adhesive
- Used for dressing retention, as well as a support for fractures and sports injuries
- Provides maximum flexibility, strong support and air circulation



Model No.	Mfg. No.	Dim. W" x L'	Price /Each
SAV402	03042	1 x 15	10.03
SAV403	03399	2 x 15	13.51
SAV404	03400	3 x 15	20.77

TENSOPLAST® ELASTIC ADHESIVE BANDAGES

- Porous adhesive support bandages made of cotton and rayon fabric
- Provides full non-slip support, firm compression and comfort with minimal stretch
- Uses include: prevention and treatment of strains, sprains, injured joints and dislocations; support bandage to keep wound dressings in place
- Adhesive permits evaporation - even when the bandage is overlapped
- Central yellow line assists in proper application
- Rolls are 4.5 m (5 yds) in length when stretched



AMBIDEXTROUS ONE SIZE WRIST SUPPORTS

- Absorbs impact-induced vibrations before reaching the elbow
- Universal 3" elastic wrist support with a poly/cotton covered Sorbothane® strip
- Adjustable hook and loop closure



Model No. SEE126
Mfg. No. ERWW
Price/Each \$9.59



DUAL ELASTIC WRIST RESTRAINERS

- Restricts the wrist from over flexing and over extension
- Flexible spiral stay on palm side
- Loops around thumb
- Single elastic strap with hook and loop closure
- Ideal for carpal tunnel sufferers



Left Model No.	Mfg. No.	Right Model No.	Mfg. No.	Measurement"	Price /Each
SEE139	EL41SL	SEE143	EL41SR	4.5 to 5.5	23.68
SEE140	EL41ML	SEE144	EL41MR	6.5 to 7.5	23.68
SEE141	EL41LL	SEE145	EL41LR	7.5 to 8.5	23.68
SEE142	EL41XLL	SEE146	EL41XLR	8.5 to 11	23.68

SURGIGRIP™ TUBULAR ELASTIC SUPPORTS

- Support and compression tubular elastic bandages for treating sprains, strains, sports injuries and soft-tissue injuries
- Suitable for swelling management, as well as post-cast support
- Applied by pulling the material over the affected area
- Made of soft cotton knit interlaced with elastic threads
- Latex-free



Model No.	Mfg. No.	Application	Dim. Dia" x L'	Price /Each
SAV410	31254	Small Hands, Limbs	2 3/4 x 33	56.33
SAV411	31257	Adult Hands, Arms, Limbs	3 x 33	58.02
SAV412	31258	Large Arms, Legs	3 1/2 x 33	62.30
SAV413	31259	Legs, Small Thighs	4 x 33	70.84
SAV414	31260	Large Knees, Thighs	4 3/4 x 33	74.71
SAV415	31478	Large Thighs	7 x 33	91.01

FIRST AID

WATER JEL®

- Provides cool and soothing temporary relief of pain, protects against contamination and stops burn progression
- Lowers and stabilizes skin temperature; cools through transference, not evaporation, to reduce the risk of hypothermia
- Water-based, water-soluble gel is easy to remove and assists in the removal of burnt clothing
- Non-toxic and non-irritating
- Unaffected by prior freezing, air travel and hot temperatures

BURN DRESSINGS - STERILE

- Individually wrapped non-woven dressings infused with *Water Jel®* will not stick to the wound

Model No.	Mfg. No.	Size W" x L"	Price /Each
SAY451	06630	2 x 6	6.32
SAY452	06629	4 x 4	7.85
SAY453	06628	4 x 16	15.51
SAY454	06626	8 x 18	22.46
SAY455	06627	12 x 16	29.51

COOL JEL®

- Pain relieving gel soothes burns, moisturizes and provides a protective barrier against contaminants and irritants

Model No.	Mfg. No.	Description	Price /Each
SAY456	06643	3.5 g Single Use Pouches (25/box)	18.97
SAY457	06635	118 ml Squeeze Bottle	8.15

EMERGENCY BURN KITS

- Contains an assortment of sterile burn dressings and *Cool Jel®*

Model No.	Mfg. No.	Description	Container Type	Price /Each
SAY458	06641	Standard Kit I	10-Unit Plastic	45.71
SAY459	06639	Large Kit II	16-Unit Plastic	120.32

WATER JEL® FIRE BLANKETS

- Multipurpose fire blanket made of 100% wool, saturated with *Water Jel®* gel
- Packaged in a high-density, water-resistant, polyethylene case

Uses:

emergency burn victim care and fire protection
to extinguish small fires
to construct an escape route
to shield and protect a rescuer from intense heat and flames

Model No.	Mfg. No.	Size L" x W"	Price /Each
SEE481	06624	30 x 36	121.36
SAY460	06622	60 x 72	287.32
SEE482	06620	72 x 6	420.89

WALL BRACKETS

Model No.	Mfg. No.	For Use With	Price /Each
SEE483	06625	SEE481	107.57
SAY461	06623	SAY460	115.24
SEE484	06621	SEE482	119.38

BURN CARE STATIONS

- Individual compartments allow rapid use and easy refilling of assorted *Water Jel®* burn dressings

Model No.	Mfg. No.	Description	Price /Each
SEC208	06647	Standard	59.12
SEC209	06648	Large	170.88



BURN SHEETS

STERILE

- Extra-large burn sheet wraps completely around the victim for protection against contamination and additional trauma
- Dimensions: 60" x 96"

Model No. SAY463

Mfg. No. 06756

Price/Each \$20.77



2ND SKIN® BURN PADS

STERILE

- Moist transparent pads saturated with sterile water
- Provides a comfortable protective barrier to encourage healing of minor burns
- Cools and soothes for temporary relief of pain
- Non-adherent dressings will not stick to the wound



Model No.	Mfg. No.	Size L" x W"	Qty /Pkg.	Price /Each
SAY448	05635	1 1/2 x 2	6	15.79
SAY449	05636	2 x 3	4	15.79
SAY450	05637	3 x 4	3	15.79
SAZ539	05638	1 x 1	200	60.61

SAFECROSS® FIRST AID & BURN CREAM

- For small wounds, cuts, abrasions, scratches and minor burns
- Contains antiseptic to cleanse and kill bacteria on, and below, the skin surface
- Protects against infection and promotes rapid healing



Model No.	Mfg. No.	Description	Price /Each
SAY440	05794	1 g Single Use Pouch (10/box)	2.89
SAY441	05797	25 g Tube	2.40

BACITIN® OINTMENT

- Topical first aid antibiotic ointment helps prevent infection in minor cuts and burns
- Contains bacitracin USP to kill infection-causing bacteria
- 15 g tube

Model No. SAY442

Mfg. No. 05262

Price/Each \$7.46



OZONOL® OINTMENT

- Provides fast relief of pain and itching associated with cuts, scrapes, minor burns, insect bites, chafing and chapping
- Non-stinging soothing formula
- 30 g tube

Model No. SAY446

Mfg. No. 05242

Price/Each \$15.28



CALCIUM GLUCONATE GEL

- Antidote for hydrofluoric acid skin burns
- Heals and relieves pain
- Easy and painless to apply
- Creates no risk of increasing tension in the tissues
- Reduces the risk of hypocalcaemia
- Compact; fits into first aid kits and pockets for fast response in an emergency
- 30 g tube

Model No. SAY447

Mfg. No. 06645

Price/Each \$65.48

SAFE CROSS
FIRST AID LTD.



POLYSPORIN™

- Prevents infection and assists in the healing of minor cuts, nicks, scratches, scrapes and abrasions
- Soothing ointment forms a protective coating
- Non-stinging and odourless
- 15 g tube



Model No.	Mfg. No.	Description	Price /Each
SAY443	05257	Cream	16.81
SAY444	05253	Original Antibiotic Ointment	16.81
SAY445	05565	Triple Antibiotic Ointment	18.24
SEE477	05260	COMPLETE Antibiotic Ointment	19.66
SEE478	05273	Burn Cream Plus Pain Relief	18.23

BACTINE® FIRST AID SPRAY

- First aid antiseptic and anaesthetic for cleansing wounds and preventing infection
- Non-stinging formula relieves pain and itching caused by sunburn, minor burns, cuts, scrapes, scratches, insect bites and poison ivy
- 105 ml spray pump bottle

Model No. SAY436

Mfg. No. 06082

Price/Each \$12.33



SOLARCAINE™ FIRST AID LIDOCAINE SPRAY

- Provides fast relief from pain associated with superficial wounds, minor burns, sunburn, windburn and itching
- Contains aloe and vitamin E to soothe and rehydrate dry and chapped skin
- 115 g aerosol can

Model No. SAY437

Mfg. No. 06491

Price/Each \$13.96



FIRST AID

ALCOHOL PREP PADS

- Non-woven pads saturated with isopropyl alcohol 70%
- Antiseptic and antimicrobial for minor wound care, injection and IV site preparation
- Individually packaged in compact, single-use foil sachets



Model No.	Mfg. No.	Quantity /Box	Price /Each
SAY429	06575	10	0.84
SAY430	06450	100	3.79
SAY431	06095	200	5.73

POVIDONE IODINE PREP PADS

- Topical antiseptic germicide for pre- and post-operative surgical site preparation and care; disinfection of the skin and scalp; prevention of infection in minor burns, cuts and abrasions
- Non-irritating and virtually non-stinging for greater patient comfort
- Active ingredient: povidone-iodine 10% (weight by volume)
- Individually packaged in compact, single-use foil sachets
- Quantity: 100/box



Model No. SEE476

Mfg. No. 06895

Price/Each \$15.89

ISOPROPYL RUBBING ALCOHOL

- For use as an antiseptic cleanser and anti-bacterial agent

SAY426



Model No.	Mfg. No.	%USP	Size	Price /Each
SAY423	06270	70	500 ml	4.34
SAY425	06274	99	500 ml	5.44
SAY424	06272	70	4 L	23.84
SAY426	06273	99	4 L	31.79

DETTOL™

- Antiseptic and antibacterial solution for use on cuts, scratches, insect bites and blemishes
- Effective against a wide range of bacteria and germs that cause infection
- For general disinfection of first aid rooms, floors and furniture
- Prevents mildew
- 1 litre bottle



Model No.	Mfg. No.	Price/Each
SAY420	06246	36.46

BENZALKONIUM CHLORIDE (BZK) ANTISEPTIC TOWELETTES

- For cleansing skin and minor wounds
- Sting-free for sensitive skin areas
- Individually packaged in compact, single-use foil sachets
- Active ingredient: benzalkonium chloride 0.40%



Model No.	Mfg. No.	Quantity /Box	Price /Each
SAY432	02619	12	1.20
SAY433	06061	100	5.62

ANTISEPTIC

- Medicated antiseptic, antibacterial and antimicrobial cleanser
- Ideal for cuts, scratches, minor burns and insect bites
- Cleanses, disinfects and prevents infection
- Active ingredient: chlorhexidine gluconate 2% (weight by volume)



SAFE CROSS
FIRST AID LTD.

Model No.	Mfg. No.	Size	Price /Each
SAY416	06560	60 ml	3.10
SAY417	06104	125 ml	5.83

HYDROGEN PEROXIDE 3% USP

- Topical antiseptic for cuts, scratches and sores; also used for oral hygiene



Model No.	Mfg. No.	Size	Price /Each
SAY418	06271	100 ml	1.90
SAY419	06036	250 ml	2.10

PROVIDINE® SOLUTION

- Topical antiseptic germicide for disinfection of the skin; prevention of infection in minor burns, cuts and abrasions
- Active ingredient: povidone iodine 10% (weight by volume)
- 500 ml bottle



Model No.	Mfg. No.	Price/Each
SAY427	06896	17.79

IRRIGATION SOLUTION

- Sterile, non-pyrogenic solution for general wound care and cleansing
- Used to create a sterile field on a patient
- Packaged in single-use pour containers



Model No.	Mfg. No.	Description	Size	Price /Each
SAY421	04891	Sodium Chloride 0.9% (Saline)	500 ml	6.73
SAY422	04568	Water	500 ml	6.73

TRIANGULAR BANDAGES

- Made of 100% cotton
- Complete with two safety pins
- Dimensions: 40" x 40" x 56"
- Vacuum-packed for maximum use of space in first aid kits

Model No. SAY375
Mfg. No. 02019
Price/Each 1.79



ABSORBENT BALLS

- General-purpose absorbent rayon balls
- 300 per bag

Model No. SAY377
Mfg. No. 20107
Price/Each \$2.30



COTTON TIPPED APPLICATORS


- High-quality cotton swabs for general medical applications

SAY379



TONGUE DEPRESSORS

- Uses include: assisting choking victims, splinting and throat examinations
- Packaged 100 per box



Model No.	Mfg. No.	Length"	Description	Qty /Pkg.	Price /Each
SEE469	20145	3	Single-Ended w/Plastic Vial	1	3.95
SAY378	20139	3	Single-Ended	100	2.10
SAY379	20140	6	Single-Ended	100	2.20

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SAY381	14186	Junior, 5/8" x 5 1/2"	100	2.61
SAY382	14184	Senior, 3/4" x 6"	100	2.61
SEE470	14004	Senior, Individually Wrapped, 3/4" x 6"	25	2.40

SURGICAL SCISSORS

- General-purpose scissors for cutting dressings, gauzes, tapes, bandages, dressing strips, metal and metal/foam splints
- Sharp/blunt tip
- 5 1/2" long, made of stainless steel

Model No. SAY533
Mfg. No. 19091
Price/Each \$2.89



BANDAGE SCISSORS

- Angled cutting blade and rounded blunt tip assist in the removal of dressings without disturbing the wound
- 5 1/2" long, made of stainless steel

Model No. SAY534
Mfg. No. 19161
Price/Each \$3.20



ECONOMY SCISSORS

- General-purpose nickel-plated scissors
- 4 1/2" long

Model No. SAY535
Mfg. No. 19118
Price/Each \$0.45



UNIVERSAL PARAMEDIC SCISSORS

- Cuts various types of materials, including clothing fabric, metal and metal/foam splints
- Features heavy-duty plastic handles and stainless steel blades
- 7 5/8" long

Model No. SAY536
Mfg. No. 19423
Price/Each \$3.10



Look for this symbol for environmentally friendly products!



FIRST AID

SPLINTER FORCEPS

- Assists in the removal of splinters from the skin
- Ideal for general workplaces, wood shops, forestry industry, steel mills, homes, cottages and outdoor activities
- Stainless steel



Model No.	Mfg. No.	Description	Length"	Price /Each
SAY537	19156	Fine-Point Forceps	4 1/2	1.90
SAY538	19157	Feilchenfeld Forceps	4 1/2	2.10

ECONOMY SPLINTER FORCEPS

- General-purpose, economy forceps for the removal of splinters
- Nickel-plated
- 3 3/16" long

Model No. SAY540
Mfg. No. 19159
Price/Each \$0.45



SAFETY PINS

- Assists in fastening dressings and triangular bandages
- Nickel-plated
- 12 pack, contains four each of sizes 1, 2, and 3

Model No. SAY543
Mfg. No. 02026
Price/Each \$0.45



BASINS

- Multipurpose basins for oral hygiene, patient sickness, patient treatment, and soaking



Model No.	Mfg. No.	Description	Price /Each
SAY545	12129	Emesis Basin, Plastic, 500 ml Capacity	0.84
SAY546	12428	Emesis Basin, Stainless Steel, 380 ml Capacity	15.79
SAY547	12483	Wash Basin, Stainless Steel, 3 L Capacity	39.25
SAY548	12414	Foot Basin, Stainless Steel, 9 L Capacity	203.28

SPLINTER FORCEPS WITH MAGNIFIER

- Combination forceps with magnifier assists user in locating and removing splinters
- Includes protective cover
- 3" long

Model No. SAY539
Mfg. No. 19160
Price/Each \$21.36



SPLINTER OUT™

STERILE

- Tri-bevel design enables the removal of splinters with minimal discomfort
- Compact and easy to store in any first aid kit
- Individually wrapped, single-use
- Stainless steel



Model No.	Mfg. No.	Quantity /Pack	Price /Each
SAY541	19181	10	4.06
SAY542	19182	20	5.83

INSTRUMENT KITS

- Complete kit contains the following items:
1 scissors; 1 splinter forceps;
12 assorted safety pins

Model No. SAY544
Mfg. No. 02695
Price/Each \$1.79



SAFE CROSS
FIRST AID LTD.

Can't find what you're looking for?



Call us today!

TYLENOL®

- For fast relief of headaches, arthritis pain, muscle aches and sprains, fever, menstrual cramps and aches and pains due to flu



Model No.	Mfg. No.	Description	Price /Each
SAY495	09080	Regular Strength, 100 x 325 mg	21.09
SAY496	09466	Extra Strength, 100 x 500 mg	24.15

ACETAMINOPHEN

- For relief of headaches, fever, muscular aches, backaches, toothaches, minor arthritis, common cold aches and menstrual cramps



Model No.	Mfg. No.	Description	Price /Each
SAY493	09055	Regular Strength, 100 x 325 mg	8.36
SAY494	09386	Extra Strength, 100 x 500 mg	9.99

ADVIL®

- Coated caplets for relief of headaches, fever, toothaches, backaches, menstrual cramps, arthritis, muscle and joint soreness
- Contains ibuprofen 200 mg
- Bottle contains 50 caplets

Model No. SAY497
Mfg. No. 09217
Price/Each \$18.04



A.S.A.

- For relief of minor aches and pain, fever and inflammation
- Contains acetylsalicylic acid 325 mg
- Bottle contains 100 tablets

Model No. SAY498
Mfg. No. 09096
Price/Each \$6.05



CEPACOL® LOZENGES

- Antibacterial formula for fast, soothing relief of sore, dry throats and minor mouth irritations
- Contains 400 lozenges per box

Model No. SAY499
Mfg. No. 28601
Price/Each \$51.35



MAALOX® ANTACID TABLETS

- Chewable tablets for relief of symptoms associated with acid indigestion and heartburn
- Bottle contains 50 tablets

Model No. SAY500
Mfg. No. 11523
Price/Each \$10.64



PEPTO BISMOL™ TABLETS

- Chewable tablets for fast, soothing relief of nausea, heartburn, indigestion, upset stomach, and diarrhea
- Bottle contains 24 tablets

Model No. SAY501
Mfg. No. 16382
Price/Each \$11.51



TUMS® ANTACID TABLETS

- Chewable tablets for fast relief of acid indigestion, heartburn and sour stomach caused by excess stomach acidity
- Bottle contains 100 tablets

Model No. SAY502
Mfg. No. 16384
Price/Each \$9.74



BENADRYL ALLERGY CAPLETS

- Provides fast, effective relief from allergy and hay fever symptoms; including sneezing, runny nose, itchy, watery eyes and skin itch or hives
- Contains 12 caplets per box


Model No. SEE487
Mfg. No. 21246
Price/Each \$14.16



ALKA SELTZER ANTACID TABLETS

- For fast relief of headaches, upset stomach, acid indigestion, heartburn and body aches
- Each box contains 12 sachets; each sachet contains two tablets

Model No. SEE488
Mfg. No. 11164
Price/Each \$8.15



AFTER BITE® INSECT BITE TREATMENT

- Provides fast relief from the pain and itch of insect stings and bites
- Invisible and stainless formula evaporates leaving skin dry
- Convenient 14 ml stick fits into purses, pockets and pouches

Model No. SEE981

Mfg. No. 14349

Price/Each \$9.05



AFTER BITE® STING RELIEF SWABS

- Topical medicated solution provides instant temporary relief from the pain and itching associated with insect bites and stings
- Individually packaged in compact, single-use foil sachets
- 25 sachets per box

Model No. SAY504

Mfg. No. 02894

Price/Each \$4.06



TECNU® POISON IVY & OAK CLEANSER

- Cleanses and decontaminates the skin by removing the invisible oils of poison oak, ivy and sumac
- Prevents irritants from spreading
- Decontaminates clothes, pets, tools and other porous and non-porous items
- 355 ml bottle

Model No. SAY507

Mfg. No. 14342

Price/Each \$23.35



CALAMINE LOTION

- Relieves skin irritations and itching caused by insect bites and stings, mild sunburn and poison ivy
- 225 ml bottle

Model No. SAY506

Mfg. No. 14525

Price/Each \$6.62



VASELINE® INTENSIVE CARE® DRYSKIN LOTION

- Penetrates deep to provide long-lasting protection from dry skin
- Absorbs quickly to provide soothing relief
- Restores and maintains skin's softness
- Enriched with vitamins A and E
- 295 ml bottle

Model No. SAY510

Mfg. No. 14099

Price/Each \$13.05



WHITE PETROLEUM JELLY

- Provides relief from dry skin, minor burns, sunburns and chapped lips



Model No.	Mfg. No.	Description	Price/Each
SAY508	05274	460 ml Tub	7.64
SAY509	05644	2 kg Pail	37.05

BLISTEX® LIP BALM (SPF 15)

- Prevents and heals dry, chapped and sun/wind burned lips
- UVA/UVB protection with a sun protective factor (SPF) of 15
- 4.25 g stick

Model No. SAY511

Mfg. No. 05112

Price/Each \$2.79



JOHNSON'S™ BABY POWDER

- Absorbs moisture, prevents chafing and refreshes the skin
- 425g shaker dispenser

Model No. SAY503

Mfg. No. 36680

Price/Each \$9.94



ONOX® SOLUTION

- Ready-to-use fungistat solution contains mineral salts for healthier foot care
- Helps prevent athlete's foot, foot perspiration and odour
- Strengthens and invigorates the skin, making it more resistant to fungi
- Reduces blistering
- Safe to use on a daily basis; can be used full strength or in diluted form
- Ideal for sporting facilities, pools, locker rooms, gyms, industry, mines, schools, camps and homes
- Colourless and odourless
- For use with spray unit model **SAY515**
- 3.78 L bottle

Model No. SAY514

Mfg. No. 36601

Price/Each \$42.43



SPRAY UNIT FOR ONOX® SOLUTION

- Foot-operated dispenser
- Reservoir holds 3.78 litres (1 gallon US) of Onox® solution for approximately 1,000 applications
- Outer casing protects the unit from debris and tempering
- Can be bolted to the floor

Model No. SAY515 Mfg. No. 36600

Price/Each \$1162.37

DR SCHOLL'S® SNEAKER TREATER™ SHOE DEODORANT

- Aerosol spray destroys odour and leaves shoes and sneakers smelling fresh
- Patented odour-fighting formula
- 150 ml aerosol can

Model No. SAY513

Mfg. No. 36692

Price/Each \$14.98



DR SCHOLL'S® EXTRA SOFT MOLESKIN™ PADDING

- Soft cotton flannel padding protects feet from painful shoe friction and pressure
- Cushions corns, calluses and tender spots
- Self-stick adhesive
- Flesh-colour padding can be cut to any size
- Two 3 1/8" x 6" sheets per pack

Model No. SAY555

Mfg. No. 36693

Price/Each \$7.64



ODOR EATERS® FOOT POWDER

- Soothing powder keeps feet dry and odour-free
- Destroys odour on contact
- Formulated to absorb perspiration and wetness
- 170 g shaker dispenser

Model No. SAY512

Mfg. No. 36688

Price/Each \$13.21



DR. SCHOLL'S ATHLETE'S FOOT POWDER SPRAY

- Topical aerosol powder kills Athlete's Foot fungus
- Relieves the itching and burning sensation associated with Athlete's Foot

Model No. SEE491

Mfg. No. 36689

Price/Each \$13.74



Call us for all your



Safety Equipment & Supplies requirements!

COLD & HOT THERAPY

- A full line of hot and cold therapy aids for all types of sports and workplace injuries and personal needs
- For sprains, strains, dislocations, swelling, bumps and bruising, minor burns, headaches, migraine and tension relief, muscle aches and spasms, cramps, toothaches, insect bites and stings and sinus congestion
- Ideal for sporting activities, industry, health clubs, schools, automobiles, first aid kits, homes and cottages

SINGLE-USE INSTANT WARM PACKS

- Ready-to-use and easy to activate for emergency use whenever warm therapy is required
- Reaches temperatures up to 54°C (130°F)
- Remains warm up to 20 minutes
- 6" x 10"

Model No. SAY520
Mfg. No. 14188
Price/Each \$1.90



SINGLE USE INSTANT HOT PACKS

- Ready-to-use and easy to activate for emergency use whenever hot therapy is required
- Reaches temperatures up to 76° C (170° F)
- Remains hot for up to 30 minutes
- Foam insulation provides added comfort
- 6" x 10"

Model No. SEE489
Mfg. No. 14607
Price/Each \$2.71



COLD/HOT GEL PACKS - REUSABLE

- Reusable gel packs for cold and hot therapy
- Can be placed in a freezer for cold treatment; or in hot water or microwave oven for fast heating
- Always stays flexible
- Non-toxic



Model No.	Mfg. No.	Dim. W" x L"	Price /Each
SAY522	14535	4 x 6	2.61
SAY523	14281	5 x 10	3.38

SAFECROSS® COLD SPRAY

- Provides topical anesthesia (freezing) within seconds for treatment of strains, sprains and muscle spasms
- 113 g aerosol can

Model No. SAY519
Mfg. No. 14195
Price/Each \$8.84



RUB A535® (ANTIPHLOGISTINE) TOPICAL ANALGESIC

- Penetrates deep down to provide fast-action relief from stiff and sore muscles, muscle strains, sprains, backaches and minor arthritic pain
- Stainless and greaseless formulas
- 100 g tubes



Model No.	Mfg. No.	Description	Price /Each
SAY524	14183	Ice Gel	11.26
SAY525	14182	Heat Cream	15.08

INSTANT COLD PACKS - SINGLE-USE

- Ready-to-use and easy to activate for emergency use whenever cold therapy is required
- Reaches 0° C (32° F) within seconds



SAY516



SAY517

Model No.	Mfg. No.	Description	Dim. W" x L"	Price /Each
SAY516	14190	Small, Packaged Each	4 x 6	1.20
SAY517	14189	Small, Packaged in a Box	4 x 6	1.61
SAY518	14130	Large, Packaged Each	6 x 9	1.51

WOODEN SPLINTS

- Lightweight wooden splints for immobilization of limbs
- Can be used with splint padding or abdominal pads for comfort
- 6 splints, assorted sizes (2 of each size)

Model No. SAY583
Mfg. No. 02103
Price/Each \$3.59



SPLINT PADDING

- Soft padding used in conjunction with a splint to provide comfort for the injured body part
- Dimensions: 4" x 8"

Model No. SAY585
Mfg. No. 02028
Price/Each \$0.84



WIRE SPLINTS - ALUMINUM

- Easily shaped to fit the required contour
- Can be cut with scissors
- One 3 7/8" x 12" unit per box

Model No. SAY584
Mfg. No. 02027
Price/Each \$3.10



SAM® SPLINTS

- Foam-padded aluminum splints for immediate use in emergency situations
- Waterproof, flexible, malleable and reusable
- Easily secures to the body with the use of gauze or tape
- Radiolucent - does not have to be removed for x-rays
- Can be rolled or folded to fit in emergency kits



Model No.	Mfg. No.	Description	L"	x	W"	x	H"	Qty /Pkg.	Price /Each
SAY586	14515	Standard	36	x	4 1/4	x	3/16	1	19.56
SEE494	14520	Extra-Large	36	x	5 1/2	x	3/16	1	24.41
SEE493	14518	Finger	1 13/16	x	3 3/4	x	3/16	10	25.56

MULTIPURPOSE SPEEDSPLINT™

- Fast and easy-to-apply splint for temporary immobilization of the arm, leg or foot
- Permits complete padding procedures for effective immobilization
- Can be worn during x-ray procedures
- Universal fit - fits adults and children
- Compact, flat, easily stored and carried
- Constructed from lightweight, high-visibility yellow plastic
- Specifications (unassembled): 8 3/4" x 30 1/2" x 1/8"

Model No. SAY588
Mfg. No. 14352
Price/Each \$15.41



SPEEDSPLINT™ FEMORAL TRACTION KITS

- Fast and easy-to-apply splint for emergency use when temporary immobilization of the femur (upper leg/hip area) is required
- Effective for sea and heavy rain rescues - buoyant and features drain holes
- Permits complete padding procedures for effective immobilization
- Can be worn during x-ray procedures
- Universal fit - fits patients up to 1.9 m (6' 4") and any thigh size
- Constructed from lightweight, high-visibility yellow plastic
- Specifications (unassembled): 14 3/4" x 19 7/8" x 2 3/8"

Model No. SAY589
Mfg. No. 14713
Price/Each \$158.75



FINGER & TOE GUARDS – PLASTIC

- Protects injured fingers or toes
- Full-length for immobilization of the entire finger or toe
- Assorted sizes, 12 per box

Model No. SAY587
Mfg. No. 14310
Price/Each \$15.41



SAGER FORM III BILATERAL TRACTION SPLINTS

- Fully retractable, lightweight splint kit for general immobilization support and mechanical traction of potential bone fractures in the upper leg/hip area
- Dynamic traction allows for tension release as spasms calm
- Suitable for patients aged 4 to adult, independent of weight
- Articulating base and cushion bends laterally for seating and exacting conformance
- Compact and lightweight
- Complete with full-length storage/carrying bag for easy storage
- Dimensions: length (contracted): 31 1/2"; length (extended) 54 1/2"; weight 8 lbs.
- **Features include:** stainless steel frame with securing straps, control tabs, traction scale, Ischial Perineal and Shaft Cushions, special lock device for quick accurate tension adjustment and locking

Model No. SEE496
Mfg. No. 14717
Price/Each \$956.89



FIRST AID

AMBU® PERFIT® UNIVERSAL EXTRICATION COLLARS

- Features a comprehensive sizing system and one-piece application for a perfect fit on patients ranging from neckless to tall
- Rigid one-piece construction - does not require assembly
- Radiolucent, CT and MRI compatible
- Large Velcro® closures
- Adjusts to 16 different sizes between neckless and tall

Model No. SAY590
Mfg. No. 14970
Price/Each \$36.25



STRETCHER CABINETS

- Manufactured from high-quality steel with a white enamel finish and tension latches
- Printed with "STRETCHER" in English and French for quick identification
- Available for single or double-folding stretchers
- Wall-mountable


Model No.	Mfg. No.	Description	Price /Each
SAY593	26280	For Single-Fold Stretcher	294.96
SAY594	26719	For Double-Fold Stretcher	188.26



HEAD IMMOBILIZERS

- Immobilization device for use with an extrication collar when head or neck injuries are suspected
- Features include: side blocks with wide fast-stick closures for a snug fit; ear holes to monitor bleeding and fluid drainage; two head/chin straps
- Includes mounting straps for positioning on a spinal backboard
- Can be worn during X-rays, MRI and CT scan procedures
- Waterproof and buoyant - can be used for water rescues
- Lightweight and easy to use; can be disinfected for reuse
- Weight: 0.9 kg (1.95 lb.)

Model No. SAY596
Mfg. No. 26446
Price/Each \$168.90



STRAPS WITH SWIVEL SPEED CLIPS

- Two-piece restraint straps made of 5.1 cm (2") nylon webbing with a quick-release push button buckle (automobile-type) and metal swivel speed clip
- For use with spinal backboards with pins
- Length: 152.4 cm (5')

Model No. SAY599
Mfg. No. 26501
Price/Each \$28.31



STRETCHERS

- Used to transport injured or ill individuals
- Constructed from lightweight aluminum
- Durable, wear and stain-resistant 18 oz vinyl-coated nylon bed
- Double-fold model folds lengthwise and widthwise for storage convenience, and includes rubber hand grips for secure and comfortable carrying




Model No.	Mfg. No.	Description	Price /Each
SAY591	26153	Single-Fold	201.97
SAY592	26718	Double-Fold	323.68

POLYETHYLENE SPINAL BACKBOARDS

- Lightweight, foam-filled polyethylene spinal backboard for easy patient transfer
- Compatible with most head immobilization devices
- Can be worn during x-ray procedures
- Suitable for water rescues
- Includes heavy-duty pins for use with speed clip restraining straps
- Capacity: 205 kg (450 lbs.)
- Dimensions:
45.7 x 182.9 x 5.1 cm (18" x 72" x 2")
- Weight: 7.7 kg (17 lbs.)

Model No. SAY595
Mfg. No. 26458
Price/Each \$263.27



FERNO FASTRAP™

- 10-point, 5-strap system
- Sturdy nylon straps are individually adjustable and colour-coded for quick and easy application
- Universal fit for both adults and children
- For use with spinal backboards

Model No. SAY600
Mfg. No. 26500
Price/Each \$175.85



MULTIPURPOSE RESTRAINING STRAPS

- Durable nylon webbing restraining straps for fast, firm immobilization
- For use with stretchers, spinal backboards and basket stretchers
- Available with fast-stick closures or plastic buckles
- Width: 5.1 cm (2"); length: 182.9 cm (6')
- 3 straps per set



Model No.	Mfg. No.	Description	Price /Each
SAY597	26328	Fast-Stick Closures	28.31
SAY598	26329	Plastic Buckles	23.84


BASKET STRETCHERS

- Durable, steel basket stretcher for extrication procedures
- Can be used with lifting bridle set, basket stretcher mattress, spinal backboard and restraint straps
- Dimensions: 26" x 80 1/2" x 8"
- Weight: 10.3 kg (22.7 lbs.)
- Capacity: 182 kg (400 lbs.)

Model No. SAY602

Mfg. No. 26610

Price/Each \$374.54



BASKET STRETCHER BRIDLES

- Heavy-duty bridle set complete with O-ring and extra-strength double-locking snaps made of forged steel
- Breaking strength: webbing: 4,545 kg (10,000 lbs.); double-locking snaps: 1,136 kg (2,500 lbs.) each; O-ring: 2,272 kg (5,000 lbs.)

Model No. SAY603

Mfg. No. 26611

Price/Each \$149.03

BASKET STRETCHER MATTRESSES

- Vinyl-covered foam mattress provides added comfort to the victim
- Dimensions: 40.6 x 177.8 x 2.5 cm (16" x 70" x 1")

Model No. SAY604

Mfg. No. 26613

Price/Each \$66.56

SKED® BASIC RESCUE SYSTEMS

- Versatile, compact and durable emergency rescue stretcher provides patient protection and security in any situation
- Flexible and durable construction
- Equipped for land, high-angle, confined-space and technical rescues
- Can be hoisted or lowered in either a horizontal or vertical position
- Includes: Sked® stretcher; Cordura® backpack/towing harness; one pair of horizontal lift slings; rescue rope; locking D-carabineer; tow strap; and four additional removable webbing handles that allow the Sked® to be carried by up to eight rescuers
- Weight: 8.5 kg (18.7 lbs.)



Model No. SAY601

Mfg. No. 26737

Price/Each \$1483.94

BASKET LITTER SETS

- Consists of a frame, shell and straps
- Litter frame supports in excess of 1,136 kg (2,500 lbs.)
- Working range temperature: -50°C to 82°C (-60°F to 180°F)
- For use with a backboard
- Can be used with lifting bridle set
- Dimensions: 63.5 x 205.7 x 20.3 cm (25" x 81" x 8")
- Weight: 13.3 kg (29.3 lbs.)

Model No. SAY605

Mfg. No. 26616

Price/Each \$1302.43




KED KENDRICK EXTRICATION DEVICES

- Versatile means of immobilizing and extricating patients from auto accidents and confined spaces
- Immobilizes torso, head and neck enabling prompt removal while minimizing further injury
- Adaptable to the needs of children and pregnant women

Model No. SEE495

Mfg. No. 26465

Price/Each \$263.32



BASKET LITTER RESTRAINT SYSTEMS

- Full-body restraint system for extrication procedures
- Provides complete protection and minimizes transmitted shock and impact to the patient, even when carried through brush, rough terrain, ice or snow
- Patient can be moved in any position with added security and minimal discomfort
- Consists of: basket litter complete with a lightweight aluminum frame; spring suspended, vinyl-coated nylon bed insert; security envelopment system; three restraining straps; heavy-duty polyethylene shell
- Double security envelopment system consists of: nylon shoulder straps; patient over-flaps; adjustable, padded pelvic support harness; head and chin immobilizing flaps with harness; three back-up side release securing straps; nylon foot and ankle straps; four nylon lifting straps; and a large storage pocket
- Litter frame supports in excess of 1136 kg (2500 lbs.)
- Capacity of nylon lifting straps: 4545 kg (10 000 lbs.)
- Working range temperature: -50°C to 82°C (-60°F to 180°F)
- Bed insert may be used with a spinal backboard
- Dimensions: 63.5 x 205.7 x 20.3 cm (25" x 81" x 8")
- Weight: 20 kg (44 lbs.)



Model No.	Mfg. No.	Description	Price /Each
SAY606	26615	Litter w/Restraints	2220.11
SAY607	26619	Dust Cover	367.08

FIRST AID

EMERGENCY RESUSCITATOR KITS

- Emergency resuscitator kit for fast response to emergency breathing situations
- Includes items to help reduce the risk of cross contamination and transference of viruses and bacteria between the victim and rescuer
- Packaged in a water-resistant plastic container, complete with carrying handle and wall-mounting apparatus

Model No. SAY572
Mfg. No. 01435
Price/Each \$25.53



AMBU BAG-VALVE-MASK RESUSCITATORS

- Provides safe and effective artificial ventilation during respiratory arrest
- Portable bag-valve-mask resuscitator for use with or without supplemental oxygen
- Pressure limiting valve prevents over-inflation
- Integrated handle for user comfort and uniform compression
- Easy-to-grip surface ensures secure handling and optimum stroke volumes with just one hand
- Standard 15/22 mm patient connector allows direct connection to common devices
- Complete with a reservoir bag

Model No. SAY573
Mfg. No. 17701
Price/Each \$45.51



OXYGEN THERAPY KITS

- For emergency medical personnel and first aid providers
- Ideal for hospital, industrial and home use
- Kit contains the following: adjustable flow regulator (0 - 25 litres per minute) disposable oxygen mask with tubing cylinder on/off wrench 425 litre capacity aluminum cylinder (full) Cordura® oxygen bag

Model No. SAY574
Mfg. No. 17391
Price/Each \$794.77



OXYGEN MASKS

- Complete with 2.1 m (7') PVC oxygen tubing and a polypropylene connector
- Adult size



V-VAC™ SUCTION UNIT STARTER KITS

- Portable emergency unit for suctioning fluids and vomit from a patient's airway
- Small and lightweight; offers one-handed operation
- Each kit contains: One handle Two cartridges One catheter adapter One suction catheter One double male connector



Model No.	Mfg. No.	Description	Price /Each
SAY578	17370	Kit	243.10
SAY579	17372	Replacement Cartridge for V-VAC™ Suction Unit	44.81

Model No.	Mfg. No.	Description	Price /Each
SAY575	17757	For Medium Concentration of Oxygen Delivery	3.95
SAY576	17753	Features a Single One-Way Valve and One Open Vent. Includes Reservoir Bag	5.44
SAY577	17755	Features Dual One-Way Valves. Includes Reservoir Bag	5.44

GUEDEL-TYPE AIRWAY KITS

- For use on an unconscious patient to maintain an airway, suction fluids and depress a victim's tongue to prevent airway blockage
- Bite locks are colour-coded for quick identification according to universally established standards
- Includes sizes 40 mm - 110 mm (8/set)

Model No. SEE885
Mfg. No. 17579
Price/Each \$18.95



AMMONIA INHALANT AMPOULES

- Smelling salts for nasal inhalation
- For the prevention and treatment of fainting and dizziness
- 10 units per box

Model No. SAY581
Mfg. No. 14194
Price/Each \$5.93



GLUCOSE ORAL GEL

- Concentrated sugar in gel form for oral treatment of insulin shock
- Provides a rapid increase in blood sugar concentration
- 31 g (single dosage)

Model No. SAY582
Mfg. No. 14426
Price/Each \$9.74



NITRILE MEDICAL EXAMINATION GLOVES

- Ambidextrous, disposable nitrile medical examination gloves minimize contact between the caregiver and patient
- Prevents direct contact with blood and other bodily fluids
- Offers high puncture resistance and increased tactile strength
- Essential for all first aid and emergency needs
- Conveniently packaged in pairs
- Pre-powdered

Model No. SEE697

Mfg. No. 18765

Price/Each \$0.65



GLOVE POUCHES

- Constructed of lightweight, 600-denier polyester with a waterproof backing
- Slim, durable pouches feature fast-stick closures and include a key ring
- Easy to carry on a belt, attach to a key ring, or store in a pocket, purse or backpack
- Ideal for rescuers, first aiders, police, fire fighters, security and health care personnel
- Provides easy access in emergency situations
- Each pouch contains 2 pairs of large vinyl gloves

Model No. SAY562

Mfg. No. 18105

Price/Each \$5.14




SAFECROSS® CPR FACE SHIELDS

- Single-use physical protection barrier
- Helps reduce the risk of cross contamination and transference of viruses and bacteria between the victim and rescuer in situations where mouth-to-mouth assistance is required
- Includes a specially designed viral and bacterial filter for extra protection
- Also used as a CPR training aid to protect against cross contamination

Model No. SAY563

Mfg. No. 17745

Price/Each \$2.30



CPR FACE SHIELDS IN POUCH WITH KEY RING

- Convenient key chain pouch contains CPR face shield
- Easily attaches to a key chain for use in emergency situations



Model No.	Mfg. No.	Colour	Price /Each
SAY564	17750	Black	3.95
SAY565	17765	Red	3.95

CPR FACE SHIELDS IN POUCH WITH KEY RING

- Packaged in a water-resistant pouch with key ring
- Contains the following:
 - CPR face shield
 - One pair of size large vinyl disposable gloves
- Easily attaches to a key chain for use in emergency situations

Model No. SAY566

Mfg. No. 17763

Price/Each \$4.95



CPR POCKET MASKS IN CASE

- Reusable medical grade thermo-plastic physical protection barrier to prevent the victim's breath and bodily fluids from reaching the rescuer
- Innovative construction includes a specially designed viral and bacterial filter for extra protection
- Features a soft inflated cuff for a leak-proof seal
- Includes an oxygen inlet for optional supplemental oxygen
- Model SAY571 CPR pocket mask kit includes:
 - CPR pocket mask
 - One pair of vinyl gloves
 - One antimicrobial hand towelette



CPR PROTECTIVE DEVICES

- Single-use physical protection barrier to prevent the victim's breath and bodily fluids from reaching the rescuer
- Semi-transparent medical-grade PVC
- Innovative construction includes a specially designed viral and bacterial filter for extra protection

Model No. SAY567

Mfg. No. 17738

Price/Each 4.95



Model No.	Mfg. No.	Description	Price /Each
SAY569	17746	Safecross® CPR Pocket Mask in Hard Case	13.82
SAY570	17747	Replacement One Way Valve	3.95
SAY571	17744	CPR Pocket Mask Kit	15.79

BLANKETS

EMERGENCY

- Multipurpose emergency blanket with a water-resistant shell and soft inner tissue lining
- Compact, lightweight and portable
- High-visibility yellow
- Dimensions: 152.4 x 182.9 cm (60" x 72")
- Weight: 340 g (12 oz.)

Model No. SAY609

Mfg. No. 26710

Price/Each \$8.64


MULTIPURPOSE

- 100% multi-blend fibre content (60" x 84")
- Soft, non-woven multipurpose blankets provide excellent insulation for injured patients or victims in shock
- Ideal for stretchers, first aid rooms, automobiles, cottages, camping and cold weather care

Model No. SAY610

Mfg. No. 26154

Price/Each \$13.82



RESCUE FOIL BLANKETS

- Multipurpose, emergency first aid blanket made of aluminized, non-stretch polyester
- Reflects body heat back to the user
- Stays flexible in freezing temperatures
- Lightweight and compact
- Windproof and waterproof
- Dimensions: 142.2 x 203.2 cm (56" x 80")
- Weight: 42.5 g (1.5 oz.)

Model No. SAY608

Mfg. No. 26297

Price/Each \$1.90



LITTMANN® LIGHTWEIGHT II SE STETHOSCOPES




- General-purpose stethoscope provides clear, reliable acoustics
- Innovative chest piece design allows for better orientation around blood-pressure cuffs and body contours
- Non-chill rims for patient comfort
- Lightweight and durable

Model No. SAY614

Mfg. No. 27202

Price/Each \$115.34



LITTMANN® CLASSIC II SE STETHOSCOPE



- Superior stethoscope with highly sensitive acoustics
- Compact and durable assembly
- Non-chill rims for patient comfort
- Includes an extra pair of soft-sealing ear tips

Model No. SAY615

Mfg. No. 27200

Price/Each \$196.61



OMRON® ANEROID SPHYGMOMANOMETERS

- Deluxe, no-stop pin manometer measures blood pressure to 300 mmHg
- Features a long-life nylon cuff with artery label, manometer tab and deluxe air release valve
- Complete with a vinyl zippered carrying case
- Latex-Free Inflation System
- Complete with adult cuff

Model No. SAY616

Mfg. No. 27640

Price/Each \$68.35



FLEXIBLE FAST READ FEVER THERMOMETERS

- Fast readings in 8 seconds
- Flexible tip

Model No. SEE497

Mfg. No. 200DC

Price/Each \$13.00



BIOS
Diagnostics

ROLLAWAY COTS WITH MATTRESS

- Heavy-duty rollaway cots constructed of a steel-frame, polypropylene deck and 5.1 cm (2") swivel casters
- Mattresses are made of a high-quality, foam core with a cotton cover
- Cots and mattresses are available in two widths
- Dimensions: length of cot and mattress: 188 cm (74"); height of cot (including casters and mattress): 41 cm (16")

Model No.	Mfg. No.	Width"	Weight lbs.	Price /Each
SAY617	26279	30	42.9	340.26
SAY618	26638	39	44.4	396.39

EXAMINATION DRAPE SHEETS - DISPOSABLE

- Soft, 2-ply drape sheets made of opaque tissue; provides strength and privacy for complete draping procedures
- For use in patient/treatment rooms, medical offices, health care facilities and ambulances
- Minimizes the risk of cross contamination and eliminates laundering expenses
- Embossed texture for softness and comfort
- Dimensions: 101.6 x 182.9 cm (40" x 72")
- 25 drape sheets per pack

Model No. SAY620

Mfg. No. 26880

Price/Each \$29.81

MULTIPURPOSE BLANKETS

- 30% wool/70% multi-blend fibre content (60" x 84")

Model No. SAY611

Price/Each \$20.77



PILLOWS

- Standard size pillow with a cotton covering and polyester fibre filling
- Non-allergenic

Model No. SAY621

Mfg. No. 26712

Price/Each \$14.41

MATTRESS PROTECTORS

- Contoured-fit vinyl mattress cover protects against fluids
- Waterproof and hypoallergenic
- For use with rollaway cots and standard hospital mattresses

Model No. SAY623

Mfg. No. 26281

Price/Each \$9.74

RECOVERY COUCHES/MEDICAL BEDS WITH HEAD REST

- Includes a covered wedge bolster for added comfort
- Heavy-duty, 24.5 oz Naugahyde® cover is easy to clean, antibacterial, mildew-resistant, oil-resistant, non-static and fire retardant
- Dimensions: 61 x 182.9 x 45.7 cm (24" x 72" x 18")
- Weight: 32.7 kg (72 lbs.)

Model No. SAY619 Mfg. No. 26155 Price/Each \$566.29



PILLOW CASES - DISPOSABLE

- High-quality pillow cases feature a plastic-backing, sealed sides and embossed texture for softness and comfort
- Minimizes the risk of cross contamination and eliminates laundering expenses
- For use in patient/treatment rooms, health care facilities, ambulances and travel
- Water-resistant
- Strong and durable
- Dimensions: 73.7 x 53.3 cm (29" x 21")
- 25 pillow cases per pack

Model No. SAY622 Mfg. No. 26397 Price/Each \$22.84

EXAMINATION TABLE PAPER

- Smooth finish with a glazed underside
- Dimensions: 45.7 cm x 64 m (18" x 70 yds)

Model No. SEE500 Mfg. No. 26397 Price/Each \$6.68



FIRST AID TREATMENT CHAIRS

- Provides maximum patient comfort and facilitates patient treatment
- Heavy-duty, 24.5-oz. *Naugahyde*® cover is easy to clean, antibacterial, mildew-resistant, oil-resistant, non-static and fire retardant
- Complete with an adjustable independent headrest, padded armrests and an adjustable basin ring
- For use with wash basin (sold separately)
- Weight: 11.6 kg (25.5 lbs.)

Model No. SAY624
Mfg. No. 26666
Price/Each \$506.68



LUXO® MAGNIFICATION LAMPS

- High-quality illuminated magnifier with 3-diopter magnification for precise inspection requirements
- For first aid rooms, medical offices, hospitals and health care facilities
- Minimizes glare and evenly distributes optimal light across the work area
- Movable arm is spring-balanced for stability and ease of movement
- Includes a surface-mounting clamp
- Additional mounting options available (sold separately)



Model No.	Mfg. No.	Description	Price /Each
XB951	17113LG	Luxo® Magnification Lamp	432.37
SAZ540	19896	Wall Bracket	88.31
SAY626	19895	Mobile Floor Stand With Casters	237.34

WHEELCHAIRS

- Chrome-plated steel frame
- Fire-retardant leatherette upholstery
- Sealed rear wheel bearings and mag-style rear and front wheels for durability and a smoother ride
- Carry-pouch
- Fixed arm rests
- Adjustable, fold-up foot-plates
- Specifications:
 - overall width (open): 62.2 cm (24 1/2");
 - width (folded): 27.9 cm (11");
 - seat width: 45.7 cm (18")
- Weight: 19.4 kg (42.7 lbs.)

Model No. SAY628
Mfg. No. 26111
Price/Each \$506.68



MEDICINE CUPS

- Plastic construction; graduated with pressed lines and figures with metric and imperial measurements (ml, cc, oz, drams)
- Convenient, hygienic and economical
- Capacity: 30 ml/30 cc/1 oz/8 drams
- 100 cups per pack

Model No. SAY629
Mfg. No. 14415
Price/Each \$2.61



PRIVACY SCREENS

- Features a lightweight aluminum frame, three hinged panels, white vinyl curtains and 5.1 cm (2") wheel casters
- Curtains are flame-retardant and bacteriostatic
- Can be used folded or fully extended
- Dimensions: extends from 68.6 cm (27") to 2 m (79"); overall height: 175.3 cm (69")
- Weight: 11.1 kg (24.4 lbs.)


Model No. SAY627
Mfg. No. 26160
Price/Each \$357.65



CRUTCHES

- Durable aluminum construction
- Includes pads and tips

Model No.	Mfg. No.	Description	Price /Each
SEE501	26120	Adult - 111.8 to 132.1 cm	49.77
SEE502	26121	Tall Adult - 132.1 to 152.4 cm	49.77



EMESIS BAGS FOR MOTION DISCOMFORT

- Consists of a high-density polyethylene liner with a heat-sealed bottom
- Ideal for buses, airplanes and marine travel
- Complete with two attached ties for bag closure after use
- Designed for maximum leak-proof protection
- Dimensions: 4 1/2" x 8 1/2" x 2 1/2"

Model No. SAY630
Mfg. No. 14241
Price/Each \$0.84



DIAGNOSTIC PENLIGHTS

- Pocket-sized penlight with a focused beam and metal pocket clip
- Uses 2 AAA-cell batteries (included)

Model No. SAY632
Mfg. No. 14790
Price/Each \$8.44



DISPOSABLE DIAGNOSTIC PENLIGHTS

- Pocket-sized penlight features a high-intensity focused beam
- Operated by applying pressure to the metal pocket clip

Model No. SAY631
Mfg. No. 14394
Price/Each \$3.48

ST. JOHN AMBULANCE FIRST AID GUIDES

- Easy-to-use guides and reference manuals for first aid diagnosis and treatment
- Topics include: emergency scene management, choking and breathing emergencies, CPR, wounds and bleeding, common injuries, poisons/bites/stings, burns, medical conditions, emergency childbirth and miscarriage, psychological emergencies, lifting techniques and basic physiology

Model No.	Mfg. No.	Description	Language	Price /Each
SAY527	02457	Pocket Guide	Bilingual	0.94
SAY528	02458	Reference Manual	English	36.76
SAY529	02054	Reference Manual	French	36.76



ACCIDENT RECORD BOOKS

- For proper safety maintenance and regulatory compliance
- Records full details pertaining to accidents and workplace injuries
- Bilingual (English/French)



Model No.	Mfg. No.	Description	Price /Each
SAY530	14237	Kit Size, 30 Entries	1.51
SAY531	14958	Large Size, 180 Entries	11.43

FIRST AID KIT INSPECTION REPORT CARDS

- Adhesive labels for proper first aid kit maintenance and regulatory compliance
- Encourages regular first aid kit inspections, maintenance and replenishment
- Can be affixed to first aid kits for ease and convenience
- Bilingual (English/French)
- Contains 25 per pack

Model No. SAY532
Mfg. No. 14460
Price/Each \$9.94



Call us for all your
Safety Equipment
& Supplies
requirements!



CLEANERS & DISINFECTANTS

SUPER GERMIPHENE® DISINFECTANT

- A new generation of quaternary ammonium solution that cleans, deodorizes and disinfects all in one step
- Effective disinfectant against a broad range of bacteria, fungi and viruses
- Proven to kill 53 different organisms including HIV and Herpes in hard water (up to 400 ppm) and in the presence of organic soil (5% blood serum)
- An economical two-litre concentrate makes 128 litres of use solution
- Biodegradable, non-corrosive and non-rusting
- Convenient 2L *Tip'N Measure* bottle



Model No.	Size	Price /Each
JB410	4 x 454 ml	117.90
JB411	2 L	122.94
JB412	4 L	299.82

GERMXTRA HARD SURFACE DISINFECTANT

- A rapid ready-to-use, broad spectrum disinfectant spray
- *GermXtra* is a tuberculocidal disinfectant containing a synergistic combination of ethanol and surfactants, killing TB in 1 minute
- Fine aerosol mist ensures effective penetration of fibrous materials, cracks and crevices
- Available in Garden Mint or Lemon scent in a 700-ml spray bottle and a 4-L economy refill



Model No.	Size	Scent	Price /Each
JB407	700 ml	Garden Mint	26.28
JB415	700 ml	Lemon	26.28
JB414	4 L	Garden Mint	55.77
JB416	4 L	Lemon	54.18

GENIE PLUS CHAIR CLEANER

- Disinfects, cleans and revitalizes chairs to maintain proper infection control
- Contains a synergistic combination of surfactants that cut through grease and oils while maintaining chair suppleness
- Cleans and polishes *Naugahyde*®, vinyl, plastic laminate and leather, with no sticky or slippery residue
- Also contains a sanitizer for low level disinfection
- Ideal for health care facilities



Model No.	Description	Price /Each
JB408	Canister (160 Wipes)	24.17
JB409	Refill Wipes	17.88
JB419	700-ml Spray Bottle	21.05
JB413	4-L Refill	35.61

CLOROX® DISINFECTING WIPES

- One step cleaning and disinfecting ready to use wipes
- Kills 99.9% of common illness-causing germs, including *Staphylococcus aureus* (staph), *Salmonella choleraesuis*, *Escherichia coli* (E. coli), *Streptococcus pyogenes* (strep) and the virus that can cause the flu
- Ideal for touch up cleaning anytime with pre-moistened wipes
- Can be used almost anywhere to clean and disinfect particularly on high-touch germ hot spots
- Bleach free formula
- 75 sheets/canister
- Health Canada DIN # 02246233



Model No.	Description	Price /Each
JC228	Fresh Scent	9.79
JC229	Lemon Scent	9.79
JC231	Lavender Clean	9.79

ULTRA SWIPES

- Disposable cloths clean, disinfect and deodorize hard surfaces and instruments
- Ethanol formulation provides hospital-level disinfection to destroy a wide range of pathogens, including HIV-1 (AIDS) and TB in just 1 minute
- 160 sheets per canister

Model No. JA984
Price/Each \$20.13



Call us for
quantity
pricing!



PURELL® 70 INSTANT HAND SANITIZERS

- PURELL® in a 70% ethyl alcohol, fragrance-free antiseptic cleanser
- Effective in destroying certain bacteria
- Contains vitamin E and glycerine



Model No.	Mfg. No.	Description	Price /Each
SAR855	5770-04-CAN00	1200 ml Touchfree TFX™ Refill	31.32
SAR854	2770-08-CAN00	1000 ml NXT™ Refill	17.32
SAR856	9770-12-CAN00	354 ml Pump Bottle	10.37
SBA838	5395-02-CAN00	1200 ml Touchfree TFX™ Foam Refill	63.72
SBA839	5795-04-CAN00	535 ml Foam Pump Bottle	34.04

PERSONAL EQUIPMENT WIPES

- For cleaning and disinfecting equipment including:
 - hard hats
 - hearing protection devices
 - face masks
 - respiratory masks
 - personal protective gear
- Active ingredient: benzalkonium chloride 0.13 %
- Individually packaged in compact, single-use foil sachets
- 100 sachets per box

Model No. SAY553
Mfg. No. 14392
Price/Each \$11.82



FLUID SPILL CLEAN-UP KITS

- Single-use precaution kit for the safe and convenient clean-up, removal and disposal of potentially infectious body fluid spills including blood, vomit, urine and faeces
- Minimizes the risk of cross contamination, controls mold and mildew and neutralizes odours

STANDARD KITS

- Includes:
 - Red-Z™ fluid control solidifier powder 21 g
 - Disposable gloves
 - Clean-up scoop and scraper
 - Antimicrobial hand wipes
 - Absorbent wiper towel
 - Biohazard bag

DELUXE KITS

- Includes same items as Standard Kits plus:
 - Safety mask/eyeshield
 - Protective apron
 - Disinfection solution with wipe
 - Easy-to-follow universal instructions



Model No.	Mfg. No.	Description	Price /Each
SAY557	14358	Standard Kit	9.44
SEE492	14360	Deluxe Kit	11.09

SANI-CLOTH® PLUS GERMICIDAL DISPOSABLE CLOTHS

- Ready-to-use disposable cloths pre-moistened with bactericidal disinfectant
- For disinfection and cleaning of instruments and all hard surfaces such as countertops and equipment
- Effectively disinfects against: influenza A2/HK, tuberculosis and HIV-1 (AIDS) virus, herpes simplex type II, polio I virus and salmonella
- Ideal for hospitals, health care facilities, first aid rooms, ambulances and other areas where avoidance of cross contamination is essential
- Packaged in a convenient dispenser for easy access, 160 cloths per tub

Model No. SAY552
Mfg. No. 06071
Price/Each \$19.38



CAVICIDE® SURFACE DISINFECTANT SPRAY

- Convenient, ready-to-use surface disinfectant
- Effective against TB, HCV, bacteria (including MRSA and VRE) and fungi
- Safe for use on non-porous surfaces such as countertops, equipment and washroom fixtures
- Effectively cleans and decontaminates instrumentation
- 711 ml bottle

Model No. SAY554
Mfg. No. 14436
Price/Each \$20.18



RED-Z™ FLUID CONTROL SOLIDIFIER

- Absorbs and solidifies potentially hazardous body fluid spills including blood, vomit, urine and feces
- Disinfects and neutralizes odours
- Absorbs up to 150 times its own weight
- Ideal for industrial/commercial facilities, hospitals, nursing homes, schools, transportation vehicles, ships, correctional facilities, laboratories, medical and dental offices, police departments, clinics and hotels
- 142 g bottle

Model No. SAY556
Mfg. No. 14364
Price/Each \$12.61



BECTON-DICKINSON™ SHARPS CONTAINERS

- For protection and proper disposal of syringes, scalpels and blades
- Strong and durable polypropylene construction
- Point-first disposal with one way tamper-resistant entry and secure cap closure
- Protective recessed flanges to protect against tampering, touch contamination and needle "bounce back"
- Recommended for first aid rooms, hospitals, medical and dental offices and laboratories

Model No.	Mfg. No.	Description	Price /Each
SAY558	14545	1.4 L Capacity	9.44
SAY559	14547	5.1 L Capacity	15.79
SAY560	14552	Wall Mountable Bracket for SAY559	66.17





ODO-CLAVE® DEODORANT PADS

- Impregnated with a heat-released deodorant
- Neutralizes odours with a pleasant scent
- Protective cover melts in autoclave, allowing deodorant to be heat-activated
- Neat and easy to handle, simply unwrap and place a pad in each bag prior to autoclaving
- Pads are 1 1/4" square
- Packed 10 pads per bag, 10 bags per box



BEI-ART PRODUCTS

Priced per Box

Model No.	Mfg. No.	Fragrance	Qty /Box	Price /Each
SAM060	H131980000	Clove	100	118.36



STEP-ON CONTAINERS

- Ideal for areas where medical waste originates, including patient rooms, labs and emergency rooms
- Stainless steel or plastic hybrid construction resists impacts and will not produce rust stains on flooring
- Features slow-close integrated lid damper to help keep odours and bacteria from escaping
- Quiet, heavy-duty pedal for hands-free sanitary use
- FM/CSFM approved

JB959



Model No.	Mfg. No.	Cap. US gal.	Dimensions L" x W" x H"	Price /Each
Black	Red	Light Platinum		
JB958	JB959	-	6146-87 Stainless Steel 23 22 1/4 x 20 3/8 x 27 1/2	476.27
JB962	JB963	-	6147-87 Stainless Steel 30 22 3/4 x 20 3/8 x 34 1/4	582.65
JB960	-	JB961	6147-00 Plastic 30 24 1/4 x 19 3/4 x 34 1/4	314.04

STEP CANS

UL-listed and FM approved fire safe and self-extinguishing. Steel construction with a durable powder coated finish or non-magnetic stainless steel construction. Foot pedal operation eliminates hand contact with lid. Equipped with 3 1/2-gallon galvanized steel liner. Vinyl base ring protects floors and reduces noise.



Model No.	Mfg. No.	Dimensions Dia." x H"	Colour	Wt. lbs.	Price /Each
NI372	ST3.5EGLWH	11 x 17	White	9	117.54
NI373	ST3.5EGLRD	11 x 17	Red	9	117.54
NI374	ST3.5SSGL	11 x 17	Stainless	9	256.73
BIOHAZARD DECAL					
NI375	BP-1	6" Sq.	Red	-	7.03

BIOHAZARD WASTE CONTAINERS

For temporary collection of hazardous biological waste. Biohazard waste container meet OSHA regulations for the segregation of infectious waste, ensuring proper disposal. May be used for the temporary storage of contaminated laundry as well as regulated waste. Regulated waste means semi-liquid blood or other potentially infectious materials. features leakproof, sturdy metal construction with foot-operated self-closing lid. Simple and safe foot pedal operation opens the container cover automatically and reduces the risk of contamination.

Releasing the pedal closes the cover shut to provide odour and infection control. Never a reason to reach into the waste area to touch the can. A biohazard bag is held securely around the circumference of the can top. Replacement bags available in packages of 100. Large biohazard label clearly identifies the contents and alerts workers to ensure safe and proper handling. Ideal for hospitals, clinics, doctors and dentists office, nursing homes, and many industrial facilities. OSHA 29CFR 1910.1030. FM approved.



Model No.	Mfg. No.	Description	Capacity U.S. Gallon	Dimensions O.D." x H"	Price /Each
SD500	5910	Waste Container	6	11 7/8 x 15 7/8	118.46
SD501	5930	Waste Container	10	13 15/16 x 18	125.74
SD502	5901	Replacement Bags (100/Pkg)	-	-	102.89



BIOHAZARD DISPOSAL BAGS – ORANGE-RED

LOOK FOR THE STERILIZATION INDICATOR PATCH

- Made of high molecular weight, high-density (HMHD) polyethylene
- Steam autoclavable to 121°C (250°F)
- Features a printed sterilization patch that darkens when subjected to steam sterilization
- Large black biohazard symbol and precautionary procedures printed in four languages, English, French, German and Spanish



Bel-Art Products

Priced per Case

Model No.	Mfg. No.	Dim."	Thickness mm	Gallon Capacity	Qty /Case	Price /Each
SAM046	F131641419	14 x 19	0.0317	2 to 4	200	151.89
SAM047	F131641923	19 x 23	0.0317	6 to 9	200	220.93
SAM048	F131642535	25 x 35	0.0317	10 to 12	200	396.49
SAM049	F131643138	31 x 38	0.0381	20 to 30	200	520.76
SAM050	F131643848	38 x 48	0.0381	40 to 50	100	404.38



BIOHAZARD DISPOSAL BAGS

LOW COST, RELIABLE WASTE DISPOSAL

- Made of high molecular weight, high-density (HMHD) polyethylene
- Translucent bags can be used for the safe disposal of used pipettes, petri dishes, culture plates, membrane filters and more
- Can be autoclaved at a maximum of 121°C (250°F) and discarded
- Bags are 0.03mm (0.0012") thick and are made from material which meets or exceeds the dart-impact test requirement of 165 grams per ASTM D1709-85
- Plain, non printed bags can also be used as conventional trash can liners
- Also available with a printed sterilization patch that darkens when subjected to steam sterilization
- Bags are printed with the standard biohazard warning symbol and precautionary procedures in four languages: English, French, German, and Spanish



Bel-Art Products

Priced per Case

Model No.	Mfg. No.	Dim."	Gallon Capacity	Qty /Case	Price /Each
W/O PRINTED STERILIZATION INDICATOR PATCH					
SAM051	F131600005	12 x 24	1/2 to 1	100	65.09
SAM052	F131610005	24 x 30	10 to 12	100	147.95
SAM053	F131620005	24 x 36	15 to 20	100	177.53
PRINTED WITH STERILIZATION INDICATOR PATCH					
SAM054	F131600009	12 x 24	1/2 to 1	100	69.04
SAM055	F131610009	24 x 30	10 to 12	100	171.61
SAM056	F131620009	24 x 36	15 to 20	100	185.42



CLAVIES® BIOHAZARD BAG HOLDERS

KEEP BIOHAZARD DISPOSAL BAGS OPEN & READY TO USE WITH THESE ECONOMICAL BAG HOLDERS

- Bag is securely supported on a stainless steel wire frame
- Polypropylene bottom serves as a containment tray
- Tray is safety orange in colour for easy identification
- Autoclavable at 121°C (250°F) to maintain sterility
- Small bag holder is ideal for bench top use
- Shipped unassembled, assembly takes only minutes and is permanent



Bel-Art Products

Model No.	Mfg. No.	Tray Size	Dimensions W" x L" x H"	Fits Bag"	Price /Each
SAM058	F131920002	Medium	14 x 14 x 21.5	24 x 30	76.93
SAM059	F131920003	Large	14 x 14 x 27.2	24 x 36	82.85



R3728E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

EYE PROTECTION

Z100

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SAN426	Clear	3.05

Z200

- Superior protection at an economical price
- Polycarbonate lens with UV protection
- Ideal visitor spectacle
- Molded-in nose bridge
- Distortion-free
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SEF027	Clear	2.40

Z400

- Sporty design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Ultra-soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SAK850	Clear	4.70
SAK851	Smoke	5.25

Z500

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Anti-fog lenses are ideal for high humidity applications
- Non-slip rubber head grips
- Distortion-free
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SAP877	Clear	2.80
SAS362	Smoke	3.00
SAS363	Amber	3.10
SAS364	Blue	3.75
SEB183	Clear Anti-fog	3.65
SEA551	I/O Blue Mirror	3.85
SEE955	Orange	3.50

Z600

- Frameless design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Near total seal of the eye provides superior protection
- Distortion-free
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SAW920	Clear	2.70



Z700

- Frameless design with extended wrap-around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- Flexible temple provides added durability
- Distortion-free
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SAX442	Clear	2.70



Z800

- Sporty design with extended wrap-around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Extendable temple provides superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Blue frame
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SAX443	Clear	4.00



Z900

- Modern design with extended wrap-around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Distortion-free
- Beige frame
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SAX444	Clear	5.15



Z1000

- Frameless design with extended wrap-around coverage
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SAX445	Clear	4.40



EYE PROTECTION

Z1200

- Sporty design frame with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip, extremely flexible, rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Includes a clip for Rx inserts
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SEC952	Clear	5.50



Z1300

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SEC953	Clear	4.75



Z1400

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SEC954	Clear	4.50



Z1500

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- White frame
- Compliant with CSA standard Z94.3



Model No.	Lens Tint	Price /Each
SEC955	Clear	4.60



Z1600

- Modern design with extended wrap around coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Extendable and ratchet temple provides superior comfort and fit
- Distortion-free
- Black frame
- Compliant with standard CSA Z94.3



Model No.	Lens Tint	Price /Each
SEE817	Clear	5.75



UVEXTREME® ANTI-FOG DUAL-ACTION COATING

Uvextreme® AF, the anti-fog coating that performs even under most extreme conditions. From cold and dry to hot and humid, Uvextreme® AF minimizes lens fogging in almost any environment. Uvextreme® AF's dual action combines the best features of both hydrophilic and hydrophobic coatings (see sidebar below). The hydrophilic properties are activated first, simultaneously absorbing moisture from the air and releasing it back into the surrounding environment, maintaining a hydrodynamic equilibrium (HDE). When the hydrophilic coating becomes saturated, the properties of the hydrophobic coating take over to provide optimum anti-fog performance and to help maintain visual acuity. This permanently bonded, dual-action anti-fog coating retains all the anti-static, anti-scratch and anti-UV properties.



ANTI-UV

- Absorbs more than 99.9% of harmful ultraviolet radiation
- Clear lens to 385 nm
- Tinted lenses to 400 nm



ANTI-FOG

- Permanently bonded hydrophilic coating simultaneously absorbs and emits moisture to maintain hydrodynamic equilibrium
- Resists fogging and improves vision, ideal for many hot and humid environments



ANTI-STATIC

- Reduces dust and particle attraction; most lens scratching occurs when these fine particles rub the lens during cleaning
- Improves vision
- Extends lens life




ANTI-SCRATCH

- Improves vision in abrasive environment
- Extends lens life



by Honeywell

uvestreme® AF dual-action coating works in extreme environments.



Hydrophilic + Hydrophobic = uvestreme® AF

ULTRA-DURA® SCRATCH RESISTANT COATING

One of the toughest siloxane-based coatings.



ANTI-SCRATCH

- Permanently bonded to the lens
- Very durable
- Extends lens life
- Excellent optical quality
- Resistant to a wide range of chemicals



ANTI-UV

- Absorbs more than 99.9% of harmful ultraviolet radiation

DURA-STREME™ TECHNOLOGY

TWO COATINGS – ONE LENS 3X MORE LENS LIFE*

For situations where physical exertion is just a part of the job, where heat, humidity, mist, sand, dust and chemicals are environmental factors.

Note: Not suitable for applications where extreme temperature changes are common – from cold to hot (i.e. Food processing where users are going in and out of freezers).

* Comparative lens life test performed using a Bayer Abrasion Test method and may vary between environment and application.

Uvextreme® Anti-Fog
on the inside provides anti-fog protection near your hard-working eyes.



Ultra-dura® Anti-Scratch
on the outside adds up to **3x more life** to your lenses by protecting against harsh elements.



EYE PROTECTION

UVEX™ BY SPERIAN LENS SELECTION CHART

Lens Tint*	VLT	Application
Clear**	90 %	For indoor applications where impact protection is required. Absorbs >99.9 % of UV radiation up to 385 nm.
Amber**	90 %	For low light applications in which contrast may be enhanced. Absorbs >99.9 % of UV radiation up to 400 nm.
Light Grey**	35 %	Commonly used outdoors for glare reduction. Easy for the eyes to adjust from inside to outside for workers. Absorbs >99.9 % of UV radiation up to 400 nm. Meets colour traffic signal recognition requirements of ANSI Z80.3.
Standard Grey**	15 %	For outdoor applications where sunlight and glare cause eye strain and fatigue. Absorbs >99.9 % of UV radiation up to 400 nm. Meets colour traffic signal recognition requirements of ANSI Z80.3.
Mirror**	15 %	For outdoor applications where sunlight and glare cause eye strain and fatigue. Absorbs >99.9 % of UV radiation up to 400 nm. Meets colour traffic signal recognition requirements of ANSI Z80.3.
SCT-Low IR**	80 %	For indoor applications where peripheral infrared radiation protection is required, such as under welding helmets or walking through welding sites. Also reduces glare from fluorescent and halogen lighting. Absorbs >99.9 % of UV radiation up to 400 nm; blocks 40 % of harmful IR radiation.
SCT-Vermilion**	55 %	For indoor applications such as inspection where contrast may be enhanced. Also reduces glare from fluorescent and halogen lighting. Absorbs >99.9 % of UV radiation up to 400 nm.
SCT-Grey**	15 %	Excellent for outdoor applications. Provides true colour recognition and low level infrared protection to help keep the eye cooler and reduce eye strain. Designed to protect against short-term electric arc. Absorbs >99.9 % of UV radiation up to 400 nm; blocks 85 % of harmful IR radiation. Meets colour traffic signal recognition requirements of ANSI Z80.3.
SCT-Reflect 50**	50 %	Absorbs >99.9 % of UV radiation up to 400 nm. For indoor/outdoor applications. For outdoor applications where sunlight and glare cause eye strain and fatigue.
Infra-dura® 2.0***	35 %	Shade 2.0 welding lens. For use around the welding site or for brazing and cutting.
Infra-dura® 3.0***	14 %	Shade 3.0 welding lens. For use around the welding site or for brazing and cutting.
Infra-dura® 5.0***	2 %	Shade 5.0 welding lens. For use around the welding site or for brazing and cutting.

SCT: Spectrum Control Technology

VLT: Visual Light Transmission

* SCT and Infra-dura® polycarbonate lenses are more impact-resistant than tinted glass lenses but are NOT as impact-resistant as clear polycarbonate lenses.

** Not for welding, cutting or brazing. Do not use for protection against laser light.

*** Consult the filter shade table in ANSI Z87.1-1989 for selection of the proper welding lens for specific applications.

GENESIS®

- Lightweight, extremely resilient external polycarbonate frame
- Soft elastomer internal frame
- Interchangeable dual 9 base wraparound lens
- Vents the eye socket area
- Soft brow bumper provides comfortable fingers that adjust and wraparound almost any nasal profile
- Ratchet lens inclination adjustment
- Passed military V0 ballistic (standard MIL-STD-662) test regimen
- Certified to CSA standard Z94.3



SN209

Model No.	Mfg. No.	Lens Tint	Price /Each
BLACK FRAME			
SN209	S3200	Clear Ultra-dura®	8.43
SN210	S3200X	Clear Uvextreme® AF	9.09
SAQ907	S3200D	Clear Dura-streme™	11.08
SN211	S3201	Espresso Ultra-dura®	9.30
SN212	S3201X	Espresso Uvextreme® AF	9.94
SN213	S3202	Amber Ultra-dura®	9.30
SAK427	S3207	Infra-dura® 3.0	12.71
SAK428	S3208	Infra-dura® 5.0	13.80
VAPOUR BLUE FRAME			
SN219	S3240	Clear Ultra-dura®	8.43
SN220	S3240X	Clear Uvextreme® AF	9.09
SN221	S3241	Espresso Ultra-dura®	9.30
SN222	S3241X	Espresso Uvextreme® AF	9.94
SN223	S3242	Amber Ultra-dura®	9.30

UVEX™
by Honeywell



Model No.	Mfg. No.	Lens Tint	Price /Each
REPLACEMENT LENSES			
SN243	S6900	Clear Ultra-dura®	3.55
SN244	S6900X	Clear Uvextreme® AF	4.20
SAQ908	S6900D	Clear Dura-streme™	5.83
SN245	S6901	Espresso Ultra-dura®	4.42
SN246	S6901X	Espresso Uvextreme® AF	5.06
SN247	S6902	Amber Ultra-dura®	4.42

GENESIS XC™

- Extended wraparound lens for extra cheek and extra side coverage (up to 20% more)
- Soft, flexible nose fingers conform to fit a variety of nasal profiles
- Adjustable two-shot temples for custom fit
- Available with cushioned temples for all-day comfort
- Optional Rx lens insert holds Rx lenses firmly in place
- Certified to CSA standard Z94.3




by Honeywell

Model No.	Mfg. No.	Lens Tint	Price /Each
ULTRA-DURA® HARDCOAT			
SAK138	S3300	Clear	9.09
SAK139	S3301	Grey	9.94
SAK403	S3308	Mirror	11.22
SAK405	S3306	Shade 3.0	13.36
SAK406	S3307	Shade 5.0	14.43
REPLACEMENT LENSES			
SAK411	S6950	Clear	4.10
SAK412	S6951	Grey	4.96
SAK413	S6958	Mirror	6.24
SAK415	S6956	Shade 3.0	8.41
SAK416	S6957	Shade 5.0	9.47

Model No.	Mfg. No.	Lens Tint	Price /Each
UVEXTREME® AF			
SAK093	S3300X	Clear	9.74
SAK407	S3301X	Grey	10.59
SAK408	S3303X	SCT-Grey	10.59
SAK409	S3304X	SCT-Low IR	10.59
REPLACEMENT LENSES			
SAK417	S6950X	Clear	4.74
SAK418	S6951X	Grey	5.59
SAK419	S6953X	SCT-Grey	5.59
SAK420	S6954X	SCT-Low IR	5.59
DURA-STREME™			
SAQ909	S3300D	Clear	11.74
REPLACEMENT LENSES			
SAQ910	S6950D	Clear	6.36

RX INSERTS

- Optional Rx insert for Genesis XC™ eyewear
- Holds prescription lenses securely
- Accommodates a variety of Rx needs including bifocals, trifocal and progressive lenses
- Classic screw closure easily fits, with prescription ranging from +3.0 to -3.0D



Model No.	Mfg. No.	Price /Each
SAK410	S3350	27.12



CANADA'S LEADER
IN WELDING SUPPLIES



EYE PROTECTION

SPECIFIX™ VERSA PRO™

- Lightweight design and versatile protection makes *Versa Pro*™ ideal for assembly line work, shipping, machine operation and other light manufacturing tasks
- Economical and easy lens replacement allows for multiple tints and extends the life of the eyewear
- *FlexFit*™ bendable temples and nosepiece for a more comfortable fit
- Ratcheting temples make it easy to adjust the lens angle for a close fit
- *FlexFit*™ nosepiece conforms to virtually any nasal profile and provides a contoured, non-slip fit
- Frame colour: Blue/Black
- Certified to CSA standard Z94.3
- Lifetime frame warranty
- Available with *Uvextreme*® anti-fog coating or *Supra-Dura*™ advanced anti-scratch coating
- Available in two sizes to better fit a variety of users – Frame widths: Medium=5.45"; Large=5.8"



UVEX™
by Honeywell

Model No.	Mfg. No.	Size	Lens Tint	Price /Each
SEB635	SX0100	Medium	Clear/ <i>Supra-Dura</i> ™	8.55
SEB636	SX0100X	Medium	Clear/ <i>Uvextreme</i> ® AF	9.21
SEB637	SX0101	Medium	Espresso/ <i>Supra-Dura</i> ™	9.43
SEB638	SX0101X	Medium	Espresso/ <i>Uvextreme</i> ® AF	10.08
SEB639	SX0102	Medium	Amber/ <i>Supra-Dura</i> ™	9.43
SEB640	SX0102X	Medium	Amber/ <i>Uvextreme</i> ® AF	10.08

REPLACEMENT LENSES

SEB649	SX5100	-	Clear/ <i>Supra-Dura</i> ™	3.62
SEB650	SX5100X	-	Clear/ <i>Uvextreme</i> ® AF	4.25
SEB651	SX5101	-	Espresso/ <i>Supra-Dura</i> ™	4.49
SEB652	SX5101X	-	Espresso/ <i>Uvextreme</i> ® AF	5.11
SEB653	SX5102	-	Amber/ <i>Supra-Dura</i> ™	4.49
SEB654	SX5102X	-	Amber/ <i>Uvextreme</i> ® AF	5.11

SPECIFIX™ PRECISION PRO™

- Frameless design and precise optics: ideal for quality control, inspection, technical applications, lab work, aerospace, fine maintenance and mechanics
- Specialized task-specific SCT (spectrum control technology) lens tints optimize lighting and enhance visual perception
- Ratcheting temples make it easy to adjust the lens angle for a close fit
- *FlexFit*™ bendable temples and nosepiece for a more comfortable, customized fit
- Ultra-lightweight at only 28 g
- Certified to CSA standard Z94.3
- Available with *Uvextreme*® anti-fog coating or *Supra-Dura*™ advanced anti-scratch coating



UVEX™
by Honeywell

Model No.	Mfg. No.	Lens Tint	Price /Each
SEB663	SX0200	Clear/ <i>Supra-Dura</i> ™	7.70
SEB664	SX0200X	Clear/ <i>Uvextreme</i> ® AF	8.29
SEB665	SX0202	Amber/ <i>Supra-Dura</i> ™	8.48

aurora tools®

The best value in industrial tools . . . period

SPECIFIX™ EXTREME PRO™

- Ideal for use in foundries, chemical plants, metal working, machining, pulp and paper, ship building and oil and gas
- Grip Click™ frame width adjustment ensures a comfortable fit for all face sizes
- Ratcheting temples make it easy to adjust the lens angle for a close fit
- FlexFit™ bendable temples and nosepiece for a more comfortable, customized fit
- Moisture Wick™ brow accessory absorbs and wicks away perspiration to keep lenses clear in hot environments
- Frame colour: Black/Grey
- Certified to CSA standard Z94.3
- Lifetime frame guarantee
- Available with *Supra-Dura™* advanced anti-scratch coating, *Uvextreme®* Plus anti-fog coating and *Dura-Streme™* dual anti-fog/anti-scratch coating



UVEX™
by Honeywell

Model No.	Mfg. No.	Lens Tint	Price /Each
SEB672	SX0300	Clear/ <i>Supra-Dura™</i>	9.92
SEB673	SX0300XP	Clear/ <i>Uvextreme®</i> Plus AF	10.69
SEB674	SX0300D	Clear/ <i>Dura-Streme™</i>	13.02
SEB675	SX0301	Espresso/ <i>Supra-Dura™</i>	10.94
SEB676	SX0301XP	Espresso/ <i>Uvextreme®</i> Plus AF	11.69
SEB677	SX0301D	Espresso/ <i>Dura-Streme™</i>	14.34
REPLACEMENT LENSES			
SEB685	SX5300	Clear/ <i>Supra-Dura™</i>	4.18
SEB686	SX5300XP	Clear/ <i>Uvextreme®</i> Plus AF	4.94
SEB687	SX5300D	Clear/ <i>Dura-Streme™</i>	6.83
SEB688	SX5301	Espresso/ <i>Supra-Dura™</i>	5.20
SEB689	SX5301XP	Espresso/ <i>Uvextreme®</i> Plus AF	5.95
SEB690	SX5301D	Espresso/ <i>Dura-Streme™</i>	8.50

SKYPER®

- Simple lens replacement system
- Adjustable temple length and lens inclination
- Lifetime frame guarantee
- Certified to CSA standard Z94.3



SH014

UVEX™ 
by Honeywell

Model No.	Mfg. No.	Lens Tint	Price /Each
REPLACEMENT LENSES			
UVEXTREME® AF			
SH014	S1900X	Clear	7.60
ULTRA-DURA® HARDCOAT			
SH015	S1900	Clear	6.95
SH016	S1902	Amber	7.80
SH017	S1903	Mirror	9.09
SH018	S1906	<i>Infra-dura®</i> 2.0	11.22
SH019	S1907	<i>Infra-dura®</i> 3.0	11.22
SH020	S1908	<i>Infra-dura®</i> 5.0	12.29
REPLACEMENT LENSES			
UVEXTREME® AF			
SH021	S6500X	Clear	4.20
ULTRA-DURA® HARDCOAT			
SH022	S6500	Clear	3.55
SH023	S6502	Amber	4.42
SH024	S6503	Mirror	5.71
SH025	S6506	<i>Infra-dura®</i> 2.0	7.87
SH026	S6507	<i>Infra-dura®</i> 3.0	7.87
SH027	S6508	<i>Infra-dura®</i> 5.0	8.96

Call us for all your
Safety Equipment
& Supplies
requirements!



EYE PROTECTION

FALCON®

- Frameless design with patented dual 9-base unilens
- Weightless comfort and superior coverage providing complete and unobstructed vision
- Impact-resistant polycarbonate lens absorbs >99.9% of harmful UVA and UVB radiation
- Certified to CSA standard Z94.3



SAJ061



REPLACEMENT LENSES

Model No.	Mfg. No.	Lens Tint	Price /Each
ULTRA-DURA® BLACK TEMPLES			
SAJ061	S4500	Clear	5.13
UVEXTREME® AF - BLACK TEMPLES			
SAJ062	S4500X	Clear	5.76

Model No.	Mfg. No.	Lens Tint	Price /Each
ULTRA-DURA®			
SAJ079	S6700	Clear	3.01
UVEXTREME® AF			
SAJ080	S6700X	Clear	3.67

ASTROSPEC 3000®

- Lightweight unilens offers panoramic vision
- Easy and economical lens replacement system
- Adjustable lens inclination and temple length
- Molded side shields
- Black frame
- Lifetime frame guarantee
- Certified to CSA standard Z94.3



SE622



REPLACEMENT LENSES

Model No.	Mfg. No.	Lens Tint	Price /Each
ULTRA-DURA® HARDCOAT			
SE633	S1359	Clear	7.09
SE634	S1369	Grey	7.95
SE635*	S1360	Light Grey	7.95
SE636*	S145	Amber	7.95
SE637	S1379	Mirror	9.28
SE638*	S112	SCT- Low IR	8.39
SE639*	S1361	SCT- Grey	8.39
SE641	S111029	Infra-dura® 2.0	11.45
SE642*	S1111	Infra-dura® 3.0	11.45
SE643*	S1112	Infra-dura® 5.0	12.52
UVEXTREME® AF			
SE622	S1359C	Clear	7.75
SE623*	S136C	Grey	8.60
SE624*	S1362C	SCT-Vermillion	8.60

Model No.	Mfg. No.	Lens Tint	Price /Each
ULTRA-DURA® HARDCOAT			
SE652	S535	Clear	2.31
SE653	S536	Grey	3.18
SE655	S537	Amber	3.18
SE656	S538	Mirror	6.05
SE657	S540	SCT-Low IR	5.17
SE658	S541	SCT- Grey	5.17
SE660	S5412	Infra-dura® 2.0	8.24
SE661	S542	Infra-dura® 3.0	8.24
SE662	S543	Infra-dura® 5.0	9.33
UVEXTREME® AF			
SE404	S535C	Clear	2.97
SE650	S536C	Grey	3.84
SE651	S539C	SCT-Vermillion	5.39

*Does not feature Duoflex® temples

ASTRO OTG® 3001

- Same features as the Astrospec 3000® with attractive OTG (over-the-glass) styling
- An economical alternative to expensive Rx eyewear
- Lifetime frame guarantee
- Certified to CSA standard Z94.3



SE700



BLACK FRAME

Model No.	Mfg. No.	Lens Tint	Price /Each
UVEXTREME® AF			
SE700	S2500C	Clear	9.48
SE701	S2504C	Grey	10.37
ULTRA-DURA® HARDCOAT			
SE704	S2500	Clear	8.84
SE705	S2504	Grey	9.70

BLUE FRAME

Model No.	Mfg. No.	Lens Tint	Price /Each
UVEXTREME® AF			
SE702	S2510C	Clear	9.48
SE703	S2514C	Grey	10.37

MILLENNIA®

HIGH STYLE FULL COVERAGE!

- Lightweight frame with superior side and brow protection
- High impact dual 9-base wraparound unilens
- Comfortable universal nose bridge
- Includes adjustable breakaway *FlexiCord™* for added security and convenience
- Certified to CSA standard Z94.3



SG990

UVEX™
by Honeywell



Black Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Lens Tint	Price /Each
SG990	11150350CSA	SG991	11150370CSA	Clear	5.76

IGNITE™

- Sleek, sporty, unisex lightweight frameless design appeals to a broad range of workers
- Offers 180° of distortion-free, unobstructed vision
- A 9-base, wrap-around lens design provides close-to-the-face protection and superior coverage
- Adjustable nose piece reduces slippage and provides a personalized, comfortable fit
- Soft temple tip pads ensure a fit that is both comfortable and secure
- Meets military V₀ ballistic test for impact
- Certified to CSA standard Z94.3



SAQ725

UVEX™
by Honeywell



Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
SAQ725	S4400	Black & Silver	Clear/Hardcoat	5.90
SAQ726	S4400X	Black & Silver	Clear/UVextra™ AF	6.51
SAQ727	S4401	Black & Silver	Grey/Hardcoat	6.66
SAQ728	S4401X	Black & Silver	Grey/UVextra™ AF	7.31
SAQ729	S4402	Black & Silver	SCT-Reflect 50/Hardcoat	7.88
SAQ730	S4403	Black & Silver	Silver Mirror/Hardcoat	7.88

SPITFIRE®

NO DISTRACTIONS, NO DISTORTIONS, NO EXCUSES

- Frameless eyewear with a patented dual nine base wraparound unilens design
- Offering exceptional optical clarity without any distracting lines or bend
- Provides superior peripheral protection from side impact
- Features molded-in nose bridge, flexible adjustments for temple length and lens inclination
- Lightweight, sporty looking contemporary style ensures a comfortable and custom fit all day long
- Temple colour: black
- Impact-resistant polycarbonate lenses block up to 99.9% of harmful UV radiation
- Certified to CSA standard Z94.3



SG255

UVEX™
by Honeywell



REPLACEMENT LENSES

Model No.	Mfg. No.	Lens Tint	Price /Each
UVEXTREME® AF			
SG255	S1800X	Clear	6.95
ULTRA-DURA® HARDCOAT			
SG261	S1800	Clear	6.30

Model No.	Mfg. No.	Lens Tint	Price /Each
UVEXTREME® AF			
SG268	S6200X	Clear	4.20
ULTRA-DURA® HARDCOAT			
SG270	S6200	Clear	3.55



RMP-ECO® cleaning products are the Green solution to industrial cleaning. All RMP-ECO® products are EcoLogo[®] certified. RMP-ECO® is safe for you and the environment.



EYE PROTECTION

ULTRASPEC®

ULTRASPEC® 1000

- Ideal visitor spec
- Uncoated 100% polycarbonate wraparound unilens design with solid side shields
- Certified to CSA standard Z94.3

ULTRASPEC® 2000

- Coated 100% polycarbonate wraparound unilens design
- Adjustable temple length
- Certified to CSA standard Z94.3



UVEX™ 
by Honeywell

Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
ULTRASPEC® 1000 UNCOATED				
SAG310	S300CS	Clear	Clear	1.82
ULTRASPEC® 2000 UVEXTREME® AF				
SE614	S0250X	Clear	Clear	4.71
SE615	S0280X	Grey	Grey	5.76
SE616	S0290X	Amber	Amber	5.76

UVEX U2®

- Sporty wraparound design
- Adjustable temple length
- Easy lens replacement system
- Black frame
- Lifetime frame guarantee
- Certified to CSA standard Z94.3



UVEX™ 
by Honeywell

Model No.	Mfg. No.	Lens Tint	Price /Each
SN214	S3100	Clear Ultra-dura®	6.30
SN215	S3100X	Clear Uvextreme® AF	6.95
SN217	S3101X	Espresso Uvextreme® AF	7.80
REPLACEMENT LENSES			
SN238	S6150	Clear Ultra-dura®	3.55
SN239	S6150X	Clear Uvextreme® AF	4.20
SN241	S6151X	Espresso Uvextreme® AF	5.06

AMBIENT OTG

- Exceptional peripheral vision and coverage in a lightweight, wraparound uni-lens design
- Highest available impact protection
- Pass military V₀ ballistic test for impact (7x greater than ANSI)
- Soft, flexible nasal fingers conform to a variety of facial profiles and minimize slippage
- Adjustable and bendable, wire-core temples offer complete flexibility with secure, customised fit
- Offered in two lens sizes (medium and large) to fit a variety of users and prescription eyewear styles
- The medium version has a 13% smaller lens than the larger version and extends the life of the eyewear
- Certified to CSA standard Z94.3



UVEX™ 
by Honeywell

Model No.	Mfg. No.	Description	Price /Each
SAS560	S3150	Blue/Large Clear Ultra-dura®	8.55
SAS561	S3150X	Blue/Large Clear Uvextreme®	9.19
SAS562	S3150D	Blue/Large Clear Dura-streme™	9.94
SAS563	S3160	Blue/Medium Clear Ultra-dura®	8.55

SLATE™

- Dual 9-base, wrap-around, polycarbonate lens design provides built-in side protection and superior coverage
- Lightweight, sleek frame provides comfort and a modern, stylish look
- Soft, adjustable, rubber temple tips offer extended comfort and a custom fit
- Adjustable saddle pad nosepiece adds comfort and helps prevent slippage
- Certified to CSA standard Z94.3



UVEX™ 
by Honeywell

Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
SAQ720	S4110	Matte Gunmetal	Clear/Hardcoat	8.02
SAQ721	S4110X	Matte Gunmetal	Clear/Uvextra™ AF	8.62
SAQ722	S4111	Matte Gunmetal	Grey/Hardcoat	8.89
SAQ723	S4111X	Matte Gunmetal	Grey/Uvextra™ AF	9.48
SAQ724	S4112	Matte Gunmetal	Gold Mirror/Hardcoat	10.16

EYE INJURIES ARE NOT COOL. THESE ARE.

- Harley-Davidson® logo on lens and frame
- Impact-resistant polycarbonate lenses
- 99.9% UV protection
- Scratch resistant hardcoat

HD100 SERIES

- Contemporary, wraparound design
- Moulded-in sideshields and browguards
- Meets ANSI standards



HD400 SERIES

- High-tech, high-style protective eyewear
- Provides 180° of panoramic vision
- Excellent side and brow coverage
- Adjustable H-D® retainer cord shipped with frame
- Meets CSA and ANSI standards



HD500 SERIES

- Silver matte metal frame with special nickel-free coating
- 10-base dual lens for optimal field of vision
- Spring hinge temples provide a secure and comfortable fit
- Meets ANSI standards



HD700 SERIES

- 8-base, metal rimless frame design with spring hinge temples
- Gunmetal frame with nickel-free coating
- Adjustable optical nose pads conform to varying nose bridge shapes
- Polycarbonate hard-coated lenses
- Complies with ANSI Z87+ high impact standard



HD800 SERIES

- Defies convention while embracing compliance
- Lightweight, comfortable to wear all day long
- Striking mirror lenses coupled with a double 9-base frameless design
- Meets CSA and ANSI Standards



ACCESSORIES

SAFETY EYEWEAR ZIPPER CASE

- Tough, hard case protects eyewear when not in use
- Includes handy belt loop and clip



SAK216

SAFETY EYEWEAR RETAINER CORD

- Silkscreened with H-D® logo
- Adjustable slide with H-D® logo



SAK217

Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
HD100 SERIES				
SAK017	HD100	Silver	Blue mirror	15.23
SAK018	HD101	Black	Clear	7.29
SAK019	HD102	Black	Espresso	8.82
SAK020	HD103	Black	Gold mirror	11.42
HD400 SERIES				
SAK024	HD400	Black	Clear	8.16
SAK025	HD401	Black	Mirror 50	11.20
SAK026	HD402	Black	Silver Mirror	11.20
HD500 SERIES				
SAK027	HD501	Matte Silver	Clear	15.12
SAK028	HD502	Matte Silver	Grey	16.19
SAK029	HD503	Matte Silver	Silver Mirror	17.93
HD700 SERIES				
SAN327	HD701	Gunmetal	Clear	15.14
SAN328	HD702	Gunmetal	Grey	16.16
SAN329	HD703	Gunmetal	Amber	17.16
SAN330	HD700	Gunmetal	Brown Mirror	17.77
HD800 SERIES				
SAP450	HD800	-	Orange Mirror	16.06
SAP451	HD801	-	Blue Mirror	16.06
SAP452	HD802	-	Silver Mirror	14.04

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
SAK216	HD903	Zipper Case	8.17
SAK217	HD902	Retainer Cord	2.60



Honeywell

© 2012 H-D. All rights reserved. Manufactured by Honeywell under license from Harley-Davidson Motor Company.

WARNING: Not intended for use when riding a motorcycle. Improper use may result in serious personal injury or death.

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

EYE PROTECTION

TORNADO

- Unique dual lens styling in a single piece lens design gives maximum protection and comfort for greater user acceptance
- Full frame in black with grey trim, blue with grey trim and grey with black trim
- Available with fully adjustable curved temples or straight extensible non-pivoting temple ends
- Anti-fog, anti-scratch, anti-static and anti-UV
- Certified to CSA standard Z94.3



Straight
Temples

Curved
Temples

TORNADO

NORTH
by Honeywell



Black/Grey Model No.	Mfg. No.	Blue/Grey Model No.	Mfg. No.	Grey/Black Model No.	Mfg. No.	Lens Tint	Price /Each
CURVED TEMPLES							
SH069	T57005B	SH072	T57005BL	SH075	T57005GRY	Clear	8.27
SH070	T57005BS	SH073	T57005BLS	SH076	T57005GRYS	Smoke	8.59
SH071	T57005BA	SH074	T57005BLA	SH077	T57005GRYA	Amber	8.81
-	-	SR680	T57005BLM	-	-	Mirror	11.26
STRAIGHT TEMPLES							
SH078	T58005B	SH081	T58005BL	SH084	T58005GRY	Clear	8.32
SH079	T58005BS	SH082	T58005BLS	SH085	T58005GRYS	Smoke	8.95
SH080	T58005BA	SH083	T58005BLA	SH086	T58005GRYA	Amber	8.90

ADAPTEC™

- Adjustable nose bridge keeps eyes centered in lens for clearer optics and reduced eye fatigue
- Vented, cushioned frame allows optimum air circulation and reduces fogging
- Ratcheting temple hinges adjust lens angle for greater protection and reduced fogging
- Proprietary temple design adjusts temple tension for personal comfort and non-slip security
- Temple inserts slide from front to back for firmer fit, – or in opposite direction for looser fit
- Soft, flexible material covers frame components for comfortable, secure fit
- The North Adaptec™ 4A lens coating ensures excellent anti-fog, anti-static and scratch resistant properties plus 99.9% UV protection
- Certified to CSA standard Z94.3

NORTH
by Honeywell



SED448

SED450

SED451

Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
NARROW				
SED448	T5900NTK	Black	Clear	9.48
SED450	T5900NTKS	Black	Smoke	10.22
SED451	T5900NTKA	Black	Amber	10.22
REGULAR				
SED456	T5900LTK	Black	Clear	9.48
SED458	T5900LTKS	Black	Smoke	10.22
SED459	T5900LTKA	Black	Amber	10.22
WIDE				
SED464	T5900WTK	Black	Clear	9.48
SED466	T5900WTKS	Black	Smoke	10.22
SED467	T5900WTKA	Black	Amber	10.22

Other frame colours and lens tint also available. Contact us for more details.

REPLACEMENT LENSES

Model No.	Mfg. No.	Lens Tint	Price /Each
NARROW			
SED471	500NRL	Clear	4.48
SED472	501NRL	Smoke	4.76
SED473	502NRL	Amber	4.76
REGULAR			
SED477	500LRL	Clear	4.48
SED478	501LRL	Smoke	4.76
SED479	502LRL	Amber	4.76
WIDE			
SED483	500WRL	Clear	4.48
SED484	501WRL	Smoke	4.76
SED485	502WRL	Amber	4.76



N-VISION™ T5650 SERIES

UNIVERSAL COMFORT BRIDGE SYSTEM

- Modern ergonomic design for comfort and fit
- Easy lens replacement system
- Frame made of new *Elasto LT* chemical-resistant material
- Lenses are protected by *North's* exclusive 4A coating, anti-fog, anti-scratch, anti-static and anti-UV at 99.9 %
- Comfortable straight and curved temple ends supplied with all *N-Vision™* series eyewear
- Black frame
- Certified to CSA standard Z94.3



SAK140

N-VISION™

NORTH

by Honeywell



REPLACEMENT LENSES

Model No.	Mfg. No.	Lens Tint	Price /Each
SAK140	T56505B	Clear	8.42
SAK141	T56505BS	Smoke	10.07

Model No.	Mfg. No.	Lens Tint	Price /Each
SAK192	477RL	Clear	5.09
SAK784	478RL	Smoke	5.70

*Lenses are not anti-fog

180 SLIMLINE

- Made of lightweight, non-conductive high impact polycarbonate material
- Popular low profile shape
- High 9-base curve for better coverage and wide field of vision
- Soft temple pads for more comfort
- Certified to CSA standard Z94.3



SAK757

NORTH

by Honeywell



Model No.	Mfg. No.	Lens Tint	Price /Each
SAK757	T1300	Clear	2.53
SAK758	T1301	Smoke	2.73

VISITORS SPECTACLES

- Offer premium protection to plant visitors
- Comfortable, provide a wide viewing field
- Feature superior optical quality high impact and penetrating resistance
- Exclusive interlocking sideshield system offers all around protection from flying particles
- Universal nose bridge
- Specially designed to fit comfortably over prescription glasses
- Individually wrapped in a protective poly envelope
- Certified to CSA standard Z94.3



NORTH

by Honeywell



Model No.	Mfg. No.	Lens Tint	Price /Each
SG290	905	Clear	2.51

LIGHTNING & LIGHTNING PLUS

- High base panoramic lens for a wide unobstructed field of vision
- Frame made of chemical and heat resistant *Elasto LT* material
- *Flexi-Fit* three-point non-slip nosepiece eliminates excessive pressure on the nose
- Exclusive 4A coating: anti-fog, anti-scratch, anti-UV, anti-static
- Fast and easy lens replacement with unique *Rapid-Change* system
- *Soft-Touch* comfort pads
- **Lightning** models: Self-adjusting temples to insure a secure and comfortable fit
- **Lightning Plus** models: Bowed temples designed to fit virtually anyone
- Certified to CSA standard Z94.3



SAJ222

LIGHTNING



SAJ223

LIGHTNING PLUS

NORTH

by Honeywell



Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
LIGHTNING				
SAJ221	T65005	Black	Clear	8.44
SAJ222	T65005S	Black	Smoke	9.76
SAJ230	T65005A	Black	Amber	9.37
SAJ231	T65005M	Black	Mirror*	10.10
SAP515	T65015TCG	Black	I/O Mirror*	9.80
LIGHTNING PLUS				
SAJ223	T65505B	Black	Clear	9.09
SAJ224	T65505BS	Black	Smoke	10.68
SAJ232	T65505BA	Black	Amber	10.59
SAP516	T65515BTCG	Black	I/O Mirror*	11.61

Model No.	Mfg. No.	Lens Tint	Price /Each
REPLACEMENT LENSES			
SAJ469	469RL	Clear	5.58
SAK754	470RL	Smoke	6.29
SAK755	471RL	Amber	6.20
SAK756	472RL	Mirror*	6.71
SAP517	489HRL	I/O Mirror*	6.31
REPLACEMENT NOSEPIECE			
SAK760	65RB	-	4.51

*Lenses are not anti-fog

EYE PROTECTION

VAPOR™

- Affordably priced, shiny smooth design
- Metallic blue, lightweight frame for all-day wear
- Sport temple provides a secure and comfortable wraparound fit
- Soft nose bridge prevents slipping and conforms to varying nose bridge shapes
- 9-base polycarbonate hardcoat lenses provide distortion-free 180° field of vision
- Includes: Breakaway *Flexicord™* with every pair
- Certified to CSA standard Z94.3

SAK394

NORTH

by Honeywell



Model No.	Mfg. No.	Lens Tint	Price /Each
SAK393	11150900	Clear/Hardcoat	3.91
SAK394	11150901	TSR® Grey/Hardcoat	4.42
SAK395	11150904	Silver Mirror/Hardcoat	5.03
SAK396	11150905	Clear Fog-Ban®	4.52
SAK397	11150906	Grey Fog-Ban®	4.93

FUSE™

- Affordably priced, sporty gunmetal double bridge styling
- Soft adjustable saddle nose bridge prevents slipping and provides comfort and grip
- 9-base polycarbonate lenses provide distortion-free 180° field of vision
- Frame with nickel-free top-coat to prevent skin reactions for people sensitive to nickel
- Hinge-stoppers prevent temple tips from touching the lenses when folded
- Includes: breakaway *Flexicord™* with every pair
- Certified to CSA standard Z94.3

SAK398

NORTH

by Honeywell



Model No.	Mfg. No.	Lens Tint	Price /Each
SAK398	11150800	Clear/Hardcoat	5.93
SAK399	11150801	TSR® Grey/Hardcoat	6.75
SAK400	11150804	Silver Mirror/Hardcoat	7.34
SAK401	11150805	Clear Fog-Ban®	6.93
SAK402	11150806	Grey Fog-Ban®	7.24

OP-TEMA®

- *Op-Tema®* spectacles deliver the features that wearers want: lightweight for all day wear, multiple adjustments for maximum fit and clear unobstructed vision
- Provides high level eye protection
- Available in black and blue frames in a choice of clear or TSR® grey lens
- Includes: Adjustable breakaway *FlexiCord™*
- Certified to CSA standard Z94.3

SG998

NORTH

by Honeywell



Model No.	Mfg. No.	Lens Tint	Price /Each
BLACK FRAME			
SG998	11150400	Clear	4.13
SH002	11150401	TSR® Grey	4.59
BLUE FRAME			
SG999	11150410	Clear	4.13

Call us for
quantity
pricing!



N-VISION™ T5655 SERIES

FLEXI-FIT SOFT NOSEPIECE SYSTEM

- Flexi-Fit soft nosepiece for comfort and adaptability
- Easy lens replacement system
- Frame made of new *Elasto LT* chemical-resistant material
- Lenses are protected by *North's* exclusive 4A coating, anti-fog, anti-scratch, anti-static and anti-UV at 99.9%
- Comfortable straight and curved temple with all *N-Vision™* series eyewear
- Black frame
- Certified to CSA standard Z94.3



N-VISION™

NORTH

by Honeywell



Model No.	Mfg. No.	Lens Tint	Price /Each
SAK195	T5655SB	Clear	8.66
SAK196	T5655BS	Smoke	10.39

*Lenses are not anti-fog

REPLACEMENT LENSES

Model No.	Mfg. No.	Lens Tint	Price /Each
SAK787	485RL	Clear	5.20
SAK788	486RL	Smoke	5.93

VELOCITY²

- Dual lens low profile design offers excellent coverage
- Frame comes with vented sides
- Lenses are protected by *North's* exclusive 4A coating, anti-scratch, anti-fog anti-static and anti-UV at 99.9%
- Black frame
- Certified to CSA standard Z94.3



VELOCITY²

NORTH

by Honeywell



Model No.	Mfg. No.	Lens Tint	Price /Each
SAJ248	T6100SB	Clear	6.78
SAJ249	T6100BS	Smoke	7.48
SAJ250	T6100SBA	Amber	7.90
SAJ251	T6100SBM	Mirror*	7.92

*Mirror lenses are not anti-fog

KLONDIKE®

- Stylish matte finish frame
- Gel nosepiece for longwearing comfort
- Adjustable temples ensure comfortable fit
- Strong lightweight polycarbonate lens with 11° base curve provides 99.9 % UV protection
- Certified to CSA standard Z94.3



CREWS



Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
SAK795	KD110	Black	Clear	4.37
SAK796	KD110AF	Black	Clear, Anti-Fog	5.42
SAK797	KD112	Black	Grey	4.96
SAK798	KD112AF	Black	Grey, Anti-Fog	6.20
SAK799	KD113	Black	Light Blue	4.96
SAK800	KD114	Black	Amber	4.96
SAK801	KD11B	Black	Brown	6.30
SAK802	KD120	Blue	Clear	4.37
SAK803	KD122	Blue	Grey	4.96
SAK804	KD128	Blue	Blue Mirror	5.58
SAK805	KD129	Blue	I/O Clear, Mirror	5.29

TOMAHAWK®

- Affordable alternative for providing protection, comfort and style
- Fully adjustable temples
- One-piece polycarbonate lens with integral sideshields
- Lenses treated with *Duramass*® scratch-resistant coating
- Lightweight frame provides added comfort and balance
- Provides 99.9% UV protection
- Certified to CSA standard Z94.3



CREWS



Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
SE588	TK110	Black	Clear	2.92
SE590	TK120	Blue	Clear	3.43

REPLACEMENT LENSES

Model No.	Mfg. No.	Lens Tint	Price /Each
SJ412	L-1TK00	Clear	2.09

R32735E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

555

EYE PROTECTION

3M™ BX™ EYEWEAR WITH READER LENS

- Anti-fog, reader lenses + 1.5, + 2.0, + 2.5
- Universal-fit nose bridge
- Sliding temple lengths with soft tips for comfort even after extended wear
- High impact polycarbonate lenses with 99.9% UV protection
- Silver/black frame
- Meets ANSI standard Z87.1



SAN521



Model No.	Mfg. No.	Lens Tint	Dioptre	Price /Each
SAN521	11374	Clear	+ 1.5	12.07
SAN522	11375	Clear	+ 2.0	12.07
SAN523	11376	Clear	+ 2.5	12.07
SAN524	11377	Grey	+ 1.5	12.85
SAN525	11378	Grey	+ 2.0	12.85
SAN526	11379	Grey	+ 2.5	12.85

3M™ BX™ EYEWEAR

- High impact resistant polycarbonate lens provides 99.9% UV protection
- Soft, universal-fit nose bridge
- Three lens angles for custom fit
- Adjustable temple lengths
- Soft tip temples feel good even after extended wear
- Certified to CSA standard Z94.3



SAO648



Model No.	Mfg. No.	Lens Tint	Price /Each
SAO648	11380	Clear	5.16
SAO649	11381	Grey	6.04

3M™ FUEL2™

- Strong, functional eye gear
- New, patented "vertically vented" browguard
- Lens angle and temple length are adjustable for custom fit
- DX™ anti-fog hard coat guards against fogging
- Certified to CSA standard Z94.3



SAP464



SAP466



Model No.	Mfg. No.	Frame Colour	Accent Colour	Lens Tint	Price /Each
SAP464	11650	Metallic Sand	Red	Red Mirror	25.11
SAP466	11652	Silver Colour	Blue	Blue Mirror	25.11
SAP467	11653	Silver Colour	Blue	Clear AF	23.97
SAP468	11654	Black Rubberized	Black	Grey AF	25.11

3M™ VIRTUA™ SPORT

- High impact polycarbonate lens provides 99.9% UV protection
- Comfortable, ultra light frame design
- Sporty and sleek, unisex styling for better looks
- 9 base curved lens for excellent "wrap" front/side coverage
- Certified to CSA standard Z94.3



SAO652



SAO650



Model No.	Mfg. No.	Lens Tint	Temple	Price /Each
SAO650	11384	Clear Anti-Fog	Clear	2.65
SAO651	11385	Clear Hard Coat	Clear	2.18
SAO652	11386	Grey Anti-Fog	Grey	2.84
SAO654	11388	I/O Mirror	Clear	3.03

3M™ METALIKS™ & METALIKS™ SPORT

CURVED COVERAGE WITH STRAIGHT STYLE

A polished metal frame meets a sweeping 10-base lens geometry. Formable, rubber-tipped temples and a soft nose bridge complement the wrapped protection.

- First 10-base curve lens in safety eyewear – maximum style and protection
- Adjustable with rubber-tipped temple
- Soft and adjustable wire nose bridge
- DX™ coating resists fogging, scratching, static and chemical attacks
- Certified to CSA standard Z94.3



Model No.	Mfg. No.	Frame Colour	Lens Tint	Price /Each
METALIKS®				
SAN729	15170-1	Silver	Clear	9.56
SAN730	15171-1	Silver	Grey	9.94
SAN731	15172-1	Silver	Mirror*	10.50
SAN732	11532-1	Blue	Clear	8.93
METALIKS® SPORT				
SAI949	11343-1	Brushed Nickel	Clear	9.32
SAI950	11344-1	Brushed Nickel	Grey	9.80
SAI951	11345-1	Brushed Nickel	Mirror*	10.35
SAI952	11346-1	Brushed Nickel	Amber	9.80

*Mirror lens are not anti-fog

3M™ PRIVOT™

- Euro-styled safety eyewear: look good while being safe!
- Excellent coverage and world-class fit
- Soft-tipped temples
- Soft comfort nose bridge
- Certified to CSA standard Z94.3



Model No.	Mfg. No.	Frame Colour	Accent Colour	Lens Tint	Price /Each
SAP456	12261	Black	Orange	Clear AF	6.28
SAP457	12262	Black	Orange	Grey AF	7.03
SAP458	12263	Black	Orange	Amber AF	7.03
SAP459	12264	Black	Orange	I/O Mirror	8.25
SAP460	12265	Silver	Red	Clear AF	6.28
SAP461	12266	Silver	Red	Grey AF	7.03
SAP462	12267	Silver	Red	Amber AF	7.03
SAP463	12268	Silver	Red	I/O Mirror	8.25

3M™ QX™

PROTECTION HIGHER THAN EVER

Eye shield perfection. QX™ eye gear exceeds impact standards with an athletic design for solid fit and biomorphic coverage.

Specifications:

- Choice of two temples: adjustable, and Sport-Grip™
- Dual 9-base lens for extended wraparound coverage
- Soft non-slip nosepiece available on QX™ 2000 and QX™ 3000 models
- DX™ anti-fog hard coat guards against fogging, scratching, static and chemical attacks
- High impact Duralite® polycarbonate lens absorbs 99.9% of UV
- Lightweight with distortion-free optics
- Patented lens removal system
- Exceed military V₀ test regimen for high velocity impact protection (QX™ 2000 and QX™ 3000 models)
- Compliant with CSA standard Z94.3



Reversible
Non-Slip
Nosepiece



TYPES OF TEMPLES



Adjustable



Sport-Grip™

Model No.	Mfg. No.	Lens Tint	Price /Each
QX™ 1000 BLACK ADJUSTABLE TEMPLES			
SN476	12100	Clear	6.10
SN586	12101	Grey	6.90
QX™ 2000 BLACK ADJUSTABLE TEMPLES & SOFT NOSEPIECE			
SN595	12109	Clear	6.41
SN596	12110	Grey	7.17
QX™ 3000 BLACK SPORT-GRIP™ TEMPLES & SOFT NOSEPIECE			
SN597	12115	Clear	7.29

REPLACEMENT LENSES

Model No.	Mfg. No.	Lens Tint	Price /Each
QX™ 1000			
SN601	12128	Clear	4.98



LENS CLEANING PRODUCTS

LENS CLEANING SOLUTION

- Anti-fog, anti-static lens cleaning solution
- Safe for all types of glass, plastic or polycarbonate eyeglasses, safety glasses, goggles, faceshields and computer monitors
- Silicone free



Model No.	Size	Description	Fits Station(s)	Price/Each
SEE377	237 ml/8 oz.	Modern Round Bottle w/Pump	SEE380	2.92
SEE378	473 ml/16 oz.	Boston Round Bottle w/Pump	SEE382, SEE397	3.30
SEE381	3.78 L/1 gallon	Refill	-	12.50

LENS CLEANING STATIONS

SEE380



SEE382



Model No.	Description	Price/Each
SEE380	One 237 ml/8 oz. Bottle w/Pump and 600 Tissues	8.75
SEE382	One 473 ml/16 oz. Bottle w/Pump and 1200 Tissues	15.25

LENS CLEANING TISSUES

- For general lens cleaning and wiping needs
- Fits SEE380, SEE382 and SEE397 lens cleaning stations
- 300 interfolded 5" x 8" wipes

Model No. SEE398
Mfg. No. M60G
Price/Each \$1.58



METAL LENS CLEANING STATIONS

- Rugged, long-wearing steel dispenser
- Comes with two boxes of 5" x 8" interfolded tissues and one 473 ml/16 oz. pump bottle of lens cleaning solution

Model No. SEE397
Mfg. No. 860DFP
Price/Each \$47.08



LENS CLEANING TOWELETTES

- Excellent cleaning with no streaking
- 5" x 8" individually wrapped towelettes permeated with anti-fog, anti-static formula
- 100 towelettes per dispenser

Model No. SEE379
Price/Each \$8.33



UVEX CLEAR®

- Specially formulated for anti-fog and scratch resistant hardcoats and is completely silicone-free and alcohol-free
- Refillable lens cleaning station model SR366 comes complete with one 16-oz. Uvex Clear® cleaning solution, 4 boxes of 500 non-abrasive tissues, a 3.5" x 4.5" mirror and screw mounts and adhesive foam for quick wall mounting

SR366



Model No.	Mfg. No.	Description	Price /Each
SR366	S461	Refillable Lens Cleaning Station (22.5" x 12.5")	34.77
SN287	S463	473 ml/16 oz. Refillable Spray Solution	4.32
SM798	S464	3.78 L/1 Gallon Solution Refill	17.74
SN144	S462	Box of 500 Non-Abrasive Tissues	3.28

Can't find what
you're looking for?
Call us today!



PRINZING SAFETY GLASSES DISPENSERS WITH LID

- Compact unit designed to hold up to six pairs of glasses
- Dust cover to isolate glasses
- Wall or table mount
- 9" W x 6" D x 3" H

Model No. SED048
Mfg. No. PD211L-F
Price/Each \$92.67



DELUXE VISITOR SPEC DISPENSERS

- Bottom door that keeps glasses in and folds down for easy dispensing
- Supplied with two top holes making them ideal for wall-mounting
- Holds approximately 20-25 glasses
- 8" W x 4" D x 18" H

Model No. SED050
Mfg. No. MVSD
Price/Each \$110.44



EYEWEAR CASES

- Extend the useful life of safety eyewear by protecting the lens from scratching and abrasion
- Model SE787 fits Uvex® spectacles flat-fold frames with sideshields, except the Astrospec 3000®
- Model SE788 accommodates most safety spectacles including Astrospec and Flashback® eyewear and a replacement lens
- Model SE789 goggles pack accommodates all Uvex® goggles
- SE788 and SE789 are made of strong, zippered nylon for extra toughness and includes durable belt loops for quick storage



SE788



SE789



SE787

Model No.	Mfg. No.	Description	Price /Each
SE787	S489	Hard Case w/Belt Loop	5.54
SE788	S491	Astropack	6.05
SE789	S493	Universal Goggles Pack	6.98

TRANSPORTER EYEWEAR CASES

- Rigid exoskeleton protects even larger framed eyewear
- Asymmetrical design fits all frame styles and sizes
- Zipper closure
- Belt loop on back offers multiple attachment options

Model No. SEE365
Mfg. No. 31094
Price/Each \$7.33



EXPLORER EYEWEAR CASES

- Compression-molded case
- Sewn-in microfiber lens cleaning cloth
- Clip anywhere carabiner

Model No. SEE366
Mfg. No. 31095
Price/Each \$11.83



EYE PROTECTION - ACCESSORIES

ORIGINAL COTTON STANDARD END EYEWEAR RETAINERS

- Fits a wide variety of frames
- 100% comfortable cotton knit
- Bead adjusts for superb fit
- Machine washable



SEE342

Model No.	Mfg. No.	Colour	Price /Each
SEE339	12115100	Black	4.50
SEE340	12115101	Royal Blue	4.50
SEE341	12115105	Navy Blue	4.50
SEE342	12115102	Red	4.50
SEE343	12115103	Gray	4.50
SEE344	12115117	Orange	4.50
SEE345	12115608	High-Visibility Yellow	4.50

ORIGINAL COTTON SINGLE BREAKAWAY EYEWEAR RETAINERS

- Fits a wide variety of frames
- 100% comfortable cotton knit
- Reconnecting breakaway for safety
- Machine washable



SEE349

Model No.	Mfg. No.	Colour	Price /Each
SEE346	13002100	Black	5.17
SEE347	13002101	Royal Blue	5.17
SEE348	13002105	Navy Blue	5.17
SEE349	13002102	Red	5.17
SEE350	13002103	Gray	5.17
SEE351	13002108	Yellow	5.17
SEE352	13002107	Orange	5.17

UNIVERSAL FIT 3 MM EYEWEAR RETAINERS

- Engineered to accommodate both large and small frames
- Patented universal fit temple, molded directly onto a 3 mm nylon perlon climbing rope offering strength, durability and style
- Durable nylon perlon cord construction



SEE356

Model No.	Mfg. No.	Colour	Price /Each
SEE353	12103100	Black	4.50
SEE354	12103101	Royal Blue	4.50
SEE355	12103105	Navy Blue	4.50
SEE356	12103102	Red	4.50
SEE357	12103122	Olive Green	4.50
SEE358	12103302	Olive Green/Silver	4.50
SEE359	12103320	Olive Green/Gold/Black	4.50
SEE360	12103817	Black/Tan	4.50
SEE361	12103818	Green/Black/Silver	4.50

SLIP FIT 3 MM EYEWEAR RETAINERS

- Durable, trim and lightweight
- Features forward-mounted temple attachments molded directly onto a 3 mm nylon perlon climbing rope
- Fully adjustable slider bead



SEE367

Model No.	Mfg. No.	Colour	Price /Each
SEE367	12121100	Black	4.50
SEE368	12121101	Royal Blue	4.50
SEE369	12121105	Navy Blue	4.50
SEE370	12121102	Red	4.50
SEE371	12121122	Olive Green	4.50
SEE372	12121151	Gold	4.50

ORBITER EYEWEAR RETAINERS

- Weighing in at less than a gram, the Orbiter is ultra light
- Offers a halo effect for complete "off-the-neck" comfort
- Metal detectable
- Stainless steel wire cable
- Low profile flat temples eliminate pressure points and adjust to fit all frame sizes



SEE373

Model No.	Mfg. No.	Colour	Price /Each
SEE373	12403100	Black	7.50
SEE374	12403101	Royal	7.50
SEE375	12403749	Clear	7.50

PBI/KEVLAR® STANDARD END EYEWEAR RETAINERS

- PBI/Kevlar® is a synthetic fibre with an extremely high melting point
- Resistant to sparks and welding spatter
- Will retain integrity and suppleness up to 540°C
- Meets NFPA 70 E requirements



Model No.	Mfg. No.	Price /Each
SEE362	12215	10.50

NATURAL KEVLAR® STANDARD END EYEWEAR RETAINERS

- Kevlar® is a light, strong, heat resistant, para-aramid synthetic fibre
- Maintains integrity up to 450°C
- Meets NFPA 70E requirements



SEE363



Model No.	Mfg. No.	Colour	Price /Each
SEE363	12214	Yellow	5.83
SEE364	12214100K	Black	5.83

PBI-KEVLAR® NO TAIL ADJUSTABLE EYEWEAR RETAINERS

- Offers dual bead adjustability for a snug, streamlined fit
- Will retain integrity and suppleness up to 540°C
- Will not ignite, smoulder, melt or drip in an arc or flame
- Resistant to sparks and welding spatter
- Ideal for electricians, line workers and welders
- Meets NFPA 70 E requirements




Model No.	Mfg. No.	Price /Each
SEE376	12405	10.83

EYEWEAR RETAINERS

- Allow for easy and convenient access to safety eyewear
- Choice of two styles: Universal cord with hoop attachment for all Uvex® spectacles and Duoflex®/Snap-fit which fits all Uvex® spectacles with pierced temple-ends or Duoflex® temples
- Colour: Black



Model No.	Mfg. No.	Price Each
UNIVERSAL		
SE783	S501	2.14
DUOFLEX® SNAP-FIT		
SE786	S505D	2.14



SE783

SE786

EYEWEAR LANYARDS

- 100% cotton
- Adjustable barrel slide
- Durable, cool, comfortable
- Machine washable
- Fits standard frames
- Colour: Black

3200 SERIES

Model No. SAK847
Mfg. No. 19152
Price/Each \$8.11



SAK847

3215 SERIES

DUAL BREAKAWAY DESIGN

Model No. SAK848
Mfg. No. 19212
Price/Each \$10.07



SAK848



EYE PROTECTION - GOGGLES

Z300

- Impact proof polycarbonate lens with UV protection
- Adjustable elastic headband
- Indirect ventilation on models **SAN429** and **SAN430** protects against dust, fumes and chemical splash
- Anti-fog lens on model **SAN430** is ideal for high humidity applications
- Distortion-free
- Compliant with CSA standard Z94.3



SAN428



SAN430

ZENITH
Safety Products

Model No.	Description	Price /Each
SAN428	Direct Vent	2.15
SAN429	Indirect Vent	3.10
SAN430	Indirect Vent Anti-Fog	3.55

Z1100

- Wrap-around style provides excellent 180° panoramic vision
- Extremely flexible soft PVC goggle body for greater comfort
- Impact resistant polycarbonate lens
- Antifog lens is ideal for high humidity applications
- Indirect vent increases air flow and protects against dust, fumes, and chemical splash
- Adjustable elastic headband
- Compliant with CSA standard Z94.3



SAX300

ZENITH
Safety Products

Model No.	Description	Price /Each
SAX300	Indirect Vent	8.00

STEALTH™

- Futuristic, low profile design for chemical splash and impact protection
- Toric lens provides superior optics and peripheral vision
- Rx insert available
- Easiest lens replacement system available
- *Uvextreme* AF⁺ coating and indirect ventilation system minimizes fogging
- *Durastreme*™ dual anti-fog/anti-scratch coating minimizes fogging while protecting the lens
- Impact resistant polycarbonate lenses absorb 99.9% of UV light
- Neoprene headband
- Quick adjust headband
- Compliant with CSA standard Z94.3



SE790

UVEX
by Honeywell

Model No.	Mfg. No.	Lens Tint	Price /Each
SE790	S3960C	<i>Uvextreme</i> ® AF, Clear	12.66
SE791*	S3960CI	<i>Uvextreme</i> ® AF, Clear	12.66
SE792	S3961C	<i>Uvextreme</i> ® AF, Grey	13.56
SE793	S3962C	<i>Uvextreme</i> ® AF, Amber	13.56
SAQ911	S3960D	<i>Dura-streme</i> ™, Clear	15.72
REPLACEMENT LENSES			
SE794	S700C	<i>Uvextreme</i> ® AF, Clear	4.86
SE795	S701C	<i>Uvextreme</i> ® AF, Grey	5.76
SE796	S702C	<i>Uvextreme</i> ® AF, Amber	5.76
SAQ912	S700D	<i>Dura-streme</i> ™, Clear	6.90

* Fabric Headband

FLEX SEAL™

- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection
- Cured silicone body stays soft and supple in extreme temperatures
- Low profile and optically correct polycarbonate lens provides full field of vision
- *Uvextreme*® anti-fog coating and indirect venting system minimizes fogging
- Fits over most prescription eyewear
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the neoprene headband above the ears
- Certified to CSA standard Z94.3



SAK386



Model No.	Mfg. No.	Lens Tint	Price /Each
SAK386	S3400X	Clear	13.51
SAK387*	S3405X	Clear	14.00
REPLACEMENT LENSES			
SAK391	S710X	Clear	6.51

* Fabric Headband

FURY®

- Sleek, frameless design with wraparound 9-base unilens
- Ideal for dust and small particulates
- Soft, flame resistant, replaceable face foam and headband
- Not for chemical splash applications
- Compliant with CSA standard Z94.3



SG499



Model No.	Mfg. No.	Lens Tint	Price /Each
SG499	S1890X	Clear	12.95

V-MAXX® EYEWEAR

- Sleek wrap-around styling
- Direct vent for impact resistance and indirect vent for chemical splash applications
- Peel-off goggle covers available to extend useful life of the lens
- OTG compatible
- 180° clear field of vision
- Lenses coated with *Fog-ban*® anti-fog coating
- Pivoting headband clips to adjust strap around hardhats or hearing protection
- Adjustable elastic or neoprene headband
- Certified to CSA standard Z94.3



SAI905



Model No.	Mfg. No.	Description	Lens Tint	Price /Each
SAI905	11250800	Direct Vent, Elastic Headband	Clear <i>Fog-ban</i> ®	5.34
SAI906	11250810	Indirect Vent, Neoprene headband	Clear <i>Fog-ban</i> ®	6.29
SAI907	11250830	Indirect Vent, Black Frame and Elastic Headband	3.0 Welding	11.74
SAI908	11250850	Indirect Vent, Black Frame and Elastic Headband	5.0 Welding	13.87
SAI909	11250860	Goggles Covers, 10/Pkg.	-	6.41

EYE PROTECTION - GOGGLES

FUTURA™

- Wraparound sports style provides excellent panoramic vision
- Goggle body is made of soft flexible PVC material for enhanced comfort
- Frosted browguard reduces glare
- Indirect venting increases air flow
- Impact resistant polycarbonate lenses absorb 99.9% of UV light
- *Uvextreme*® AF coating minimizes fogging
- Neoprene headband
- Fits over most Rx eyewear
- Compliant with CSA standard Z94.3



SE799

UVEX™
by Honeywell

Model No.	Mfg. No.	Lens Tint	Price /Each
CLEAR FRAME			
SE799	S345C	Clear	8.97
REPLACEMENT LENSES			
SE802	S780C	Clear	5.64

STRATEGY™

- All-day comfort, exceptional fit and protection, even in extreme environments
- Four ventilation options: direct vent, closed vent, indirect vent and indirect vent with foam lining for fine particle protection
- Soft, flexible TPE body conforms to the face, providing an exceptional snug fit
- Optically perfected clear polycarbonate lens with *Uvextra*™ AF anti-fog coating
- Fits over most prescription eyewear
- Certified to CSA standard Z94.3



SAP502

SAP500

UVEX™ **CSA®**
by Honeywell

Model No.	Mfg. No.	Frame Colour	Description	Price /Each
SAP498	S3800	Grey	Direct Vent	7.51
SAP499	S3805	Grey	Closed Vent	7.51
SAP500	S3810	Grey	Indirect Vent	8.21
SAP501	S3815	Grey	Indirect Vent w/Foam	9.01
SAP502	S3820	Hot Orange	Indirect Vent	8.21

GOGGLEGEAR™

- Vent channels at top and bottom for improved air flow
- Lighter weight than most goggles for improved comfort
- Soft foam backing seals out particulates
- Black frame with strap
- Lens Tint: Clear
- Certified to CSA standard Z94.3



SAQ932

3M **CSA®**

Model No.	Mfg. No.	Size	Price /Each
SAQ932	16617-00000	Medium	13.27
SAQ933	16618-00000	Large	13.27

160 SERIES™ GOGGLES

- Stylish ergonomic body
- Spherical lens provides exceptional optics
- Superior chemical splash protection
- Exceptional ventilation
- Replaceable lens
- Oversized to fit over prescription glasses
- 99.9% UV protection
- Compliant with CSA standard Z94.3



SAK582

Encon®
SAFETY PRODUCTS

Model No.	Mfg. No.	Lens Tint	Headband	Price /Each
UNCOATED				
SAK582	05067004	Clear	Neoprene	10.33
REPLACEMENT LENS				
SAK583	05065000	Clear	-	4.90
ENFOG™ LENS				
SAK584	05068004	Clear	Neoprene	14.98
SAK585	05068009	Clear	Elastic	14.98
REPLACEMENT LENS				
SAK586	05066000	Clear	-	8.88

PRICING

The prices shown in this catalogue are for "REFERENCE AND BUDGET PURPOSES ONLY" as of July 2012, and should be used exclusively as a guideline.

Freight charges and applicable taxes (GST, PST & HST) are extra.

In the event of a pricing or typographical error, we reserve the right to charge the correct price without prior notice. We also reserve the right to modify prices based on changing manufacturer and economic conditions.

SPECIAL ORDERS

This catalogue represents only a portion of the products that are available to you. If you can't find what you need, please call us!



ZENOTH[®]
Safety Products

We guarantee your safety!



SELECTION OF PARTICULATE RESPIRATORS & FILTERS

N-SERIES FILTERS

These filters are restricted to use in atmospheres free of oil aerosols. They may be used for any solid or liquid airborne particulate hazard that does not contain oil.

R-SERIES FILTERS

These filters may be used for solid or liquid airborne particulate hazards including oil aerosols.

P-SERIES FILTERS

These filters may be used for solid or liquid particulate airborne hazards including oil aerosols. In environments containing oil aerosols, P-Series filters can be used longer than R-Series filters. Refer to each product's time use limitation.

Oil: Any of numerous mineral, vegetable and synthetic substances and animal and vegetable fats that are generally slippery, combustible, viscous, liquid or liquefiable at room temperatures, soluble in various organic solvents such as ether but not in water.


FILTER USE LIMITATIONS

Filter Series	Service Time
N-SERIES	
N100 (99.97 %)	Non-specific
N99	
N95	
R-SERIES	
R100 (99.97 %)	One work shift (8 hours)
R99	
R95	
P-SERIES	
P100 (99.97 %)	Non-specific
P99	
P95	

Note: Respirators should always be stored in a clean area or in a bag to avoid build up of particles on the respirator.

WHEN DETERMINING IF AN AIR PURIFYING, PARTICULATE RESPIRATOR OR FILTER IS SUITABLE, ALWAYS:

1. Make sure the area is not considered immediately Dangerous to Life and Health (DLH) or deficient of oxygen
2. Know the contaminants present. Determine their concentrations and Threshold Limit Values (TLVs)
3. Determine hazard ratio (i.e., concentration/TLV) and facepiece needed (half or full facepiece, or if another type of respirator is required)
4. If one of the following OSHA substance specific regulated contaminants is present use a 100 filter
 - Lead
 - Cadmium
 - 4,4' Methyleneedianline
 - Arsenic
 - Cotton (above 10x PEL)
 - Asbestos (requires a replaceable filter on a facepiece)
5. Identify aerosol form: oil or non-oil. Although some contaminants may not be considered an oil, the environment in which they are found may contain oil. Therefore, it is important to assess both the contaminant and the environment
6. Determine filter series needed (N for non-oils, R or P for oils) and desired/required efficiency
7. Determine features need to best meet the applications



NUISANCE DUST MASKS

- Provides protection against nuisance dusts such as pollen, animal dander, saw dust, and other non-toxic dusts
- Lightweight construction
- Adjustable nose clip provides a secure fit
- Latex straps
- 50 dust masks per box
- Sold per box

Model No. SAS499
Price/Each \$6.95



PARTICULATE RESPIRATORS

- NIOSH approved N95
- Provides excellent worker protection
- Lightweight construction for enhanced comfort
- Adjustable nose clip with soft foam nose piece provides a secure fit
- Dual rubber strap design
- Latex free
- SAS498 comes with exhalation valve for reduced humidity build up

SAS497



SAS498



Model No.	Qty/Box	Price/Each
SAS497	20	12.25
SAS498	12	14.25















CANADA'S LEADER
IN WELDING SUPPLIES





QUICK REFERENCE GUIDE FOR DISPOSABLE RESPIRATORS PAGES 569 - 571

Model No.	3M No.	Class	Suggested Applications*
 SAQ777	8200	N95	Economical choice for a variety of dusty applications
 SAM402 SE260	81105 8210	N95	Grinding, Sanding, Sweeping, Bagging Other hot/dusty operations Medium Duty
 SAQ778	8210 Plus	N95	Grinding Sanding Other dusty operations
 SEB517 SE261	8510 8511	N95 N95	Grinding Sanding, Sweeping Bagging Other dusty/hot operations
 SE262	8212	N95	Welding, Brazing Soldering, Torch cutting Metal pouring
 SE883	8214	N95	Welding Brazing Soldering Torch cutting Metal pouring
 SED599 SE2600	91055 9105	N95	Grinding Sanding Sweeping Bagging General maintenance Other dusty operations
 SR588	9210	N95	Grinding Sanding Sweeping Bagging General maintenance Other dusty operations
 SR616	9211	N95	Grinding Sanding Sweeping Bagging General maintenance Other dusty operations
 SE263	8246	R95	Aluminum smelting Glass etching Chemical processing Paper processing Brewing operations
 SE264	8247	R95	Foundry operations Lab settings Agriculture Petrochemical mfg. Undercoating
 SE265	8576	P95	Aluminum smelting Glass etching Chemical processing Paper processing Brewing operations
 SE266	8577	P95	Foundry operations Lab settings Petrochemical mfg. Undercoating
 SE267	8271	P95	Grinding, Sanding Sweeping, Bagging Machining Other dusty/oily operations
 SE268	8233	N100	Lead abatement, Cadmium Arsenic, Welding Pharmaceutical mfg.

*These are a few suggested applications. Respirators may be suitable for other applications. Always consider the contaminant, environment, and hazard ratio before selecting a respirator.

8200 N95 PARTICULATE RESPIRATORS

- NIOSH approved N95
- Patented filter media with advanced electrostatically charged microfibers help make breathing easier
- Lightweight construction enhances comfort and wear time
- Economical solution for particulate exposure
- Two-strap design with dual point attachment for secure fit
- Adjustable nose clip
- **20 respirators per box**



3M

Priced per Box

Model No.	Mfg. No.	Price /Each
SAQ777	8200	12.75

8110S & 8210 N95 PARTICULATE RESPIRATORS

- NIOSH approved N95
- Excellent worker protection
- Advanced electret media
- Lightweight construction
- Adjustable nose clip
- Model **SAM402** fits small faces
- **20 respirators per box**



3M

Priced per Box

No Model	No Mfg.	Price /Each
SAM402	8110S	20.58
SE260	8210N95	16.95

8210 PLUS N95 PARTICULATE RESPIRATORS

- NIOSH approved N95
- Advanced electret media
- Two braided straps for enhanced comfort
- Adjustable nose clip
- **20 respirators per box**



3M

Priced per Box

Model No.	Mfg. No.	Price /Each
SAQ778	8210PLUS	23.87

8510 N95 PARTICULATE RESPIRATORS

- NIOSH Approved N95
- Passes the highest level of fluid resistance at 160 mm Hg
- 3M™ advanced electret filter material helps make breathing easier
- Adjustable M-noseclip allows for fewer pressure points and greater comfort
- Braided comfort straps
- **10 respirators per box**



3M

Priced per Box

Model No.	Mfg. No.	Price /Each
SEB517	8510	11.99

9105 & 9105S N95 V-FLEX™ PARTICULATE RESPIRATORS

- NIOSH approved N95
- V-shaped pleats flex with mouth movement for easier talking and expand to help ease of breathing
- Uniquely designed tabs help position the respirator on the face
- Adjustable nose clip provides a custom fit and secure seal
- Elastic headband
- Model **SED599** fits small faces
- **50 respirators per box**



3M

Priced per Box

Model No.	Mfg. No.	Price /Each
SED599	9105S	29.50
SED600	9105	29.50

Call us for quantity pricing!



RESPIRATORY PROTECTION

8233 N100 PARTICULATE RESPIRATORS

- NIOSH approved N100
- Cool Flow™ exhalation valve
- Face seal
- Adjustable nose clip
- Lightweight construction
- Buckle adjustable straps
- **1 respirator per bag**



3M

Priced per Bag

Model No.	Mfg. No.	Price /Each
SE268	8233N100	10.60

8515 N95 WELDING PARTICULATE RESPIRATORS

- NIOSH approved N95
- Cool Flow™ exhalation valve
- Adjustable nose clip
- Welding web and black valve
- Lightweight construction
- All filter design and braided headband
- **10 respirators per box**



3M

Priced per Box

Model No.	Mfg. No.	Price /Each
SA0788	8515	32.85

8212 N95 PARTICULATE RESPIRATORS

- NIOSH approved N95
- Cool Flow™ exhalation valve
- Caking resistant filter media
- Fits easily under a welding hood
- Adjustable straps
- Face seal
- Flame resistant as per ASTM D2859-96 testing
- **10 respirators per box**



3M

Priced per Box

Model No.	Mfg. No.	Price /Each
SE262	8212N95	69.36

9210 & 9211 N95 PARTICULATE RESPIRATORS

- NIOSH approved N95
- Three-panel respirator
- Soft, conformable nose clip
- Lightweight, collapse-resistant design
- Cool Flow™ exhalation valve on model SR616



SR588

3M

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SR588	9210	w/o valve	20	24.95
SR616	9211	w/valve	10	22.50

8214 N95 PARTICULATE RESPIRATORS

With nuisance level organic vapour protection

- NIOSH approved N95
- Cool Flow™ exhalation valve
- Adjustable straps
- Face seal
- Caking resistant filter media
- Flame resistant as per ASTM D2859-96 testing
- **10 respirators per box**



3M

Priced per Box

Model No.	Mfg. No.	Price /Each
SE883	8214N95	82.14

8511 N95 PARTICULATE RESPIRATORS

- NIOSH approved N95
- Cool Flow™ exhalation valve
- M-nose clip
- Lightweight construction
- **10 respirators per box**



3M

Priced per Box

Model No.	Mfg. No.	Price /Each
SE261	8511N95	19.95

8246 R95 PARTICULATE RESPIRATORS

With nuisance level acid gas relief!

- NIOSH approved R95
- Adjustable nose clip
- Lightweight construction
- 20 respirators per box



Priced per Box

Model No.	Mfg. No.	Price /Each
SE263	8246R95	77.94

8247 R95 PARTICULATE RESPIRATORS

With nuisance level organic vapour relief!

- NIOSH approved R95
- Adjustable nose clip
- Lightweight construction
- 20 respirators per box



Priced per Box

Model No.	Mfg. No.	Price /Each
SE264	8247R95	86.03

P95 PARTICULATE RESPIRATORS

- NIOSH approved P95
- Cool Flow™ exhalation valve
- M-nose clip
- Faceseal
- Lightweight construction
- 10 respirators per box



Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SE267	8271P95	8271 Respirator	37.07
SE265	8576P95	8576 with Nuisance Level Acid Gas Relief	50.10
SE266	8577P95	8577 with Nuisance Level Organic Vapour Relief	53.53

FILTERING FACEPIECE RESPIRATOR DISPENSERS

- Holds up to 40 elastic-strap respirators
- Keeps respirators clean, sanitary and readily accessible
- Gravity-close lid
- Foam-gasket opening
- All steel construction
- Wall mountable
- Dimensions: 6 1/4" W x 5 3/4" D x 13 9/16" H
- Colour: Safety yellow
- Weight: 4.75 lbs.

Model No. SB916
Mfg. No. D100
Price/Each \$137.70



Respirators not included

RESPIRATOR DISPENSERS

- Convenient clear acrylic dispenser has a unique cut-out design that allows you to reach in the opening to easily remove even the last respirator
- Fits any disposable respirator model
- Keeps them ready when you are
- Holds more than 30 respirators
- Dimensions: 6" W x 6" D x 12 1/2" H

Model No. SAM878
Mfg. No. M420
Price/Each \$85.30



Respirators not included

Call us for all your Safety Equipment & Supplies requirements!



RESPIRATORY PROTECTION

MOLDEX® DECISION GUIDE FOR WELDING

STEP 1. ANSWER THE FOLLOWING QUESTIONS:

1. Is your welding environment immediately dangerous to life and health?
2. Is your welding environment a confined space?
3. Does your welding environment contain less than 19.5% Oxygen?
4. Does your welding environment have contaminant levels greater than 10 x PEL?
5. Do you use chlorinated hydrocarbons when arc Welding (i.e., degreasers)?
6. Are there other unknown contaminants present?




Yes	No
Yes	No
Yes	No
Yes	No
Yes	No
Yes	No

If you answer **YES** to any of the above questions, **DO NOT USE MOLDEX® RESPIRATORS.**

If you answered **NO** to **ALL** of the above questions, proceed to Step 2 and also refer to the *Moldex®* Chemical Selection Guide*.

STEP 2. ANSWER THE QUESTIONS & FOLLOW THE ARROWS:



***Warning:** This guide may be used as an aid to select appropriate respiratory protection for specific contaminants. Because conditions at the worksite can vary substantially, a comprehensive evaluation must be made to determine the correct respiratory protection. When contaminants at a worksite have been identified and concentrations measured, this guide may be used to select the appropriate respirator. Only qualified professionals, familiar with the actual working conditions and knowledgeable in the benefits and the limitations of respiratory protection equipment, should make the selection. Before making the selection, users must also read and understand the applicable MSDS, specifically the section on respiratory protection, for the Welding products they plan to use. Users must also refer to the *Moldex®* Chemical Selection Guide before making the final selection. If the selection criteria changes, including, but not limited to, worksite conditions, consumables, or standards and regulations, a new evaluation must be made to determine the appropriate respiratory protection. Proper use of *Moldex®* products must be determined by the employer and must be in accordance with all applicable local, state, and federal regulations including OSHA 29CFR1910.134.

DID YOU KNOW...

...that PVC (polyvinyl chloride) products are everywhere and when disposed are dangerous to our health and environment? The good news is that safe alternatives to PVC are readily available and responsible companies are phasing it out.

Moldex® announces their PVC-Free products. They are the first and only to have hearing and respiratory protection products that are completely PVC-Free.

There is absolutely no change in comfort or quality, except for the elimination of PVC. So you get the same product you've been accustomed to and now is upgraded to being PVC-Free.



MOLDEX®
Ideas that wear well™


MOLDEX® WELDING RESPIRATOR ADVANTAGES

COMFORT




The **contoured shape** allows Moldex® respirators to seal comfortably without any pressure points.
A soft foam nose cushion provides **cushioned support**.
Innovative design makes Moldex® respirators **lightweight** and comfortable.
The **SoftSpun®** lining is soft to the touch.

DURABILITY



The Moldex® exclusive **Dura-Mesh®** shell **protects the respirators** from collapsing, even from heat and humidity that is common with Welding.
The **Dura-Mesh®** shell also protects the **filter media** from dirt and grime.
The **HandyStrap®**, on available models, allows the respirator to **hang comfortably around the neck** when not in use.

MOST POPULAR MOLDEX® WELDING RESPIRATORS



2800N95 SERIES

Added carbon layer helps filter out nuisance levels of ozone and OV[†]. **HandyStrap®** for hang down comfort.



2400N95 SERIES

Added carbon layer helps filter out nuisance levels of ozone and OV[†].



2310 (N99) SERIES AND 2315 (N99) SERIES

A higher level of protection for serious fumes. Filters out 99% of airborne particulates free of oil.



2300N95 SERIES

Basic economy welding model. Exhale valve for increased comfort.



2700N95 SERIES

HandyStrap® allows the respirator to comfortably hang down when not in use. **Ventex®** valve lets hot air out fast, keeping workers cool.

[†] Nuisance levels are contaminants that do not exceed the OSHA Permissible Exposure Limit (PEL).

COMMON WELDING FUMES & SUGGESTED MOLDEX® RESPIRATORS

Contaminant	No Oil Present	No Oil, but Ozone	Oils Present	Oil & Ozone
Aluminum Oxide	2300N95, 2700N95	2400N95, 2800N95, 8755	2740R95	2840R95
Beryllium	2730N100	8100+8940	2360P100	8100+8940
Cadmium*	2730N100	8100+8940	2360P100	8100+8940
Chromium, fume	2310 (N99), 2315 (N99)	2400N95, 2800N95, 8755	2740R95	2840R95
Chromium, hexavalent**	2310 (N99), 2315 (N99)	2400N95, 2800N95, 8755	2740R95	2840R95
Iron Oxide, fume	2310 (N99), 2315 (N99)	2400N95, 2800N95, 8755	2740R95	2840R95
Lead, fume*	2730N100	8100+8940	2360P100	8100+8940
Manganese, fume	2310 (N99), 2315 (N99)	2400N95, 2800N95, 8755	2740R95	2840R95
Tin, metal oxides	2300N95, 2700N95	2400N95, 2800N95, 8755	2740R95	2840R95
Zinc Oxide, fume	2310 (N99), 2315 (N99)	2400N95, 2800N95, 8755	2740R95	2840R95

*These contaminants have an OSHA substance specific standard, please refer to the OSHA standard.






**OSHA lowered the PEL for this contaminant in February 2006.

Warning: This chart may be used as an aid to select the appropriate respiratory protection for a specific contaminant. This chart is not all inclusive and varies depending on the consumables used. Please refer to the consumable manufacturer's MSDS, before selecting a respirator. Only a qualified professional, familiar with the actual working conditions and knowledgeable in the benefits and limitations of respiratory protection equipment, should make the selection. Please refer to latest version of the *Moldex®* Chemical Selection Guide for help in choosing the appropriate respirator. Protection from ozone is for concentrations less than the OSHA PEL. Please refer to the warnings above for more information.

MOLDEX®
Ideas that wear well.™

RESPIRATORY PROTECTION





Model No.	Mfg. No.	42 CFR 84 Classification NIOSH Approval #	Common Industrial Environments & Applications	Features
 <p>1200N95 SERIES DIRT DAWGS^{M10} Particulate Respirator SAQ182</p>	1200N95	N95 TC-84A-3167	<ul style="list-style-type: none"> Hot, humid and dusty environments Welding Soldering Brazing Grinding Sanding Sweeping Bagging, Poncage Stone quarrying 	<ul style="list-style-type: none"> Metal machining Cement Underground mining Polishing Buffing Lime Poultry Textiles <ul style="list-style-type: none"> Collapse resistant <i>Dura-Mesh</i>[®] shell <i>Softspun</i>[®] inner liner Molded nose bridge
 <p>2200N95 SERIES Non-Oil Based Particulate Respirators SE451 (Medium/Large) SE452 (Small) SE848 (Low-profile nose bridge)</p> <p>2600N95 SERIES c/w <i>HandyStrap</i>[®] SJ900 (Medium/Large) SJ901 (Small)</p>	2200N95 2201N95 2207N95	N95 TC-84A-0327 TC-84A-2456 TC-84A-2438	<ul style="list-style-type: none"> Grinding Sanding Stone quarrying Metal machining Cement Underground mining 	<ul style="list-style-type: none"> Bagging, Poncage Polishing Buffing Lime Poultry Textiles <ul style="list-style-type: none"> Collapse resistant <i>Dura-Mesh</i>[®] shell <i>Softspun</i>[®] inner liner Molded nose-bridge Soft foam nose cushion <p>2600N95 SERIES</p> <ul style="list-style-type: none"> <i>HandyStrap</i>[®] Soft foam nose cushion
 <p>2300N95 SERIES Non-Oil Based Particulate Respirators SE849 (Medium/Large) SE850 (Small) SE851 (alternate shape)</p> <p>2700N95 SERIES c/w <i>HandyStrap</i>[®] SJ902 (Medium/Large) SJ903 (Small)</p>	2300N95 2301N95 2307N95	N95 TC-84A-0328 TC-84A-2455 TC-84A-0328	<ul style="list-style-type: none"> Hot, humid, dusty environments Metal working Grinding Sanding Bagging, Poncage Cement Stone quarrying 	<ul style="list-style-type: none"> Welding Brazing Soldering Torch cutting Metal pouring Polishing Buffing Poultry <ul style="list-style-type: none"> Exhale valve reduces hot air build-up Collapse resistant <i>Dura-Mesh</i>[®] shell <i>Softspun</i>[®] inner liner Molded nose-bridge with nose cushion <p>2700N95 SERIES</p> <ul style="list-style-type: none"> <i>HandyStrap</i>[®] <i>Ventex</i>[®] valve reduces hot air build-up
 <p>Non-Oil Based Premium Particulate Respirators 2310N99 STD. STRAP SE854</p> <p>2315N99 ADJ. STRAP SAG155</p>	2310N99 2315N99	N99 TC-84A-1459	<ul style="list-style-type: none"> Hot, humid, dusty environments Metal working Grinding Sanding Bagging, Poncage Metal machining Poultry Cement Underground mining 	<ul style="list-style-type: none"> Welding Brazing Soldering Torch cutting Metal pouring Textiles Polishing Buffing Stone quarrying <ul style="list-style-type: none"> Higher level of protection—N99 Exhale valve reduces hot air build-up Collapse resistant <i>Dura-Mesh</i>[®] shell <i>Softspun</i>[®] inner liner Molded nose-bridge Soft foam nose cushion
 <p>2400N95 SERIES Non-Oil Based Particulate Respirator Plus Nuisance Levels of Ozone & Organic Vapour SE852</p> <p>2800N95 SERIES c/w <i>HandyStrap</i>[®] SJ904 (Medium/Large) SJ905 (Small)</p>	2400N95 2800N95 2801N95	N95 TC-84A-0883	<ul style="list-style-type: none"> Nuisance organic vapours and ozone Welding Foundry operations Lab settings Agriculture Petrochemicals Printing Industry 	<ul style="list-style-type: none"> Food Industry Tobacco Industry Paint & varnish mfg. Synthetic rubber mfg. Mortuaries Waste processing Sewage Undercoating <ul style="list-style-type: none"> Added charcoal layer filters out nuisance levels of ozone and organic vapours irritants Exhale valve reduces hot air build-up Collapse resistant <i>Dura-Mesh</i>[®] shell Exhale valve reduces hot air build-up Collapse resistant <i>Dura-Mesh</i>[®] shell <i>Softspun</i>[®] inner liner Molded nose-bridge with nose cushion <p>2800N95 SERIES</p> <ul style="list-style-type: none"> <i>HandyStrap</i>[®] <i>Ventex</i>[®] valve reduces hot air build-up



Continued on next page...

R21906E

MOLDEX Ideas that wear well.	Model No.	Mfg. No.	42 CFR 84 Classification NIOSH Approval	Common Industrial Environments & Applications	Features
	2500N95 SERIES Non-Oil Based Particulate Respirator Plus Nuisance Levels of Acid Gas Irritants SE853	2500N95	N95 TC-84A-2006	<ul style="list-style-type: none"> Aluminum smelting Copper/Lead/Zinc/Magnesium/Brass/Bronze smelters Glass etching Coal-fired utility plants Ceramic/Clay processing Iron/Steel production Fertilizer production Petrochemical processing Chemical processing Paper processing Brewery operations 	<ul style="list-style-type: none"> Exhale valve reduces hot air build-up Collapse resistant <i>Dura-Mesh</i>® shell <i>Softspun</i>® inner liner Molded nose-bridge with nose cushion
	2730N100 SERIES Non-Oil Based Particulate Respirator SAG149 (Medium/Large) SAG150 (Small)	2730N100 2731N100	N100 TC-84A-3143 TC-84A-3143	<ul style="list-style-type: none"> Environments where an OSHA substance specific standard applies (lead, cadmium, arsenic, MDA) Pharmaceutical manufacturing Welding Torch cutting Metal pouring Battery manufacturing 	<ul style="list-style-type: none"> Collapse resistant <i>Dura-Mesh</i>® shell <i>Softspun</i>® inner liner Molded nose-bridge with face cushion <i>Handystrap</i>®


DIRT DAWGS® 1200 N95 PARTICULATE RESPIRATORS

- Dura-Mesh*® shell resists collapsing in heat and humidity
- Molded nose bridge seals easily without a metal nose band
- Naturally contoured face piece relieves pressure points
- Softspun*® lining gives added comfort and durability
- NIOSH certified to have a filter efficiency level of 95 % or greater against particulate aerosols free of oil
- 20 respirators per box**



Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SAQ182	1200N95	Medium/Large	19.08




1500 SERIES N95 PARTICULATE RESPIRATORS

- Collapse-resistant *Dura-Mesh*® shell
- Colour-coded sizes, easy to fit and a BFE >99.9 %
- Contoured shape and soft foam nose cushion for extra comfort
- Highest ATSM level of fluid resistance on the market (160 mm Hg)
- Meets CDC guidelines for TB exposure control standards
- NIOSH certified to have a filter efficiency level of 95 % or greater against particulate aerosols free of oil
- 20 respirators per box**



Priced per Box

Model No.	Mfg. No.	Size	Price /Each
SAQ979	1510	Extra small	23.03
SAQ980	1511	Small	23.03
SAQ981	1512	Medium	23.03
SAQ982	1513	Large	23.03



2200 N95 PARTICULATE RESPIRATORS

- Dura-Mesh*® shell resists collapsing in heat and humidity
- Molded nose bridge seals easily without a metal nose band
- Naturally contoured facepiece relieves pressure points
- Available in three sizes to fit most faces
- Flame retardants are added to the shell to help decrease flammability
- NIOSH certified to have filter efficiency level of 95 % or greater against particulate aerosols free of oil
- 20 respirators per box**



Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SE451	2200N95	Medium/Large	21.20
SE452	2201N95	Small	21.20
SE488	2207N95	Low profile	21.20



RESPIRATORY PROTECTION

2200G N95 HEALTHCARE PARTICULATE RESPIRATORS

- Meets CDC guidelines for protection against tuberculosis
- *Dura-Mesh*® shell resists collapsing and helps the respirator keep its shape
- Contour molded nosebridge for extra comfort
- Non-latex straps
- Soft foam nose cushion for an easy and comfortable fit
- *Softspun*® inner lining
- Fluid resistant
- Colour-codes sizes
- Bacterial filter efficiency > 99.9%
- NIOSH certified to have a filter efficiency level of 95% or greater against non-oil based particulates
- **20 respirators per box**



MOLDEx
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Size	Price /Each
SAQ983	2210GN95-XS	Extra Small	22.81
SAQ984	2211GN95-S	Small	22.81
SAQ985	2212GN95-M/L	Medium/Large	22.81

2600 N95 PARTICULATE RESPIRATORS

- *HandyStrap*® with buckle allows the respirator to hang down around neck when not in use
- Stretch cloth strap feels cool and comfortable against the skin
- Contoured nose bridge with soft foam nose cushion allows all-day comfort
- *Dura-Mesh*® shell resists collapsing in heat and humidity
- *Softspun*® lining for added comfort and durability
- Available in two sizes to fit most workers
- NIOSH certified to have a filter efficiency of 95% or greater against particulates free of oil
- **15 respirators per box**



MOLDEx
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SJ900	2600N95	Medium/Large	20.32
SJ901	2601N95	Small	20.32

2300 N95 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build-up and keeps workers cooler
- *Dura-Mesh*® shell resists collapsing in heat and humidity
- Molded nose bridge seals easily without a metal nose band
- Naturally contoured facepiece with foam nose cushion relieves pressure points
- *Softspun*® lining gives added comfort and durability
- Available in three sizes to fit most faces
- Flame retardants are added to the shell to help decrease flammability
- NIOSH certified to have a filter efficiency level of 95% or greater against particulate aerosols free of oil
- **10 respirators per box**



MOLDEx
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SE849	2300N95	Medium/Large	24.98
SE850	2301N95	Small	24.98
SE851	2307N95	Alternate Shape	27.23

2700 N95 PARTICULATE RESPIRATORS

- *HandyStrap*® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- *Ventex*® valve lets the hot air out faster so workers stay cooler
- Contoured nose bridge with soft foam nose cushion allows all-day comfort
- *Dura-Mesh*® shell resists collapsing so the respirator lasts longer
- Available in two sizes to fit most workers
- NIOSH certified to have a filter efficiency of 95% or greater against particulates free of oil
- **10 respirators per box**



MOLDEx
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SJ902	2700N95	Medium/Large	30.80
SJ903	2701N95	Small	30.80

2310/2315 N99 PARTICULATE RESPIRATORS

- For most welding applications
- Exhale valve reduces hot air build up for added comfort
- *Dura-Mesh*® shell resists collapsing in hot, humid environments
- Flame-retardants added to the shell to decrease flammability
- Shaped for comfort with contour molded nose bridge and soft foam nose cushion
- *Softspun*® lining increases comfort and durability
- **SAG155** has adjustable cloth straps for a more comfortable fit
- NIOSH certified to have a filter efficiency of 99% or greater against particulates free of oil
- **10 respirators per bag**



MOLDEx
Ideas that wear well.

Price per Bag

Model No.	Mfg. No.	Description	Price /Each
SE854	2310N99	Standard Straps	51.21
SAG155	2315N99	Adjustable Straps	55.47



SE854

2740 R95 PARTICULATE RESPIRATORS

- Respirator *Handystrap*® with buckle allows the respirator to hang around neck when not in use
- *Ventex*® valve lets the hot air out faster so workers breathe easier and stay cooler
- Soft foam nose cushion for added comfort and no pressure points
- *Dura-Mesh*® shell resists collapsing and lasts longer so workers use fewer respirators
- *Softspun*® lining increases comfort and durability
- Flame retardants are added to the shell to help decrease flammability
- Available in two sizes to fit most workers
- NIOSH certified to have a filter efficiency of 95% or greater against both oil and non-oil based particulates
- **10 respirators per box**



Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SAF825	2740R95	Medium/Large	34.90
SAF826	2741R95	Small	34.90

2840 R95 PARTICULATE RESPIRATORS

- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- For most welding applications where oils may be present
- *HandyStrap*® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- *Ventex*® valve lets the hot air out faster so workers stay cooler
- *Dura-Mesh*® shell resists collapsing so the respirator lasts longer
- Flame retardants are added to the shell to help decrease flammability
- Contour molded nose bridge with soft foam nose cushion and *Softspun*® lining provides all-day comfort
- NIOSH certified to have a filter efficiency of 95% or greater against both oil and non-oil based particulate aerosols
- **10 respirators per box**



Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SAG151	2840R95	Medium/Large	50.28
SAG152	2841R95	Small	50.28

2730 N100 PARTICULATE RESPIRATORS

- *Handystrap*® with buckle allows the respirator to hang around neck when not in use
- *Ventex*® valve lets the hot air out faster so workers breathe easier and use fewer respirators
- Soft foam face cushion eliminates pressure points for added comfort
- *Dura-Mesh*® shell resists collapsing in heat and humidity
- Flame retardants are added to the shell to help decrease flammability
- *Softspun*® lining for increased comfort and durability
- Available in two sizes to fit most workers
- NIOSH certified to have a filter efficiency of 99.97% or greater against particulate aerosols free of oil
- **5 respirators per box**



Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SAG149	2730N100	Medium/Large	36.46
SAG150	2731N100	Small	36.46

2360 P100 PARTICULATE RESPIRATORS

- Adjustable straps allow a snug, comfortable fit
- Molded nose bridge with face foam cushion eliminates pressure points for added comfort
- *Ventex*® valve reduces breathing resistance and hot air build-up
- *Dura-Mesh*® shell protects the filter media so it stays cleaner looking longer
- Resists collapsing in heat and humidity
- Added flame retardants help reduce shell flammability
- *Softspun*® lining for increased comfort and durability
- NIOSH certified to have a filter efficiency of 99.97% against oil and non-oil based particulates
- **5 respirators per box**



Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SAI323	2360P100	Medium/Large	47.79

aurora tools®

The best value in industrial tools . . . period



RESPIRATORY PROTECTION

2400 N95 PARTICULATE RESPIRATORS


- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- For most welding applications
- Exhale valve reduces hot air build-up to keep workers cooler
- *Dura-Mesh*® shell resists collapsing lasts longer so workers use fewer respirators
- Flame retardants are added to the shell to help decrease flammability
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- *Softspun*® lining increases comfort and durability
- NIOSH certified to have a filter efficiency of 95 % or greater against particulate aerosols free of oil
- **10 respirators per bag**



MOLDEX
Ideas that wear well.

Price per Bag

Model No.	Mfg. No.	Description	Price /Each
SE852	2400N95	Medium/Large	43.75



2800 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- For most welding applications
- *HandyStrap*® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- *Ventex*® valve lets the hot air out faster so workers stay cooler
- *Dura-Mesh*® shell resists collapsing so the respirator lasts longer
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- *Softspun*® lining increases comfort and durability
- Flame retardants are added to the shell to help decrease flammability
- NIOSH certified to have a filter efficiency of 95 % or greater against particulate aerosols free of oil
- **10 respirators per box**



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SJ904	2800N95	Medium/Large	48.17
SJ905	2801N95	Small	48.17



RESPIRATOR LOCKER® WITH PREMIUM WELDING PARTICULATE RESPIRATORS

- Allows respirator usage to be monitored, which reduces costs
- Handy personal supply for workers in the field
- Separate chamber stores respirator-in-use during breaks
- Hygienic storage for each worker
- Locker keeps carbon fresh
- Respirators are NIOSH certified to have a filter efficiency of 95 % or greater against particulate aerosols free of oil
- **4 respirators per locker**



MOLDEX
Ideas that wear well.

Priced per Locker

Model No.	Mfg. No.	Description	Price /Each
SAG158	2850	Medium/Large	24.57



2500 N95 PARTICULATE RESPIRATORS


- Added carbon layer helps to filter nuisance levels of acid gas irritants (less than OSHA PEL)
- Exhale valve reduces hot air build-up to keep workers cooler
- *Dura-Mesh*® shell resists collapsing even in hot, humid work environments
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- *Softspun*® lining increases comfort and durability
- Flame retardants are added to the shell to help decrease flammability
- NIOSH certified to have a filter efficiency of 95 % or greater against particulates free of oil
- **10 respirators per bag**



MOLDEX
Ideas that wear well.

Price per Bag

Model No.	Mfg. No.	Description	Price /Each
SE853	2500N95	Medium/Large	45.38



2200 N95 HIGH VISIBILITY PARTICULATE RESPIRATORS

- Increase compliance with the *Moldex*® 2200 Hi-Viz N95 disposable respirator
- Hi-viz green colour makes compliance checks easy and increases worker safety in high traffic areas
- Hi-viz *Dura-Mesh*® shell resists collapsing in regular use and even under hot and humid conditions
- *Softspun*® lining gives added comfort and durability
- Molded nose bridge with soft foam nose cushion seals easily and comfortably without a metal nose band
- NIOSH certified to have a filter efficiency of 95 % or greater against particulate aerosols free of oil
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1
- **20 respirators per box**



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SAQ183	2200N95HV	High-Visibility N95	22.98



M2600 SPECIAL OPS™ SERIES PARTICULATE RESPIRATORS

N95 PARTICULATE RESPIRATORS


- Solid black colour stays cleaner looking longer to prevent premature disposal
- *HandyStrap*® with buckle allows the respirator to hang down around neck when not in use
- Stretch cloth strap feels cool and comfortable against the skin
- Contoured nose bridge with soft foam nose cushion allows all-day comfort
- *Softspun*® lining for added comfort and durability
- Available in two sizes to fit most workers
- NIOSH certified to have a filter efficiency of 95 % or greater against particulates free of oil
- **15 respirators per box**



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	Price /Each
SAM858	M2600N95	Medium/Large	20.89
SAM859	M2601N95	Small	20.89



M2700 SPECIAL OPS™ SERIES PARTICULATE RESPIRATORS

N95 AND R95 PARTICULATE RESPIRATORS

- Solid black colour stays cleaner looking longer to prevent premature disposal
- *HandyStrap*® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- *Ventex*® valve lets the hot air out faster so workers stay cooler
- Contoured nose bridge with soft foam nose cushion allows all-day comfort
- *Dura-Mesh*® shell resists collapsing so the respirator lasts longer
- Available in two sizes to fit most workers
- NIOSH certified to have a filter efficiency of 95 % or greater against particulates free of oil
- **10 respirators per box**



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	Price /Each
N95			
SAM860	M2700N95	Medium/Large	32.26
SAM861	M2701N95	Small	32.26
R95			
SAM862	M2740R95	Medium/Large	34.89
SAM863	M2741R95	Small	34.89



M2800 SPECIAL OPS™ SERIES PARTICULATE RESPIRATORS

N95 & R95 PARTICULATE RESPIRATORS PLUS NUISANCE LEVELS OF OZONE AND ORGANIC VAPOURS

- For most welding applications
- Solid black colour stays cleaner looking longer to prevent premature disposal
- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- *HandyStrap*® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- *Ventex*® valve lets the hot air out faster so workers stay cooler
- Contour molded nose bridge with soft foam nose cushion provides all-day comfort
- *Softspun*® lining increases comfort and durability
- *Dura-Mesh*® shell resists collapsing so the respirator lasts longer
- Flame retardants are added to the shell to help decrease flammability
- NIOSH certified to have a filter efficiency of 95 % or greater against particulates free of oil
- **10 respirators per box**



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	Price /Each
N95			
SAM864	M2800N95	Medium/Large	49.15
SAM865	M2801N95	Small	49.15
R95			
SAM866	M2840R95	Medium/Large	50.14



RESPIRATORY PROTECTION

NORTH® PARTICULATE RESPIRATORS DONNING INSTRUCTIONS

This page demonstrates how to inspect and put on your North® respirator

INSPECTION:

Inspect the respirator before each use. If it is damaged in any way, replace the respirator.



1. Check the respirator to make sure it is in good condition, without any holes or tears.



2. Make sure there are no holes or tears in the facepiece, especially if the straps are connected to the facepiece by staples.



3. Check the elasticity of the straps, that they are not worn or damaged.



FOLD MODEL

- 3a. Check the elasticity of the one loop straps, that they are worn or damaged (model 7230N95 or 7240N95).

PUTTING ON YOUR RESPIRATOR:

If you are wearing eyewear or a hard hat, remove these items before putting on your respirator. Put this safety gear back on after you have put on your North respirator.



4. Hold the respirator in your hand with the metal adjusting strip away from you, allowing the straps to hang below your hands.



FOLD MODEL

5. For flat fold model 7230N95 and 7240N95, preshape the noseclip as shown on picture with one finger.



6. Press the respirator firmly against your face with the narrow end on the bridge of your nose.



7. Pull the top strap over your head and position it high on the back of your head.



8. Pull the bottom strap over your head and position it below your ears.



9. If you have a respirator with adjustable straps, tighten the straps by pulling straight back, starting with the lower straps. Tighten both sides evenly, or with one hand holding the front of the disposable respirator, use your free hand to tighten Each strap alternately in small, equal increments.



10. Using both hands, mould the metal strip to the shape of your nose.



by Honeywell

NOTE

YOUR NORTH® RESPIRATOR MUST BE:

- Properly fitted to your face during a routine fit test usually annual as per CSA standard Z94.4-02 or consult your local regulations.
- Kept clean and in good working condition, it should not be modified at all.
- Worn correctly every time with both straps rightly located.

USER SEAL CHECK:

A negative pressure User Seal Check assures you the respirator is sealed correctly and in good working order.



11. Negative Pressure Seal Check: Place the palms of your hands over the cup of the disposable respirator so it is completely sealed and inhale vigorously. If a good seal is obtained, the respirator will collapse slightly on your face.

If any air leaks are detected, reposition the facepiece and/or reposition the head straps. Repeat the seal check until a seal is obtained.



WARNING!

The use and reuse of this respirator is subject to considerations of hygiene, damage and increased breathing resistance. For dirty workplaces, service time should not be extended beyond 8 hours of total use.

Your North respirator is designed to minimize the breathing of airborne contaminants, but it must be worn correctly to protect you. Before you use your North respirator, you should become familiar with it in uncontaminated air, learn how to inspect and put it on, and what to do during an emergency.

This information is covered as part of a complete Respirator Training Program. If you have any questions on this North respirator or how to use it, see your supervisor.

N95 FOLDING PARTICULATE RESPIRATORS

- Fits a small face as well as a large one
- Wide cushion offers a better sealing
- Without latex
- One size fits all
- Individually packed and sealed
- NIOSH certified N95
- **Sold per box**

NORTH

by Honeywell

SAS476



SAS475



Priced per Box

Model No.	Mfg. No.	Description	Qty/Box	Price/Each
SAS475	7230N95	Without valve	12	25.67
SAS476	7240N95	With valve	10	22.00

CFR-1™ PARTICULATE RESPIRATORS

North's new and improved CFR-1™ respirator is the next generation of disposable dust masks. Its reusable face piece with easy to replace disposable filters will meet and exceed the needs of workers, safety professionals and purchasing managers. No longer is there a compromise between comfort, protection and value.

- Soft face piece seal
- Built-in exhalation valve
- Face piece design prevents filters from collapsing
- Adjustable harness

Model No.	Mfg. No.	Size	Price /Each
SAG360	4200S	Small	11.13
SAG361	4200M	Medium	11.13
SAG362	4200L	Large	11.13

WELDING RESPIRATOR

SAG363	4200SW	Small	16.70
SAG364	4200MW	Medium	16.70
SAG365	4200LW	Large	16.70

SAG360



NORTH

by Honeywell

SAG363



CFR-1™ REPLACEMENT FILTERS

- N95 Particulate filters (minimum 95 % filter efficiency) provide protection from solids and particulate aerosols free of oil
- P95 Particulate filters (minimum 95 % efficiency) provide protection from any particulates

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SAG366	42N95	N95	20	14.57
SAM585	42R95	R95	10	23.50

SAG366






SAG366



KLETON

Canada's Leading
Material Handling Manufacturer



RESPIRATORY PROTECTION



SAF-T-FIT® PLUS RESPIRATORS - A FIT TO EVERY FACE

- Three anthropometrically designed, colour-coded sizes for increased protection and better fit on a wider range of facial features
- Exclusive patented *Saf-T-Fit*® size assists in selecting the proper facepiece size
- Boomerang nose seal on most models adapts to different faces for better protection

- Lightweight, humidity resistant, hypoallergenic filter media maximizes wearer comfort and respirator service life
- Durable suspension straps eliminate pre-stretching and facepiece tabs prevent staples from penetrating filter area

- Full sealing flange to provide extra protection on N99 models
- Models for nuisance level organic vapour and acid gas protection available
- Seven models meeting NIOSH 42 CFR 84 standards for effective particulate protection

NORTH

by Honeywell

ONE-FIT™ MOLDED CUP PARTICULATE RESPIRATORS

- NIOSH approved N95 molded-cup style filtering respirators
- Fit a variety of facial sizes and shapes while providing outstanding respiratory protection
- Model **SAQ181** comes with exhalation valve

Priced per Box

Model No.	Mfg. No.	Qty /Box	Price /Each
SAQ180	14110444	20	13.58
SAQ181	14110445	10	13.02



NORTH

by Honeywell

SAF-T-FIT® PLUS N1105 PARTICULATE RESPIRATORS

- NIOSH approved N95 respirators
- Economical respirator in three sizes offers improved fit and
- Recommended for use with particulate aerosols free of oil
- **20 per box**



NORTH

by Honeywell

Priced per Box

Model No.	Mfg. No.	Size	Price /Each
SAM235	14110387	S	18.23
SAM236	14110388	M/L	18.23
SAM237	14110389	XL	18.23

SAF-T-FIT® PLUS N1115 PARTICULATE RESPIRATORS

- NIOSH approved N95 respirators
- Features a unique boomerang nose sealing flange which provides exceptional comfort and fit
- **20 per box**



NORTH

by Honeywell

Priced per Box

Model No.	Mfg. No.	Size	Price /Each
SAM238	14110390	S	21.17
SAM239	14110391	M/L	21.17
SAM240	14110392	XL	21.17

SAF-T-FIT® PLUS N1125 PARTICULATE RESPIRATORS

- NIOSH approved N95 respirators
- Ideal for hot environments such as foundries and steel mills
- Features an exhalation valve to increase wearer comfort
- **20 per box**



NORTH

by Honeywell

Priced per Box

Model No.	Mfg. No.	Size	Price /Each
SAM241	14110393	S	43.36
SAM242	14110394	M/L	43.36
SAM243	14110395	XL	43.36

SAF-T-FIT® PLUS N1125 OV PARTICULATE RESPIRATORS

- NIOSH approved N95 respirators
- With all the performance features of the N1125, this respirator removes irritating nuisance level organic vapours at concentrations below the OSHA Permissible Exposure Limit
- **10 per box**



NORTH

by Honeywell

Priced per Box

Model No.	Mfg. No.	Size	Price /Each
SAM244	14110396	S	41.55
SAM245	14110397	M/L	41.55
SAM246	14110398	XL	41.55

SAF-T-FIT® N1125 AG PARTICULATE RESPIRATORS

- NIOSH approved N95 respirators
- With all the performance features of the N1125, this respirator removes irritating nuisance level acid gases at concentrations below the OSHA Permissible Exposure Limit
- Ideal for use in aluminum reduction and glass etching operations
- **10 per box**



by Honeywell

Priced per Box

Model No.	Mfg. No.	Size	Price /Each
SAM247	14110399	S	42.00
SAM248	14110400	M/L	42.00
SAM249	14110401	XL	42.00

SAF-T-FIT® P1115 PARTICULATE RESPIRATORS

- NIOSH approved P95 respirators
- Features a unique boomerang nose sealing flange for exceptional comfort and fit while reducing fogging of safety glasses
- **20 per box**



by Honeywell

Priced per Box

Model No.	Mfg. No.	Size	Price /Each
SAM253	14110426	M/L	48.63
SAM254	14110427	XL	48.63

SAF-T-FIT® N1139 PARTICULATE RESPIRATORS

- NIOSH approved N99 respirators
- Full sealing flange maximizes protection and wearer comfort
- Provides higher levels of protection in general industrial applications such as certain welding, soldering, metal cutting and metal pouring, as well as high-temperature environments
- **10 per box**



by Honeywell

Priced per Box

Model No.	Mfg. No.	Size	Price /Each
SAM250	14110402	S	29.11
SAM251	14110403	M/L	29.11
SAM252	14110404	XL	29.11

SAF-T-FIT® P1135 PARTICULATE RESPIRATORS

- NIOSH approved P95 respirators
- Features a full sealing flange and exhalation valve
- Ideal for sanding, grinding or sweeping, brazing, torch cutting, soldering, certain welding and other hot, dusty and/or oily operations
- **10 per box**



by Honeywell

Priced per Box

Model No.	Mfg. No.	Size	Price /Each
SAM255	14110428	M/L	33.28
SAM256	14110429	XL	33.28

NUISANCE DUST MASKS

- Available for nuisance dusts such as animal dander and pollen or other nuisance level dusts at exposures below the OSHA permissible exposure limit
- This mask is not NIOSH approved
- **50 per box**



by Honeywell

Priced per Box

Model No.	Mfg. No.	Price /Each
SAM286	14110094CC	6.91

RMP-ECO® cleaning products are the Green solution to industrial cleaning.
All RMP-ECO® products are EcoLogo® certified. RMP-ECO® is safe for you and the environment.




FILTER DEFINITIONS:

- N - For solid particulates and non-oil aerosols
- R - For solid particulates and degrading oil-based aerosols. "Use Limitations"
- P - For all solid particulates and degrading oil-based aerosols


THREE MINIMUM EFFICIENCY LEVELS: 95%, 99%, 99.97%

- | | | |
|--------|-------------------|--------------------|
| 95% | Minimum efficient | - N95, R95, or P95 |
| 99% | Minimum efficient | - N99, R99, or P99 |
| 99.97% | Minimum efficient | - N100 or P100 |

HALF MASK RESPIRATOR




FULL FACE RESPIRATOR



PARTICULATE FILTERS

- N95
- N99
- N100
- P95
- P99
- P100
- R95
- R99



CHEMICAL CARTRIDGES

- Organic Vapour
- Acid Gas
- Ammonia and Methylamine
- Organic Vapour and Acid Gas
- Formaldehyde
- Mercury Vapour and Chlorine
- Multi-Gas




CHEMICAL / P100 PARTICULATE COMBINATION CARTRIDGES

- Organic Vapour/P100
- Acid Gas/P100
- Ammonia and Methylamine/P100
- Organic Vapour and Acid Gas/P100
- Formaldehyde/P100
- Mercury Vapour and Chlorine/P100
- Multi-Gas/P100



PARTICULATE PREFILTER FOR CHEMICAL CARTRIDGES

- N95
- N99
- N100
- P95
- P99
- P100
- R95
- R99
- Filter Cover



SYSTEM MAY VARY
DEPENDING ON MANUFACTURER.
PLEASE CONTACT A SALES REPRESENTATIVE
FOR MORE INFORMATION.

3M™ MAINTENANCE-FREE PAINT SPRAY/ PESTICIDE RESPIRATORS

- **5000 series** respirator offers workers greater comfort, convenience and performance
- Pre-assembled so there are no spare parts to replace
- Cradle suspension holds the respirator in place with minimal pressure to the back of the neck and the bridge of the nose
- Low profile w/organic vapour cartridges for a wider field of vision and greater comfort while wearing glasses or goggles
- Easy-to-install prefilter is approved for paint spray, pesticides and particulates
- Packaged with one pair of 5P71 P95 prefilter and one pair of prefilter retainers
- NIOSH approved



SE884



Model No.	Mfg. No.	Size	Price /Each
SE884	51P71	Small	29.78
SE406	52P71	Medium	29.78
SE885	53P71	Large	29.78

3M™ MAINTENANCE-FREE GAS & VAPOUR RESPIRATORS

- Same features as the paint spray/pesticide respirator
- Colour coded by size
- Replaceable prefilters eliminate the need to replace the entire respirator
- NIOSH/MSHA approved



SI939



Model No.	Mfg. No.	Size	Price /Each
ORGANIC VAPOUR NIOSH/MSHA APPROVAL NO. TC-23C-859			
SI937	5101	Small	24.31
SI938	5201	Medium	24.31
SI939	5301	Large	24.31
ORGANIC VAPOUR/ACID GAS NIOSH/MSHA APPROVAL NO. TC-23C-865			
SI940	5103	Small	24.31
SI941	5203	Medium	23.20
SI942	5303	Large	24.31

PREFILTERS & ACCESSORIES





5N11 N95 PARTICULATE PREFILTER

- NIOSH certified prefilter
- Particulate protection against certain non-oil containing aerosols
- Minimum 95% filter efficiency
- Reduced linting helps to ensure exacting results during painting and refinishing operations
- Low-profile and lightweight design for improved comfort and worker acceptance
- For use with **6000 series** cartridges with prefilter retainer

5P71 P95 PARTICULATE PREFILTER

- NIOSH certified prefilter
- Offers protection against certain oil and non-oil containing aerosols
- Minimum 95% filter efficiency
- **P-series** filter features an advanced electret media, appropriate for both oil and non-oil containing environments
- Advanced electrostatically charged microfibrils allow for a low profile design and easier breathing filter
- For use with **6000 series** cartridges with prefilter retainer



Priced per Package						
Prefilters	Description	Approval For	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
	5N11 N95 Prefilter	Solids and non-oil based particles including paint sprays with appropriate gas and vapour cartridges	SE913	5N11	10	16.46
	5P71 P95 Prefilter	Oil and non-oil based particles including paint sprays and pesticides with appropriate gas and vapour cartridges	SE914	5P71	10	19.48
ACCESSORIES						
	Prefilter Retainer	Use with N95 and P95 prefilters	SE915*	501	1	2.09
	Prefilter Adaptor	Use with 2000 series filter	SE916*	502	1	2.75

* Sold individually. Need two retainers or adaptors per respirator.

RESPIRATORY PROTECTION

3M™ 6000 SERIES HALF FACEPIECE LOW-MAINTENANCE RESPIRATORS

- Lightest half mask respirator available
- Soft, thermoplastic facepiece is extremely comfortable and easy-to-adjust
- Low profile design gives workers better visibility and permits comfortable wearing of safety glasses
- Facepiece can be reused by simply washing as directed
- Includes reclosable storage bag
- NIOSH/MSHA approved



SE886



Model No.	Mfg. No.	Size	Price /Each
SE886	6100	Small	12.95
SE887	6200	Medium	12.95
SE888	6300	Large	13.27

REPLACEMENTS PARTS FOR 6000 SERIES

Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAI579	6889	Exhalation Valves	10	34.83
SR188	6893	Inhalation Valves	40	50.57
SR190	6895	Inhalation Gaskets	20	23.72
SAI583	6281	Head Harness	5	41.43

3M™ 6000 SERIES FULL FACEPIECE RESPIRATORS

PROVIDING LOW MAINTENANCE, USER COMFORT, CONVENIENCE & EASIER BREATHING

UNIQUE CENTRE ADAPTER

- Directs exhaled breath and moisture downward
- Smooth surface allows for quick and easy cleaning
- Helps reduce debris from depositing in valve areas
- NIOSH approved



SE889



3M™ COOL FLOW™ EXHALATION VALVE

- Cool Flow™ valve design helps make breathing easier
- Helps reduce heat and moisture build-up in the facepiece
- Helps provide cool, dry comfort

LENS

- Wide field of vision helps provide excellent visibility
- Integrated optical correction limits distortion as you look from left to right

COMFORT

- Lightweight, well-balanced
- Available in three sizes (small, medium, large) to comfortably fit many face sizes



3M™ 7500 SERIES ULTIMATE REUSABLE HALF FACEPIECE RESPIRATORS



- Advanced silicone material provides a softer feel on the face
- Unique adjustment design helps reduce pressure points on the face
- Dual-mode head harness, option of wearing in traditional or drop-down mode
- Durable and heat resistant plastics
- Cool Flow™ exhalation valve for easier breathing and helps reduce heat and moisture build-up
- NIOSH approved



SAG264

Model No.	Mfg. No.	Size	Price/Each
SAG264	7501	Small	29.95
SAG265	7502	Medium	29.95
SAG266	7503	Large	29.95



REPLACEMENT PARTS FOR 7500 SERIES RESPIRATORS

Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAI635	7581	Head Harness	5	55.89
SAI636	7582	Inhalation Valves	10	37.05
SAI637	7583	Exhalation Valves	10	39.72
SAI638	7586	Cartridge Filter Holders	5	30.90

ACCESSORIES FOR FULL FACEPIECE RESPIRATORS

Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SE889	6700	Small		149.95
SE890	6800	Medium		149.95
SE891	6900	Large		149.95
SAI578	6878	Spectacle Kit	1	101.72
SI946	6885	Clear Lens Covers	25	41.81
SI947	6886	Tinted Lens Covers	25	120.75

REPLACEMENTS PARTS FOR FULL FACEPIECE

Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAI579	6889	Exhalation Valves	10	34.83
SAN499	6864/37000	Centre Adapter Assembly	1	76.42
SR188	6893	Inhalation Valves	40	50.57
SAI581	6894	Nosecup Assembly	1	31.26
SR190	6895	Inhalation Gaskets	20	23.72
SR189	6897	Head Harness Assembly	1	29.27
SAI584	6898	Lens Assembly	1	81.22
SAI585	6899	Lens Frame Kit	1	31.33

3M™ 7800 SERIES FULL FACEPIECE RESPIRATORS

- Double-flap face seal
- Nosecup and six adjustable straps (two overhead straps)
- Silicone facepiece with large face shield for excellent visibility
- Scratch-resistant polycarbonate lens
- Speaking diaphragm for easy, clear communications
- Lens covers are also available
- Tinted lens is for outdoor use
- NIOSH approved

Cartridge
not included

3M



SG535

Model No.	Mfg. No.	Size	Price /Each
SG534	7800S(S)	Small	404.30
SG535	7800S(M)	Medium	404.30
SG536	7800S(L)	Large	404.30

REPLACEMENT PARTS FOR FULL FACEPIECE

Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAI640	7282	Inhalation Valves	50	81.08
SAI641	7283	Exhalation Valves	10	41.41
SAI639	701	Cartridge Filter Adapters	2	12.09
SR190	6895	Inhalation Gaskets	20	23.72
SAI642	7884	Lens	1	76.91
SAI643	7885	Frame Kit for Lens	1	57.01
SAI644	7887	Gaskets for Inhalation Valves	2	12.01
SAF820	7893S	Head Strap Assembly	1	101.39

ACCESSORIES FOR FULL FACEPIECE RESPIRATORS

Priced per Package








Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAI645	7894	Spectacle Kit	1	173.97
SI948	7899-25	Clear Lens Covers	25	61.68
SI949	7986	Tinted Lens Covers	25	117.23



3M™ 6000 & 7000 SERIES REPLACEMENT CARTRIDGES

3M

Priced per Package








Cartridges	Description	Approval For	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
	Organic Vapours	Organic Vapours	SE892	6001	2	11.79
	Acid Gas	Chlorine/Hydrogen Chloride/ Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Sulfide	SE893	6002	2	13.07
	Organic Vapours/ Acid Gas	Organic Vapours/Chlorine/ Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/ Hydrogen Sulfide	SE894	6003	2	13.07
	Ammonia/ Methylamine	Ammonia/Methylamine	SE895	6004	2	15.42
	Formaldehyde	Formaldehyde and certain organic vapours	SE896	6005	2	15.27
	Multi-Gas/ Vapour	Organic Vapours/Chlorine/ Chlorine Dioxide/ Hydrogen Chloride/Sulfur Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/ Ammonia/Methylamine/Formaldehyde	SE897	6006	2	13.26
	Mercury Vapour/ Chlorine Gas	Mercury Vapour/Chlorine	SE898	6009	2	29.00

RESPIRATORY PROTECTION

3M™ 6000 & 7000 SERIES REPLACEMENT CARTRIDGES



Priced per Package

Cartridges	Description	NIOSH Approval For	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
	Organic Vapours/ P100	Organic Vapours permanently pre-attached P100 prefilter*	SE899	60921	2	24.56
	Acid Gas/P100	Chlorine/Hydrogen Chloride Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Sulfide permanently pre-attached P100 prefilter*	SE900	60922	2	25.81
	Organic Vapour/ Acid Gas/P100	Organic Vapours/Chlorine/ Hydrogen Chloride/Sulfur Dioxide/ Hydrogen Fluoride/Hydrogen Sulfide permanently pre-attached P100 prefilter*	SE901	60923	2	24.93
	Ammonia/ Methylamine/P100	Ammonia/Methylamine/ permanently pre-attached P100 prefilter*	SE902	60924	2	27.98
	Formaldehyde/ P100	Formaldehyde and certain organic vapors with P100 particulate filter*	SE903	60925	2	27.98
	Multi-Gas/ Vapour/P100	Organic Vapours/Chlorine/ Chlorine Dioxide/Hydrogen Chloride/Ammonia/Methylamine/ Sulfur Dioxide/ Hydrogen Fluoride/Hydrogen Sulfide/ Formaldehyde/permanently pre-attached P100 prefilter*	SE904	60926	2	26.58
	Mercury Vapour/ Chlorine/P100	Mercury Vapour/Chlorine/ permanently pre-attached P100 prefilter*	SE905	60929	2	37.82

*At least 99.97% efficient against solid and liquid aerosols including oils

3M™ FILTERS

2071 P95 PARTICULATE FILTER

- Advanced filtration technology provides a lightweight, easy breathing combination not found in fibreglass containing filters
- Suited for a wide range of oil and non-oil based particulate contaminants
- Minimum 95% filter efficiency
- Ideal for grinding, welding, sanding, sawing, sweeping, bagging or as a pre-filter for certain chemical exposures

2076 P95 PARTICULATE/HYDROGEN FLUORIDE WITH NUISANCE LEVEL ACID GAS RELIEF

- Features 3M™ advanced electret media making it easier to breathe
- Suited for a wide range of oil and non-oil based particulate contaminants, hydrogen fluoride up to 10 times OSHA PEL and nuisance levels of acid gases below the OSHA PEL or applicable government standards, whichever is lower
- Also protects against solid and liquid particles and metal fumes
- Minimum 95% filter efficiency
- Ideal for welding, brazing, cutting and other operations involving heating of metals




2078 P95 PARTICULATE FILTER WITH NUISANCE LEVEL ACID GAS AND ORGANIC VAPOUR RELIEF

- Features advanced electret media technology providing a lightweight and easy breathing combination
- Excellent for environments where oil and non-oil based particles are present, as well as with low levels (below OSHA PEL or applicable government standards, whichever is lower) of certain nuisance level organic vapours and acid gases
- Minimum 95% filter efficiency
- Contains no components made from fibreglass



2000 SERIES/HARD SHELL FILTERS

Priced per Package

Filters	Description	Approval For (Possible Applications)	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
	2071 P95 Filter	Grinding, sanding, bagging, welding, other oily/dusty operations. At least 95% efficient against solid and liquid particles including those containing oil.	SE906	2071	2	4.78
	2076 P95 Filter w/Hydrogen Fluoride	Aluminum smelting, glass etching, chemical manufacturing. At least 95% efficient against solid and liquid particles including those containing oil.	SE907	2076	2	9.77
	2078 P95 Filter w/Nuisance Level Organic Vapour and Acid Gas	Chemical manufacturing, welding, aluminum smelting. At least 95% efficient against solid and liquid particles including those containing oil.	SE908	2078	2	8.02

3M™ FILTERS



2091 P100 FILTER

- Lightweight, flexible, easy breathing design
- Ideal for welding, grinding, lead and asbestos abatement

2096 P100 PARTICULATE FILTER WITH NUISANCE LEVEL ACID GAS RELIEF

- Provides relief from nuisance level (below OSHA PEL or applicable government standards, whichever is lower) odours generated from chlorine, sulfur dioxide and hydrogen fluoride
- Used in aluminum reduction, chemical processing, coal fired plants, glass etching, paper mills and the petrochemical industry

2097 P100 PARTICULATE FILTER WITH NUISANCE LEVEL ORGANIC VAPOUR RELIEF

- Recommended for ozone protection and welding odour relief
- Removes organic vapour/welding odours below the OSHA PEL or applicable government standards, whichever is lower

7093 P100 HARD SHELL FILTER

- Low-profile, compact design provides workers with an improved field of vision
- Offers protection against dusts, fumes, mists and radionuclides










7093C HF CARTRIDGE P100

- Ideal for grinding, welding, health care, hospitals, pharmaceutical plants, construction and abatement, smelting or mining
- Very low breathing resistance
- Lightweight
- Very small profile to help increase user's field of view
- Unique bonded web technology has more surface area than many standard filters

*** 3M™ recommended for relief against nuisance levels of organic vapour and acid gases. Nuisance level organic vapour and acid gas refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower. Not NIOSH-approved for organic vapours or acid gases. Do not use for respiratory protection against organic vapours or acid gases (except hydrogen fluoride).**

2000 SERIES/HARD SHELL FILTERS

Priced per Package

Filters	Description	Approval For (Possible Applications)	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
	2091 P100 Filter	Welding, pharmaceutical manufacturing. At least 99.97% efficient against solid and liquid particles including those containing oil.	SE909	2091	2	6.74
	2096 P100 Filter w/Acid Gas	Utility operations, chemical manufacturing aluminum smelting. At least 99.97% efficient against solid and liquid particles including those containing oil.	SE910	2096	2	9.98
	2097 P100 Filter w/Organic Vapour	Welding, metal foundry, chemical manufacturing undercoating operations, pharmaceutical manufacturing. At least 99.97% efficient against solid and liquid particles including those containing oil.	SE911	2097	2	9.85
	7093 P100 Hard Shell Filter	Welding, pharmaceutical manufacturing. At least 99.97% efficient against solid and liquid particles including those containing oil.	SE912	7093	1	4.70
	Filter N95	For use with 6000 series cartridges	SE913	5N11	10	16.46
	Filter P95	For use with 6000 series cartridges	SE914	5P71	10	19.48
	Prefilter Retainer	For retainer for use with 5N11 or 5P71	SE915	501	1	2.09
	Prefilter Adaptor	Filter adaptor for use with 2071 or 2091 filters	SE916	502	1	2.75
	Filter P100	Application: Welding, metal pouring, abatement OSHA substance specific particle exposures, pharmaceuticals, chemical manufacturing, undercoating	SAQ696	7093C	2	14.74

R25567E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

589

RESPIRATORY PROTECTION



NORTH® HALF MASK RESPIRATORY DONNING

This page demonstrates how to inspect and put on your North® Half Mask respirators.



INSPECTION:

Inspect the respirator before each use. If any parts are missing or damaged, replace those parts or the entire respirator.



1. Check the facepiece to make sure it is in good condition, without any holes or tears. Check the cartridge connectors to make sure they are not cracked and are fully inserted into the mask.
2. Check all the valves to be sure they are present and in good condition. They should be lying flat, without distortion, tears or holes.
3. Check the headstraps to be sure they have not lost their elasticity. Make sure the straps are not twisted.

ASSEMBLY OF FILTERS & CARTRIDGES

If replaceable particulate filters are not used, go to step 6.



4. For prefilters only: Insert the filter into the filter cover following the directions on the filter so it is facing the correct direction.
5. Snap the filter cover onto the cartridge or the filter holder if a cartridge is not being used.
6. Thread the cartridges or filter assemblies onto the cartridge connectors in the facepiece.

PUTTING ON YOUR RESPIRATOR


If you are wearing eyewear or a hard hat, remove these items before putting on your respirator. Put this safety gear back on after you have put on your North® respirator.



7. Adjust the respirator headstraps and clips to their full outward position.
8. With one hand holding the respirator, place your chin inside the chin cup and the top of the respirator over your nose.
9. With your other hand, position the plastic straps so they are centered on your head. Remove any slack in the upper straps by pulling the two end tabs back and toward your ears. **DO NOT TIGHTEN AT THIS TIME.**
10. Fasten the bottom elastic straps behind your neck and under your hair. Remove any slack in the bottom straps by pulling the end tabs in the back towards the front. **DO NOT TIGHTEN AT THIS TIME.**
11. Tighten the upper head straps in small, equal increments to ensure the top half of the respirator is tightened evenly and centered on your face.
12. Tighten the lower head straps by pulling evenly on the head straps in the back of the respirator until the entire respirator is snug, comfortable and centered on your face.
13. Gently pull the respirator away from your face and manoeuvre it to assure it is centered, comfortable and snug.

USER SEAL CHECK

A positive and/or negative pressure user seal check assures you the respirator is seated correctly and in good working order. Before performing seal checks, exhale vigorously.



14. **Positive Pressure Seal Check:** Place the palm of your hand over the exhalation valve so it is completely sealed and exhale gently. If you have a good seal, the facepiece will bulge out slightly.
15. **Negative Pressure Seal Check:** Place the palm of each hand over the two cartridges of filters so they are completely sealed and inhale. Hold your breath for 5 seconds. If you have a good seal, the facepiece will collapse.



WARNING!
Your NORTH® HALF MASK must be:

- Properly fitted to your face during a routine (usually annual) fit test
- Kept clean and in good working condition
- Worn correctly every time

Your North® respirators are designed to minimize the breathing of airborne contaminants, but they must be worn correctly to protect you. Before you use your North® respirators, you should become familiar with them in uncontaminated air, learn how to inspect and put them on, and what to do during an emergency.

This information is covered as part of a complete Respirator Training Program. If you have any questions on these North® respirators or how to use them, see your supervisor.



NORTH® FULL FACEPIECE RESPIRATORY DONNING


This page demonstrates how to inspect and put on your North® full facepiece.



by Honeywell

INSPECTION

Inspect the respirator before each use. If any parts are missing or damaged replace those parts or the entire respirator.



1. Check the facepiece seal and headstraps to make sure they are in good condition, without any holes or tears. Check the cartridge connectors to make sure they are not cracked and are fully inserted into the mask.
2. Check all the valves to be sure they are present and in good condition. They should be lying flat, without any distortion, tears or holes.
3. Check the lens to make sure it is not cracked or showing signs or crazing.

ASSEMBLY OF FILTERS & CARTRIDGES

If replaceable particulate filters are not used go to step 6.



4. For pre-filters only: Insert the filter into the filter cover following the directions on the filter so it is facing the correct direction.
5. Snap the filter cover onto the cartridge or the filter holder if a cartridge is not being used.
6. Thread the cartridges or filter assemblies onto the cartridge connectors in the facepiece.

PUTTING ON YOUR RESPIRATOR


If you are wearing a hard hat, remove it before putting on your respirator, replace it after you have put on your North® respirator. If you have prescription eyewear, you must use a spectacle insert.



7. Adjust the respirator headstraps to their full outward position.
8. Grasp the headstrap harness with your thumbs positioned through the straps. Spread the straps outward.
9. Place the headstraps on your head, pushing any hair backward and away from your forehead. Continue pulling the straps over your head until the harness is centered toward the back of your head. DO NOT TIGHTEN AT THIS TIME.
10. Your chin should be positioned inside the chin cup and the facepiece centered on your face.
11. Starting with the lower straps, tighten both sides evenly, or with one hand holding the front of the facepiece, use your free hand to tighten each strap alternately in small equal increments.
12. If you have a harness, tighten the forehead headstrap. The facepiece should be snug, comfortable and centered on your face. DO NOT OVER TIGHTEN.
13. To release the head harness after use, pull upward on the tabs until the straps slide freely.

USER SEAL CHECK

A positive and/or negative pressure user seal check assures you the respirator is seated correctly and in good working order. Before performing seal checks exhale vigorously.



14. **Positive Pressure Seal Check:** Place the palm of your head over the exhalation valve, so it is completely sealed and exhale gently. If you have a good seal, the facepiece will be pushed away from your face very slightly.
15. **Negative Pressure Seal Check:** Place the palm of each hand over the two cartridges or filters so they are completely sealed and inhale. Hold your breath for 5 seconds. If you have a good seal, the facepiece will be pulled inward toward your face.



WARNING!

Your NORTH® FULL FACEPIECE must be:

- Properly fitted to your face during a routine (usually annual) fit test
- Kept clean and in good working condition
- Worn correctly every time

Your North® respirators are designed to minimize the breathing of airborne contaminants, but they must be worn correctly to protect you. Before you use your North® respirators, you should become familiar with them in uncontaminated air, learn how to inspect and put them on, and what to do during an emergency.

This information is covered as part of a complete Respirator Training Program. If you have any questions on these North® respirators or how to use them, see your supervisor.

RESPIRATORY PROTECTION

THREADED CARTRIDGES

This icon indicates selected *Survivair*® products that will accept threaded (S-Series) cartridges



BAYONET CARTRIDGES

This icon indicates selected *Survivair*® products that will accept bayonet (T-Series) cartridges



SURVIVAIR® VALUAIR® PLUS HALF-MASK RESPIRATORS

- Excellent choice for limited use and limited life applications
- Combines NIOSH-approved protection with low breathing resistance and the comfort of more expensive respirators
- Thermoplastic elastomer facepiece
- Soft sealing flange and forward angled nosepiece easily accommodate eyewear
- Perspiration port
- Easy-to-adjust, 3-piece sliding suspension
- Facepiece replacement parts are available

RECOMMENDED USE:

Ideal for limited use and limited life applications without sacrificing comfort and fit.

T-SERIES

Model No.	Mfg. No.	Size	Price /Each
SAM214	301000	Small	15.19
SAM215	302000	Medium	15.19
SAM216	303000	Large	15.19



Cartridges not included

SURVIVAIR® PREMIER® HALF-MASK RESPIRATORS

- Soft sealing flange with rolled edges for increased wearer comfort
- Elastic head straps adjust at the crown for easy fit and unobstructed vision
- Low profile nosepiece allows for compatibility with eyewear
- Lower breathing resistance than most other available models for maximum comfort
- Incorporates a perspiration port to reduce facepiece slippage and skin irritation

RECOMMENDED USE:

Ideal for professional users seeking comfort. Low breathing resistance for maximum comfort.

T-SERIES

Model No.	Mfg. No.	Size	Price /Each
SAM217	311000	Small	32.53
SAM218	312000	Medium	32.53
SAM219	313000	Large	32.53



Cartridges not included

SURVIVAIR® PREMIER® PLUS HALF-MASK RESPIRATORS

- Triple flange design for superior fit, comfort and protection
- Extremely comfortable, flexible and durable
- Wide, wraparound, pleated soft silicone facepiece fits a large variety of facial types
- Lateral placement of exhalation valve and cartridge ports enhances field of vision
- Cradle suspension with four-point floating yoke eliminates pressure points to enhance comfort
- A triple flange design provides the ultimate in comfort and superior fit for extended wear

RECOMMENDED USE:

Ideal for use where extended wear time is required.

T-SERIES

Model No.	Mfg. No.	Size	Price /Each
SAM220	321000	Small	39.79
SAM221	322000	Medium/Large	39.79



Cartridges not included

SURVIVAIR® OPTI-FIT™ FULL FACEPIECE RESPIRATORS

- Optimum fit, comfort and superior optics in a full-face respirator
- Features a distortion-free lens with exceptional view
- Lightweight construction reduces head and neck stress even during extended wear
- Comfortable, durable silicone skirt and five-strap suspension
- Nose cup is a standard feature to prevent fogging
- Replaceable lens is treated with an anti-scratch coating



by Honeywell

Model No.	Mfg. No.	Size	Price /Each
S-SERIES			
SAM922	752000	Small	125.82
SAM923	762000	Medium	125.82
SAM924	772000	Large	125.82
T-SERIES			
SAM925	758000	Small	125.82
SAM926	768000	Medium	125.82
SAM927	778000	Large	125.82

SAM922



Cartridges not included

SURVIVAIRMAX™ FULL FACEPIECE RESPIRATORS

- Offers an excellent field of vision, maximizing safety, comfort and wearer acceptance
- Available with a choice of headgear styles: Five-strap or non-slip mesh for hard hat use
- High-grade soft silicone facepieces
- Double-scaling flange for optimum fit
- Distortion-free lens with anti-fog and anti-scratch coatings provide outstanding optical clarity in the most demanding environments
- Simple disassembly and reassembly for ease of maintenance
- Optional floating prescription lens insert for spectacle wearers



by Honeywell

Model No.	Mfg. No.	Description	Price /Each
T-SERIES 5 STRAP			
SAN366	851000	Small	165.49
SAN367	852000	Medium	165.49
SAN368	823000	Large	165.49
T-SERIES MESH			
SAM232	841000	Small	273.18
SAM233	842000	Medium	273.18
SAM234	843000	Large	273.18

SAM223



Cartridges not included

Call us for all your
Safety Equipment
& Supplies
requirements!



RESPIRATORY PROTECTION

SURVIVAIR® RESPIRATOR CARTRIDGES & FILTERS

WE HAVE YOUR APPLICATION COVERED WITH A FULL RANGE OF AIR PURIFYING CARTRIDGES AND FILTERS!

- Choose from the contaminant specific models or *Uni-Sorb™* multi-use cartridge engineered to meet NIOSH standards for multiple contaminant exposures
- Designed to offer low inhalation resistance for easier breathing and less fatigue
- Low profile won't interfere with vision
- Combination cartridges also available
- Retainer covers are to be used with cartridge and filter
- Filter base is to be used with retainer cover
- Sold in pairs



















LOW PROFILE P100 FILTER

Workers breathe easier in the lightweight filter.







- Lowest breathing resistance of any small P100 filter in the industry
- Lightweight, ultra-low profile
- Minimum of 99.97% filter efficiency against a wide range of oil and non-oil based particles, including lead, asbestos, cadmium and other contaminants
- Bayonet-style cartridge connections eliminate the potential for cross-threading cartridges
- Ideal for welding, brazing, metal pouring, torch cutting, soldering, pharmaceutical manufacturing or other applications
- Cartridge fits the *Opti-Fit™* respirators and the *Survivair™* 8000 series full facepiece respirators

NORTH

by Honeywell











Priced per Pair							
Cartridges	Description	Approval For	NIOSH Approval No.	Model No.	Mfg. No.	Pairs /Case	Price /Each
	Organic Vapours	Organic Vapours	 TC-23C-737 (Half-Mask) TC-23C-1890 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM265	T100100	3	13.41
			 TC-23C-287 (Half-Mask) TC-23C-1782 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	YB579	B100100	3	12.02
	Ammonia Methylamine	Ammonia/Methylamine	 TC-23C-735 (Half-mask) TC-23C-1897 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM268	T100400	3	14.81
			 TC-23C-422 (Half-Mask) TC-23C-1785 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM934	B100400	3	13.60
	Acid Gas Formaldehyde	Organic Vapours / Chlorine Hydrogen Chloride / Sulfur Dioxide	 TC-23C-736 (Half-mask) TC-23C-1898 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM267	T100300	3	6.80
		Hydrogen Fluoride Hydrogen Sulfide (escape)	 TC-23C-318 (Half-Mask) TC-23C-1784 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM933	B100300	3	12.32
	Acid Gas Formaldehyde	Chlorine / Hydrogen Chloride Sulfur Dioxide /	 TC-23C-741 (Half-mask) TC-23C-1899 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM266	T100200	3	13.94
		Hydrogen Sulfide (escape) Formaldehyde	 TC-23C-430 (Half-Mask) TC-23C-1783 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM932	B100200	3	12.47
	<i>Uni-Sorb™</i> Multi-contaminant	Organic Vapours / Ammonia / Methylamine / Chlorine / Hydrogen Chloride / Sulfur Dioxide / Chlorine Dioxide / Hydrogen Fluoride / Hydrogen Sulfide (escape) / Formaldehyde	 TC-23C-1725 (Half-mask) TC-23C-1900 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM212	T100800	3	14.28
			 TC-23C-1803 (Half-Mask) TC-23C-1806 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM936	100800	3	12.54
	Mercury Vapours or Chlorine	Mercury Vapours or Chlorine	 TC-23C-1935 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM270	T100600	3	21.40
			 TC-23C-1483 (Half-Mask) TC-23C-1786 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM935	100600	3	30.60

COMBINATION CARTRIDGES







Priced per Pair							
	Organic Vapour Cartridge w/P100 Filter	Organic Vapours P100	 TC-84A-238 (Half-mask) TC-84A-2650 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM273	T105110	2	25.67
	Organic Vapour Acid Gas Cartridge w/P100 Filter	Organic Vapours Chlorine / Sulfur Dioxide Chlorine Dioxide Hydrogen Fluoride / Hydrogen Sulfide (escape) P100	 TC-84A-242 (Half-mask) TC-84A-2652 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM274	T105310	2	25.90
	<i>Uni-Sorb™</i> Multi-contaminant Cartridge w/P100 Filter	Organic Vapours / Ammonia Methylamine / Chlorine Hydrogen Chloride / Sulfur Dioxide / Chlorine Dioxide / Hydrogen Fluoride / Hydrogen Sulfide (escape) / Formaldehyde P100	 TC-84A-246 (Half-mask) TC-84A-2654 (<i>Opti-Fit™</i> , <i>SurvivairMax™</i>)	SAM275	T105810	2	26.58



FILTERS

				Priced per Pair		
Cartridges	Description	Approval For	NIOSH Approval No.	Model No.	Mfg. No.	Price /Each
	N95, solid and Non Oil-Based Aerosol	95% efficient against particulate aerosols free of oil	 TC-84A-629 (Half-mask) TC-84A-2632 (Opti-Fit™, SurvivairMax™)	SAM277	T106010	2.90
			 TC-84A-1427 (Half-Mask) TC-84A-1420 (Opti-Fit™, SurvivairMax™)	SAM938	106010	2.79
	N99, Solid and Non-Oil Based Aerosol	99% efficient against particulate aerosols free of oil	 TC-84A-1804 (Half-Mask) TC-84A-1797 (Opti-Fit™, SurvivairMax™)	SAM939	107010	4.30
	R95, Solid, Liquid Aerosol and Oil Mist	95% efficient against all particulate aerosols	 TC-84A-4182 (Half-mask) TC-84A-4124 (Opti-Fit™, SurvivairMax™)	SA0702	T117010	4.82
	P100 HEPA, Solid Liquid Aerosol and Oil Mist	99.97% efficient against all particulate aerosols	 TC-84A-236 (Half-mask) TC-84A-2649 (Opti-Fit™, SurvivairMax™)	SAM272	T105005	11.99
			 TC-84A-1239 (Half-Mask) TC-84A-1242 (Opti-Fit™, SurvivairMax™)	SAM937	105005	9.95

ACCESSORIES

Cartridges	Description	Approval For	Model No.	Mfg. No.	Qty /Case	Price /Each
	Filter Retainer Cover	Valuair®, Premier®, Premier® Plus and SurvivairMax™ respirators	 SAM259	14900975	10	2.49
			 SAP401	140170	10	3.06
	Filter Base	Valuair®, Premier®, Premier® Plus and SurvivairMax™ respirators	 SAM257	14900578	10	3.40
			 SAP402	B140074	10	4.53

FIT TEST KITS

IRRITANT SMOKE FIT TEST KITS

- Facilitates testing required under CSA standard Z94.4-02
- Includes: Six irritant smoke tubes (15 tests/tube), aspirator bulb, tube tip breaker, record form, instruction manual and a hard shell plastic case

Note: The irritant smoke test protocol requires that the test be conducted in a well-ventilated area. The use of a tent or hood is prohibited and will not comply with OSHA regulations.

Misuse of these products may result in serious injury or death.



Model No.	Mfg. No.	Description	Price /Each
SAM213	140090	Irritant Smoke Fit Test Kit	126.95
SAQ164	140038	Replacement Tubes, Irritant Smoke (6/box)	64.61



RESPIRATORY PROTECTION

7700 SERIES HALF-MASK RESPIRATORS

- Non-allergenic silicone facepiece material conforms to facial features and doesn't harden with age
- Easy to clean, extremely durable and resists distortion, ensuring a better fit
- Contoured sealing flange and cradle suspension system eliminates discomfort caused by pressure points on facial nerves
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance

NORTH

by Honeywell



ZC352

Model No.	Mfg. No.	Size	Price /Each
ZC352	770030S	Small	25.23
SM802	770030M	Medium	25.23
SA788	770030L	Large	25.23

ACCESSORIES

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAS478	770017	Inhalation Valve	6	7.12
SAS479	770018	Exhalation Valve	4	13.27

Note: Cartridges not included

5400 SERIES LOW MAINTENANCE FULL FACEPIECE RESPIRATORS

- Elastomer material with high chemical resistance
- Oral nasal cup reduces fogging and lessens dead air space to improve comfort
- Hard-coated polycarbonate lens provides over 200° field vision

NORTH

by Honeywell



SAH792

Model No.	Mfg. No.	Size	Price /Each
SAH792	54001S	Small	104.14
SAH791	54001	Medium/Large	104.14

ACCESSORIES

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAS478	770017	Inhalation Valve	4	7.12
SAS479	770018	Exhalation Valve	4	13.27

Note: Cartridges not included

5500 SERIES LOW MAINTENANCE HALF-MASK RESPIRATORS

- Non-allergenic elastomer for comfort and fit
- Contoured sealing flange eliminates discomfort
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- Direct cartridge to facepiece seal minimizes replacement parts and simplifies maintenance

NORTH

by Honeywell



SM890

Model No.	Mfg. No.	Size	Price /Each
SM890	550030S	Small	12.52
SM891	550030M	Medium	12.52
SM892	550030L	Large	12.52

ACCESSORIES

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAS478	770017	Inhalation Valve	4	7.12
SAS479	770018	Exhalation Valve	4	13.27

Note: Cartridges not included

7600 SERIES FULL FACEPIECE RESPIRATORS

- Silicone facepiece material conforms to facial features and doesn't harden with age
- Easy to clean and resists distortion
- Protects the wearer's eyes and face against irritating gases, vapours and flying objects
- Oral nasal cup reduces fogging and lessens dead air space to improve comfort
- Speaking diaphragm makes communication easy
- Five-strap harness provides an effective and comfortable facepiece to face seal
- Hard-coated polycarbonate lens provides over 200° field vision

NORTH

by Honeywell



SM893

Model No.	Mfg. No.	Size	Price /Each
SM893	76008AS	Small	219.64
SI777	76008A	Med/Large	219.64

ACCESSORIES

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAS478	770017	Inhalation Valve	4	7.12
SAS479	770018	Exhalation Valve	4	13.27

Note: Cartridges not included

BACKPACK ADAPTERS

- Backpack adapter allows users to locate cartridges and filters out of the work zone
- Is easily adaptable to all North® full facepiece and half mask air-purifying respirators
- Attaches to the facepiece cartridge connector
- Ideal for tight or highly heated work places
- Like an extension cord for cartridges

Model No. SAO679
Mfg. No. BP1002
Price/Each \$72.25



by Honeywell




* Shown here with half mask and cartridges (not included)

7900 EMERGENCY ESCAPE RESPIRATORS

- Easy to use, emergency escape mouthpiece respirators
- Disposable, no need for a maintenance program
- Model SM898 is NIOSH approved for protection during escape only from atmospheres containing chlorine, chlorine dioxide, sulfur dioxide and hydrogen sulfide
- Model SM899 is NIOSH approved for respiratory protection during escape only from atmospheres containing ammonia

SM898



NOTE: OSHA prohibits use of disposable respirators in asbestos environments



by Honeywell

Model No.	Mfg. No.	Escape From	Price /Each
SM898	7902	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide	16.07
SM899	7904	Ammonia	18.58

SURVIVAIR™ INDUSTRIAL SELF-CONTAINED BREATHING APPARATUS

The *Survivair™* meets the demands of industrial users who want protection against environments that are immediately dangerous to life and health (IDLH), but don't need NFPA-compliant performance. The *Cougar™* design provides superior safety and comfort.

The facepiece, made of silicone rubber, provides comfort and durability even in extreme heat or cold. Also provides better sealing ability for improved comfort and fit.

The features includes: *TwentyTwenty®* medium silicone facepiece with head strap, first stage regulator with bell and a 30-minute aluminum cylinder. Non-NFPA compliant.



by Honeywell

Model No.	Mfg. No.	Description	Price/Each
SAP507	888888	SCBA <i>Cougar™</i> 2216 PSIG, 30-min. Aluminum Cylinder	1960.98



FRONTIER™ SERIES SELF-CONTAINED BREATHING APPARATUS

North® *Frontier™* SCBA is as easy to use as it is rugged. Designed for the industrial user, this SCBA features uncomplicated components that are dependable and easy to maintain. The unit is available with either a tight-fitting facepiece or a hood, bringing you the workplace flexibility you need and the options your workers desire.

The facepiece features a 200° field vision polycarbonate lens, providing impact protection for the face and eyes*. The clear hood is quick and easy to clean, ideal for workers who wear prescription eyewear. The PVC hood material provides superior chemical resistance.

* The North® *Frontier™* full facepiece meets ANSI Z87 for high-impact protection.



by Honeywell

Model No.	Mfg. No.	Description	Price /Each
ALUMINUM CYLINDER, 2216 PSI			
SAQ921	913200MT	SCBA <i>Frontier™</i> 30 min, Mask M/L	1820.17
SAQ922	913200SMT	SCBA <i>Frontier™</i> 30 min, Mask Small	1820.17
SAQ923	915200MT	SCBA <i>Frontier™</i> 30 min, Hood L/XL	1934.06
SAQ924	915200SMT	SCBA <i>Frontier™</i> 30 min, Hood S/M	1934.06
CARBON CYLINDER, 4500 PSI			
SAQ925	913632FBMT	SCBA <i>Frontier™</i> 30 min, Mask M/L	3323.82
SAQ926	913632SFBMT	SCBA <i>Frontier™</i> 30 min, Mask Small	3323.82
SAQ927	915632FBMT	SCBA <i>Frontier™</i> 30 min, Hood L/XL	3420.67
SAQ928	915632SFBMT	SCBA <i>Frontier™</i> 30 min, Hood S/M	3420.67

SAQ921



SAQ923









RESPIRATORY PROTECTION

GAS & VAPOUR CARTRIDGES

NORTH

by Honeywell

Priced per Package







Cartridges	Model No.	Mfg. No.	Description	Qty /Pkg.	Case /Qty	Price /Each
	SM900	755C	Defender™ Multi-Gas Cartridges are approved for protection against organic vapours, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (Escape), hydrogen fluoride, chlorine dioxide, ammonia, methylamine and formaldehyde	2	18	11.72
	ZD796	N75001	Organic Vapour Cartridge	2	18	10.98
	SM901	N75002	Acid Gas Cartridge	2	18	11.43
	SM889	N75003	Organic vapour, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, chlorine dioxide cartridge	2	18	11.17
	SM903	N75004	Ammonia, methylamine cartridge	2	18	12.13
	SM905	N750052	Mercury vapour, chlorine cartridge with End-of-service-indicator (ESLI)	2	18	35.12

COMBINATION GAS, VAPOUR CARTRIDGES & P100 PARTICULATE FILTERS

NORTH

by Honeywell

Priced per Package







Cartridges	Model No.	Mfg. No.	Description	Qty /Pkg.	Case /Qty	Price /Each
	SM906	755CP100	Defender™ Multi-Purpose Cartridge and P100 Any Particulates Filter - 99.97% minimum filter efficiency - are approved for protection against organic vapours, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (escape), hydrogen fluoride, chlorine dioxide, ammonia, methylamine and formaldehyde	2	12	21.78
	SM797	7581P100	Organic vapour cartridge and P100 Particulates filter - 99.97% minimum filter efficiency	2	12	21.07
	SM908	7582P100	Chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, chlorine dioxide, formaldehyde cartridge and P100 any particulates filter - 99.97% minimum filter efficiency	2	12	21.50
	SI782	7583P100	Organic vapours, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, chlorine dioxide cartridge and P100 any particulates filter - 99.97% minimum filter efficiency	2	12	21.23
	SM910	7584P100	Ammonia, methylamine cartridge and P100 any particulates filter - 99.97% minimum filter efficiency	2	12	22.22
	SM912	75852P100	Mercury vapours, chlorine cartridge and P100 any particulates filter - 99.97% Minimum filter efficiency, with End-Of-Service-Indicator (ESLI)	2	12	45.19

PARTICULATE FILTERS



by Honeywell





Priced per Package

	Model No.	Mfg. No.	Description	Qty /Pkg.	Case /Qty	Price /Each
	SM913	7580P100	P100 any particulate filter (HEPA) - 99.97% minimum filter efficiency	2	24	7.68
	SM914	75FFP100	Pancake P100 any particulate filter (HEPA) 99.97% minimum filter efficiency. Note: This P100 filter can be assembled to any gas/vapour cartridge, except <i>Defender™</i> , by using a 7500-35 adaptor	2	50	5.78
	SM907	7531N95	N95 Non-oil particulate filter assembly - 95% minimum filter efficiency, includes 7506N95 Prefilter, N7500-27 Filter Cover, and N7500-15 Filter Holder	2	12	10.33
	SM909	7531N99	N99 Non-oil particulate filter assembly - 99% minimum filter efficiency, includes 7906N99A-12 Prefiler, N7500-27 Filter Cover, and N7500-15 Filter Holder	2	12	10.92
	SM915	7506N95	N95 Non-oil Particulate Prefilters - 95% Minimum filter efficiency. Note: This prefilter can be assembled to any gas/vapour cartridge (including 3000 Series) by using a N7500-27 filter cover	10	12	9.98
	SM916	7506N99	N99 Non-oil Particulate Prefilters - 99% Minimum filter efficiency. Note: This prefilter can be assembled to any gas/vapour cartridge (including 3000 Series) by using a N7500-27 filter cover	10	12	13.52



by Honeywell

Priced per Package

	Model No.	Mfg. No.	Description	Qty /Pkg.	Case /Qty	Price /Each
	SM917	N750035	Adaptor for assembly of a 75FFP100 Pancake filter to a gas and vapour cartridge (except <i>Defender™</i> Cartridge)	1	24	6.05
	SM918	N750015	Filter holder for 3" filters	1	24	1.67
	SA798	N750027	Seal Check/Filter Cover	1	24	1.67
	SM919	N750029	Shower Cap for SM913 Filter	1	24	1.67

RESPIRATORY PROTECTION



7000/9000 SERIES RESPIRATORS

- Designed to be the most user friendly respirator on the market
- Features fewer parts, minimal maintenance, and a wider field of vision
- Ultra lightweight, durable, and economical

MOLDEX
Ideas that wear well.



7000 HALF-MASK RESPIRATORS

- Low profile, angled cartridge placement for wider field of vision
- Easy mount bayonet cartridge/filter attachment
- Adjustable head harness for a custom fit
- Contoured neck buckles for comfort and quick attachment
- Compact, fits under welding helmets
- Wide flange fits more facial shapes comfortably
- Attached exhale cover for easy inspection



SEC563



Model No.	Mfg. No.	Size	Price /Each
SEC563	7001	Small	13.57
SEC564	7002	Medium	13.57
SEC565	7003	Large	13.57

PRE-ASSEMBLED PAINT/SPRAY PESTICIDE RESPIRATORS



Model No.	Mfg. No.	Size	Description	Price /Each
SEC566	7112	Medium	Includes SEC576 Organic Vapour Cartridge, SEC570 N95 Prefilter, and SEC572 Prefilter Retainer	32.37

9000 FULL FACEPIECE RESPIRATORS

- Lightweight facepiece weighs less than 12.7 oz.
- Stand away head harness for easy donning
- Over-molded buckles for secure strap attachment with one finger strap release
- Panoramic lens with peripheral vision side panels is scratch resistant and includes a tear away lens protector
- Integrated exhale area with attached cover has fewer parts for simple maintenance and inspection



SEC567



Model No.	Mfg. No.	Size	Price /Each
SEC567	9001	Small	126.26
SEC568	9002	Medium	126.26
SEC569	9003	Large	126.26





REPLACEMENT FACESHIELD PROTECTORS







Model No.	Mfg. No.	Price /Each
SEC574	0093	24.19

7000/9000 SERIES GAS/VAPOUR CARTRIDGES



Description	NIOSH Approval No.	Model No.	Mfg. No.	Qty /Pkg	Price /Each
 Organic vapour cartridge	TC-23C-2520	SEC576	7100	2	11.29
 Acid Gas cartridge	TC-23C-2521	SEC575	7200	2	12.47
 Organic vapour/acid gas cartridge	TC-23C-2522	SEC577	7300	2	12.00
 Multi-gas/vapor smart cartridge	TC-23C-2519	SEC578	7600	2	12.26

7000/9000 SERIES PARTICULATE FILTERS & RETAINERS

Description	NIOSH Approval No.	Model No.	Mfg. No.	Qty /Pkg.	Price /Each
 N95 Prefilter	TC-84A-1343	SEC570	8910	10	15.60
 P100 Prefilter	TC-84A-5270	SEC571	7940	2	7.36
 Prefilter Retainer	—	SEC572	7020	2	3.59
 Piggyback Adapter	—	SEC573	7920	2	4.68

600

MATERIAL
HANDLIN &
STORAGE

JANITORIAL &
MAINTENANCE

SAFETY
EQUIPMENT &
SUPPLIES

WELDING &
METALWORKING

TOOLS &
EQUIPMENT

SHIPPING &
PACKAGING

INSTRUMENTS,
SCALES &
ELECTRICAL

OFFICE
PRODUCTS

R30783E

ADVANTAGE® 3000 RESPIRATORS

- Full-face respirator features a wraparound lens combined with a soft, pliable silicone facepiece
- For the utmost in convenience, Advantage® 3000 uses the same cartridges and filters as the Advantage® 200 LS respirator
- Lower breathing resistance; includes a standard noseclip that reduces fogging in low temperatures or high humidity conditions
- Scratch-resistant coating; has been engineered to be optically correct, giving you superior visibility and peripheral vision
- Pre-adjustable straps for a consistent fit, time after time
- Choose between standard rubber harness or Advantage® harness that dons like a catcher's mask
- Meets the performance requirements of ANSI Z87.1:2003
- NIOSH approved



SAG064



Model No.	Mfg. No.	Size	Price /Each
WITH STANDARD RUBBER HARNESS			
SAG064	10028996	Small	222.70
SAG065	10028995	Medium	222.70
SAG066	10028997	Large	222.70
WITH ADVANTAGE® HARNESS			
SAM909	10031340	Small	222.70
SAM910	10031309	Medium	222.70
SAM911	10031341	Large	222.70

COVER LENS

- Clear, flexible cover lens protects facepiece lens from scratches
- Package of 25, **sold per package**

Model No.	Mfg. No.	Description	Price /Each
SAM912	10031542	Clear	62.15
SAM913	10031543	Smoke	164.22

ADVANTAGE® 1000 RESPIRATOR

- Full-face respirator features a flexible wraparound lens
- Offers excellent fit and comfort with increased vision
- Constructed of super-soft black Hycar™ rubber
- Provides the feel and comfort of silicone but with better permeation resistance
- Nosecup reduces lens fogging in low-temp or high-humidity conditions
- Includes a speaking diaphragm for clear, short-range communications
- NIOSH approved



RESPIRATORS

Model No.	Mfg. No.	Size	Price /Each
SAG067	805414	Small	450.95
SAG068	805408	Medium	450.95
SAG069	805420	Large	450.95



SAG067

Cartridges
not included

FLEXIBLE COVER LENS

- Clear, flexible cover lens protects facepiece lens from scratches
- Package of 25, **sold per package**

Model No.	Mfg. No.	Description	Price /Each
SAM914	813832	Clear	169.03

LENS SHIELDS

- For added impact protection, polycarbonate lens shield snaps into place
- For nuclear personnel, a lens shield provides an additional level of eye protection and an increased beta-radiation protection

Model No.	Mfg. No.	Description	Price /Each
SAM915	806463	Clear Shield, Small	94.30
SAM916	806462	Clear Shield, Medium/Large	63.82
SAM917	806465	Tinted Shield, Small	102.31
SAM918	806464	Tinted Shield, Medium/Large	94.30

ADVANTAGE® 200 LS RESPIRATORS

- Clear blue facepiece subtracts 25% of the weight and adds noticeable softness to give workers more comfort and stability than ever
- AnthroCurve™ sealing surface, which instantly conforms to each wearer's unique facial characteristics
- The unmatched fit and comfort start with a soft, pliable combination of rubber and plastic that provides a virtually customized fit
- Patented MultiFlex® system equalizes pressure on the face-seal area while delivering exceptional stability
- NIOSH approved



SAG058



Model No.	Mfg. No.	Size	Price /Each
2-PIECE NECK STRAP			
SAG058	815696	Small	18.62
SAG059	815692	Medium	18.62
SAG060	815700	Large	18.62
SINGLE NECK STRAP			
SAG061	815448	Small	18.00
SAG062	815444	Medium	18.00
SAG063	815452	Large	18.00

RESPIRATORY PROTECTION

ULTRA ELITE® TWIN-CARTRIDGE RESPIRATORS



- The *Ultra Elite*® facepiece can be used as a twin-cartridge air-purifying respirator for full-face respiratory protection
- Unique lens design provides a high level of peripheral and downward vision
- Available in three sizes; large adjustment tabs for easy donning and doffing
- Two facepiece materials – *SoftFeel*® HyCar™ rubber or silicone - to enhance wearer comfort
- A nose cup reduces lens fogging in low temperatures or high-humidity conditions
- Speaking diaphragm in front of the wearer's mouth improves communication so that speech is not blocked
- NIOSH Approved



SAG085

Model No.	Mfg. No.	Size	Price /Each
SOFTFEEL® SILICONE, WITH TWIN-CARTRIDGE ADAPTOR			
SAG085	10016755	Small	480.56
SAG086	10016756	Medium	480.56
SAG087	10016757	Large	480.56
SOFTFEEL® HYCAR™ RUBBER, LESS TWIN-CARTRIDGE ADAPTOR			
SAG088	493064	Small	468.20
SAG089	493020	Medium	468.20
SAG090	493108	Large	468.20
SOFTFEEL® SILICONE, LESS TWIN-CARTRIDGE ADAPTOR			
SAG091	493072	Small	468.20
SAG092	493028	Medium	468.20
SAG093	493116	Large	468.20

Note: *Ultra Elite*® facepieces must be fitted with a twin-cartridge adaptor to be used as a twin-cartridge respirator.

TWIN-CARTRIDGE ADAPTOR

- Converts the *Ultra Elite*® facepieces to twin-cartridge respirators

Model No.	Mfg. No.	Description	Price /Each
SAM919	803622	Adaptor	52.40

ULTRA-TWIN® RESPIRATORS

- *Ultra-Twin*® full-facepiece respirator has an inturned lip around the edge for a secure, comfortable seal against the face
- Large chin cup makes it easy to position
- Five suspension head straps and roller buckles hold the facepiece in place while minimizing hair entanglement
- Wide polycarbonate lens is coated to resist scratching and chemical attack
- Lens is held in place by a two-piece lens ring which is colour-coded to indicate the size of the facepiece
- Standard equipment includes a speaking diaphragm for clear, short-range communications and a nose cup, to reduce lens fogging in low temperatures or high-humidity conditions
- NIOSH approved

SAG079



Model No.	Mfg. No.	Size	Price /Each
HYCAR™ RUBBER			
SAG079	471298	Small	481.73
SAG080	471286	Medium	481.73
SAG081	471310	Large	481.73
SILICONE			
SAG082	480263	Small	481.73
SAG083	480259	Medium	481.73
SAG084	480267	Large	481.73



COMFO CLASSIC® RESPIRATORS

- *Comfo Classic*® respirators feature *SoftFeel*® facepiece material, which is an MSA-exclusive formulation that improves pliability and softness
- Unique face seal design gives wearers an exceptional fit
- NIOSH Approved

SAG070



Model No.	Mfg. No.	Size	Price /Each
SOFTFEEL® HYCAR™ RUBBER			
SAG070	808075	Small	61.18
SAG071	808074	Medium	61.18
SAG072	808076	Large	61.18
SOFTFEEL® SILICONE			
SAG073	808072	Small	61.18
SAG074	808071	Medium	61.18
SAG075	808073	Large	61.18



















**CANADA'S LEADER
IN WELDING SUPPLIES**

R3549E

ADVANTAGE® RESPIRATOR CARTRIDGES

- The Advantage® line of particulate, chemical and combination cartridges is NIOSH-approved (to 42 CFR, Part 84)
- Provide lightweight, low-profile performance
- Cartridges fit both 200 LS half-mask and 3000 full-facepiece Advantage® respirators
- Sold per package



Cartridges	Model No.	Mfg. No.	Cartridge Description	Description	Approval For	Notes	Qty/ Pkg.	Price /Each
	SAG094	815355	GMA	Organic Vapours	Organic Vapours	2, 3	2	17.00
	SAG095	815362	GMA P100	Organic Vapours/P100	Organic Vapours/P100	2, 3, 4	2	32.31
	SAG096	815356	GMB	Acid Gas	Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Sulfide***	2	2	17.47
	SAG097	815363	GMB P100	Acid Gas/P100	Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Sulfide***	2, 4	2	32.31
	SAG098	815357	GMC	Organic Vapours/ Acid Gas	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/ Hydrogen Chloride/Hydrogen Sulfide***	2, 3	2	17.47
	SAG099	815364	GMC P100	Organic Vapours/ Acid Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide***	2, 3, 4	2	32.31
	SAG100	815358	GMD	Ammonia/Methylamine	Ammonia/Methylamine	2, 3	2	19.11
	SAG101	815365	GMD P100	Ammonia/Methylamine/P100	Ammonia/Methylamine/P100	2, 3, 4	2	33.80
	SAG102	815359	GME	Multi-Gas/Vapours	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide***/ Formaldehyde/Hydrogen Fluoride	2, 3	2	17.00
	SAG103	815366	GME P100	Multi-Gas/Vapours/ P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide***/ Formaldehyde/Hydrogen Fluoride/P100	2, 3, 4	2	29.65
	SAG104	815641	GMI P100	Organic Vapours/P100	Organic Vapours/P100	2, 4	2	34.15
	SAG105	815361	Mersorb	Chlorine/Mercury Vapours	Chlorine/Mercury Vapours	2, 4	2	35.04
	SAG106	815368	Mersorb P100	Chlorine/Mercury Vapours/P100	Chlorine/Mercury Vapours/P100	2, 4	2	50.95
	SAG107	815369	Low-Profile P100	P100	99.97% filter efficiency level against all particulate aerosols	1, 4	2	11.41
	SAG108	816357	N95 Prefilter	N95 Prefilter	95% filter efficiency level against particulate aerosols free of oil		10	23.17
	SAG110	815392	N95 Cover	N95 Snap-On Cover	Use with N95 prefilters		2	6.75
	SAG109	815397	R95 Prefilter	R95 Prefilter	95% filter efficiency level against all particulate aerosols		2	6.21
	SAG111	815401	R95 Cover	R95 Snap-On Cover	Use with R95 prefilters		2	6.90

*** Escape Only

FLEXI-FILTER® PADS FOR ADVANTAGE® RESPIRATORS

- Low-profile, flexible pads fit well under a welding hood and with other personal protective equipment
- Great balance and weight distribution for maintaining a good face seal
- Swept-back design provides improved vision and comfort
- Sold per package



Model No.	Mfg. No.	Cartridge Type	Description	Notes	Qty/ Pkg.	Price /Each
SAG112	818342	P100	P100	1, 4	2	9.99
SAG113	818343	P100	P100 with Nuisance level Organic Vapours, Ozone removal	1, 4	2	13.05
SAG114	818344	P100	P100 with Nuisance level Acid Gas, Hydrogen Fluoride removal	1, 4	2	14.05
SAG116	818346	N95	N95	1	2	10.25
SAG117	818347	N95	N95 with Nuisance level Organic Vapours removal	1	2	11.96
SAG120	818354	P95	P95	1	2	8.70
SAG121	818355	P95	P95 with Nuisance level Organic Vapours removal	1	2	10.72

Notes:

- Do not use in atmospheres containing less than 19.5 % oxygen, in atmospheres containing gases or vapours or in atmospheres immediately dangerous to life and health.
- Do not use in atmospheres containing less than 19.5 % oxygen, or in atmospheres immediately dangerous to life and health.
- Do not wear for protection against organic vapours with poor warning properties or those which generate high heats of reaction with the sorbent material in the cartridge.
- 99.97 % efficient against 0.3 micron DOP.
























RESPIRATORY PROTECTION

COMFO® RESPIRATOR CARTRIDGES

- Comfo® respirator cartridges are NIOSH approved (to 42 CFR, Part 84)
- Sold per package



Cartridges	Model No.	Mfg. No.	Cartridge Description	Description	Approval For	Notes	Qty/Pkg.	Price/Each
	SAG124	464031	GMA	Organic Vapours	Organic Vapours	2, 3	1	10.08
	SAG125	815178	GMA P100	Organic Vapours/P100	Organic Vapours/P100	2, 3, 4	1	20.02
	SAG126*	815186	GMA P100	Organic Vapours/P100	Organic Vapours/P100	2, 3, 4	1	21.55
	SAG127	464032	GMB	Acid Gas	Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide***	2	1	10.08
	SAG128	815179	GMB P100	Acid Gas/P100	Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide***	2, 4	1	20.02
	SAG129	464046	GMC	Organic Vapours/Acid Gas	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide***	2, 3	1	10.08
	SAG130	815180	GMC P100	Organic Vapours/Acid Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide***	2, 3, 4	1	20.02
	SAG131*	815188	GMC P100	Organic Vapours/Acid Gas/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide***	2, 3, 4	1	21.55
	SAG132	464033	GMD	Ammonia/Methylamine	Ammonia/Methylamine	2, 3	1	11.38
	SAG133	815181	GMD P100	Ammonia/Methylamine/P100	Ammonia/Methylamine/P100	2, 3, 4	1	21.08
	SAG134	492790	GME	Multi-Gas/Vapours	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide***/ Formaldehyde/Hydrogen Fluoride	2, 3	1	13.56
	SAG135	815182	GME P100	Multi-Gas/Vapours/P100	Organic Vapours/Chlorine/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Chloride/Hydrogen Sulfide***/ Formaldehyde/Hydrogen Fluoride/P100	2, 3, 4	1	21.79
	SAG136	815184	GMI P100****	Organic Vapours/P100	Organic Vapours/P100	2, 4	1	22.77
	SAG138	815185	Mersorb P100	Chlorine/Mercury Vapours/P100	Chlorine/Mercury Vapours/P100	2, 4	1	39.75
	SAG139	815175	P100	P100 Prefilter	99.97% filter efficiency level against all particulate aerosols	1, 4	1	11.96
	SAG140	815176	Sparkfoe® P100	P100 Prefilter	99.97% filter efficiency level against all particulate aerosols	1, 4	1	11.96
	SAG141	815177	Low-Profile P100	P100 Prefilter	99.97% filter efficiency level against all particulate aerosols	1, 4	1	12.07
	SAG142	816661	N95 Prefilter	N95 Prefilter	95% filter efficiency level against particulate aerosols free of oil	1	10	23.83
	SAG144**	489353	N95 Cover	N95 Snap-On Cover	Use with N95 prefilters	-	1	5.37
	SAG143	816287	R95 Prefilter	R95 Prefilter	95% filter efficiency level against all particulate aerosols	1	2	6.32
	SAG145**	489219	R95 Cover	R95 Snap-On Cover	Use with R95 prefilters	-	1	3.53

* Short stack. ** Sold individually. Need two snap-on covers per respirator. *** Escape only. **** Effective against, but not NIOSH approved for Iodine Vapor.

Notes:

1. Do not use in atmospheres containing less than 19.5 % oxygen, in atmospheres containing gases or vapours or in atmospheres immediately dangerous to life and health.
2. Do not use in atmospheres containing less than 19.5 % oxygen, or in atmospheres immediately dangerous to life and health.
3. Do not wear for protection against organic vapours with poor warning properties or those which generate high heats of reaction with the sorbent material in the cartridge.
4. 99.97 % efficient against 0.3 micron DOP.

COMPACT AIR™ FOR NORTH® FACEPIECES

- NIOSH approved
- For use with North® facepieces
7700, 5500, 7600, and 5400 series (see page 936)



by Honeywell

Model No.	Mfg. No.	Description	Price /Each
SA0117	CA102	Compact Air™ with Comfort Pad Belt	1143.76
SA0118	CA102D	Compact Air™ with Decon Belt	1184.21

SA0117



SA0118



COMPACT AIR™ FOR NORTH® PRIMAIR™ SERIES HEAD COVERS

- NIOSH approved
- For use with loose fitting head gears



by Honeywell

Model No.	Mfg. No.	Description	Price /Each
SA0115	CA101	Respirator Delivers a Minimum of 6 CFM	1207.46
SA0116	CA101D	Compact Air™ with Decon Belt	1210.49
FOR PHARMACEUTICAL & LIGHT-DUTY INDUSTRIES			
SA0038	PA101S	Primair™ - Small	46.25
SA0039	PA101M	Primair™ - Medium	46.25
SA0040	PA101L	Primair™ - Large	46.25
REPLACEMENT HEADGEAR			
SA0041	PA102S	Small	24.97
SA0042	PA102M	Medium	24.97
SA0043	PA102L	Large	24.97

SA0038



SA0046



Model No.	Mfg. No.	Description	Price /Each
FOR ENVIRONMENTS NEEDING FULL HEAD & SHOULDER COVERAGE			
SA0046	PA111	Primair Plus™ Headgear	63.50
ACCESSORIES			
SA0044	PA104	Sweatband for Primair™ Headgear	17.02
SA0045	PA105	Peel-Off Cover Lens	23.97
SA0048	PA121	Primair Plus™ Assembly w/Saranex® Headgear	74.00
SA0049	PA122	Primair Plus™ Replacement Saranex® Hood	49.32



by Honeywell

CARTRIDGES & FILTERS

	Model No.	Mfg. No.	Description	Price /Each
	SA0119	40HE	HEPA Filter	47.95
	SA0120	4001	Organic Vapour Cartridge	74.45
	SA0121	4003	Organic Vapour, Acid Gas Cartridge	95.74
	SA0122	4004	Ammonia/Methylamine Cartridge	74.45
	SA0123	4001HE	Organic Vapour Cartridge & HEPA Filter	91.57
	SA0124	4003HE	Organic Vapour, Acid Gas Cartridge & HEPA Filter	111.89
	SA0125	4004HE	Ammonia/Methylamine Cartridge & HEPA Filter	91.57

RT9659E

NORTH® AMBIENT AIR PUMPS

FOR CONTINUOUS FLOW RESPIRATORS

The North® ambient air pump can be used with continuous flow hoods and tight fitting facepieces. Available in 3/4 HP motors, these rotary vane oilless pumps are rugged, standing up to tough environments. The pumps features a carrying handle for easy transportability. Pumps are available separately or as part of a pump package.

The APPA kit includes: One portable ambient air pump, one full facepiece, one interchangeable breathing tube, one 50' air hose #888050, one 1/2" Hansen quick connect.

The APPB kit includes: One portable ambient air pump, one airline complete with Tyvek® hood, one 50' air hose, one 1/2" Hansen quick connect.

The APPC kit includes: One portable ambient air pump, one half mask, one interchangeable breathing tube, one 50' air hose, one 1/2" Hansen quick connect.



by Honeywell

COMPLETE KITS

Model No.	Mfg. No.	Description	Price /Each
SAI411	APPA	w/Full Facepiece	2103.12
SAI412	APPB	w/Tyvek® Hood	2002.97
SAI413	APPC	w/Half Mask	2083.09

HEADGEAR

Model No.	Mfg. No.	Description	Price /Each
SAI414	85301T	Tyvek® Hood, Harness, Tube and Belt	229.01
ZC352	770030S	Small Half Mask	25.23
SM802	770030M	Medium Half Mask	25.23
SA788	770030L	Large Half Mask	25.23
SAH791	54001	Med/Large Full Facepiece	104.14
SAH792	54001S	Small Full Facepiece	104.14

REPLACEMENT PARTS

Model No.	Mfg. No.	Description	Price /Each
SAI415	888050	Air Hose Assembly 50'	322.02
SAI416	88800H	Quick Connect Assembly 1/2" I.D. Coupler	121.72
SAI417	CF2007	Interchangeable Breathing Tube	210.16
SAK090	86610	Ambient Air Pump 3/4 HP	1113.16



SAK090 Pump



SAI417 Airline



SAI416 Coupler



SAI415 Hose



ZC352 Respirator



SAI414 Hood

PORTABLE AIR FILTRATION PANELS

BE SURE THAT THE AIR YOU ARE BREATHING IS CLEAN!

- Portable filtration panel
- Lightweight and portable equipment
- Equipped with carbon monoxide detector, includes an audible and visible alarm
- Fully completes the airline products
- Meets the CSA Z180.1-00 standard

Potential Applications: Painting, confined space, abatement (Asbestos), cleaning, maintenance, sandblasting, construction, municipal, chemical products and climatization.



by Honeywell

Model No.	Mfg. No.	Price /Each
SAR384	RPF60C	3108.09



RESPIRATORY PROTECTION

ULTRA SWIPES

- Disposable cloths clean, disinfect and deodorize hard surfaces and instruments
- Ethanol formulation provides hospital-level disinfection to destroy a wide range of pathogens, including HIV-1 (AIDS) and TB in just 1 minute
- 160 sheets per canister

Model No. JA984
Price/Each \$20.13



3M™ RESPIRATOR CLEANING WIPES

Used to clean 3M™ elastomeric facepiece respirators. 8" x 10" towelettes are alcohol-free and will not damage the facepiece materials. Individually packaged. 100/box.

Priced per Box.

Model No. SAI530
Mfg. No. 504
Price/Each \$46.25



RESPIRATORS & PPE CLEANING TOWELETTES

- For rubber or latex face and mouth pieces, respirators, etc.
- Alcohol-free
- Avoids "drying-out" associated with alcohol based cleaners
- 5" x 8" individually wrapped towelettes
- 100 towelettes per dispenser

Model No. SEE383
Price/Each \$9.00



3M™ FIT TESTING DEVICES

- Meets the performance criteria for fit testing respirators under the current OSHA Standard for Respirator Protection and Canadian Standard Association Standard Z94-4
- A fast, easy method for performing qualitative fit testing
- Can be used with any particulate respirator or any gas and vapour respirator with a particulate filter
- Helps satisfy respiratory program requirements
- Can be used during respirator training programs
- Convenient, reliable, and economical to use
- Determines employee's taste threshold to fit test solution
- Allows exercises to be performed in a test atmosphere
- 1/Case

QUALITATIVE FIT TEST KIT WITH SWEET TESTING SOLUTION

Model No. SAK078
Mfg. No. FT-10
Price/Each \$359.73

FT-30 QUALITATIVE FIT TEST KIT WITH BITTER TESTING SOLUTION

Model No. SAK085
Mfg. No. FT-30
Price/Each \$359.73



GAS DETECTION

GASALERTCLIP EXTREME SINGLE GAS DETECTORS

- Offers continuous, reliable detection for a single gas
- Available in 2 or 3-year versions
- LCD displays life remaining in months, days, and hours
- Rugged and durable water resistant design with built-in concussion-proof boot
- Features daily self test reminder and automatic event logging
- Requires no calibration, sensor replacement, battery replacement, or battery charging
- Compatible with the *MicroDock II* automatic test system
- Minimal training requirements and negligible maintenance costs make this one of the most cost-effective PPE solutions for facility workers and on-site contractors



Model No.	Mfg. No.	Description	Operating Life (Years)	Alarm Set Points Low/High	Price /Each
HX852	GA24XT-H	Hydrogen Sulfide (H ₂ S)	2	10 ppm/15 ppm	245.00
HX853	GA24XT-H510	Hydrogen Sulfide (H ₂ S)	2	5 ppm/10 ppm	245.00
HX854	GA24XT-M	Carbon Monoxide (CO)	2	35 ppm/200 ppm	245.00
HX855	GA24XT-M30200	Carbon Monoxide (CO)	2	30 ppm/200 ppm	245.00
HX856	GA24XT-M50200	Carbon Monoxide (CO)	2	50 ppm/200 ppm	245.00
HX857	GA24XT-S	Sulfur Dioxide (SO ₂)	2	5 ppm/10 ppm	505.00
HX858	GA24XT-X	Oxygen (O ₂)	2	19.5%/23.5%	245.00
HX859	GA36XT-H	Hydrogen Sulfide (H ₂ S)	3	10 ppm/15 ppm	370.00
HX860	GA36XT-H510	Hydrogen Sulfide (H ₂ S)	3	5 ppm/10 ppm	370.00
HX861	GA36XT-M	Carbon Monoxide (CO)	3	35 ppm/200 ppm	370.00
HX862	GA36XT-M30200	Carbon Monoxide (CO)	3	30 ppm/200 ppm	370.00
HX863	GA36XT-M50200	Carbon Monoxide (CO)	3	50 ppm/200 ppm	370.00



HX854



HX859

GASALERTEXTREME SINGLE GAS DETECTORS

- Reliable monitoring for any single gas hazard within its wide range of available toxic gas models
- Offers extended longevity with a 2-year field-replaceable battery and sensor
- Rugged and durable water resistant design with built-in concussion-proof boot
- Features a simple, automatic calibration procedure
- Compatible with the *MicroDock II* automatic test and calibration system
- Offers a wide range of user options, multi-language display and data logging functionality
- User settings are tamper-proof with passcode protection
- Ready for use with sensor(s), field replaceable battery, stainless steel alligator clip, calibration/test cap and hose, instructions, and quick reference card



Model No.	Mfg. No.	Description	Housing	Measuring Range	Price /Each
HX864	GAXT-H-DL	Hydrogen Sulfide (H ₂ S)	Yellow	0-100 ppm	365.00
HX865	GAXT-H-2-DL	Hydrogen Sulfide (H ₂ S), Extended Range	Yellow	0-500 ppm	395.00
HX866	GAXT-M-DL	Carbon Monoxide (CO)	Yellow	0-1000 ppm	365.00
HX867	GAXT-M2-DL	Carbon Monoxide (CO), H ₂ Resistant	Yellow	0-1000 ppm	495.00
HX868	GAXT-X-DL-2	Oxygen (O ₂)	Yellow	0-30.0%	365.00
HX869	GAXT-S-DL	Sulfur Dioxide (SO ₂)	Yellow	0-100 ppm	495.00
HX870	GAXT-C-DL	Chlorine (Cl ₂)	Yellow	0-50.0 ppm	495.00
HX871	GAXT-Z-DL	Hydrogen Cyanide (HCN)	Yellow	0-30.0 ppm	495.00
HX872	GAXT-D-DL	Nitrogen Dioxide (NO ₂)	Yellow	0-99.9 ppm	495.00
HX873	GAXT-A-DL	Ammonia (NH ₃)	Yellow	0-100 ppm	595.00
HX874	GAXT-A2-DL	Ammonia (NH ₃), Extended Range	Yellow	0-400 ppm	595.00
HX875	GAXT-P-DL	Phosphine (PH ₃)	Yellow	0-5.0 ppm	495.00
HX876	GAXT-G-DL	Ozone (O ₃)	Yellow	0-1 ppm	845.00
HX877	GAXT-E-DL	Ethylene Oxide (ETO)	Yellow	0-100 ppm	675.00
HX878	GAXT-N-DL	Nitric Oxide (NO)	Yellow	0-250 ppm	495.00
HX879	GAXT-V-DL	Chlorine Dioxide (ClO ₂)	Yellow	0-1 ppm	495.00

Note: Also available in black housing



HX864



GASALERTMICROCLIP XT MULTI-GAS DETECTORS

- Slim and compact multi-gas detector is lightweight and comfortable to wear
- Provides affordable protection from up to four hazards, including H₂S, CO, O₂, and combustibles
- Rugged and durable water resistant design with built-in concussion-proof boot
- Features *IntelliFlash*, a green LED that continuously flashes to provide visual confirmation of detector operation and compliance
- Simple one-button operation offers ultimate ease of use and significantly reduces time spent training the user
- 16 hours of standard data logging and event logging up to 10 events
- Calibration is required only two times per year with a simple one-button automatic procedure
- Powered by a lithium polymer battery, this unit recharges in less than four hours
- Fully compatible with the *MicroDock II* automatic test and calibration system

Model No.	Mfg. No.	Description	Price/Each
HX913	MC2-XWHM-Y-NA	Gas Detector	615.00
HX914	MC-CK-CC	Carrying Case with Foam and Lid Insert	175.00
CONFINED SPACE KITS			
HX915	MC-CK-DL	Deluxe Kit Includes: Manual Aspirator Kit, IR Connectivity Kit, Calibration Cap, Regulator, Sampling Probe, Leather Carrying Case, and Auxiliary Filter (Detector, Calibration Gas and Motorized Sampling Pump Sold Separately)	525.00
POWER OPTIONS AND SPARES			
HX916	MC2-C01-MC5	Five Unit Cradle Charger	270.00
HX905	GA-PA-1-MC5	Five Unit Power Adaptor	100.00
HX906	GA-VPA-1	12-24 VDC Vehicle Power Adaptor	35.00
HX907	GA-PA-3	12-24 VDC Direct-Wire Power Adaptor	42.00
DATALOGGING ACCESSORIES			
HX908	GA-USB1-IR	IR Connectivity Kit	80.00
MICRODOCK II DOCKING OPTIONS			
HX917	DOCK2-2-1C1P-00-G	Base Station and <i>GasAlertMicroClip XT</i> Docking Module with Charging Cable	2065.00
HX918	DOCK2-2-1P-00-G	Base Station and <i>GasAlertMicroClip XT</i> Docking Module	1995.00
HX919	DOCK2-0-1C1P-00-G	<i>GasAlertMicroClip XT</i> Docking Module with Charging Cable	770.00
HX920	DOCK2-0-1P-00-G	<i>GasAlertMicroClip XT</i> Docking Module	700.00
SAMPLING EQUIPMENT			
HX921	GA-SPAK	Motorized Sampling Pump Kit	395.00



HX913

BW
Technologies
by Honeywell



HX921

GASALERTQUATTRO MULTI-GAS DETECTORS

- Combines a comprehensive range of features with a simple one-button operation
- Detects up to four hazards, including H₂S, CO, O₂, and combustibles
- Rugged design keeps it working in the most extreme weather environments and work conditions
- Interchangeable power options with extended battery run times help to minimize overall fleet costs
- The graphic LCD displays easy to identify icons that indicate operational information, such as bump test and calibration status for simplified onsite auditing
- Features *IntelliFlash*, a green LED that continuously flashes to provide visual confirmation of detector operation and compliance
- Fully compatible with the *MicroDock II* automatic test and calibration system
- Suited to a wide range of industrial applications

Model No.	Mfg. No.	Description	Price/Each
HX897	QT-XWHM-A-Y-NA	%LEL, O ₂ , H ₂ S, CO, Alkaline Batteries	695.00
HX898	QT-XWHM-R-Y-NA	%LEL, O ₂ , H ₂ S, CO, Rechargeable Batteries	755.00
HX899	QT-CK-CC	Carrying Case with Foam Insert	195.00
CONFINED SPACE KITS			
HX900	QT-XWHM-R-Y-NA-CS	Standard Kit Includes: HX898, Manual Aspirator Kit, IR Connectivity Kit, Calibration Cap with 0.3 m Hose, 0.5 LPM Regulator, Sampling Probe, Calibration Gas (2.5% CH ₄ , 18% O ₂ , 25 ppm H ₂ S, 100 ppm CO), and Rechargeable Battery Pack	1345.00
HX901	QT-CK-DL	Deluxe Kit Includes: Manual Aspirator Kit, IR Connectivity Kit, Calibration Cap, Regulator, Sampling Probe, Carrying Holster and Auxiliary Filter (Detector and Calibration Gas Sold Separately)	625.00
POWER OPTIONS AND SPARES			
HX902	QT-BAT-R01	Rechargeable Battery Pack	95.00
HX903	QT-BAT-A01	Alkaline Battery Pack with Batteries	50.00
HX904	QT-C01-MC5	Five Unit Cradle Charger	225.00
HX905	GA-PA-1-MC5	Five Unit Power Adaptor	100.00
HX906	GA-VPA-1	12-24 VDC Vehicle Power Adaptor	35.00
HX907	GA-PA-3	12-24 VDC Direct-Wire Power Adaptor	42.00
DATALOGGING ACCESSORIES			
HX908	GA-USB1-IR	IR Connectivity Kit	80.00
MICRODOCK II DOCKING OPTIONS			
HX909	DOCK2-2-1C1N-00-G	Base Station and <i>GasAlertQuattro</i> Docking Module with Charging Cable	2065.00
HX910	DOCK2-2-1N-00-G	Base Station and <i>GasAlertQuattro</i> Docking Module	1995.00
HX911	DOCK2-0-1C1N-00-G	<i>GasAlertQuattro</i> Docking Module with Charging Cable	770.00
HX912	DOCK2-0-1N-00-G	<i>GasAlertQuattro</i> Docking Module	700.00



HX897

BW
Technologies
by Honeywell



HX900



MicroDock II 6

MicroDock II shown with assorted BW Technologies docking modules

GAS DETECTION

GASALERTMAX XT II MULTI-GAS DETECTORS

- Reliably monitors up to four hazards, including H₂S, CO, O₂, and combustibles
- Straightforward one-button operation
- Robust motorized *SmartSample* pump for intelligent remote sampling, ideal for confined spaces
- Reliable pump block detection; water and other liquids are prevented from being drawn into the pump
- Calibration is required only two times per year with a simple one-button automatic procedure
- Tamper-proof adjustable options can be customized to suit any application
- Built-in rechargeable lithium battery
- Rugged and durable water resistant design with built-in concussion-proof boot
- Standard data logging and event logging
- Fully compatible with the *MicroDock II* automatic test and calibration system



Model No.	Mfg. No.	Description	Price/Each
HX922	XT-XWHM-Y-NA	Gas Detector	895.00
HX923	XT-CK-CC	Carrying Case with Foam Insert	175.00
CONFINED SPACE KITS			
HX924	XT-XWHM-Y-NA-CS	Standard Kit Includes: HX922, IR Connectivity Kit, Regulator, Sampling Probe and Calibration Gas (2.5% CH ₄ , 18% O ₂ , 25 ppm H ₂ S, 100 ppm CO)	1405.00
HX925	XT-CK-DL	Deluxe Kit Includes: IR Connectivity Kit, Regulator, 10'/3 m Hose, Sampling Probe, Auxiliary Filter and Fleet Manager II Software CD (Detector and Calibration Gas Sold Separately)	495.00
POWER OPTIONS AND SPARES			
HX926	XT-C01-MC5	Five Unit Cradle Charger	270.00
HX905	GA-PA-1-MC5	Five Unit Power Adaptor	100.00
HX906	GA-VPA-1	12-24 VDC Vehicle Power Adaptor	35.00
HX907	GA-PA-3	12-24 VDC Direct-Wire Power Adaptor	42.00
DATALOGGING ACCESSORIES			
HX908	GA-USB1-IR	IR Connectivity Kit with Fleet Manager II Software	80.00
MICRODOCK II DOCKING OPTIONS			
HX927	DOCK2-2-1C1M-00-G	Base Station and <i>GasAlertMax XT II</i> Docking Module with Charging Cable	2065.00
HX928	DOCK2-2-1M-00-G	Base Station and <i>GasAlertMax XT II</i> Docking Module	1995.00
HX929	DOCK2-0-1C1M-00-G	<i>GasAlertMax XT II</i> Docking Module with Charging Cable	770.00
HX930	DOCK2-0-1M-00-G	<i>GasAlertMax XT II</i> Docking Module	700.00



HX922



HX924

GASALERTMICRO 5 SERIES MULTI-GAS DETECTORS

- Simultaneously monitors and displays up to five potential atmospheric hazards (%LEL, H₂S, CO, O₂, SO₂, PH₃, NH₃, NO₂, HCN, Cl₂, ClO₂, VOC's PID), and CO₂ (IR))
- Rugged and durable water resistant design with built-in concussion-proof boot
- Rapidly switch from diffusion to pump mode
- Full-function self test
- Simple, automatic calibration procedure
- Use the passcode protect function to prevent unauthorized modifications
- GasAlertMicro 5* PID model also identifies PID detectable VOC's
- GasAlertMicro 5* IR model uses an NDIR sensor to monitor CO₂ levels
- Includes: Detector, sensor(s) (as specified), sensor compartment cover for diffusion operation, calibration adaptor and hose, three AA batteries, quick reference guide and technical documentation CD



Model No.	Mfg. No.	Description	Batteries	Price /Each
HX931	M5-XWSY-R-D-D-Y-N-00	Standard Detector - %LEL, O ₂ , H ₂ S, CO, SO ₂	Lithium Polymer	1945.00
HX932	M5PID-XWQY-A-P-D-Y-N-00	PID Detector - VOCs, %LEL, O ₂ , H ₂ S, CO - Pump	Alkaline	2380.00
HX933	M5IR-XWBY-R-D-D-Y-N-00	IR Detector - CO ₂ (IR), %LEL, O ₂ , H ₂ S, CO Battery	Lithium Polymer	2690.00
HX934	M5-CK-CC	Carrying Case with Foam Insert	-	175.00
CONFINED SPACE KITS				
HX935	M5-CK-DL	Deluxe Kit Includes: Regulator, 10'/3 m Hose, Sampling Probe, Calibration Cap, Manual Aspirator Pump and Auxiliary Filter (Detector and Calibration Gas Sold Separately)	-	360.00
DATALOGGING ACCESSORIES AND OPTIONS				
HX936	M5-MMC	MultiMedia Card	-	38.00
HX937	CR-MMC-USB1	USB Memory Card Reader	-	85.00
POWER ACCESSORIES, OPTIONS AND SPARES				
HX938	M5-BAT0501	Alkaline Battery Pack	-	85.00
HX939	M5-BAT08	Lithium Polymer Rechargeable Battery Pack	-	150.00
MICRODOCK II DOCKING OPTIONS				
HX941	DOCK2-2-1C1K-00-G	Base Station and Docking Module with Charging Cable	-	2275.00
HX942	DOCK2-2-1J-00-G	Base Station and Docking Module	-	2065.00
HX943	DOCK2-0-1K-00-G	Docking Module (Charging), No Charging Cable	-	910.00
HX944	DOCK2-0-1J-00-G	Docking Module (Non-Charging)	-	770.00
SAMPLING EQUIPMENT				
HX946	GA-AS02	Manual Aspirator Pump Kit with Probe 0.3 m	-	120.00



HX931



MicroDock II 6

MicroDock II shown with assorted BW Technologies docking modules

PRICING

The prices shown in this catalogue are for "REFERENCE AND BUDGET PURPOSES ONLY" as of July 2012, and should be used exclusively as a guideline.

Freight charges and applicable taxes (GST, PST & HST) are extra.

In the event of a pricing or typographical error, we reserve the right to charge the correct price without prior notice.

We also reserve the right to modify prices based on changing manufacturer and economic conditions.

SPECIAL ORDERS

This catalogue represents only a portion of the products that are available to you. If you can't find what you need, please call us!



RMP-ECO® cleaning products are the Green solution to industrial cleaning.
All RMP-ECO® products are EcoLogo^M certified. RMP-ECO® is safe for you and the environment.



GAS DETECTION

TOXIPro™ SINGLE GAS MONITORS

- Compact and rugged
- IP65/IP67 rated protection against water and dust ingress
- Over-molded boot
- Large backlit display
- Top and front mounted bright LED alarm light
- One-button operation
- Optional built-in vibrating alarm
- Loud alarm
- Exceeds IEC 6100-4-3 for level 3 RFI immunity specifications

Honeywell

Model No.	Mfg. No.	Description	Price /Each
HX667	54-45-90	O ₂	340.14
HX668	54-45-01	CO	355.00
HX669	54-45-02	H ₂ S	355.00
HX670	54-45-03	SO ₂	519.87



HX667

MULTIPro™ MULTI-GAS DETECTORS

- This compact and ruggedly constructed multi-gas detector is packed with features
- One-button operation and calibration
- Audible and visual alarm
- Real time reading
- Easy-to-read front-mounted backlit display
- Over-molded boot
- Optional slip-on sampling pump

Honeywell

Model No.	Mfg. No.	Description	Price /Each
HX665	54-48-314A	MultiPro™ Multi-Gas Detector, 4-Gas Basic, Alkaline Battery	842.12
HX666	54-49-102	Sample Pump, Continuous, w/10' Tubing, for MultiPro™ Gas Detector	438.17



HX665

IQ EXPRESS DOCKING STATIONS

- Automatic calibration station and data download centre for MultiPro™ and ToxiPro™ gas detector
- Just drop the detector into the dock and the MultiPro™ IQ Express does the rest
- Performs up to eight critical tests every time an instrument is placed in the dock
- Automatic instrument identification
- Automatic Ready/Fault indication
- If an instrument fails the bump test, the MultiPro™ IQ Express will automatically initiate a full span calibration without further intervention from the user
- Docks can operate as independent calibration stations
- Corresponding docks can be connected to a PC via USB



HX675



HX677

Honeywell

Model No.	Mfg. No.	Description	Price /Each
HX677	54-49-9000	MultiPro™ Docking Station	1329.36
HX675	54-46-9000	ToxiPro™/LTD™ IQ Docking Station	883.77
HX676	54-46-9100	ToxiPro™/LTD™ IQ Docking Station Enhanced Version for CL ₂ , NO ₂ , NH ₃ , HCN, PH ₃	1032.30

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
HX678	12-030	Regulator 1 LPM With On/Off Knob	315.35
HX679	12-039	Demand Flow Regulator 0-3 LPM	630.68
HX680	54-9049E	Calibration 4-Gas Cylinder LEL, O ₂ , CO, H ₂ S	258.24
HX681	54-9033	Calibration Gas Cylinder CO	270.78
HX682	54-9034	Calibration Gas Cylinder H ₂ S	323.92



HX680

HX679

ALTAIR® MAINTENANCE-FREE SINGLE-GAS DETECTORS

- Factory-calibrated detector with warranted two-year service life (1080 alarm minutes)
- Sensor options for CO, H₂S, and O₂
- Maintenance-free; no sensor or battery change necessary
- Easy bump check and built-in calibration feature
- Event recorder stores last 25 events automatically in instrument memory
- MSA Link™ software-ready
- High capacity battery
- Rated to IP67 for dust and water ingress
- Weight: 4 oz.



Model No.	Mfg. No.	Description	Price /Each
SA0781	10092522	CO	325.00
HX989	10092521	H ₂ S	325.00
HX990	10092523	O ₂	325.00



HX989

ALTAIR® 4X MULTIGAS DETECTORS

- Dependable multigas detector for LEL, CO, H₂S and O₂
- Large buttons and bright display enable quick and easy operation, even when wearing gloves
- Withstands extreme impacts with rugged polycarbonate housing
- Laser-welded sensor housings eliminate opportunities for leaks
- End-of-sensor-life warning gives advance notice to user, reducing service outages
- If a user becomes disabled due to unforeseen hazards, MotionAlert feature will activate after 30 seconds
- InstantAlert feature enables users to manually alert others of a potentially hazardous situation with the push of a button
- MSA Link™ software-ready
- Full three-year warranty supports the entire instrument, including the sensors and battery
- Lithium-polymer battery charges in less than 4 hours
- Rated to IP67 for dust and water ingress
- Weight: 7.9 oz.

Model No. HX991
Mfg. No. 10107602
Price/Each \$1175.00



ALTAIR® 5X MULTIGAS DETECTORS

- Dependable multigas detector for LEL, CO, H₂S, O₂, and SO₂
- Can be customer configured for up to 6 gases
- Large buttons and bright display enable quick and easy operation, even when wearing gloves
- Withstands extreme impacts with rugged polycarbonate housing
- End-of-sensor-life warning gives advance notice to user, reducing service outages
- If a user becomes disabled due to unforeseen hazards, MotionAlert feature will activate after 30 seconds
- InstantAlert feature enables users to manually alert others of a potentially hazardous situation with the push of a button
- Integral pump, 10' sampling line, and 1' probe for confined space applications
- MSA Link™ software-ready
- Rechargeable lithium-ion battery
- Rated to IP65 for dust and water ingress
- Weight: 1 lb



Model No.	Mfg. No.	Description	Price /Each
HY008	10115141	Monochrome Display	3300.00
HY009	10115143	Colour Display	3700.00



HY008



HY009

GAS DETECTION

KWIK-DRAW® DETECTOR TUBE PUMPS

- Kwik-Draw® pumps can be used with an assortment of detector tubes
- Used for spot-testing atmospheres for toxic substances
- One-hand operation
- Consistent delivery of a sample draw volume of 100 ml



Model No.	Mfg. No.	Description	Price/Each
HX590	488543	Kwik-Draw® Basic Pump with Remote Sampling Adapter and Carrying Pouch	745.67
HX591	487500	Kwik-Draw® Deluxe Pump with Remote Sampling Adapter, Carrying Pouch and End-of-Stroke Indicator	831.49

ACCESSORIES

HX592	73067	Sampling Line, 10 ft	77.38
HX594	73069	Sampling Line, 50 ft	412.23
HX595	87970	Remote Sampling Adapter, required for Sampling Lines	15.48
HX599	813929	Detector Tube Handbook	39.39

DETECTOR TUBES

- All sets are sold in packages of 10 tubes
- Detector tubes for other gases/vapours are available upon request
- Contact us with the details on the substance you need to measure



Model No.	Mfg. No.	Substance Measured	Detector Tube Applicable	Measuring Range (ppm)	Threshold Limit Value 1198 ACGIH (ppm)	Price /Each
HX611	497649	Acetaldehyde	Formaldehyde-0.1	5-50	25 (ceiling)	139.29
HX612	804405	Ammonia	NH ₃ -2	2-500	25	143.51
HX613	800300	Ammonia	NH ₃ -20	20-1000	25	125.22
HX614	804589	n-Butyl Mercaptan	Ethylmercaptan-0.5	1.5-15	0.5	139.29
HX614	804589	t-Butyl Mercaptan	Ethylmercaptan-0.5	0.8-5	-	139.29
HX615	497606	Carbon Dioxide	CO ₂ -100	100-3000	5000	139.29
HX616	487333	Carbon Dioxide	CO ₂ -0.1%	0.1-70 Vol.-%	5000	125.22
HX617	803943	Carbon Monoxide	CO-5	5-1000	25	125.22
HX618	487334	Carbon Monoxide	CO-10	10-3000	25	125.22
HX619	487335	Carbon Monoxide	CO-0.3%	0.3-7.0 Vol.-%	25	125.22
HX620	804133	Chlorine	ClO ₂ -0.05	1-46	0.5	143.51
HX620	804133	Chlorine Dioxide	ClO ₂ -0.05	0.05-15	0.1	143.51
HX614	804589	Ethyl Mercaptan	Ethylmercaptan-0.5	0.5-80	0.5	139.29
HX621	492870	Gasoline	Gasoline-30	300	300	125.22
HX622	803945	Hydrogen Cyanide	HCN-2	2-50	4.7 (ceiling)	161.80
HX623	804142	Hydrogen Fluoride	HF-1	1-50	3 (ceiling)	143.51
HX624	487339	Hydrogen Sulfide	H ₂ S-1	1-200	10	144.27
HX625	487340	Hydrogen Sulfide	H ₂ S-100	100-4000	-	125.22
HX614	804589	Isopropyl Mercaptan	Ethylmercaptan-0.5	0.5-5.5	-	139.29
HX614	804589	Methyl Mercaptan	Ethylmercaptan-0.5	0.5-5	0.5	139.29
HX626	804140	Ozone	Ozone-0.05	0.05-5	0.05 (ceiling)	139.29
HX614	804589	n-Propyl Mercaptan	Ethylmercaptan-0.5	0.7-8.0	-	139.29
HX627	804135	Styrene	Styrene-10	10-300	20	139.29
HX628	487338	Sulfur Dioxide	SO ₂ -1	0.5-25	2	139.29
HX629	497662	Sulfur Dioxide	SO ₂ -5	5-120	2	139.29

Call us for all your
Safety Equipment
& Supplies
requirements!



CARBON MONOXIDE METERS

- Measures levels from 0 to 1000 ppm
- Audible signal is triggered more frequently as CO levels rise
- Responds very quickly to ambient changes in carbon monoxide concentration without the use of a pump
- Perfect for professionals who need to measure CO levels where the accumulation of combustion gas is possible

Model No. IA002
Mfg. No. CO-220
Price/Each \$434.00

FLUKE



CARBON MONOXIDE METERS

- Highly accurate with fast response time
- Measuring range from 1 to 1000 ppm with a 1 ppm resolution
- ±5% or ±10 ppm basic accuracy (whichever is greater)
- Max, Data hold and Auto shut off
- Utilizes a stabilized electrochemical gas specific fast response sensor
- Audible alarm starts at 35 ppm
- Backlight LCD display
- Dimensions/Weight: 160 x 56 x 40 mm / 180 g
- Includes: 9 V battery and carrying case

Model No. HX361
Mfg. No. CO-180
Price/Each \$220.00

REED



FLAMMABLE GAS LEAK DETECTORS

- Detectable gases: Natural gas and propane/butane
- Conforms to National and European guidelines
- Optimal operating temperature/humidity: -10 to 50°C, 95% RH or lower
- Operates for 4 hours on two 1.5 V "AAA" batteries
- Dimensions/Weight: 164 x 21 mm / 25 g

REED



Model No. HX362
Mfg. No. GD3000
Price/Each \$69.00

COMBUSTIBLE GAS DETECTORS

- Following is a partial list of the more common gases detected: natural gas; propane; butane; methane; acetone; alcohol; ammonia; steam; carbon monoxide; gasoline; jet fuel; hydrogen sulfide; smoke; industrial solvents; lacquer thinner; naphtha
- Audible and visible alarms
- Low power semi-conductor sensor
- Includes: Soft carrying case and batteries

Sensitivity: 50 ppm methane
Warm-up Time: Approx. 5 minutes
Response Time: < 2 seconds
Alarm Limit: At 10% LEL for methane
Power Supply: 3 x "C" batteries
Battery Life: 8 hours of continuous use
Probe Length: 16"

Model No. IA394
Mfg. No. GD-3300
Price/Each \$129.00

REED



COMBUSTIBLE GAS DETECTORS

- Sensitivity thumbwheel aids in pinpointing leak location
- Sensitivity: 10 ppm useable sensitivity (methane)
- Audible alarm: variable speed ticking sound
- Visual alarm: 10 ultra-bright LED's
- Patented solid state plug-in sensor (5-year typical life)
- 20" flexible probe for hard-to-reach locations
- Operational status LEDs in English and international symbols
- 30-hour battery life with easily replaced "C" cells
- Warm-up time: Automatic, self-check, 10 sec. to operational condition
- Safety ratings: Intrinsically safe for use in Class I, Div. 1, Groups A, B, C and D, UL listed, CE Mark

Model No. HM816
Mfg. No. 19-7083
Price/Each \$336.00

BACHARACH
 The Measurement Difference



SMOKE PUFFERS

- Convenient and widely used smoke source
- Simply squeeze the rubber bulb handle for discrete puffs or a continuous stream
- Each smoke tube produces 250 to 500 puffs of unused smoke
- Preserve by capping with a breech plug
- Sealed glass smoke tubes can be stored indefinitely
- Supplied in a convenient carrying case



Model No.	Mfg. No.	Description	Price/Each
HF586	9020186	Smoke Puffer w/ 10 Smoke Tubes	219.00
HF587	9020187	Spare Smoke Tubes, pkg. of 10	119.00

AIR QUALITY METERS

- Measures CO₂, CO, O₂, humidity and temperature
- Non-dispersive infrared CO₂ sensor
- Galvanic cell CO and O₂ sensors
- Precision capacitance humidity sensor
- Records readings from three probes simultaneously
- Audible alarm setpoint
- Temperature is measured in °C or °F
- Easy to read LCD with backlight
- Data hold and Max/Min record
- Real time data logger with integral 2GB SD memory card (optional)
- RS-232 and USB computer interface
- Auto or manual power off
- Includes: Humidity probe, CO probe, CO₂ probe, O₂ probe, and hard carrying case

REED



CO₂ Range: 0 to 4000 ppm
Resolution: 1 ppm
Accuracy: ±40 ppm (<1000 ppm), ±5% (>1000 ppm)
CO Range: 0 to 1000 ppm
Resolution: 1 ppm
Accuracy: ±(5% + 2 ppm)
O₂ Range: 0 - 30% O₂
Resolution: 0.1% O₂
Accuracy: ±(1% + 0.2% O₂)
Alarm Threshold: <18.0% O₂
Humidity Range: 5 to 95% RH
Resolution: 0.1% RH
Accuracy: >70%RH: ±(3% rdg + 1%RH); <70%RH: ±3%RH

Temperature Range: 0 to 50.0°C (32 to 122.0°F)
Resolution: 0.1°C/°F
Accuracy: ±0.8°C (±1.5°F)
Dew Point Temp. Range: -25.3 to 48.9°C (-13.5 to 120.1°F)
Wet Bulb Temp. Range: -21.6 to 50°C (-6.9 to 122.1°F)
Power Supply: 6 x 1.5V UM3/AA batteries
Dimensions: 177 x 68 x 45 mm; RH Probe: 197 mm L;
CO & O₂ Probe: 150 x 38 x 38 mm; CO₂ Probe: 190 x 38 x 28 mm
Weight: 350 g

Model No. IA800 Mfg. No. SD-9901
Price/Each \$995.00

"AIR BAG" BLOWER SYSTEMS

- 8" and 12" blower system with 15' duct built into a heavy duty bag
- Zippered ends allow blower use without removing from bag
- Super quiet, lightweight
- Polypropylene nine blade fan
- Carry handle with moulded-in 2-speed switch
- Steel/powder coated housing and grills
- Unique bag with openings for plug/cord, inlet outlet
- Both carrying handle and shoulder strap allows for easy transportation

MOTOR:

HP: 1/4 HP (8"), 1/2 HP (12"), 115 V AC, single phase
Max RPM: 3300 (loaded at 120 Volts, 60 Hz, and 1.4 A)
Cord: 20' AWG
Switch: 2-speed on/off switch
Plug: NEMA 5-15 P 125 V

DUCTING:

- Single-ply lightweight vinyl/polyester, PVC coated 150°F temp resistant
- Non-collapsible retractable design
- Yellow with black wear-strip and integrated nylon attachment strap on one end



8"

Model No. EA380
Mfg. No. 9535-08
 • Weight: 25 lbs.
 • Dimensions: 27" L x 15" W x 12" H
 • Flow rate: 700 CFM
Price/Each \$630.47

12"

Model No. EA381
Mfg. No. 9535-12
 • Weight: 35 lbs.
 • Dimensions: 28" L x 16" W x 14" H
 • Flow rate: 1800 CFM
Price/Each \$883.67

AXIAL BLOWERS

- **Standard:** Intended for ventilating large confined spaces, the 16" offers a durable housing that holds a 6 blade impeller, while the 20" has a 3 blade impeller and comes with 16 gauge steel housing
- **High Output:** For maximum output applications, the 16" offers a 2 HP motor and 3 blade impeller, while the 20" also has a 2 HP motor but comes with a 4 blade impeller
- **Explosion Proof:** Offers an explosion proof single phase motor and NEMA rated 115 V plug, meets Class I, Divisions 1 and 2, Groups C & D, Class II Divisions 1 & 2, Groups F & G, must be used with statically conductive ducting for true explosion proofing



Model No.	Mfg. No.	Description	Size"	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. lbs.	Price /Each
STANDARD								
BB144	9515	1/2 HP, 6.3 A/115 V	16	3400	2800	2300	47	1521.08
EA501	9525	1/2 HP, 6.3 A/115 V	20	3400	2800	2300	47	1922.10
HIGH OUTPUT								
BB146	9516	2 HP, 20 A/115, 230 V	16	5500	4950	4400	74	2565.98
EA502	9525-50	2 HP, 20 A/115, 230 V	20	5500	4950	4400	74	2830.48
EXPLOSION PROOF								
BB145	9515-01	1/2 HP, 6.3 A/115, 230 V	16	2900	1800	1750	67	2721.88
EA503	9525-01	1/2 HP, 6.3 A/115, 230 V	20	2900	1800	1750	67	3150.20



BB145

8" CENTRIFUGAL BLOWERS

- **Standard:** Designed with tough polyethylene housing, metal safeguards and a steel fan. 1/3HP motor, 6A/115V
- **High Output:** For large confined spaces, the high output blowers offer the same features as the standard with a 3/4 HP motor, 12 A/115 V, for higher CFM
- **Explosion Proof:** Offers an explosion proof single phase 3/4 HP motor and NEMA rated 115 V plug with explosion proof socket (included). ABS housing provides non-sparking safety. Meets Class I, Divisions 1 and 2, Group D, Class II Divisions 1 & 2, Groups F & G



Model No.	Mfg. No.	Description	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. lbs.	Price /Each
BB148	9504	Standard	1066	839	745	38	974.81
BB152	9504-50	High Output	1750	1100	900	45	1303.97
BB150	9503	Explosion Proof	1570	1100	900	76	2519.31



BB148

CONFINED SPACE ACCESSORIES

DUCTINGS

- Lightweight, retractable and designed for maximum air handling capabilities
- Built for dual direction flow with minimum friction loss
- The statically conductive ducting provides a safe positive means of discharging static buildup
- Vinyl and polyester materials
- Single-ply
- Temp resistant up to 150° F
- Retractable, non-collapsible design
- Class 1 hard drawn spring steel wire helix
- PVC coated (ducting), neoprene coated (statically conductive ducting)
- Rated to 100 000 OHMS or less per square inch (statically conductive ducting)
- Integrated with extended solid grounding wire at each end (statically conductive ducting)
- Meets ASTM 227 specs
- Meet requirements of UL-94-VO (statically conductive ducting)



Model No.	Diameter"	Length'	Price /Each
DUCTINGS			
BB163	8	6	117.03
BB164	8	15	229.27
BB166	8	25	302.63
BB168	16	15	596.09
BB170	16	25	901.78
STATICALLY CONDUCTIVE DUCTINGS			
BB165	8	15	307.21
BB167	8	25	468.13
BB169	16	15	1067.92
BB171	16	25	1784.76

Note: Other sizes available upon request

DUCT-TO-DUCT CONNECTORS

Allows safe connection of additional ducting to remote locations. These connectors are constructed of galvanised steel with a raised lip to hold ducting in place.

Model No. BB174 8" Diameter
Price/Each \$56.55

Model No. BB175 16" Diameter
Price/Each \$84.08



MVP MANHOLE VENTILATION PASS THRUS

- Designed to maintain and re-direct air flow with minimal restriction into manholes, sewers and tanks
- Innovative first manhole system that combines the low profile manhole air vent, 90° elbow and built-in mounting all into one easy assembly

MATERIAL

MVP:

- Linear Low Density Polyethylene (LLDPE)
- Recyclable
- Bright Yellow

Duct:

- Vinyl and polyester with PVC coating
- Compressible inner support coils
- Heat resistance up to 180°F

FEATURES

- Low profile elbow fits underneath the lower cross bar of the guardrail
- Manhole cover fits into flat channelled corners for stabilization
- Small storage bag holds ducting
- Quick release draw string to drop ducting into manhole
- Collapsible duct for easy entry springs back into shape once worker is down into the manhole
- Combines three components, the low profile manhole air vent, 90° elbow and built-in mounting all into one easy assembly
- Reducing overall size, storage and shipping cost



Model No.	Width"	Height"	Duct Stored Length"	Duct In Use Length"	Price /Each
EA480	16	25	32	62	394.15

PLASTIC DUCT STORAGE CANISTERS

- Constructed from linear low density polyethylene
- Lightweight plastic duct storage canister designed to hold 25 feet of 8" ducting
- Features a molded handle for easy transportation
- The lid is secured with a nylon-web strap with plastic side release buckle
- Weight: 9 lbs.
- Colour: Safety orange

Model No. EA492

Price/Each \$172.24



STORAGE RACKS

Keeps ducting neat and out of the way when not in use.

Model No. BB172 For 8" duct
Price/Each \$152.15

Model No. BB173 For 16" duct
Price/Each \$152.15



BB172

8" PLASTIC COM-PAX-IAL BLOWERS

- 1/3 HP, 115V motor
- The lightweight, corrosion, UV and chemical resistant polyethylene housing offers a superior design with durable construction
- The carry handle is molded into the blower
- This compact, super quiet unit features a polypropylene nine blade fan, a steel/powder coated grill
- The bottom enclosure ensures safe and convenient storage of electrical components
- Designed to work separately or with canister and ducting (statically conductive ducting for explosion proof models)
- The quick-connect clipping system allows workers to attach canister, tools-free, to input side for powerful extraction or output side for ventilation
- Electric, explosion-proof single-phase motor includes NEMA rated 115 V plug for use with explosion-proof socket (sold separately). Meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G Hazardous



Model No.	Mfg. No.	Description	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. lbs.	Price /Each
EA494	9533	w/o Canister	823	628	548	17	315.02
EA495	9533-15	w/Canister & 15' Ducting	823	628	548	33	1199.39
EA496	9533-25	w/Canister & 25' Ducting	823	628	548	38	1269.71
EXPLOSION-PROOF							
EA497	9538	w/o Canister	900	650	625	20	1509.58
EA498	9538-15	w/Canister & 15' Ducting	900	650	625	37	2038.81
EA499	9538-25	w/Canister & 25' Ducting	900	650	625	44	2265.62

8" AC METAL AXIAL BLOWERS

- 1/3 HP, 3 A, 115 V motor
- Lightweight, compact unit offers the highest output available from an 8" axial blower
- Tough steel construction with a durable grill, convenient carry handle and rubber feet
- Design allows ducting to collapse into a built-in canister for easy storage, and can be stored vertically to use a minimum amount of space
- Designed to work separately or with canister and ducting (statically conductive ducting for explosion proof models)
- The explosion proof blower has an explosion-proof single phase motor with a NEMA rated 115 V plug for use with an explosion proof socket (sold separately), meets Class I, Divisions 1 and 2, Groups C and D and Class II, Divisions 1 and 2, Groups F and G
- Certified to C22.2 No.113 standard by cETL



Model No.	Mfg. No.	Description	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. lbs.	Price /Each
BB139	9513	w/o Canister	1275	661	582	19	696.30
BB140	9514	w/Canister & 15' Ducting	1275	661	582	32	1044.92
BB141	9514-25	w/Canister & 25' Ducting	1275	661	582	46	1097.81
EXPLOSION-PROOF							
BB142	9513-05	w/o Canister	890	825	770	31	2329.42
BB143	9514-05	w/Canister & 15' Ducting	890	825	770	49	3190.27
EA500	9514-06	w/Canister & 25' Ducting	890	825	770	57	3465.22

DC AXIAL BLOWERS

- 1/4 HP, 13 A, 12 V DC motor with thermal protector, single speed performance
- Perfect for location where electricity is not available
- Blower may be operated off a truck battery
- Extremely light weight and portable, includes 15' cord with alligator clips



Model No.	Mfg. No.	Description	Free Air CFM	CFM at One 90° Bend	CFM at Two 90° Bends	Wt. lbs.	Price /Each
COM-PAX-IAL PLASTIC BLOWER							
EA504	9536	Blower w/o Canister	816	526	442	17	375.49
EA505	9536-15	Blower w/Canister & 15' Ducting	816	526	442	33	629.29
EA506	9536-25	Blower w/Canister & 25' Ducting	816	526	442	38	681.94
METAL AXIAL BLOWER							
BB136	9506	Blower w/o Canister	1150	595	530	18	696.30
BB137	9506-01	Blower w/Canister & 15' Ducting	1150	595	530	31	1044.92
BB138	9506-25	Blower w/Canister & 25' Ducting	1150	595	530	37	1131.60



MANHOLE GUARD RAILS

- Simple one-piece construction offers easy, no-tools assembly
- Rail locks open and two hooking chains provide protected entry and exit
- Rail accommodates signs, flags or lights, and it can be used with guard rail tents, umbrellas or a winch
- Designed to protect an area 33" x 33", this 42" high guard rail collapses to only 44" square x 4" for easy storage
- Strong, one-inch tubular 0.078 gauge steel construction is powder coated in safety yellow for a durable finish and for high visibility
- Weight: 34 lbs

Model No. BB195
Price/Each \$458.52

ALLEGRO
 INDUSTRIES



MANHOLE SHIELDS

- Constructed of rugged polyethylene
- 12" high shield uniquely designed to fit 27", 30" or 32" manholes with an inflatable seal that ensures a positive fit
- Protects against street level water and mud up to 12"
- Shield weighs 50 % less than metal shields and will not dent, nick or rust
- Bright yellow body resist fading

Model No. BB202
Price/Each \$316.38

MANHOLE LID LIFTERS

- Toughest manhole covers are easy to move with this one-piece lifter
- Features a long all-steel handle that provides the leverage necessary to fit the heaviest manhole lids
- For safe storage, the alloy steel hook recesses and locks into the pole
- Rubber grips on the handle and foot prevent slips, and cadmium plating fights rust
- 42" long, 9 lbs.

Model No. BB204
Price/Each \$366.81

ALLEGRO
 INDUSTRIES



BUILT

100% Canadian Owned

KLETON

TOUGH!

Kleton builds quality and dependability into all of their products. The same is true for products specially built to meet your specifications. Look throughout the catalogue for the *Kleton Custom Symbol* indicating which products can be customized to meet your specific needs.



FALL PROTECTION

CONFINED SPACE RESCUE SYSTEMS

- DBI Sala has an extensive line of rescue and retrieval systems to suit your confined space entry and rescue needs
- High-quality, rugged systems meet applicable industry standards, and can be customized to suit your needs
- Ease-of-use ensures you have the ability to handle a crisis simply, flawlessly, and immediately
- Made from quality materials strong enough to endure rough handling and exposure to the elements
- Systems are adjustable and adaptable to extreme environments and uneven terrain
- Modular design allows you to add to the system over time
- Portable systems are easy to transport, set-up, and store



DAVIT ARM SYSTEM COMPONENTS

ADVANCED ADJUSTABLE OFFSET DAVIT MAST

- Adjustable length of Davit ensures lifelines are always centred over confined space
- Combine with up to two lower mast extensions to increase anchorage height

Model No.	Mfg. No.	Description	Price /Each
SEB442	8518001	Davit Mast, 11 1/2" - 27 1/2" Adjustable Offset	2575.00
SEE775	8518006	Davit Mast, 23 1/2" - 42 1/2" Adjustable Offset	3037.50
SEE776	8518509	Mast Extension, 21"	733.00
SEE777	8518002	Mast Extension, 33"	1008.50
SEE778	8518003	Mast Extension, 45"	1165.00
SEE779	8518004	Mast Extension, 57"	1384.00

ADVANCED PORTABLE BASES

- Work with a variety of advanced davit arm and mast extensions
- Ideal when you need to move and access various confined space areas
- Lightweight, easy to transport, set-up, and use

Model No.	Mfg. No.	Description	Price /Each
SEE780	8518005	For 27 1/2" Maximum Offset Davit Mast	2694.00
SEE781	8518008	For 42 1/2" Maximum Offset Davit Mast	4207.50



ADVANCED 5-PIECE HOIST SYSTEM

- Davit arm and base system includes adjustable offset upper mast, 33" lightweight lower mast, and 3-piece lightweight base
- Includes winch mounting bracket
- Winch and self-retracting lifelines sold separately

Model No.	Mfg. No.	Description	Price /Each
SEB441	8518000	5-Piece System with 27 1/2" Maximum Offset Davit Mast	5613.00
SEE782	8518040	5-Piece System with 42 1/2" Maximum Offset Davit Mast	7477.50



CONFINED SPACE – RESCUE KITS

- Ready-to-use combination of *North* equipment for rescue, entry/egress
- 7' (2.1 m) portable tripod with safety chain around legs
- 3-way self-retracting lifeline with cast aluminum housing – 50' (15 m) stainless steel cable 3/16" (5 mm)
- Capacity: 310 lbs. (140 kg)
- Device mounting bracket
- Nylon storage bag

Model No. SN130

Mfg. No. FP66/415SR

Price/Each \$3961.03

Note: A work winch must be combined with a fall arrest system in compliance with CSA if used to lower or raise personnel for the purpose of work positioning.



ALUMINUM TRIPODS

- Lightweight and portable
- Ideal for manhole entry and retrieval applications
- Easily set-up by one worker
- Adjustable locking legs
- Will span a 5' diameter hole



SEB437

Model No.	Mfg. No.	Description	Price /Each
SEB437	8000000	7' (2.1 m) Aluminum Tripod	1295.00

SEALED SELF-RETRACTING LIFELINES WITH TRIPOD

- Complete rescue system
- 7' (2.1 m) aluminum tripod is lightweight and portable and can easily be set-up by one worker
- Complete with quick-mount bracket to attach *Sealed Blok™* SRL
- SRL features stainless steel and cast aluminum housing for corrosion resistance
- 50' (15 m) x 3/16" (4.7 mm) galvanized steel wire rope for durability
- Built-in retrieval winch for raising/lowering load during emergencies with built-in shock absorbing capabilities



SEB336

Model No.	Mfg. No.	Description	Price /Each
SEB336	3400115C	15 m (50') Sealed SRL with tripod	4297.50

SALALIFT II WINCHES

- Work support and rescue winch is lightweight and easy to use
- Manually operated by simply rotating the handle to raise or lower personnel or materials
- Incorporates a quick-mount bracket which mates with all *DBI Sala* support structures
- Housing made of durable medium-density polyethylene
- Features a self-locking swivel snap hook
- 60' x 1/4" galvanized cable

SEB445



Model No.	Mfg. No.	Description	Price /Each
SEB445	8102001	60' (18 m) x 1/4" (6.25 mm) Galvanized Cable	2680.00





INNOVA™ XTIRPA™ CONFINED SPACE RESCUE SYSTEMS

- Versatile system can be configured to meet many confined space/rescue applications
- Made of lightweight aluminum composite
- Maximum capacity of 4200 lbs.
- Ergonomic design allows this system to be easily transported and installed by one person; set-up within five minutes for one person
- Easy storage - No vehicle modifications required
- Corrosion resistant, durable system is built to last
- Meets or exceeds applicable CSA, ANSI, OSHA and CSST requirements

Innova
Produits de Services Public - Public Utility Products Inc.

XTIRPA

DAVIT ARMS

- Fall protection and retrieval davit arm will facilitate your access to underground chambers and any other confined space
- Equipped with a 5000 lbs. anchor point
- Capacity is 360 lbs. when used with a mast system, and 420 lbs. when used with a manhole guard: safety factor of 10:1
- Weighs just 23 lbs.
- Meets or exceeds applicable CSA, ANSI, OSHA and CSST requirements

Model No. SEC112
Mfg. No. IN-2210
Price/Each \$2722.45



MASTS

- Designed to be used in conjunction with davit arm (SAQ158) and fits all of the permanent or mobile adapters
- Made of aircraft industry aluminum and is very light and durable
- Weighing only 22 lbs., the unit can be used in confined spaces where a versatile and reliable rescue entry/retrieval system is needed

Model No.	Mfg. No.	Description	Price /Each
SAQ159	IN-2003	Mast	1212.73
MAST ADAPTERS			
SAQ160	IN-2013	Stainless Steel Mural Adapter	1087.63
SAQ161	IN-2005	Stainless Steel Floor Adapter	997.78

POLE HOIST SYSTEMS

- Two-piece portable system, one of the easiest to use and most versatile system on the market
- Used with a certified anchor point, the rotating head will allow you to retrieve someone both vertically and horizontally in areas of limited space
- Powder coat aluminum finish
- Includes mounting bracket
- Adjustable T-bar leg sold separately

Innova
Produits de Services Public - Public Utility Products Inc.



Model No.	Mfg. No.	Description	Price /Each
SAR551	IN-2120	Adjustable Swivel-Head Pole Hoist 45" - 67"	2113.98
SAR552	IN-2127	Adjustable T-Bar Leg for Pole Hoist	1029.08

MANHOLE GUARDS

- Portable barricades have an integrated mast for use with davit arms
- Can be transformed very quickly into a confined space rescue, entry/retrieval system
- Meets or exceeds applicable CSA, ANSI, OSHA and CSST requirements

Model No. SAQ157
Mfg. No. IN-2001
Price/Each \$4169.44

Innova
Produits de Services Public - Public Utility Products Inc.



BANTAMLIFT™ DAVIT SYSTEMS

ANCHORAGE CONNECTORS & DAVITS

- Ideal for applications where a temporary anchorage is required
- Assemble and disassemble quickly with the ability to transport from site to site
- Built tough to provide a safe and secure anchorage for confined space entry, exit, rescue and/or suspension work
- Components are made of strong aluminum alloy (except for the bases)
- Rated for working loads up to 450 lbs. (204.5 kg)
- Provide a proof-tested 5000 lbs. (2273 kg) anchor (in most configurations) or at least a 2:1 safety factor when used with approved fall arrest devices
- Booms reach up to 48" (122 cm)
- Various masts to meet your requirements
- Comply with current OSHA requirements for confined space entry and egress



Model No.	Mfg. No.	Description	Application	Price /Each
SAK562	FP6660/00	Davit Fixed Base	General Purpose Base	496.42
SAK563	FP6663/00	Portable Davit Base for Davit System	Where Temporary Anchorage is Required	2949.21
SAK564	FP6670/24	Davit mast 12" to 24"	Standard Davit Mast	1305.08
SAK565	FP6680/24	Davit boom 12" to 24"	Standard Boom	395.34

Note: Installation of your Bantamlift™ base requires approval from a professional engineer. Follow the instruction manual to install the Bantamlift™ davit system. For custom applications, please contact one of our sales representatives to receive competitive pricing and customized layout.



Sold Separately

MOUNTING BRACKETS FOR RETRIEVAL SYSTEMS



Model No.	Mfg. No.	Description	Price /Each
SAH548	FP6610/15	Mounting Bracket for Regular Housings	175.46
SAK559	FP6610/33	Mounting Bracket for Large Housings	197.74



MILLER® TRIPODS

The Miller® tripod is the anchorage connector for typical confined space and rescue systems.

- Lightweight, high-strength aluminum construction
- Adjustable legs with integral push pins, ideal for uneven surfaces
- Safety chain and tripod feet with rubber skid pads and serrated edge prevent slippage in icy conditions
- Independent leg locking feature holds legs securely in place
- Withstands up to 5000 lbs. (22 kN) of vertical pull
- Available with reflective tape
- Available in 7' (2 m)



Model No.	Mfg. No.	Description	Price /Each
SAK436	51/7FT	7' (2 m) High-Strength Aluminum Tripod	952.91

Note: Available in 9' (2.7 m) upon request.

DURAHOIST™ PORTABLE CONFINED SPACE SYSTEMS

- Lightweight, manageable components for easy storage, transport and set-up; no tools required for assembly
- Constructed of lightweight high-strength aluminum
- Davit pivots for ease of rescue and adjusts for overhead clearance
- Base adjusts to fit most standard entries; other bases are available
- Designed for manhole and confined space entry/retrieval applications
- Modular design allows the use of components in various configurations and applications
- Multiple winches and/or lifeline systems may be mounted as required
- Wall and floor stainless steel mounts are compact minimizing intrusion in work spaces; includes PVC liner



MANHANDLER® HOISTS/WINCHES

- Compact, durable steel construction
- Smooth, controlled winding action
- Effortless lifting and lowering with 5:1 gear ratio
- Anti-backlash crank handle braking system prevents freewheeling
- Digital indicating system which counts drum turns in order to determine maintenance periodicity
- Built-in mounting bracket
- 350 lbs. (1.6 kN) working capacity



Model No.	Mfg. No.	Description	Wt lbs.	Price /Each
SAR486	DH-2	One Piece Adjustable Mast And Three Piece Portable Base	91	5873.37
SAR487	DH-8SS	Wall Mount Sleeve	12	1145.47
SAR488	DH-7SS	Floor Mount Sleeve	13	1230.56
SAR489	8442/65FT	ManHandler® Hoist w/ 65 ft. 3/16" Galvanized Steel Cable	37	2352.74
SAR490	8442/100FT	ManHandler® Hoist w/ 100 ft. 3/16" Galvanized Steel Cable	46	2353.16





THE ABC'S OF FALL PROTECTION

A typical Person Fall Arrest System (PFAS) incorporates three components, often described as the ABC's of fall protection. The anchorage connector, body support, and connecting device, when used together, form a complete system for maximum worker protection. But don't forget about another required component of any fall protection program – descent, rescue, and retrieval of a fallen worker.



Anchorages are a secure point of attachment. They must be able to hold fast under more than a ton of force generated in a fall.



Body support harnesses distribute fall forces over the upper thighs, pelvis, chest, and shoulders. They provide a connection point on the worker for the PFAS.



Connectors such as shock absorbing lanyards or self retracting lifelines connect a workers harness to the anchorage.



Descent and rescue devices are used to retrieve an injured worker or lower him to the ground.

FULL BODY HARNESS APPLICATIONS

CSA STANDARD Z259.10-06 DIVIDES HARNESES IN TO 5 CLASSES:



CLASS A PERSONAL FALL ARREST

Class A full body harnesses are designed to support the body during and after the arrest of a fall.



CLASS D SUSPENSION AND CONTROLLED DESCENT

Class D full body harnesses are designed for suspension or controlled descent from a height.



CLASS E LIMITED ACCESS (EVACUATION)

Class E full body harnesses are designed to support a worker in a position that reduces the worker's profile during passage through a limited access area.



CLASS L (LADDER) LADDER CLIMBING

Class L full body harnesses are designed for use with fall restrict systems involving the use of a fall arrester that travels on a vertical lifeline or rail.



CLASS P WORK POSITIONING

Class P full body harnesses are designed to position a worker during a work operation.

EXOFIT™ NEX HARNESSES

- The newest, most advanced harnesses in the industry
- Soft, lightweight, water repellent webbing reduces attraction of mold and dirt, and has up to 5 times more abrasion resistance
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Comfortable design dons without tangling
- *Duo-Lok™* quick-connect buckles provide one-handed operation for fast, easy donning
- *Revolver™* vertical torso adjusters eliminate loose ends and lock into place, preventing slippage
- *Tech-Lite™* aluminum D-Rings offer a higher level of security and comfort
- Lightweight, moisture wicking, breathable hybrid comfort padding won't move or slip
- Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- Molded lanyard keepers prevent dangerous entanglements, and snap free when snagged
- Shoulder caps provide protection and comfort when carrying heavy materials
- Reflective piping enhances visibility in low-light conditions
- Built-in carrying pocket conveniently protects a cell phone, camera, or other items
- Integrated trauma straps help minimize suspension trauma post fall
- *i-Safe™* enabled providing the ability to track inspections, control inventory, and manage information
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	Hip Pad & Body Belt	Size	CSA Class	Price /Each
SEB598	1113001C	Back	No	Small	A	359.00
SEB599	1113004C	Back	No	Medium	A	359.00
SEB600	1113007C	Back	No	Large	A	359.00
SEB601	1113010C	Back	No	X-Large	A	359.00
SEB592	1113121C	Back and Side	Yes	Small	A, P	449.50
SEB593	1113124C	Back and Side	Yes	Medium	A, P	449.50
SEB594	1113127C	Back and Side	Yes	Large	A, P	449.50
SEB596	1113130C	Back and Side	Yes	X-Large	A, P	449.50

SEB598
(Back)



SEB598
(Front)



SEB594
(Front)



SEB594
(Back)



EXOFIT™ XP HARNESSES

- Soft, lightweight webbing is strong, but not stiff or coarse
- Spring-loaded stand-up dorsal D-ring with impact indicator
- Comfortable design dons without tangling
- Quick-connect buckles provide one-handed operation for fast, easy donning
- Complete 5-point adjustment with easy-grip end tabs
- Removable padding is easily cleaned in the washing machine
- Breathable 3D mesh lining guarantees you'll stay dry and comfortable
- Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- Integrated lanyard keepers prevent dangerous entanglements, and snap free when snagged
- Reflective piping enhances visibility in low-light conditions
- *i-Safe™* enabled providing the ability to track inspections, control inventory, and manage information
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	Size	CSA Class	Price /Each
SEB414	1110100C	Back	Small	A	318.00
SEB415	1110101C	Back	Medium	A	318.00
SEB416	1110102C	Back	Large	A	318.00
SEB417	1110103C	Back	X-Large	A	318.00

SEB415
(Front)



SEB415
(Back)



FALL PROTECTION

EXOFIT™ HARNESSES

- Constructed from abrasion-resistant anti-tear ballistic nylon, for twice the endurance of standard nylon or polyester
- Comfortable design done without tangling
- Quick-connect buckles provide one-handed operation for fast, easy donning
- Complete 5-point adjustment with easy-grip end tabs
- Shoulder, leg, and hip padding is built-in so it can't slip
- Breathable lining guarantees you'll stay dry and comfortable
- Soft edging moves with you, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- Reflective piping enhances visibility in low-light conditions
- *i-Safe™* enabled providing the ability to track inspections, control inventory, and manage information
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	Size	CSA Class	Price /Each
SEB393	1107975C	Back	Small	A	274.00
SEB394	1107976C	Back	Medium	A	274.00
SEB395	1107977C	Back	Large	A	274.00
SEB396	1107981C	Back	X-Large	A	274.00
SEB410	1108600C	Back, Front and Side	Small	A, D, L, P	313.00
SEB411	1108601C	Back, Front and Side	Medium	A, D, L, P	313.00
SEB412	1108602C	Back, Front and Side	Large	A, D, L, P	313.00
SEB413	1108606C	Back, Front and Side	X-Large	A, D, L, P	313.00

SEB396

SEB412
(Front)

SEB412
(Back)

DELTA™ HARNESSES

- Patented triangular no-tangle design creates a frame that allows the harness to fall into place when donned
- *Repel™* webbing is water repellent to reduce the attraction of mold and dirt, and has more abrasion resistance
- *Revolver™* vertical torso adjusters eliminate loose ends and lock into place, preventing slippage
- Lanyard keepers hold your unused snap hooks and help reduce trip hazards
- Spring-loaded stand-up dorsal D-ring
- Impact indicators provide a visual alert that the harness has been involved in a fall
- Vest style harnesses are the most universal, and are used across a wide variety of industries
- Construction style harnesses have excellent tool-carrying capability, a sewn in hip pad, and a removable body belt
- Cross-over style harnesses have a front-mounted D-ring, making them ideal for ladder climbing and rescue applications
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	Style	D-Rings	Leg Connections	Size	CSA Class	Price /Each
SEB391	1110600C	Vest - Standard	Back	Quick-Connect	Universal	A	174.50
SEB406	1102000C	Vest - Standard	Back	Tongue Buckle	Universal	A	150.00
SEB403	1103321C	Vest - Standard	Back	Pass-Thru	Universal	A	141.50
SEB401	1102008C	Vest - Positioning	Back & Side	Tongue & Buckle	Universal	A, P	161.50
SEB392	1110602C	Vest - Retrieval	Back	Quick-Connect	Universal	A, E	185.00
SEB409	1101254C	Vest - Retrieval	Back & Shoulder	Tongue & Buckle	Universal	A, E	164.00
SEB397	1102201C	Construction	Back & Side	Tongue & Buckle	Small	A, P	286.00
SEB398	1101654C	Construction	Back & Side	Tongue & Buckle	Medium	A, P	286.00
SEB399	1101655C	Construction	Back & Side	Tongue & Buckle	Large	A, P	286.00
SEB400	1101656C	Construction	Back & Side	Tongue & Buckle	X-Large	A, P	286.00
SEB418	1102526C	Construction	Back	Tongue Buckle	Universal	A	166.00
SEB402	1102010C	Cross-Over	Back & Front	Pass-thru	Universal	A, D, L	154.00
SEB405	1103270C	Cross-Over	Back, Front, & Side	Pass-Thru	Universal	A, D, L, P	161.00

SEB399

SEB402

SEB401

PRO™ HARNESSES

- Harness design provides greater comfort and added safety
- High quality alloy steel dorsal D-ring is adjustable for worker convenience
- Spring-loaded torso buckles provide fast and easy adjustment on the job
- Lightweight hardware reduces fatigue and increases comfort and productivity
- Lanyard keepers provide a place to "park" a lanyard when not in use, to prevent accidental entanglements
- Built-in impact indicators allow for easy inspection
- Certified to CSA standard Z259.10-06



Model No	Mfg. No.	Style	D-Rings	Leg Connections	Additional Features	Size*	CSA Class	Price /Each
SEB363	1191201C	Vest - Standard	Back	Pass-Thru	-	Medium/Large	A	70.00
SEB366	1191237C	Vest - Standard	Back	Tongue Buckle	-	Medium/Large	A	77.00
SEB369	1191253C	Vest - Standard	Back	Quick-Connect	Back, Shoulder, & Leg Padding	Medium/Large	A	171.00
SEB360	1191209C	Construction	Back & Side	Tongue Buckle	Hip Pad & Belt	Medium/Large	A, P	148.00
SEC036	1191257C	Retrieval	Back & Shoulder	Quick-Connect	Back, Shoulder, & Leg Padding	Medium/Large	A, E	193.50

*Small and X-Large sizes are also available

FIRST™ HARNESSES

- Fundamental fall protection with exceptional value
- One adjustable dorsal D-Ring
- Supple back plaque
- 1.75" wide polyester web for durability
- Zinc-plated stamped steel hardware
- Pass-thru leg and chest closures
- Universal size
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	Description	CSA Class	Price /Each
SEB371	AB17510C	Back	3-Point Adjustment	A	51.00
SEB372	AB17530C	Back	5-Point Adjustment	A	67.00

Call us for all your



Safety Equipment & Supplies requirements!

FALL PROTECTION

MILLER® REVOLUTION™ HARNESSES

A totally new concept in full-body harness design. The Miller® Revolution™ harness reinvents harness safety and functionality with features developed to meet key, user-identified needs. While exceeding worker expectations in comfort, fit, ease-of-use, style, durability, compliance, flexibility and convenience, the Miller® Revolution™ harness provides **over 11 key product features from seven new, unique components**.

- All of Miller's premium harnesses are rated to 400 lbs. (181.4kg) capacity
- Certified to CSA standard Z259.10-06

SPECIAL FEATURES



DUALTECH™ WEBBING

Donning made easy with two-sided, contrasting colour webbing and textures



CAM BUCKLE

Easy, one-hand adjustment/release allows simultaneous adjustment of shoulder straps



WEB FINIALS

Clip-on design safely organises webbing after proper adjustment



SELF-CONTAINED LABEL PACK

Integrated pack encapsulates labels minimising damage and loss



PIVOTLINK™ CONNECTION

Unique rotary design provides greater comfort in bending/mobility



INTEGRATED ACCESSORY SYSTEM

Modular attachment design provides connection points for belts/tools/accessories



ERGOARMOR™ BACK SHIELDS

Semi-flexible back shield minimises impact from sharp/heavy snap hooks and self-retracting lifelines



SAN124

MILLER

by Honeywell

**MILLER
REVOLUTION
HARNESS**



Model No.	Mfg No.	D-Rings	Leg Connections	Removable Belt	CSA Class	Price /Each
SAN124	RDT-QC/UBKC	Back	Quick-Connect	No	A	269.61
SAN125	RDT-TB/UBKC	Back	Tongue Buckle	No	A	269.61
SAN126	RDT-QC-B/UBKC	Back	Quick-Connect	Yes	A	303.37
SAN127	RDT-TB-B/UBKC	Back	Tongue Buckle	Yes	A	303.37
SAN128	RDT-QC-DP/UBKC	Back, Side	Quick-Connect	No	A, P	320.36
SAN129	RDT-TB-DP/UBKC	Back, Side	Tongue Buckle	No	A, P	320.36
SAN130	RDT-QC-BDP/UBKC	Back, Side	Quick-Connect	Yes	A, P	354.13
SAN131	RDT-TB-BDP/UBKC	Back, Side	Tongue Buckle	Yes	A, P	354.13

Can't find what
you're looking for?
Call us today!



MILLER® REVOLUTION™ HARNESS ACCESSORIES



Model No.	Mfg. No.	Description	Price /Each
ACCESSORIES			
SAN132	RIA-T1	Mini Cell Phone Holder w/Snap-On Connector	15.78
SAN133	RIA-T2	Regular Cell Phone/Jobsite Radio Holder w/Snap-On Connector	18.11
SAN134	RIA-T3	Water Bottle Holder, 1 Qt.	15.78
SAN135	RIA-T4	Large Open Bolt & Bull Pin Bag w/Quick Release Tool Snap	36.80
SAN136	RIA-T5	Medium Open Bolt & Bull Pin Bag	34.46
SAN137	RIA-T6	2-Pocket Nail & Tool Pouch	29.78
SAN138	RIA-T7	Large Multi Pouch Tool Bag w/2 Steel Hammer Loops	48.47
SAN139	RIA-T8	Padded Hammer Loop	13.44
SAN140	RIA-T9	Open End Pliers & Tool Holder	13.44
SAN141	RIA-T10	Zippered Cylindrical Utility Pouch	18.11
OPTIONAL PADDING			
SAN142	RIA-P1	Shoulder/Leg Pads (2/pack)	39.22
SAN143	RIA-P2	Seat Pad	64.90
CONNECTION POINTS			
SAN144	RIA-C1	Sliding Belt Accessory Connector (3/pack)	23.20
SAN145	RIA-C2	Universal Accessory & Belt Attachment Clip (2/pack)	11.10
BELTS (FITS SIZES 32" TO 54")			
SAN146	RIA-B1	Belt w/ <i>PivotLink™</i> Attachments, 5-Accessory Connectors	67.24
SAN147	RIA-B2	Padded belt w/ <i>PivotLink™</i> Attachments, 5-Accessory Connectors	106.99

Note: Inquire about individual accessories.

Call us for all your
Safety Equipment
& Supplies
requirements!



FALL PROTECTION

MILLER® ULTRA HARNESSES

DESIGNED FOR SUPERIOR COMFORT, FIT & SAFETY PERFORMANCE

- The new line of Ultra Harnesses is designed with patented *DuraFlex*® stretchable webbing that provides greater comfort, increases productivity and improves safety
- In addition, the *DuraFlex*® *Python*™ Ultra Harness also features cushioned tubular webbing in the shoulder straps to minimize possible discomfort around the neck and shoulders when required to wear a tool belt
- Comfort-touch back D-ring pad is designed with woven, breathable material for greater comfort; orients harness for quick tangle-free donning
- Sleek, quick-connect buckles for chest and leg straps for easy donning and feature a dual-tab release mechanism to prevent accidental opening
- Friction shoulder strap buckles stay firmly in place
- Universal fit
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	CSA Class	Price /Each
DURAFLEX® ULTRA HARNESSES				
SAK309	E650QC/UGN	Back	A**	187.91
SAK310	E650-7QC/UGN	Back and Side	A, P**	199.16
SAK311*	E650-77QC/UGN	Back and Side	A, P**	292.59
DURAFLEX® PYTHON™ ULTRA HARNESSES				
SAK142	P950QC/UGN	Back	A**	170.64
SAK307	P950-7QC/UGN	Back and Side	A, P**	177.11
SAK308*	P950-77QC/UGN	Back and Side	A, P**	276.04

* Includes body belt

** CSA Class D and L when optional Front D-ring is added

HP™ HIGH PERFORMANCE HARNESSES

- Durable, lightweight nylon webbing
- Bright colours make the *HP*™ harnesses readily visible and easy to inspect
- Back strap prevents user from falling out of the harness
- Lanyard ring allows user to attach lanyard when not in use
- All harnesses include sub pelvic strap
- Universal fit (available in other sizes upon request)
- Available in blue polyester webbing for greater chemical resistance
- Colour: Lime green
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Special Feature	Price /Each
SAP484	650T/UGK	Back	Friction	Mating	Mating	A	Belt Loops	135.73
SAP485	650T4/UGK	Back	Friction	Tongue Buckle	Mating	A	Belt Loops	146.99
SAP486	650T7/UGK	Back and Side	Friction	Mating	Mating	A, P	Belt Loops	153.64
SAP487	650T58/UGK	Back and Side	Friction	Tongue Buckle	Mating	A, P	Belt Loops	164.96
SAP488	650T76/UGK	Back and Side	Friction	Tongue Buckle	Mating	A, P	Belt Loops, 6" CoolMax Back Pad/ Tool Belt & CoolMax Shoulder Pads	242.71
SAP489	650T77/UGK	Back and Side	Friction	Tongue Buckle	Mating	A, P	Belt Loops, 6" CoolMax Back Pad/Tool Belt	266.71
SAP490	552T/UGK	Back, Front, and Side	Mating	Mating	-	A, L, P	-	139.07
SAP491	552T4/UGK	Back, Front, and Side	Mating	Tongue Buckle	-	A, L, P	-	148.42
SAP492	850T/UGK	Back	Friction	Mating	Mating	A	-	129.70
SAP493	850T4/UGK	Back	Friction	Tongue Buckle	Mating	A	-	140.96
SAP494	850T7/UGK	Back and Side	Friction	Mating	Mating	A, P	-	147.68
SAP495	850T58/UGK	Back and Side	Friction	Tongue Buckle	Mating	A, P	-	158.88

NON-STRETCH HARNESSES

- Non-stretch nylon webbing is lightweight and durable
- Bright yellow colour makes it visible and easy to inspect
- Fall indicator/warning flag indicates that the harness has been involved in a fall and should be removed from service
- Back strap prevents user from falling out of the harness
- Lanyard ring allows user to attach lanyard when not in use
- Most harnesses include sub pelvic strap
- Universal fit unless specified (other sizes available upon request)
- Also available in polyester webbing for greater chemical resistance
- Colour: Yellow
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Special Feature	Price /Each
SC965	650/UYK	Back	Friction	Mating	Mating	A	Belt Loops	136.51
SC967	650-3/UYK	Back and Shoulder	Friction	Mating	Mating	A, E	Belt Loops	150.37
SC961	650-4/UYK	Back	Friction	Tongue Buckle	Mating	A	Belt Loops	147.97
SC962	650FD4/UYK	Back and Front	Friction	Tongue Buckle	Mating	A, D, L	Belt Loops	159.77
SC963	650-64/UYK	Back and Shoulder	Friction	Tongue Buckle	Mating	A, E	Belt Loops	150.95
SC964	650FD64/UYK	Back, Front, and Shoulder	Friction	Tongue Buckle	Mating	A, D, E, L, P	Belt Loops	162.75
SC977	552/UYK	Back and Front	Mating	Mating	-	A, D, L	-	139.91
SC971*	750S/M	Back	Friction	-	Mating	A	Small/Medium	99.25
SC972*	750L/X	Back	Friction	-	Mating	A	Large/X-Large	99.25
SC969	751S/M	Back	-	Mating	Mating	A	Small/Medium	92.23
SC970	751L/X	Back	-	Mating	Mating	A	Large/X-Large	92.23

* Does not have sub pelvic strap

DURAFLEX® STRETCHABLE HARNESSES

- Allows greater freedom of movement and offer improved comfort and overall safety
- Synthetic elastomer webbing stretches with the worker for maximum comfort
- Fall indicator/warning flag indicates that the harness has been involved in a fall and should be removed from service
- Back strap prevents user from falling out of the harness
- Injection-moulded *Santoprene*® D-ring back pad is soft and flexible, enhancing comfort
- Pull-free lanyard ring allows user to attach lanyard when not in use
- Labelling includes inspection tag and space for personal identification
- Belt loops to accommodate belts, back pads and other accessories
- Universal fit (other sizes available upon request)
- Colour: Lime green
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Price /Each
SC978	E552/UGN	Back, Front & Side	Mating	Mating	-	A, L, P	157.87
SC973	E650/UGN	Back	Friction	Mating	Mating	A	153.79
SC975	E650-4/UGN	Back	Friction	Tongue Buckle	Mating	A	164.56

Call us for all your
Material Handling
& Storage
requirements!



FALL PROTECTION

DURAFLEX® PYTHON™ HARNESSES

- Shoulder straps are constructed of soft, cushioned tubular webbing
- Lower torso straps are constructed of specially-formulated *DuraFlex*® stretchable webbing
- Leg straps are constructed of lightweight, non-stretch webbing
- Injection-molded *Santoprene*® D-ring back pad is soft and flexible, enhancing comfort
- Pull-free lanyard ring allows user to attach lanyard when not in use
- Belt loops to accommodate belts, back pads and other accessories
- Universal fit (other sizes available upon request)
- Colour: Lime green
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Ring	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Price /Each
SAH525	P950/UGN	Back	Friction	Mating	Mating	A	135.66
SAH526	P950-4/UGN	Back	Friction	Tongue Buckle	Mating	A	146.04
SAH527	P950-7/UGN	Back and Side	Friction	Mating	Mating	A, P	146.04
SAH528	P950-58/UGN	Back and Side	Friction	Tongue Buckle	Mating	A, P	156.30



TITAN™ CONTRACTOR'S HARNESSES

- Full-body harnesses made from lightweight durable polyester webbing for all-day comfort and dependability
- Fully adjustable design
- Sliding back D-ring
- Sub-pelvic strap
- Universal fit (other sizes available upon request)
- Colour: Orange
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	Shoulder Connections	Leg Connections	Chest Connections	CSA Class	Price /Each
SN064	T4000/UAK	Back	Mating	Mating	Mating	A	59.30
SN065	T4007/UAK	Back and Side	Mating	Mating	Mating	A, P	71.08
SN066	T4500/UAK	Back	Mating	Tongue Buckle	Mating	A	67.05
SN067	T4507/UAK	Back and Side	Mating	Tongue Buckle	Mating	A, P	80.35



T-FLEX TITAN™ STRETCHABLE HARNESSES

FEATURES PATENTED STRETCHABLE WEBBING FOR GREATER COMFORT

- Durable, stretch polyester webbing construction for improved comfort and greater mobility
- Fully adjustable design for maximum comfort
- Non-slip chest strap assures proper fit
- Sub-pelvic strap for added safety and support
- Mating shoulder and chest strap buckles stay firmly in place
- Pull-free lanyard rings for added convenience
- Sliding back D-ring and pad ensure correct back D-ring position
- Universal fit
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	Chest Connections	CSA Class	Price /Each
SAK297	TF4000/UAK	Back	Mating	A*	84.64
SAK298	TF4500/UAK	Back	Tongue Buckle	A*	96.98
SAK299	TF4007/UAK	Back and Side	Mating	A,P*	99.66
SAK300	TF4507/UAK	Back and Side	Tongue Buckle	A,P*	112.53

CSA Class D and L when optional front D-Ring is added

WELDER'S HARNESSES

- Blue, flame-retardant *Nomex*® webbing to protect against weld splatter
- The special inner *Kevlar*® core adds strength and high-temperature resistance
- Features one back D-ring, friction shoulder straps and mating leg and chest connections
- Contrasting webbing colours make inspection easier
- Rated to 400-lb (181.4 kg) capacity when using a *SofStop*® shock absorber
- Includes unique, durable *Lexan*® labeling with inspection grid for easy tracking
- Universal fit (other sizes available upon request)
- Certified to CSA standard Z259.10-06

Model No. SAK325

Mfg. No. 850K/UBL

Price/Each \$338.13



MILLER

by Honeywell



MILLER® REVOLUTION™ ARC-RATED HARNESSES

Designed to protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources.

- Features the same key elements as the Miller® Revolution Harness (see page 981)
- *Kevlar*®/*Nomex*® Miller® *DualTech*™ webbing - patent-pending 10 000 lb. tensile strength webbing is engineered with permanent fire retardant (FR) properties.
- Webbing offers the durability and FR properties of *Kevlar*® on the outer side, with softer FR *Nomex*® on the inside of the webbing for greater comfort
- Webbing assures arc protection and durability that eclipses any nylon webbing
- *PivotLink*™ design allows unmatched freedom of motion and comfort, while the unique cam buckles provide easy two-finger adjustment
- Leather insulators under all metal hardware offer additional protection for the worker
- *Kevlar*® web loop on the back pad allows for a "metal-less" connection when used with a *Kevlar*® shock-absorbing lanyard with a choke-off loop
- All Miller® *Revolution*™ arc-rated harnesses have bright red binding on every pad, making them easily identifiable as an arc-rated product
- Meets stringent ASTM F887-05 arc-flash standards
- Certified to CSA standard Z259.10-06



MILLER

by Honeywell



Model No.	Mfg No.	Leg Connections	CSA Class	Price/Each
SAR473	RKNAR-QC/UBK	Quick-Connect	A	562.56
SAR474	RKNAR-TB/UBK	Tongue Buckle	A	562.56

Note: other styles available upon request

Look for this symbol
for environmentally
friendly products!




FALL PROTECTION

HARNESS APPLICATION CLASSIFICATIONS

Harnesses are available for a variety of applications signified by the diagrams and definitions below.



by Honeywell



- Fall Arrest Attachment Point:** D-ring (large or small) or loop between shoulder blades for fall arrest.
- D-Ring Extender:** 18" D-ring or loop extension attached to the back D-ring of the harness. Makes access to D-ring for lanyard attachment easier allowing user to check for 100% snaphook gate closure.
- Up Arrow Indicator:** Arrows indicating the fall arrest attachment point of the harness. Up arrows indicate the proper orientation of the harness.
- Sub-Pelvic Strap:** Webbing strap located just below the buttocks provides comfort in positioning applications and helps distribute forces in event of a fall.
- Chest Strap:** Webbing which connects the two shoulder straps together. Connected with a pass-through buckle to keep user in the harness.
- Shoulder D-rings:** Small D-rings at the top of the shoulder used with a spreader bar or yoke (Y) lanyard for retrieval and rescue in confined space situations.
- Front D-ring:** D-ring or loop at the chest level. Versatile position can be used for descent, ladder climbing and rescue application.
- Lumbar Support:** Soft and firm providing support to lower back in work positioning applications.
- Body Belt:** Integrated body belt. Excellent support for work positioning and for tool storage.
- Side D-rings:** D-rings located at the hip or just above the hip. Side D-rings are used for work positioning or restraint applications.
- Leg Connectors:** Available in both pass-through, bayonet or grommeted versions. Allows the user choice in leg closure suited to the application or worker preference.

RITE-ON™ HARNESSES

Designed with two things in mind: Simplicity and Comfort. It's constructed to shape around the user with ease. The harnesses are engineered with a lumbar support to make the donning of a harness a breeze. The comfort pad also eliminates the tangling of the straps which are common with traditional harnesses. The bayonet style connectors allow users to connect their chest and legs straps in a single action.

RITE-ON™ HARNESSES

- Integrated back and shoulder pad – Conforms to the wearers' shape to provide all-day comfort
- Fast-action bayonet style connectors – Allow quick and easy donning
- Extended D-ring option – Makes lanyard connection easier and safer
- Sweat wicking pad fabric – Keeps wearers comfortable in hot conditions
- Tangle-free pad design – Harness keeps its shape between use, aiding quick and easy donning
- Lightweight polyester webbing – Offers superior UV and chemical resistance
- Universal size with full adjustability – One size fits most
- Certified to CSA standard Z259.10-06



by Honeywell

SAK490



Model No.	Mfg. No.	D-Rings	CSA Class	Price /Each
SAK490	FP81F/1DBA	Back	A	228.11
SA0631	FP81F/1EDBA	Extended-back	A	250.71
SA0632	FP81F/3DDA	Back and Side	A, P	292.65
SA0633	FP81F/3EDDA	Extended-back and Side	A, P	314.57
SA0634	FP81F/4DLA	Back, Side and Front	A, P, L	264.96
SA0635	FP81F/4EDLA	Extended-back, Side and Front	A, P, L	284.58

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
SAR472	FP780L	Leg or shoulder pad w/velcro enclosure	21.17

RITE-ON™ II HARNESSES

- Designed for more simplicity and comfort, this series is constructed to shape around the user with ease
- Open cell foam padding wicks sweat away from the body, keeping workers cool and dry throughout the day, and improving productivity
- Integral back and shoulder pad eliminates tangling of the harness's straps
- Lumbar pad decreases back injuries
- Removable 11" comfort leg pad reduces of pinch point and strain while in work position
- Quick-connect buckles allow easy, single action secure connection
- Protective label pouch makes identification and inspection easier
- Fall arrest indicator makes it easier for a worker to identify if a large load has been applied to the harness
- Certified to CSA standard Z259.10-06



by Honeywell

SEA295



SEA289

Model No.	Mfg. No.	D-Rings	Belted	Size	CSA Class	Price /Each
SEA288	FP81T/1DBASM	Back	No	Small/Medium	A	264.83
SEA287	FP81T/1DBALXL	Back	No	Large/X-Large	A	264.83
SEA290	FP81T/1EDBASM	Extended-back	No	Small/Medium	A	271.98
SEA289	FP81T/1EDBALXL	Extended-back	No	Large/X-Large	A	271.98
SEA292	FP81V/3DDASM	Back and Side	Yes	Small/Medium	A, P	386.09
SEA291	FP81V/3DDALXL	Back and Side	Yes	Large/X-Large	A, P	386.09
SEA294	FP81V/3EDDASM	Extended-back and Side	Yes	Small/Medium	A, P	393.27
SEA293	FP81V/3EDDALXL	Extended-back and Side	Yes	Large/X-Large	A, P	393.27
SEA296	FP81V/6D3ASM	Back, Front, Side and Shoulder	Yes	Small/Medium	A, P, L, E	377.02
SEA295	FP81V/6D3ALXL	Back, Front, Side and Shoulder	Yes	Large/X-Large	A, P, L, E	377.02
SEA298	FP81V/6ED3ASM	Extended-back, Front, Side and Shoulder	Yes	Small/Medium	A, P, L, E	390.94
SEA297	FP81V/6ED3ALXL	Extended-back, Front, Side and Shoulder	Yes	Large/X-Large	A, P, L, E	390.94



VEST-STYLE UNIVERSAL HARNESSES

- Adjustable shoulder straps and chest strap can be positioned in the optimum location for the user, eliminating the need for stretchable webbing
- Proven polyester webbing provides added UV protection and chemical resistance
- Sub-pelvic strap adds comfort and helps distribute the forces generated in a fall
- Universal fit (X-Large available upon request)
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-rings	Leg Connections	CSA Class	Special Feature	Price /Each
SN128	FP759/1DP	Back	Quick-Connect	A	-	73.75
SN129	FP759/1DGP	Back	Tongue Buckle	A	-	144.42
SAK493*	FP769/3DGPUL	Back and Side	Tongue Buckle	A, P	Lumbar support and tool belt	197.61

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
SAR472	FB780L	Leg or Shoulder Pad w/Velcro Enclosure	21.17

* Comes with Large belt. Other belt sizes available upon request.



SN128

SAK493

TREND-X CROSS-CHEST HARNESSES

- Lightweight, slip-on convenience and form fitting comfort
- No chest strap means comfort and mobility are enhanced while allowing access to breast pockets
- D-Stop strap in the back helps keep you in the harness in case of a fall
- Polyester webbing
- Universal sizing
- Certified to CSA standard Z259.10-06



SAO543

Model No.	Mfg. No.	D-Rings	Leg Connections	CSA Class	Price /Each
SAH757	FP721/1DP	Back	Quick-Connect	A	85.27
SAO543	FP722/2DP	Back and Front	Quick-Connect	A, D, L	89.39
SAO562	FP722/4DP	Back, Front and Side	Quick-Connect	A, P, D, L	96.09

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
SAR472	FB780L	Leg or Shoulder Pad w/Velcro Enclosure	21.17

VEST-STYLE HARNESSES

- Lightweight comfort and durability
- Tough nylon webbing and forged hardware for long-term wear and safety
- Sub-pelvic strap to help evenly distribute the forces generated in a fall
- Pass-thru leg and chest straps
- Certified to CSA standard Z259.10-06



by Honeywell

Model No.	Mfg. No.	D-Rings	Size	CSA Class	Price /Each
SAJ266	FP700/1DS	Back	Small	A	89.02
SN088	FP700/1DM	Back	Medium	A	90.35
SN089	FP700/1DL	Back	Large	A	90.35
SN090	FP700/1DXL	Back	X-Large	A	89.02
SAJ268	FP700/1EDS	Extended-back	Small	A	100.11
SN091	FP700/1EDM	Extended-back	Medium	A	100.11
SN092	FP700/1EDL	Extended-back	Large	A	100.11
SN093	FP700/1EDXL	Extended-back	X-Large	A	100.11

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
SAR472	FB780L	Leg or Shoulder Pad w/Velcro Enclosure	21.17



HIGH-VISIBILITY VEST HARNESSES

- Class 2 traffic vest with integral harness combines high visibility with fall protection in one, easy-to-wear garment
- Leg strap pocket – When not in use as a harness, the leg straps can be conveniently tucked into a pocket in the rear of the vest and then quickly released when needed
- Certified to CSA standard Z259.10-06



by Honeywell

Model No.	Mfg. No.	Description	Size	CSA Class	Price /Each
SAK509	FP700/3DTV84S	Back and Side	Small	A, P	234.65
SAK510	FP700/3DTV84M	Back and Side	Medium	A, P	240.66
SAK511	FP700/3DTV84L	Back and Side	Large	A, P	240.66
SAK512	FP700/3DTV84XL	Back and Side	X-Large	A, P	240.66



HIGH TEMP HARNESSES

- Features Kevlar®/Nomex® webbing – The high-strength and heat-resistant Kevlar® core is jacketed in flame-resistant Nomex®
- Features one back D-ring
- Adjustable leg and shoulder straps and sliding chest strap allows wearers to find a safe and comfortable fit
- Certified to CSA standard Z259.10-06



by Honeywell

Model No.	Mfg. No.	Size	CSA Class	Price /Each
SA0544	FP759/1DK	Universal	A	357.10

* X-Large available upon request

FALL PROTECTION

HEAVY-DUTY HARNESSES

- Rated for 440 lbs. – Exceeds the requirements of CSA and ANSI to provide reliable fall protection for workers above the CSA/ANSI limit of 310 lbs. (total weight of person plus tools and equipment)
- Back and side D-rings with 2" polyester webbing, extra wide for strength and wearer comfort
- Features an integrated back and shoulder pad which conforms to the wearer's shape to provide all-day comfort
- Integrated 440-lb rated, Soft-Pak lanyard – Permanently attached lanyard ensures that both lanyard and harness are correctly rated to 440 lbs.
- Tongue and buckle leg straps provide faster and easier donning and adjustment
- Universal size with full adjustability – One size fits most
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	CSA Class	Price /Each
SA0636	FP80K/3DYQ320	Extended back and Side	A, P	382.09

DURABILT HARNESSES

- Basic lightweight universal harness for everyday use
- User friendly, cost effective
- Polyester webbing for greater resistance to chemicals
- Universal style, one size fits most
- ISO 9001 manufacturing facility
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Rings	Leg Connections	Size	CSA Class	Price /Each
SAH533	FPD698/1DP	Back	Pass-thru	Universal	A	52.19
SAH535	FPD698/1DPXL	Back	Pass-thru	XL	A	65.52
SAH534	FPD698/1DGP	Back	Tongue Buckle	Universal	A	64.87
SAH536	FPD698/1DGPXL	Back	Tongue Buckle	XL	A	70.69
SAH762	FPD698/3DGP	Back and Side	Tongue Buckle	Universal	A, P	93.55
SAH764	FPD698/3DGPXL	Back and Side	Tongue Buckle	XL	A, P	101.94


ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
SAR472	FB780L	Leg or Shoulder Pad w/Velcro Enclosure	21.17

PRODUCT SIZING

Most harnesses listed are standard (STD) size. Other sizes are available for weight capacities up to 360 lbs. *Custom harnesses are available up to a 400-lb. weight capacity at no additional charge (custom harnesses with weight capacities of 361 – 400 lbs. are priced at the SXL harness size).

*360-lb. weight capacity applies to size SXL harnesses and excludes all *Gravity™* harnesses. *Gravity™* harnesses must be custom ordered for weight capacities above 310 lbs. When ordering a harness for a worker exceeding 310 lbs., a custom shock absorbing lanyard, designed for the weight of the individual, must also be ordered.



TECHNACURV™ FULL BODY HARNESSES

- Curvilinear comfort system
- Viscoelastic shoulder padding does not have memory and will not break down over time, offering superior comfort throughout the life of the harness
- *Sorbtek™* fabric on shoulder and sub-pelvic pads
- Soft, flexible webbing allows the harness to move with you as you work for increased comfort
- *Secure-Fit™* buckle designed to ease donning, doffing, and adjustment with single-hand operation
- Standard sizing
- Other sizes available upon request
- Certified to CSA standard Z259.10-06



TechnaCurv™ Back Pad



Secure-Fit™ Buckle



Model No.	Mfg. No.	Style	Chest Strap	Leg Straps	Pads	D-Ring(s)	CSA Class	Price /Each
SAM096	10041517	Vest	Qwik-Fit™	Qwik-Fit™	—	Back	A	176.20
SAM097	10041518	Pullover	—	Qwik-Fit™	—	Back	A	178.57
SAM098	10041591	Vest	Qwik-Fit™	Tongue buckle	—	Back	A	196.17
SAM099	10041593	Pullover	—	Tongue buckle	—	Back	A	198.52
SAM100	10041595	Vest	Qwik-Fit™	Tongue buckle	—	Back and hip	A, P, D	207.92
SAM101	10041597	Pullover	—	Tongue buckle	—	Back and hip	A, P, D	206.70
SAM102	10041599	Vest	Qwik-Fit™	Tongue buckle	Shoulder	Back	A	243.17
SAM103	10041601	Pullover	—	Tongue buckle	Shoulder	Back	A	245.51
SAM104	10041603	Vest	Qwik-Fit™	Tongue buckle	Shoulder	Back and hip	A, P, D	254.91
SAM105	10041605	Pullover	—	Tongue buckle	Shoulder	Back and hip	A, P, D	253.75
SAM106	10041607	Vest	Qwik-Fit™	Tongue buckle	—	Back, chest and hip	A, P, D	233.19
SAM107	10041609	Pullover	—	Tongue buckle	—	Back, chest and hip	A, P, D	212.01
SAM108	10041611	Vest	Qwik-Fit™	Tongue buckle	Shoulder	Back, chest and hip	A, P, D	280.21
SAM109	10041613	Pullover	—	Tongue buckle	Shoulder	Back, chest and hip	A, P, D	259.05
SAM110	10041615	Vest	Qwik-Fit™	Secure-Fit™	Shoulder, sub-pelvic	Back, chest and hip	A, P, D	361.82
SAM111	10041617	Pullover	—	Secure-Fit™	Shoulder, sub-pelvic	Back, chest and hip	A, P, D	340.71

See pages
692 & 693 for
MSA hard hats



FALL PROTECTION

GRAVITY™ TOWER HARNESSES

- Designed for the telecommunication and tower industries
- Universal harness made of black nylon webbing with saddle for increased harness comfort
- Cross-chest design
- Padded shoulders and belt with integral tool loops
- Suitable for fall arrest, rescue, controlled descent, work positioning and ladder climbing
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	Description	Waist"	CSA Class	Price /Each
SAM380	SSH91725C001	Medium Belt	36 - 44	A, D, L, P	515.87
SAM381	SSH91725D001	Large Belt	40 - 48	A, D, L, P	522.48

GRAVITY™ RIGGER/RESCUE HARNESS

- Incorporates a sit harness design which allows the user a much higher degree of comfort while in the sit position
- Suitable for rappelling/controlled descent, work positioning, ladder climbing, rescue and fall arrest
- Cross-chest design
- Standard 1 3/4" (45 mm) all black polyester webbing
- Certified to CSA standard Z259.10-06, Class A, D, L, P



Model No.	Mfg. No.	Description	Price /Each
SAM382	SSH60930001	Integral Belt	365.45

GRAVITY™ VEST STYLE HARNESSES

- Design is the traditional choice for confined space rescue and fall arrest
- Back D-ring ensures the user is in an upright position, eliminating the need for shoulder D-rings and a spreader bar for confined space applications
- Available in nylon or polyester
- Qwik-Fit™ leg buckles and chest straps
- Standard sizing
- Other sizes available upon request
- Certified to CSA standard Z259.10-06, Class A



Model No.	Mfg. No.	Webbing	Price /Each
SAM391	SSH30420060	Nylon	147.63
SAM392	SSH30430064	Polyester	141.12

GRAVITY™ CROSS-OVER HARNESSES

- Multi-purpose full body harness
- Unique cross-over design allows for adjustment of both the back and chest D-rings
- Suitable for controlled descent, positioning, ladder climbing, rescue, and fall arrest
- All harnesses have Qwik-Fit™ chest straps and leg buckles
- Nylon webbing
- Reflective yellow nylon webbing also available
- Standard sizing
- Other size available upon request
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	D-Ring(s)	CSA Class	Price /Each
SAM395	SSH70920000	Back	A	162.06
SAM397	SSH90920000	Back and Front	A, D, L	163.27
SAM396	SSH80920000	Back, Front and Side	A, D, L	193.05

REFLECTIVE YELLOW NYLON WEB

SAM398	SSH80920006	Back, Front and Side	A, D, P	212.90
--------	-------------	----------------------	---------	--------

WORKMAN™ HARNESSES

- Economical
- Abrasion-resistant, strong, durable webbing
- Yellow polyester webbing for high visibility
- Web retainer collars to keep excess webbing neat
- Easy to don and adjust
- Qwik-Fit™ chest strap
- Certified to CSA standard Z259.10-06



Model No.	Mfg. No.	Size	D-Ring(s)	Price /Each
TONGUE BUCKLE LEG STRAPS				
SAP206	10072486	X-Small	Back	79.07
SAP167	10072487	Standard	Back	80.67
SAP168	10072491	Standard	Back and Side	92.07
SAP207	10072488	X-Large	Back	82.46
SAP208	10072489	2X-Large	Back	86.19
QWIK-FIT™ LEG STRAPS				
SAP202	10072478	X-Small	Back	63.21
SAP203	10072479	Standard	Back	65.63
SAP166	10072483	Standard	Back	76.24
SAP204	10072480	X-Large	Back	66.55
SAP205	10072481	2X-Large	Back	68.47

ARCSAFE™ HARNESS

- Back Kevlar® web loop reduces overall harness weight and reduces potential of electrical arc to harness (up to 40 cal/cm²)
- Hardware is located low on the harness
- A 9500-lb pound nylon webbing has been put into place for added security
- Front attachments loops are also available for climbing systems, personal riding systems or for rescue applications
- The Y-shaped back web loop locator pad provides additional comfort and allows for effortless adjustment
- Meets all applicable OSHA standards, ANSI A10.32 and Z359.1 standards
- ASTM F887-04 compliant
- Certified to CSA standard Z259.10-06, Class A, D, L, P



Model No.	Mfg. No.	Description	Price /Each
SAP209	10070439	Vest style harness	310.81



We guarantee your safety!

FALL PROTECTION

TITAN™ AERIAL LIFT FALL PROTECTION KITS

- Full-body harness with permanently attached 6' (1.8 m) tubular shock-absorbing lanyard
- Universal fit
- Models **SAH516** and **SAH518** include a convenient carrying bag
- Harness certified to CSA standard Z259.10-06, Class A
- Lanyard certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Harness Model No.	Lanyard Model No.	Carrying Bag	Price /Each
SAH515	TK4051/U/6FTAK	SN064	SN069	No	112.85
SAH516	TK4051B/U/6FTAK	SN064	SN069	Yes	135.14
SAH517	TK4052/U/6FTAK	SN064	SN070	No	138.66
SAH518	TK4052B/U/6FTAK	SN064	SN070	Yes	172.57



TITAN™ CONSTRUCTION & GENERAL MAINTENANCE FALL PROTECTION KITS

- One full body universal sized harness with tongue buckle leg straps (**SN066**)
- One 6' (1.8 m) tubular shock-absorbing lanyard (**SN069**)
- One 6' (1.8 m) cross arm strap
- Harness certified to CSA standard Z259.10-06, Class A
- Lanyard certified to CSA standard Z259.11-05, Class E4

Model No. SR532
Mfg. No. TCK4500/U16FTAK
Price/Each \$151.99



SN069



SR532

TITAN™ READYROOFER® FALL PROTECTION KITS

LIGHTWEIGHT, FULL-BODY HARNESS

- Fully adjustable, non-stretch harness
- Certified to CSA standard Z259.10-06, Class A

SHOCK-ABSORBING LANYARD

- 3' ft (0.9 m) polyester web lanyard with integral shock absorber and two locking snap hooks
- Certified to CSA standard Z259.11-05, Class E4

COMPACT TRAILING ROPE GRAB

- Lightweight, easy-to-use design with hands-free operation
- Durable, corrosion-resistant, stainless steel construction
- Attaches anywhere on the lifeline

HIGH-STRENGTH ROPE LIFELINE

- 5/8" (16 mm) diameter polyester/polypropylene construction with loop and locking snap hook
- 9300-lb tensile strength, treated to combat ultraviolet rays

VERSATILE, REUSABLE ROOF ANCHOR WITH ATTACHMENT D-RING

- Easily installs on steep-pitched or flat surface roofs
- Reusable roof anchor

WATER-PROOF CONTAINER

- Ideal for equipment storage



Model No.	Mfg. No.	Description	Price /Each
SAK303	BRFK25/25ft	25' (7.6 m) Rope Lifeline	300.24
SAK304	BRFK50/50ft	50' (15 m) Rope Lifeline	325.36

HARNES/LANYARD KITS

- Universal Size **SAH533** or X-Large Full Body Harness **SAH535**
- Harness with permanently attached 4' or 6' *Decelerator* energy absorbing lanyard with double locking snap hook
- Harness certified to CSA standard Z259.10-06
- Lanyard certified to CSA standard Z259.11-05, Class E4


Model No.	Mfg. No.	Anchor Connector	Length'	Harness CSA Class	Price /Each
SAH769	FPDCOMB01/4	Double Locking Snap Hook	4	A, P	111.76
SAH771	FPDCOMB01/6	Double Locking Snap Hook	6	A, P	114.29
SAH772	FPDCOMB01XL/6	Double Locking Snap Hook and XL Harness	6	A, P	116.21



SAH769



by Honeywell



- Universal Size **SAH533** or X-Large Full Body Harness **SAH535**.
- Harness with permanently attached 4' or 6' *Decelerator* energy absorbing lanyard with double locking rebar hook
- Harness certified to CSA standard Z259.10-06
- Lanyard certified to CSA standard Z259.11-05, Class E4


Model No.	Mfg. No.	Anchor Connector	Length'	Harness CSA Class	Price /Each
SAH540	FPDCOMB02/4	Double Locking Rebar Hook	4	A, P	132.37
SAH542	FPDCOMB02/6	Double Locking Rebar Hook	6	A, P	136.07
SAH543	FPDCOMB02XL/6	Double Locking Rebar Hook and XL Harness	6	A, P	137.49



SAH540



by Honeywell



AERIAL FALL PROTECTION KITS

- Polyester full body universal harness **SAH533** or X-Large harness **SAH535**
- Permanently attached polyester *Decelerator* energy absorbing lanyard with double locking snap hook (4' or 6'), **SAH537** or **SAH750**
- *North* carrying bag (**SAH539**)
- Harness certified to CSA standard Z259.10-06
- Lanyard certified to CSA standard Z259.11-05, Class E4



by Honeywell



Model No.	Mfg No.	Description	Harness CSA Class	Price /Each
SAH777	FPDKIT1/4	Aerial Kit w/4' Lanyard	A	149.36
SAH778	FPDKIT1XL/4	Aerial Kit w/4' Lanyard and XL Harness	A	144.77
SAH779	FPDKIT1/6	Aerial Kit w/6' Lanyard	A	143.79
SAH780	FPDKIT1XL/6	Aerial Kit w/6' Lanyard and XL Harness	A	144.37



SAH777

CONSTRUCTION FALL PROTECTION KITS

- Polyester full body universal harness **SAH534** or X-Large harness **SAH536**
- Polyester *Decelerator* energy absorbing lanyard with double locking snap hook (4' or 6'), **SAH537** or **SAH750**
- *TNT Spectra*® sling (4' or 6'), **SAJ445** or **SAJ446**
- *North* carrying bag (**SAH539**)
- Harness certified to CSA standard Z259.10-06
- Lanyard certified to CSA standard Z259.11-05, Class E4



by Honeywell



Model No.	Mfg No.	Description	Harness CSA Class	Price /Each
SAH794	FPDKIT2/4	Construction Kit w/4' Lanyard	A	208.38
SAH795	FPDKIT2XL/4	Construction Kit w/4' Lanyard and XL Harness	A	207.00
SAH797	FPDKIT2/6	Construction Kit w/6' Lanyard	A	212.29
SAH799	FPDKIT2XL/6	Construction Kit w/6' Lanyard and XL Harness	A	212.71



SAH794

FALL PROTECTION

SCAFFOLDING/FORMING FALL PROTECTION KITS

- Polyester full body universal harness **SAH534** or X-Large harness **SAH536**
- Polyester *Decelerator* energy absorbing lanyard with double locking snap hook and 2 1/2" stamped scaffolding hook (4' or 6'), **SAK524** or **SAK525**
- North carrying bag (**SAH539**)
- Harness certified to CSA standard Z259.10-06
- Lanyard certified to CSA standard Z259.11-05, Class E4



NORTH



by Honeywell

Model No.	Mfg No.	Description	CSA Class	Price /Each
SAJ339	FPDKIT3/4	Scaffolding/Forming Kit w/4' Lanyard	A	223.73
SAJ340	FPDKIT3XL/4	Scaffolding/Forming Kit w/4' Lanyard and XL Harness	A	260.90
SAJ341	FPDKIT3/6	Scaffolding/Forming Kit w/6' Lanyard	A	232.18
SAJ342	FPDKIT3XL/6	Scaffolding/Forming Kit w/6' Lanyard and XL Harness	A	232.56

REBAR FALL PROTECTION KITS

- Polyester full body universal harness **SAH762** or X-Large harness **SAH764**
- Polyester *Decelerator* energy absorbing lanyard with double locking snap hook and 2 1/2" stamped scaffolding hook (4' or 6'), **SAK524** or **SAK525**
- Rebar assembly (**SAK517**)
- North carrying bag (**SAH539**)
- Harness certified to CSA standard Z259.10-06
- Lanyard certified to CSA standard Z259.11-05, Class E4



NORTH



by Honeywell

Model No.	Mfg No.	Description	CSA Class	Price /Each
SAJ343	FPDKIT4/4	Rebar Kit w/4' Lanyard	A, P	329.12
SAJ344	FPDKIT4XL/4	Rebar Kit w/4' Lanyard and XL Harness	A, P	335.79
SAJ345	FPDKIT4/6	Rebar Kit w/6' Lanyard	A, P	334.84
SAJ346	FPDKIT4XL/6	Rebar Kit w/6' Lanyard and XL Harness	A, P	339.59

ROOFER'S FALL PROTECTION KITS

- Lightweight universal harness (X-Large available upon request)
- Soft pack energy absorbing lanyard and rope grab, permanently attached
- Three-strand copolymer rope of 5/8" (16 mm) and 25' (8 m) or 50' (16 m)
- One roof bracket
- One carabiner connector
- Ten 4" (100 mm) *Ardox* spiral nails
- *Durabilt* storage bucket
- Harness certified to CSA standard Z259.10-06
- Lanyard certified to CSA standard Z259.11-05, Class E4



NORTH



by Honeywell

Model No.	Mfg No.	Description	CSA Class	Price /Each
SAJ347	FPD90/25	Roofers' Kit w/25' (8 m) Rope	A	302.00
SAJ348	FPD90/50	Roofers' Kit w/50' (16 m) Rope	A	290.35

COMPLIANCE IN A CANT™ FALL PROTECTION KITS

- A complete CSA compliant fall protection system in one handy container
- Harnesses are certified to CSA standard Z259.10-06
- Lanyards are certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Kit Contains	Price /Each
SEB356	2199825	Vest style harness with pass-thru connections Reusable Roof Anchor 50', 5/8" polyester/polypropylene lifeline 2' shock absorbing lanyard	329.00
SEB357	2199820	Vest style harness with pass-thru connections 6' shock absorbing lanyard with 2 locking snap hooks	141.50

EZ STOP™ II SHOCK ABSORBING LANYARDS

- Pack-style shock absorber uses a controlled tearing action to limit fall arrest forces
- 1" polyester web construction
- Features patented double-locking snap hooks and aluminum rebar hooks
- Durable nylon shock-absorber cover
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Harness Connection	Anchorage Connections	Price /Each
SEB430	1220006C	One	Snap Hook	Snap Hook	100.50
SEB428	1220416C	Two	Snap Hook	Aluminum Rebar Hooks	271.00
SEB429	1221008C	Two, Elastic	Snap Hook	Aluminum Rebar Hooks	311.50

SHOCKWAVE™ 2 LANYARDS

- Tubular core style lanyards uniquely designed to expand and contract in reaction to a workers movements
- Stays out of your way when not in use, avoiding trips and snags
- Built in impact indicator provides visual evidence if the lanyard has been involved in a fall
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Harness Connection	Anchorage Connections	Price /Each
SEB868	1244306C	One	Snap Hook	Snap Hook	115.00
SEB869	1242450C	Two	Snap Hook	Snap Hooks	175.00

FIRST™ SHOCK ABSORBING LANYARDS

- 1.75" polyester web
- Zinc-plated stamped steel hardware
- Clear cover enables easy inspection of stitching
- Minimum tensile strength is greater than 5000 lbs.
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Harness Connection	Anchorage Connections	Price /Each
SEB376	AE57610C	One	Snap Hook	Snap Hook	51.50

PRO™ PACK SHOCK ABSORBING LANYARDS

- Pack-type shock absorber limits fall arrest forces to 900 lbs. for added safety
- Durable 1" polyester web construction
- Durable alloy steel, zinc-plated hardware
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Length'	Number of Legs	Harness Connection	Anchorage Connections	Price /Each
SEB871	1341004C	4	One	Snap Hook	Snap Hook	60.00
SEB872	1341001C	6	One	Snap Hook	Snap Hook	60.00
SEB384	1340125C	6	One	Snap Hook	Rebar Hook	81.00
SEB873	1342250C	6	Two	Snap Hook	Snap Hooks	95.50
SEF153	1340180C	6	Two	Snap Hook	Rebar Hooks	118.50

PRO-STOP™ SHOCK ABSORBING LANYARDS

- Tubular web shock absorber limits fall arrest forces to 900 lbs. for added safety
- Durable 1" polyester web construction
- Durable alloy steel, zinc-plated hardware
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Length'	Number of Legs	Harness Connection	Anchorage Connections	Price /Each
SEB874	1340221C	4	One	Snap Hook	Snap Hook	58.50
SEB875	1340240C	6	Two	Snap Hook	Snap Hooks	88.00

BUILT KLETON TOUGH!

100% Canadian Owned

Kleton builds quality and dependability into all of their products. The same is true for products specially built to meet your specifications. Look throughout the catalogue for the *Kleton Custom Symbol* indicating which products can be customized to meet your specific needs.

FALL PROTECTION

MILLER® MANYARD® SHOCK-ABSORBING LANYARDS

- Unsurpassed in the market for safety, comfort and mobility
- Special woven shock-absorbing inner core reduces fall arrest forces
- Heavy-duty tubular outer jacket serves as a back-up web lanyard
- Unique warning flag provides visual proof that a lanyard has been involved in a fall and should be removed from service
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Harness Connection	Anchorage Connections	Length'	Price /Each
SC980	216WLS/4FTYL	One	Locking Snap Hook	Locking Snap Hook	4	83.80
SC981	216WLS/5FTYL	One	Locking Snap Hook	Locking Snap Hook	5	83.80
SC982	216WLS/6FTYL	One	Locking Snap Hook	Locking Snap Hook	6	83.80
SC983	216WLS/8FTYL	One	Locking Snap Hook	Locking Snap Hook	8	90.57
SC984	219WRS/4FTYL	One	Locking Snap Hook	Locking Rebar Hook	4	144.20
SC985	219WRS/5FTYL	One	Locking Snap Hook	Locking Rebar Hook	5	144.20
SC986	219WRS/6FTYL	One	Locking Snap Hook	Locking Rebar Hook	6	144.20
SC987	219WRS/8FTYL	One	Locking Snap Hook	Locking Rebar Hook	8	150.98
SAH529	231WRS/6FTYL	Two	Locking Snap Hook	Locking Rebar Hooks	6	314.05

SC984



SC980



MILLER® MANYARD® II STRETCHABLE SHOCK-ABSORBING LANYARDS

- Manyard® II shock-absorbing lanyards offer the same features as the Manyard® lanyards, with additional value-added features:
- Unique stretchable design offers greater manoeuvrability and safety
 - Integral bright red core makes visual inspection easier and more reliable
 - Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Harness Connection	Anchorage Connections	Length'	Price /Each
SAH530	216M/6FTGN	One	Locking Snap Hook	Locking Snap Hook	6	88.51
SAH531	219M/6FTGN	One	Locking Snap Hook	Locking Rebar Hook	6	175.09
SAH532	231M/6FTGN	Two	Locking Snap Hook	Locking Rebar Hooks	6	325.19

SAH530



MILLER® POSITIONING & RESTRAINT LANYARDS

- Nylon rope lanyards are recommended for "work positioning" and "restraint" only
- Certified to CSA standard Z259.11-05, Class A



Model No.	Mfg. No.	Harness Connection	Anchorage Connections	Length'	Price /Each
SA012	201RLS-2/4FTWH	Locking Snap Hook	Locking Snap Hook	4	61.04
SA013	201RLS-2/6FTWH	Locking Snap Hook	Locking Snap Hook	6	61.04
SA014	201RLS-2/8FTWH	Locking Snap Hook	Locking Snap Hook	8	64.52
SD512	202RRS-2/4FTWH	Locking Snap Hook	Locking Rebar Hook	4	139.86
SD513	202RRS-2/6FTWH	Locking Snap Hook	Locking Rebar Hook	6	139.86

SA012



MILLER® SOFSTOP® SHOCK-ABSORBING LANYARDS

- Features the versatile Miller® SofStop® shock absorber pack
- Specially-woven inner core smoothly expands to reduce fall arrest forces
- Certified to CSA standard Z259.11-05, Class E4




Model No.	Mfg. No.	Material	Harness Connection	Anchorage Connections	Length'	Price /Each
SA033	901RLS-2/4FTWH	5/8" Rope	Locking Snap Hook	Locking Snap Hook	4	121.95
SA035	901RLS-2/6FTWH	5/8" Rope	Locking Snap Hook	Locking Snap Hook	6	121.95
SA036	913WLS/4FTYL	Webbing	Locking Snap Hook	Locking Rebar Hook	4	93.12
SA037	913WLS/5FTYL	Webbing	Locking Snap Hook	Locking Rebar Hook	5	93.12
SA038	913WLS/6FTYL	Webbing	Locking Snap Hook	Locking Rebar Hook	6	93.12

SA036



TITAN™ SHOCK-ABSORBING LANYARDS

- Made of lightweight, durable polyester webbing
- **Tubular built-in core** lanyards feature a built-in woven inner core which smoothly expands to reduce fall arrest forces, while the outer jacket serves as a back-up web lanyard
- **Pack-type style** includes the shock absorber pack that expands to reduce fall forces while a back-up safety strap deploys
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4



MILLER

by Honeywell

Model No.	Mfg. No.	Number of Legs	Shock-Absorber Type	Harness Connection	Anchorage Connections	Price /Each
SN069	T5111/6FTAF	One	Tubular Built-In Core	Locking Snap Hook	Locking Snap Hook	61.29
SN070	T5112/6FTAF	One	Tubular Built-In Core	Locking Snap Hook	Locking Rebar Hook	88.93
SN071	T5121/6FTAF	Two	Tubular Built-In Core	Locking Snap Hook	Locking Snap Hooks	100.13
SN072	T5122/6FTAF	Two	Tubular Built-In Core	Locking Snap Hook	Locking Rebar Hooks	172.41
SN073	T6111/6FTAF	One	Pack-Type	Locking Snap Hook	Locking Snap Hook	63.18
SN074	T6121/6FTAF	Two	Pack-Type	Locking Snap Hook	Locking Snap Hooks	91.55
SN075	T6122/6FTAF	Two	Pack-Type	Locking Snap Hook	Locking Rebar Hooks	171.11

Note: Standard length is 6'; also available in lengths from 3' to 10'. Tubular shock-absorbing lanyards are not available in 3' length. Locking snap hook - 3/4" gate opening; locking rebar hook - 2 1/4" gate opening.

TITAN™ TIE-BACK LANYARDS

- Pack-type shock absorber is designed for tie-back use, eliminating the need for a separate anchorage connector
- Special polyester webbing (9800 lbs.) for greater abrasion resistance
- Forged sliding D-ring for ease of use
- Pack type shock-absorber that keeps fall forces at or below 900 lbs.
- 6' (1.8 m)



MILLER

by Honeywell

Model No.	Mfg. No.	Number of legs	Harness Connection	Anchorage Connections	Price /Each
SAK301	T6111TB/6FTAF	One	Locking Snap Hook	Auto-Locking Carabiner	93.74
SAK302	T6121TB/6FTAF	Two	Locking Snap Hook	Auto-Locking Carabiners	140.59

BACKBITER® TIE-BACK LANYARDS

- Made with the Miller® 5K snap hook (gate load capacity of 5000 lbs.), which is designed especially for wrapping around objects and snapping back onto the lanyard
- Offers a solution to the common, yet unsafe, practice of workers wrapping a regular lanyard around their anchor point
- All models come with the SofStop® shock absorber
- Harness connects with a locking snap hook
- Certified to CSA standard Z259.11-05, Class E4

MILLER

by Honeywell



Model No.	Mfg. No.	Description	Colour	Price /Each
SH005	913B/6FTGN	Nylon	Green	142.27
SH007	913BD/6FTBL	Polyester	Blue	142.27

R32302E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

FALL PROTECTION

ARC-RATED SHOCK-ABSORBING LANYARDS

- Arc-rated Kevlar® webbing available in both single and double-legged models upon request
- Also available with choke-off loop upon request
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Style	Description	Price/Each
SAR475	216MK/6FTBK	Manyard II	One leg with 2 locking snap hooks	123.85
SAR476	219MK/6FTBK	Manyard II	One leg with 1 locking snap hook and 1 locking rebar hook	194.09
SAR477	913K/6FTBK	w/SofStop® Shock Absorber	One leg with 2 locking snap hooks	197.95
SAR478	913KR/6FTBK	w/SofStop® Shock Absorber	One leg with 1 locking snap hook and 1 locking rebar hook	231.82

WELDER'S SHOCK-ABSORBING LANYARDS

- Blue, flame-retardant Nomex® webbing to protect against weld splatter
- The special inner Kevlar® core adds strength and high-temperature resistance
- Features Sofstop® shock-absorber and two locking snap hooks
- Contrasting webbing colours make inspection easier
- Length: 6'
- Certified to CSA standard Z259.11-05, Class E4

Model No. SAK326
Mfg. No. 913K/6FTBL
Price/Each \$197.95




DECELERATOR ENERGY-ABSORBING LANYARDS

- Simple design – Limits complexity and keeps down cost
- Proven performance – Effectively limits maximum arrest force to less than 900 lbs.
- Flagging system – Even partial deployment causes a flag to become visible, indicating that the lanyard has been subjected to a fall equivalent load and should be withdrawn from service
- Nylon webbing – Offers superior resistance to abrasion and alkaline chemicals
- Two-leg lanyards available – Provide 100% tie-off
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Harness Connection	Anchorage Connections	Size'	Price /Each
SN107	FP28822/4	One	Snap Hook	Snap Hook	4	80.54
SN108	FP28822/6	One	Snap Hook	Snap Hook	6	82.55
SN109	FP28829/4	One	Snap Hook	Rebar/Ladder Hook	4	90.62
SN110	FP28829/6	One	Snap Hook	Rebar/Ladder Hook	6	92.25
SN111	FP289299/4	Two	Snap Hook	Rebar/Ladder Hook	4	128.92
SN112	FP289299/6	Two	Snap Hook	Rebar/Ladder Hook	6	162.97



SOFT PAK ENERGY-ABSORBING LANYARDS

- Shock-absorbing design – Proven over years of service, the Soft Pak effectively limits maximum arrest force to less than 900 lbs.
- Easily visible deployment – The slightest deployment of the Soft Pak is clearly visible, aiding equipment inspection and identification of lanyards that have been subjected to a fall equivalent load and should be withdrawn from service
- Lightweight polyester webbing – Offers superior UV and chemical resistance
- Two-leg lanyards available – Provide 100% tie-off
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Number of Legs	Harness Connection	Anchorage Connections	Size'	Price /Each
SN113	FP26322/6	One	Snap Hook	Snap Hook	6	83.49
SAK515	FP2562GG/6	Two	Snap Hook	Scaffold Hooks	6	133.72

Look for this symbol



for environmentally friendly products!

DURABUILT LANYARDS

- Energy absorbing lanyard
- Durable polyester construction
- Variety of constructions and configurations available
- Certified to CSA standard Z259.11-05, class E4



by Honeywell



SAK520



SAH750



SAH761



SAK527



SAK524



Model No.	Mfg No.	Number of Legs	Harness Connection	Anchorage Connections	Length'	Price /Each
CONTINUOUS WEB						
SAK520	FPD26311/4	One	Double Locking Snap Hook	Double Locking Snap Hook	4	64.37
SAK521	FPD26311/6	One	Double Locking Snap Hook	Double Locking Snap Hook	6	53.72
DECELERATOR						
SAH537	FPD29811/4	One	Double Locking Snap Hook	Double Locking Snap Hook	4	59.14
SAH750	FPD29811/6	One	Double Locking Snap Hook	Double Locking Snap Hook	6	60.14
SAH761	FPD29819/6	One	Double Locking Snap Hook	Double Locking Rebar Hook	6	75.49
SAK524	FPD2981G/4	One	Double Locking Snap Hook	Scaffolding Hook	4	90.29
SAK525	FPD2981G/6	One	Double Locking Snap Hook	Scaffolding Hook	6	89.75
DOUBLE-LEG DECELERATOR						
SAK526	FPD299111/4	Two	Double Locking Snap Hook	Double Locking Snap Hooks	4	117.74
SAK527	FPD299111/6	Two	Double Locking Snap Hook	Double Locking Snap Hooks	6	118.97
SAK528	FPD2991GG/4	Two	Double Locking Snap Hook	Scaffolding Hooks	4	154.76
SAK529	FPD2991GG/6	Two	Double Locking Snap Hook	Scaffolding Hooks	6	163.51



CANADA'S LEADER
IN WELDING SUPPLIES



FALL PROTECTION

FP5K™ TIE-BACK SHOCK-ABSORBING LANYARDS

- Uses the FP5K™ carabiner, a new tie-back lanyard connector with a 5000-lb gate strength in any direction and a 1" gate opening, as well as a HL2000 snap hook with a 3/4" gate opening
- Available in web or cable version, 6' length (6' adjustable length on web version)
- Web version utilizes *Monster-Edge™* webbing with 12,000-lb. minimum breaking strength and increased abrasion resistance
- Utilises the *Sure-Stop™* shock absorber to keep fall arrest forces below 900 lbs.
- Available in both single and twin-leg configurations
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Hardware	Price /Each
NYLON WEB			
SAM459	10047084	Adjustable, HL2000 snap hook at one End/FP5K™ carabiner other end	160.95
SAM460*	10047085	Adjustable, HL2000 snap hook in Center/FP5K™ carabiner each leg	251.49
CABLE			
SAM461	10047086	Fixed, HL2000 snap hook at one End/FP5K™ carabiner other end	173.03
SAM462*	10047087	Fixed, HL2000 snap hook in Center/FP5K™ carabiner each leg	281.66

*Twin-leg design



FP DIAMOND™ SHOCK-ABSORBING LANYARDS

- Keeps fall arrest forces below 900 lbs.
- Available in a single or twin-leg configuration
- Durable polyester sheath for increased abrasion and UV resistance
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Description	Length¹	Price /Each
SAM463	10023932	HL2000 snap hook at both ends	6	90.30
SAM464	10023970	Twin-leg w/SHL2000 swivel snap hook and two HL2000 snap hooks	6	175.81
SAM465	10023971	Twin-leg w/SHL2000 swivel snap hook and two HL64 ladder/rebar hooks	6	280.13
SAM466	10023936	HL2000 snap hook at both ends	5	96.11
SAM467	10023937	Twin-leg w/SHL2000 swivel snap hook and two HL2000 snap hooks	5	189.98



SURE-STOP™ SHOCK-ABSORBING LANYARDS

- Uses a tear tape design to keep fall arrest forces below 900 lbs.
- 1" nylon webbing
- Available in single or twin-leg configurations
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Description	Length¹	Price /Each
SAM471	SWL4068704LS	Fixed LS locking snaps at both ends	4	98.37
SAM473*	SWL40400206LS	Fixed LS locking snap and two LS locking snaps	6	119.23

*Twin-leg design




WORKMAN™ ENERGY-ABSORBING LANYARDS

- Lightweight with a low-profile body
- Shock absorber includes a clear, durable protective cover over the labels to increase service life and allow for easy inspection
- Tear-tape design to keep fall arrest forces below 900 lbs.
- Choice of single-leg or twin-leg configuration
- Choice of adjustable or tie-back configuration
- Meets OSHA regulations, and ANSI A10.32 and Z359.1
- Certified to CSA standard Z259.11-05, Class E4



Model No.	Mfg. No.	Description	Length¹	Price /Each
SAP195	10072472	Single-leg, tie-back w/LC locking snaps	6	76.33
SAP196	10072474	Single-leg, adjustable w/LC locking snaps	6	64.86
SAP197	10072475	Twin-leg, adjustable w/LC locking snaps	6	168.91



TALON™ WEB SELF-RETRACTING LIFELINE

- 8' (2.4 m) nylon web self-retracting lifeline
- Extremely lightweight design, under 3 lbs. (1.3 kg)
- Direct harness attachment option
- Built-in anchorage connector
- Greater freedom of movement without compromising safety
- Certified to CSA standard Z259.2.2-98, Type 1 SRL

Model No. SEB337
Mfg. No. 3101001C
Price/Each \$341.50



SEB337



SEALED BLOK™ SELF-RETRACTING LIFELINES

- 30' Sealed Blok™ self-retracting lifeline that features a retrieval bracket and swivelling snap hook with impact indicator
- New sealed design keeps the critical working components (brake, power spring, energy absorber) free of dirt, grease, water and chemicals
 - Built-in carrying handle makes transport and anchoring safe and easy, and provides a secondary "dropped objects protection" attachment point
 - Large pivoting anchorage handle stays in line with load for added security and allows use of a variety of connecting hardware
 - Anti-ratcheting brake stops falls within inches and limits arresting forces to 900 lbs. for added safety
 - Cast aluminum housing and heavy gauge steel end plates resist damage and provide corrosion resistance
 - Self-locking swivel hook with impact indicator makes connections easy, and provides a visual means of inspection
 - Certified to CSA standard Z259.2.2-98, Type 3 RSRL

Model No. SEB341
Mfg. No. 3400853C
Price/Each \$3481.00



SEB341



ULTRA-LOK™ SELF-RETRACTING LIFELINES

- Galvanized wire rope lifeline
- Maximum durability with minimal weight
- Stainless steel working components for corrosion resistance
- Durable polyurethane housing and aluminum side plates
- Anti-ratcheting, twin disc brake system limits arresting forces to 900 lbs. (4kN) or less
- Smooth performance
- Certified to CSA standard Z259.2.2-98, Type 2 SRL



SEB345



REBEL™ WEB SELF-RETRACTING LIFELINES

- Web lifeline
- Self-locking hooks
- Great value with superior features
- Compact and lightweight
- Durable aluminum housing
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



SEB349



SEB350

Model No.	Mfg. No.	Length'	Harness Connection	Anchorage Connection	Price /Each
SEB347	3504433C	20	Swivel Snap Hook	Steel Hook	1091.00
SEB345	3504430C	30	Swivel Snap Hook	Steel Hook	1364.50
SEB348	3504450C	50	Swivel Snap Hook	Steel Hook	1694.00

Model No.	Mfg. No.	Length'	Harness Connection	Anchorage Connection	Lifeline	Price /Each
SEB349	AD110BC	10	Swivel Snap Hook	Swivel Carabiner	Web	226.00
SEB350	AD120BC	20	Rebar Hook	Swivel Carabiner	Web	419.00
SEE717	3590502	33	Swivel Snap Hook	Swivel Carabiner	Galvanized Cable	528.00
SEE718	3590552	50	Swivel Snap Hook	Swivel Carabiner	Galvanized Cable	715.00

NANO-LOK™ SELF-RETRACTING LIFELINES

- Automatic quick-activating arrestor stops a falling worker within inches; replaces lanyard and improves safety
- 6' retractable lifeline provides continuous fall protection without restrictions – keeps lifeline out of worker's way, reducing dragging, snagging, and trip falls
- Extremely compact and lightweight; at just 1.6 lbs. this unit is 15% lighter and 30% smaller than other units in its class
- 420-lb. weight capacity – higher capacity for operator and tools
- Integrated shock absorber provides a visual indication of a fall
- Anchorage connectors install to web, leaving dorsal D-ring open for other equipment or rescue
- Swiveling anchorage loop eliminates lifeline twisting for smoother operation
- Wide variety of configurations provides complete jobsite versatility and flexibility
- Twin-leg configurations replace twin-leg lanyards and provide 100% tie-off continuous fall protection and improved mobility
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



Model No.	Mfg. No.	No. of legs	Harness Connection	Anchorage Connection	Price /Each
SEE926	3101242	1	Cab Mount Stainless Steel Bracket	Steel Swivel Snap Hook	215.50
SEE927	3101233	1	Single Leg Connector	Steel Snap Hook	194.50
SEE928	3101258	1	Single Leg Connector	Steel Swivel Snap Hook	229.00
SEE929	3101230	1	Single Leg Connector	Aluminum Carabiner	208.00
SEE930	3101286	2	Twin Leg Connector	Steel Rebar Hooks	446.50
SEE931	3101283	2	Twin Leg Connector	Aluminum Rebar Hooks	479.00



SEE926

SEE928

SEE929

FALL PROTECTION

MINILITE™ FALL LIMITERS

- Lightweight, compact design – only 2.5 lbs.
- Corrosion-resistant interior, frame and components
- Visual load indicator
- Quick-activating, high-strength stainless steel braking system
- Arrests free falls within inches
- Fits in the palm of your hand
- Provides the best overall value when compared with competitive units
- High-impact protective outer cover
- Prominent reflective labeling
- Available with a variety of integral anchorage connectors
- Length: 11'
- Certified to CSA standard Z259.2.2-98, Type 1 SRL

Model No.	Mfg. No.	Harness Connection	Price /Each
SG987	FL11-3/11FT	W/Steel Twist Lock Carabiner and Stainless Steel Swivel Shackle	320.84
SG988	FL11/11FT	Without Anchorage Connector	238.58
SG989	FL11-1/11FT	With Steel Twist-Lock Carabiner	275.88



SG987



TURBOLITE™ PERSONAL FALL LIMITERS

The new Miller TurboLite™ Personal Fall Limiters will make shock-absorbing lanyards obsolete on the jobsite.

- First affordable alternative to shock-absorbing lanyards
- Compact and lightweight PFL, workers will no longer need to "switch-out" equipment to maintain a safe fall distance
- Extremely compact and lightweight 1.9 lbs. (0.86 kg)
- Unit attaches directly to the harness back D-ring for greater mobility and versatility
- Engineered webbing for greater abrasion resistance and long service life
- High-strength, impact-resistant nylon housing for maximum durability
- Built-in swivel prevents lifeline from twisting
- Rated for up to a 400 lbs. (181.4 kg) user
- No annual factory recertification required
- Quick-activating, high-strength stainless steel braking system
- Length: 6'
- Certified to CSA standard Z259.2.2-98, Type 1 SRL

Model No.	Mfg. No.	Harness Connection	Anchorage Connection	Price /Each
SAR481	MFL-1/6FT	Locking Snap Hook	Steel Twist-Lock Carabiner	141.56
SAR482	MFL-3/6FT	Locking Snap Hook	None	121.96
SAR483	MFL-11/6FT	Aluminum Locking Snap Hook	Aluminum Twist-Lock Carabiner	152.07



SAR481



MILLER® SCORPION™ PERSONAL FALL LIMITERS

- Greater versatility through dual operation: For use as a personal fall limiter or as a traditional retractable lifeline (utilizing a variety of anchorage connectors)
- Small, lightweight design: 2.9 lbs. (1.3 kg)
- Quick-activating, high-strength stainless steel braking system - arrests free falls within inches
- No annual factory recertification required
- Visual load indicator - indicates when the unit must be removed from service
- Variety of integral anchorage connectors available
- 400-lb. (181.4 kg) capacity models available upon request
- Length: 9'
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



SAK314

Unit shown with locking swivel snap hooks



Model No.	Mfg. No.	Harness Connection	Anchorage Connection	Price /Each
SAK314	PFL-4/9FT	Locking Snap Hook	Carabiner and Swivel Shackle	293.64
SAK315	PFL-5/9FT	Locking Snap Hook	D-Ring Swivel Hook	293.64

BLACK RHINO™ SELF-RETRACTING LIFELINES

- Repairable; no annual factory recertification required
- Ideal for concrete construction, welding, steel erection and warehouse applications
- Quick-activating, high-strength stainless steel braking system
- Variety of integral anchorage connectors available
- Integral load indicator - indicates when the unit must be removed from service
- Extended service life - corrosion-resistant stainless steel and aluminum components
- Integral internal shock absorber - consistently reduces fall forces to 900 lbs./f (4 kN) or less for greater safety
- Length: 9'
- Certified to CSA standard Z259.2.2-98, Type 1 SRL

Model No.	Mfg. No.	Harness Connection	Anchorage Connection	Price /Each
SAK313	CFL-5/9FT	Locking, Swivel Snap Hook	Stainless Steel Swivel and Rebar Locking Snap Hook	534.72

FALCON™ SELF-RETRACTING LIFELINES

Pound for pound the strongest, most durable retractable lifeline available.

- Corrosion-resistant stainless steel and aluminum internal components
- Lightest composite unit on the market
- Smooth, quiet operation; engineered spring retraction tension designed not to pull or drag on a worker to improve productivity and reduce fatigue
- Built-in, ergonomically-designed moulded handle on the 50' unit provides support and leverage
- Dual swivels (unit top and snap hook) included on all models to prevent lifeline from twisting
- Improved load indicator on the snap hook identifies when the unit needs to be removed from service
- Maximum Working Load: 310 lbs. (148 kg)
- Maximum Arresting Force: <900 lbs/f (4 kN)
- Certified to CSA standard Z259.2.2-98, Type 2 SRL

Model No.	Mfg. No.	Length'	Harness Connection	Anchorage Connection	Price /Each
SAK316	MP20G/20FT	20	Swivel Snap Hook	Swivel Carabiner	799.64
SAK317	MP50G/50FT	50	Swivel Snap Hook	Swivel Carabiner	1400.38

MIGHTYLITE SELF-RETRACTING LIFELINES

Perfect solution for an array of construction, industrial, warehouse, utility, telecommunications, agriculture, mining and confined space applications.

- Ideal for hard-to-mount locations
- Corrosion-resistant stainless steel and aluminum components extend service life
- Carabiner and tagline included
- Certified to CSA standard Z259.2.2-98, Type 1 SRL

Model No.	Mfg. No.	Lifeline	Harness Connection	Anchorage Connection	Price /Each
SD001	RL20P/20FT	1" Polyester Webbing	Locking Snap Hook	Carabiner	937.49
SD002	RL20G/20FT	3/16" Galvanised Cable	Locking Snap Hook	Carabiner	1011.62
SD003	RL20SS/20FT	3/16" Stainless Steel Cable	Locking Snap Hook	Carabiner	1072.02

MIGHTEVAC™ SELF-RETRACTING LIFELINES

- Combines the *MightyLite* self-retracting lifeline series with a quick-activating retrieval mechanism for emergency evacuation
- 20% lighter than competitive models
- Provides quick and easy rescue with a 4:1 mechanical advantage (average speed of 25 feet per minute)
- Durable, field-tested construction
- Corrosion-resistant stainless steel/aluminum components
- Convenient, heavy-duty carrying handle
- Galvanised wire rope in lengths of 50', 100' and 130'
- Also available with stainless steel wire rope and Kevlar® rope upon request
- 310 lbs. weight capacity
- Certified to CSA standard Z259.2.2-98, Type 3 RSRL

Length of Wire Rope	Model No.	Mfg. No.	Length'	Harness Connection	Price /Each	Model No. w/Mounting Bracket	Mfg. No.	Length'	Harness Connection	Price /Each
50'	SAH519	MR50G/50FT	50	Locking Snap Hook	3070.22	SAH522	MR50GB/50FT	50	Locking Snap Hook	3180.35
100'	SAH520	MR100G/100FT	100	Locking Snap Hook	4239.12	SAH523	MR100GB/100FT	100	Locking Snap Hook	4349.33
130'	SAH521	MR130G/130FT	130	Locking Snap Hook	4466.66	SAH524	MR130GB/130FT	130	Locking Snap Hook	4576.75



LIFETIME HOUSING GUARANTEE*

Nearly indestructible, high impact-resistant nylon housing withstands the harsh rigors for the toughest applications.



* When used under typical working conditions



SAK317



SD002

SAH522



FALL PROTECTION

DURALITE II SELF-RETRACTING LIFELINES

- 20' in length
- Lightweight alternative to SRL's equipped with heavy metallic housings or internal mechanisms
- Made with a tough polymer housing
- 3/4" (20 mm) nylon webbing
- Variety of connectors available
- Ideal for a vast variety of applications
- Length: 20'
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



SELF-RETRACTING LIFELINES

- Corrosion-resistant alloy housing
- Stainless steel cables, ideal for the food industry and environments involving chemicals
- Load indicator triggers to show the unit has been subjected to a severe force
- High corrosion resistance, high strength and relatively low weight
- Lifeline retracts under light tension
- Easy to use and install
- 3/16" (5 mm) stainless cable with swivel load-indicating snap hook
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



NORTH
by Honeywell



NORTH
by Honeywell



Model No.	Mfg. No.	Harness Connection	Price /Each
SAJ444	FP1/306W	Locking Snap Hook	753.77

Model No.	Mfg. No.	Length'	Harness Connection	Price /Each
SAO556	FP2/315S	50	Snap Hook	1361.43
SAO559	FP3/333S	110	Snap Hook	2090.05

DURALITE III SELF-RETRACTING LIFELINES

- This lightweight unit, weighing 2.4 lbs. (1.1 kg), is a favourite of workers using a telescopic pole or a first-man-up system
- One of the few CSA Type 1 units on the market that is serviceable, reducing cost of ownership
- Superior braking system – Unit will sense the worker has fallen and lock up only when required; the unit will not lock up when the worker is travelling to or away from the anchor
- Dyneema®/polyester webbing is up to 15 times stronger than quality steel and up to 40% stronger than aramid fibres, both on weight-for-weight basis
- Load indicator built into snap hook reveals when fall has occurred allowing the worker to quickly see if the unit requires servicing
- Swivelling anchor prevents the webbing from twisting and tangling
- Certified to CSA standard Z259.2.2-98



NORTH
by Honeywell



Model No.	Mfg. No.	Description	CSA Type	Length'	Harness Connection	Anchorage Connection	Price /Each
SAO680	FP1/303W	3/4" (20 mm) Webbing	Type 1	10	Locking Snap Hook	Carabiner	354.62
SAP408	FP1/304W	3/4" (20 mm) Webbing w/Shock Absorber	Type 2	12	Locking Snap Hook	Carabiner	386.12

Can't find what
you're looking for?
Call us today!



SUSPENSION TRAUMA SAFETY STRAPS

- They are deployed when needed, hook together in seconds, and let a suspended worker stand up in harness, relieving downward pressure
- You can quickly attach them to most harness brands right in the field
- Compact, lightweight design stays out of your way

Model No. SEB436
Mfg. No. 9501403C
Price/Each \$27.00



TIE-OFF ADAPTORS

- Pass-thru style polyester web tie-off adaptor



Model No.	Mfg. No.	Length'	Price /Each
SEB389	1003000	3	53.00
SEB390	1003006	6	61.00

CABLE TIE-OFF ADAPTORS

- 1/4" coated galvanized cable
- Lightweight and extremely durable
- Stands up to harsh environments
- Snap hook at one end, O-ring at the other
- Length: 6'

Model No. SEB470
Mfg. No. AJ408CG-6
Price/Each \$73.50



RMP-ECO® cleaning products are the Green solution to industrial cleaning.
All RMP-ECO® products are EcoLogo® certified. RMP-ECO® is safe for you and the environment.

GLYDER™ 2 SLIDING BEAM ANCHORS

- Provides complete horizontal mobility on I-beams
- Wear pads eliminate metal-to-metal contact, for smooth operation
- Integrated ratcheting adjustment system for easy installation
- Dual beam grip adjustment prevents twisting and turning
- Extremely light weight at only 3.7 lbs.
- User capacity of 420 lbs.
- Fits flange 3 1/2" to 14" wide and up to 1 1/4" thick

Model No. SEB435
Mfg. No. 2104700
Price/Each \$256.00



FIXED BEAM ANCHORS

- Installs in seconds to the beam structure in any orientation
- Final tightening using a built-in adjustment handle
- Fits up to 1 1/2" thick beam flange, 2 1/2" to 12" wide

Model No. SEE808
Mfg. No. 2108406
Price/Each \$569.50



D-RING ANCHORAGE PLATES

- Can be bolted or welded to a structure, offering a compact, reliable connection point
- Two 1/2" diameter attachment holes
- Cadmium plated steel D-ring
- 304 stainless steel anchorage plate
- Plate size: 1/4" x 2" x 4 1/2"

Model No. SEB449
Mfg. No. 2101630
Price/Each \$54.00



CONCRETE D-RING ANCHORS

- Reusable D-ring assembly
- Rugged design for harsh environments
- Safe "hook-up" indicator notifies user of proper installation
- Install into 11/16" or 3/4" holes - only standard drill bits needed

Model No. SEB438
Mfg. No. 2104560
Price/Each \$106.50



FREESTANDING COUNTERWEIGHT ANCHORS

- Freestanding system is easily placed on top of the roof surface to provide tie-off point for one worker

Model No. SEE809
Mfg. No. 7205000
Price/Each \$2883.00



FALL PROTECTION

ROLLGLISS® DESCENDERS

- Get personnel down safely from high places when quick escape is vital
- Simple design for easy installation and use
- No power source or special skills or tools required
- Simply connect to harness and step off structure for evacuation
- Use repeatedly without factory servicing after user inspection
- Corrosion resistant construction for maximum durability
- Wire rope lifeline for added durability in extreme environments

Model No. SEE807
Mfg. No. 3303015C
Price/Each \$4190.00



LAD-SAF™ ROPE GRABS

- Mobile design automatically follows users for hands-free operation
- Detachable design can be attached or removed anywhere along lifeline
- Inertia and cam locking systems for safety and to prevent "panic-grab"
- For use on 5/8" (16mm) polyester/polypropylene rope lifeline
- Use with 3' shock absorbing lanyard

Model No. SEB433
Mfg. No. 5000335C
Price/Each \$257.50



SAFLOK™ CARABINERS

- Steel carabiners
- Self locking/closing
- 3600-lb. gate



SEB432



SEE719



Model No.	Mfg. No.	Gate Opening"	Price /Each
SEB432	2000112	3/4	46.50
SEE719	2000113	1 3/16	95.00

ROPE LIFELINES

- 30' lifeline
- 5/8" diameter
- Snap hook at one end
- Features additional abrasion and UV resistance, for added durability, longevity, and safety

Model No. SEC130
Mfg. No. 1202754C
Price/Each \$130.00



CABLE LADDER SAFETY SYSTEMS

- The Lad-Saf™ flexible cable system consists of a top and bottom bracket that act as anchors for a steel cable that runs the length of the climbing area
- A Lad-Saf™ sleeve connects the worker to the system, automatically follows the user during the climb, and locks on to the cable in the event of a fall
- Designed for ease of use, economy, and versatility
- Integrated tension indicating bottom brackets take the guess work out of installation
- Galvanized and stainless steel construction stands up to harsh environments for added longevity
- Integrated shock absorbing top bracket reduces forces imposed on ladder during a fall
- Intermediate cable guides prevent cable wear against the ladder and permit the climber to bypass without disconnecting
- Complete system includes both top and bottom brackets, cable and cable guides. They do not include a sleeve, carabiner, or harness
- System is also customizable, call today to learn more



Model No.	Mfg. No.	Length'	Price /Each
SEE810	LADSAF-20	20	489.50
SEE811	LADSAF-30	30	542.00

Call us
 for all
 your Safety
 Equipment
 & Supplies
 requirements!



MILLER® ROPE GRABS & VERTICAL LIFELINES

Miller® rope grabs move easily up and down vertical lifelines to provide continuous fall protection. Trailing models offer complete hands-free operation for increased productivity. In the event of a fall, Miller® rope grabs lock quickly.

- Compact design; corrosion-resistant stainless steel construction
- Lightweight and easy to use
- Certified to CSA standard Z259.2.1-98 (R2004)



SAK318



SC995



by Honeywell

Model No.	Mfg. No.	Description	Price /Each
SAK318	8175/C	Stainless Steel Trailing Rope Grab For Use With 5/8" (16 mm) Rope	181.92
SC993	8175RLS/3FTWHC	SAK318 w/Attached 3' (1 m) Rope Lanyard w/Locking Snap Hook	231.48
SC994	8175WLS/3FTYLC	SAK318 w/Attached 3' (1 m) Web Lanyard w/Locking Snap Hook	243.91
SC995	8175SLS/3FTYLC	SC994 w/SoftStop® Shock Absorber w/Locking Snap Hook	227.80


Note: Locking snap hook – 3/4" (19 mm) gate opening.

VERTICAL LIFELINES

Model No.	Mfg. No.	Description	Price /Each
SC996	300C/25FTBL	25' Polyester/Polypropylene Blend Rope Lifeline w/Carabiner	116.52
SC998	300L-2/25FTBLC	5/8" dia. Polyester/Polypropylene Blend Rope w/Snap Hook, 25'	63.54
SC999	300L-5/50FTBLC	5/8" dia. Polyester/Polypropylene Blend Rope w/Snap Hook, 50'	86.63

ROPE GRABS


- Constructed of high impact resistant steel
- Operates in automatic or manual mode
- Can be used on approved horizontal rope systems
- Can be removed and reattached to rope at any point during traverse
- Designed for use with nylon or polyester rope
- Accommodates 5/8" (16 mm) rope
- Total weight: 1.75 lbs. (0.79 kg)
- Certified to CSA standard Z259.2.1-98 (R2004)



Model No.	Mfg. No.	Description	Price /Each
SEB385	AC202C	COBRA Rope Grab	147.00
SEB386	AC203C-SA2	COBRA Rope Grab with built-in 2' (0.61 m) Shock Absorber and Lanyard	146.50
SEB387	AC203C-2SL	COBRA Rope Grab with built-in 2' Polyester Web Lanyard	123.50

ROPE LIFELINE ASSEMBLIES

- 16 mm (5/8") diameter, polyester sheath with polypropylene core
- Tensile strength: 2540 kg (5600 lbs.)
- Zinc plated stamped steel hook
- Net weight: 5.6 lbs. (25 kg)



Model No.	Mfg. No.	Length'	Price /Each
SEB381	SSR100-50	50	108.50
SEB382	SSR100-100	100	172.50

ROPE GRABS & VERTICAL LIFELINES

Rope grab and lifeline combinations still provide some of the most cost-effective solutions for fall protection needs. North offers you the widest assortment of rope implements in the market ranging from automatic rope grabs to rope adjusters.

- Constructed from quality, corrosion-resistant materials for long service life
- Match the device with the lifeline product that most suits your needs
- Certified to CSA standard Z259.2.1-98 (R2004)



SN117



SN118

SN115

SAG159



by Honeywell



Model No.	Mfg. No.	Description	Price /Each
AUTOMATIC ROPE GRAB			
SN114	FP541	Automatic Panic Lock - Rope Grab	123.69
SAG159	FP542	Automatic Panic Lock with 2' Lanyard, Energy Absorber with Snap Hook	189.11
MANUAL ROPE GRAB ADJUSTER			
SN115	FP552	Includes 2' Lanyard Energy Absorber with Snap Hook	229.33
AUTOMATIC ROPE GRAB WITH PARK FEATURE			
SN117	FP564	Includes 2' (0.6 m) Soft Pak Energy Absorbing Lanyard with Snap Hook	233.91

VERTICAL LIFELINES

Model No.	Mfg. No.	Description	Composition	Tensile Strength	Price /Each
SN118	FP16E/SP50	5/8" (16 mm) 3-Strand, 50'	Polyolefin Fibre	8100 lbs. (3680 kg)	100.62
SN119	FP16E/SP100	5/8" (16 mm) 3-Strand, 100'	Polyolefin Fibre	8100 lbs. (3680 kg)	167.29
SEC448	195R-2/50FTWH	5/8" (16 mm) Kernmantel, 50'	Nylon	12 570 lbs. (5700 kg)	130.41
SEC449	195R-2/100FTWH	5/8" (16 mm) Kernmantel, 100'	Nylon	12 570 lbs. (5700 kg)	217.64

FALL PROTECTION

ANCHORAGE CONNECTORS

Designed as the intermediary for securing a connecting device to an anchorage, careful consideration should be given to selecting a proper anchorage for ultimate safety. The anchorage should be easily accessible, located a safe distance above any lower obstacles and support 5000 lbs. (22 kN) per worker.



by Honeywell

REBAR HOOK ANCHORS WITH SHOCK ABSORBER PACK

- Facilitates anchoring to scaffolding, pipe or angle iron
- Features a locking rebar hook with SofStop® shock absorber and a D-ring
- 400-lb. maximum capacity

Model No. SD538
Mfg. No. 485/22INYL
Price/Each \$173.67



REBAR HOOK ANCHORS

- Facilitates anchoring to scaffolding, pipe or angle iron
- Features a locking rebar hook for easy, one-hand installation and a D-ring
- 400-lb. maximum capacity

Model No. SD008
Mfg. No. 480/19INGN
Price/Each \$138.56



CROSS-ARM STRAPS

- Web cross-arm strap wraps around I-beams and other structures
- Attaches with a 2" D-ring that slips through a 3" D-ring
- Forms a secure attachment point for lanyards and other connecting devices
- Length: 6'
- 400-lb. maximum capacity

Model No. SD009
Mfg. No. 8183/6FTGN
Price/Each \$53.91



ARC-RATED CROSS-ARM ANCHORAGE STRAPS


- Kevlar® webbing
- One 2" D-ring
- One loop
- Black



Model No.	Mfg No.	Length	Price/Each
SAR479	8185K/3FTBK	3' (1 m)	134.81
SAR480	8185K/6FTBK	6' (1.8 m)	134.81

BEAM TROLLEYS

- Steel anchor point that can be attached to horizontal I-beams
- Adjustable beam trolley slides along with the worker to provide maximum mobility
- 400-lb. maximum capacity



BEAM CLAMPS

- Steel anchor point that can be attached to horizontal I-beams, S-beams or W-beams
- Swivel attachment ring prevents twisting of the worker's connecting device
- 400-lb. maximum capacity



Model No.	Mfg. No.	Description	Beam Width"	Price /Each
SD010	9065/BK	Beam Trolley	3 - 4 1/2	522.91
SAK435	9065-1	Adapter Kit for SD010	3 - 8 1/2	90.25

Model No.	Mfg. No.	Max Beam Width"	Price /Each
SD006	450	9	443.48
SD007	455	12 1/2	647.56

D-BOLT PERMANENT ANCHORAGE CONNECTORS

- 1/2" diameter D-bolt anchor
- One-piece unit with lockwasher and nut
- 400-lb. maximum capacity

Model No. SD005
Mfg. No. 415
Price/Each \$68.42



ZENITH®
Safety Products

We guarantee your safety!

SPECIALTY ANCHORAGE CONNECTORS

A variety of wrap around anchorage connectors and other connectors for beams will suit most applications. All anchorage connectors have a minimum breaking strength of 22 kN (5000 lbs.), unless otherwise stated.



PASS-THROUGH WEB ANCHOR SLINGS

- 2" heavy-duty nylon web
- Small D-ring passes through large D-ring to form a loop around the anchorage point



SAK491

Model No.	Mfg. No.	Length'	Price /Each
SAK491	FP03/4	4	45.84
SN136	FP03/6	6	47.50

CABLE ANCHOR SLINGS

- 1/4" (6.35 mm) galvanized steel cable
- Swaged eyes at each end
- PVC coated against corrosion



SN137

Model No.	Mfg. No.	Length'	Price /Each
SN137	FP02/3	3	28.25
SN138	FP02/6	6	38.25

BOLT-ON D-RING ANCHORAGE CONNECTORS

- Gate opening of 4 1/4" (10.8 cm)
- Reduces roll-out possibilities
- Mounting hardware required

Model No. SAK492
Mfg. No. FP3730
Price/Each \$44.09



SPECTRA® WEB ANCHOR SLINGS

- Made of revolutionary *Spectra*® webbing for lightweight, small size, and exceptional strength
- 1" web can be used without additional protective materials in concrete forming



SAJ446

Model No.	Mfg. No.	Length'	Price /Each
SAK501	FP242/2	2	14.90
SAK502	FP242/3	3	19.03
SAJ445	FP242/4	4	23.37
SA0629	FP242/5	5	27.17
SAJ446	FP242/6	6	30.75

ROOF ANCHORS

- 5000-lb anchorage point can be reused
- Forged alloy D-ring
- Painted steel construction
- Includes twenty 16D nails for single use
- Total weight: 3 lbs.

Model No. SEB388
Mfg. No. AJ730A
Price/Each \$37.50



Call us for quantity pricing!





CARABINERS

400-lb. (181.4 kg) maximum capacity.

MILLER
by Honeywell



Steel twist-lock carabiner;
1" (25 mm) gate opening

Model No. SAK327
Mfg. No. 17D-1
Price/Each \$46.98




Triple-action twist-lock carabiner.
Lightweight aluminum;
1" (25 mm) gate opening

Model No. SAK329
Mfg. No. 17D-3
Price/Each \$78.07



Lightweight, aluminum
twist-lock carabiner;
1" (25 mm) gate opening

Model No. SAK328
Mfg. No. 17D-2
Price/Each \$78.07



Large, steel twist-lock
carabiner; 2" (50 mm)
gate opening

Model No. SAK330
Mfg. No. 18D-1
Price/Each \$105.60



Large, aluminum twist-lock
carabiner; 2 1/4" (57 mm)
gate opening

Model No. SAK331
Mfg. No. 18D-2
Price/Each \$120.87

CARABINERS & ACCESSORIES

CARABINERS CONNECTORS

- Made of steel
- Auto-locking
- 1" (25 mm) opening
- Rated for 5000 lbs. (22 kN)

Model No. SEB610
Mfg. No. FP88
Price/Each \$74.62

NORTH
by Honeywell



CARRYING BAGS

- Convenient carrying bag with North logo

Model No. SAH539
Mfg. No. FPD1011
Price/Each \$17.08

NORTH
by Honeywell



LIFTING YOKES & SPREADER BARS

- To be used with the harness equipped with shoulder D-rings for confined space rescue
- Nylon webbing

Model No. SAR485
Mfg. No. FP4017B
Price/Each \$66.22

NORTH
by Honeywell



ANCHORAGE CONNECTING CARABINERS

- Zinc plated, 5000-lb. anchorage point
- Easy one-hand operation
- Self-locking
- 3/4" gate opening
- Meets OSHA 1926 and ANSI SZ359 standards

Model No. SEB926
Mfg. No. AJ514A
Price/Each \$39.50

PROTECTOR



CHAIN REBAR ASSEMBLY

- Made of twist link chain for strength and durability
- Features snap hooks and swiveling aluminum rebar hook at centre
- Length: 23"

Model No. SEE901
Mfg. No. 5920200C
Price/Each \$166.50

DBI SALA



RELIEF STEP™ SAFETY DEVICES

When a fall occurs, a person becomes suspended in a harness and remains both vertical and sedentary for a long period of time, causing blood to "pool" in the veins of the legs. Subsequently, blood flow is restricted to the brain and other major organs. This is called orthostatic intolerance, also known as suspension trauma, and may initially result in unconsciousness. If not rescued promptly, serious injury or death may occur, sometimes within minutes. The average fall rescue time is 15 minutes. The Miller® Relief Step™ is designed to provide a short-term solution in preventing suspension trauma.

- Allows the user to "stand up" in their harness, permitting the ability to move and flex leg muscles
- Provides support and enhances blood circulation until rescue
- Small and lightweight, can be attached to any brand of full-body harness
- Utilizing two devices per harness (one for each leg/foot) is recommended to assure greater user comfort

Model No. SAK162
Mfg. No. 9909X/12
Price/Each \$26.61

MILLER
by Honeywell



DYNA-LOCK® SELF-RETRACTING LANYARDS

- Fast-acting fall arresters that limit free-fall distance, deceleration distance and fall arrest forces while allowing user freedom of movement
- Ideal for climbing applications where vertical mobility is needed
- 4.5' per second locking speed
- Built-in shock absorber limits fall arrest forces to under 900 lbs.
- 3 independent braking mechanisms prevent freezing in icy or corrosive conditions
- Meets ANSI Z359.1, ANSI A10.14, applicable OSHA standards
- Certified to CSA standard Z259.2.2-98, type 2 SRL

CAPACITY (WORKING LOAD)

- Maximum: 400 lbs. (181 kg)
- Minimum: 75 lbs. (34 kg)



Model No.	Mfg. No.	Description	Price /Each
DYNA-LOCK® SRL WITH HL2000 SNAP HOOK			
SAM506	10006470	10 m (30') galvanized wire rope	1512.57
SAM507	10006468	16 m (50') galvanized wire rope	1507.44
SAM508	10006466	22 m (70') galvanized wire rope	2072.04
SAM509	10006464	30 m (95') galvanized wire rope	2175.66
SAM510	10006447	20' web Dyna-Lock®, nylon	758.48
BACKPACKER™ SRL			
SAM511	10006446	20' web Dyna-Lock®, nylon, RL20 double locking small snap hook	986.02

ARCSAFE™ SHOCK-ABSORBING LANYARD

- SEI-certified to the requirement of the ASTM F887-05 standard for electrical arc flash protection up to 40 cal/cm²
- Limits fall arrest forces to 900 lbs. or less
- Nylon webbing
- Adjustable in length from 4' to 6'
- Sewn loop on shock absorber end



Model No.	Mfg. No.	Description	Price /Each
SAP198	10060139	One-leg lanyard w/shock absorber	163.68
SAP199	10060140	2-leg lanyard w/shock absorber	211.35

ANCHORAGE CONNECTORS

- Have a minimum breaking strength of 5,000 lbs.
- Compatible for use with MSA fall arrest and confined space entry/retrieval components
- Meets ANSI Z359.1, ANSI A10.14, and OSHA standards

D-PLATE ANCHORAGE CONNECTOR

- Provides permanent anchorage point
- Bolts to beams or columns



SAM483



Model No.	Mfg. No.	Description	Price /Each
SAM483	506632	D-plate anchorage connector, zinc-plated steel	30.65
SAM484	506672	D-plate, anchor with anodized aluminum back-plate	189.76

FP STRYDER ANCHORAGE CONNECTORS

- Easy, single hand installation
- Low friction wear pads with Teflon® allows the FP Stryder Anchorage Connector to glide effortlessly along the beam flange
- Integral load indicator alerts the user if the unit has been exposed to a fall
- Versatile design allows for mounting overhead or at worker's feet
- Vernier adjustability allows for a secure fit and 1/4" adjustment intervals
- Easy to use, push-button adjustment
- Standard version fits beam flange widths from 4" to 14" and the X-Large fits beam flange from 14" to 24"
- 400-lb. work capacity
- Lightweight 4.5 lbs. unit-98



Model No.	Mfg. No.	Description	Price /Each
SA0683	10051961	Standard	357.53
SA0684	10051961XL	X-Large	583.70

CARABINERS

ALL CARABINERS HAVE A MINIMUM BREAKING STRENGTH OF 5000 LBS.



Model No. SAM502
Mfg. No. 506308
• 2" (50 mm) gate opening
• Auto-locking
• Steel
Price/Each \$66.55



Model No. SAM503
Mfg. No. SRCC734G
• 2.1" (52 mm) gate opening
• Auto-locking
• Steel
Price/Each \$134.78



Model No. SAM499
Mfg. No. 506259
• 7/8" (22 mm) gate opening
• Auto-locking
• Aluminum
Price/Each \$48.81



Model No. SAM500
Mfg. No. SRCC643
• 1" (25 mm) gate opening
• Auto-locking
• Steel
Price/Each \$52.17



Model No. SAM501
Mfg. No. SRCC642
• 1.2" (32 mm) gate opening
• Auto-locking
• Steel
Price/Each \$75.10

FALL PROTECTION

POINTGUARD™ ANCHORAGE CONNECTOR STRAPS

- Economical, quick and easy to install
- When anchorage connector is no longer needed, simply cut strap and throw away
- Available in two models:
 - Residential construction (3' length)
 - Concrete construction (4' length, includes protective sheath)

- Durable polyester webbing with 5,000-lb. minimum breaking strength
- 400-lb. (182 kg) capacity



SAM478

SAM476



Model No.	Mfg. No.	Description	Price /Each
SAM476	10042792	Residential anchorage strap with D-ring	19.80
SAM477	10042793	Residential anchorage strap	14.50
SAM478	10042794	Concrete anchorage strap with D-ring	21.93
SAM479	10042795	Concrete anchorage strap	17.12

ANCHORAGE CONNECTOR STRAPS

- D-ring on one end and a sewn loop on the other end
- Standard 5' length, custom lengths available



SAM474



Model No.	Mfg. No.	Material	Price /Each
SAM474	505282	Nylon	58.10
SAM475	505298	Polyester	70.14

BOSUN CHAIR

- Best method to sit suspended for long durations
- Padded seat ensures comfort during use
- Adjustable web assembly ensures security
- Designed to be used in conjunction with full body harnesses
- Bosun chair, attached to D-ring, will keep the user in upright position
- 5" x 16 1/2" padded seat, black nylon straps, 2 carabiners

Model No. SAM399
Mfg. No. SSH3505017
Price/Each \$348.58



FALL PROTECTION RESCUE KIT

- Designed to be an "out of the bag" rescue system
- This kit combines a remote hook and extension pole with a rescue utility system for remote attachment of a rescue line to a victim
- Rescue utility system allows a rescuer to raise or lower the victim to safety
- Kit should be used with a back-up system (not included)
- Kit includes:
 - Adjustable pole, 6' (1.8 m) to 12' (3.6 m)
 - Pole adapter converts pole to hold remote hook
 - Remote hook for remote attachment
 - Storage bag for pole and remote hook
 - Rescue utility system for raising and lowering with a 4:1 mechanical advantage



Model No.	Mfg. No.	Description	Price /Each
SAM516	10030025	Fall protection rescue kit	2857.39

RESCUE ETRIER

Etrier is french for a set of ascending web stirrups sewn or tied together

- Useful for stretcher tending and other vertical activities including getting over difficult edges
- The 6' loops are reinforced/stiffened for easier foot placement and abrasion resistance
- Length: 7' (2.1 m)
- Weight: 9 oz (280 g)




Model No.	Mfg. No.	Description	Price /Each
SAM518	SRS3200	Rescue etrier, 1" web	160.90

RESCUE LADDER

- The rescue ladder is made of synthetic rope with reinforced fiberglass rungs

Applications include: confined space access, theatrical stage rigging, mine access and many others.



SAM517



Model No.	Mfg. No.	Description	Price /Each
SAM517	SCE400020	Rescue ladder, synthetic rope 20' (6.1 m)	2323.99

SQUIDS® TOOL LANYARDS

- Nylon tubular elastic material stretched to allow flexibility in use and to help absorb the impact of a dropped tool
- Lightweight aluminum carabiner quickly attaches to a wide range of locations
- Reflective stitching runs the length of the product for added visibility
- All lanyards have a maximum working capacity of 10 lbs., sewn directly on to the product



Model No.	Mfg. No.	Colour	Length"	Anchorage Connection	Tool Connection	Price /Each
SEE100	19008	Lime	28-35	Locking Carabiner	Adjustable Barrel Lock	33.66
TEP213	19002	Black	35-42	Carabiner	Adjustable Barrel Lock	11.53
SEE102	19003	Lime	35-42	Carabiner	Adjustable Barrel Lock	12.21
SEE103	19022	Black	35-42	Carabiner	Carabiner	14.92
SEE104	19023	Lime	35-42	Carabiner	Carabiner	14.92

ARSENAL LEATHER BOTTOM CANVAS TOOL BUCKETS

- High wall, heavy-duty construction with leather reinforced base
- Molded plastic top ring
- Interior pocket
- Size: 12.5" dia. x 17" H
- Maximum safe working capacity: 150 lbs.
- Available with safety tops to prevent tools and equipment from falling when hoisting them to an at-heights job site



Model No.	Mfg. No.	Description	Price /Each
SEE105	14430	Bucket w/Rope Handle	139.10
SEE106	14440	Bucket w/Rope Handle and Swivel Snap Hook	153.43
SEE109	14438	Safety Top for 12.5" dia.	42.77

ARSENAL PLASTIC BOTTOM CANVAS TOOL BUCKETS

- High wall, heavy-duty construction
- Molded plastic base and top ring
- Interior pocket
- Size: 12.5" dia. x 15" H
- Maximum safe working capacity: 150 lbs.
- Available with safety tops to prevent tools and equipment from falling when hoisting them to an at-heights job site



Model No.	Mfg. No.	Description	Price /Each
SEE107	14433	Bucket w/Rope Handle	86.35
SEE108	14443	Bucket w/Rope Handle and Swivel Snap Hook	99.66
SEE109	14438	Safety Top for 12.5" dia.	42.77

HARD HAT LANYARDS

- Easily secures hard hat to the worker to prevent the hat from falling, causing a hazard and lost-time
- Comfortably attaches to hard hats and other headwear
- High stretch elastic material
- Available with double lock plastic buckle or easy-release clamp



Model No.	Mfg. No.	Description	Price /Each
SED573	19150	Buckle	7.19
SED574	19155	Clamp	7.19

HEARING PROTECTION



COMMON NOISE LEVELS <i>Sound Energy Doubles Every 3 dB</i>	
Occupational	Non-Occupational
Artillery Fire – 162 dB	Shotgun – 162 dB
Immediate Physical Damage – 160 dB	
Jackhammer – 130 dB	Auto Racing – 130 dB
Immediate Pain Threshold – 130 dB	
Oxygen Torch – 121 dB Compactor – 116 dB	Rock Concert – 120 dB Chainsaw – 118 dB
Unprotected Noise Exposure of Any Duration Not Permitted Above This Level – 115 dB	
Diesel Truck Accelerating – 114 dB Impact Wrench – 102 dB Bulldozer – 100 dB Industrial Fire Alarm – 95 dB Table Saw – 93 dB	Crying Baby – 110 dB CD/MP3 Player – 105 dB Motorcycle – 105 dB Power Lawnmower – 94 dB Subway – 90 dB
Hearing Protection Required by OSHA – 90 dB	
Handsaw – 85 dB Forklift – 87 dB	Propeller Airplane Cockpit – 88 dB
Hearing Protection Must Be Made Available – 85 dB	
Lathe – 81 dB Normal Conversation – 60 dB	Hair Dryer – 80 dB Alarm Clock – 75 dB
Non-Hazardous Noise – 75 dB	
Transformer – 50 dB	Rainfall – 50 dB
Comfortable Sound – 50 dB	

OSHA PERMISSIBLE EXPOSURE LIMITS <i>Hearing protectors required for all exposures over these levels</i>	
Hours Per Day	Sound Level (dBA)
8	90
6	92
4	95
3	97
2	100
1.5	102
1	105
0.5	110



by Honeywell

FIT.

Fitting ear canals of all shapes and sizes doesn't have to be difficult.

The right earplug should feel comfortable in the ear canal without compromising protection. *Howard Leight®* earplugs offer a combination of advanced design and material science that ensures the proper fit for every employee.

SELECTION.

Why so many earplugs?

Because people, their ears and their environments are all so different. *Howard Leight®* offers the widest range of styles to accommodate almost any situation.

PROTECTION.

Hearing protection only works when people use it.

Howard Leight® earplugs provide a range of Noise Reduction Ratings that target hearing protection without compromising overall employee safety.



KEYS TO SUCCESSFUL HEARING PROTECTION WITH EARPLUGS

Wear

- Read and follow all earplug fitting instructions


Selection

- Avoid overprotection in minimal noise environments – in selecting the best earplug for your situation, consider noise levels and your need to communicate with co-workers or hear warning signals on the job


Maintenance


- Inspect earplugs prior to wear for dirt, damage or hardness – discard immediately if compromised
- For proper hygiene, discard Single-Use earplugs after use
- With proper maintenance, Multiple-Use earplugs can last for 2-4 weeks; clean with mild soap/water and store in a case when not in use
- Clean and replace pods on Banded earplugs regularly


1 Roll-Down Foam



Max®


- 

With clean hands, roll the entire earplug into narrowest possible crease-free cylinder.
- 


Reach over your head with a free hand, pull your ear up and back, and insert the earplug well inside your ear canal.
- 


Hold for 30 – 40 seconds, until the earplug fully expands in your ear canal. If properly fitted, the end of the earplugs should not be visible to someone looking at you from the front


Multiple-Use



SmartFit®

- 

While holding the stem, reach a hand over your head and gently pull top of your ear up and back.
- 

Insert the earplug so all flanges are well inside your ear canal.
- 


If properly fitted, the tip of the earplug stem may be visible to someone looking at you from the front.

Do's and Don'ts of Howard Leight® Earplugs



Proper Fit

If either or both earplugs do not seem to be fitted properly, remove the earplug and reinsert.



Removal

Gently twist earplug while slowly pulling in an outward motion for removal.



Acoustical Check

In a noisy environment, with earplugs inserted, cup your hands over your ears and release. Earplugs should block enough noise so that covering your ears with your hands should not result in a significant noise difference.



by Honeywell


DISCLAIMER: If the above-mentioned recommendations are not followed, the protection and function afforded by the earplugs may be severely impaired. This may cause consequences for the user for which Sperian Hearing Protection, LLC, can not be held responsible. Sperian Hearing Protection can not guarantee that any type of warning signals including communication with other people in the surroundings can be heard and understood by the wearer of this hearing protector. The sound level and the frequency content of the warning signals as well as of the background noise can vary in different situations.

WARNING: All hearing protection affords limited protection. The user is responsible for the proper selection, use, care and maintenance of this device. Improper selection (including under/over protection), use or maintenance may lead to serious hearing loss. If there are any questions concerning this product contact your safety supervisor or Sperian Hearing Protection.

EAR PLUGS

MAX® FOAM

- The world's most-used polyurethane foam earplug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- NRR 33 dB, CSA Class AL



by Honeywell

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SD630	MAX-1	Uncorded	200 prs.	25.68
SD631	MAX-30	Corded	100 prs.	24.28

LASER LITE® MULTI-COLOUR FOAM

- Vibrant colours make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- NRR 32 dB, CSA Class AL



by Honeywell

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SM562	LL-1	Uncorded, Poly Bag	200 prs.	19.76
SM563	LL-30	Corded, Poly Bag	100 prs.	21.05

FUSION® EARPLUGS

- Patented dual material design combines firm core for easy handling with soft flanges for comfort and fit
- FlexiFirm™ stem is easy to grasp, ensuring easy insertion into the ear canal
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection
- Unique detachable nylon cord system adapts to virtually any application
- Two sizes fine-tune fit for personal comfort and safety
- NRR 27 dB, CSA Class AL



by Honeywell

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SAK349	FUS30-HP	Regular, HearPack™	100 prs.	120.07
SAK350	FUS30S-HP	Small, HearPack™	100 prs.	120.07



SAK349

AIR SOFT™ EARPLUGS

- Advanced air pocket design features internal noise-blocking fins
- Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that "plugged up" feeling
- Rounded flanges, tapered shape fits better in the ear canal
- Firm stem facilitates easy insertion and removal
- Outstanding noise-blocking protection – highest attenuation in multiple-use
- Attenuation tested in accordance with ANSI S3.19-1974
- NRR 27 dB, CSA Class AL



by Honeywell

Priced per Bag

Model No.	Mfg. No.	Description	Qty /Bag	Price /Each
SD582	DPAS-1	Uncorded	100 prs.	83.13
SD583	DPAS-30R	Corded, Red Vinyl	100 prs.	105.31
SD584	DPAS-30W	Corded, White Nylon	100 prs.	105.31



SD582



SD583



SD584

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SD585	AS-1	Uncorded	50 prs.	51.73
SD586	AS-30R	Corded, Red Vinyl	50 prs.	66.51
SD587	AS-30W	Corded, White Nylon	50 prs.	66.51

MATRIX™

- Patented no roll design makes insertion easy
- Smooth outer skin and reduced diameter provide long-term comfort
- Delivers instant protection - no need to wait for foam to expand
- Screens harmful noise out, but lets voice pass through
- Three attenuation levels
- Orange, NRR 29 dB/CSA Class AL
- Green, NRR 27 dB/CSA Class AL
- Blue, NRR 23 dB/CSA Class AL

SAK057



SAK332



SAK333



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
ORANGE NRR 29				
SAK057	MTX-1-OR	Uncorded	200 prs.	20.99
SAK334	MTX-30-OR	Corded	100 prs.	20.17
GREEN NRR 27				
SAK332	MTX-1-GR	Uncorded	200 prs.	20.99
SAK335	MTX-30-GR	Corded	100 prs.	20.17
BLUE NRR 23				
SAK333	MTX-1-BU	Uncorded	200 prs.	20.99
SAK336	MTX-30-BU	Corded	100 prs.	20.17

EAR PLUG DISPENSERS



by Honeywell

Model No.	Description	Price /Each
SA0205	LS-400 Leight® Source Ear Plug Dispenser	22.16

BULK REFILLS

Model No.	Description	Pairs /Refill	NRR db	Qty /Case	Price /Each
SA0206	Matrix™ Orange No-Roll Single-Use Ear Plugs	200	29	10	20.39
SA0207	Matrix™ Green No-Roll Single-Use Ear Plugs	200	27	10	19.37
SA0208	Matrix™ Blue No-Roll Single-Use Ear Plugs	200	23	10	19.37
SA0209	Max™ Single-Use Ear Plugs	200	33	10	24.20
SA0210	Max Lite™ Single-Use Ear Plugs	200	30	10	20.97
SA0211	Laser Lite™ Single-Use Ear Plugs	200	32	10	20.39
SA0212	MultiMax™ Single-Use Ear Plugs	200	31	10	27.43

MAX LITE® LOW PRESSURE FOAM

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Available in poly or paper bags
- Attenuation tested in accordance with ANSI S3.19-1974
- NRR 30 dB, CSA Class AL

SM558



SM559



by Honeywell

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SM558	LPF-1	Uncorded, Poly Bag	200 prs.	21.05
SM559	LPF-30	Poly Cord, Poly Bag	100 prs.	20.71
SM560	LPF-30-PB	Poly Cord, Paper Bag	100 prs.	23.09
SM561	LPF-30-P	White Cotton Cord, Biodegradable-Repulpable Paper Bag	100 prs.	33.26

QUIET® EARPLUGS

- Patented no-roll design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in insertion stem makes insertion quick and easy
- NRR 26 dB, CSA Class AL



SAK351



SE359



by Honeywell


Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SAK351	QD1	Uncorded, Flip-top box	100 prs	36.94
SE359	QD30	Poly cord, Flip-top box	100 prs	57.91

EAR PLUGS

SMARTFIT® EARPLUGS

- Patented *Conforming Material Technology™* uses body heat to adapt to the individual shape of each wearer's ear canal
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control – a single product fits almost every wearer
- Detachable cord system and *HearPack®* storage case
- NRR 25 dB, CSA Class AL



by Honeywell

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SAK348	SMF-30	Corded	100 prs	84.23

MULTI MAX® MULTI-SIZED FOAM

- *Multi Max®* offers flexibility, protection and economy in hearing protection with its two-sizes-in-one design
- Improves individual fit while simplifying inventory
- Smooth, soil-resistant polyurethane foam skin prevents dirt build-up
- Expands to fit virtually every wearer
- Available in poly or paper bags
- Attenuation tested in accordance with S.3.19-1974
- NRR 31 dB, CSA Class AL

SM557



SM556



by Honeywell

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SM556	MM-1	Poly Bag	200 prs.	30.52
SM557	MM-1-PB	Paper Bag	100 prs.	17.16

DECIDAMP2™

- Form is non-toxic and non-irritating PVC
- Corded model can hang comfortably around the neck for convenience
- Colour: White
- NRR 29 dB



by Honeywell



ZB546



SA666

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SA666	280005	Uncorded	200 prs	29.18
ZB546	280006	Corded	100 prs	44.37

LASER-TRAK™ SINGLE USE DETECTABLE EARPLUGS

- Self-adjusting foam expands to fit virtually every wearer
- Non-ferrous metal and bright colours are easily detected by visual and automated inspections
- Blue metalized cord offers additional protection in highly sensitive production areas
- Contoured T-shape for easy handling and wear
- Comfortable long term wear
- NRR 32 dB CSA Class AL



by Honeywell

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SAK189	LT-30	Polycord, Individual Polybag	100	36.03

Look for this symbol
for environmentally
friendly products!





**Fun colours &
this handy dispenser
increase compliance!**

PLUGSTATION® EARPLUG DISPENSERS

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand
- Eliminates the mess of individual paper/polybag packaging
- Each dispenser is sealed and disposable plus completely recyclable
- Available in 250 or 500 pairs per PlugStation® with SparkPlugs® or Pura-Fit® foam earplugs
- Camo Plugs® and Meteors® only available in 500 pairs dispenser
- Mounting bracket with hardware included with every PlugStation®
- All rated at NRR 33 dB

Priced per Dispenser

Model No.	Mfg. No.	Description	Qty /Dispenser	Price /Each
SE924	6644	SparkPlugs®	250 pairs	41.85
SE925	6645	SparkPlugs®	500 pairs	79.88
SE847	6844	Pura-Fit®	250 pairs	49.44
SF624	6845	Pura-Fit®	500 pairs	95.09
SAK439	6648	Camo Plugs®	500 pairs	83.53
SED128	6875	Meteors®	500 pairs	95.09



SE925

SE847



SED128

MOLDEX®
Ideas that wear well.

R32274E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

**SAFETY
EQUIPMENT &
SUPPLIES**

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

EAR PLUGS

PURA-FIT® FOAM EAR PLUGS

- Longer length for easy fitting and removal
- Tapered for easy insertion in any size ear canal
- Non-irritating, smooth surface for added comfort
- Bright green colour for easy compliance checks
- NRR 33 dB



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SR831	6800	Uncorded	200 prs	34.69
SAG837	6900	Corded	100 prs	35.91

SPARKPLUGS® MULTI-COLOURLED FOAM EAR PLUGS

- Different colours in every package
- Fun coloured to spark up hearing protection program
- Tapered for easy insertion in any size ear canal
- Non-irritating, smooth surface for added comfort
- NRR 33 dB



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SAG838	6604	Uncorded	200 prs	27.44
SAG839	6654	Corded	100 prs	31.16
SED129	6615	Corded, metal detectable	100 prs	49.77

METEORS® FOAM EAR PLUGS

- Designed to follow the curve of the ear canal for ultimate comfort, fit and protection
- The bright green colour provides easy compliance checks
- Models SED130 and SED131 are NRR 33 dB compliant
- Models SED132 and SED133 are NRR 28 dB compliant
- Available with or without cord
- 100% PVC-free



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SED130	6870	Uncorded	200 prs	34.69
SED131	6970	Corded	100 prs	35.91
SED132	6630	Uncorded	200 prs	34.69
SED133	6632	Corded	100 prs	35.91

ROCKETS® REUSABLE EARPLUGS

- Easy grip handle allows for easy insertion
- Air bubble in the tip provides cushioned comfort
- Can be washed and reused
- Each pair comes with a Pocket-Pak® carrying case to store plugs between uses
- Slips easily into the pocket
- NRR 27 dB



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Description	Qty /Box	Price /Each
SAN317	Uncorded	50 prs	67.89
SAN318	Vinyl Corded	50 prs	94.20

JETZ® REUSABLE EAR PLUGS

- Extra-soft material and triple flange design seals gently and snugly without pressure
- High visibility unique green swirls plus bright green cord make compliance checks easy
- Cloth cord for a variety of working conditions locks securely to plug
- Plugs can be washed and reused
- 100% PVC-free
- NRR 27 dB



MOLDEX
Ideas that wear well.


Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SED134	6450	Uncorded	50 prs	64.13
SED135	6455	Corded	50 prs	64.13


ZENITH®
Safety Products

We guarantee your safety!

HOW TO FIT EAR PLUGS



Roll between the thumb and the forefinger into a thin stick. Try to avoid any creases in the ear plug.



Reach over the head, pull up and out on the top of the ear, insert the rolled down ear plug into the ear canal.



Hold the ear plug in place until the foam expands to seal the ear canal.



The ear plug should only extend about 1/4" from the ear opening for a correct fit.



The ear plug should not feel loose in the ear canal.

3M™ E-A-R™ CLASSIC™ FOAM EARPLUGS

Slow recovery PVC foam provides comfort with low pressure. It is moisture resistant and the foam will maintain its comfort, fit and critical recovery characteristics. Shape equalizes pressure throughout the ear canal as it expands. Flame retardant and dermatologically safe foam is not irritating. **The Classic™ Plus** offers the highest NRR, 33 dB. It has a longer high performance foam plug for increased protection and fits more deeply into the ear canal. **The Classic™ Small** has a more narrow design for smaller ear canals. Also available in the **Classic™ Plus Metal Detectable** foam ear plugs. Both the cord and the plugs are metal detectable. All models available uncorded pillow pak or corded in poly bag. Model **SH106** is packaged in environmentally friendly paper pak, vegetable based in ink and glue. One size fits all. Colour: Yellow.



SH106



SH107



SA681



SAJ486



Priced per Box

Model No.	Mfg. No.	Description	NRR dB	Qty /Box	Price /Each
UNCORDED					
SA681	310-1001	Foam - Pillow	29	200 prs	30.60
SH106	313-5555	Foam - Paper Pak	29	200 prs	31.52
SH107	310-1101	Plus Foam	33	200 prs	30.60
SH109	310-1103	Small Foam	29	200 prs	30.60
SAJ486	312-1201	Polybag	29	200 prs	28.04

Priced per Box

Model No.	Mfg. No.	Description	NRR dB	Qty /Box	Price /Each
CORDED					
SE649	311-1101	Foam	29	200 prs	61.56
SH108	311-1105	Plus Foam	33	200 prs	61.56
SH110	311-1106	Small Foam	29	200 prs	61.56

E-A-R™ ULTRAFIT™ PREMOLDED REUSABLE EARPLUGS

- Patented triple flange design to fit a wide variety of ear canal sizes
- Washable, promotes worker hygiene
- Breakaway cord protects in case of machine entanglement
- Model **SH113** has a metal detectable steel ball securely positioned in the stem and non-food blue for visual detectability in the food processing industry
- NRR 25 dB



SE405



SH113



Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
W/O CARRYING CASE				
SE920	340-4003	Uncorded	100 prs	106.59
SE405	340-4004	Corded	100 prs	124.32
DETECTABLE				
SH113	340-4007	Corded	100 prs	188.70
W/CARRYING CASE				
Priced per Pair				
SH111	340-4001	Uncorded	50 prs	1.47
SH112	340-4002	Corded	50 prs	1.99



SH112



SH111



EAR PLUGS

1100 FOAM EAR PLUGS

- Individually packaged for convenience
- Smooth, dirt resistant surface
- Soft hypo-allergenic polyurethane foam offers superior comfort
- NRR 29 dB, CSA Z94.2 Class AL
- Bright orange for visibility



Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SI762	1100	Uncorded	200 prs	26.78
SAG359	1110	Corded	100 prs	36.40

E-A-R™ TAPERFIT™ 2 FOAM

- Self-adjusting polyurethane foam provides low-pressure comfort with excellent attenuation
- Dermatologically safe and non-irritating foam
- NRR 32 dB
- Available in two sizes: Regular and Plus



SE393



Priced per Box

Model No.	Mfg. No.	Description	Size	Qty /Box	Price /Each
SE393	312-1219	Uncorded	Regular	200 prs	31.18
SE918	312-1221	Uncorded	Plus	200 prs	31.18
SE917	312-1223	Corded	Regular	200 prs	60.41
SE919	312-1224	Corded	Plus	200 prs	62.29

E-A-R™ PUSH-INS™ EARPLUGS

- Easy fit with no roll down required
- E.A.R.form™ yellow foam tip for ultimate comfort
- Blue stem allows for hygienic insertion and removal
- NRR 28 dB, CSA Class AL



SAJ489




Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SAJ489	318-1002	Uncorded	200 prs	65.23
SAJ575	318-1003	Corded	200 prs	118.80
DETECTABLE				
SAP857	318-3000	Corded	200 prs	191.23

E-A-RSOFT™ YELLOW NEONS™ & BLASTS™ EARPLUGS

THE SOFTEST, SMOOTHEST, HIGHEST NRR EARPLUGS AVAILABLE TODAY!

- Advanced foam formulation that provides low-pressure comfort
- Available uncorded or with breakaway cord
- Two sizes available for optimum comfort and protection
- Yellow E-A-R™ trademark colour assures proven protection and high quality
- Laboratory tested NRR 33 dB
- Also available in Yellow Neons™ Metal Detectable
- Both the cord and the plugs are metal detectable
- CSA class AL



SJ428



SAH874
Dispenser base
sold separately



SJ427



Priced per Box

Model No.	Mfg. No.	Description	Size	Qty /Box	Price /Each
UNCORDED					
SJ423	312-1250	Yellow Neons™	Regular	200 prs	23.45
SJ425	312-1251	Yellow Neons™	Large	200 prs	27.88
SJ427	312-1252	Blasts™	Regular	200 prs	28.90
CORDED					
SJ424	311-1250	Yellow Neons™	Regular	200 prs	46.89
SJ426	311-1251	Yellow Neons™	Large	200 prs	60.52
SJ428	311-1252	Blasts™	Regular	200 prs	61.20
CORDED METAL DETECTABLE					
SAF802	311-4106	Yellow Neons™	Regular	200 prs	110.56

Priced per Box

Model No.	Mfg. No.	Description	Size	Qty /Box	Price /Each
REFILLS					
SAH873	391-1004	Yellow Neons™	Regular	500 prs	61.55
SAH874	391-1005	Yellow Neons™	Large	400 prs	59.16
SAI104	391-1010	Blasts™	Regular	500 prs	74.85

EXPRESS™ POD PLUGS™

THE EASIEST EAR PLUG TO USE!

- Quick, clean and hygienic
- Laboratory tested NRR 25 dB
- Reusable or disposable for cost-effective hearing protection
- Simple to clean and comes in a handy, resealable pack for easy storage
- Dispenser package in uncorded and corded blue grips or assorted colour grips (red, yellow, green, blue, purple) with matching cords
- Colour: Yellow
- CSA Class AL



Priced per Box

Model No.	Mfg. No.	Description	NRR dB	Qty /Box	Price /Each
UNCORDED					
SH116	321-2100	Blue Grips	25	100 prs	63.69
SH117	321-2200	Assorted Colour Grips	25	100 prs	65.60



Priced per Box

Model No.	Mfg. No.	Description	NRR dB	Qty /Box	Price /Each
CORDED					
SH118	311-1114	Blue Grips	25	100 prs	104.38
SH119	311-1115	Assorted Colour Grips	25	100 prs	104.38

E-A-R™ E-Z-FIT™

COMFORTABLE FIT FOR SMALLER EAR CANALS!

- Low pressure, soft smooth polyurethane foam is easy to roll and self-adjusting for increased user comfort, with no full feeling in the ear
- Bell-shaped design with a wide flange allows for easy insertion and removal
- Designed to fit medium and small ear canals with increased comfort
- Safe and non-irritating to the ear canal
- Laboratory tested NRR 28 dB
- Available one pair per poly bag uncorded or with breakaway cord
- CSA Z94.2 + CSA Class AL



Priced per Box

Model No.	Mfg. No.	Description	NRR dB	Qty /Box	Price /Each
SH114	312-1208	Uncorded	28	200 prs	31.33
SH115	312-1222	Corded	28	200 prs	63.01


TRI-FLANGE™ PLUGS

- Customized comfort – reusable value
- Soft, pliable flanges conform to the shape of your ear canal for a custom fit
- Afterglow stem allows for quick clean insertion
- Available with new LiveWire™ cord for a high-octane look and convenient storage
- Also available with a new cloth cord
- Noise jamming protection NRR 26 dB
- CSA Class AL



Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SAK437	P3000	Corded	100 prs	122.64
SAK438	P3001	With cloth cord	100 prs	122.64



SKULL SCREWS™ EAR PLUGS

- Easy grip for clean insertion
- Look of metal, soft feel of foam
- The screw "threads" help achieve an optimum noise seal
- NRR 30, CSA Class AL



Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SAP424	P1300	Uncorded	120 prs	56.91
SAP425	P1301	Corded	120 prs	86.59




E-A-R™ ULTRAFIT™ 27 EARPLUGS

- Innovative pistol grip shape designed to give wearers improved fingertip control
- Patented new polymer formulation now provides highest NRR of any premoulded ear plug at 27 dB
- Comfortable and reusable
- CSA Class AL



Priced per Box

Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SAP858	340-8001	Uncorded	100 prs	112.71
SAP859	340-8002	Corded	100 prs	152.59



HEARING BANDS

JAZZ BAND® HEARING PROTECTORS

- Extra soft tapered foam pods gently conform to the ear canal
- Band pressure is reduced by 50%
- A cooler and lighter alternative to earmuffs
- 100% PVC-free
- Higher NRR 25 dB
- Includes an extra pair of pods




MOLDEX
Ideas that wear well.

Model No.	Mfg. No.	Description	Price /Each
SE922	6506	Jazz Band® w/Cord and Replacement Pods	7.64
SE923	6504	Replacement Pods, 5 Pairs and 1 Cord per Bag	2.95

PERCAP® FOLDABLE 3-POSITION BANDED EARPLUGS

- Super soft pods rest outside the ear canal opening
- Ideal for workers who do not like to put earplugs in their ears
- Wear over the head, under the chin or behind the neck
- Compact, fits easily in a pocket
- Comfortable for both short term and long term wear
- NRR 21 dB



HOWARD LEIGHT
by Honeywell


Priced per Box				
Model No.	Mfg. No.	Description	Qty /Box	Price /Each
SA0692	PERCAP	Ear band	10	35.69
SA0744	PCAP100	Replacement Pods	50	44.84

QUIET BANDS

- Ergonomic design keeps the pods suspended so they don't become contaminated
- Available in three different plug styles:
QB1HYG® Inner-aural protection has the highest NRR 27 dB rating
QB2HYG® Supra-aural protection has an NRR 25 dB rating
QB3HYG® Semi-aural and designed for moderate hearing protection with a NRR 23 dB rating

One free pair of replacement pods included with each Quiet Band.

Model No.	Mfg. No.	Description	Price /Each
SN615	QB1HYG	QB1HYG® Inner-Aural 27 dB	4.16
SN616	QB2HYG	QB2HYG® Supra-Aural 25 dB	4.16
SN281	QB3HYG	QB3HYG® Semi-Aural 23 dB	4.16
REPLACEMENT PODS			
SN617	QB100HYG	QB1HYG® 1 Pair per Pkg	2.04
SN618	QB200HYG	QB2HYG® 1 Pair per Pkg	2.04
SN279	QB300HYG	QB3HYG® 1 Pair per Pkg	2.04



HOWARD LEIGHT
by Honeywell

EAR PLUG TRAYS

- Clear acrylic ear plug dispenser tray holds a standard box of ear plugs
- Front section catches spills and protects the corrugated dispenser
- Dimensions: 10 5/8" H x 10 5/8" W x 10 5/8" D
- Use on table top or wall mount



BRADY

Model No.	Mfg. No.	Price /Each
SED049	PD228E	83.60

LARGE CAPACITY EAR PLUG DISPENSERS

- Visually striking green glow front pocket draws attention to earplugs
- Dispenser features a removable inner slanted shelf to direct plugs toward pocket
- Comfortably holds a standard box of 200 disposable ear plugs and can be wall or table mounted
- Dimensions: 13" H x 12" W x 8" D



BRADY

Model No.	Mfg. No.	Price /Each
SED051	PD439G	149.06



KEYS TO SUCCESSFUL HEARING PROTECTION WITH EARMUFFS

Wear

- Read and follow all earmuff fitting instructions
- Remove all hair underneath ear cushions

Selection


- Avoid overprotection in minimal noise environments – in selecting the best earmuff for your situation, consider noise levels and your need to communicate with co-workers or hear warning signals on the job

Maintenance

- Regularly inspect earcups and ear cushions for cracks and leaks – discard if earcups are visibly damaged or compromised
- Clean earcups and ear cushions regularly with mild soap and water
- Replace ear cushions and foam inserts every 6-8 months under normal wear, every 3-4 months with heavy use or in humid/extreme climates

Headband	Folding	Multiple-Position	Cap-Mounted	Neckband
 <p>Thunder® T3</p>  <p>1 Place earcups over each ear.</p>  <p>2 Adjust the headband by sliding the headband up or down.</p>	 <p>Leightning® L2F</p>  <p>1</p>  <p>2 Fold out the earcups as shown.</p>  <p>3 Place earcups over each ear.</p>  <p>4 Adjust the headband by sliding the headband up or down.</p>	 <p>Viking™ V3</p>  <p>1 Place the earcups over each ear.</p>  <p>2 Adjust the headband by sliding the headband up and down.</p>  <p>3 Multiple-Position earmuffs can be worn either over-the-head, behind-the-head or under-the-chin.</p>  <p>4 When the earmuff is worn with the headband behind-the-head or under-the-chin, the headband strap must be attached to the slot in the upper part of the earcup as shown.</p>	 <p>Clarity® C3H</p>  <p>1 Attach adapters to each side of the hard hat by sliding them into the slots.</p>  <p>2 Attach each earmuff into its adapter by sliding the earmuff housing down into the adapter.</p>  <p>3 Place the hard hat on the head and adjust the earmuffs by sliding the cups up and down.</p>  <p>4 Ensure that the earmuff is firmly attached by lifting the arm up and down.</p>	 <p>Leightning® L1N</p>  <p>1</p>  <p>2 Adjust the length of the headband strap between the earcups so the earmuff fits well on top of the head.</p>  <p>3 Place earcups over each ear.</p>

Do's and Don'ts of Howard Leight® Earmuffs



Firm Seal
Do seal the cushions firmly against the head.



Avoid Obstructions
Do not allow hair to obstruct the ear or the earmuff's secure fit in any way.



Cover Ear Completely
The earcups should never fit crooked or askew over the ear.

HOWARD LEIGHT
by Honeywell

DISCLAIMER: If the above-mentioned recommendations are not followed, the protection and function afforded by the earmuffs may be severely impaired. This may cause consequences for the user for which Sperian Hearing Protection, LLC, can not be held responsible. Sperian Hearing Protection can not guarantee that any type of warning signals including communication with other people in the surroundings can be heard and understood by the wearer of this hearing protector. The sound level and the frequency content of the warning signals as well as of the background noise can vary in different situations.

WARNING: All hearing protection affords limited protection. The user is responsible for the proper selection, use, care and maintenance of this device. Improper selection (including under/over protection), use or maintenance may lead to serious hearing loss. If there are any questions concerning this product contact your safety supervisor or Sperian Hearing Protection.

EARMUFFS

THUNDER® EARMUFFS

- Non-deforming comfort headband fits all head sizes
- Ventilated inner headband and soft pads for maximum comfort
- Quick-Click height adjustments
- Dielectric design safe for electrical environments
- Features patented *Air Flow Control™* technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy



Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAK150	1010928	T1, Over-Head Hearband	26	9.18
SAK151	1010929	T2, Over-Head Hearband	28	16.31
SAK152	1010970	T3, Over-Head Hearband	30	21.73
SA0694	1011601	T1H, Cap Mount	23	9.18

Model No.	Mfg. No.	Description	Price /Each
SAK443	1010974	Hygiene Kit for T1	5.56
SAK444	1010975	Hygiene Kit for T2	5.54
SAK445	1010976	Hygiene Kit for T3	5.54



VIKING™ EARMUFFS

- Three-position headband offers more wearing options and works with helmets, shields and other equipment
- Super soft ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments
- Headband straps for multiple-position wear
- Features patented *Air Flow Control™* technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy



Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAK153	1010925	V1, Multi-Position Headband	25	8.34
SAK154	1010926	V2, Multi-Position Headband	27	15.85
SAK155	1010927	V3, Multi-Position Headband	29	19.92

Call us for
quantity
pricing!





LEIGHTNING® EARMUFFS

- Maximum protection from an earmuff
- Robust steel headband withstands demanding use
- Padded foam headband and super-soft ear cushions deliver longwearing comfort
- Contemporary design improves wearer compliance
- Telescoping height adjustment



by Honeywell

Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAK147	1010922	L1, Over-Head Hearband	25	9.18
SAK148	1010923	L2, Over-Head Hearband	27	16.82
SAK149	1010924	L3, Over-Head Hearband	30	20.83

Model No.	Mfg. No.	Description	Price /Each
SAY890	1011998	Hygiene Kit for L1	7.39
SAY891	1011999	Hygiene Kit for L2	7.39
SAY886	1012000	Hygiene Kit for L3	7.39

LEIGHTNING® HIGH VISIBILITY EARMUFFS

- Bright green earcups provide additional visibility and contrast on the job
- Features patented *Air Flow Control™* technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Robust design withstands demanding use, especially in tough environments
- Ideal for roadway construction, utility workers, survey engineers, ferry service operators, emergency response workers, railroad workers, and many others



by Honeywell

Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAO691	1015020	Cap-Mount	23	10.37
SAO695	1013941	Over-Head	30	21.73
SAO696	1013942	Foldable	27	18.11



RADIO HI-VISIBILITY EARMUFFS

- Limits sound radio volume to 82 dB
- Bright green ear cups and reflective headband provide high visibility
- Built-in AM/FM radio provides high sounds quality, excellent stereo reception
- AUX input jack for connection to MP3 players or other audio devices (includes 3.5 mm connection cable)
- Features patented *Air Flow Control™* technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- 140-hour battery life from 2 AA batteries (included)



by Honeywell

Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAP883	1015543	Headband, Hi-vis	25	95.77
SAK455	1008000	Hygiene kit	-	8.31



LEIGHTNING® EARMUFFS

- Easy storage when not in use
- Extremely lightweight design rests comfortably on the head
- Lower attenuation provides reliable protection against marginal noise or intermittent exposure
- Makes cushion replacement quick and easy
- Provides better fitting on top of the head for optimal attenuation
- Robust design withstands demanding use, especially in tough environments



by Honeywell

Model No.	Mfg. No.	Style	NRR dB	Price /Each
SAO690	1013460	LOF Neckband	22	9.18
SAO697	1013461	LOF Foldable	30	17.60

EARMUFFS

MACH™ 1 EARMUFFS

- Economical choice for basic hearing protection
- Adjusts to fit any head size
- Dielectric, super lightweight construction



**HOWARD
LEIGHT** 
by Honeywell

Model No.	Mfg. No.	NRR dB	Price /Each
SAK156	1010421	18	6.08

IMPACT® EARMUFFS

- Amplifies ambient sound to safe 82 dB – response technology revert to passive hearing protector when noise reaches 82 dB
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Quick-Click height adjustment remains fixed during wear
- Snap-in ear cushions make replacement quick and easy
- Sound amplification allows wearers to hear important communication –alarms/warning signals, co-workers' voices
- Directionally placed stereo microphones amplify and enhance sound for more natural hearing
- Includes 2 AA batteries for 700 hours of use



**HOWARD
LEIGHT** 
by Honeywell

Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAK160	1010376	Over-Head Headband	23	143.08
SAK161	1010632	Cap Mount	21	143.08
SAK455	1008000	Hygiene Kit for Impact®	-	8.31

CLARITY® EARMUFFS

- Patented Sound Management Technology™ (SMT) design blocks low and medium frequencies while higher frequencies (voice, signals, alarms) and can be heard more naturally with less distortion
- Prevents worker isolation by enhancing communication
- Improves safety in environments where overprotection is a danger
- Ventilated headband and ear cushions deliver longwearing comfort
- Dielectric design safe for electrical environments



**HOWARD
LEIGHT** 
by Honeywell

Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAK157	1011142	C1, Over-Head Headband	20	8.80
SAK158	1011145	C2, Multi-Position Headband	23	15.91
SAK159	1011146	C3, Over-Head Headband	27	21.73

Model No.	Mfg. No.	Description	Price /Each
SAK452	1006080	Hygiene Kit for C1	7.39
SAK454	1006081	Hygiene Kit for C2 and C3	7.39

Call us for all your



Safety Equipment & Supplies requirements!

HORNET, CSA CLASS A

- Quality, economical protection for medium range noises
- Lightweight plastic construction provides durable, dielectric protection
- Colour: Red



NORTH
by Honeywell

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.	Price /Each
SA685	EM2177	Cap Mount	24	8.0	31.82
SAK281	HK200	Hygiene Kit 2 Cushions and Foams Inserts	-	-	9.40

M3 CAP-MOUNTED EARMUFFS

- Lightweight plastic arms slot easily into any hard hat
- Can be locked in the standby position for storage
- SoftCoat® covering on cups helps muffle transmitted noise
- Special molded grips make fitting and alignment quick and easy
- Cup adjustment is infinitely variable, distributing pressure evenly for a custom fit



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAG851	6300	Cap-Mounted	24	32.38

INTRUDER, CSA, CLASS A

- Unique cup design gives first class comfort at all time
- Large, flexible and comfortable cushions offering equal distribution of pressure
- Colour: Black/White



NORTH
by Honeywell

Model No.	Mfg. No.	Description	Price /Each
SAH731	EM7209	Cap Mount	42.11
SAP882	HK400	Hygiene kit	10.22

M1 PREMIUM EARMUFFS

- Exclusive iridescent colour and sleek, curvy shape for a look that workers will want to wear
- SoftCoat® covering on cups and yoke helps muffle transmitted noise
- Black-chrome, spring-steel headband resists fatigue and is more durable
- Six different adjustment points provide a custom and comfortable fit for most head sizes
- The M1 earmuff folds into a super-compact size for easy storage



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	NRR dB	Price /Each
SAG849	6100	Premium	29	33.06

NOISE BLOCKING QM24+

- Soft foam cushions are easy to clean with soap and water, and can be replaced for extended use
- Ultra lightweight design. Weighing only 6 oz
- Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE
- Dielectric construction suitable for electrical environments
- Multiple-position headband allows wearer to select position over the head, behind the head or under the chin

Model No. 154-1205
Mfg. No. QM24+
Price/Each \$7.39

HOWARD LEIGHT
by Honeywell



M2 MULTI-POSITION EARMUFFS

- Three position earmuff has special molded grips that make fitting and alignment quick and easy
- Cup adjustment is infinitely variable, distributing pressure evenly for a custom fit
- Headband is made of lightweight plastic
- SoftCoat® covering on cups helps muffle transmitted noise



MOLDEX
Ideas that wear well.

Priced per Box

Model No.	Mfg. No.	Description	NRR dB		Price /Each
			Over the Head	Behind the Head	
SAG850	6200	Multi-Position	26	24	18.41

EARMUFFS

3M™ PELTOR™ OPTIME™ 95 SERIES EARMUFFS



SC175



SC176
Neckband



SC177



SAG847

PELTOR™ 3M

Comfort engineered for continuous daily use. Slim tapered dome for use with hardhat and face protection equipment. Ultra light with liquid/foam filled ear cushions. Exclusively engineered for the computer industry. Also suitable for technical training schools, printing facilities, textile industries and home power equipment use. CSA Class A (SC176, SC177), Class B (SC175, SAG847) Colour: White

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.	Price /Each
SC175	H6A/V	Headband	21	5.8	17.00
SC176	H6B/V	Neckband	21	5.3	17.00
SC177	H6P3E/V	Cap Mount	21	6.9	17.00
SAG847	H6F/V	Foldable	21	6.5	29.58



SC172



SC173

3M™ PELTOR™ OPTIME™ 98 SERIES EARMUFFS

Slim tapered upper dome, excellent for use with hard hat and face protection equipment. Broad foam cushions give low, comfortable surface pressure. Pressure equalization air openings, quickly ensure the correct pressure to the eardrum. Suitable for factories, sheet metal works, schools, printing offices, textile industries and power equipment. CSA Class A. Colour: Yellow

PELTOR™ 3M

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.	Price /Each
SC172	H9A	Headband	25	5.1	15.06
SC173	H9P3E	Cap Mount	23	6.2	16.23
SC171	HY3	Hygiene Kit, 2 Cushions and Pads	-	-	10.79

XLS, CSA CLASS A

The XLS has been specifically designed to offer quality, comfort and protection at an affordable price. The space age plastic provides rugged durability in harsh environments. May be adjusted to 6 different positions. Extra wide headband provides secure fit.



SAN234

EXC, CSA CLASS A

Wide headband with ventilated padding provides a firm fit and a high level of comfort with maximum protection. Two point mounting system ensures pressure is distributed evenly around the cushion. Press-and-snap function makes it easy to replace ear cushion. Contoured sealing ring feature provides the best possible seal. Also suitable for dielectric applications.



SAN237

MSA

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.	Price /Each
SAN234	10061535	Cap Mount	22	6	36.93
SAN235	10061537	Hygiene Kit	-	-	19.32

MSA

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.	Price /Each
SAN237	10061230	Cap Mount	24	7.6	44.01
SAN238	10061292	Hygiene Kit	-	-	19.32

3M™ PELTOR™ OPTIME™ 101 SERIES EARMUFFS

Designed for maximum attenuation in a severe noise environment. Soft sealing cushions easily replaceable by press-and-snap function. Suitable for agriculture, construction equipment, heavy industry and airports. CSA Class A. Colour: Green

PELTOR™ 3M

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.	Price /Each
SC165	H7A	Headband	27	7.8	23.00
SC166	H7B	Neckband	26	7.2	21.55
SC167	H7P3E	Cap Mount	24	8.8	16.20
SC168	HY7	Hygiene Kit, 2 Cushions and Pads	-	-	10.73



3M™ PELTOR™ OPTIME™ 105 SERIES EARMUFFS

Dual cup ultra high attenuating hearing protector for extremely high noise environments. Wide ear cushions are filled with a foam which provides excellent sealing properties, good fit, and low surface pressure. Ear cushions are easily replaceable with a simple press-and-snap function. The outer layer consists of a specially developed hygienically textured plastic, allowing for ventilation and durability. CSA Class AL. Colour: Black with Red trim.

PELTOR™ 3M

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.	Price /Each
SC161	H10A	Headband	30	9.3	26.33
SC162	H10B	Neckband	29	8.8	24.17
SC163	H10P3E	Cap Mount	27	10.4	30.66
SC164	HY10	Hygiene Kit, 2 Cushions & Pads	-	-	12.20



3M™ PELTOR™ HIGH VISIBILITY OVER-THE-HEAD EARMUFFS

High visibility, international orange colour for easy identification. Comfortable for continuous use. Broad ear cushions with combined liquid and foam filling gives the sealing advantages of the liquid ring and good comfort of the foam ring in warm and cold conditions. Especially suitable for forestry and airport environments. CSA Class A.

PELTOR™ 3M

Model No.	Mfg. No.	Description	NRR dB	Wt. oz.	Price /Each
SC169	H31A	Headband	24	7.2	29.58
SC170	H31P3E	Cap Mount	23	8.3	34.81
SC171	HY3	Hygiene Kit, 2 Cushions & Pads	-	-	10.79



SOUND LEVEL METERS



3M™ SOUND DETECTORS SD-200

- Compact, lightweight and user friendly
- LED Alert screen provides a quick visual reference of sound levels
- Provides average sound pressure level and delivers a steadier reading in environments such as manufacturing facilities or machine shops where noise levels are often highly variable

Temperature ranges:

- Operating temperature: 32°F to 104°F (0°C to 40°C)
- Relative humidity: 0%- 90%, non-condensing

Specifications:

- Size: 6.5" x 2.4" x .9" / 16.5 cm x 6.1 cm x 2.3 cm
- Weight: 4.4 oz (125 g) approx.
- Battery: Lithium polymer (1000 mAh), rechargeable
- Run-time: 50+ hours without LEDs activated
- Low battery indicator

Measurements:

- Sound Pressure Level (SPL), Average value (LEQ /LAVG), LED Alert (with Hearing Protection icon), Maximum value (MAX), Minimum value (MIN), Run-Time, Overload (OL), and Under-Range (UR)
- Linearity range: 45 to 130 dB (Dynamic Range)
- Weighting: A or C
- Exchange Rate (ER): 3 dB or 5 dB
- LED Alert Levels:
Green LED Flashes when noise measurements are between 80 to 85 dB
Yellow LED Flashes when noise measurements are between 85 to 105 dB
Red LED Flashes when noise measurements are above 105 dB



Model No. IA848

Price/Each \$367.00

SOUND LEVEL DATALOGGERS

- Conforms to IEC61672-1 Class 2 sound level meters
- 1/2" electret condenser microphone
- Plugs directly into your computer via integral USB port
- A and C frequency weighting
- Fast (125 ms) and Slow (1 s) time weighting
- Normal and Peak modes
- Max and Min measurements
- User selectable sampling intervals from 1 second to 24 hours
- Data storage capacity of 129 920 samples
- Measuring range: 30 to 130 dB
- Dynamic range: 50 dB
- Includes: Windscreen, transparent cap, software CD, metal support stand and battery



REED

Model No.	Mfg. No.	Description	Price/Each
IA595	ST-173	Sound Level Datalogger	139.00

SOUND LEVEL METERS

- IEC651 Type II
- 32-80, 50-100, 80-130 dB level ranges
- Autoranging from 30 to 130 dB
- Dynamic range of 50 dB
- 0.1 dB resolution
- Frequency range: 31.5 Hz to 8 kHz
- Accuracy of ± 1.5 dB (ref 94 dB @ 1 kHz)
- 32 000 record data logger
- 4-digit backlit display
- Clock and bar graph displays
- Auto power off
- AC and DC output
- Max/Min function
- Includes calibration screwdriver, windscreen, RS232 cable, Windows® datalogging software, battery, manual and carrying case

DATALOGGING

MODEL IA661

- Professional, 1 kHz/94 dB
- Diecasting aluminum alloy housing case
- Two 9 V batteries
- Size: 50 mm dia. x 82 mm



IA661

MODEL HN408

- Wind shield ball for sound level microphones
- Compatible with IA153, HN404, HN405, HX311 and IA154
- Size: 65 mm dia.



HN408



IA153



REED

Model No.	Mfg. No.	Description	Price/Each
IA153	C-322	Datalogging Sound Level Meter	459.00
HN408	SB-01	Wind Shield Ball	7.00
IA661	SC-05	Sound Calibrator	199.00

SOUND LEVEL METERS

- Dual range measurement (Hi/Lo)
- A and C frequency weighting
- Large, easy-to-read LCD display
- Electret condenser microphone for high accuracy and longterm stability
- Internal 94 dB calibration
- RS232 computer interface
- AC/DC output signal for use with dataloggers
- Data Hold, Max Hold functions and low battery indication
- Meets IEC651 Type 2 requirements
- Includes carrying case, windshield ball and battery
- Measuring range: 30 to 130 dB (A and C)



REED

Model No.	Mfg. No.	Description	Price/Each
HX390	ST-8850	Sound Level Meter	239.00

SOUND LEVEL METERS

- Dual range measurement (Hi/Lo)
- A and C frequency weighting
- Large, easy-to-read LCD display
- Electret condenser microphone for high accuracy and longterm stability
- AC/DC output signal for use with dataloggers
- Data Hold, Max Hold functions and low battery indication
- Meets IEC651 Type 2 requirements
- Includes carrying case and battery
- Measuring range: Low: 35 to 100 dB; High: 65 to 135 dB (A and C)



REED

Model No.	Mfg. No.	Description	Price/Each
HX387	ST-805	Sound Level Meter	149.00

MEGAPHONES

Powerful yet lightweight *Federal Signal Voice Guns®* electronic megaphones with special noise concealing microphone improves voice reproduction. Manufactured with rugged, high-impact *Cyclocast™* parts for long service life. Ideal for industry, fire, marine, athletics, law enforcement and many other applications. Made of *Lexan™* high-impact, self-extinguishing plastic. This benefit makes it appropriate for hazardous environments such as oil refineries and other industries where fire hazard is always present. Operates on eight "AA" batteries (not included).



HM738

Model No.	Power Output	Range	Dimensions					Wt. lbs.	Price /Each
			L"	x	H"	x	D"		
HM738	16 W peak	1/4 Mile	10 1/8	x	10 1/2	x	7 1/4	3	1008.33

REPLACEMENT BATTERIES

Model No.	Description	Qty/Pkg.	Price/Each
XB872	Replacement "AA" battery	24	18.08

MEGAPHONES

- Features pistol grip and trigger for 1-hand operation
- Includes piercing siren sound for emergency situations
- 25-W peak, 15 W RMS power output
- Up to one mile carry sound range
- Weight: w/o batteries 2.7 lbs., w/batteries 3.9 lbs.
- Dimensions: 15" L x 9" H (cone diameter)
- Requires 8 "C" batteries

Model No. SEE894
Price/Each \$155.00



SEE894

REPLACEMENT "C" BATTERIES

12/pkg.
Model No. XB874
Price/Each \$19.50

MIGHTY SONIC™ SIGNAL HORNS

- Lightweight, portable, long lasting safety horn
- Independent of any other power source
- 100% ozone safe and non-flammable
- Delivers a piercing 120 dB blast at 10'
- Easy and convenient push-button operation
- Unbreakable high-impact trumpet
- 8-oz. canister

Model No. SAK518
Mfg. No. MSN
Price/Each \$35.83



SAK518

REFILL

Model No. SAK519
Mfg. No. MSNR
Price/Each \$25.18

RMP-ECO® cleaning products are the Green solution to industrial cleaning. All RMP-ECO® products are EcoLogo® certified. RMP-ECO® is safe for you and the environment.



COMMUNICATION

MOTOROLA RECREATIONAL TALKABOUT® RADIOS

These radios are designed to provide affordable and dependable communication, ideal for outdoor light-usage or included in an emergency preparedness kit. Our radios work in remote areas, are rugged and convenient to use and provide instant access without using up your cell phone minutes.



MD320R TWO-WAY RADIOS

- Offers a communication range up to 32 kilometers
- 22 channels
- Dual power: 24 hrs. alkaline (AA) or 11 hrs. NiMH
- Offers features such as: keypad lock, 10 call tones and audible low battery alert

Includes: Two radios, one wall charger with Y-cable and two connectors, one charging adapter and two NiMH battery packs

Model No. SEF079

Mfg. No. MD320R

Price/Each \$74.19

SEF079



MJ430R TWO-WAY TALKABOUT® RADIOS

- Offers a communication range up to 43 kilometers
- 22 channels, each with 121 privacy codes for 2662 combinations
- 27 hrs. alkaline (3xAA) or 9 hrs. NiMH estimated battery life
- iVOX hands-free communication without the need for an audio accessory
- Offers many features such as: Emergency alert button, built-in flashlight, mini-USB charging port, 10 call tones, QT (Quiet Talk) interruption filter and audible low battery alert

Includes: Two radios, two belt clips, one dual drop-in charger, one charging adapter and two NiMH rechargeable battery packs

Model No. SED300

Mfg. No. MJ430R

Price/Each \$120.56

SED300



MS560R TWO-WAY TALKABOUT® RADIOS

- Offers a communication range up to 56 kilometers
- 22 channels, each with 121 privacy codes for 2662 combinations
- Dual Power: 27 hrs. alkaline or 9 hrs. NiMH estimated talk time
- iVOX hands-free communication without the need of an audio accessory
- Offers many features such as: Headphone connector, flashlight LED, 10 call tones, audible low battery alert, QT (Quiet Talk) interruption filter, PTT power boost

Includes: Two radios, two NiMH batteries and a plug-in charger

Model No. SED125

Mfg. No. MS560R

Price/Each \$156.73

SED125



Call us for all your
Safety Equipment
& Supplies
requirements!



MOTOROLA BUSINESS TWO-WAY RADIOS

These radios are designed for heavy-duty, everyday industrial use. Environments such as construction, manufacturing and retail, along with many others, require this type of radio in order to function efficiently and productively.



RDX SERIES

- 39 analog and 83 digital interference eliminator codes
- Designed to IP-55 and MIL-SPEC specifications
- 3 voice-inversion scramble settings to minimize eavesdropping
- Channel scan with selectable scan list
- 3 audible call tones
- 2-pin accessory plug (compatible with XTN/CLS Series)
- VOX (hands-free use with accessories) with 3 sensitivity levels
- Tri-colour LED with Transmit, Receive and Low Battery indication



MULTI-CHANNEL, 4 W

- Up to 4-watt power (2 W low power setting)
- 18.5 hrs. battery life (4 W, 5/5/90, battery save enabled)
- Pre-programmed channels/code combinations
- Programmable direct input frequency
- Bandwidth: 438-470 MHz

SAR571 (RDU4163D) ADDITIONAL FEATURES:

- Up to 16 channels with aliasing (Up to 8 characters)
- Repeater capable
- Battery gauge
- Signal strength indicator
- Keypad lock
- Five programmable buttons
- iVOX

SAR570 (RDU4103) ADDITIONAL FEATURES:

- Up to 10 channels
- Two programmable buttons
- Auto-scan

INCLUDED ACCESSORIES (SAR570 & SAR571):

- 2400 mAh Li-ion rechargeable battery
- 12-hour drop-in charging tray with wall adaptor
- Spring belt clip
- User's guide, safety leaflet and Canadian license application form



SAR570

Model No.	Mfg. No.	Description	Price/Each
SAR570	RDU4103	4 W, 10 Channels	477.89
SAR571	RDU4163D	4 W, 16 Channels	540.73

2-CHANNEL, 2 W

- 2 channels
- Up to 2 W power (1 W low power setting)
- 2 UHF frequencies (site license required)
- 12-hr battery life (2 W, 5/5/90, battery save enabled)
- 2 programmable buttons
- Autoscan
- Bandwidth: 450-470 MHz

INCLUDED ACCESSORIES:

- 1100 mAh Li-ion rechargeable battery
- 7-hour drop-in charging tray with wall adaptor
- Spring belt clip
- User's guide
- Safety leaflet, warranty card, Canadian license application form



SAR572

Model No.	Mfg. No.	Description	Price/Each
SAR572	RDU2023	2 W, 2 Channels	350.75

CLS SERIES 4-CHANNEL 1 W

- Up to 8 km range, 200 000 sq. ft. or 15 floors
- 1 watt UHF transmit power
- 2 frequencies
- Up to 4-channel operation
- 121 interference eliminator with 83 digital and 38 analog codes
- LCD display with battery meter, signal strength indicator
- *VibraCall*™ alert feature
- Call Alert button with 3 call tones
- Double pin accessory jack
- Compatible with XTN Series audio accessories
- VOX – Voice activated with select audio accessories

INCLUDED ACCESSORIES:

- Lithium ion battery, up to 12 hours battery life
- 3-hr drop-in charger
- Swivel holster
- Industry Canada Licence required

Model No. HX166

Mfg. No. CLS1413

Price/Each \$285.29



Can't find what you're looking for?



Call us today!



CHARGERS



Model No.	Mfg. No.	Description	Compatible with Series	Price /Each
SED302	RLN6309A	Charging Station, Holds 6 Radios	RDX	398.59
HX069	53875	2-Hour Drop-In Charging Tray	XTN	144.12
HX070	53879	Multi-Unit Cloning Station and Charger	XTN	365.85
HX180	56553	3-Hour Drop-In Charger	CLS	115.72
HX181	56531	CCS Multi-Charging Station	CLS	316.65
HX182	56564	AAA Battery Tray	CLS	20.19

AUDIO ACCESSORIES



Model No.	Mfg. No.	Description	Compatible with Series	Price /Each
AUDIO ACCESSORIES				
SED303	RKN4155A	CPS Programming Cable	RDX	65.41
SED304	RLN6423A	Ear Hook Swivel Earpiece	CLS, XTN, RDX, DTR	79.72
SED305	HKLN4477A	Surveillance Earpiece with Microphone	CLS, XTN, RDX, DTR	53.15
HM015	53862	Remote Speaker/Microphone	XTN, CLS, RDX	119.22
HM017	53866	Earbud with In-Line Push-To-Talk Button	XTN, CLS, RDX	100.78
HM005	53863	Earpiece with Microphone	XTN, CLS, RDX	95.42
HM004	53865	Headset with Swivel Boom Microphone	XTN, CLS, RDX	104.60

CARRY CASES & HOLSTERS

Model No.	Mfg. No.	Description	Compatible with Series	Price /Each
SED306	RLN6302A	Leather Carrying Case with 3" Swivel	RDX	79.72
SED307	RLN6307A	Spring Action Belt Clip	RDX	24.53
HX071	53821	Replacement Swivel Belt Holster	XTN	34.67
HX183	56519	Carry Case with Adjustable Strap	CLS	57.08
HX184	56532	Replacement Swivel Belt Holster	CLS	18.53

BATTERIES

Model No.	Mfg. No.	Description	Compatible with Series	Price /Each
SED308	RLN6351A	Standard Capacity Lithium-Ion Battery	RDX	122.64
SED309	RLN6305A	High Capacity Lithium-Ion Battery	RDX	147.17
SED310	RLN6308A	Ultra Capacity Lithium-Ion Battery	RDX	163.52
HX066	53871	NiMH Rechargeable Battery	XTN	71.44
HX186	56557	Lithium-Ion Rechargeable Battery	CLS	69.64



PRICING

The prices shown in this catalogue are for "REFERENCE AND BUDGET PURPOSES ONLY" as of July 2012, and should be used exclusively as a guideline.

Freight charges and applicable taxes (GST, PST & HST) are extra.

In the event of a pricing or typographical error, we reserve the right to charge the correct price without prior notice. We also reserve the right to modify prices based on changing manufacturer and economic conditions.

SPECIAL ORDERS

This catalogue represents only a portion of the products that are available to you. If you can't find what you need, please call us!



ZENOTH[®]
Safety Products

We guarantee your safety!

HEAD PROTECTION

LIBERTY SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Features short peak, trim profile, and functional rain trough
- Accessory slots accommodate a wide variety of eye, face and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Low nape strap helps eliminate unnecessary shifting on the wearer's head
- Comfortable, 4-point impact-absorbing nylon woven suspension
- *Easy Quick-Slide* or *Secure-Fit* ratchet suspension adjustment
- Reverse headband certified
- Certified to CSA standard Z94.1-05 type 1, Class E



Model No.	Mfg. No.	Colour	Price /Each
EASY QUICK-SLIDE SUSPENSION			
SAX840	14LS79822-YEL	Yellow	8.76
SAX841	14LS79826-BLU	Blue	8.76
SAX842	14LS79821-WHT	White	8.76
SAX844	14LS79823-ORG	Orange	8.76
SAX849	14LS79801-DBL	Dark Blue	8.76
SAX845	14LS79835-HVO	Hi-Viz Orange	8.76

SECURE-FIT RATCHET SUSPENSION			
SAX850	14LR79622-YEL	Yellow	14.15
SAX851	14LR79626-BLU	Blue	14.15
SAX852	14LR79621-WHT	White	14.15
SAX854	14LR79623-ORG	Orange	14.15
SAX859	14LR79601-DBL	Dark Blue	14.15
SAX855	14LR79635-HVO	Hi-Viz Orange	14.15

Note: Other colours available upon request.

REPLACEMENT 4-POINT SUSPENSION

Model No.	Mfg. No.	Description	Price /Each
SAX884	14A79800	<i>Easy Quick-Slide</i> Suspension	5.40
SAX885	14A79600	<i>Secure-Fit</i> Ratchet Suspension	9.67

OMEGA II SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Accessory slots accommodate a wide variety of eye, face, and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Comfortable, 6-point impact-absorbing nylon woven suspension
- *Easy Quick-Slide* or *Secure-Fit* ratchet suspension adjustment
- Reverse headband certified
- Certified to CSA standard Z94.1-05 type 1, Class E



Model No.	Mfg. No.	Colour	Price /Each
EASY QUICK-SLIDE SUSPENSION			
SAX787	14OS69132-YEL	Yellow	10.89
SAX788	14OS69136-BLU	Blue	10.89
SAX789	14OS69131-WHT	White	10.89
SAX790	14OS69133-ORG	Orange	10.89
SAX799	14OS69301-DBL	Dark Blue	10.89
SAX793	14OS69129-HVP	Hi-Viz Pink	10.89
SAX795	14OS69135-HVO	Hi-Viz Orange	10.89

SECURE-FIT RATCHET SUSPENSION			
SAX800	14OR69952-YEL	Yellow	15.78
SAX801	14OR69956-BLU	Blue	15.78
SAX802	14OR69951-WHT	White	15.78
SAX803	14OR69953-ORG	Orange	15.78
SAX812	14OR69901-DBL	Dark Blue	15.78
SAX806	14OR69989-HVP	Hi-Viz Pink	15.78
SAX808	14OR69955-HVO	Hi-Viz Orange	15.78

Note: Other colours available upon request.

REPLACEMENT 6-POINT SUSPENSION

Model No.	Mfg. No.	Description	Price /Each
SAX880	14A19141	<i>Easy Quick-Slide</i> Suspension	6.31
SAX881	14A19945	<i>Secure-Fit</i> Ratchet Suspension	10.18

OMEGA II SAFETY CAPS CSA TYPE 2

- Crown and lateral impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Accessory slots accommodate a wide variety of eye, face, and hearing products
- Cushioned brow pad absorbs moisture and is removable and washable
- Comfortable, 4-point impact-absorbing nylon woven suspension
- *Easy Quick-Slide* or *Secure-Fit* ratchet suspension adjustment
- Reverse headband certified
- Certified to CSA standard Z94.1-05 type 2, Class E



Model No.	Mfg. No.	Colour	Price /Each
EASY QUICK-SLIDE SUSPENSION			
SAX813	14OSC49132-YEL	Yellow	27.49
SAX814	14OSC49136-BLU	Blue	27.49
SAX815	14OSC49131-WHT	White	27.49
SAX816	14OSC49133-ORG	Orange	27.49
SAX825	14OSC49301-DBL	Dark Blue	27.49
SAX819	14OSC49129-HVP	Hi-Viz Pink	27.49
SAX821	14OSC49135-HVO	Hi-Viz Orange	27.49

SECURE-FIT RATCHET SUSPENSION			
SAX826	14ORC49932-YEL	Yellow	31.56
SAX827	14ORC49936-BLU	Blue	31.56
SAX828	14ORC49931-WHT	White	31.56
SAX829	14ORC49933-ORG	Orange	31.56
SAX838	14ORC49901-DBL	Dark Blue	31.56
SAX832	14ORC49929-HVP	Hi-Viz Pink	31.56
SAX834	14ORC49935-HVO	Hi-Viz Orange	31.56

Note: Other colours available upon request.

REPLACEMENT 4-POINT SUSPENSION

Model No.	Mfg. No.	Description	Price /Each
SAX882	14A69141	<i>Easy Quick-Slide</i> Suspension	6.11
SAX883	14A69945	<i>Secure-Fit</i> Ratchet Suspension	10.18

OMEGA II FULL BRIM SAFETY CAPS CSA TYPE 1

- Crown impact and penetration protection
- Molded from high density polyethylene for maximum comfort and protection
- Cushioned brow pad absorbs moisture and is removable and washable
- Low nape strap helps eliminate unnecessary shifting on the wearer's head
- Comfortable, 6-point impact-absorbing nylon woven suspension
- *Easy Quick-Slide* or *Secure-Fit* ratchet suspension adjustment
- Certified to CSA standard Z94.1-05 type 1, Class E



SAX861

Model No.	Mfg. No.	Colour	Price /Each
-----------	----------	--------	-------------

EASY QUICK-SLIDE SUSPENSION

SAX860	14FS69502-YEL	Yellow	20.36
SAX861	14FS69506-BLU	Blue	20.36
SAX862	14FS69501-WHT	White	20.36
SAX865	14FS69503-ORG	Orange	20.36
SAX864	14FS69510-HVL	Hi-Viz Lime	20.36

SECURE-FIT RATCHET SUSPENSION

SAX867	14FR69812-YEL	Yellow	26.37
SAX868	14FR69816-BLU	Blue	26.37
SAX869	14FR69811-WHT	White	26.37
SAX872	14FR69813-ORG	Orange	26.37
SAX871	14FR69823-HVL	Hi-Viz Lime	26.37

Note: Other colours available upon request.

REPLACEMENT 6-POINT SUSPENSION

Model No.	Mfg. No.	Description	Price /Each
SAX880	14A19141	<i>Easy Quick-Slide</i> Suspension	6.31
SAX881	14A19945	<i>Secure-Fit</i> Ratchet Suspension	10.18

BUMP CAPS

- Ideal for protecting head from lacerations, minor bumps and bruises
- Molded from high density polyethylene for maximum comfort and protection
- Perforated sides allow cross ventilation for maximum air circulation
- Cushioned brow pad absorbs moisture and is removable and washable
- 4-point injection-moulded suspension
- "Pin-lock" sizing adjustment
- **Not certified**



Model No.	Mfg. No.	Colour	Price /Each
SAX874	14B19112-YEL	Yellow	7.13
SAX876	14B19111-WHT	White	7.13
SAX877	14B19114-RED	Red	7.13
SAX879	14B19161-DBL	Dark Blue	7.13

Note: Other colours available upon request.

REPLACEMENT BUMP CAP SUSPENSION

Model No.	Mfg. No.	Description	Price /Each
SAX886	14A19120	Replacement Suspension	4.38

ERB BASEBALL BUMP CAPS, NAVY BLUE

- 100% cotton ball cap
- ABS shell cap insert with foam padding
- Hook and loop size adjustment
- Vent holes for breathability
- Protects against lacerations, minor bumps and bruises in areas that do not require certified safety helmets
- Ideal for meat packing, food/beverage processing, warehousing, auto repair, pest control and home inspection
- Caution, bump caps are not designed to protect against impact from falling or glancing objects
- **Does not meet CSA or ANSI requirements**

Model No. SED560
Mfg. No. 14B19400
Price/Each \$20.26





NEW CSA Z94.1-05 STANDARDS FOR INDUSTRIAL PROTECTIVE HEADWEAR

CSA has recently launched a revised version of the "Industrial Protective Headwear" standard Z94.1-05. This new standard classifies protective headwear in to two types. Type 1 provides impact and penetration protection on the crown (top) only. Type 2 offers impact and penetration protection on the top as well as lateral protection (sides). The new standard also requires that a hazard assessment be performed in the work place. This new standard includes a guide on how to perform a workplace hazard assessment. If no hazard assessment is conducted, the worker must default to the highest protection level which is a type 2, class E protective helmet.

The new standard still covers dielectric properties. Class E rating (Electric), is a hard hat that must pass an electrical test that protects up to 20 000 volts. For a Class G rating (general purpose) the conductivity test must qualify with a protection limit of 2200 volts. Lastly, a Class C rating, is a hard hat manufactured of conductive material or a hard hat that does not meet Classes E or G. This would only be suitable in areas where there is no risk of electrical hazards.

THE PEAK A79 CSA TYPE 1

- High density polyethylene shell
- Side slots for attaching accessories
- Rain trough to shed rain out
- Reinforcing ribs for extra shell strength
- Choice of ratchet or pinlock suspension
- Vertical adjustable headband and foam perforated vinyl sweatband
- Weighs less than 12 oz.
- Pinlock and ratchet suspension adjustments
- Certified to CSA standard Z94.1-05 type 1, Class E



NORTH
by Honeywell



Model No.	Mfg. No.	Suspension	Colour	Price /Each
SA653	A79010000	Pinlock	White	8.61
SA654	A79020000	Pinlock	Yellow	8.61
SH138	A79030000	Pinlock	Orange	8.61
SH139	A79080000	Pinlock	Navy Blue	8.61
SA1085	A79070000	Pinlock	Sky Blue	8.61
SH140	A79040000	Pinlock	Green	8.61
QZ045	A79150000	Pinlock	Red	8.61
SH141	A79R010000	Ratchet	White	14.71
SH142	A79R020000	Ratchet	Yellow	14.71
SH143	A79R030000	Ratchet	Orange	14.71
SH144	A79R080000	Ratchet	Navy Blue	14.71
YA067	A79R0070000	Ratchet	Sky Blue	14.71
SH145	A79R040000	Ratchet	Green	14.71

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
SI917	A79S2	4-Point Pinlock Suspension	4.63
SI918	A79RS2	4-Point Ratchet Suspension	10.26

Note: Other colours available upon request.

Ratchet



Pinlock



THE EVEREST A49 CSA TYPE 1

- High-density polyethylene outer shell
- 6-point ratchet web suspension or pinlock suspension
- Full all around brim for UV ray and rain protection
- Side slots for easy attaching/detaching of accessories
- Sliding mechanism on rear tabs allows self-centering of the helmet on the head
- Crown pad and sweatband for user comfort
- Sizing adjustment from 6 1/2 to 8
- Certified to CSA standard Z94.1-05 type 1, Class E

NORTH 
by Honeywell



SE928

Model No.	Mfg. No.	Suspension	Colour	Wt. oz.	Price /Each
SE928	A49R010000	Ratchet	White	15.4	30.06
SE929	A49R020000	Ratchet	Yellow	15.4	30.06
SE930	A49R070000	Ratchet	Sky Blue	15.4	30.06
SE931	A49R110000	Ratchet	Black	15.4	30.06
SE932	A49R150000	Ratchet	Red	15.4	30.06
SH151	A49010000	Pinlock	White	14.7	20.24
SH152	A49020000	Pinlock	Yellow	14.7	20.24
SH154	A49110000	Pinlock	Black	14.7	20.24
SH155	A49150000	Pinlock	Red	14.7	20.24

ACCESSORIES

SI317	A99C100	Safety Cap 4-Point Chin Strap	8.76
SI919	A491S	4-Point Pinlock Suspension	5.46

MATTERHORN CSA TYPE 2

- Foam liner for extra protection from lateral impacts
- Rain trough
- Slotted for attachments
- Ratchet or *Quick Fit* suspension
- *Quick Fit* suspension is ultra-lightweight with locking action, simply squeeze buckle and loosen
- Certified to standard CSA Z94.1-05 type 1, Class E



Model No.	Mfg. No.	Suspension	Colour	Wt. oz.	Price /Each
SH342	A89010000	Quick Fit	White	14.7	31.17
SH343	A89020000	Quick Fit	Yellow	14.7	31.17
SH344	A89030000	Quick Fit	Orange	14.7	31.17
SH345	A89080000	Quick Fit	Dark Blue	14.7	31.17
SAI080	A89070000	Quick Fit	Sky Blue	14.7	31.17
SH346	A89040000	Quick Fit	Green	14.7	31.17
SH347	A89R010000	Ratchet	White	15.6	36.89
SH348	A89R020000	Ratchet	Yellow	15.6	36.89
SH349	A89R030000	Ratchet	Orange	15.6	36.89
SH350	A89R080000	Ratchet	Dark Blue	15.6	36.89
SAI081	A89R070000	Ratchet	Sky Blue	15.6	36.89
SH351	A89R040000	Ratchet	Green	15.6	36.89

ACCESSORIES

SA0538	A89S2	Quick Fit 4-Point Suspension	6.25
SAN022	A89RS2	4-Point Ratchet Suspension	11.42

THE EVEREST A119R CSA TYPE 2

- Provide protection from top, sides, front and back
- High-density polyethylene outer shell
- Universal slots
- Full all around brim for UV ray and rain protection
- Expanded polystyrene inner shell
- Ergonomically designed 6-point suspension with 2 adjustment levels
- Sliding mechanism on the rear for centering of the helmet on the head
- Ratchet mechanism fits head sizes 6 to 8
- Crown pad and sweatband for user comfort
- Weighs 17.4 oz.
- Certified to standard CSA Z94.1-05 type 1, Class E



Model No.	Mfg. No.	Colour	Price /Each
SE933	A119R010000	White	49.01
SE934	A119R020000	Yellow	49.01
SE935	A119R030000	Orange	49.01
SE936	A119R070000	Sky Blue	49.01
SE937	A119R110000	Black	49.01
SE938	A119R150000	Red	49.01
SAN168	A119R080000	Navy	49.01

SUSPENSION TYPES:

Ratchet



Quick Fit



Pinlock



THE SUMMIT A99R CSA TYPE 2

- High-density polyethylene provides all-around limited impact and penetration protection
- Universal slots will accept all attachments
- Expanded polystyrene inner shell prevents injuries from lateral, side and back impacts
- 6-point ratchet suspension system comes with two adjustment levels for headband
- Rear tab sliding mechanism allows centering of helmet on head
- Crown pad and sweatband for user comfort
- Weighs less than 17.1 oz.
- Certified to CSA standard Z94.1-05 type 2, Class E




Model No.	Mfg. No.	Suspension	Colour	Price /Each
SA651	A99R010000	Ratchet	White	46.14
SA652	A99R020000	Ratchet	Yellow	46.14
SH146	A99R030000	Ratchet	Orange	46.14
SA650	A99R070000	Ratchet	Sky Blue	46.14
SH147	A99R040000	Ratchet	Green	46.14

Note: Other colours available upon request.

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
SJ317	A99C100	Safety Cap 4-Point Chin Strap	8.76



HEAD PROTECTION

BUMP CAPS BC86 & BC89 SERIES

- For low hazard area protection against minor bumps and lacerations
- Cool, lightweight polyethylene construction resists cracking and chipping (not for use in areas requiring hard hat protection)
- One size fits all
- Available in different colours
- The BC86 series is ventilated



by Honeywell



SD635

Model No.	Mfg. No.	Colour	Price /Each
BC89 SERIES			
SD632	BC89010000	White	6.02
SD633	BC89020000	Yellow	6.02
SD634	BC89070000	Sky Blue	6.02
SD635	BC89080000	Dark Blue	6.02
SAJ119	BC89030000	Orange	6.02
BC86 SERIES - VENTILATED			
SAI586	BC86010000	White	7.78
SAI587	BC86020000	Yellow	7.78
SAI588	BC86070000	Sky Blue	7.78
SAI589	BC86080000	Dark Blue	7.78

TRAFFIC SAFETY HARD HATS CSA TYPE 1

- Hard hats with anti-glare protector under peak
- HDPE shell and rain trough
- 4-point nylon suspension and comfort pad
- 4 anchor points for chin strap
- **SAM549** and **SAM550** come with 3 *North-Brite™* stripes, 1" x 4", on side and back
- **SAM551** and **SAM552** come with 3 *North-Lite™* stripes, 1" x 4", on side and back
- Certified to CSA standard Z94.1-05 type 1



SAM550



by Honeywell



SAM552

Model No.	Mfg. No.	Suspension	Colour	Price /Each
SAM549	A7946/GY	Pinlock	Orange	12.02
SAM550	A79R46/GY	Ratchet	Orange	16.56
SAM551	A7944/GS	Pinlock	Yellow	15.72
SAM552	A79R44/GS	Ratchet	Yellow	13.87

SUPEREIGHT™ P2 ROUGHNECK

- Exceptional impact and crack resistance plus durability
- All day comfort under tough working conditions
- Strip proof ratchet headband
- Exclusive *Supereight™* suspension, eight load bearing points balance and stabilize the cap's weight and dissipate force upon impact
- Meets ANSI standard Z89.1, Type 1, Classes C and G



SAM405



by Honeywell

Model No.	Mfg. No.	Colour	Price /Each
SAM404	P2QRW-GREY	Grey	48.56
SAM405	P2QRW-GREEN	Green	48.56
SAM406	P2QRW-BLUE	Blue	48.56

HARLEY-DAVIDSON® HARD HATS

- Smooth ratchet adjustment is quick and easy to set, allowing for proper safety cap alignment
- Cushioned sweatband provides increased comfort for the wearer
- Complies with ANSI Z89.1 impact standard Type 1 and Electric Class G and E



SAs387



SAs386



SAP272

Honeywell

© 2012 H-D. All rights reserved.

Manufactured by Honeywell under license from Harley-Davidson Motor Company.

WARNING: Not intended for use when riding a motorcycle.

Improper use may result in serious personal injury or death.

Model No.	Mfg. No.	Design	Price /Each
SAP272	HDHAT10	Flame Design	51.31
SAs386	HDHAT30	Orange Metallic Flames, Blades & Skull	54.36
SAs387	HDHAT35	Black Matte w/Silver Metallic Flames, Blades and Skull	62.73

HARD HAT MOUNTING RACKS

Two models of racks are available to store your hard hat:

SEAT MOUNT RACK

Hangs over the front or back of a car or truck seat.

WALL MOUNT RACK

Can be permanently mounted in a vehicle or office.



Model No.	Mfg. No.	Description	Price /Each
SA660	STR-1-SM	Seat Mount Rack	21.34
SA664	STR-2-WM	Wall Mount Rack	20.64

HARD HAT LANYARDS

- Hi-Viz lime lanyard
- High stretch elastic material
- Comfortably attaches to hard hats and other headwear to prevent the item from falling
- Double lock plastic buckle attaches to fall protection
- Easy release clamp version attaches securely to just about anything
- Hard hat not included



Model No.	Mfg. No.	Description	Price /Each
SED573	3150	Buckle Lanyard	7.19
SED574	3155	Clamp Lanyard	7.19

HEADGEAR PADS & SWEATBANDS


- Field tested to improve helmet grip with maximum perspiration absorption
- Headgear pads are flame retardant for added safety
- Made of an absorbent air cushioned layer lined with 10% fleece cotton
- Velcro fastening system is designed to fit all major brands of headgear
- Sweatbands come with elastic strap
- Sold per package of 2



Model No.	Description	Price /Each
620-3200V	Suspender Pads For Use With Hard Hats	3.80
SAM548	Sweatbands	3.90
620-3100V	Non-Suspender Pads For Use With Welding Helmets	3.80

SWEATBANDS

- Cool and comfortable solution for hot workplace environments
- Soft, reinforced sponge to absorb perspiration
- Waffled sponge provides added durability with gauze scrim-reinforced design
- Durable 14" nylon elastic band "box-stitched" into sponge material helps keep sweatband in place
- Clip-on model has harness that fits onto hard hats, welding helmets, or sandblast hood suspensions
- For workers who wear head or face protection all day
- Dimensions: 8 5/8" x 1 3/4"



Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SAI910	22011	Sweatband	25	17.45
SAI911	22010	Clip-On Sweatband	25	20.36

Can't find what you're looking for?
Call us today!




HEAD PROTECTION

V-GARD® PROTECTIVE CAPS

OFFER COMFORTABLE, LIGHTWEIGHT SUSPENSION

- V-Gard® protective caps from MSA consist of a polyethylene shell and suspension system working together as a protection system
- V-Gard® headwear features slotted sides and advanced styling in standard (6 1/2 - 8) size
- Available with Fas-Trac® or 1-Touch™ suspension
- Caps meet or exceed the applicable requirements for a **Type I** helmet (top impact) as outlined in **ANSI Z89.1 2003, and CSA 294.1-2005, Class E**



Model No.	Mfg. No.	Colour	Price /Each
FAS-TRAC® SUSPENSION			
SAF970	475358	White	18.54
SAF971	475359	Blue	18.54
SAF972	475360	Yellow	18.54
SAF973	475361	Orange	18.54
SAF974	475363	Red	18.54
SAF975	475362	Green	18.54
SAF976	475364	Grey	18.54
SAF977	488146	Hi-Viz Orange	18.54
SAF978	815565	Hi-Viz Lime Green	18.54
SAF979	475365	Gold	18.54
SAF980	495855	Silver	18.54
SAF981	492559	Black	18.54
1-TOUCH™ SUSPENSION			
SAM578	10057441	White	11.21
SAM579	10057442	Blue	11.21
SAM580	10057443	Yellow	11.21
SAM581	10061514	Hi-Viz Lime Green	11.21

FREEDOM SERIES™ HARD HAT

- Canadian Maple Leaf design
- V-Gard® helmet with distinctive "all Canadian" graphics
- Fas-Trac® suspension
- Meet requirements of **ANSI Z89.1 2003** for a **Type I** helmet, **Class E** and **CSA Type 1, Class E**



Model No.	Mfg. No.	Description	Price /Each
SAM667	10050613	Maple Leaf Design	49.60

Call us for
quantity
pricing!



MSA SUSPENSION TYPES:



FAS-TRAC®



1-TOUCH™

TOPGARD® PROTECTIVE CAPS

UNI-RIDGE DESIGN PROTECTS WEARER FROM FALLING OBJECTS

Lightweight, durable Topgard® slotted caps are built for use by utilities and other industries, where head protection from falling objects is necessary, along with good dielectric properties (non-conduction of electrical current). Limited resistance to top impact or penetration is retained through a wide range of temperatures.

Available in standard (6 1/2 - 8) size with 1-Touch™ or Fas-Trac® suspension.

SAM570 comes with lamp bracket and cord holder to support

a miner's lamp. Topgard® caps meet or exceed the applicable requirements for a **Type I** helmet (top impact) as outlined in **ANSI Z89.1 2003**

and **CSA 294.1-2005, Class E**.



Model No.	Mfg. No.	Colour	Price /Each
1-TOUCH™ SUSPENSION			
SAM569	454728	White	33.68
SAM570*	448914	White	71.37
SAM571	454723	Blue	33.68
SAM572	454721	Yellow	33.68
SAM573	454725	Orange	33.68
SAM574	454727	Red	33.68
SAM575	454726	Green	33.68
SAM576	454722	Grey	33.68

*With lamp bracket and cord holder

FAS-TRAC® SUSPENSION			
SAG002	475385	White	42.12
SAG003	475380	Blue	42.12
SAG004	475378	Yellow	42.12
SAG005	475382	Orange	42.12
SAG006	475384	Red	42.12
SAG007	475383	Green	42.12
SAG008	475379	Grey	42.12

REPLACEMENT SUSPENSIONS

Model No.	Mfg. No.	Description	Price /Each
SAM577	10061127	1-Touch™ Suspension	10.98
SAG010	473333	Fas-Trac® Suspension	18.21

ADVANCE® VENTED CAPS

- Vented advance caps provide cooling vents for improved air circulation and comfort
- *Glaregard*™ under brim to reduce reflective glare
- Lateral contours above the ears for easy integration of hearing protection
- Lightweight design for added comfort
- 6-point *Fas-Trac*® suspension system
- Caps meet or exceed the applicable requirements for a **Type I** helmet (top impact) as outlined in **ANSI Z89.1 2003, Class C**



Fas-Trac
suspension

MSA

Model No.	Mfg. No.	Colour	Price /Each
SAM668	10034027	White	27.08
SAM669	10034028	Blue	27.08
SAM670	10034029	Yellow	27.08
SAM671	10034031	Red	27.08
SAM672	10034032	Green	27.08
SAM674	10034035	Hi-Viz orange	27.08

REPLACEMENT SUSPENSIONS

Model No.	Mfg. No.	Description	Price /Each
SAM682	10034967	<i>Fas-Trac</i> ®	16.74

BUMP CAPS

- Protects scalp by reducing exposure to abrasions and lacerations caused by minor bumps to the head
- Ideal for meat packing plants, food processing, pest control, meter reading and automotive repair
- High-density polyethylene construction
- Perforated sides for cross-ventilation
- Adjustable, one size fits all
- **Not approved**



MSA

Model No.	Mfg. No.	Colour	Price /Each
SAM701	10033650	Blue	6.70
SAM702	10033651	Yellow	6.70
SAM703	10033652	White	6.70

CANADIAN SUPER-V™ HELMETS

- Consists of a shell, foam liner and *Fas-Trac*® suspension system
- Provides limited impact and penetration protection in the event of top or lateral blow to head
- Tested for both top and lateral blows
- **Certified to the CAN/CSA Z94.1-2005 standard, Class E for Type 1 and two helmets**
- **Meets all applicable requirements of ANSI Z89.1-2003 for Type I helmet, Class E**



MSA

Model No.	Mfg. No.	Colour	Price /Each
SAM685	C217091	White	46.93
SAM686	C217093	Yellow	46.93
SAM687	C217092	Blue	46.93
SAM688	C217094	Orange	46.93
SAM689	C217095	Red	46.93
SAM690	C217096	Green	46.93
SAM691	C217097	Navy Grey	46.93
SAM692	C217100	Hi-Viz Orange	46.93

REPLACEMENT SUSPENSION

Model No.	Mfg. No.	Description	Price /Each
SAM693	818276	<i>Fas-Trac</i> ®	10.41

PROTECTIVE CAP ACCESSORIES

SUN SHIELDS

- Extends the brim all the way around
- Helps protect wearer's ears and neck from sun's rays
- Polyurethane construction
- Front portion is *Lexan*, smoke tint



MSA

Model No.	Mfg. No.	Description	Price /Each
SAM696	697290	For <i>V-Gard</i> ® Cap Only	25.59
SAM684	10039114	For <i>V-Gard</i> ® <i>Advance</i> ® Cap Only	25.59
SAM698	697373	For <i>Topgard</i> ® Cap Only	25.59

CHINSTRAPS

- Plastic chinstrap attaches to helmet shell
- Elastic chinstrap attaches to helmet suspension
- Use with Type I helmets



Model No.	Mfg. No.	Description	Price /Each
SAM699	88128	Plastic Chinstrap	7.89
SAM700	81391	Elastic Chinstrap	7.89

Call us for all
your Office
Product
requirements!



HEAD PROTECTION

WATERPROOF HEADLAMPS

- Hard hat or forehead mounted
- 90° vertical adjustment range
- High intensity focused beam with a durable rubber headband
- Headlamp is submersible up to 30'
- Uses an easily replaceable krypton 4.8 V/0.75 A/3.6 W lamp
- Light output of 10 000 candlepower
- Operates on 4 AA alkaline cell batteries (included)
- Battery burn time is approximately 4 hours
- Lamp life is approximately 20 hours
- Weight: 200 g



LIND **E** EQUIPMENT

Model No.	Mfg. No.	Description	Price /Each
XA688	HL-ST	Waterproof Headlamp	31.96
REPLACEMENT PARTS			
XA674	HL-601	10 000 CP Krypton Lamp	3.91
XA677	HL-604	Lens	7.33

EXPLOSIONPROOF HEADLIGHTS

Totally enclosed, chemical resistant light comes with an adjustable strap that mounts the light on a hard hat. Can also fit comfortably directly on worker's head. Lamp housing swivels 45° for accurate aim. Operates for approximately 4 hours on four AA batteries (**not included**).

Weight with batteries: 7.6 oz. Colour: Yellow



Model No. XA036
Mfg. No. HL-X
Price/Each \$63.97

REPLACEMENT BATTERIES AA

1.5 V, 24/pkg - Priced per Package

Model No. XB872
Mfg. No. EN91
Price/Each \$18.08

LIND **E** EQUIPMENT

INDUSTRIAL 6 LED HEAD LIGHTS

- Two white spot, two white flood, two red
- Comes with 3 AAA batteries
- Lamp life: Lifetime



Model No. XC645
Mfg. No. HDL33AINE
Price/Each \$32.35

REPLACEMENT BATTERIES AAA

Model No. XB873
Mfg. No. EN92
Price/Each \$23.06

- Package Qty: 24
- Priced per package

Energizer

VANTAGE™ HELMET-MOUNTED TACTICAL LIGHTS

- Fits both traditional and modern style helmets - easily attaches above or below full brim fire and industrial helmets
- Constructed of anodized aircraft aluminum with high impact, chemically resistant engineering polymer LED housing and reflective strip
- Features a new generation C4 LED and a 470 nm ultra-bright blue taillight LED
- C4 LED is impervious to shock and has a 50 000 hour lifetime
- Textured parabolic reflector produces a smooth beam hotspot with optimum peripheral illumination
- Swivel clamp and insertable 5° angle adjuster to optimize beam location
- Dual-direction, easy-access "On/Off" switch
- Up to 100 lumens/5800 candelas peak central intensity
- 6 hours of continuous run time to the 10% output level
- IPX7 rated waterproof to 1 meter for 30 minutes
- Includes: high-temperature, shock-mounted, impact-resistant Borofloat® glass lens and two 3V Lithium batteries

Model No. XC387
Mfg. No. 69140
Price/Each \$245.40



STREAMLIGHT
 Heroes Trust Streamlight®

SEPTOR® HEADLAMPS

- Hands-free headlamp features LEDs lighting that amply illuminate the task at hand
- 90° tilting head for task targeting
- 7 bright white LEDs that have a 100 000 hour lifetime and never needs to be replaced
- 3 brightness levels - 7 LEDs, 3 LEDs, 1 LED
- Run time of up to 150 hours on a single LED
- Produces up to 50 lumens - 7 LEDs; 25 lumens - 3 LEDs; 9 lumens - 1 LED
- Water resistant
- Includes 3 AAA alkaline batteries, elastic headstrap and rubber hard hat strap

Model No. XC389

Mfg. No. 61052

Price/Each \$62.25



3AA HAZ-LO®

- Streamlight®'s first safety approved LED headlamp for Class 1, Div 1 hazardous locations
- Contains a 1 Watt super high-flux LED
- LED has a 50 000 hour lifetime and never needs to be replaced
- Brightness: 34 lumens
- Run time: Up to 11 hours of continuous use
- Ultra light impact resistant ABS Case with unbreakable polycarbonate lens
- O-ring sealed for weather-resistance
- Rubber dome-shaped push button switch provides easy "on-off" operation even when wearing heavy gloves
- 90° tilting head
- UL Classified for Class I, Division 1, Groups A, B, C, D, Temperature Code T4
- Includes 3 AA Alkaline batteries; 2 head straps - rubber and elastic

Model No. XC391

Mfg. No. 61200

Price/Each \$81.80



TRIDENT® HP LED HEADLAMPS

- Features 1 high powered LED and 3 ultra bright white LEDs within the same reflector - all with 100 000 hour lifetimes
- 3 brightness levels - (1) high powered LED, (1) LED, (3) LEDs
- Run time of up to 5 hours of continuous use
- Produces up to 2500 candela peak beam intensity; 60 lumens measured system output (high powered LED) 33 lumens measured system output (3 white LEDs); 12 lumens measured system output (1 white LED)
- 90° tilting head
- Water resistant, lightweight thermoplastic construction with push-button switch
- Includes 3 AAA alkaline batteries and both elastic and rubber hard hat straps

Model No. XC516

Mfg. No. 61080

Price/Each \$57.37



WINTER LINERS

FLAME RESISTANT OUTER SHELL

Winter liners give you added protection in cold conditions or on windy days. Can be worn with caps, hats, welding helmets, hard hats or alone. One size fits all. Flame resistant outer shell.

SEVERE COLD

Twill outer layer, sheep thermal lined and full neck flap for severe cold.

Model No. SAM455

Price/Each \$11.70



MODERATE COLD

Twill outer layer and polyfiber/cotton lined for moderate to severe cold.

Model No. SAM456

Price/Each \$7.30



MILD COLD

Single twill layer with napped inside for mild cold.

Model No. SAJ553

Price/Each \$4.65



LED HEADLAMPS

- 7 ultra bright LED lights
- 3 brightness levels - 7 LEDs, 3 LEDs, 1 LED
- Water resistant
- Lightweight design
- Tilting head and adjustable head strap
- Certified for sale in Canada by an accredited certification body
- Includes: 3 AAA alkaline batteries

Model No. XC658

Price/Each \$39.95



FLASHLIGHTS

MITYLITE® 2340

- 6 1/4" in length and equipped with a handy tail button switch
- Made of an unbreakable chemical-resistant resin with a polycarbonate lens and thermoplastic rubber shroud
- Includes a pre-focused xenon lamp module, shirt clip and two AA-cell Energizer® alkaline batteries
- Non-submersible



APPROVALS

CSA	Class I, Div 2, Groups ABCD, T3C Class II, Div 2, Group G
FM	Class I, Div 2, Groups ABCD, T3A
MSHA	10C-637-0
IEC Ex	Ex ib e IIC T4 IP67 IEC EX TSA 06.0021x



Model No.	Description	Price /Each
XB349	Black	34.10
XB350	Yellow	34.10
XB351	Replacement Bulb	12.33
BATTERIES		Priced per Package
XB872	Replacement Batteries, AA-Cell, 24/Pkg.	18.08

STEALTHLITE™ 2400

- This four AA-cell flashlight is water-resistant with an unbreakable corrosion-proof ABS body & high-impact polycarbonate lens
- Xenon lamp module gives an unsurpassed white collimated beam
- Has a one handed on/off locking switch plus a heavy-duty lanyard
- Safe to be used in gaseous or electrical hazardous environments
- Colour: Orange



APPROVALS

FM	Class I, Div 2, Groups ABCD, T3A
MSHA	10C-633-0
CSA	Class I, Div 2, Groups ABCD, T3C Class II, Div 2, Group G
UL	Class I, Div 1, Group D, Zone 1, IIA, T3
Ex (CE)	II 3 GD EEx nL IIC T5 sni 135°C



Model No.	Description	Price /Each
XA026	StealthLite™ 2400	57.00
XA019	Replacement Bulb	21.39
BATTERIES		Priced per Package
XB872	Replacement Batteries, AA-Cell, 24/Pkg.	18.08

MITYLITE™ 1900

- Made of unbreakable space age high-impact polycarbonate resin
- 4.09" in length
- Xenon lamp module provides 7.0 lumens of power
- Equipped with a shirt clip, making it easy to fit into pockets, purses, tool kits, camera bags or glove compartments
- Submersible with a twist on shroud
- Includes two AAA alkaline batteries



APPROVALS

CSA	Class I, Div 2, Groups ABCD, T3C Class II, Div 2, Group G
IEC EX	Ex ib e IIC T4 IP67 IEC EX TSA 06.0021X

Model No.	Description	Price /Each
XA027	Mitylite™ 1900 Series	23.10
XA018	Replacement Bulb	9.10

BIG ED™

3700 ALKALINE & 3750 RECHARGEABLE

- New right angle flashlight specifically designed for firefighters
- Made of unbreakable chemical resistant Xenoy® with a polycarbonate lens and thermoplastic rubber shroud
- Momentary and constant on/off switch
- Features the quick change battery ejection system and spare emergency lamp
- Water-resistant
- Length: 7"
- Colour: Yellow

XB354



3700 ALKALINE

- Requires four C-cell alkaline batteries

3750 RECHARGEABLE

- Complete with a four C NiCad battery pack



XB355

APPROVALS

UL Class I, Div 2, Groups ABCD, T2B



Model No.	Mfg. No.	Description	Price /Each
XB354	3700-001-245	Big Ed™ Alkaline	146.59
XB355	3750-001-245	Big Ed™ Rechargeable	282.76

SURVIVOR® LED

- Brightest right-angle LED flashlight available
- Features a C4® LED with a 379 m range and optimal peripheral illumination
- LED produces up to 140 lumens and has a 50 000 hour lifetime
- Raised 3-position push button switch features: High, Low and Strobe modes
- Run Times: High - Up to 3.5 hours; Low - Up to 13 hours
- Constructed of high-impact, super-tough nylon for durability and O-ring sealed for water-resistance
- Unbreakable polycarbonate lens with silicone anti-scratch coating
- Rechargeable models also include alkaline battery pack (alkaline batteries not included)
- Operates on four AA alkaline or rechargeable NiCad battery pack
- Serialized for easy identification
- UL approved for Class I, Div 1, Groups C&D; Class I, Div 2, Groups A, B, C, D; Class II & III, Div 2 (Alkaline & Rechargeable)



XC401



XC403



Model No.	Mfg. No.	Description	Colour	Price /Each
XC400	90513	Survivor® LED Rechargeable	Yellow	213.33
XC401	90503	Survivor® LED Rechargeable	Orange	213.33
XC402	90540	Survivor® LED Alkaline	Orange	95.95
XC403	90541	Survivor® LED Alkaline	Yellow	95.95
XC404	90542	Alkaline Battery Pack	-	60.78
XC405	90338	NiCad Battery Pack (Rechargeable), Div 2	-	6.46

RECOIL™ LED FLASHLIGHTS

- Cutting edge *Recoil™ LED Technology™*, up to 33 times brighter than regular LED lights
- Focuses the light by firing backwards; 100% of the light is captured and reflected forward
- Tested lumen value: 32



SABRELITE™ 2010 RECOIL™ LED

- Rugged, lightweight *Xenon®* body
- White collimated beam as bright as an incandescent light
- Submersible to 500'

Approvals

CSA	Class I, Div. 1, Group D Class I, Div. 2, Groups ABCD Class II, Div. 2, Groups FG, T3C
US FMC	Class I, Div. 1, Group D Class I, Div. 2, Groups ABCD Class II, III, Div. 1, Groups FG



XC062

STEALTHLITE™ RECOIL™ LED

- ABS body with polycarbonate lens
- One-handed safety switch operation
- Submersible to 500'

Approvals

FM	Class I, Div. 2, Groups ABCD, T4A; Class II, Div. 2, Groups FG
----	---



XC066

Model No.	Description	Price /Each
SABRELITE™ 2010 RECOIL™ LED		
XC061	Black	93.37
XC062	Yellow	93.37
XC064	Yellow Traffic Wand	18.75
XC065	Orange Traffic Wand	18.75
STEALTHLITE™ 2010 RECOIL™ LED		
XC066	Black	92.36
XC067	Yellow	92.36

MAGLITE® ML125™ LED FLASHLIGHT RECHARGEABLE SYSTEMS

Runs on either an environmentally friendly NiMH rechargeable battery pack or three C-cell alkaline batteries. System includes portable battery charger, AC converter and NiMH battery pack.

FEATURES:

- Rugged, machined aluminum construction
- Anodized inside and out for improved corrosion resistance
- Sealed at both ends with high-grade rubber seals
- Quick access to your preferred functions:
 - Full power
 - Power save (25%)
 - Strobe (12/sec)
 - SOS (Int'l Morse code)
 - Momentary On/Off
- **NiMH battery pack offers** 258 m powerful projecting LED adjustable beam
- 186 lumens lasting 30 hours at low setting or 8.5 hours at high setting
- **Three C-cell alkaline batteries offers** 273 m powerful projecting LED adjustable beam
- 193 lumens lasting 72 hours at low setting or 25 hours at high setting



SPECIFICATIONS:

- Length: 11.104" (282.042 mm)
- Barrel diameter: 1.199" (30.455 mm)
- Head diameter: 1.977" (50.216 mm)
- Weight with batteries: 18.4 oz. (521.631 g)

Use the **XC846** LED Rechargeable System just as it is (see Function Set #1 Standard) or personalize it to meet your own needs by choosing one of the other function sets in the chart shown below.

	Function Set 1 (Standard)	Function Set 2	Function Set 3	Function Set 4
1 Click	Full Power	Full Power	Momentary Full Power	Momentary Full Power
2 Clicks	Power Save	Power Save	Power Save	Power Save
3 Clicks	Strobe	SOS Signal	Power Save	Strobe

Model No.	Mfg. No.	Description	Price /Each
XC846	ML125-33014	Rechargeable LED Flashlight	161.89
XC847	ML125-A3015	Replacement NiMH Battery Pack	44.94
XB874	EN93	Replacement Batteries, C-Cell	19.50

CONTRACTOR® SERIES INTRINSICALLY SAFE LIGHTS

- Designed to meet the needs of hazardous work environments by combining the major performance advantages of LED without sacrificing brightness
- Chemical-resistant, anti-static polyethylene construction
- Carabiner belt hook on tall cap
- Survives 7' drop test
- CUL 913 Certified Intrinsically Safe for Class I, Groups A, B, C and D; Class II Groups E, F and G; Class III
- CAN/CSA C22.2 No. 157-92
- IEC 60529 waterproof and dust proof
- Batteries not included



XC324

XC325

Model No.	Description	Avg. Life	Batteries Required	Price /Each
XC324	Three White Nichia CS, 18 lumens	20 hrs.	2 AA Alkaline	24.91
XC325	One 1-W Luxeon White, 45 lumens	70 hrs.	2 D Alkaline	46.02

HEAVY-DUTY RUBBER FLASHLIGHTS

- Durable rubber construction
- Ribbed body for sure grip
- Water and shock resistant
- Push-button switch for easy handling
- Uses two D-cell batteries, not included

Model No. SJ148
Price/Each \$10.71



REPLACEMENT BATTERIES

Model No. XB875 D-cell, 12/pkg.
Price/Each \$21.60

APPROVALS

FM	Class I, Div 2, Groups CD, T1
CSA	Class I, Div 2, Groups ABCD, T3C Class II, Div 2, Group G



Model No.	Description	Price /Each
XA112	Modified Spot™ - Black	159.87
XA114	Modified Spot™ - Yellow	159.87
XA029	Replacement bulb	27.80
BATTERIES		Priced per Package
XB875	Batteries, D-Cell, 12/pkg.	21.60

FACE PROTECTION

HIGH PERFORMANCE FACESHIELDS

- High performance faceshields are stronger, more durable and more heat-resistant than ordinary faceshields
- Made from *Noryl*®, the same material used in *Fibre-Metal*®'s welding helmets
- Exclusive channel grip system mounts windows and locks them in place to form a perfect seal from dust, dirt and debris
- Deeper 4" crown protector extends protection without increasing weight
- Wide vision 8" x 17" wraparound visors provide 40% more protection area than standard size faceshields
- Visors are 0.060" thick for an extra margin of protection

Headgear and faceshield are sold separately



Model No.	Mfg. No.	Description	Price /Each
SAM376	F-400	Headgear	33.37
SAM377	4178	Clear faceshield	11.16
SAM403	4178IR/UV5	IR/UV5 Shade 5.0 faceshield	30.91

FMX™ FACESHIELDS

- Exclusive overlay designs; heat and scratch resistant
- Oversized 7" heat resistant crown for extra protection
- Cam-locking channel grip design seals against sparks and debris
- Accommodates *Fibre-Metal*® window sizes up to 19" x 9 3/4"
- Adjustable non-slip, non-strip ratchet headgear
- Lifetime limited warranty: Headgear/faceshield

Headgear and faceshields sold separately



SAR044

SAR045

Model No.	Mfg. No.	Description	Price /Each
SAR044	F500X1	Flame Design	57.58
SAR045	F500X3	Wire Burner Design	57.58
FACESHIELDS			
SAP369	4199CL	Clear, 19" x 9 3/4"	17.02
SAR046	4199IRUV3	IR 3.0, 19" x 9 3/4"	37.10

ECONOMICAL FORESTRY KITS

CONTAINS:

- 1 QZ045 hard hat, red
- 1 SAM365 forestry screen
- 1 SA690 Mustang muff, NRR 20 dB

Model No. SG504

Mfg. No. FK13

Price/Each \$52.60



by Honeywell

SPARKGARDS

- Accepts a wide range of faceshield/window styles
- Large sparkguard provides excellent protection
- Cross strap adjusts to allow an exceptional fit
- Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use
- Quick change system for holding faceshield/window
- Ratchet adjustment for quick, easy and perfect fit

Headgear and faceshield sold separately

NORTH

by Honeywell



Model No.	Mfg. No.	Description			Price/Each
SAH652	KHG4001	Sparkgard Headgear			17.83
FACESHIELDS					
Model No.	Mfg. No.	Size"	Form	Material	Price /Each
SAI077	A8154	8 x 15 1/2	Formed	Polycarbonate	10.52
SAI078	A8150/40	8 x 15 1/2	Flat PET-G	Copolyester	3.33

REGULAR FORESTRY KITS

CONTAINS:

- 1 SH143 hard hat, orange
- 1 SAM365 forestry screen
- 1 SA688 Phantom muff, NRR 21 dB

Model No. SG503

Mfg. No. FK12

Price/Each \$78.30



by Honeywell



ARC FLASH SERIES

DUAL CROWN PROTECTIVE MASKS

- Full face and neck protection
- Broader, deeper 4" headgear and chin protector, molded from *Noryl*®
- Available in dual crown ratchet headgear model or dual channel cap peak mounting bracket with chin protector
- High performance injection molded, preformed optically correct propionate faceshield with 25 cal ratings when used as tested
- Both models meet CSA and NFPA 70E, category 1 or 2

SAP523



SAP524



by Honeywell

Model No.	Mfg. No.	Description	Price /Each
SAP523	FM400DCAF25	Dual crown protective mask and faceshield	114.05
SAP524	FM70DCAF25E2	Dual crown protective mask, faceshield and safety cap	139.46

BIONIC™ SHIELDS

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easy-to-set ratcheting headgear locking mechanism assures comfortable, secure fit
- Highly adjustable headgear tilts visor nearer or farther from face depending on preference and application
- Easily replaceable visor with dual position choices
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators

Compliant with CSA Z94.3 standard



UVEX™

by Honeywell

Model No.	Mfg. No.	Description	Price /Each
BIONIC™ SHIELDS			
SAK421	S8500	Clear uncoated faceshield	28.98
SAK422	S8510	Clear anti-fog hardcoat faceshield	44.00
REPLACEMENT FACESHIELDS			
SAK423	S8550	Clear uncoated	6.47
SAK424	S8555	Clear anti-fog hardcoat	22.49
SAK425	S8560	Shade 3.0, uncoated	22.49
SAK426	S8565	Shade 5.0, uncoated	26.98
ACCESSORIES			
SA0774	S8580	Replacement headband	2.35
SA0775	S8570	Hard hat adapter	19.30
SA0776	S8595	Ratchet suspension	10.21

PROTECTO-SHIELD® PROLOK® HEADGEAR

- Impact and splash protection
- Constructed of tough thermoplastic
- Heat resistant brow guard
- Easy sizing and tension adjustment for individual visor positioning
- Faceshields easily attach with no snaps, posts or levers
- Specially designed with a chemical splash drip edge to prevent fluids from splashing down inside the visor

Model No.	Mfg. No.	Description	Price /Each
HEADGEARS			
SG413	11380048	Ratchet Adjustment	14.02
SG414	11380049	Pinlock Adjustment	8.84
SG416	11380057	For Safety Cap with Bilsom® Earmuffs	17.34

Model No.	Mfg. No.	Description	H"	x	W"	x	D"	Price /Each
FACESHIELDS - MOLDED								
SG418	11390044	Clear, Propionate	8 1/2	x	15	x	0.060	5.78
SG419	11390047	Clear, Polycarbonate	8 1/2	x	15	x	0.060	7.98
SG423	11390058	Clear, Polycarbonate	9	x	20	x	0.040	12.25
SAK431	11390066	Shade 3.0	8 1/2	x	15	x	0.060	16.06
SAK432	11390067	Shade 4.0	8 1/2	x	15	x	0.060	17.23
SAK433	11390068	Shade 5.0	8 1/2	x	15	x	0.060	17.90
SAK434	11390069	Shade 6.0	8 1/2	x	15	x	0.060	18.37

Model No.	Mfg. No.	Description	H"	x	W"	x	D"	Price /Each
FACESHIELDS - ALUMINUM BOUNDED ACETATE								
SG420	11390054	Clear	6	x	15	x	0.040	8.29
SG421	11390055	Clear	8 1/2	x	15	x	0.040	9.77
SG422	11390057	Clear	9	x	20	x	0.040	18.83

Model No.	Mfg. No.	Description	H"	x	W"	x	D"	Price /Each
FACESHIELDS - ARC RATED								
SAR644	11391000	9.3 cal/cm²	8 1/2	x	15	x	0.060	21.95

SG414



SG418



SG420



FACESHIELDS (SOLD SEPARATELY)

- Universal hole pattern allows visors to be used with other popular manufacturers' headgear
- Easy attachment without snaps, posts or levers
- Reinforced edge to resist cracking from abuse
- Popular industry sizes and thicknesses
- Aluminum-bound acetate visors form easily for a contoured, customized fit
- Faceshields offer secondary protection and must be worn with spectacles or goggles
- Compliance with OSHA, ANSI Z87+ and CSA Z94.3 standards

NORTH

by Honeywell



Note:
Faceshield sold separately

RATCHET FACESHIELDS

- ABS material: Plastic resin forms shell of the headgear
- 5-cam locking system for added impact resistance
- Crown is made of nylon 66
- 4" Sparkgard made of HDPE Plastic
- Large ratchet handle is easy to adjust for optimum fit
- Washable cotton sweatband for better fit and durability
- Meets or exceeds ANSI Z87.1+ standards

Headgear and faceshield sold separately



CREWS

Model No.	Mfg. No.	Description	H"	x	W"	x	D"	Price /Each
SA388	103	Ratchet Headgear	-	-	-	-	-	9.88
SA301	181540	Clear Polycarbonate Faceshield	8	x	15 1/2	x	0.040	4.46

FACE PROTECTION

F20 & F50 POLYCARBONATE FACESHIELDS

- Impact performance
- Good performance against heat
- Excellent cold flexibility
- Meets ANSI standard Z87.1
- Compliant with CSA standard Z94.3



138-1070

JACKSON^{*}
SAFETY Brand

Model No.	Mfg. No.	Window dimensions				Tint	Binding	Price /Each
		W"	x	D"	x L"			
POLYCARBONATE								
138-1070	29087	15.5	x	0.060	x 8	Clear	Unbound	14.00
138-1072	26262	15.5	x	0.060	x 8	IR/UV 3.0	Unbound	26.39
138-1074	29080	15.5	x	0.060	x 8	IR/UV 5.0	Unbound	29.49

F30 ACETATE FACESHIELDS

- Robust combination of weight and strength
- Excellent cold flexibility
- Meets ANSI standard Z87.1



JACKSON^{*}
SAFETY Brand

Model No.	Mfg. No.	Window dimensions							Price /Each
		W"	x	D"	x	L"	Tint	Binding	
ACETATE									
138-1950	3002806	12	x	0.040	x	8	Clear	Aluminum Bound	9.02
138-1035	3002808	15.5	x	0.040	x	9	Clear	Aluminum Bound	13.34
138-1050	3002817	15.5	x	0.040	x	9	Light Green	Aluminum Bound	17.01
138-1915	3002826	19.5	x	0.040	x	9	Clear	Unbound	15.11

170-SB HEADGEARS

- Enables attachment of all Jackson[®] Safety faceshields
- Spark deflector
- Ratchet suspension
- **Faceshields sold separately**



Model No. 138-1613
Mfg. No. 29077
Price/Each \$22.71

JACKSON^{*}
SAFETY Brand

MODEL K HEADGEARS

- Spark deflector
- Soft, absorbent wraparound foam cushioned sweatband gently hugs the natural shape of the head
- Ratchet suspension
- **Faceshields sold separately**



Model No. 141-1425
Mfg. No. 14381
Price/Each \$21.44

JACKSON^{*}
SAFETY Brand



CANADA'S LEADER
IN WELDING SUPPLIES



CAPSHIELDS

- Ideal for attachment of *Jackson® Safety* faceshields

137 CAPSHIELDS

- Metal device for non-slotted caps
- Curved aluminum channel and coil spring attachment

138-1550



337 CAPSHIELDS

- Totally dielectric device for non-slotted caps
- Curved plastic channel fits over the bill and secures with adjustable rubber headband that stretches around the exterior cap crown
- Faceshields are secured with integral plastic lugs

138-1725



437 CAPSHIELDS

- All plastic, totally dielectric device for slotted caps
- Curved plastic channel fits over the bill of the cap and includes pivoting blades which snap easily into cap slots
- Faceshields are secured with integral plastic lugs

138-1775



JACKSON
SAFETY GROUP

Model No.	Mfg. No.	Description	Price/Each
138-1550	14948	137 Capshield, Cap Coil Spring Attachment	40.51
138-1725	14946	337 Capshield, Cord Mounted	26.84
138-1775	14947	437 Capshield, Blade Mounted	24.48

382 B CAP ADAPTERS

- Easiest, least costly adapter
- Polyethylene spark deflector
- Totally dielectric for slotted caps
- Faceshield secured with integral plastic lugs
- Ideal for attachment of *Jackson® Safety* faceshields
- Includes an integral spark deflector and pivoting blades



JACKSON
SAFETY GROUP

Model No.	Mfg. No.	Description	Price/Each
138-1747	14944	382 B Cap Adapter, Blade Mounted	21.86

V90 MONOSHIELD® GOGGLES

- Monogoggle® 211 attaches to shield with PVC gasket
- Can be worn with caps and disposable respirators
- Clear see through material allows for easy wearer identification
- Polycarbonate shield provides face protection
- Can be worn over most prescription eyeglasses
- Meets ANSI standard Z87.1



JACKSON
SAFETY GROUP

Model No.	Mfg. No.	Description	Price /Each
SC480	16671	Monoshield®/Goggle	59.30

Call us for all your
Safety Equipment
& Supplies
requirements!



FACE PROTECTION

DEFENDER® FACESHIELD FRAMES FOR SLOTTED CAPS

The *Defender*® faceshield frame for slotted caps is available in three versions: standard *V-Gard*® caps, *Topgard*® caps and for all MSA slotted caps.



THE DEFENDER® FRAME FEATURES:

- Front-drip edge-splash protection
- Unlimited number of lift stop positions
- Long-lasting O-ring pivot-joint design
- Snap-in earmuffs option
- Earmuff accessories available for frames
- Easy in, easy out visor replacement
- Cap lockdown clip (For *V-Gard*® and *Topgard*® cap styles only)

Note: Faceshields sold separately.


Model No.	Mfg. No.	Description	Price /Each
FACESHIELD FRAME			
SAG013	10021614	Frame For Standard <i>V-Gard</i> ® Caps	21.52
SAG014	10021615	Frame For <i>Topgard</i> ® Caps	20.74
SAG015	10021616	Frame For All MSA Slotted Caps, Not Equipped With Lockdown Clip	20.74
EARMUFF ACCESSORIES			
SAG016	10026398	Sound Blocker 26 (26 NRR), Includes Clips	53.76
SAG018	10026362	Replacement Clips, 2/pkg.	7.05

DEFENDER® FOLDBACK FACESHIELD FRAMES

METAL

Metal frames come in cap styles. These frames can be used with slotted or non-slotted helmets.

Faceshields sold separately.



Model No.	Mfg. No.	Description	Price /Each
SAG023*	488160	Metal Frame	19.36

*Not for use w/*Topgard*® cap models

DEFENDER® HEADGEAR FACESHIELD FRAMES

No hard hat required
Use where no hard hat is required. Available in pinlock and ratchet suspension with standard sparkguard except for **SAG021**, available in ratchet with extended high-temp sparkguard. All styles adjust to head sizes 6 1/2 to 8. The extended high temp Sparkguard is for use in temperatures up to 250°F.
Faceshields sold separately.



Model No.	Mfg. No.	Description	Price /Each
SAG019	10021610	Pinlock Suspension	24.33
SAG020	10021611	Ratchet Suspension	24.22
SAG021	10021612	Ratchet Suspension w/Extended High Temp Sparkguard	29.57

Call us for quantity pricing!



FACESHIELDS

Choose from a wide variety of faceshields that fit easily on MSA faceshield frames. Nitrometer faceshields and chin-guards incorporate an additional guard to help protect chin and neck and reduce the chance of upsweep of particles and splash. Faceshields should always be worn with primary eye protection such as high impact resistant spectacle or goggles. All MSA faceshields meet or exceed applicable requirements of ANSI Z87.1.

Model No.	Mfg. No.	Description	Window Dimensions					Price /Each
			W"	x	D"	x	H"	
POLYCARBONATE								
SAG031	488131	Clear, Formed	16	x	0.040	x	8	12.55
SAG032	488132	Clear, Formed	16	x	0.060	x	8	13.40
SAG033	10017934	Clear, Flat	15 1/2	x	0.040	x	8	8.45
SAG034	488138	Clear, Formed	19	x	0.060	x	8	16.95
SAG035	491908	Clear, Formed	16	x	0.060	x	6	12.90
SAG036	802337	Clear, Fog-Free	16	x	0.040	x	8	39.98
PROPIONATE								
SAG038	10005882	Shade #5, Green	15 1/2	x	0.060	x	8	29.21
WIRE SCREEN								
SAG041	476356	Plastic Edge, 20 MESH (not for use in elevated temperatures)	14	x	-	x	6 1/2	16.14
SAG042	457409	Aluminum Edge, 20 MESH (not for use in areas where splash may occur)	17 1/2	x	-	x	8	17.75
ELEVATED TEMPERATURE								
SAG044	10005879	Clear Polycarbonate, Gold Coating	20	x	0.070	x	9 1/2	192.31
SAG045	10005880	Medium Green Tint, Polycarbonate, Gold Coating	20	x	0.070	x	9 1/2	198.49
NITROMETER FACESHIELDS								
SAG047	488126	Clear Polycarbonate	16	x	0.040	x	6	11.29
SAG049	494916	Clear Polycarbonate (fog-free)	19	x	0.060	x	8	33.73
SAG051	10005881	Shade #5, Green Propionate	16	x	0.060	x	6	29.07
NITROMETER CHIN-GUARDS								
SAG052	10022241	Clear Polycarbonate			-			12.90
SAG053	10022242	Black Polypropylene			-			11.29
SAG054*	10013631	Blue Grey, Polycarbonate			-			14.53

* For use only with faceshield SAG051

MSA



SAG031
(headgear sold separately)



SAG031



SAG041

HEAD & FACE PROTECTION SYSTEMS

Order No. **SAM400**
CONTAINS:

- 1 SAF960 V-Gard® hard hat, yellow
- 1 SAG013 Frame for V-Gard®
- 1 SAG031 Clear polycarbonate faceshield
- 1 SAG016 Sound Blocker muffs, 26 NRR

Order No. **SAM401**
CONTAINS:

- 1 SAF960 V-Gard® hard hat, yellow
- 1 SAG013 Frame for V-Gard®
- 1 SAG031 Clear polycarbonate faceshield



SAM400

MSA



SAM401



BOUFFANT CAPS

NON-WOVEN

- Non-woven polypropylene
- Elasticized band for an optimum fit

SEC376



Model No.	Size	Colour	Qty /Pkg.	Price /Each
SEC375	Medium 18"	White	100	3.70
SEC376	Large 21"	White	100	3.90
SEC377	X-Large 24"	White	100	4.50
SEC378	Large 21"	Blue	100	4.10

LINT-FREE

- Lint-free, lightweight non-woven material
- Elasticized band for an optimum fit
- Colour: White

SEC380



Model No.	Size	Qty /Pkg.	Price /Each
SEC379	Medium 18"	100	4.65
SEC380	Large 21"	100	4.90

LATEX-FREE

- Non-woven polypropylene
- Latex-free elasticized band for an optimum fit
- Ideal for individuals with latex sensitivities or allergies
- Colour: White

SEC382



Model No.	Size	Qty /Pkg.	Price /Each
SEC381	Large 21"	100	4.20
SEC382	X-Large 24"	100	4.80

HAIR NETS

- Fine polyester mesh
- Elasticized band for an optimum fit
- Colour: White



SEC373

Model No.	Size	Qty /Pkg.	Price /Each
SEC372	Medium 18"	100	7.10
SEC373	Large 21"	100	9.15
SEC374	X-Large 24"	100	11.20

BEARD NETS

- Non-woven polypropylene
- Elasticized band for an optimum fit
- Covers beard and mustache
- One size fits all
- Colour: White



SEC384



Model No.	Colour	Description	Qty /Pkg.	Price /Each
SEC383	White	One string behind head	100	3.75
SEC384	White	Two string, behind ears	100	3.90

FINE NYLON NETS

- Bouffant style with elastic band to ensure a snug and comfortable fit
- Colour: White and brown

SA657



Model No.	Size	Colour	Qty /Pkg.	Price /Each
SA656	Medium	White	100	51.77
SA657	Medium	Brown	100	51.77

SAFETY HAIR NETS

- Made of strong non-flammable nylon in a heavy weave
- Wider mesh for cooling
- Ideal for general industrial applications
- Colour: White and brown

SN752



Model No.	Size	Colour	Qty /Pkg.	Price /Each
SN752	Large	White	144	55.10
SA645	Large	Brown	144	55.10

INVISIBLE NETS

- Extra fine nylon netting
- One net per envelope
- Colour: Brown and blonde



SC342

Model No.	Size	Colour	Qty /Pkg.	Price /Each
SC342	One size	Brown	144	47.46
SC343	One size	Blonde	144	48.17

Can't find what you're looking for?



Call us today!

VINYL SLEEVES

- Completely heat sealed
- Made with 8-mil vinyl
- Elastic at both ends
- Length: 18"
- Colour: Blue
- Sold in pairs



NORTH
by Honeywell

Model No.	Mfg. No.	Price /Each
SB893	SLE8/BL	8.70

FLAME RESISTANT CANVAS SLEEVES

- 100% cotton-flame retardant material
- Elastic at both ends
- Length: 18"
- Colour: Navy blue
- Sold in pairs




NORTH
by Honeywell

Model No.	Mfg. No.	Price /Each
SB894	SLE12	18.02

NEOPRENE SLEEVES

- Medium weight neoprene construction
- Elastic at both ends
- Length: 18"
- Colour: Yellow
- Sold in pairs



NORTH
by Honeywell

Model No.	Mfg. No.	Price /Each
SA281	SLE11	17.80

PVC ON POLYESTER SLEEVES

- These PVC on polyester sleeves are strong and flexible
- Sewn-in elastic at top with 1" wide elastic at bottom
- Length: 18"
- Colour: Green
- Sold in pairs



NORTH
by Honeywell

Model No.	Mfg. No.	Price /Each
SA282	SLE13	11.02

LIGHTWEIGHT VINYL SLEEVES

- Made with 0.20 mm vinyl
- Elastic cuffs
- Length: 18"
- Colour: Blue
- Accepted for use in Canadian food processing facilities
- Sold in pairs



Model No.	Mfg. No.	Price /Each
SAL665	440020	3.01

TUBE STYLE COTTON SLEEVES

- Made wide for a better fit and greater comfort
- Length: 24"
- Colour: Beige
- Sold in pairs



JOMAC
CORPORATION

Model No.	Mfg. No.	Price /Each
SAL755	S-24-WIDE	13.11

FLAME RESISTANT PVC/POLYESTER SLEEVES

- Elastic cuffs
- Length: 18"
- Available in regular and heavy-duty
- Colour: Yellow
- Accepted for use in Canadian food processing facilities
- Sold in pairs



Model No.	Mfg. No.	Description	Price /Each
SAL703	440040	Regular, 0.35 mm	3.00
SAL704	440050	Heavy-Duty, 0.45 mm	3.29

NYLON MESH SLEEVES

- Adjustable dome snap closure
- Length: 9"
- Colour: Black
- Sold in pairs



Model No.	Price /Each
SAM210	12.45

COTTON SLEEVES

- Elastic at both ends
- Length: 18"
- Colour: White
- 10/Pkg.



Model No.	Mfg. No.	Price /Each
SAL705	440030	40.15

POLYETHYLENE SLEEVES

- Disposable
- 0.02 mm polyethylene
- Elastic at both ends
- Length: 16"
- Colour: White
- 100/bag



ZENITH
Safety Products

Priced per Package

Model No.	Price /Each
SEC406	3.85

PROTECTIVE CLOTHING

KEVLAR® SLEEVES

- Tube style sleeves
- Resists burns, abrasions and cuts
- Available with or without thumb hole
- Available in both double ply and single ply, wide and regular fit
- Other sizes available
- Colour: Yellow
- Sold in pairs



Model No.	Mfg. No.	Description	Length"	Price /Each
WITHOUT THUMB HOLE				
SAL745	SK-10	Double Ply, Regular Fit	10	6.86
SAL746	SK-10-WIDE	Double Ply, Wide Fit	10	8.46
SAL747	SK-14-1PLY-WIDE	Single Ply, Wide Fit	14	8.01
SAL748	SK-14	Double Ply, Regular Fit	14	9.61
SAL749	SK-14-WIDE	Double Ply, Wide Fit	14	11.85
SAL750	SK-18	Double Ply, Regular Fit	18	12.35
SAL751	SK-18-WIDE	Double Ply, Wide Fit	18	15.24
SAL752	SK-24-1PLY-WIDE	Single Ply, Wide Fit	24	13.73
SAL753	SK-24	Double Ply, Regular Fit	24	16.47
SAL754	SK-24-WIDE	Double Ply, Wide Fit	24	20.32
WITH THUMB HOLE				
SAL738	SK-10H	Double Ply, Regular Fit	10	8.24
SAL739	SK-10H-WIDE	Double Ply, Wide Fit	10	9.84
SAL740	SK-14H-1PLY-WIDE	Single Ply, Wide Fit	14	8.62
SAL741	SK-14H-WIDE	Double Ply, Wide Fit	14	13.23
SAL742	SK-18H-1PLY-WIDE	Single Ply, Wide Fit	18	11.67
SAL743	SK-18H	Double Ply, Regular Fit	18	13.73
SAL744	SK-18H-WIDE	Double Ply, Wide Fit	18	16.61

ARMGUARDS

- Ideal for animal and wood/lumber handling, metal and glass fabrication and assembly operations
- Made of high-performance SuperFabric®, a cut and puncture-resistant fabric
- Spandex wrist insert with thumb hole maximizes fit; will not fall down like knit sleeves
- Reduce costs: lasts 10-15 times longer than typical protective wear
- Compatible with most gloves
- Ambidextrous
- Length: 9"
- Sold individually



Model No.	Mfg. No.	Size	Price /Each
SAM145	AG10009S-S	Small	56.76
SAM146	AG10009S-M	Medium	56.76
SAM147	AG10009S-L	Large	56.76
SAM148	AG10009S-XL	X-Large	56.76

Call us for
quantity
pricing!



NEOPRENE ON NYLON APRONS

- Resists many acids, protects against splashes
- Bib-style apron measures 36" x 48"
- Lightweight 9 oz. neoprene on nylon
- Sewn-on ties



by Honeywell



Model No.	Mfg. No.	Description	Colour	Price /Each
SA277	1276	Neoprene	Yellow	39.78

POLYETHYLENE APRONS

- Disposable, 0.02 mm thick white polyethylene apron
- This bib-style apron is 35" x 46" with waist ties
- Accepted for use in Canadian food processing facilities
- 100/pkg.



Priced per Package

Model No.	Price /Each
SAQ708	6.95



FLAME RESISTANT NEOPRENE ON POLYESTER APRONS

- Bib-style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents
- Length 48" x width 35"
- 0.45 mm thick
- Accepted for use in Canadian food processing facilities
- Colour: Yellow



Model No.	Mfg. No.	Price /Each
SAL663	440090	21.05

DENIM APRONS

- Bib style
- 100% cotton
- Cotton straps for adjustability
- Includes one chest pocket and three waist pockets
- Dimensions: 28" x 38"
- Fabric weight: 10 oz.
- Colour: Blue



Model No.	Price /Each
SEE851	8.25



NITRILE ON POLYESTER APRONS

- Heavy-duty bib-style apron with metal grommets and polyester ties
- Reliable form of protection against industrial chemical splashes and the handling of corrosive solvents
- Length 48" x width 35"
- 0.45 mm thick
- Accepted for use in Canadian food processing facilities
- Colour: Black



Model No.	Mfg. No.	Price /Each
SAL664	440100	22.82

FLAME RESISTANT CANVAS APRONS

- Green flame retardant canvas material
- Bib-style apron measures 36" x 30" with sewn-on ties



by Honeywell



Model No.	Mfg. No.	Description	Colour	Price /Each
SB912	AFC79	Canvas	Green	20.42

PROTECTIVE CLOTHING

LIGHTWEIGHT POLYURETHANE APRONS

- Bib-style apron
- Length 48" x width 35"
- 0.45 mm thick
- Colour: Yellow

Model No.	Price /Each
SAL666	16.08



FLAME RESISTANT PVC ON POLYESTER APRONS

- Bib-style apron
- Heavy-duty features oil resistant and fire retardant material
- Rustproof heat sealed grommets
- Seamless edges that prevent buildup of bacteria and residue
- Length 48" x width 36"
- Accepted for use in Canadian food processing facilities
- Colour: Yellow

Model No.	Mfg. No.	Description	Thickness mm	Price /Each
SAL660	440060	Regular	0.35	8.03
SAL661	440070	Oil/Fire Retardant	0.35	11.40
SAL662	440075	Oil/Fire Retardant w/Reinforced Belly	0.45	14.14



SAL661

LIGHTWEIGHT VINYL APRONS

- Bib style
- Cotton straps for adjustability
- Seamless edges prevent residue and bacteria accumulation
- Dimensions: length 36" x 45"
- Thickness: 0.20mm
- Colour: Blue

Model No.	Price Each
SEE888	1.50



COTTON CANVAS APRONS

- Bib style
- 100% cotton
- Cotton straps for adjustability
- Dimensions: 29" x 36"
- Fabric weight: 10 oz.
- Colour: White

Model No.	Price Each
SEE852	8.25



SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free models have a textured sole for improved traction
- Colour: White



Model No.	Description	Size	Qty /Pkg.	Price /Each
SEC385	Regular Sole	Large	100	9.25
SEC386	Regular Sole	X-Large	100	9.95
SEC387	Skid-Free Sole	Large	100	11.20
SEC388	Skid-Free Sole	X-Large	100	11.75

SEC385



SEC387

NON-CONDUCTIVE SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free models have a textured sole for improved traction
- Colour: Blue



Model No.	Description	Size	Qty /Pkg.	Price /Each
SEC389	Regular Sole	Large	100	9.40
SEC390	Regular Sole	X-Large	100	9.75
SEC391	Skid-Free Sole	X-Large	100	11.80

SEC389



SEC391

CA-43® APRONS

- Flame retardant PVC coating on polyester
- Fabric is tough and durable while offering protection from most chemical and acid exposures
- Durable waist and neck ties
- Reinforced grommets at tie points
- 29" x 48"
- Colour: Kelly green



Model No.	Mfg. No.	Price /Each
SAL595	A4348	25.80



Call us for all your
Safety Equipment
& Supplies
requirements!




PROTECTIVE CLOTHING

DIFFERENT JOBS REQUIRE DIFFERENT LEVELS OF PROTECTION. WE OFFER A FULL SPECTRUM OF PROTECTIVE FABRICS, GARMENTS AND ACCESSORIES TO MEET THOSE VARYING NEEDS. FROM DUST AND DIRT PROTECTION TO THE CHEMICAL PROTECTION, WE'VE GOT YOU COVERED.

1. FABRIC

When it comes to protective apparel, it is crucial to know which hazardous chemicals can penetrate and/or permeate the protective fabric. Penetration testing measures the flow of a gas, liquid or solid through a hole or opening in an otherwise solid material. These tests are used to see if a fabric will leak or be able to block the passage of a particulate or chemical. Permeation occurs when a chemical is absorbed into a material, diffuses through, saturates, then desorbs from the other side of the material.

A hole or opening in the fabric is not necessary for that to happen. Permeation testing is critical for fabrics that are exposed to hazardous liquids, vapors or gases.



2. SEAM CONSTRUCTION

Even the best protective fabrics in the world are useless without strong, tight seams. One loose thread or gap, and the barrier between you and your environment unravels, leaving you vulnerable.



Serged or Sewn

A seam produced when three threads are interlocked around the raw edges of two pieces of material for a strong, stress-resistant seam.



Bound

Tightly sewn with a reinforced outer binding to increase seam strength and barrier. For potential misting exposure of non-hazardous liquids or particle penetration through the seam.



**Taped Thermobond®
(Heat Sealed) Seam**

Both sewn and taped to provide strong chemical resistance against heavy liquid splashes and tough seam stress. A sewn seam is covered with a strip of compatible material by heat-sealing.



**Double Taped
Thermobond® Max seam**

Sewn, then taped on the inside and the outside of the seam for a very strong chemical and stress-resistant seam.

3. HOOD OPTIONS

In addition to our standard hood designs, many of our garments offer a respirator fit hood. These hoods are designed with a longer zipper, extending up over the chin for complete coverage of the neck area. Standard hoods only extend to the neck.



Standard




Respirator Fit




4. SIZING

**PROTECTIVE CLOTHING SIZING CHART –
FULLY ENCAPSULATED SUITS**



**PROTECTIVE CLOTHING SIZING CHART –
COVERALLS AND NON-ENCAPSULATED SUITS**



Note: This chart is based on individuals wearing SCBA, safety helmet, and standard work clothing. Fit varies with individual body shape.

R25244E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

PROTECTIVE CLOTHING

TYVEK® PROTECTIVE CLOTHING

- Serged seams

Applications: Asbestos removal, paint spraying, light splashes, maintenance, general clean-up, dry particulate protection.



SAV192



SAV174










SAV176



SAV183



SAV190

	Model No.	Mfg. No.	Size	Qty /Case	Price /Each
 SHIRT Snap front	SAV183	TY303S-S	Small	50	4.13
	SAV182	TY303S-M	Medium	50	4.13
	SAV181	TY303S-L	Large	50	4.13
	SAV184	TY303S-XL	X-Large	50	4.13
	SAV178	TY303S-2XL	2X-Large	50	4.37
	SAV179	TY303S-3XL	3X-Large	50	4.63
	SAV180	TY303S-4XL	4X-Large	50	5.01
 PANTS Elastic waist	SAV190	TY350S-S	Small	50	3.36
	SAV189	TY350S-M	Medium	50	3.36
	SAV188	TY350S-L	Large	50	3.36
	SAV191	TY350S-XL	X-Large	50	3.36
	SAV185	TY350S-2XL	2X-Large	50	3.56
	SAV186	TY350S-3XL	3X-Large	50	3.77
	SAV187	TY350S-4XL	4X-Large	50	4.08
 PULLOVER HOOD Pullover, elasticized face opening, covers shoulders	SAV193	TY657S	One-Size	100	1.06
 LAB COAT Snaps 2 pockets, collar	SAV174	TY212S-S	Small	30	4.59
	SAV173	TY212S-M	Medium	30	4.59
	SAV172	TY212S-L	Large	30	4.59
	SAV175	TY212S-XL	X-Large	30	4.59
	SAV169	TY212S-2XL	2X-Large	30	4.87
	SAV170	TY212S-3XL	3X-Large	30	5.16
	SAV171	TY212S-4XL	4X-Large	30	5.57
 APRON Sewn ties	SAV176	TY273B	28" x 36" Long	100	1.37
 SLEEVES Elastic at both ends	SAV192	TY500S	18" Long	100 pairs	0.91
 SHOE/BOOT COVER Elastic top	SA174	TY440S-WH	8" High, O/S, pr.	100 pairs	0.92
	SA173	TY444S-WH	18" High, O/S, pr.	50 pairs	1.44

TYVEK® COVERALLS

- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops sub-micron particles better than reusable garments
- Colour: White



SAS041

Applications:

General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica.



Priced per Unit

	Model No.	Mfg. No.	Size	Qty /Case	Price /Each
	SAS027	TY120S-S	Small	25	5.69
	SAS028	TY120S-M	Medium	25	5.69
	SAS029	TY120S-L	Large	25	5.69
	SAS030	TY120S-XL	X-Large	25	5.69
	SAS031	TY120S-2XL	2X-Large	25	6.03
	SAS032	TY120S-3XL	3X-Large	25	6.39
	SAS033	TY120S-4XL	4X-Large	25	6.90
	SAS034	TY125S-S	Small	25	6.43
	SAS035	TY125S-M	Medium	25	6.43
	SAS036	TY125S-L	Large	25	6.43
	SAS037	TY125S-XL	X-Large	25	6.43
	SAS038	TY125S-2XL	2X-Large	25	6.82
	SAS039	TY125S-3XL	3X-Large	25	7.22
	SAS040	TY125S-4XL	4X-Large	25	7.80
	SAS041	TY127S-S	Small	25	6.89
	SAS042	TY127S-M	Medium	25	6.89
	SAS043	TY127S-L	Large	25	6.89
	SAS044	TY127S-XL	X-Large	25	6.89
	SAS045	TY127S-2XL	2X-Large	25	7.30
	SAS046	TY127S-3XL	3X-Large	25	7.74
	SAS047	TY127S-4XL	4X-Large	25	8.36
	SAV167	TY122S-S	Small	25	6.99
	SAV166	TY122S-M	Medium	25	6.99
	SAV165	TY122S-L	Large	25	6.99
	SAV168	TY122S-XL	X-Large	25	6.99
	SAV162	TY122S-2XL	2X-Large	25	7.41
	SAV163	TY122S-3XL	3X-Large	25	7.85
	SAV164	TY122S-4XL	4X-Large	25	8.48

PROSHIELD® COVERALLS

- Breathable, lightweight fabric that gives you a barrier against non-hazardous dry particles
- Fabric has been optimised for comfort, softness and breathability and applied to a roomy garment design, with an elastic waist and storm flap, to provide a greater range of mobility
- Seams: Serged
- Anti-static treated
- Colour: Available in blue or white



Applications: Food processing, general maintenance, janitorial, visitor garments, hospitals and situations where you want to avoid nuisance contamination.

Priced per Unit

	Model No.	Mfg. No.	Description	Qty /Case	Price /Each
	SEC263	P1120SWH-SM	Small, White	25	3.94
	SEC264	P1120SWH-MD	Medium, White	25	3.94
	SEC265	P1120SWH-LG	Large, White	25	3.94
	SEC266	P1120SWH-XL	X-Large, White	25	3.94
	SEC267	P1120SWH-2X	2X-Large, White	25	4.18
	SEC268	P1120SWH-3X	3X-Large, White	25	4.43
	SEC269	P1120SWH-4X	4X-Large, White	25	4.78
	SEC233	P1125SDB-SM	Small, Blue	25	4.26
	SEC234	P1125SDB-MD	Medium, Blue	25	4.26
	SEC235	P1125SDB-LG	Large, Blue	25	4.26
	SEC236	P1125SDB-XL	X-Large, Blue	25	4.26
	SEC237	P1125SDB-2X	2X-Large, Blue	25	4.51
	SEC238	P1125SDB-3X	3X-Large, Blue	25	4.78
	SEC239	P1125SDB-4X	4X-Large, Blue	25	5.17
	SEC213	P1127SDB-SM	Small, Blue	25	4.35
	SEC214	P1127SDB-MD	Medium, Blue	25	4.35
	SEC215	P1127SDB-LG	Large, Blue	25	4.35
	SEC216	P1127SDB-XL	X-Large, Blue	25	4.35
	SEC217	P1127SDB-2X	2X-Large, Blue	25	4.61
	SEC218	P1127SDB-3X	3X-Large, Blue	25	4.88
	SEC219	P1127SDB-4X	4X-Large, Blue	25	5.27
	SEC274	P1212SDB-MD	Medium, Blue	30	3.49
	SEC275	P1212SDB-LG	Large, Blue	30	3.49
	SEC276	P1212SDB-XL	X-Large, Blue	30	3.49
	SEC277	P1212SDB-2X	2X-Large, Blue	30	3.70
	SEC278	P1212SDB-3X	3X-Large, Blue	30	3.92



SEC213

PROTECTIVE CLOTHING

NEXGEN® COVERALLS

- Effective barrier against a variety of common industrial aerosols and liquids
- Proprietary microporous technology
- Colour: White






SN894

Applications: Anywhere general protective coveralls are used from dirty jobs to paint spraying to agricultural applications.



Priced per Unit



	Model No.	Mfg. No.	Size	Qty /Case	Price /Each
	SN880	NG120S-S	Small	25	4.51
	SN881	NG120S-M	Medium	25	4.51
	SN882	NG120S-L	Large	25	4.51
	SN883	NG120S-XL	X-Large	25	4.51
	SN884	NG120S-2XL	2X-Large	25	4.51
	SN885	NG120S-3XL	3X-Large	25	4.78
	SN886	NG120S-4XL	4X-Large	25	5.16
	SN887	NG125S-S	Small	25	4.97
	SN888	NG125S-M	Medium	25	4.97
	SN889	NG125S-L	Large	25	4.97
	SN890	NG125S-XL	X-Large	25	4.97
	SN891	NG125S-2XL	2X-Large	25	4.97
	SN892	NG125S-3XL	3X-Large	25	4.97
	SN893	NG125S-4XL	4X-Large	25	5.69
	SN894	NG127S-S	Small	25	5.33
	SN895	NG127S-M	Medium	25	5.33
	SN896	NG127S-L	Large	25	5.33
	SN897	NG127S-XL	X-Large	25	5.33
	SN898	NG127S-2XL	2X-Large	25	5.33
	SN899	NG127S-3XL	3X-Large	25	5.65
	SN900	NG127S-4XL	4X-Large	25	6.10

TYCHEM® QC COVERALLS

- Polyethylene-coated Tyvek® fabric
- Flexible, durable and lightweight
- Light liquid splash protection
- Provides at least 30 minutes of protection against 42 chemical challenges
- Ideal for Petroleum; pulp and paper; food and chemical processing; and pharmaceutical
- Colour: Yellow for high visibility



Priced per Unit

	Model No.	Mfg. No.	Description	Qty /Case	Price /Each
	SED983	QC122SYL-SM	Small	12	11.06
	SED984	QC122SYL-MD	Medium	12	11.06
	SED985	QC122SYL-LG	Large	12	11.06
	SED986	QC122SYL-XL	X-Large	12	11.06
	SED987	QC122SYL-2XL	2X-Large	12	11.73
	SED988	QC127SYL-SM	Small	12	9.63
	SED989	QC127SYL-MD	Medium	12	9.63
	SED990	QC127SYL-LG	Large	12	9.63
	SED991	QC127SYL-XL	X-Large	12	9.63
	SED992	QC127SYL-2XL	2X-Large	12	10.20






SED983

TEMPRO® COVERALLS

- Engineered secondary flame-resistant protection intended to wear over primary flame-resistant garments
- Lightweight, disposable barrier protection designed to not contribute to burn injury
- Protects non-hazardous dry particles and aerosols from contaminating flame-resistant garments
- Colour: Blue



SA228

	Model No.	Mfg. No.	Size	Qty /Case	Price /Each
	SA224	TM120S-S	Small	25	7.51
	SA223	TM120S-M	Medium	25	7.51
	SA222	TM120S-L	Large	25	7.51
	SA225	TM120S-XL	X-Large	25	7.51
	SC273	TM120S-2XL	2X-Large	25	7.97
	SC274	TM120S-3XL	3X-Large	25	8.44
	SC275	TM120S-4XL	4X-Large	25	9.12
	SA228	TM127S-S	Small	25	8.64
	SA227	TM127S-M	Medium	25	8.64
	SA226	TM127S-L	Large	25	8.64
	SA229	TM127S-XL	X-Large	25	8.64
	SC276	TM127S-2XL	2X-Large	25	9.16
	SC277	TM127S-3XL	3X-Large	25	9.71
	SC278	TM127S-4XL	4X-Large	25	10.49
	SAV160	TM122S-S	Small	25	10.12
	SAV159	TM122S-M	Medium	25	10.12
	SAV158	TM122S-L	Large	25	10.12
	SAV161	TM122S-XL	X-Large	25	10.12
	SAV155	TM122S-2XL	2X-Large	25	10.72
	SAV156	TM122S-3XL	3X-Large	25	11.37
	SAV157	TM122S-4XL	4X-Large	25	12.28

*Attached socks must be worn inside protective outer footwear and are not suitable as outer footwear. These attached socks do not have adequate durability or slip resistance to be worn as the outer foot covering.



TYCHEM® SL COVERALLS

- Lightweight fabric made from Tyvek® laminated with a chemical-resistant Dow Saranex® 23P film
- Offers dependable protection against a broad spectrum of chemicals
- Provides great protection against hazardous particles and liquids
- Rugged and durable strong fabric, reducing the risk of tears and abrasion
- Bound seams
- Colour: White

Applications:

Petrochemical manufacturing, waste management, industrial plants, hazardous material response, emergency medical response, paint spraying, radioactive environments, environmental cleanups and other emergency services. Commonly used in domestic preparedness for protection from biohazards, several toxic industrial chemicals and some chemical warfare agents.



SA191



Priced per Unit

	Model No.	Mfg. No.	Description	Qty /Case	Price /Each
	SA191	SL120B-S	Small	12	18.86
	SA190	SL120B-M	Medium	12	18.86
	SA189	SL120B-L	Large	12	18.86
	SA192	SL120B-XL	X-Large	12	18.86
	SC249	SL120B-2XL	2X-Large	12	19.99
	SC250	SL120B-3XL	3X-Large	12	21.19
	SC251	SL120B-4XL	4X-Large	12	22.89
	SA5055	SL125B-S	Small	12	19.40
	SA5056	SL125B-M	Medium	12	19.40
	SA5057	SL125B-L	Large	12	19.40
	SA5058	SL125B-XL	X-Large	12	19.40
	SA5059	SL125B-2XL	2X-Large	12	20.57
	SA5060	SL125B-3XL	3X-Large	12	21.80
	SA5061	SL125B-4XL	4X-Large	12	23.71
	SA195	SL127B-S	Small	12	19.62
	SA194	SL127B-M	Medium	12	19.62
	SA193	SL127B-L	Large	12	19.62
	SA196	SL127B-XL	X-Large	12	19.62
	SC252	SL127B-2XL	2X-Large	12	20.80
	SC253	SL127B-3XL	3X-Large	12	22.05
	SC254	SL127B-4XL	4X-Large	12	23.81

TYCHEM® F COVERALLS

- A proprietary barrier laminated to a Tyvek® substrate
- Strong and lightweight, with broad chemical barrier
- Used for protection from chemical warfare agents
- Widely used by military first responders for weapons of mass destruction situations
- Taped seams, attached hood (respirator fit), front zipper closure, storm flap, elastic wrists and attached socks
- Colour: Grey
- Available in sizes small to 4X-Large

Applications: Because Tychem® F garments are only available with respiratory fit hood, storm flap and taped seams, these garments are intended for domestic preparedness situations where the potential for exposure to chemical warfare agents exists. When the hazard assessment consists of potential for exposure to the FBI's Toxic Industrial Chemicals most likely to be used in a terrorist threat, we suggest consideration of Tychem® CPF 3 or higher protection since permeation data is available on a much broader spectrum of chemicals including chemical warfare agents.



SAS200

Model No.	Mfg. No.	Size	Qty /Case	Price /Each
SAS200	TF169T-M	Medium	6	57.81
SAS201	TF169T-L	Large	6	57.81
SAS202	TF169T-XL	X-Large	6	57.81
SAS203	TF169T-2XL	2X-Large	6	61.28

Look for this symbol for environmentally friendly products!



PROTECTIVE CLOTHING

SMS PROTECTIVE CLOTHING

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against toxic particles and water-based liquids
- Double outer layer offers greater protection against tearing and abrasion
- Lightweight and flexible fabric permits superior comfort and breathability
- Colour: White (Hooded coveralls available in white or navy blue)
- Fabric weight: 1.80 oz/yd² (60 grams)

Applications: Food processing, laboratories/pharmaceutical, light oil and grease, maintenance, manufacturing/assembly, refineries/chemical producers.



Description	Model No.	Size	Qty /Case	Price /Each
COVERALLS				
Zipper front w/storm flap collar	SEC829	Medium	25	4.95
	SEC830	Large	25	4.95
	SEC831	X-Large	25	4.95
	SEC832	2X-Large	25	4.95
	SEC833	3X-Large	25	5.25
	SEC834	4X-Large	25	5.60
Zipper front w/storm flap, elastic wrist and ankles	SEC835	Medium	25	4.85
	SEC836	Large	25	4.85
	SEC837	X-Large	25	4.85
	SEC838	2X-Large	25	4.85
	SEC839	3X-Large	25	5.20
	SEC840	4X-Large	25	5.60
HOODED COVERALLS				
Zipper front w/storm flap, attached hood, elastic wrists and ankles	WHITE			
	SEC841	Medium	25	5.15
	SEC842	Large	25	5.15
	SEC843	X-Large	25	5.15
	SEC844	2X-Large	25	5.50
	SEC845	3X-Large	25	5.90
	SEC846	4X-Large	25	6.35
	NAVY			
	SEC847	Medium	25	5.15
	SEC848	Large	25	5.15
	SEC849	X-Large	25	5.15
	SEC850	2X-Large	25	5.50
Zipper front w/storm flap, attached hood, elastic wrists and ankles	SEC851	3X-Large	25	5.90
	SEC852	4X-Large	25	6.35
LAB COATS				
Snaps 2 pockets, collar	SEC853	Medium	30	3.85
	SEC854	Large	30	3.85
	SEC855	X-Large	30	3.85
	SEC856	2X-Large	30	3.95
SMOCKS				
Attached ties	SEC857	Large	50	2.35
	SEC858	X-Large	50	2.35
	SEC859	2X-Large	50	2.35



SEC829



SEC835



SEC841



SEC847



SEC853



SEC857

POLYPROPYLENE COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrist, ankle and hood
- 50 coveralls/case

Applications: Food processing, laboratories/pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments.



Model No.	Size	Price /Each
STANDARD COVERALLS		
SEC392	Medium	1.85
SEC393	Large	1.85
SEC394	X-Large	1.85
SEC395	2X-Large	2.00
SEC396	3X-Large	2.20
SEC397	4X-Large	2.40
SEC398	5X-Large	2.60
PREMIUM COVERALLS		
SEC399	Medium	2.75
SEC400	Large	2.75
SEC401	X-Large	2.75
SEC402	2X-Large	2.95
SEC403	3X-Large	3.10
SEC404	4X-Large	3.30
SEC405	5X-Large	3.50

STANDARD

- Front zipper for optimum fit
- 1.6 oz/m² fabric

PREMIUM

- Heavy-duty front zipper for optimum fit
- Heavy-duty front zipper flap
- Features front left breast pocket
- 1.85 oz/m² fabric



SEC392



SEC399

R33089E

MICROPOROUS PROTECTIVE CLOTHING

- Microporous film laminated to a polypropylene substrate
- Offers protection against liquid, dust and light chemical splashes
- High quality microporous fabric provides comfortable fit and breathability
- Can be used in dry and wet work environments
- Passed penetration tests with Diazinon, motor oil, bleach, isocyanate based paint, sodium hydroxide, sodium hypochlorite and blood.
- Fabric weight: 1.85 oz/yd² (63 grams)
- Colour: White

Applications: Asbestos and lead abatement, clean rooms, radioactive dirt and dust, printing, refineries/chemical producers, maintenance, crime scenes, painting.



Description	Model No.	Size	Qty /Case	Price /Each
COVERALLS				
Zipper front w/storm flap, elastic wrists and ankles	SEC807	Small	25	4.85
	SEC808	Medium	25	4.85
	SEC809	Large	25	4.85
	SEC810	X-Large	25	4.85
	SEC811	2X-Large	25	4.85
	SEC812	3X-Large	25	5.65
	SEC813	4X-Large	25	6.05
HOODED COVERALLS				
Zipper front w/storm flap, attached hood, elastic wrists and ankles	SEC814	Small	25	5.30
	SEC815	Medium	25	5.30
	SEC816	Large	25	5.30
	SEC817	X-Large	25	5.30
	SEC818	2X-Large	25	5.30
	SEC819	3X-Large	25	5.70
	SEC820	4X-Large	25	6.10
LAB COATS				
Snaps 2 pockets, collar	SEC821	Small	30	4.35
	SEC822	Medium	30	4.35
	SEC823	Large	30	4.35
	SEC834	X-Large	30	5.60
	SEC825	2X-Large	30	4.35
	SEC826	3X-Large	30	4.70
	SEC827	4X-Large	30	5.00
APRONS				
Sewn ties	SEC828	28" x 36" Long	100	1.60



Call us for all your
Safety Equipment
& Supplies
requirements!



PROTECTIVE CLOTHING

KLEENGUARD® A30 COVERALLS




- Breathable, splash and particle protection apparel
- Patented *Microforce*™ barrier SMS fabric
- 25 times more breathable with comparable particle holdout to Tyvek®
- Allows sweat and moisture vapour to escape
- Patented *Reflex* design which is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length
- Elastic back
- Seamless front and zipper flap to provide more protection in the primary exposure areas
- Strong and abrasion-resistant
- Resistant to dry particulates and repellent to liquid splashes
- NFPA 99 compliant antistatic material
- Also available in 3X and 4X sizes

Applications: Pharmaceutical research, fine particle contamination, aerospace and maintenance/general manufacturing.



SAQ399

Priced per Unit

	Model No.	Mfg. No.	Size	Colour	Qty /Case	Price /Each
	SAQ386	46002	Medium	White	25	7.83
	SAQ387	46003	Large	White	25	7.83
	SAQ388	46004	X-Large	White	25	7.83
	SAQ389	46005	2X-Large	White	25	7.83
	SAQ392	46102	Medium	White	25	7.95
	SAQ393	46103	Large	White	25	7.95
	SAQ394	46104	X-Large	White	25	7.95
	SAQ395	46105	2X-Large	White	25	8.15
	SAQ398	46112	Medium	White	25	8.64
	SAQ399	46113	Large	White	25	8.64
	SAQ400	46114	X-Large	White	25	8.64
	SAQ401	46115	2X-Large	White	25	9.56

KLEENGUARD® A20 COVERALLS

BREATHABLE, PARTICLE PROTECTION APPAREL




- Patented *Microforce*™ barrier SMS fabric
- Coveralls have patented *Reflex* design which is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length
- Seamless front for more protection
- Zipper flap, elastic back, wrists and ankles
- Resistant to many liquid and dry particulate chemicals
- NFPA 99 compliant antistatic material
- Available in 3X and 4X sizes

Applications: Laboratories, remediation, decontamination modesty garment, pesticides and heavy dust environments.



SAQ369

Priced per Unit

	Model No.	Mfg. No.	Size	Colour	Qty /Case	Price /Each
COVERALLS						
	SAQ362	58532	Medium	Denim Blue	24	7.72
	SAQ363	58533	Large	Denim Blue	24	7.72
	SAQ364	58534	X-Large	Denim Blue	24	7.72
	SAQ365	58535	2X-Large	Denim Blue	24	8.52
	SAQ368	58502	Medium	Denim Blue	24	8.06
	SAQ369	58503	Large	Denim Blue	24	8.06
	SAQ370	58504	X-Large	Denim Blue	24	8.06
	SAQ371	58505	2X-Large	Denim Blue	24	8.86
LAB COAT						
	SAQ755	10019	Medium	White	25	7.61
	SAQ756	10029	Large	White	25	7.61
	SAQ757	10039	X-Large	White	25	7.61

KLEENGUARD® A30 COVERALLS

- Patent-pending *iFLEX* technology builds in freedom of movement; allows 30% more forward reach than regular coveralls
- Resistant to dry particulates and repellent to liquid splashes
- Patented *Microforce™* barrier SMS fabric
- 25 times more breathable with comparable particle holdout to Tyvek®
- Allows sweat and moisture vapour to escape
- Patented *Reflex* design which is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length
- Seamless front and zipper flap to provide more protection in the primary exposure areas
- Strong and abrasion-resistant
- NFPA 99 compliant antistatic material

Applications: Pharmaceutical research, fine particle contamination, aerospace and maintenance/general manufacturing.



SAR353



Priced per Unit

	Model No.	Mfg. No.	Size	Colour	Qty/Case	Price/Each
	SAR347	46132	Medium	White	25	8.46
	SAR348	46133	Large	White	25	8.46
	SAR349	46134	X-Large	White	25	8.46
	SAR350	46135	2X-Large	White	25	8.46
	SAR351	46136	3X-Large	White	21	10.03
	SAR352	46137	4X-Large	White	21	10.03
	SAR353	46142	Medium	White	25	8.99
	SAR354	46143	Large	White	25	8.99
	SAR355	46144	X-Large	White	25	8.99
	SAR356	46145	2X-Large	White	25	8.99
	SAR357	46146	3X-Large	White	21	10.67
	SAR358	46147	4X-Large	White	21	10.67

KLEENGUARD® A40 COVERALLS

- Better liquid barrier, better particulate barrier, lower in lint than Tyvek®
- Breathable microporous film laminate allows sweat and moisture vapour to escape
- Coveralls have patented *Reflex* design which is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length
- Passes ASTM F1670 testing for penetration of blood and body fluids
- Meets ANSI/ISEA 101-1996 sizing standard
- NFPA 99 compliant antistatic material

Applications: Fiberglass manufacturing, tank cleaning, utilities, liquid handling, pressure washing, and maintenance/general manufacturing.



SAQ410



Priced per Unit

	Model No.	Mfg. No.	Size	Colour	Qty/Case	Price/Each
	SAQ759	44302	Medium	White	25	7.63
	SAQ760	44303	Large	White	25	7.63
	SAQ761	44304	X-Large	White	25	7.63
	SAQ762	44305	2X-Large	White	25	7.63
	SAQ763	44306	3X-Large	White	25	7.99
	SAQ764	44307	4X-Large	White	25	8.46
	SAQ771	44322	Medium	White	25	8.10
	SAQ772	44323	Large	White	25	8.10
	SAQ773	44324	X-Large	White	25	8.10
	SAQ774	44325	2X-Large	White	25	8.10
	SAQ775	44326	3X-Large	White	25	8.57
	SAQ776	44327	4X-Large	White	25	8.93

PROTECTIVE CLOTHING

KLEENGUARD® A60 COVERALLS

- Bloodborne pathogen and chemical splash protection apparel
- Patented 3-layer fabric construction: middle layer of microporous film allows heat and sweat to escape, yet protects against many dry particulates and liquids, even under pressure
- Outer layer - cloth like, yet tough and abrasion-resistant spunbond polypropylene
- Coveralls have patented *Reflex* design which is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length
- Seamless front for more protection
- Resistant to many liquid and dry particulate chemicals
- Passes ASTM F1670/F1671 testing for penetration of blood, body fluids and blood borne pathogens
- NFPA 99 compliant antistatic material


Applications: Emergency medical response, crime scene clean-up, embalming/forensics, tank cleaning, fiberglass manufacturing, animal research.



SAQ425



Priced per Unit

	Model No.	Mfg. No.	Size	Colour	Qty /Case	Price /Each
	SAQ424	45022	Medium	Denim Blue	24	10.27
	SAQ425	45023	Large	Denim Blue	24	10.27
	SAQ426	45024	X-Large	Denim Blue	24	10.27
	SAQ427	45025	2X-Large	Denim Blue	24	11.33
	SAQ428	45026	3X-Large	Denim Blue	20	11.84
	SAQ429	45027	4X-Large	Denim Blue	20	12.37

KLEENGUARD® A70 COVERALLS

- Chemical spray protection apparel
- Coveralls have patented *Reflex* design which is 7 1/2 times less likely to rip out than ANSI minimums and provides 12% more chest room and 6% longer body length
- Softer and quieter fabric
- Taped seams, extra-long zipper
- A wick-away lining for enhanced comfort
- Resistant to dry particulates and liquids under pressure
- Resistant to many liquid and dry particulate chemicals
- Resistant to blood and body fluids and blood borne pathogens
- NFPA 99 compliant antistatic material



Applications: Hazardous waste remediation, environmental clean-up, petrochemical/oil refining, acid/caustic handling, biohazard clean-up, tank cleaning and pharmaceutical manufacturing.



SAQ454



Priced per Unit


	Model No.	Mfg. No.	Size	Colour	Qty /Case	Price /Each
	SAQ454	09812	Medium	Yellow	12	14.64
	SAQ455	09813	Large	Yellow	12	14.64
	SAQ456	09814	X-Large	Yellow	12	14.64
	SAQ457	09815	2X-Large	Yellow	12	15.52
	SAQ458	09816	3X-Large	Yellow	12	16.46
	SAQ459	09817	4X-Large	Yellow	12	17.45
	SAQ460	00682	Medium	Yellow	12	16.30
	SAQ461	00683	Large	Yellow	12	16.30
	SAQ462	00684	X-Large	Yellow	12	16.30
	SAQ463	00685	2X-Large	Yellow	12	17.29
	SAQ464	00686	3X-Large	Yellow	12	18.32
	SAQ465	00687	4X-Large	Yellow	12	19.42

CHEMMAX™ 1 COVERALLS

- Offers quality and durability at an economical price
- Constructed with a unique polyethylene barrier film and a continuous filament polypropylene non-woven
- Bars many harmful contaminants from penetrating to inner clothing
- Sewn and bound seams
- Ideal for manufacturing, environmental clean-up or chemical handling



Priced per Unit

		Model No.	Mfg. No.	Size	Qty /Case	Price /Each	
	HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles	SAR003	C1B428-S	Small	25	10.67	
		SAR004	C1B428-M	Medium	25	10.67	
		SAR005	C1B428-L	Large	25	10.67	
		SAR006	C1B428-XL	X-Large	25	10.67	
		SAR007	C1B428-2XL	2X-Large	25	11.51	
		SAR008	C1B428-3XL	3X-Large	25	12.37	
		SAR009	C1B428-4XL	4X-Large	25	13.27	

SAR003




CHEMMAX™ 3 COVERALLS

- Durable and lightweight, provides a barrier against a broad spectrum of toxic industrial chemicals, dual use chemicals, chemical warfare agents and other harmful contaminants
- Multi-layer film is applied to a heavy polypropylene non-woven for increased strength and durability
- Barrier film is significantly softer than other products on the market, resulting in a quiet, more comfortable garment
- Material has its roots in NATO shelter fabrics, and is backed up by chemical warfare test data (not surrogates)
- Sealed seams for maximum protection
- Ideal for industrial environments, emergency responders and law enforcement



Priced per Unit

	Model No.	Mfg. No.	Size	Qty /Case	Price /Each	
	HOODED COVERALL	SEB994	C3T132-S	Small	6	65.67
	Zipper front,	SEB995	C3T132-M	Medium	6	65.67
	attached hood, elastic	SEB996	C3T132-L	Large	6	65.67
	wrists and ankles	SEB997	C3T132-XL	X-Large	6	65.67
		SEB998	C3T132-2XL	2X-Large	6	70.58

SAR010





PYROLON PLUS II® COVERALLS

FLAME RETARDANT FABRIC

- Overgarment enhances protection for expensive thermal protective garments
- Protection from a wide range of dry particulate hazards
- Water and oil repellency
- Will not melt and drip or cause additional injury
- Used in combination with thermal protective garments
- Ideal for welding, steel mills, coal mines, maintenance work, refineries, laboratories, utilities
- Meets the standards of ANSI/ISEA 101-1996
- Colour: Blue



Priced per Unit

		Model No.	Mfg. No.	Size	Qty /Case	Price /Each	
	COVERALL Zipper front, collar		SN339	7412-SB	Small	25	11.43
		SN340	7412-MB	Medium	25	11.43	
		SN341	7412-LB	Large	25	11.43	
		SN342	7412-XLB	X-Large	25	11.43	
		SN343	7412-2XLB	2X-Large	25	12.27	
HOODED COVERALL Zipper front, attached hood, elastic wrists and ankles			SN346	7428-SB	Small	25	11.98
			SN347	7428-MB	Medium	25	11.98
			SN348	7428-LB	Large	25	11.98
			SN349	7428-XLB	X-Large	25	11.98
			SN350	7428-2XLB	2X-Large	25	12.88

SN346



RZ PONCHOS

- 0.10 mm material thickness
- 100% unsupported single-ply PVC material
- Ultrasonically welded seams
- One size fits all

Model No.	Colour	Price /Each
SAZ708	Yellow	3.60



ZENITH®
Safety Products

RZ100 RAIN SUITS

- 0.35 mm material thickness
- Yellow triple layer PVC/ Polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Ultrasonically welded seams

ZENITH®
Safety Products

Model No.	Size	Price /Each
SAZ683	Small	11.00
SAZ684	Medium	11.00
SAZ685	Large	11.00
SAZ686	X-Large	11.00
SAZ687	2X-Large	11.00
SAZ688	3X-Large	11.25
SAZ689	4X-Large	11.80



RZ200 LONG COATS

- 0.35 mm material thickness
- Yellow triple layer PVC/ Polyester/PCV material
- 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Cuff take-up snaps
- Fire retardant
- Ultrasonically welded seams

ZENITH®
Safety Products

Model No.	Size	Price /Each
SAZ699	Small	9.30
SAZ700	Medium	9.30
SAZ701	Large	9.30
SAZ702	X-Large	9.30
SAZ703	2X-Large	9.30
SAZ704	3X-Large	9.55
SAZ705	4X-Large	9.95



RZ300 RAIN SUITS

- 0.20 mm material thickness
- Unsupported yellow PVC material with an embossed finish
- Jacket features storm flap and dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams

ZENITH®
Safety Products

Model No.	Size	Price /Each
SAZ709	Small	8.40
SAZ710	Medium	8.40
SAZ711	Large	8.40
SAZ712	X-Large	8.40
SAZ713	2X-Large	8.40
SAZ714	3X-Large	8.75
SAZ715	4X-Large	9.05



RZ900 PREMIUM TRAFFIC RAIN SUITS

- 0.35 mm thick high-visibility yellow triple layer laminated PVC/polyester/PVC
- 3M™ Scotchlite™ reflective material for maximum visibility
- 2" reflective stripes
- Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Meets CSA standard Z96-02, Class 3, Level 2 requirements for high visibility safety apparel

ZENITH®
Safety Products

Model No.	Size	Price /Each
SEC310	Small	59.95
SEC311	Medium	59.95
SEC312	Large	59.95
SEC313	X-Large	59.95
SEC314	2X-Large	59.95
SEC315	3X-Large	62.55
SEC316	4X-Large	64.10



TRAFFIC RAINWEAR

- High-visibility orange PVC on nylon
- Flame resistant, water repellent material has good abrasion resistance and is not affected by most chemical products and acids
- All seams are electronically sealed to prevent leakage
- 2" North-Brite™ reflective stripes
- Rust proof hardware
- Jacket, pants and hood are sold separately

Model No.	Mfg. No.	Size	Price /Each
JACKETS			
SD458	TV7001HV/S	Small	56.46
SD459	TV7001HV/M	Medium	56.46
SD460	TV7001HV/L	Large	56.46
SD461	TV7001HV/XL	X-Large	56.46
SD462	TV7001HV/2XL	2X-Large	62.13
PANTS			
SD463	TV7002HV/S	Small	39.96
SD464	TV7002HV/M	Medium	39.96
SD465	TV7002HV/L	Large	38.79
SD466	TV7002HV/XL	X-Large	39.96
SD467	TV7002HV/2XL	2X-Large	43.96
HOOD			
SD468	AV7004HV	-	4.98

NORTH
by Honeywell



STORM SUITS

- PVC coated nylon
- Taped seams
- Removable draw cord hood serves as a carrying case for jacket and bib pant
- 4" 3M™ Scotchlite™ reflective stripes
- Meets CSA standard Z96-09 Class 2 Level 2 for high visibility safety apparel
- Meets CSA standard Z96-09 Class 3, Level 2 when worn with bib pants

JACKETS

- Zipper front closing with external storm flap
- Stand-up corduroy collar
- Vented chest and back
- Two-front patch pockets with snap closures
- Snap adjustment at sleeve hem

BIB PANTS

- Adjustable suspenders
- Velcro closing fly
- Snap adjustment at waist and leg hem



IMPERTECH SAFETY RAINWEAR

- 170g/m² PU coated nylon knit; lighter, softer and more cold resistant
- 100% waterproof
- Resistant to most chemicals, acids and oils
- 3M 2" silver reflective stripes
- Outer storm flap with concealed Marlex snap closure
- Attached, generously cut 3-panel draw cord hood with cord locks
- Snap adjustment at sleeve hem
- Elastic back and flat front with draw cord

- Micro-welded seams
- Jacket meets CSA standard Z96-09 Class 2, Level 2 for high visibility safety apparel
- Meets CSA standard Z96-09 Class 3 Level 2 when worn with pants
- Jacket and pants sold separately



HH
HELLY HANSEN

Model No.	Mfg. No.	Size	Price /Each
JACKETS			
SAR211	IT701-S	Small	141.62
SAR212	IT701-M	Medium	141.62
SAR213	IT701-L	Large	141.62
SAR214	IT701-XL	X-Large	141.62
SAR215	IT701-2XL	2X-Large	155.78
SAR216	IT701-3XL	3X-Large	155.78
PANTS			
SAR217	IT407-S	Small	85.39
SAR218	IT407-M	Medium	85.39
SAR219	IT407-L	Large	85.39
SAR220	IT407-XL	X-Large	85.39
SAR221	IT407-2XL	2X-Large	93.93
SAR222	IT407-3XL	3X-Large	93.93

HH
HELLY HANSEN

Model No.	Mfg. No.	Size	Price/Each
SAR223	R803-S	Small	145.78
SAR224	R803-M	Medium	145.78
SAR225	R803-L	Large	145.78
SAR226	R803-XL	X-Large	145.78
SAR227	R803-2XL	2X-Large	160.36
SAR228	R803-3XL	3X-Large	160.36

R24800E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

RAINWEAR

CONTRACTOR™ RAIN SUITS

JACKETS

- High-visibility orange fabric, 9 oz/sq. yd. FR PVC/Scrim Nylon
- Yellow reflective stripes on front, reflective "X" pattern on back and silver reflective armband
- Collar with plastic snaps for attachable hood
- Two vent holes under each arm
- 4-snap front closure system for easy donning

PANTS

- Complete with adjustable elastic suspenders
- 2" reflective silver band is positioned mid calf of each leg

HOOD

- Hood to fit over hard hat
- Snaps to collar of jacket



CONTRACTOR™

Model No.	Mfg. No.	Size	Price /Each
JACKETS			
SAI146	J15-315-S	Small	87.03
SAI147	J15-315-M	Medium	87.03
SAI148	J15-315-L	Large	87.03
SAI149	J15-315-XL	X-Large	87.03
SAI150	J15-315-2XL	2X-Large	95.73
SAI151	J15-315-3XL	3X-Large	104.44
PANTS			
SAI152	P15-035-S	Small	76.18
SAI153	P15-035-M	Medium	76.18
SAI154	P15-035-L	Large	76.18
SAI155	P15-035-XL	X-Large	76.18
SAI156	P15-035-2XL	2X-Large	83.80
SAI157	P15-035-3XL	3X-Large	91.42
HOOD			
SR721	H15-501	-	10.75

FLX® RAIN SUITS

JACKETS

- High-visibility orange jacket provides excellent comfort and cold flexibility
- Durable 12 oz/sq. yd. PVC/polyurethane blend are coated on a knitted substrate to provide exceptional cold flexibility, durability and comfort
- Silver 3M Scotchlite™
- Accepted by the Canadian Food Inspection Agency (HACCP)
- Accepted for use in Canadian food processing facilities
- Jacket meets CSA standard Z96-09 Class 2, Level 2



PANTS-WAIST TYPE

- Ultimate in comfort design with an elastic waistband and draw cord
- Side access slits and snap adjustment at cuff

HOOD

- Hood to fit over hard hat
- Snaps to collar of jacket

FLX®

Model No.	Mfg. No.	Size	Price /Each
JACKETS			
SAI170	J152-320-S	Small	154.41
SAI171	J152-320-M	Medium	154.41
SAI172	J152-320-L	Large	154.41
SAI173	J152-320-XL	X-Large	154.41
SAI174	J152-320-2XL	2X-Large	169.85
SAI175	J152-320-3XL	3X-Large	185.29
PANTS-WAIST			
SAI176	P152-450W-S	Small	88.98
SAI177	P152-450W-M	Medium	88.98
SAI178	P152-450W-L	Large	88.98
SAI179	P152-450W-XL	X-Large	88.98
SAI180	P152-450W-2XL	2X-Large	97.88
SAI181	P152-450W-3XL	3X-Large	106.78
HOOD			
SAI182	H152-501	-	13.59

CA-43™ CHEMICAL & ACID RESISTANT RAIN SUITS

- Flame-retardant PVC coating on polyester
- Fabric is tough and durable while offering protection from most chemical and acid exposures
- Electronically-welded watertight seams
- Colour: Kelly green
- Jacket, pants, and hood are sold separately

JACKETS

- Roomy raglan sleeves for added comfort
- Inner storm flap
- Snap closure
- Collar with snaps to attach hood
- Non-conductive snaps

PANTS

- Double bib design
- 1 1/4" elastic suspenders with nylon slides and spreader bar
- Waist ties for snug fit
- Elastic boot strap

HOOD

- Hood to fit over hard hat
- Drawstring for adjustability



Model No.	Mfg. No.	Size	Price /Each
JACKETS			
SAL974	J43310-S	Small	70.31
SAL975	J43310-M	Medium	70.31
SAL976	J43310-L	Large	70.31
SAL977	J43310-XL	X-Large	70.31
SAL978	J43310-2XL	2X-Large	77.34
SAL979	J43310-3XL	3X-Large	84.37
PANTS			
SAL980	P43051-S	Small	85.07
SAL981	P43051-M	Medium	85.07
SAL982	P43051-L	Large	85.07
SAL983	P43051-XL	X-Large	85.07
SAL984	P43051-2XL	2X-Large	93.58
SAL985	P43051-3XL	3X-Large	102.08
HOOD			
SAL594	H43501	-	11.64

RZ500 FLAME RESISTANT RAIN SUITS

- 0.30 mm material thickness
- Yellow tear-resistant PVC/Nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Pants feature adjustable suspenders and waist straps
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance of textiles



Model No.	Size	Price /Each
SED806	Small	25.00
SED807	Medium	25.00
SED808	Large	25.00
SED809	X-Large	25.00
SED810	2X-Large	25.00
SED811	3X-Large	27.15
SED812	4X-Large	28.40

RZ600 FLAME RESISTANT RAIN SUITS

- 0.35 mm material thickness
- Yellow PVC/polyester/PVC material
- Jacket comes with storm flap, dome snaps, two patch pockets and detachable hood
- Cape back and underarm vents
- Bib overall pants come with fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically welded seams
- Compliant with ASTM standard D6413-08 for flame resistance of textiles



Model No.	Size	Price /Each
SAZ732	Small	16.45
SAZ733	Medium	16.45
SAZ734	Large	16.45
SAZ735	X-Large	16.45
SAZ736	2X-Large	16.45
SAZ737	3X-Large	16.95
SAZ738	4X-Large	17.45

ARC FLASH PVC RAINWEAR

- Constructed using electrical arc tested *Plarex Bravo* fabric
- 450g/m² oil and flame-resistant PVC coated cotton
- Micro-welded seams
- 100% waterproof
- Flame retardant
- Attached, generously cut 3-panel helmet hood with draw cord
- Inside storm flap
- Concealed nickel plated brass snaps

BIB PANTS

- Side gusset for easy entry
- Adjustable suspenders
- Can be worn back to front for longer wear
- Generously cut
- Meets CGSB standard 155.20 before washing jacket



Model No.	Mfg. No.	Size	Colour	ATPV	EBTAS	Hazard Risk	Price /Each
JACKETS							
SAR229	FR600BLK-S	Small	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	110.38
SAR230	FR600BLK-M	Medium	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	110.38
SAR231	FR600BLK-L	Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	110.38
SAR232	FR600BLK-XL	X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	110.38
SAR233	FR600BLK-2XL	2X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	121.42
SAR234	FR600BLK-3XL	3X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	121.42
SAR235	FR600ORG-S	Small	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	110.38
SAR236	FR600ORG-M	Medium	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	110.38
SAR237	FR600ORG-L	Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	110.38
SAR238	FR600ORG-XL	X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	110.38
SAR239	FR600ORG-2XL	2X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	121.42
SAR241	FR600ORG-3XL	3X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	121.42
BIB PANTS							
SAR242	FR800BLK-S	Small	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	93.72
SAR243	FR800BLK-M	Medium	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	93.72
SAR244	FR800BLK-L	Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	93.72
SAR245	FR800BLK-XL	X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	93.72
SAR246	FR800BLK-2XL	2X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	103.09
SAR247	FR800BLK-3XL	3X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	103.09
SAR248	FR800ORG-S	Small	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	93.72
SAR249	FR800ORG-M	Medium	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	93.72
SAR250	FR800ORG-L	Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	93.72
SAR251	FR800ORG-XL	X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	93.72
SAR252	FR800ORG-2XL	2X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	103.09
SAR253	FR800ORG-3XL	3X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	103.09

PERSONAL FLOTATION DEVICES

MANUAL INFLATION LIFEJACKETS

- Short low profile design with articulated neck
- Features automatic backup
- Inflates to a bright yellow colour
- Easy to see service indicator
- Safety whistle included
- 35 lbs. of buoyancy
- Fits chest sizes 30" - 52"
- Colour: Red/black
- Approved to standard UL1180 with Canadian addendum

Model No. SED493
Mfg. No. HI200
Price/Each \$336.34



INDUSTRIAL FLOTATION VESTS

- Features SOLAS reflective tape on shoulders
- Foam side panels contour body
- Includes accessory patch and D-ring
- Colour: Orange/black
- Approved to standard CAN/CGSB 65.11-M88



Model No.	Mfg. No.	Size	Chest"	Price /Each
SED494	M110S/M	Small/Medium	34-41	83.30
SED495	M110L/XL	Large/X-Large	42-49	83.30
SED496	M1102XL/3XL	2X-Large/3X-Large	50-57	83.30

INDUSTRIAL MESH FLOTATION VESTS

- Features SOLAS reflective tape on shoulders
- Mesh upper with neoprene collar
- Includes two large mesh pockets, whistle and D-ring
- Deep armholes
- Constructed from soft PVC foam
- Colour: Orange/black
- Approved to standard CAN/CGSB 65.11-M88



Model No.	Mfg. No.	Size	Chest"	Price /Each
SED497	M610S/M	Small/Medium	34-41	114.54
SED498	M610L/XL	Large/X-Large	42-49	114.54
SED499	M6102XL/3XL	2X-Large/3X-Large	50-57	114.54

ECHO II FLOTATION PARKAS

- Waterproof nylon outer shell
- Constructed with taped seams and double fronted storm flap
- Underarm zips for ventilation
- Features SOLAS reflective tape on storm flap, shoulders, collar and hood
- Adjustable inside waist belt
- Cap hanger
- Colour: Red/black
- Approved to standard CAN/CGSB 65.11-M88




Model No.	Mfg. No.	Size	Chest"	Price /Each
SED500	HFC1000S	Small	34-36	297.81
SED501	HFC1000M	Medium	38-40	297.81
SED502	HFC1000L	Large	42-44	297.81
SED503	HFC1000XL	X-Large	46-48	297.81
SED504	HFC10002XL	2X-Large	50-52	297.81
SED505	HFC10003XL	3X-Large	54-56	297.81

HOTEL II FLOTATION BIB PANTS

- Waterproof nylon outer shell
- Constructed with taped seams and double fronted storm flap
- Features adjustable suspenders with side release buckles and a 30" leg zipper
- Colour: Black
- Transport Canada approval is not required on flotation pants



Model No.	Mfg. No.	Size	Waist"	Price /Each
SED506	HFP1000S	Small	28-30	254.08
SED507	HFP1000M	Medium	32-34	254.08
SED508	HFP1000L	Large	36-38	254.08
SED509	HFP1000XL	X-Large	40-42	254.08
SED510	HFP10002XL	2X-Large	44-46	254.08
SED511	HFP10003XL	3X-Large	48-50	254.08





WHAT IS THE CSA STANDARD FOR HIGH VISIBILITY SAFETY APPAREL (HVSA)?

CSA Standard Z96-09 is the standard for HVSA. It provides a standard for the elements that go in to the construction of an HVSA garment, which includes two types of materials: fluorescent background materials for daytime visibility, and retro-reflective tape for nighttime visibility. CSA also provides a standard for the design of the garment, according to the 3 different classes.

BACKGROUND MATERIAL

Colours for background material can be fluorescent yellow-green, fluorescent orange-red or fluorescent red. These change in FR garments, which cannot hold fluorescent dyes because of the materials used. In these cases the material must be bright yellow-green or bright orange only. The requirements can be found in the CSA standard table 2a for fluorescent materials and table 2b for bright (FR) materials.


RETRO-REFLECTIVE TAPE

If the retro-reflective tape is going to be coloured, it can be fluorescent yellow-green, fluorescent red-orange or fluorescent red. Otherwise, it should be a standard retro-reflective of either white or silver tape. Retro-reflective tape can either be level 2, level 1, or level FR, depending on the class of the garment required. The minimum performance levels for these tapes can be found in tables 5, 6, and 7 of the CSA standard Z96-09.

DESIGN


Class 1

A Class 1 garment provides minimal visibility. The retro-reflective material must consist of two vertical stripes on the front, an "X" on the back, and a horizontal band around the waist. The horizontal band may optionally continue between the two vertical stripes on the front. Fluorescent background material is not mandatory on a Class 1 garment




Class 2

A Class 2 garment has the same requirements for retro-reflective tape as a Class 1. A Class 2 garment also provides full coverage of the upper torso with fluorescent background material, including over the shoulders, front, back and sides. Coverage on the side of the torso under the arms must cover at least 50% of the length of the entire garment.



Class 3

A class 3 garment includes all of the same requirements as a Class 2 garment, with the addition of retro-reflective bands on each limb. Additional fluorescent background material is not necessarily required, but will provide greater surface area for improved daytime visibility.



HIGH VISIBILITY SAFETY APPAREL

TRAFFIC VESTS

- 2" reflective stripes
- High-visibility lightweight polyester mesh provides daytime visibility
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-way feature on shoulders, sides and front for easy quick release



ZENITH®
Safety Products

Model No.	Size	Price /Each
SAS089	Medium	9.25
SAS090	Large	9.25
SAS091	X-Large	9.25
SAS092	2X-Large	9.25

TRAFFIC SAFETY VESTS

- 2" reflective stripes
- High-visibility lightweight polyester mesh provides daytime visibility
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-way feature on shoulders, sides and front for easy quick release
- Reflective stripes meet CSA standard Z96-09 Level 2 requirements for reflectivity



ZENITH®
Safety Products

Model No.	Size	Price /Each
SAR859	Medium	18.75
SAR860	Large	18.75
SAR861	X-Large	18.75
SAR862	2X-Large	18.75

MESH TRAFFIC VESTS

- Fluorescent orange polyester fabric
- 2" yellow reflective stripes
- Velcro front closure
- 5-point tear away
- Machine washable
- Meets CSA standard Z96-09 Class 1, Level 2 requirements



**safe+
sound**
SAFETYWEAR

Model No.	Mfg. No.	Size	Price /Each
SEB523	TSF-ORY-M	Medium	33.46
SEB524	TSF-ORY-L	Large	33.46
SEB525	TSF-ORY-XL	X-Large	33.46
SEB526	TSF-ORY-2XL	2X-Large	36.70

FIRE RETARDANT TRAFFIC VESTS

- Bright orange fire retardant treated cotton fabric
- 2" yellow or silver reflective stripes
- Velcro front closure
- 5-point tear away
- Machine washable
- Meets CSA standard Z96-09 Class 1, Level 2 FR requirements



**safe+
sound**
SAFETYWEAR

Model No.	Mfg. No.	Stripes Colour	Size	Price /Each
SEB528	TF2-ORY-M	Yellow	Medium	54.17
SEB529	TF2-ORY-L	Yellow	Large	54.17
SEB530	TF2-ORY-XL	Yellow	X-Large	54.17
SEB531	TF2-ORY-2XL	Yellow	2X-Large	59.59
SAR651	TF2-ORS-M	Silver	Medium	54.17
SAR652	TF2-ORS-L	Silver	Large	54.17
SAR653	TF2-ORS-XL	Silver	X-Large	54.17
SAR654	TF2-ORS-2XL	Silver	2X-Large	59.59

CSA COMPLIANT TRAFFIC SAFETY VESTS

- Lightweight and comfortable, fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- Reflective stripes offer maximum nighttime visibility
- Front velcro enclosure permits optimal fitting
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



ZENITH®
Safety Products

Model No.	Colour	Size	Price /Each
SEB698	Orange	Medium	12.95
SEB699	Orange	Large	12.95
SEB700	Orange	X-Large	12.95
SEB701	Orange	2X-Large	12.95
SEB702	Lime-Yellow	Medium	12.95
SEB703	Lime-Yellow	Large	12.95
SEB704	Lime-Yellow	X-Large	12.95
SEB705	Lime-Yellow	2X-Large	12.95

SPORTS MESH SAFETY VESTS

- Fluorescent lime yellow sports mesh knit fabric
- 2" silver reflective tape - 2 vertical stripes on front, "X" on back and two 360° stripes around body
- 5-point tear-away
- Machine washable
- Meets CSA Z96-09 Class 2, Level 2 requirements



**safe+
sound**
SAFETYWEAR

Model No.	Mfg. No.	Size	Price /Each
SAR622	SS3-FLY-M	Medium	19.42
SAR623	SS3-FLY-L	Large	19.42
SAR624	SS3-FLY-XL	X-Large	19.42
SAR625	SS3-FLY-2XL	2X-Large	21.36

HIGH VISIBILITY SAFETY APPAREL

POLYCOTTON SAFETY VESTS

- Fluorescent lime-yellow poly/cotton twill
- 2" silver reflective stripes
- Two radio loops
- Two lower pockets with flaps
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Size	Price /Each
SEA619	SP2-FLY-M	Medium	62.86
SEA620	SP2-FLY-L	Large	62.86
SEA621	SP2-FLY-XL	X-Large	62.86
SEA622	SP2-FLY-2XL	2X-Large	69.15



SAFETY VESTS WITH CONTRASTING STRIPE

- Fluorescent lime-yellow wicking polyester fabric
- 4" fluorescent orange/silver stripes
- 5-point tear-away
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Size	Price /Each
SAR636	SI4-FLY-M	Medium	19.42
SAR637	SI4-FLY-L	Large	19.42
SAR638	SI4-FLY-XL	X-Large	19.42
SAR639	SI4-FLY-2XL	2X-Large	21.36



MESH SURVEYORS SAFETY VESTS

- Fluorescent orange sports mesh knit fabric
- Contrasting yellow trim for daytime visibility
- 2" reflective stripes
- 5-point tear-away
- Two lower pockets
- Upper radio pocket
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Size	Price /Each
SAR618	SSS-ORS-M	Medium	23.14
SAR619	SSS-ORS-L	Large	23.14
SAR620	SSS-ORS-XL	X-Large	23.14
SAR621	SSS-ORS-2XL	2X-Large	25.45



FIRE RETARDANT SAFETY VESTS

- Bright orange fire retardant treated cotton fabric
- 2" silver reflective stripes
- Contrasting yellow trim for daytime visibility
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 FR requirements



Model No.	Mfg. No.	Size	Price /Each
SAR655	SF1-ORS-M	Medium	64.00
SAR656	SF1-ORS-L	Large	64.00
SAR657	SF1-ORS-XL	X-Large	64.00
SAR658	SF1-ORS-2XL	2X-Large	70.39



POLYESTER SAFETY VESTS

- Fluorescent polyester fabric available in lime yellow or orange
- 2" silver reflective tape - 2 vertical stripes on front, "X" on back, and two 360° horizontal stripes around body
- Zippered front
- Machine washable
- Meets CSA Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Colour	Size	Price /Each
SAR632	SI1-FLY-M	Lime-Yellow	Medium	19.42
SAR633	SI1-FLY-L	Lime-Yellow	Large	19.42
SAR634	SI1-FLY-XL	Lime-Yellow	X-Large	19.42
SAR635	SI1-FLY-2XL	Lime-Yellow	2X-Large	21.36
SAR627	SI1-ORS-M	Orange	Medium	19.42
SAR628	SI1-ORS-L	Orange	Large	19.42
SAR629	SI1-ORS-XL	Orange	X-Large	19.42
SAR630	SI1-ORS-2XL	Orange	2X-Large	21.36



SPORTS MESH SAFETY T-SHIRTS

- Fluorescent lime-yellow sports mesh knit fabric
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Size	Price /Each
SAV013	KS1-FLY-M	Medium	27.02
SAV014	KS1-FLY-L	Large	27.02
SAV015	KS1-FLY-XL	X-Large	27.02
SAV016	KS1-FLY-2XL	2X-Large	29.72



HIGH VISIBILITY SAFETY APPAREL

WICKABLE POLYESTER SAFETY T-SHIRTS

- Fluorescent wickable polyester fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Colour	Size	Price /Each
SEB291	KE1-FLY-M	Lime-Yellow	Medium	23.79
SEB292	KE1-FLY-L	Lime-Yellow	Large	23.79
SEB293	KE1-FLY-XL	Lime-Yellow	X-Large	23.79
SEB294	KE1-FLY-2XL	Lime-Yellow	2X-Large	26.16
SEB286	KE1-ORS-M	Orange	Medium	23.79
SEB287	KE1-ORS-L	Orange	Large	23.79
SEB288	KE1-ORS-XL	Orange	X-Large	23.79
SEB289	KE1-ORS-2XL	Orange	2X-Large	26.16

SEB286



POLYCOTTON SAFETY T-SHIRTS

- Fluorescent polycotton knit fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Lime-Yellow Model No.	Mfg. No.	Orange Model No.	Mfg. No.	Description	Size	Price /Each
SAV009	KP1-FLY-M	SEA659	KP1-ORS-M	Short Sleeve	Medium	21.68
SAV010	KP1-FLY-L	SEA660	KP1-ORS-L	Short Sleeve	Large	21.68
SAV011	KP1-FLY-XL	SEA661	KP1-ORS-XL	Short Sleeve	X-Large	21.68
SAV012	KP1-FLY-2XL	SEA662	KP1-ORS-2XL	Short Sleeve	2X-Large	23.85
SEA708	KP4-FLY-M	SEA713	KP4-FLY-M	Long Sleeve	Medium	30.26
SEA709	KP4-FLY-L	SEA714	KP4-FLY-L	Long Sleeve	Large	30.26
SEA710	KP4-FLY-XL	SEA715	KP4-FLY-XL	Long Sleeve	X-Large	30.26
SEA711	KP4-FLY-2XL	SEA716	KP4-FLY-2XL	Long Sleeve	2X-Large	33.28

SAV009



POLYCOTTON SAFETY CREWNECK SWEATSHIRTS

- Fluorescent polycotton fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Colour	Size	Price /Each
SEA604	KC4-FLY-M	Lime-Yellow	Medium	44.50
SEA605	KC4-FLY-L	Lime-Yellow	Large	44.50
SEA606	KC4-FLY-XL	Lime-Yellow	X-Large	44.50
SEA607	KC4-FLY-2XL	Lime-Yellow	2X-Large	48.95
SEA609	KC4-ORS-M	Orange	Medium	44.50
SEA610	KC4-ORS-L	Orange	Large	44.50
SEA611	KC4-ORS-XL	Orange	X-Large	44.50
SEA612	KC4-ORS-2XL	Orange	2X-Large	48.95



SAFETY HOODED SWEATSHIRTS

- Fluorescent polycotton fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Hood with draw string
- Front pouch pocket
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Colour	Size	Price /Each
SAR659	KC5-ORS-M	Orange	Medium	60.44
SAR660	KC5-ORS-L	Orange	Large	60.44
SAR661	KC5-ORS-XL	Orange	X-Large	60.44
SAR662	KC5-ORS-2XL	Orange	2X-Large	66.48
SAR663	KC5-FLY-M	Lime-Yellow	Medium	60.44
SAR664	KC5-FLY-L	Lime-Yellow	Large	60.44
SAR665	KC5-FLY-XL	Lime-Yellow	X-Large	60.44
SAR666	KC5-FLY-2XL	Lime-Yellow	2X-Large	66.48



INSULATED SAFETY VESTS

- Polyurethane-coated polyester outer shell
- 2" silver reflective stripes
- Insulated for extra warmth in the fall and winter
- Waterproof, windproof, breathable and washable
- Two outside pockets lined with polar fleece
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Colour	Size	Price /Each
SEB281	VT2-FLY-M	Lime-Yellow	Medium	69.71
SEB282	VT2-FLY-L	Lime-Yellow	Large	69.71
SEB283	VT2-FLY-XL	Lime-Yellow	X-Large	69.71
SEB284	VT2-FLY-2XL	Lime-Yellow	2X-Large	76.68
SEB276	VT2-ORS-M	Orange	Medium	69.71
SEB277	VT2-ORS-L	Orange	Large	69.71
SEB278	VT2-ORS-XL	Orange	X-Large	69.71
SEB279	VT2-ORS-2XL	Orange	2X-Large	76.68

SEB281



POLYCOTTON SAFETY BIB OVERALLS

- Fluorescent orange polycotton fabric
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements
- Meets CSA standard Z96-09 Class 3, Level 2 requirements when worn with the appropriate retroreflective on the arms



Model No.	Mfg. No.	Size	Price /Each
SEB558	JP9-ORS-M	Medium	135.35
SEB559	JP9-ORS-L	Large	135.35
SEB560	JP9-ORS-XL	X-Large	135.35
SEB561	JP9-ORS-2XL	2X-Large	148.85



SEB276

JOURNEYMAN 3-IN-1 SAFETY JACKETS

- 100% waterproof, windproof, and machine washable
- All-season 3-in-1 design includes zip-in fleece liner
- Premium 300 Denier Ripstop polyester material gives good abrasion, puncture, rip, and snag resistance
- Jacket shell is flexible even in sub-zero conditions
- Double-sewn, taped and heat-sealed seams
- Heavy-duty brass snaps
- Both shell and zip-in fleece meet CSA standard Z96-09, Class 2, Level 2 requirements



Orange Model No.	Mfg. No.	Lime-Yellow Model No.	Mfg. No.	Size	Price /Each
SEF133	6400JO-S	SEF140	6400JG-S	Small	115.30
SEF134	6400JO-M	SEF141	6400JG-M	Medium	115.30
SEF135	6400JO-L	SEF142	6400JG-L	Large	115.30
SEF136	6400JO-XL	SEF143	6400JG-XL	X-Large	115.30
SEF137	6400JO-2XL	SEF144	6400JG-2XL	2X-Large	119.30
SEF138	6400JO-3XL	SEF145	6400JG-3XL	3X-Large	119.30
SEF139	6400JO-4XL	SEF146	6400JG-4XL	4X-Large	119.30

INSULATED SAFETY BIB OVERALLS

- 3M Thinsulate-lined fluorescent polyurethane-coated polyester shell available in lime-yellow or orange
- 2" silver reflective stripes
- 2 back pockets, 2 side pockets
- Features a 2-way front zipper and leg zippers
- Breathable, waterproof and windproof
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements
- Meets CSA standard Z96-09 Class 3, Level 2 requirements when worn with the appropriate retroreflective on the arms



Model No.	Mfg. No.	Colour	Size	Price /Each
SEA729	IV1-FLY-M	Lime-Yellow	Medium	202.66
SEA730	IV1-FLY-L	Lime-Yellow	Large	202.66
SEA731	IV1-FLY-XL	Lime-Yellow	X-Large	202.66
SEA732	IV1-FLY-2XL	Lime-Yellow	2X-Large	222.93
SEA737	IV1-ORS-M	Orange	Medium	202.66
SEA738	IV1-ORS-L	Orange	Large	202.66
SEA739	IV1-ORS-XL	Orange	X-Large	202.66
SEA740	IV1-ORS-2XL	Orange	2X-Large	222.93

POLYCOTTON SAFETY COVERALLS

- Fluorescent polycotton fabric available in lime-yellow or orange
- 2" silver reflective stripes
- Two chest pockets with snapped flaps
- Two lower slash pockets
- Two back pockets
- Machine washable
- Meets CSA standard Z96-09 Class 3, Level 2 requirements



Model No.	Mfg. No.	Colour	Size	Price /Each
SEB548	C01-FLY-M	Lime-Yellow	Medium	171.84
SEB549	C01-FLY-L	Lime-Yellow	Large	171.84
SEB550	C01-FLY-XL	Lime-Yellow	X-Large	171.84
SEB551	C01-FLY-2XL	Lime-Yellow	2X-Large	189.02
SEB553	C01-ORS-M	Orange	Medium	171.84
SEB554	C01-ORS-L	Orange	Large	171.84
SEB555	C01-ORS-XL	Orange	X-Large	171.84
SEB556	C01-ORS-2XL	Orange	2X-Large	189.02

INSULATED SAFETY COVERALLS

- Insulated fluorescent polyurethane-coated polyester shell available in lime-yellow or orange
- 2" silver reflective stripes
- Features storm cuffs, a waist draw-string and leg zippers from hip to ankle
- 2 upper pockets, 2 inside pockets, and 2 through pockets, all secured with velcro
- Breathable, waterproof and windproof
- Machine washable
- Meets CSA standard Z96-09 Class 3, Level 2 requirements



Model No.	Mfg. No.	Colour	Size	Price /Each
SEB563	C08-FLY-M	Lime-Yellow	Medium	239.64
SEB564	C08-FLY-L	Lime-Yellow	Large	239.64
SEB565	C08-FLY-XL	Lime-Yellow	X-Large	239.64
SEB566	C08-FLY-2XL	Lime-Yellow	2X-Large	260.35
SEB568	C08-ORS-M	Orange	Medium	239.64
SEB569	C08-ORS-L	Orange	Large	239.64
SEB570	C08-ORS-XL	Orange	X-Large	239.64
SEB571	C08-ORS-2XL	Orange	2X-Large	260.35

HIGH VISIBILITY SAFETY APPAREL

WINDBREAKERS

- Fluorescent lime-yellow polyurethane coated polyester windbreaker with mesh lining
- 2" silver reflective stripes
- Breathable, waterproof and windproof
- Ribbed cuffs and waistband
- Zippered slash pockets on both sides
- Machine washable; do not dry clean
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



SEA677

Model No.	Mfg. No.	Size	Price /Each
SEA677	WT1-FLY-M	Medium	129.37
SEA678	WT1-FLY-L	Large	129.37
SEA679	WT1-FLY-XL	X-Large	129.37
SEA680	WT1-FLY-2XL	2X-Large	142.30

safe+
sound
SAFETYWEAR

REVERSIBLE WINDBREAKER

- Reversible to black
- Meets CSA standard Z96-09 Class 2, Level 2 requirements

Model No.	Mfg. No.	Size	Price /Each
SEA687	WT2-FLY-M	Medium	155.58
SEA688	WT2-FLY-L	Large	155.58
SEA689	WT2-FLY-XL	X-Large	155.58
SEA690	WT2-FLY-2XL	2X-Large	171.14

REVERSIBLE WINDBREAKER WITH ZIP-IN BLACK FLEECE JACKET

- Reversible to black
- Zip-in black fleece jacket with 2 lower pockets
- Meets CSA standard Z96-09 Class 2, Level 2 requirements

Model No.	Mfg. No.	Size	Price /Each
SEA718	WT6-FLY-M	Medium	210.51
SEA719	WT6-FLY-L	Large	210.51
SEA720	WT6-FLY-XL	X-Large	210.51
SEA721	WT6-FLY-2XL	2X-Large	231.56

SEA718



WINTER PARKAS

- Fluorescent lime-yellow polyurethane coated polyester outer shell
- Black trim on cuffs of arms and legs as well as lower hem of jacket for added protection from wear and soiling
- 2" silver reflective stripes
- Breathable, waterproof and windproof
- Warm insulation with wicking liner
- Outer pockets lines in polar fleece for extra warmth
- Zippered, removable insulated hood with drawstring and velcro closure at neck
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Size	Price /Each
SEA562	PT2-FLY-M	Medium	130.82
SEA563	PT2-FLY-L	Large	130.82
SEA564	PT2-FLY-XL	X-Large	130.82
SEA565	PT2-FLY-2XL	2X-Large	143.90

safe+
sound
SAFETYWEAR

3-IN-1 INSULATED PARKAS

- Fluorescent lime-yellow polyurethane coated polyester outer and inner shells
- Black trim on cuffs of arms and legs as well as lower hem of jacket for added protection from wear and soiling
- 2" silver reflective stripes
- Breathable, waterproof, and waterproof
- Outer shell is a mesh lines rain jacket with 2 slash pockets and a hood that stores in the collar
- Inner shell is an insulated winter liner with 2 front pockets w/flaps, 2 inside pockets, and an inside cell phone pocket, all secured with velcro
- Inner shell also has removable sleeves to convert to a vest
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Size	Price /Each
SEA557	PTX-FLY-M	Medium	186.08
SEA558	PTX-FLY-L	Large	186.08
SEA559	PTX-FLY-XL	X-Large	186.08
SEA560	PTX-FLY-2XL	2X-Large	204.69

safe+
sound
SAFETYWEAR

TROOPER RAIN SUITS

- Fluorescent lime-yellow polyurethane coated polyester stretch fabric
- 2" silver reflective stripes
- Tear, chemical, abrasion, and puncture-resistant
- Stretchy, breathable, washable, windproof and waterproof
- Seams sealed and welded
- Velcro adjustment on leg cuff
- Hood enclosed in collar
- Meets CSA standard Z96-09 Class 3, Level 2 requirements



safe+
sound
SAFETYWEAR

Model No.	Mfg. No.	Size	Price /Each
SEA669	RTS-FLY-M	Medium	122.33
SEA670	RTS-FLY-L	Large	122.33
SEA671	RTS-FLY-XL	X-Large	122.33
SEA672	RTS-FLY-2XL	2X-Large	134.56

TOUGH & DRY RAIN SUITS

- Fluorescent lime-yellow polyurethane coated polyester
- 2" silver reflective stripes
- Breathable, washable, windproof and waterproof
- Black at lower sleeves, cuffs, and waist for longer wear
- Seams sealed and welded
- Velcro adjustment on leg cuff
- Hood enclosed in collar
- Meets CSA standard Z96-09 Class 3, Level 2 requirements



safe+
sound
SAFETYWEAR

Model No.	Mfg. No.	Size	Price /Each
SEA600	RTS2-FLY-M	Medium	90.69
SEA601	RTS2-FLY-L	Large	90.69
SEA602	RTS2-FLY-XL	X-Large	90.69
SEA603	RTS2-FLY-2XL	2X-Large	99.76

HIGH VISIBILITY SAFETY APPAREL

ELASTIC TRAFFIC HARNESSSES


- Constructed from elasticised yellow/silver/yellow reflective material
- 4 size adjusters



Model No.	Mfg. No.	Size	Price/Each
SAR641	AH1-M	Medium	31.55
SAX780	AH1-L	Large	31.55
SAX781	AH1-XL	X-Large	31.55
SAR642	AH1-2XL	2X-Large	34.71
SAX782	AH1-3XL	3X-Large	34.71

ARM & LEG BANDS

- Elastic with 1 1/2" wide yellow/silver/yellow reflective bands
- Velcro fasteners
- Available in lengths of 10", 12", 13 1/2", 15", 17", 19", or custom size
- Identification print available



Model No.	Mfg. No.	Length"	Price/Each
SEA697	AA1-10"	10	3.04
SEA698	AA1-12"	12	3.04
SEA699	AA1-13.5"	13 1/2	3.04
SEA700	AA1-15"	15	3.04
SEA701	AA1-17"	17	3.35
SEA702	AA1-19"	19	3.35

HIGH VISIBILITY BASEBALL CAPS

- Fluorescent lime-yellow or fluorescent orange
- 100% polyester
- 6 eyelets for breathability
- Silver reflective trim on peak and on back fastener
- One size fits all
- Machine washable



Model No.	Mfg. No.	Colour	Price/Each
SEA807	SAF1-FLY	Lime-Yellow	8.33
SEA808	SAF1-ORS	Orange	8.33

HIGH VISIBILITY FLEECE TOQUES

- Fluorescent lime-yellow or fluorescent orange
- 100% polyester fleece
- One size fits all
- Machine washable



Model No.	Mfg. No.	Colour	Price/Each
SEA779	F07-FLY	Lime-Yellow	9.14
SEBS90	F07-ORS	Orange	9.14

GLOWEAR POWER-CAP™

- Two ultra-bright LEDs in the brim, and two additional LEDs concealed under brim (C.U.B. Technology™) deliver hands-free illumination in dark work spaces
- Choose two brim LEDs for illumination up to 50', two C.U.B. LEDs for close-up tasks, or all four for maximum visibility
- On/Off switch located conveniently under brim
- Four long-life lithium batteries (included) provide more than 30 hours of continuous light, and are easily replaceable
- Available with or without GloWear logo
- One size



Model No.	Mfg. No.	Colour	Price /Each
SEC725	23272	Black	33.87
SEC727	23270	Lime-Yellow	33.87
SEC731	23271	Orange	33.87

Other colours available. Also available without GloWear logo, please call for details.



HARD HATS KITS

- Silver reflective with coloured chevrons, increasing visibility from all angles
- Acrylic adhesive offering dielectric properties
- Reflexite reflective tape
- 3 strips per kit
- Standard chevron colours: red, blue, white, black, green, other available upon request



Model No.	Mfg. No.	Size	Price/Each
SEA703	HH1-RD	Red	4.61
SEA704	HH1-BL	Blue	4.61
SEA705	HH1-WH	White	4.61
SEA706	HH1-BK	Black	4.61
SEA707	HH1-GR	Green	4.61

LEIGHTNING HI-VISIBILITY® EARMUFFS

- Fluorescent lime-yellow earcups provide additional visibility and contrast on the job
- Air Flow Control™ technology provides better attenuation, especially at low frequencies
- Robust design withstands demanding use, especially in tough environments
- Ideal for roadway construction, utility workers, survey engineers, ferry service operators, emergency response workers, railroad workers, and many others



by Honeywell



Model No.	Mfg. No.	Style	NRD dB	Price /Each
SAO691	1015020	Cap-Mount	23	10.37
SAO695	1013941	Over-Head	30	21.73
SAO696	1013942	Foldable	27	18.11

HIGH VISIBILITY SAFETY APPAREL

HIGH VISIBILITY SPLIT COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Superior quality
- Good abrasion resistance
- 100-g Thinsulate™ liner provides superior warmth
- Full leather-tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff



Case Qty: 72

Price per Pair

Model No.	Size	Price /Each
SED161	Large	8.10

HIGH VISIBILITY GRAIN COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Premium construction, superior quality
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff



Case Qty: 72

Price per Pair

Model No.	Size	Price /Each
SED428	Large	11.85

HIGH VISIBILITY NATURAL RUBBER ACRYLIC LINED GLOVES

- Latex palm coating
- 100% acrylic thermal liner offers superior cold protection
- 7-gauge seamless terry knitted and brushed lining
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- Uncoated back permits breathability and limits perspiration
- Fluorescent yellow shell and blue coating offer maximum visibility
- Crinkle finish coating provides superior wet and dry grip



Applications: Fishing industry, cold/outdoor environments, glass/wood handling, masonry and general maintenance

Case Qty: 60

Price per Pair

Model No.	Size	Price /Each
SEC797	7	6.50
SEC798	8	6.50
SEC799	9	6.50
SEC800	10	6.50
SEC801	11	6.50

HIGH VISIBILITY SPLIT COWHIDE FITTERS GLOVES

- Superior quality
- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather-tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SED160	Large	4.25

POWERFLEX® T° HIGH VISIBILITY YELLOW™ 80-400

- Natural rubber latex-coated acrylic thermal liner
- Excellent insulation for cold environment
- Strong combination of abrasion, liquid repellency and dry grip
- Superior flexibility and dexterity
- Uncoated back allows for air circulation to keep hands drier
- Ergonomically designed for unmatched fit and comfort
- Palm coated crinkle finish
- Accepted for use in Canadian food processing facilities



Applications: Fishing industry, cold storage winter transportation, unheated warehouses yard and field work, freight handling.

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SEA278	7	8.15
SEA279	8	8.15
SEA280	9	8.15
SEA281	10	8.15
SEA282	11	8.15

HIGH VISIBILITY THERMAL WATERPROOF GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Hipora breathable waterproof and windproof liner
- 3M™ Scotchlite™ reflection
- Abrasion-resistant textured PVC on palm and fingers
- Durable synthetic leather palm and fingers
- PVC-reinforced thumb/index finger saddle
- Padded knuckle for added protection
- Breathable neoprene cuff with hook and loop closure
- Reinforced fingertips
- Machine washable



Applications: Lifting, packing, shipping and traffic directing

Case Qty: 6

Priced Per Pair

Model No.	Mfg. No.	Size	Price /Each
SAP871	16412	Small	99.07
SAP872	16413	Medium	99.07
SAP873	16414	Large	99.07
SAP874	16415	X-Large	99.07
SAP875	16416	2X-Large	99.07

WINTER LINERS

FLAME RESISTANT OUTER SHELL

Winter liners give you added protection in cold conditions or on windy days. Can be worn with caps, hats, welding helmets, hard hats or alone. One size fits all. Flame resistant outer shell.



SAM455

SEVERE COLD

Twill outer layer, sheep thermal lined and full neck flap for severe cold.

Model No. SAM455
Price/Each \$11.70



SAM456

MODERATE COLD

Twill outer layer and polyfiber/cotton lined for moderate to severe cold.

Model No. SAM456
Price/Each \$7.30



SAJ553

MILD COLD

Single twill layer with napped inside for mild cold.

Model No. SAJ553
Price/Each \$4.65



STRETCH HARD HAT LINERS

- 100% polyester knit
- Keeps ears and head protected from wind and cool conditions
- Single wash, FR-treated
- One size



Model No.	Mfg. No.	Description	Price/Each
SEE076	16810	Half Cap Style	7.41
SEE077	16815	Full Face Style	12.20



SEE076



SEE077

TUQUES

- 100% Dralon acrylic shell
- Snug fitting with soft liner
- Thinsulate™ Flex insulation
- One size



Model No.	Mfg. No.	Price/Each
SEE078	16818	24.63



FLEECE MULTI-BANDS

- Polyester performance fabric with microfleece
- Multiple style and usage configurations; wear it as a balaclava, neck-warmer, tuque, and more
- Anti-stink treatment helps workers remain unscented
- Stretchable, comfortable, and seam-free
- Machine washable
- One size



Model No.	Mfg. No.	Pattern	Price/Each
SED104	42305	Red Western	23.09
SED105	42306	Navy Western	23.09
SED106	42308	Hi-Viz Lime	23.09
SED107	42311	Flames	23.09
SED108	42312	Skulls	23.09

SED107



SED108



WORK CLOTHING

FLEECE-LINED WINTER LINERS

- 3-layer nylon/foam/fleece liner
- Inner pockets at ears can hold warming packs for extra warmth
- Single wash, FR-treated
- One size



Model No.	Mfg. No.	Description	Price/Each
SEE065	16863	Regular Length	6.64
SEE066	16867	Shoulder Length	9.42

SEE065



SEE066



SHERPA FLEECE-LINED WINTER LINERS

- 3-layer nylon/foam/sherpa liner
- Inner pockets at ears can hold warming packs for extra warmth
- Single wash, FR-treated
- One size



Model No.	Mfg. No.	Description	Price/Each
SEE067	16950	Regular Length	8.78
SEE068	16952	Shoulder Length	11.89

SEE067



SEE068



COTTON WINTER LINERS

- 2-layer cotton/fleece liner
- Inner pockets at ears can hold warming packs for extra warmth
- Single wash, FR-treated
- One size



Model No.	Mfg. No.	Description	Price/Each
SEE069	16850	Regular Length	7.07
SEE070	16852	Shoulder Length	10.71

SEE069



SEE070



FIRE RESISTANT ARC RATED WINTER LINERS

- 3-layer banox/foam/fleece liner
- Inner pockets at ears can hold warming packs for extra warmth
- One size



Model No.	Mfg. No.	Description	Price/Each
SEE071	16873	Regular Length	16.70
SEE072	16877	Shoulder Length	27.41

SEE071



SEE072



MOUTH PIECE FOR WINTER LINERS

- 2-layer cotton/fleece mouthpiece
- Single wash, FR-treated
- Vented to prevent condensation
- One size



Model No.	Mfg. No.	Description	Price/Each
SEE073	16870	Hook and Loop	3.64
SEE074	16875	Adjustable Elastic Strap, Vented	4.07

SEE073



SEE074



BALACLAVAS

- Polyester stretch fleece keeps head and neck warm
- Single wash, FR-treated
- Long length
- One size



Model No.	Mfg. No.	Price/Each
SEE075	16821	6.64



SHORT SLEEVE THERMAL BASE LAYER SHIRTS

- Wicking fabrics and venting for multi-climate comfort
- Anti-stink treatments help workers remain unscented
- Comfort design: raglan sleeves, stretch fabrics, flat seams
- Soil release treatments make cleaning easy
- Long tail design keeps you covered
- Reflective accents help keep workers safe and seen
- 50+ UPF for protection against harmful UV
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEE079	40003	Medium	47.54
SEE080	40004	Large	47.54
SEE081	40005	X-Large	47.54
SEE082	40006	2X-Large	47.54
SEE083	40007	3X-Large	47.54



LONG SLEEVE THERMAL BASE LAYER SHIRTS

- Ripped fit mock turtleneck in medium-weight wicking fabric for warmth
- Comfort design: raglan sleeves, stretch fabrics, flat seams
- Anti-stink treatment helps workers remain unscented
- Soil release treatments make cleaning easy
- 50+ UPF for protection against harmful UV
- Long tail design keeps you covered
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEC962	40203	Medium	67.95
SEC963	40204	Large	67.95
SEC964	40205	X-Large	67.95
SEC965	40206	2X-Large	67.95
SEC966	40207	3X-Large	67.95



THERMAL BASE LAYER PANTS

- Ripped fit in medium-weight wicking fabric for warmth
- Stretch fabrics, flat seams and tagless waistband for comfort
- Anti-stink treatment helps workers remain unscented
- Soil release treatments make cleaning easy
- 50+ UPF for protection against harmful UV
- Long tail design keeps you covered
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEC967	40803	Medium	55.32
SEC968	40804	Large	55.32
SEC969	40805	X-Large	55.32
SEC970	40806	2X-Large	55.32
SEC971	40807	3X-Large	55.32



MID-LAYER SHORT SLEEVE T-SHIRTS

- Wicking fabrics and venting for multi-climate comfort
- Comfort design: raglan sleeves, stretch fabrics, flat seams
- Anti-stink treatment helps workers remain unscented
- Long tail design keeps you covered
- Soil release treatments make cleaning easy
- 50+ UPF for protection against harmful UV
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SED976	40103	Medium	47.30
SED977	40104	Large	47.30
SED978	40105	X-Large	47.30
SED979	40106	2X-Large	47.30
SED980	40107	3X-Large	47.30



MID-LAYER LONG SLEEVE T-SHIRTS

- Lightweight fleece offers soft warmth
- Wicking fabrics and venting for multi-climate comfort
- Comfort design: raglan sleeves, stretch fabrics, flat seams
- Anti-stink treatment helps workers remain unscented
- Long tail design keeps you covered
- Soil release treatments make cleaning easy
- 50+ UPF for protection against harmful UV
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEC972	40163	Medium	52.86
SEC973	40164	Large	52.86
SEC974	40165	X-Large	52.86
SEC975	40166	2X-Large	52.86
SEC976	40167	3X-Large	52.86



R32753E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

WORK CLOTHING

MID-LAYER FLEECE VESTS

- Mid-weight fleece offers soft warmth
- Wicking fabrics and venting for multi-climate comfort
- Anti-stink treatments help workers remain unscented
- Soil release treatments make cleaning easy
- 50+ UPF for protection against harmful UV
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEE084	40603	Medium	65.75
SEE085	40604	Large	65.75
SEE086	40605	X-Large	65.75
SEE087	40606	2X-Large	65.75
SEE088	40607	3X-Large	65.75



MID-LAYER FLEECE ZIP-UPS

- Mid-weight fleece offers soft warmth
- Wicking fabrics and venting for multi-climate comfort
- Anti-stink treatments help workers remain unscented
- Soil release treatments make cleaning easy
- 50+ UPF for protection against harmful UV
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEE089	40503	Medium	73.89
SEE090	40504	Large	73.89
SEE091	40505	X-Large	73.89
SEE092	40506	2X-Large	73.89
SEE093	40507	3X-Large	73.89



N-FERNO® MID-LAYER VESTS WITH NOBLETEK™ INSULATION

- Safe, non-toxic argon gas inflated vest provides warmth without bulk
- Relief valve to control warmth
- Lightweight nylon stretch fabric
- Machine washable
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEC977	16903	Medium	316.29
SEC978	16904	Large	316.29
SEC979	16905	X-Large	316.29
SEC980	16906	2X-Large	316.29
SEC981	16907	3X-Large	316.29



THERMAL WEIGHT OUTER LAYER VESTS

- Rugged polyester shell with polyurethane coating
- Soft, warm fleece lining
- Armortex™ reinforcement zones in heavy wear areas
- Storm flap front
- Multiple pockets, including back document and front cell
- Drawstring waist
- Reflective accents help keep workers safe and seen
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEE094	41003	Medium	158.98
SEE095	41004	Large	158.98
SEE096	41005	X-Large	158.98
SEE097	41006	2X-Large	158.98
SEE098	41007	3X-Large	158.98



THERMAL WEIGHT OUTER LAYER JACKETS

- Rugged nylon outer shell with water repellent treatments
- Fleece lining for soft warmth
- Reflective accents help keep workers safe and visible
- Drawstring waist and adjustable cuffs
- Armortex™ reinforcements protect heavy wear zones
- Multiple pockets, including back document and front
- Colour: Black



Model No.	Mfg. No.	Size	Price/Each
SEB753	41103	Medium	211.02
SEB754	41104	Large	211.02
SEB755	41105	X-Large	211.02
SEB756	41106	2X-Large	211.02
SEB757	41107	3X-Large	211.02



INDUSTRIAL SOLID WORK SHIRTS

- 4.25-oz. poplin, 65% polyester/35% cotton
- *Touchtex™* technology with superior colour retention, soil release, and wickability
- Two-piece, lined collar with sewn-in stays
- Six-button front with gripper at neck
- Two button-thru hex style pockets with bartacked pencil still on left pocket



Model No. Navy	Mfg. No.	Model No. Green	Mfg. No.	Size	Price /Each
SHORT SLEEVE					
SEE147	SP24NVS	SEE156	SP24SGS	Small	19.23
SEE148	SP24NVM	SEE157	SP24SGM	Medium	19.23
SEE149	SP24NVL	SEE158	SP24SGL	Large	19.23
SEE150	SP24NVXL	SEE159	SP24SGXL	X-Large	19.23
SEE151	SP24NV2XL	SEE160	SP24SG2XL	2X-Large	23.08
SEE152	SP24NV3XL	SEE161	SP24SG3XL	3X-Large	23.08
SEE153	SP24NV4XL	SEE162	SP24SG4XL	4X-Large	23.08
SEE154	SP24NV5XL	SEE163	SP24SG5XL	5X-Large	23.08
LONG SLEEVE					
SEE165	SP14NVS	SEE174	SP14SGS	Small	23.18
SEE166	SP14NVM	SEE175	SP14SGM	Medium	23.18
SEE167	SP14NVL	SEE176	SP14SGL	Large	23.18
SEE168	SP14NVXL	SEE177	SP14SGXL	X-Large	23.18
SEE169	SP14NV2XL	SEE178	SP14SG2XL	2X-Large	27.80
SEE170	SP14NV3XL	SEE179	SP14SG3XL	3X-Large	27.80
SEE171	SP14NV4XL	SEE180	SP14SG4XL	4X-Large	27.80
SEE172	SP14NV5XL	-	-	5X-Large	27.80



DURAKAP INDUSTRIAL PANTS

- 7.5-oz. twill, 65% polyester/35% cotton
- *Touchtex™* technology with superior colour retention, soil release, and wickability
- Traditional easy fit
- Folder-set waistband with outlet and button closure, for a comfortable fit
- Slack-style front pockets and two set-in hip pockets, left pocket has button closure



Model No. Navy	Mfg. No.	Model No. Green	Mfg. No.	Inseam*	Size	Price /Each
SEE183	PT20NV28	SEE195	PT20SG28	36	28	28.68
SEE184	PT20NV30	SEE196	PT20SG30	37	30	28.68
SEE185	PT20NV32	SEE197	PT20SG32	37	32	28.68
SEE186	PT20NV34	SEE198	PT20SG34	37	34	28.68
SEE187	PT20NV36	SEE199	PT20SG36	37	36	28.68
SEE188	PT20NV38	SEE200	PT20SG38	37	38	28.68
SEE189	PT20NV40	SEE201	PT20SG40	36	40	28.68
SEE190	PT20NV42	SEE202	PT20SG42	36	42	28.68
SEE191	PT20NV44	SEE203	PT20SG44	36	44	34.40
SEE192	PT20NV46	SEE204	PT20SG46	36	46	34.40
SEE193	PT20NV48	SEE205	PT20SG48	36	48	34.40
SEE194	PT20NV50	SEE206	PT20SG50	36	50	34.40

* Inseams are unhemmed. Hemmed pants are available, please call for more details.



Can't find what
you're looking for?
Call us today!



WORK CLOTHING

COVERALLS

- 7.5-oz. twill, 65% polyester/35% cotton
- Gripper at top of zipper and lapel
- Two set-in front pockets, patch hip pockets, chest pockets, and rule pocket on right leg
- Two-way brass zipper
- Hemmed sleeves



Model No. Navy	Mfg. No.	Model No. Green	Mfg. No.	Size	Price /Each
SEE207	CT10NV36	SEE219	CT10SG36	36	50.28
SEE208	CT10NV38	SEE220	CT10SG38	38	50.28
SEE209	CT10NV40	SEE221	CT10SG40	40	50.28
SEE210	CT10NV42	SEE222	CT10SG42	42	50.28
SEE211	CT10NV44	SEE223	CT10SG44	44	50.28
SEE212	CT10NV46	SEE224	CT10SG46	46	50.28
SEE213	CT10NV48	SEE225	CT10SG48	48	50.28
SEE214	CT10NV50	SEE226	CT10SG50	50	50.28
SEE215	CT10NV52	SEE227	CT10SG52	52	60.33
SEE216	CT10NV54	SEE228	CT10SG54	54	60.33
SEE217	CT10NV56	SEE229	CT10SG56	56	60.33
SEE218	CT10NV58	SEE230	CT10SG58	58	60.33



SEE207

SHOP COATS

- 7.5-oz. twill, 65% polyester/35% cotton
- Five concealed grippers
- One-piece notch lapel
- Two chest pockets and two lower pockets
- Side vent openings and back vent
- 43.75" length (based on size 42)



Model No. Navy	Mfg. No.	Model No. White	Mfg. No.	Size	Price /Each
SEE231	KT30NV36	SEE241	KT30WH36	36	47.58
SEE232	KT30NV38	SEE242	KT30WH38	38	47.58
SEE233	KT30NV40	SEE243	KT30WH40	40	47.58
SEE234	KT30NV42	SEE244	KT30WH42	42	47.58
SEE235	KT30NV44	SEE245	KT30WH44	44	47.58
SEE236	KT30NV46	SEE246	KT30WH46	46	47.58
SEE237	KT30NV48	SEE247	KT30WH48	48	47.58
SEE238	KT30NV50	SEE248	KT30WH50	50	47.58
SEE239	KT30NV52	SEE249	KT30WH52	52	57.10
SEE240	KT30NV54	SEE250	KT30WH54	54	57.10



SEE231

Call us for all your
Safety Equipment
& Supplies
requirements!



TEMPEST II WATERPROOF OUTERWEAR

- Durable hi-tech polyester and PVC shell protects you from the elements
- Double sewn, taped and heat-sealed seams for 100% waterproof protection
- 100% waterproof, windproof and machine washable

CARGO PANTS

- Full two-way covered side zippers on pants
- Adjustable waist and zip fly access
- Colour: Black



CARGO PANTS

Model No.	Mfg. No.	Size - Waist"	Price /Each
SAX012	838PZ-S	Small - 30	43.68
SAX013	838PZ-M	Medium - 33	43.68
SAX014	838PZ-L	Large - 36	43.68
SAX015	838PZ-XL	X-Large - 39	43.68
SAX016	838PZ-2XL	2X-Large - 42	43.68
SAX017	838PZ-3XL	3X-Large - 45	43.68

JACKETS

- Full nylon lining and pit zips for breathability
- Five large zippered storage pockets
- Safety reflective tape on front and back
- Adjustable waist, hem and wrists for comfort
- Adjustable hood that folds into fleece-lined collar

Blue/Charcoal

Red

Navy



JACKETS

Red/Charcoal Model No.	Mfg. No.	Blue/Charcoal Model No.	Mfg. No.	Navy/Charcoal Model No.	Mfg. No.	Size	Price /Each
SAL402	838CR-S	SAL408	838CB-S	SAL414	838CN-S	Small	67.74
SAL403	838CR-M	SAL409	838CB-M	SAL415	838CN-M	Medium	67.74
SAL404	838CR-L	SAL410	838CB-L	SAL416	838CN-L	Large	67.74
SAL405	838CR-XL	SAL411	838CB-XL	SAL417	838CN-XL	X-Large	67.74
SAL406	838CR-2XL	SAL412	838CB-2XL	SAL418	838CN-2XL	2X-Large	67.74
SAL407	838CR-3XL	SAL413	838CB-3XL	SAL419	838CN-3XL	3X-Large	67.74

SAX012



TRI-ZONE II® WATERPROOF OUTERWEAR

- Made of hi-tech polyester and PVC shell that provides flexibility in the cold and protection from the elements
- Double sewn, taped and heat-sealed seams for 100% waterproof protection
- Reflective strips positioned for safety
- Generous sizing for more comfort and freedom of movement
- 100% waterproof, windproof and machine washable

PANTS

- Full two-way side zips with velcro cover for vented pant or tear away options
- Rear zip storage pocket
- Reinforced ripstop nylon on bottom, knees and inside lower legs
- Wide elastic waist with velcro adjusters and zipper fly access for comfort
- Versatile removable suspenders
- Colour: Black



PANTS

Model No.	Mfg. No.	Size	Waist"	Price /Each
SAL396	848P-S	Small	30	56.16
SAL397	848P-M	Medium	33	56.16
SAL398	848P-L	Large	36	56.16
SAL399	848P-XL	X-Large	39	56.16
SAL400	848P-2XL	2X-Large	42	56.16
SAL401	848P-3XL	3X-Large	45	56.16

Charcoal/Black

Titanium

Royal



JACKETS

- Removable non-pill fleece inner jacket allows three different wearing options
- YKK main zippers for ease of use and reliability
- Seven large lined zip storage pockets
- Adjustable waist, hem and wrists for comfort
- Adjustable hood that snaps off or folds into fleece-lined collar
- Underarm and back two-way zip vents to provide breathability

JACKETS

Royal Blue/Black Model No.	Mfg. No.	Charcoal/Black Model No.	Mfg. No.	Titanium/Black Model No.	Mfg. No.	Size	Price /Each
SAL378	848BB-S	SAL384	848CB-S	SAL390	848BTT-S	Small	108.73
SAL379	848BB-M	SAL385	848CB-M	SAL391	848BTT-M	Medium	108.73
SAL380	848BB-L	SAL386	848CB-L	SAL392	848BTT-L	Large	108.73
SAL381	848BB-XL	SAL387	848CB-XL	SAL393	848BTT-XL	X-Large	108.73
SAL382	848BB-2XL	SAL388	848CB-2XL	SAL394	848BTT-2XL	2X-Large	112.30
SAL383	848BB-3XL	SAL389	848CB-3XL	SAL395	848BTT-3XL	3X-Large	112.30

WORK CLOTHING

LAB COATS

- 5-oz. performance blend poplin, 80% polyester/20% combed cotton
- One-piece, lined collar with notched lapel
- Non-yellowing UV buttons for long-lasting whiteness through industrial laundering process
- Left chest pocket with pencil stall and two lower pockets
- Side vent openings
- 41.5" back length on all sizes
- Colour: White



Model No.	Mfg. No.	Size	Price /Each
SEE251	KP14WH32	32	32.73
SEE252	KP14WH34	34	32.73
SEE253	KP14WH36	36	32.73
SEE254	KP14WH38	38	32.73
SEE255	KP14WH40	40	32.73
SEE256	KP14WH42	42	32.73
SEE257	KP14WH44	44	32.73
SEE258	KP14WH46	46	32.73
SEE259	KP14WH48	48	32.73
SEE260	KP14WH50	50	32.73
SEE261	KP14WH52	52	39.28
SEE262	KP14WH54	54	39.28



SEE251

9-OZ. CLASSIC WELDING COVERALLS

- Excel Fr[®] flame-resistant 9 oz. 100% cotton
- One-piece, topstitched, lay-flat collar
- Two-way concealed Nomex[®] taped brass break-away zipper
- Concealed snap at neck
- Hemmed sleeves
- Two set-in front pockets
- One chest pocket
- Two patch hip pockets
- Side vent openings
- Arc Rating: ATPV 11.2 cal/cm², HRC 2



Navy Model No.	Mfg. No.	Royal Blue Model No.	Mfg. No.	Size	Price /Each
SED738	CEC2NV38	SED196	CEC2RB38	38	89.34
SED739	CEC2NV40	SED197	CEC2RB40	40	89.34
SED740	CEC2NV42	SED198	CEC2RB42	42	89.34
SED741	CEC2NV44	SED199	CEC2RB44	44	89.34
SED742	CEC2NV46	SED200	CEC2RB46	46	89.34
SED743	CEC2NV48	SED201	CEC2RB48	48	89.34
SED744	CEC2NV50	SED202	CEC2RB50	50	89.34
SED745	CEC2NV52	SED203	CEC2RB52	52	89.34
SED746	CEC2NV54	SED204	CEC2RB54	54	89.34
SED747	CEC2NV56	SED205	CEC2RB56	56	107.20

Note: Other colours and specialty sizes are available, call today



SED196



CHAINSAW PANTS

- 100% nylon
- Kevlar[®] front and rear six-ply pad
- Extensible nylon seat
- Two front pockets and two rear flap pockets with snap closure
- Zipper front closure
- Suspender buttons
- Elastic Grip-Tex interior waistband
- Colour: Green
- UL approved



Model No.	Mfg. No.	Size	Price /Each
SAL963	908K-GREEN-S	Small	115.74
SAL964	908K-GREEN-M	Medium	115.74
SAL965	908K-GREEN-L	Large	115.74
SAL966	908K-GREEN-XL	X-Large	115.74
SAL967	908K-GREEN-2XL	2X-Large	151.97
SAL968	908K-GREEN-3XL	3X-Large	151.97

Front



Back

PROTECTION FROM THE HEAT!

Aluminized, heat-reflective garments are specifically designed for working safely and comfortably in extreme thermal environments. The Acrysil 100 fabric offers protection from the most intense heat environments. The garments are designed for specific applications, whether you need protection from moderate molten metal splatter, ambient heat or a garment designed to reflect up to 95% of radiant heat.



SELECT FROM TWO DISTINCT FABRICS:

- Acrysil 100 is recommended wherever workers are exposed to high radiant heat
- Aluminized Pro-Cool is recommended when molten metal splash is a hazard to employee safety (Pricing for this fabric available upon request)

APPLICATIONS:

- Used in steel mills, foundries, smelters, glass and brick factories
- Popular for blast furnace work, metal pouring and more
- Anti-abrasion characteristics help maintain reflectivity under rough working conditions

SIZE FOR PANTS

Small = 30 – 32
Medium = 34 – 36
Large = 38 – 40
X-Large = 42 – 44
2X-Large = 46 – 48

SIZE FOR JACKET & COAT

Small = 36 – 38
Medium = 40 – 42
Large = 44 – 46
X-Large = 48 – 50
2X-Large = 52 – 54
3X-Large = 56 – 58

ACRYSIL JACKET

- Aluminized Acrysil 100
- 30" long
- Concealed snap closure
- Snap cuff adjustment



ACRYSIL COAT

- Aluminized Acrysil 100
- 48" long
- Storm flap front
- Concealed brass snap closure
- Snap adjustment at cuffs



ACRYSIL PANTS

- Aluminized Acrysil 100
- 29" inseam
- Fly front
- Velcro leg closures for safety boots



ACRYSIL APRON

- Aluminized Acrysil 100 split leg waist apron
- Velcro leg closures



ACRYSIL BIB APRON (NOT SHOWN)

- Aluminized Acrysil 100 bib style apron
- 35" x 40" long
- Leather waist ties and neck strap

PRO-COOL LEGGINGS (NOT SHOWN)

- Aluminized Pro Cool leggings
- 13" long
- Wool lined, Velcro closure
- Aluminized flare with metal clip
- Available in Regular and XL (3.5" wider)

Model No.	Mfg. No.	Description	Size	Price /Each
SAI025	J66-300-S	Acrysil Jacket	Small	365.59
SAI026	J66-300-M	Acrysil Jacket	Medium	365.59
SAI027	J66-300-L	Acrysil Jacket	Large	365.59
SAI028	J66-300-XL	Acrysil Jacket	X-Large	365.59
SAI029	J66-300-2XL	Acrysil Jacket	2X-Large	402.15
SAI030	J66-300-3XL	Acrysil Jacket	3X-Large	438.71
SAI031	C66480-S	Acrysil Coat	Small	532.95
SM835	C66480-M	Acrysil Coat	Medium	532.95
SM836	C66480-L	Acrysil Coat	Large	532.95
SM837	C66480-XL	Acrysil Coat	X-Large	532.95
SM838	C66480-XXL	Acrysil Coat	2X-Large	532.95

Model No.	Mfg. No.	Description	Size	Price /Each
SAI032	P66-029-S	Acrysil Pants	Small	312.02
SAI033	P66-029-M	Acrysil Pants	Medium	312.02
SAI034	P66-029-L	Acrysil Pants	Large	312.02
SAI035	P66-029-XL	Acrysil Pants	X-Large	312.02
SAI036	P66-029-2XL	Acrysil Pants	2X-Large	343.22
SAI037	AP66-400-5	Acrysil Apron	-	224.36
SAI038	AP66-4035	Acrysil Bib Apron	35" x 40"	148.95
SAI039	69018	Pro-Cool Legging	Regular	197.26
SAI040	69018XL	Pro-Cool Legging	X-Large	206.82

ARC FLASH PROTECTION

FLAME-RESISTANT DRESS UNIFORM SHIRTS

- 7-oz. *Excel FR® Comfortouch*, 88% cotton/12% nylon
- Banded, topstitched, button-down collar
- Two chest pockets with button flap closures and sewn-in pencil stall
- Placket front with button closure
- Tailored sleeve placket
- Colour: Navy
- Arc Rating: ATPV 8.6 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Price /Each
SED622	SLU2NVSM	Small	81.71
SED623	SLU2NVMD	Medium	81.71
SED624	SLU2NVLG	Large	81.71
SED625	SLU2NVXL	X-Large	81.71
SED626	SLU2NV2XL	2X-Large	98.06
SED627	SLU2NV3XL	3X-Large	98.06

Note: Other colours and specialty long sizes are available, call today

FLAME-RESISTANT COOL TOUCH® 2 DRESS UNIFORM SHIRTS

- 7-oz. 48% modacrylic/37% lyocell/15% para-aramid
- Gusset side seams for ease of movement
- Banded topstitched collar
- Two chest pockets with button flap closures and sewn-in pencil stall
- Plackets front with button closure
- Tailored sleeve placket
- Topstitched cuff
- Straight back yoke
- Colour: Navy
- Arc Rating: ATPV 8.4 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Price /Each
SED628	SMU2NVSM	Small	98.34
SED629	SMU2NVMD	Medium	98.34
SED630	SMU2NVLG	Large	98.34
SED631	SMU2NVXL	X-Large	98.34
SED632	SMU2NV2XL	2X-Large	118.00
SED633	SMU2NV3XL	3X-Large	118.00

Note: Other colours and specialty sizes are available, call today

FLAME-RESISTANT WORK SHIRTS

- 7-oz. *Excel FR®* 100% cotton
- 2-piece lined collar
- Two chest pockets with button flap closures and sewn-in pencil stall
- Hemmed front with button closure
- 1-piece lined cuff with button closure
- Sleeve vent
- Colour: Navy
- Arc Rating: ATPV 7.7 cal/cm², HRC 1



Model No.	Mfg. No.	Size	Price /Each
SED634	SEW2NVSM	Small	76.98
SED635	SEW2NVMD	Medium	76.98
SED636	SEW2NVLG	Large	76.98
SED637	SEW2NVXL	X-Large	76.98
SED638	SEW2NV2XL	2X-Large	92.36
SED639	SEW2NV3XL	3X-Large	92.36

Note: Other colours and specialty long sizes are available, call today

FLAME-RESISTANT LONG SLEEVE TAGLESS HENLEY SHIRTS

- 6.25-oz. *Excel FR®* 100% cotton
- Knit Henley collar
- Three button placket
- Rib-knit cuff
- Single spade chest pocket
- Colour: Orange
- Arc Rating: ATPV 9.6 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Price /Each
SED640	SEL2OR	Small	88.63
SED641	SEL2ORMD	Medium	88.63
SED642	SEL2ORLG	Large	88.63
SED643	SEL2ORXL	X-Large	88.63
SED644	SEL2OR2XL	2X-Large	106.36
SED645	SEL2OR3XL	3X-Large	106.36

Note: Other colours and specialty long sizes are available, call today

FLAME-RESISTANT WORK PANTS

- 9-oz. *Excel FR*® *ComfortTouch*™ twill 88% cotton/12% nylon
- Inner-lined waistband with button closure
- Pockets: Two slack style front pockets, two set-in hip pockets and one left hip pocket with button closure
- Colour: Navy
- Arc Rating: ATPV 12.2 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Length" (Inseam)	Price /Each
SED678	PLW2NV32	32	37	82.86
SED679	PLW2NV33	33	37	82.86
SED680	PLW2NV36	36	37	82.86
SED681	PLW2NV38	38	37	82.86
SED682	PLW2NV40	40	36	82.86
SED683	PLW2NV42	42	36	82.86
SED684	PLW2NV44	44	36	99.43
SED685	PLW2NV46	46	36	99.43
SED686	PLW2NV48	48	36	99.43
SED687	PLW2NV50	50	36	99.43

Note: Other colours and specialty sizes are available, call today

FLAME-RESISTANT COOL TOUCH® 2 CARGO PANTS

- 7-oz. 45% modacrylic/35% lyocell/15% polyamide-imide/5% para-aramid
- Inner-lined waistband with hook-and-loop closure
- Pockets: Two slack style front pockets, two set-in hip pockets, one left hip pocket with button closure, one left cargo pocket and one right leg utility pocket
- Colour: Navy
- Arc Rating: ATPV 10.1 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Length" (Inseam)	Price /Each
SED692	PMU2NV32	32	37	108.33
SED693	PMU2NV33	33	37	108.33
SED694	PMU2NV36	36	37	108.33
SED695	PMU2NV38	38	37	108.33
SED696	PMU2NV40	40	36	108.33
SED697	PMU2NV42	42	36	108.33
SED698	PMU2NV44	44	36	130.01
SED699	PMU2NV46	46	36	130.01
SED700	PMU2NV48	48	36	130.01
SED701	PMU2NV50	50	36	130.01

Note: Specialty sizes are available, call today

FLAME-RESISTANT JEAN-STYLE PANTS

- 9-oz. *Excel FR*® twill 100% cotton
- 2-needle felled seam construction
- 1-piece waistband with button closure
- Five jean style pockets
- Colour: Navy
- Arc Rating: ATPV 11.2 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Length" (Inseam)	Price /Each
SED704	PEJ2NV32	32	37	72.48
SED705	PEJ2NV34	34	37	72.48
SED706	PEJ2NV36	36	37	72.48
SED707	PEJ2NV38	38	37	72.48
SED708	PEJ2NV40	40	37	72.48
SED709	PEJ2NV42	42	37	72.48
SED710	PEJ2NV44	44	37	86.98
SED711	PEJ2NV46	46	37	86.98
SED712	PEJ2NV48	48	37	86.98
SED713	PEJ2NV50	50	37	86.98

Note: Other colours and specialty sizes are available, call today

FLAME-RESISTANT RELAXED FIT DENIM JEANS

- 12.5-oz. *Excel FR*® 100% cotton indigo denim
- 1-piece waistband with button closure
- Five jean-style pockets
- 2-needle felled seam construction
- Relaxed fit sits at the natural waist and has a relaxed seat and thigh for comfortable movement
- Arc Rating: ATPV 18.0 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Length" (Inseam)	Price /Each
SED716	PEJ2DD32	32	37	68.80
SED717	PEJ2DD34	34	37	68.80
SED718	PEJ2DD36	36	37	68.80
SED719	PEJ2DD38	38	37	68.80
SED720	PEJ2DD40	40	37	68.80
SED721	PEJ2DD42	42	37	68.80
SED722	PEJ2DD44	44	37	82.56
SED723	PEJ2DD46	46	37	82.56
SED724	PEJ2DD48	48	37	82.56
SED725	PEJ2DD50	50	37	82.56

Note: Specialty sizes are available, call today

ARC FLASH PROTECTION

FLAME-RESISTANT PREMIUM COVERALLS

- 6-oz. 93% Nomex® aramid/5% Kevlar® aramid/2% other fibre
- 2-way concealed Nomex® taped brass break-away zipper
- Concealed snap at top of zipper and at neck
- Mandarin style, stand-up, two-way safety collar
- Concealed snap closure on cuff
- Elastic waist inserts
- Pockets: Two front swing pockets, two patch chest pockets with flaps and concealed snap closures, two patch hip pockets, one left sleeve pocket and one ruled pocket on right leg
- Deep-pleated action back
- Side vent openings with concealed snap closure
- Colour: Royal blue
- Arc Rating: ATPV 5.1 cal/cm², HRC 1



Model No.	Mfg. No.	Size	Price /Each
SED726	CNB6RB38	38	249.42
SED727	CNB6RB40	40	249.42
SED728	CNB6RB42	42	249.42
SED729	CNB6RB44	44	249.42
SED730	CNB6RB46	46	249.42
SED731	CNB6RB48	48	249.42
SED732	CNB6RB50	50	249.42
SED733	CNB6RB52	52	299.32
SED734	CNB6RB54	54	299.32
SED735	CNB6RB56	56	299.32

Note: Other colours and specialty sizes are available, call today

FLAME-RESISTANT CLASSIC COVERALLS

- 9-oz. Excel FR® 100% cotton
- 2-way concealed Nomex® taped brass break-away zipper
- 1-piece, topstitched, lay-flat collar
- Concealed snap at neck
- Hemmed sleeves
- Pockets: Two set-in front pockets, two patch hip pockets and one chest pocket
- Side vent openings
- Arc Rating: ATPV 11.2 cal/cm², HRC 2



Navy Model No.	Mfg. No.	Royal Blue Model No.	Mfg. No.	Size	Price /Each
SED738	CEC2NV38	SED196	CEC2RB38	38	90.96
SED739	CEC2NV40	SED197	CEC2RB40	40	90.96
SED740	CEC2NV42	SED198	CEC2RB42	42	90.96
SED741	CEC2NV44	SED199	CEC2RB44	44	90.96
SED742	CEC2NV46	SED200	CEC2RB46	46	90.96
SED743	CEC2NV48	SED201	CEC2RB48	48	90.96
SED744	CEC2NV50	SED202	CEC2RB50	50	90.96
SED745	CEC2NV52	SED203	CEC2RB52	52	109.16
SED746	CEC2NV54	SED204	CEC2RB54	54	109.16
SED747	CEC2NV56	SED205	CEC2RB56	56	109.16

Note: Other colours and specialty sizes are available, call today

FLAME-RESISTANT COOL TOUCH® 2 DELUXE COVERALLS

- 9-oz. Excel FR® twill 100% cotton
- 2-way concealed Nomex® taped brass break-away zipper
- 1-piece, topstitched, lay-flat collar
- Concealed snap closure at neck and on sleeve cuffs
- Two 2-needle topstitched patch chest pockets with flaps and concealed snap closure, two front swing pockets are topstitched and lined
- Pockets: Two patch hip pockets with single concealed snap closure, one left sleeve pocket with pencil stall and one ruled pocket on right leg
- 1-piece bi-swing action back
- Elastic waist inserts
- Colour: Navy
- Arc Rating: ATPV 8.4 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Price /Each
SED749	CMD6NV38	38	169.48
SED750	CMD6NV40	40	169.48
SED751	CMD6NV42	42	169.48
SED752	CMD6NV44	44	169.48
SED753	CMD6NV46	46	169.48
SED754	CMD6NV48	48	169.48
SED755	CMD6NV50	50	169.48
SED756	CMD6NV52	52	203.38
SED757	CMD6NV54	54	203.38
SED758	CMD6NV56	56	203.38
SED759	CMD6NV58	58	203.38

FLAME-RESISTANT PREMIUM COVERALLS

- 9-oz. Excel FR® twill 100% cotton
- 2-way concealed Nomex® taped brass break-away zipper
- Mandarin style, stand-up, two-way safety collar
- Concealed snap at top of zipper and at neck
- Concealed snap closure on cuff
- Elastic waist inserts
- Pockets: Two topstitched and lined front swing pockets, two patch chest pockets with flaps and concealed snap closures, two patch hip pockets with single concealed snap closure, one left sleeve pocket and one ruled pocket on right leg
- Deep-pleated action back
- Side vent openings with concealed snap closure
- Colour: Royal blue
- Arc Rating: ATPV 11.2 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Price /Each
SED760	CEB2RB38	38	134.83
SED761	CEB2RB40	40	134.83
SED762	CEB2RB42	42	134.83
SED763	CEB2RB44	44	134.83
SED764	CEB2RB46	46	134.83
SED765	CEB2RB48	48	134.83
SED766	CEB2RB50	50	134.83
SED767	CEB2RB52	52	161.80
SED768	CEB2RB54	54	161.80
SED769	CEB2RB56	56	161.80
SED770	CEB2RB58	58	161.80

Note: Other colours and specialty sizes available, call today

FLAME-RESISTANT PREMIUM COVERALLS WITH REFLECTIVE TRIM

- 6-oz. 93% Nomex® aramid/5% Kevlar® aramid/2% other fibre
- 2-way concealed Nomex® taped brass break-away zipper
- Mandarin style stand-up, two-way safety collar
- Concealed snap on cuff, at top of zipper and at neck
- Elastic waist inserts
- Pockets: Two topstitched and lined front swing pockets, two patch chest pockets with flaps and concealed snap closures, two patch hip pockets with single concealed snap closure, one left sleeve pocket and one ruled pocket on right leg
- Deep-pleated action back
- Side vent openings with concealed snap closure
- 360° visibility with front and back 2" yellow/silver/yellow reflective stripes
- Arc Rating: ATPV 5.1 cal/cm², HRC 1



Red Model No.	Mfg. No.	Royal Blue Model No.	Mfg. No.	Size	Price /Each
SED771	CNBTRD38	SED184	CNBTRB38	38	294.81
SED772	CNBTRD40	SED185	CNBTRB40	40	294.81
SED773	CNBTRD42	SED186	CNBTRB42	42	294.81
SED774	CNBTRD44	SED187	CNBTRB44	44	294.81
SED775	CNBTRD46	SED188	CNBTRB46	46	294.81
SED776	CNBTRD48	SED189	CNBTRB48	48	294.81
SED777	CNBTRD50	SED190	CNBTRB50	50	294.81
SED778	CNBTRD52	SED191	CNBTRB52	52	353.78
SED779	CNBTRD54	SED192	CNBTRB54	54	353.78
SED780	CNBTRD56	SED193	CNBTRB56	56	353.78
SED781	CNBTRD58	SED194	CNBTRB58	58	353.78

Note: Specialty sizes are available, call today



FLAME-RESISTANT PREMIUM COVERALLS WITH REFLECTIVE TRIM

- 9-oz. Excel FR® ComforTouch® twill 88% cotton/12% nylon
- 2-way concealed Nomex® taped brass break-away zipper
- Mandarin style stand-up, two-way safety collar
- Concealed snap on sleeve cuff, at the top of zipper and at neck
- Elastic waist inserts
- Pockets: Two topstitched and lined front swing pockets, two patch chest pockets with flaps and concealed snap closures, two patch hip pockets with single concealed snap closure, one left sleeve pocket and one ruled pocket on right leg
- Deep-pleated action back
- Side vent openings with concealed snap closure
- 360° visibility with front and back 2" yellow/silver/yellow reflective stripes
- Colour: Royal blue
- Arc Rating: ATPV 12.2 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Price /Each
SED783	CLBTRB38	38	194.26
SED784	CLBTRB40	40	194.26
SED785	CLBTRB42	42	194.26
SED786	CLBTRB44	44	194.26
SED787	CLBTRB46	46	194.26
SED788	CLBTRB48	48	194.26
SED789	CLBTRB50	50	194.26
SED790	CLBTRB52	52	233.10
SED791	CLBTRB54	54	233.10
SED792	CLBTRB56	56	233.10
SED793	CLBTRB58	58	233.10

Note: Specialty sizes are available, call today



ARC FLASH PROTECTION

FLAME-RESISTANT PARKAS WITH REFLECTIVE STRIPES

- Outer shell made from 5.3-oz. 93% Nomex® aramid/5% Kevlar® aramid/2% other fibre water repellent material
- 14.2-oz. quilted flame-resistant Nomex® insulation with wind and moisture barrier
- 2-way separating extra heavy-duty Nomex® taped brass zipper, fully covered with hook-and-loop secured storm flap
- Fully insulated stand-up collar
- Knit storm cuffs within hemmed sleeve end with hook-and-loop suppression tabs
- Pockets: Three large external patch pockets with hook-and-loop secured flaps (lower pockets with hand warmers), one inside chest pocket, and one sleeve pocket
- Deep-pleated action back
- Elastic inserts at waist and across back
- Inside zipper guards on all zippers
- Internal snow belt
- 360° visibility with front and back 2" yellow/silver/yellow reflective stripes
- Colour: Royal blue
- Arc Rating: EBT 69.5 cal/cm², HRC 4



Model No.	Mfg. No.	Size	Price /Each
SED210	JNPTRB5RG	Small	534.93
SED211	JNPTRBMRG	Medium	534.93
SED212	JNPTRBBLRG	Large	534.93
SED213	JNPTRBXLRG	X-Large	534.93
SED214	JNPTRB2XLRG	2X-Large	641.91
SED215	JNPTRB3XLRG	3X-Large	641.91
SED216	JNPTRB4XLRG	4X-Large	641.91

Note: Specialty sizes are available, call today

FLAME-RESISTANT PARKAS WITH REFLECTIVE STRIPES

- Outer shell made from 7-oz. twill 88% cotton/12% nylon water repellent material
- 12-oz., 2-layer quilted flame-resistant modacrylic isolation
- 2-way separating extra heavy-duty Nomex® taped brass zipper, fully covered with hook-and-loop secured storm flap
- Fully insulated stand-up collar
- Knit storm cuffs with hook-and-loop suppression tabs
- Pockets: Three large patch pockets with concealed snaps (lower pockets with hand warmers), one inside chest pocket, and one sleeve pocket
- Deep-pleated action back
- Elastic inserts at waist and across back
- Internal snow belt
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping
- Colour: Royal blue
- Arc Rating: ATPV 43.3 cal/cm², HRC 4



Model No.	Mfg. No.	Size	Price /Each
SED217	JLPTRB5RG	Small	344.49
SED218	JLPTRBMRG	Medium	344.49
SED219	JLPTRBBLRG	Large	344.49
SED220	JLPTRBXLRG	X-Large	344.49
SED221	JLPTRB2XLRG	2X-Large	413.38
SED222	JLPTRB3XLRG	3X-Large	413.38
SED223	JLPTRB4XLRG	4X-Large	413.38

Note: Specialty sizes are available, call today

FLAME-RESISTANT DUCK LINED BIB OVERALLS

- 11.5-oz. Excel FR® ComforTouch® duck, 88% cotton/12% nylon water repellent material
- Nomex® taped brass zipper fly front
- Enhanced wide elastic straps covered with duck fabric for comfort and durability stay in place while you work
- Non-conductive heavy-duty release buckle
- Pockets: One large front bib pocket with pencil stall, two set-in swing pockets, one watch pocket, two large hip pockets and one double tool pocket
- Hammer loop
- Side vent opening with snap closure
- Reinforced double knees
- Colour: Brown
- Arc Rating: ATPV 14.6 cal/cm², HRC 2



Model No.	Mfg. No.	Size	Price /Each
SED795	BLF8BDMD	Medium	183.18
SED796	BLF8BDLG	Large	183.18
SED797	BLF8BDXL	X-Large	183.18
SED798	BLF8BD2X	2X-Large	219.82
SED799	BLF8BD3X	3X-Large	219.82

Note: Other colours and specialty sizes are available, call today

DELUXE FLAME-RESISTANT INSULATED BIB OVERALLS WITH REFLECTIVE TRIM

- Outer shell made from 5.3-oz. 93% Nomex® aramid/5% Kevlar® aramid/2% other fibre, water repellent material
- 14.2-oz. quilted Nomex® insulation with wind and moisture barrier
- 2-way, extra heavy-duty Nomex® taped brass zipper front with concealed flap
- Full Nomex® taped ankle-to-hip brass zippers
- Elasticized shoulder straps with non-conductive adjustable hardware
- Five large patch pockets, hip pocket with closure
- Reinforced double knees
- 360° visibility with front and back 2" yellow/silver/yellow reflective striping
- Colour: Royal blue
- Arc Rating: EBT 69.5 cal/cm², HRC 4



Model No.	Mfg. No.	Size	Price /Each
SED224	BNNTRB5RG	Small	560.69
SED225	BNNTRBMRG	Medium	560.69
SED226	BNNTRBBLRG	Large	560.69
SED227	BNNTRBXLRG	X-Large	560.69
SED228	BNNTRB2XLRG	2X-Large	672.82
SED229	BNNTRB3XLRG	3X-Large	672.82

Note: Specialty sizes are available, call today

ARC FLASH PROTECTION COVERALLS

- Made from arc flash resistant material
- Full cut with set-in sleeves
- FR hook and pile front closure
- 30" inseam
- Expansion back
- 2-ply *Nomex*® wristlets
- Hook and pile cuff opening
- Colour: Navy blue
- 8 cal/cm² ATPV ratings
- Meets current ASTM standard F1506 and NFPA standard 70E
- CE 0120 certified



SALISBURY
by Honeywell

Model No.	Mfg. No.	Size	Price /Each
SED821	ACCA8BLM	Medium	234.87
SED822	ACCA8BLL	Large	234.87
SED823	ACCA8BLXL	X-Large	234.87
SED824	ACCA8BL2XL	2X-Large	254.43

Note: Other sizes and colours are available, call today

ARC FLASH PROTECTION COATS

- Made from arc flash resistant material
- Expansion back for added comfort
- Dual stage front closure with high temperature plastic zipper
- FR hook and pile storm flap
- Length: 32"
- Coats are intended to be used with *Pro-Hoods*®
- Colour: Grey
- 40 cal/cm² ATPV ratings
- Meets current ASTM standard F1506 and NFPA standard 70E
- CE 0120 certified



SALISBURY
by Honeywell

Model No.	Mfg. No.	Size	Price /Each
SED826	ACC4032GYS	Small	384.13
SED827	ACC4032GYM	Medium	384.13
SED828	ACC4032GYL	Large	384.13
SED829	ACC4032GYXL	X-Large	384.13
SED830	ACC4032GY2XL	2X-Large	418.10

Note: Other sizes and colours are available, call today

ARC FLASH PROTECTIVE BALACLAVA-STYLE HOODS

- Create 360° head and neck protection from arc flash dangers, when used with a faceshield
- Made from FR materials
- Made from two layers of rib knit material
- Elastic face opening maintains its shape and size
- ATPV rating of 10 cal/cm²

Caution: Arc flash hoods must be worn in combination with a faceshield in order to comply with the requirements of NFPA 70E

Model No. SED820
Mfg. No. AFHOOD10
Price/Each \$43.92

SALISBURY
by Honeywell



PRO-HOOD® ARC FLASH PROTECTION HOODS

- Made from arc flash resistant material
- Arc rated 10" x 20" anti-fogging replaceable lens
- Slotted bracket
- Hook and pile tabs to attach *Salisbury's Pro-Air*™ belt mounted compact air system
- One size fits all
- Colour: Grey
- Hard hat not included
- 40 cal/cm² ATPV ratings
- Meets current ASTM standard F2178 and NFPA standard 70E, and the flammability requirements for ASTM standard F1506
- CE 0120 certified

Model No. SED825
Mfg. No. FH40GY
Price/Each \$474.65

Note: Other colours are available, call today

SALISBURY
by Honeywell



ARC FLASH PROTECTION BIB OVERALLS

- Made from arc flash resistant material
- Integrated heavy-duty suspenders
- Relaxed cut for greater mobility
- 30" inseam
- Adjustable hook and pile waist straps
- Bib front for added protection
- Adjustable gussets on pant cuffs
- Colour: Grey
- 40 cal/cm² ATPV ratings
- Meets current ASTM standard F1506 and NFPA standard 70E
- CE 0120 certified

SALISBURY
by Honeywell



Model No.	Mfg. No.	Size	Price /Each
SED831	ACB4030GYS	Small	371.40
SED832	ACB4030GYM	Medium	371.40
SED833	ACB4030GYL	Large	371.40
SED834	ACB4030GYXL	X-Large	371.40
SED835	ACB4030GY2XL	2X-Large	409.60

Note: Other sizes and colours available, call today

ARC FLASH PROTECTION

8 CAL/CM² ARC FLASH PROTECTION KITS

- Includes: 8 cal/cm² coveralls, faceshield with bracket, hard hat, and storage bag, balaclava-style hood, safety glasses, all in one storage bag
- Coverall colour: Navy blue
- Meets NFPA standard 70E
- Hazard Risk Category 2

SALISBURY
by Honeywell

Model No.	Mfg. No.	Coverall Size	Price /Each
SED838	SKCABL-1200	Large	532.12
SED839	SKCA8XL-AS1200	X-Large	532.12
SED840	SKCA82XL-AS1200	2X-Large	552.93

Note: Other sizes and colours available, call today



40 CAL/CM² ARC FLASH PROTECTION KITS

- Includes: 40 cal/cm² coat, 40 cal/cm² bib overalls, 40 cal/cm² Pro-Hood[®], and safety glasses, all in one storage bag
- Coat, bib overalls, and Pro-Hood[®] are all grey
- Meets NFPA standard 70E
- Hazard Risk Category 4

SALISBURY
by Honeywell

Model No.	Mfg. No.	Garments Size	Price /Each
SED843	SK40L	Large	1252.42
SED844	SK40XL	X-Large	1252.42
SED845	SK402XL	2X-Large	1323.20

Note: Other sizes and colours available, call today



STORAGE BAGS

- Includes: Large storage bag for Salisbury's Pro-Wear[®] arc flash clothing, gloves, and other accessories
- 24" L x 12" D x 15" H

Model No. SED846
Mfg. No. SKBAG
Price/Each \$71.82



SALISBURY
by Honeywell

PRO-AIR[™] ACAIR2000[®]

- Pro-Air[™] ACAIR2000[®] system designed to blow forced ambient air through a single intake hose
- Provides fresh oxygen to the worker and reduces the hazardous effects of shield fogging
- Microprocessor-controlled unit that operates automatically
- Operates continuously for over three hours on one charge
- Back of the unit has a button that interrupts the continuous flow, if needed
- Mounts to most standard hardhats and functions in one lightweight (less than 10 oz.) easy to use unit
- For use with Salisbury's Pro-Hood[®] and Pro-Wear[®] arc flash protection clothing
- Includes: Lightweight blower assembly, universal band, bendable intake hose, Ni-MH rechargeable batteries and an AC wall charger

Model No. SED959
Mfg. No. ACAIR2000
Price/Each \$267.80

SALISBURY
by Honeywell




Call us for all your
Safety Equipment
& Supplies
requirements!



ARC FLASH PROTECTION FACESHIELDS

- Utilizes nanotechnology to provide a more transparent window for improved visibility
- Shield/window designed to be easily replaced without tools
- Absorbs >99.9% of harmful UV radiation
- 7 1/2" x 20" viewing area with extra light tint
- 0.06" thick
- Faceshield unit includes:
 - Ventilation ribs that allow a natural convection air flow through the top of the faceshield to reduce fogging of the visor, lower CO₂ levels, and improve user comfort
- ATPV rating of 12 cal/cm²
- Meets current ANSI standard Z87.1, CSA, and tested to ASTM standard F2178 specifications



SALISBURY
by Honeywell

Model No.	Mfg. No.	Description	Price /Each
SED816	AS1200	Unit w/Bracket	128.05
SED817	AS1200FS	Replacement Faceshield	82.78

ARC FLASH PROTECTION FACESHIELDS WITH DIELECTRIC HARD HAT

- Salisbury by Honeywell's revolutionary weight balancing arc flash protection faceshield includes all the same features as the SED815, with a dielectric hardhat
- Stows in a balanced, compact position, centred over the top of the hard hat when not needed



SALISBURY
by Honeywell

Model No.	Mfg. No.	Description	Price /Each
SED815	AS1200HAT	Unit w/Bracket and Hard Hat	147.33
SED817	AS1200FS	Replacement Faceshield	82.78

FLAME RESISTANT ATTACHABLE TASK LIGHTS

- Arc tested FR task light features a high intensity long lasting white LED lamp with an overall brightness of 7 lumens
- From 24" distance, the beam is approximately 6-7" in diameter
- High intensity illumination is very useful when working up close
- Two AAA batteries provide 14-15 hours of high brightness



SALISBURY
by Honeywell

Model No.	Mfg. No.	Description	Price /Each
SED818	FLKIT	Attachable Task Light and Clip	68.30

Note: The SED816 hard hat can hold two task lights. The SED818 only contains one task light and one clip

ARC FLASH SERIES

DUAL CROWN PROTECTIVE MASKS

- Full face and neck protection
- Broader, deeper 4" headgear and chin protector, molded from Noryl
- Available in dual crown ratchet headgear model or dual channel cap peak mounting bracket with chin protector
- High performance injection molded, preformed optically correct propionate visor with 25 cal ratings when used as tested
- Both models meet CSA and NFPA 70E, category 1 or 2



ARCFlash NFPA 70E

FIBRE-METAL
by Honeywell

Model No	Mfg. No	Description	Price /Each
SAP523	FM400DCAF25	Dual Crown Protective Mask and Visor	114.05
SAP524	FM70DCAF25E2	Dual Crown Protective Mask, Visor and Safety Cap	139.46

PROTECTO-SHIELD® PROLOK®

HEADGEAR

- Constructed of tough thermoplastic
- Heat-resistant browguard
- Features ratchet or pinlock headband adjustment
- Easy sizing and tension adjustment for individual visor positioning
- Visors easily attach to headgear with no snaps, posts or levers
- Specially designed with a chemical splash drip edge to prevent fluids from splashing down inside the visor



SG416

Note: Visor sold separately

ELECTRIC ARC PROTECTION VISOR

- Proportionate visor carries a 9.3 cal/cm² ARC rating (ATPV), exceeding the minimum requirement of 8 cal/cm²
- Tested by a kinectrics lab using the ASTM standard test
- Superior optics
- Reinforced edge to resist cracking
- Universal hole pattern tested with most headgear on the market
- Lightweight design
- Exceptional visual acuity with visual light transmission of 35%
- Meets ANSI Z87 + and CSA Z94.3 standards



SAR644

Honeywell

Model No.	Mfg. No.	Description	Price /Each
HEADGEAR			
SG413	11380048	Ratchet Adjustment	14.02
SG414	11380049	Pinlock Adjustment	8.84
SG416	11380057	For Safety Cap w/Howard Leight Earmuffs	17.34
VISOR			
SAR644	11391000	8.5" x 15" x 0.060"	21.95

ARC FLASH PROTECTION

RUBBER INSULATING GLOVES

- Made from Class 0 Type I natural rubber
- Extremely flexible; working with small parts is easy
- Proper fit is important to minimize chafing and fatigue; allow for additional room if fabric liners are to be worn
- Meets or exceeds ASTM standard D120 and IEC standard EN60903



SALISBURY
by Honeywell

Black Model No.	Mfg. No.	Red Model No.	Mfg. No.	Length"	Size	Price /Each
SED847	E011B7	SED856	E011R7	11	7	71.53
SED848	E011B7.5	SED857	E011R7.5	11	7.5	71.53
SED849	E011B8	SED858	E011R8	11	8	71.53
SED850	E011B8.5	SED859	E011R8.5	11	8.5	71.53
SED851	E011B9	SED860	E011R9	11	9	71.53
SED852	E011B9.5	SED861	E011R9.5	11	9.5	71.53
SED853	E011B10	SED862	E011R10	11	10	71.53
SED854	E011B10.5	SED863	E011R10.5	11	10.5	71.53
SED855	E011B11	SED864	E011R11	11	11	71.53

LEATHER PROTECTOR GLOVES

- Leather protector gloves should always be worn over insulating rubber gloves to provide the needed mechanical protection against cuts, abrasions and punctures
- Manufactured from top grain cowhide or goatskin
- Elastic wrist, no cuff
- Length: 10"
- Minimum distance between top of protectors and rubber gloves is 1/2" for class 0



SALISBURY
by Honeywell

Goatskin Model No.	Mfg. No.	Cowhide Model No.	Mfg. No.	Fits Insulating Glove Size	Price /Each
SED865	ILPG10/7	SED871	ILP10/7	7 & 7.5	26.12
SED866	ILPG10/8	SED872	ILP10/8	8 & 8.5	26.12
SED867	ILPG10/9	SED873	ILP10/9	9 & 9.5	26.12
SED868	ILPG10/10	SED874	ILP10/10	10 & 10.5	26.12
SED869	ILPG10/11	SED875	ILP10/11	11 & 11.5	26.12

Warning: Do not use leather protectors alone for protection against electric shock. Serious injury or death will result. Always use proper insulating rubber gloves. Proper care of leather protectors is essential to user safety. Inspect the leather protectors when inspecting rubber gloves. Metal particles, imbedded wire, abrasive materials or any substance that could physically damage the rubber gloves must be removed from the protector before use.

GLOVE BAGS

- Constructed of heavy-duty canvas duck
- Double-stitched at stress points for extra durability
- Features a snap hook for hanging on work belts
- Tapered gussets with wide opening tops for easy insertion

Model No. SED877
Mfg. No. GB112
Price/Each \$33.10

SALISBURY
by Honeywell



PORTABLE GLOVE INFLATORS

Electrical insulating gloves must be inspected before each use. Inspection is simplified by using a portable glove inflator such as the *Salisbury G100* with adapter for Class 00 and 0, and smaller size gloves, patent pending.

- Simple, easy to use
- Provides a quality means of inspecting gloves in the field
- Glove is secured to the inflator using a nylon strap and fastened with hook and pile, or a rubber O-ring
- Inflation is accomplished by pumping the bellows of the inflator

Model No. SED957
Mfg. No. G100
Price/Each \$356.85



SALISBURY
by Honeywell

TEN-FOUR® GLOVE DUST

- A cooling, frictionless powder that absorbs moisture and perspiration when wearing rubber gloves
- The 5-oz. bottle easily fits in a pocket or glove bag

Model No. SED958
Mfg. No. 10-4
Price/Each \$110.83

SALISBURY
by Honeywell



Can't find what
you're looking for?
Call us today!



NATURAL RUBBER INSULATING GLOVES

- Offers electrical protection
- Anatomically shaped and chlorinated for maximum comfort
- Compliant with OSHA 1910.137, OSHA1910.268 NFPA 70E and exceeds the ASTM D120 and European EN60903 standard



Model No.	Mfg. No.	Size	Colour	Length"	Class	Proof Test Voltage AC/DC	Max Use Voltage AC/DC	Price /Each
SAR266	51203	8	Yellow	11	0	5000 / 20 000	1000 / 1500	59.70
SAR267	51204	9	Yellow	11	0	5000 / 20 000	1000 / 1500	59.70
SAR268	51205	10	Yellow	11	0	5000 / 20 000	1000 / 1500	59.70
SAR269	51206	11	Yellow	11	0	5000 / 20 000	1000 / 1500	59.70
SAR270	51403	8	Yellow	14	0	5000 / 20 000	1000 / 1500	60.43
SAR271	51404	9	Yellow	14	0	5000 / 20 000	1000 / 1500	60.43
SAR272	51405	10	Yellow	14	0	5000 / 20 000	1000 / 1500	60.43
SAR273	51406	11	Yellow	14	0	5000 / 20 000	1000 / 1500	60.43
SAR274	52423	8	Yellow	14	2	20 000 / 50 000	17 000 / 25 500	117.01
SAR275	52424	9	Yellow	14	2	20 000 / 50 000	17 000 / 25 500	117.01
SAR276	52425	10	Yellow	14	2	20 000 / 50 000	17 000 / 25 500	117.01
SAR277	52426	11	Yellow	14	2	20 000 / 50 000	17 000 / 25 500	117.01
SAR278	52623	8	Yellow	16	2	20 000 / 50 000	17 000 / 25 500	132.30
SAR279	52624	9	Yellow	16	2	20 000 / 50 000	17 000 / 25 500	132.30
SAR280	52625	10	Yellow	16	2	20 000 / 50 000	17 000 / 25 500	132.30
SAR281	52626	11	Yellow	16	2	20 000 / 50 000	17 000 / 25 500	132.30
SAR282	9999242	8	Black	11	0	5000 / 20 000	1000 / 1500	59.70
SAR283	9999243	9	Black	11	0	5000 / 20 000	1000 / 1500	59.70
SAR284	9999244	10	Black	11	0	5000 / 20 000	1000 / 1500	59.70
SAR285	9999245	11	Black	11	0	5000 / 20 000	1000 / 1500	59.70
SAR286	9999254	8	Black	14	0	5000 / 20 000	1000 / 1500	60.43
SAR287	9999255	9	Black	14	0	5000 / 20 000	1000 / 1500	60.43
SAR288	9999256	10	Black	14	0	5000 / 20 000	1000 / 1500	60.43
SAR289	9999257	11	Black	14	0	5000 / 20 000	1000 / 1500	60.43
SAR290	9999269	8	Black	14	2	20 000 / 50 000	17 000 / 25 500	117.01
SAR291	9999270	9	Black	14	2	20 000 / 50 000	17 000 / 25 500	117.01
SAR292	9999271	10	Black	14	2	20 000 / 50 000	17 000 / 25 500	117.01
SAR293	9999272	11	Black	14	2	20 000 / 50 000	17 000 / 25 500	117.01
SAR294	9999274	8	Black	16	2	20 000 / 50 000	17 000 / 25 500	132.30
SAR295	9999275	9	Black	16	2	20 000 / 50 000	17 000 / 25 500	132.30
SAR296	9999276	10	Black	16	2	20 000 / 50 000	17 000 / 25 500	132.30
SAR297	9999277	11	Black	16	2	20 000 / 50 000	17 000 / 25 500	132.30

LEATHER PROTECTOR GLOVES

- Should always be worn over rubber insulating gloves to meet OSHA and ASTM standards to provide mechanical protection against cuts, abrasions and punctures
- Available in full sizes from 7-12 and perfectly matched to the shape of Marigold's® rubber insulating gloves



Model No.	Mfg. No.	Description	Size	Price /Each
LEATHER PROTECTORS				
SAR451	M60603	Goatskin	8	25.64
SAR452	M60604	Goatskin	9	25.64
SAR453	M60605	Goatskin	10	25.64
SAR454	M60606	Goatskin	11	25.64
SAR456	M62423	Cowhide	8	40.29
SAR457	M62424	Cowhide	9	40.29
SAR458	M62425	Cowhide	10	40.29
SAR459	M62426	Cowhide	11	40.29
CANVAS GLOVE BAGS				
SAR461	M69002	For 11" Gloves		23.31
SAR462	M69003	For 14" Gloves		24.25
SAR463	M69004	For 16" Gloves		36.37



SAR451



SAR461



SAR266



SAR286

Rubber insulating gloves not included

ARC FLASH PROTECTION

ARC FLASH PVC RAINWEAR

- Constructed using electrical arc tested *Plarex Bravo* fabric
- 450g/m² oil and flame-resistant PVC coated cotton
- Attached, generously cut 3-panel helmet hood with draw cord
- Inside storm flap
- Concealed nickel plated brass snaps
- Microwelded seams
- 100% waterproof
- Flame retardant

BIB PANTS

- Side gusset for easy entry
- Adjustable suspenders
- Can be worn back to front for longer wear
- Generously cut
- Meets CGSB 155.20 standard before washing jacket



Model No.	Mfg. No.	Size	Colour	ATPV	EBTAS	Hazard Risk	Heat Attenuation Factor (HAF)	Price /Each
JACKETS								
SAR229	FR600BLK-S	Small	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	110.38
SAR230	FR600BLK-M	Medium	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	110.38
SAR231	FR600BLK-L	Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	110.38
SAR232	FR600BLK-XL	X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	110.38
SAR233	FR600BLK-2XL	2X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	121.42
SAR234	FR600BLK-3XL	3X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	121.42
SAR235	FR600ORG-S	Small	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	110.38
SAR236	FR600ORG-M	Medium	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	110.38
SAR237	FR600ORG-L	Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	110.38
SAR238	FR600ORG-XL	X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	110.38
SAR239	FR600ORG-2XL	2X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	121.42
SAR241	FR600ORG-3XL	3X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	121.42
BIB PANTS								
SAR242	FR800BLK-S	Small	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	93.72
SAR243	FR800BLK-M	Medium	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	93.72
SAR244	FR800BLK-L	Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	93.72
SAR245	FR800BLK-XL	X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	93.72
SAR246	FR800BLK-2XL	2X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	103.09
SAR247	FR800BLK-3XL	3X-Large	Black	33.4 cal/cm ²	41.6 cal/cm ²	3	92.2%	103.09
SAR248	FR800ORG-S	Small	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	93.72
SAR249	FR800ORG-M	Medium	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	93.72
SAR250	FR800ORG-L	Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	93.72
SAR251	FR800ORG-XL	X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	93.72
SAR252	FR800ORG-2XL	2X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	103.09
SAR253	FR800ORG-3XL	3X-Large	Orange	21.2 cal/cm ²	55.4 cal/cm ²	2	88.1%	103.09

3M™ EAR™ ARC PLUG™

- The yellow side allows workers to hear sound clearly around them without impairment
- If an arc flash occurs, the calibrated noise filter activates immediately to suppress the noise to a safer level – without dangerous delay – reducing the chance of hearing damage and concussive disorientation
- The red side offers protection against constant high-level noise
- NRR 22 dB
- Meets NFPA 70E regulations



Model No.	Mfg. No.	Qty /Box	Price /Each
SA0701	370-2000	10	14.12

ACCUFORM ARC FLASH TRAINING AIDS

Promote awareness of the dangers associated with arc flash accidents and make sure your workers know how to protect themselves!

Accuform offers a variety of stock labels, signs and wallet cards for Arc Flash.


SEE023



SEE024



SEE025



Model No.	Material	Size"	Price /Each
SEE023	Aluminum	7 x 10	16.67
SEE024	Aluminum	7 x 10	16.67
SEE025	Aluminum	10 x 14	28.03

MILLER® REVOLUTION™ ARC-RATED HARNESSES

Designed to protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources.

- Features the same key elements as the Miller® Revolution Harness
- Kevlar®/Nomex® Miller® DualTech™ webbing - patent-pending 10 000 lb. tensile strength webbing is engineered with permanent fire retardant (FR) properties
- Webbing offers the durability and FR properties of Kevlar® on the outer side, with softer FR Nomex® on the inside of the webbing for greater comfort
- Webbing assures arc protection and durability that eclipses any nylon webbing
- PivotLink™ design allows unmatched freedom of motion and comfort, while the unique cam buckles provide easy two-finger adjustment
- Leather insulators under all metal hardware offer additional protection for the worker
- Kevlar® web loop on the back pad allows for a "metal-less" connection when used with a Kevlar® shock-absorbing lanyard with a choke-off loop
- All Miller® Revolution™ arc-rated harnesses have bright red binding on every pad, making them easily identifiable as an arc-rated product
- Meets stringent ASTM F887-05 Arc-Flash Standards
- Certified to CSA standard Z259.10



MILLER

by Honeywell




Model No.	Mfg. No.	Leg Connections	CSA Class	Price/Each
SAR473	RKNAR-QC/UBK	Quick-Connect	A	562.56
SAR474	RKNAR-TB/UBK	Tongue Buckle	A	562.56

Note: Other styles available upon request

ARC-RATED SHOCK-ABSORBING LANYARDS

- Arc-rated Kevlar® webbing available in both single- and double-legged models upon request
- Also available with choke-off loop upon request
- Certified to CSA standard Z259.10 Class E4



MILLER

by Honeywell

Model No.	Mfg. No.	Style	Description	Price/Each
SAR475	216MK/6FTBK	Manyard II	One Leg with 2 Locking Snap Hooks	123.85
SAR476	219MK/6FTBK	Manyard II	One Leg with 1 Locking Snap Hooks and 1 Locking Rebar Hook	194.09
SAR477	913K/6FTBK	w/SofStop® Shock Absorber	One Leg with 2 Locking Snap Hooks	197.95
SAR478	913KR/6FTBK	w/SofStop® Shock Absorber	One Leg with 1 Locking Snap Hooks and 1 Locking Rebar Hook	231.82

ARC-RATED CROSS-ARM ANCHORAGE STRAPS

- Features Kevlar® webbing with 2" D-ring and choke-off loop available in lengths from 2' (0.6 m) to 10' (3 m)



MILLER


by Honeywell

Model No.	Mfg. No.	Length	Price/Each
SAR479	8185K/3FTBK	3' (1 m)	134.81
SAR480	8185K/6FTBK	6' (1.8 m)	134.81

NON-CONDUCTIVE CORRUGATED SWITCHBOARD NO. 702 & DIAMOND PLATE NO. 701

CAN INSULATE UP TO 30 000 V!

- High-performance non-conductive matting protects personnel in areas with dangerous high-voltage equipment
- Designed to insulate against as much as 30 000 V of electricity
- However, its recommended usage is up to 17 000 V
- The corrugated surface is abrasion resistant and easily cleaned
- 1/4" thick
- Conforms to ANSI/ASTM D-178-01 Type 2, Class II
- Colour: Black
- Passes MSHA IC-246 Fire resistance test (mining safety)



1-YEAR WARRANTY

Model No.	Dim. W' x L'	Price /Each
NO. 702 CORRUGATED		
SAL241	2 x 75	18.93
NB658	3 x 75	24.67
NB660	4 x 75	46.45

Available in cuts up to 75' in length

Model No.	Dim. W' x L'	Price /Each
NO. 701 DIAMOND-PLATE		
SAL235	2 x 75	18.93
SAL237	3 x 75	24.67
SAL239	4 x 75	46.45

Call us for all your Safety Equipment & Supplies requirements!



ARC FLASH PROTECTION

Ampco® non-sparking, non-magnetic, corrosion-resistant safety tools are FM approved. Made in the U.S.A. Backed by a limited lifetime warranty. Effectively limit sparking, and meet OSHA requirements for use in locations where flammable vapours and/or combustible residues are present. Non-sparking or intrinsically safe tools are required and/or recommended also by NFPA, MSHA, and NIOSH. Ideal for petroleum, metalworking, paint finishing, and transportation applications. Also used in woodworking, fertilizer production, and grain handling where high levels of dust are prominent. Non-sparking, copper-based alloy tools conduct electricity and therefore are not anti-static.

Non-sparking metal – High-strength for impact and torque applications. *Brinell* hardness is 200 to 350. Tensile strength is 95 000 to 150 000 PSI.

Beryllium Copper* – Superior strength for impact and torque applications. Most effective material for tools with cutting edges or gripping teeth. *Brinell* hardness is 332 to 382. Tensile strength is up to 200 000 PSI.

* All models made from non-sparking metal, some contain beryllium copper where indicated.



11-PIECE TOOL KITS

Non-sparking, non-magnetic, corrosion-resistant tool kit.

Model No. TP519

Mfg. No. M-48

Price/Each \$927.96



INCLUDES:

Model No.	Mfg. No.	Description
TP453	P-31	8" Combination Slip-Joint Pliers
TD466	B-399	Shoe-Handle Scratch Brush
TX710	K-21	Putty Knife - Stiff Blade, 1 1/4" x 3 9/16"
TD486	K-1	Common Knife w/ 3 1/8" Straight Blade, 6 3/4" OAL
TP455	P-39	10" Tongue and Groove Joint Pliers, 6 Positions
TD618	S-1099	#2 Phillips Screwdriver
BB514	H-20FG	16 oz. Curved-Claw Nail Hammer w/ Fibreglass Handle, Smooth Striking Face
TX679	W-70	6" Adjustable Wrench
TX681	W-72	10" Adjustable Wrench
TX685	W-211	10" Adjustable Pipe Wrench
TD614	S-49	Standard Screwdriver 5/16" Tip, 6" Blade

16-PIECE TOOL KITS

Non-sparking, non-magnetic, corrosion-resistant tool kit.

Model No. TP520

Mfg. No. M-49

Price/Each \$1263.96



INCLUDES:

Model No.	Mfg. No.	Description
TLZ293	W-3109	Double End Box Wrench – 5/16" x 3/8"
TLZ294	W-3120	Double End Box Wrench – 7/16" x 1/2"
TLZ295	W-3150	Double End Box Wrench – 9/16" x 5/8"
TLZ296	W-3180	Double End Box Wrench – 3/4" x 7/8"
TD618	S-1099	#2 Phillips Screwdriver
TD614	S-49	Standard Screwdriver 5/16" tip, 6" blade
TX681	W-72	10" Adjustable Wrench
TP452	P-30	6 1/2" Combination Pliers
TP453	P-31	8" Combination Slip-Joint Pliers
TP455	P-39	10" Tongue and Groove Joint Pliers, 6 Positions
TD486	K-1	Common Knife w/ 3 1/8" Straight Blade, 6 3/4" OAL
TX710	K-21	Putty Knife - Stiff Blade, 1 1/4" x 3 9/16"
BB514	H-20FG	Curved-Claw Nail Hammer w/ Fibreglass Handle, Smooth Striking Face
TX686	W-212	14" Adjustable Pipe Wrench
TD466	B-399	Shoe Handle Scratch Brush
TP479	S-10G	Deck Scraper



KLEIN TOOLS

For Professionals... Since 1857®

Klein® insulated tools are NFPA-70 compliant, which is harmonized with CSA-Z462. *Klein®* insulated tools meet and/or exceed the IEC60900 and ASTM F1505 standards. Serious electricians and technicians choose *Klein®* products first due to their high quality and precision. All *Klein®* insulated hand tools are rated for up to **1000 V** and clearly marked with the official **1000 V** rating symbol. High quality coating protects while providing user comfort.

BASIC INSULATED 8-PIECE TOOL KITS

- Individually tested to exceed standards
- Two layers of insulation provide protection against electric shock
- Highly durable, black, nylon case features: coil-zipper closure, polypropylene handles, custom-fitted tool pockets
- Overall case dimensions are: 15 1/2" W x 11" D x 2 1/2" H

Kit contains an assortment of eight popular insulated tools:

- Three insulated pliers (side-cutting, diagonal-cutting, long nose – side-cutting)
- Three insulated screwdrivers (cabinet 3/16" x 6", Keystone 1/4" x 4", Phillips No. 2)
- One insulated high-leverage cable cutter
- One insulated wire stripper/cutter
- One heavy-duty polyester case

Model No. TTW005

Mfg. No. 33526

Price/Each \$736.36



UTILITY INSULATED 13-PIECE TOOL KITS

- Individually tested to exceed standards
- Two layers of insulation provide protection against electric shock
- The custom case includes two pallets with custom-fitted pockets for each tool, both a combination lock and two key-locked latches for security
- Overall case dimensions are: 18 7/8" W x 15 3/8" D x 8 1/4" H

Kit contains an assortment of 13 professional, insulated tools:

- Five insulated pliers (side-cutting, diagonal-cutting, diagonal-cutting – angled head, long-nose – side-cutting, pump pliers)
- Six insulated screwdrivers (Keystone 1/4" x 4", 5/16" x 6", 3/8" x 10", Phillips No. 1, No. 2, No. 3)
- One insulated high-leverage cable cutter
- One insulated cable/lineman's skinning knife
- One extra-sturdy, bright-yellow case

Model No. TTW001

Mfg. No. 33525

Price/Each \$1294.07



KLEIN TOOLS
For Professionals... Since 1857®



KLEIN TOOLS
For Professionals... Since 1857®

SEE PAGES: 1426 - 1434 FOR A COMPLETE LISTING OF INDIVIDUAL NON-SPARKING OR INSULATED TOOLS

HEAT STRESS METERS

- Wet Bulb Globe Temperature (WBGT) considers the effects of temperature, humidity and direct or radiant sunlight
- Heat stress index measures how hot it feels when humidity is combined with temperature, air movement and radiant heat
- Black Globe Temperature (TG) monitors the effects of direct solar radiation on an exposed surface
- In/Out function displays the WBGT value with or without direct sun exposure
- View individual temperatures or indices in either °F or °C
- User adjustable WBGT threshold with audible alarm if threshold is exceeded
- Built-in RS-232 interface
- Tripod mount design for long term monitoring



IA639

SPECIFICATIONS:

Air Temp. Range: 0.0 to 50.0°C (32 to 122°F)
Black Globe Temp. Range: 0.0 to 80.0°C (32 to 176°F)
WBGT Temp. Range: 0.0 to 50.0°C (32 to 122°F)
Humidity Range: 0 to 100% RH

REED

Model No.	Mfg. No.	Description	Price /Each
IA639	8778	Heat Stress Meter	225.00
IA447	BS-6	Tripod	59.00
HX515	HR33	33% Humidity Calibration Standard	60.00
HX514	HR75	75% Humidity Calibration Standard	60.00
IA452	VZRS232BN	RS-232 Cable and Software	79.00

CHILL-ITS® EVAPORATIVE COOLING BANDANAS & TRIANGLE HATS

- Soak in cold water to activate
- Remains hydrated for 24-48 hours
- Activated cooling polymers bring cooling power where you need it most to fight heat stress and fatigue
- Tie closure
- One size



SEB127

Model No.	Mfg. No.	Colour	Price /Each
BANDANAS			
SEB127	12309	Canadian Flag	3.05
SEB128	12306	Navy Western	3.05
SEB136	12305	Red Western	3.05
SEB134	12304	Camouflage	3.05
SEB139	12341	Flames	3.05
SEB140	12342	Skulls	3.05
SEB137	12307	Solid Blue	3.05
SEB138	12340	Barbed Wire	3.05
TRIANGLE HATS			
SAP942	12326	Navy Western	7.44
SAP941	12325	Red Western	7.44
SAP943	12324	Camouflage	7.44
SEC860	12327	Solid Blue	7.44



SAP942

COOLING TOWELS

- Dampen this synthetic chamois to create a cooling aid significantly cooler than ambient air
- Advanced PVA material holds water without feeling heavy
- Super-evaporative, reduces the effect of heat stress and fights fatigue
- Wear for hours, or wipe for quick relief
- Simply re-wet the towel to reactivate
- Hand wash
- One size



Model No. SEB126
Mfg. No. 6602
Price/Each \$20.68



CHILL-ITS® TOWEL COOLING BANDANAS & TRIANGLE HATS

- Advanced PVA towel material keeps you cool without the bulk
- Activates quickly and easily when soaked in water for 2-5 minutes
- Lightweight and low profile for use with hard hats and helmets
- Tie closure for personal fit
- Reusable
- One size



SEC684



SEC685



Model No.	Mfg. No.	Colour	Price /Each
BANDANAS			
SEC683	12566	Lime-Yellow	7.08
SEC684	12567	Solid Blue	7.08
TRIANGLE HATS			
SEC685	12586	Lime-Yellow	15.32
SEC686	12587	Solid Blue	15.32

CHILL-ITS® HIGH PERFORMANCE HEADBANDS & DEW RAGS

- *Hi Cool*® moisture management performance fabric transports moisture away
- Absorbent terrycloth band
- Elasticized back for a great fit
- One size



SEC695

Model No.	Mfg. No.	Colour	Price /Each
HEADBANDS			
SEC694	12425	Solid Blue	10.41
SEC695	12422	Camouflage	10.41
SEC696	12426	Canadian Flag	10.41
SEC697	12429	Flames	10.41
SEC698	12424	Navy Western	10.41
DEW RAGS			
SEC675	12481	Solid Blue	12.13
SEC676	12478	Camouflage	12.13
SEC677	12482	Canadian Flag	12.13
SEC678	12485	Flames	12.13
SEC680	12480	Navy Western	12.13



SEC678

CHILL-ITS® HIGH PERFORMANCE CAPS

- *Hi Cool*® moisture management performance fabric transports moisture away
- Comfortable to wear under hats, helmets, or alone
- Wide, absorbent terrycloth headband
- One size



SEC708

Model No.	Mfg. No.	Colour	Price /Each
SEC705	12507	Camouflage	11.68
SEC706	12511	Canadian Flag	11.68
SEC707	12514	Flames	11.68
SEC708	12505	Lime-Yellow	11.68
SEC709	12509	Navy Western	11.68

COLOURS & PATTERNS

All colours not necessarily available in all styles.



HEAT STRESS PREVENTION

CHILL-ITS® PHASE CHANGE VESTS

- Maintains a constant 58°F/14°C for up to four hours
- Comfortable cotton construction with hook and loop closure
- Flame resistant Banox FR3 fabric
- Non toxic, non carcinogenic, dielectric substance
- Phase change packs recharge in an iced cooler or freezer
- Inserts and vest sold separately



Model No.	Mfg. No.	Description	Size	Price /Each
SEB147	12100	Khaki Vest	Small/Medium	260.05
SEB146	12110	Khaki Vest	Large/X-Large	369.20
SEB149	12102	Phase Change Insert	Small/Medium	166.13
SEB148	12112	Phase Change Insert	Large/X-Large	245.83

CHILL-ITS® EVAPORATIVE COOLING VESTS

- Soak in cold water, and enjoy cooling relief and comfort
- V-neck with zipper closure
- Quilted nylon outer layer
- Activated, polymer-embedded fabric inside
- Water-repellent liner and black cotton-poly elastic trim
- Lightweight, durable and washable
- 100% nylon
- High-visibility lime-yellow



Model No.	Mfg. No.	Price /Each
HV LIME-YELLOW		
SAP936	12533	75.51
SAP937	12534	75.51
SAP938	12535	75.51
SAP939	12536	75.51
SEC687	12537	75.51

Model No.	Mfg. No.	Price /Each
GREY		
SEC688	12543	75.51
SEC689	12544	75.51
SEC690	12545	75.51
SEC691	12546	75.51
SEC692	12547	75.51

CHILL-ITS® LOW-PROFILE HYDRATION PACKS

- Keeps workers hydrated when they are away from water sources
- Nylon shell stands up to long term wear and tear
- Zip-up cap cover keeps debris and contaminants off
- Closed cell insulation keeps liquid cold or warm for hours
- Big mouth opening for simple filling and cleaning
- Capacity: 2 litres



Model No.	Mfg. No.	Colour	Price /Each
SEC701	13155	Black	92.03
SEC702	13156	Lime-Yellow	102.29

CHILL-ITS® HIGH PERFORMANCE HATS WITH NECK SHADES

- Hi Cool® moisture management performance fabric transports moisture away
- Absorbent terrycloth headband
- Wide panel neck protection
- Adjustable cinch cord for a great fit
- One size



Model No.	Mfg. No.	Colour	Price /Each
SEC712	12520	Lime-Yellow	28.83
SEC713	12521	Orange	28.83

CHILL-ITS® HARD HAT PADS WITH NECK SHADES

- Lightweight, comfortable evaporative cooling wear
- Helps stay cool, fights fatigue and increases productivity
- Soak in cold water for 10 to 15 minutes
- Provides cool comfort for 24 to 48 hours
- Provides protection from UV rays

Model No. SAP940
Mfg. No. 12336
Price/Each \$7.54



CHILL-ITS® EVAPORATIVE HARD HAT NECK SHADES

- Quilted nylon outer layer with activated, polymer embedded fabric inside
- Water-repellent liner
- Hook and loop allows for easy attachment
- 100% nylon
- One size



Model No.	Mfg. No.	Colour	Price /Each
SEC714	12525	Lime-Yellow	28.66
SEC715	12526	Grey	28.66

COLOURS & PATTERNS

All colours not necessarily available in all styles.



SHAX® UTILITY TENTS

- Versatile and durable instant shelter provides fast, long lasting relief from the sun, wind, and rain
- Polyester top with polyurethane and UV coatings
- Powder coated steel frame
- ABS plastic sliders for convenient height adjustment
- 10' x 10' foot-print, peak height 11'
- Double vented top
- Reinforced corners
- Includes: Heavy-duty ground stakes, ropes, and wheeled bag for easy transport and storage
- Weight: 46 lbs.
- Optional side panel available



Model No.	Mfg. No.	Description	Price /Each
SEC718	12900	Tent	474.13
SEC719	12998	Side Panel	62.28



SHAX® LIGHTWEIGHT TENTS

- Portable and easy to assemble shelter provides convenient, long lasting relief from the sun, wind, and rain
- Polyester top with polyurethane coating
- Corded, powder coated steel tube frame
- 10' x 10' foot-print, peak height 7'
- Colour coded connectors for quick assembly
- Lightweight for easy portability
- Reinforced corners
- Includes: Heavy-duty ground stakes, ropes, and storage bag
- Weight: 16 lbs.
- Optional side panel available



Model No.	Mfg. No.	Description	Price /Each
SEC720	12920	Tent	199.56
SEC721	12999	Side Panel	62.28

SHAX® SEATING SERIES

- Durable steel frame
- Polyester fabric
- Lightweight for easy portability
- Rust resistant powder coating
- Armchair includes one cup holder and a nylon carrying case



SEC723



SEC724



Model No.	Mfg. No.	Description	Price /Each
SEC722	12930	Stool	23.75
SEC723	12940	Stool w/ Back Support	30.25
SEC724	12960	Armchair	43.27

R28312E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

759

HEAT STRESS PREVENTION

SQWINCHER® PROTECTS YOU FROM THE INSIDE OUT!

Research shows that a high number of work-related accidents are attributed to "bad judgement" or failure of safety equipment, when in reality, heat stress and fatigue may actually be the cause!

FACT - *Sqwincher*® electrolyte replacement drinks help prevent injuries related to heat stress. *Sqwincher*® is scientifically formulated to replace important body salts and fluids lost through dehydration and provides a supplemental source of energy while quenching thirst in a great tasting way.


HYDRATION FACTS

- Up to a quart of body fluids can be lost during a 1-hour work period. One quart = 32 oz.
- When the first sign of thirst develops, a worker is approximately 3% dehydrated which can reduce their overall work performance by up to 15%
- In the summer, many workers are working in temperatures in excess of 110°F (43°C). In these temperatures, the body will deplete its electrolyte levels dramatically



SQWINCHER® VERSUS WATER

- While water can quench mouth thirst, it cannot immediately restore body thirst
- Dehydration occurs in a variety of forms and depletes muscle cells of electrolytes, important minerals and body fluids, which weaken the cells and keep them from functioning normally
- Water is absorbed slowly from the stomach and cannot be retained in the extra-cellular cavity where dehydration has occurred
- *Sqwincher*® is isotonicity formulated and goes to work 98% faster than pure water and restores electrolytes to the muscle cells within seconds of drinking. In the process, energy levels are restored



FOR MORE INFORMATION ON HOW YOUR COMPANY CAN GET STARTED ON A HYDRATION PROGRAM OR FOR A SQWINCHER® COST ANALYSIS, PLEASE CALL US TODAY!

SQWINCHER® LIQUID CONCENTRATE

- Yields large quantities to cover your whole crew
- Mixes instantly when water is added – no stirring required
- Screw-on cap allows you to reseal the bottle



SQWINCHER® LIQUID CONCENTRATE LITE

- Solution formulated for diabetics or consumers watching their daily carbohydrate intake
- Get the same electrolyte content as regular *Sqwincher*® without any calories or sugar
- Yields large quantities to cover your whole crew
- Mixes instantly when water is added – no stirring required
- Screw-on cap allows you to reseal the bottle



Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield gal.	Price /Each
SAF862	11025	Grape	64	5	26.97
SAP552	11027	Mixed Berry	64	5	26.97
SR933	11020	Lemonade	64	5	26.97
SR934	11021	Orange	64	5	26.97
SR935	11022	Fruit Punch	64	5	26.97
SR936	11023	Lemon Lime	64	5	26.97
SR937	11024	Tropical Cooler	64	5	26.97
SAN540	11011	Orange	32	2.5	13.14
SAF863	11012	Fruit Punch	32	2.5	13.14
QO095	11013	Lemon-Lime	32	2.5	13.14
SAP553	11015	Grape	32	2.5	13.14
SAP554	11014	Tropical Cooler	32	2.5	13.14
SR918	11010	Lemonade	32	2.5	13.14

Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield gal.	Price /Each
SAN533	11050502-FP	Fruit Punch	64	5	25.15
SAN534	11050504-LL	Lemon-Lime	64	5	25.15
SAN535	11050505-LEM	Lemonade	64	5	25.15
SAN536	11050507-OR	Orange	64	5	25.15
SAN528	11050402-FP	Fruit Punch	32	2.5	12.63
SAN529	11050404-LL	Lemon-Lime	32	2.5	12.63
SAN531	11050407-OR	Orange	32	2.5	12.63



SQWINCHER® QWIK STIK LITE - SUGAR FREE

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake



Model No.	Mfg. No.	Flavour	Pouch Size oz.	Pouch Yield oz.	Qty /Box	Price /Box
SAN505	11060100-OR	Orange	0.11	20	50	43.19
SAN506	11060102-FP	Fruit Punch	0.11	20	50	43.19
SAP496	11060101-MB	Mixed Berry	0.11	20	50	43.19

SQWINCHER® POWDER PACK

- Traditional powder pack form
- Mixes quickly and easily with water



Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield gal.	Price /Each
SECS85	11051	Orange	23.83	2.5	9.11
SAF868	11052	Fruit Punch	23.83	2.5	9.31
SAF869	11053	Lemon-Lime	23.83	2.5	9.31
SAF871	11061	Orange	47.66	5	17.23
SECS86	11062	Fruit Punch	47.66	5	16.87
SECS87	11063	Lemon-Lime	47.66	5	16.87

SQWINCHER® FAST PACK®

- Packet can be used as a drinking cup; simply open it and add water to fill
- Handy, portable size lets you take Sqwincher® almost anywhere



Model No.	Mfg. No.	Flavour	Packet Size oz.	Packet Yield oz.	Qty /Box	Price /Box
SAF872	11080	Lemonade	0.6	6	50	36.59
SAF873	11081	Fruit Punch	0.6	6	50	36.59
SAF874	11082	Lemon-Lime	0.6	6	50	36.59
SAF878	11086	Orange	0.6	6	50	36.59

SQWINCHER® READY-TO-DRINK

- Ready-to-drink bottles make hydration simple and easy



Model No.	Mfg. No.	Flavour	Bottle Size oz.	Price /Each
SAF879	11100	Orange	20	2.93
SAF881	11102	Fruit Punch	20	2.93
SAP497	11105	Mixed Berry	20	2.93

SQWINCHER® SQWEEZE FREEZER POPS

- The great taste and performance of Sqwincher® in a refreshing frozen treat
- Simply freeze each package, then Sqweeze!



Model No.	Mfg. No.	Flavour	Package Size oz.	Package Yield	Qty /Box	Price /Box
SAM804	11130	Various*	3	3-oz. Popsicle	150	103.80

* Mixed case consists of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry flavours.

SQWINCHER® LITE READY-TO-DRINK

- Solution formulated for diabetics or consumers watching their daily carbohydrate intake
- Get the same electrolyte content as regular Sqwincher® without any calories or sugar
- Ready-to-drink bottles make hydration simple and easy



Model No.	Mfg. No.	Flavour	Package Size oz.	Price /Each
SECS81	11120	Orange	12	1.79
SECS82	11121	Fruit Punch	12	1.79
SECS83	11122	Grape	12	1.79
SECS84	11123	Mixed Berry	12	1.79

HEAT STRESS PREVENTION

SQWINCHER® SERVASTATIONS®

- Designed to provide the most convenient and cost-effective means to distribute *Sqwincher*®
- Simply mount the *ServaStations*® next to a fountain of water or cooler, employees will easily be able to access *Sqwincher*® and replenish their electrolytes
- The water cooler *ServaStation*® bracket simply slides onto any five-gallon water cooler bottle
- No screws or tools needed
- **Kits include:** Rack, 1 plastic cup dispenser for 12-oz. cups, two 1-oz. pump spouts and 2 tubes of one hundred 12-oz. cups

Model No.	Mfg. No.	Description	Price /Each
SAF898	11331	Water Cooler Rack Only	92.67
SAF899	11301	Wall Mount Rack Only	70.81
SECS80	11330	Water Cooler Kit	192.19
SEB948	11300	Wall Mount Kit	188.83



COOLERS

- 3-gallon and 5.5-gallon coolers allow you to distribute beverages in a variety of locations
- Use indoors and outdoors

Model No.	Mfg. No.	Description	Price /Each
SAF896	11320	3-Gallon Cooler	71.26
SAF897	11321	5.5-Gallon Cooler	79.41



SOFT COOLER BAGS

- Great for the outdoor worker
- Water-proof design will hold ice for several hours, keeping product cold and refreshing
- Features exterior storage pockets and adjustable shoulder strap

Model No. SAN538
Mfg. No. 11322
Price/Each 26.61



ACCESSORIES

CUPS, HOLDERS & BOTTLES

A.



B.



C.



D.



E.




G.



Model No.	Mfg. No.	Description	Price /Each
A. SAF890	11306	Plastic Holder for 4 - 12 oz. Cone Cups	34.60
B. SAF892	11307	4-oz. Cone Cups - 200/pkg.	12.34
C. SAF894	11305	5-oz. Sqwincher® Cup - 100/pkg.	14.99
D. SAF895	11304	12-oz. Sqwincher® Cup - 100/pkg.	19.17
E. SAF893	11315	20-oz. Sqwincher® Bike Bottles	7.25
F. SAF900	11325	Truck Mount Carrier	98.83
G. SAF901	11302	1-oz. Pump Spout	7.28

F. TRUCK MOUNT CARRIER

Lightweight welded rod design with sturdy retaining strap to hold cooler securely while in transport. Accommodates 3-gallon and 5.5-gallon coolers.



F.

HINGED KNEE PADS

- Cover flexes with knee to keep pad snug and debris out
- Hard cap cover for extra durability
- Premium removable cover for quick cleaning, with a *Coolmax*® liner for dry comfort
- Flame laminated inner sponge for added comfort
- Two velcro straps for easy donning
- One size fits all

Model No. SEB486

Mfg. No. 18210

Price/Each \$28.51



SEB486



FOAM KNEE PADS

- Durable copolymer foam padding provides excellent protection and value
- Form fitted, lightweight molded pad with ribbed kneeling surface
- *Coolmax*® lining for superior comfort
- Single strap
- One size fits all

Model No. SEB475

Mfg. No. 200

Price/Each \$11.81



SEB475



ALL TERRAIN COMFORT KNEE PADS

- Patented suspension and design redirect pressure away from the patella
- Patented cover design delivers stability on all terrain and surfaces

HONEYCOMB GEL

- Lightweight gel protection and stability
- Lower strap and elastic sleeves eliminate irritation
- 10 mm honeycomb gel and EVA foam for lightweight comfort
- Upper and lower elastic sleeves hold knee pad in place
- Lower elastic strap with velcro closure
- One size fits all



Model No.	Mfg. No.	Description	Price /Each
SEB123	357	Short Cap	44.77
SEB124	347	Long Cap	70.43

SEB124



SEB123



INJECTED GEL

- Optimal gel comfort
- 10 mm injected gel and PU foam for long lasting comfort

Short Cap Injected Gel:

- Short cap design for lightweight, mobile protection
- Lower strap with buckle closure, upper elastic strap with velcro closure
- Snap on cap is easily removable for 2-in-1 kneepad
- Great for multiple surfaces

Long Cap Injected Gel:

- Long cap design optimizes stability
- Breathable, wide tira strap with velcro closure
- Strap design uses calf muscle to eliminate discomfort behind knee



Model No.	Mfg. No.	Description	Price /Each
SEB477	355	Long Cap	88.39
SEB478	345	Short Cap	62.22

SEB478



SEB477



KNEELING PADS

- Comfort for static kneeling situations
- Closed cell foam is non-conductive, resistant to petroleum and silicon-free
- Convenient handle included



Model No.	Mfg. No.	Dimensions"	Price /Each
SEB125	380	14 x 20 x 1	45.21
SEB479	385	16 x 28 x 1	66.68
SEB480	390	18 x 36 x 1	122.25

SEB125



ERGONOMICS

FLEXIBLE KNEE PADS

- Lightweight molded knee pad
- High density foam padding
- Nylon top cover
- Abrasion resistant plastic cover attached with grommets
- Adjustable double elastic straps
- Hook and loop closure

Model No. SEE110
Price/Each \$19.39



SOFT NYLON KNEE PADS

- Molded foam padding with breathable Coolmax® lining
- Removable non-marring nylon outer cover
- Double elastic straps
- Hook and loop closure

Model No. SEE111
Price/Each \$30.72



PLASTIC CAP KNEE PADS

- Foam padding with nylon top cover
- Ribbed surface helps prevent slipping
- Sewn-on ribbed plastic cover is non-marring
- Top elastic strap and bottom webbing strap with plastic buckle closure

Model No. SEE112
Price/Each \$21.54



GEL COMFORT KNEE PADS

- Copolymer cover easily slides on smooth surfaces
- Honeycomb gel padding helps disperse pressure away from the patella bone
- Dual adjustable straps with hook and loop closure
- Non-marring for delicate surfaces

Model No. SAQ163
Price/Each \$25.51



WELDING KNEE PADS

Made of heat resistant leather with a flexible non-skid cap designed to stand up to the everyday demands of the welding environment. Not just for welding jobs, this knee pad is a good choice in any high heat application such as smelters and foundries.

Model No. SM777
Price/Each \$47.21



HARD SHELL KNEE PADS

- Hard, durable, shell caps with tough fabric
- Thick foam padding and adjustable closures
- Ideal for professional trades

TN241



TN240



Priced per Pad

Model No.	Mfg. No.	Description	Price /Each
TN240	KP-300	Heavy-Duty Leather Knee Pad	30.71
TN241	KP303	Hard Shell Knee Pad	28.19

R35493E

ZENITH®
Safety Products

We guarantee your safety!

TENNIS ELBOW BRACES

- Supports the upper forearm during activities involving repeated hand motion
- Provides relief and prevention of pain related to muscle strain, tendinitis, repetitive motion, carpal tunnel syndrome, lateral epicondylitis
- Adjustable strap with hook and loop closure



IMPACTO
Protective Products Inc.



Model No.	Mfg. No.	Measurement"	Price /Each
SEE114	EL5002S	9 to 10.5	14.18
SEE115	EL5002M	11 to 12	14.18
SEE116	EL5002L	12 to 14	14.18
SEE117	EL5002XL	14 to 16.5	14.18

ELBOW PROTECTORS

Pull-on style, viscoelastic elbow pad provides excellent protection from impacts and pressure points. Made from stretch fabric with a grain leather cover.



IMPACTO
Protective Products Inc.



Model No.	Mfg. No.	Size	Price /Each
SPLIT LEATHER			
SR325	806-10S	Small	15.30
SR326	806-10M	Medium	15.30
SR327	806-10L	Large	15.30
SR328	806-10XL	X-Large	15.30
GRAIN LEATHER			
SR321	806-20S	Small	17.48
SR322	806-20M	Medium	17.48
SR323	806-20L	Large	17.48
SR324	806-20XL	X-Large	17.48

FOREARM PROTECTORS

- Layered foam and viscoelastic pad
- Protects forearm from impact or pressure points
- Tubular poly/cotton lycra sleeve with grain leather cover



IMPACTO
Protective Products Inc.



Model No.	Mfg. No.	Size	Price /Each
SPLIT LEATHER			
SR317	805-10S	Small	22.51
SR318	805-10M	Medium	22.51
SR319	805-10L	Large	22.51
SR320	805-10XL	X-Large	22.51
GRAIN LEATHER			
SR313	805-20S	Small	24.79
SR314	805-20M	Medium	24.79
SR315	805-20L	Large	24.79
SR316	805-20XL	X-Large	24.79

THERMO WRAP TENNIS ELBOW SUPPORTS

- Layered heat retaining materials
- Soft lining wicks away moisture and keeps skin warm
- Aids in the prevention and treatment of medical-lateral epicondylitis
- Prevents overloading where forearm strain is an occupational hazard
- Padding provides localized compression to the problem area
- Adjustable hook and loop closure



IMPACTO
Protective Products Inc.

Model No.	Mfg. No.	Measurement"	Price /Each
SEE118	TS205S	9 to 10.5	25.21
SEE119	TS205M	11 to 12	25.21
SEE120	TS205L	12 to 14	25.21
SEE121	TS205XL	14 to 16.5	25.21

THERMAL WRIST WRAPS

- Relieves stress, strains, swelling and tendinitis by providing a wrist joint compression support
- Allows for free hand movement
- Jersey-covered neoprene retains body heat
- Hook and loop closure

Model No. SEE127
Mfg. No. ER101
Price/Each \$13.88



AMBIDEXTROUS ONE SIZE WRIST SUPPORTS

- Absorbs impact-induced vibrations before reaching the elbow
- Universal 3" elastic wrist support with a poly/cotton covered Sorbothane® strip
- Adjustable hook and loop closure

Model No. SEE126
Mfg. No. ERWW
Price/Each \$9.59



AMBIDEXTROUS WRIST SUPPORTS

- Seamless cotton/polyester/elastic knit anchor
- Adjustable Sorbothane® wrist support maximizes comfort
- Reduces wrist flexing
- Ergonomically positioned hook and loop closure



Model No.	Mfg. No.	Size	Price /Each
SEE122	ER1000S	Small	18.99
SEE123	ER1000M	Medium	18.99
SEE124	ER1000L	Large	18.99
SEE125	ER1000XL	X-Large	18.99



IMPACTO
Protective Products Inc.

THERMO WRAP WRIST SUPPORTS

- Non-porous rubberized material captures body heat
- Lining wicks away moisture which helps prevent skin irritation
- Increases circulation and provides compression and support
- Loops around thumb
- Hook and loop closure



SEE128



IMPACTO®
Protective Products Inc.

Model No.	Mfg. No.	Measurement"	Price /Each
SEE128	TS226SS	4.5 to 6.25	20.72
SEE129	TS226M	6.5 to 7.5	20.72
SEE130	TS226LXL	7.75 to 10	20.72

ELASTIC WRIST RESTRAINERS

- Restricts the wrist from over flexing and over extension
- Flexible spiral stay on palm side
- Loops around thumb
- Single elastic strap with hook and loop closure



SEE131



IMPACTO®
Protective Products Inc.

Left Model No.	Mfg. No.	Right Model No.	Mfg. No.	Measurement"	Price /Each
SEE131	EL40SL	SEE135	EL40SR	4.5 to 5.5	17.15
SEE132	EL40ML	SEE136	EL40MR	6.5 to 7.5	17.15
SEE133	EL40LL	SEE137	EL40LR	7.5 to 8.5	17.15
SEE134	EL40XLL	SEE138	EL40XLR	8.5 to 11	17.15

ANTI-VIBRATION FITTERS GLOVES

- Full finger anti-vibration fitters *Air Glove®*
- Impact, abrasion and vibration protection
- Utilizes *Air Glove®* technology in the palm, fingers and thumb
- Soft pearl leather palm and fingers
- Cotton back for breathability, cotton safety cuff
- Air chamber has multiple individual cells to assure durability
- Meets anti-vibration glove standard ANSI S340/2002: ISO10819:1996



SAR681



IMPACTO®
Protective Products Inc.

Priced per Pair			
Model No.	Mfg. No.	Size	Price /Each
SAR681	BGFITL-S	Small	56.32
SAR682	BGFITL-M	Medium	56.32
SAR683	BGFITL-L	Large	56.32
SAR684	BGFITL-XL	X-Large	56.32

ADJUSTABLE WRIST WRAPS

- Adjustable moderate support, keeps wrist in neutral position; good for sprains, strains, minor complaints
- Economical wrist wrap fits right or left hand, one size fits all; thumb loop keeps support in place
- *Tradewinds™* open-cell neoprene construction, which breathes and stays comfy in hot, humid weather or under clothing
- Compression is easily adjusted with hook and loop closure
- Washable, dry flat

Model No. SAK698
Mfg. No. 90101
Price/Each \$19.65



SAFETY

DUAL ELASTIC WRIST RESTRAINERS

- Restricts the wrist from over flexing and over extension
- Flexible spiral stay on palm side
- Loops around thumb
- Single elastic strap with hook and loop closure
- Ideal for carpal tunnel sufferers



SEE139



IMPACTO®
Protective Products Inc.

Left Model No.	Mfg. No.	Right Model No.	Mfg. No.	Measurement"	Price /Each
SEE139	EL41SL	SEE143	EL41SR	4.5 to 5.5	23.68
SEE140	EL41ML	SEE144	EL41MR	6.5 to 7.5	23.68
SEE141	EL41LL	SEE145	EL41LR	7.5 to 8.5	23.68
SEE142	EL41XLL	SEE146	EL41XLR	8.5 to 11	23.68

WRIST SUPPORTS

- Provides repetitive strain protection
- Helps prevent over extension and over flexion of the wrist
- Fingerless nylon/lycra palm
- Grain leather wrist support with hook and loop closure



SAR677



IMPACTO®
Protective Products Inc.

Right Model No.	Mfg. No.	Left Model No.	Mfg. No.	Size	Price /Each
SAR677	705-20S-R	SAS168	705-20S-L	Small	17.35
SAR678	705-20M-R	SAS169	705-20M-L	Medium	17.35
SAR679	705-20L-R	SAS170	705-20L-L	Large	17.35
SAR680	705-20XL-R	SAS171	705-20XL-L	X-Large	17.35

GEL-PADDED WORK GLOVES

- General purpose work glove
- Abrasion and impact protection
- Padding in the palm and index finger
- Half finger work glove
- Terry cloth and grey spandex back
- Terry cloth thumb, black leather palm
- Wrist tab with hook and loop closure
- Open back for cool comfort



SAR673



IMPACTO®
Protective Products Inc.

Priced per Pair			
Model No.	Mfg. No.	Size	Price /Each
SAR673	400-00S	Small	18.05
SAR674	400-00M	Medium	18.05
SAR675	400-00L	Large	18.05
SAR676	400-00XL	X-Large	18.05

PROFLEX® 1650 ECONOMY ELASTIC

- Adjustable two-stage closure adjusts first for exact fit, and then for desired level of tension when ready to lift, to help remind wearer to lift properly
- Single layer 5" elastic cinch strap for positive tension
- Adjustable 1 1/2" knit elastic suspenders are detachable and cut wider for improved comfort and fit
- Knit elastic body material provides firm support, along with comfort, fit and durability
- Machine washable
- Colour: Black



Model No.	Mfg. No.	Size	Price /Each
SAI215	11091	X-Small	19.36
SAI216	11092	Small	19.36
SAI217	11093	Medium	19.36
SAI218	11094	Large	19.36
SAI219	11095	X-Large	19.36
SAI220	11096	2X-Large	19.36
SAI221	11097	3X-Large	19.36
SAI222	11098	4X-Large	19.36

PROFLEX® 100 ECONOMY SPANDEX

- Rubber track webbing helps keep support in position
- Economical 280D Spandex body material
- Adjustable and detachable suspenders
- Non-conductive polypropylene stays
- Stretchable bias binding with zig-zag stitching



Model No.	Mfg. No.	Size	Price /Each
SEB206	11381	X-Small	30.50
SEB207	11382	Small	30.50
SEB208	11383	Medium	30.50
SEB209	11384	Large	30.50
SEB210	11385	X-Large	30.50
SEB211	11386	2X-Large	30.50
SEB212	11387	3X-Large	30.50
SEB213	11388	4X-Large	30.50

PROFLEX® 1600 STANDARD ELASTIC

- 9" (22.8 cm) premium all-elastic body for extra firm support
- Contoured high-cut front panel
- Rubber track webbing
- Adjustable and detachable suspenders
- Non-conductive polypropylene stays
- Stretchable bias binding with zig-zag stitching



Model No.	Mfg. No.	Size	Price /Each
SEE282	11102	Small	42.62
SEE283	11103	Medium	42.62
SEE284	11104	Large	42.62
SEE285	11105	X-Large	42.62

PROFLEX® 1051 MESH WITH LUMBAR PAD

- Breathable mesh outer shell provides a cool, comfortable wear
- Uniquely designed with ventilated lumbar pad to fill the gap in the back's natural curve for comfortable support
- Adjustable two-stage closure helps remind wearers to lift properly
- Power panel positioner keeps elastic bands close to sides for ease of use
 - won't fall out of reach when not in use
- Machine washable
- Colour: Black



Model No.	Mfg. No.	Size	Price /Each
SAI223	20183	Small	38.30
SAI224	20184	Medium	38.30
SAI225	20185	Large	38.30
SAI226	20186	X-Large	38.30
SAI227	20187	2X-Large	38.30

PROFLEX® 2000SF PERFORMANCE SPANDEX & 1100SF STANDARD SPANDEX

- Patented *Sticky Fingers*® stays deliver firm, continuous lower back and abdominal support, and have greater durability and gripping properties than industry-standard, rubber-tracked tape
- Power panel positioner keeps elastic bands close to sides for ease of use and won't fall out of reach when not in use
- Woven cinch tabs are reinforced to stand up to daily wear
- Durable Spandex body cloth provides an ideal combination of breathability and consistent stretch
- Adjustable two-stage closure helps remind wearers to lift properly
- Machine washable
- Colour: Black



PROFLEX® 1100SF

- 1 1/4" knit elastic suspenders are adjustable and detachable to improve comfort and fit

PROFLEX® 2000SF

- Patented contoured design comfortably hugs the body and naturally positions support on wearer
- 1 1/4" premium woven elastic suspenders are adjustable and detachable to improve comfort and fit



Model No.	Mfg. No.	Size	Price /Each
PROFLEX® 1100SF			
SAI199	11601	X-Small	37.10
SAI200	11602	Small	37.10
SAI201	11603	Medium	37.10
SAI202	11604	Large	37.10
SAI203	11605	X-Large	37.10
SAI204	11606	2X-Large	37.10
SAI205	11607	3X-Large	37.10
PROFLEX® 2000SF			
SAI207	11281	X-Small	49.03
SAI208	11282	Small	49.03
SAI209	11283	Medium	49.03
SAI210	11284	Large	49.03
SAI211	11285	X-Large	49.03
SAI212	11286	2X-Large	49.03
SAI213	11287	3X-Large	49.03
SAI214	11288	4X-Large	49.03

Measure around the waist. A back support should fit snugly around the waist but not too tightly that it can't be cinched to a comfortable closure when ready to lift.

Size	Fits
X-Small	22" to 25" (56-64 cm)
Small	25" to 30" (64-76 cm)
Medium	30" to 34" (76-86 cm)
Large	34" to 38" (86-97 cm)
X-Large	38" to 42" (97-107 cm)
2X-Large	42" to 46" (107-117 cm)
3X-Large	46" to 52" (117-132 cm)
4X-Large	52" to 58" (132-147 cm)

BACK SUPPORTS

BACK SUPPORTS – PREVENT PAINS, STRAINS, INJURIES & REDUCE FATIGUE. PROTECT YOURSELF!

Improves lifting technique and encourages correct posture when lifting, standing, sitting or driving. Delivers firm comfortable broad lower back and abdominal support by enhancing intra-abdominal pressure to equalize stress away from spine. All models are machine washable.

BACK SUPPORTS

- Reduces risk of lower back injury and offers added support
- Encourages proper lifting posture
- Adjustable two-stage straps permit optimal level of tension
- Double closure on cinch strap permits more adjustment options
- Adjustable elastic suspenders for maximum comfort and fit
- 8" reinforced primary belt
- Machine washable



ZENITH®
Safety Products

Model No.	Size	Price /Each
SEE905	Small	17.25
SEE906	Medium	17.25
SEE907	Large	17.25
SEE908	X-Large	17.25
SEE909	2X-Large	17.25
SEE910	3X-Large	17.25

BASIC SUPPORTS

- Economical approach to back safety
- Breathable 8" primary belt *Lycra®* Spandex and knit elastic construction
- Comfortable high rise panel design with four nylon stays and 4" wide side pulls
- Velcro hook and loop closure system
- Available in black with 1 1/2" wide shoulder straps



DECADÉ®
RESEARCH DRIVEN

Model No.	Mfg No.	Size	Fits Waist"	Price /Each
SE525	0333-XS	X-Small	23 - 27	30.32
SE526	0333-S	Small	28 - 32	30.32
SE527	0333-M	Medium	33 - 37	30.32
SE528	0333-L	Large	38 - 44	30.32
SE529	0333-XL	X-Large	45 - 51	30.32

INDUSTRIAL BACK SUPPORTS

- Strategically contoured to provide firm support to key areas of abdomen and lower back
- Width of primary belt is 8"
- Cool two-way stretch power knit primary belt positions boning stays on lower back and is flexible to move with the body
- Triple-lock closure on cinch strap allows for a tighter adjustment option before lifting
- Industrial knit elastic cinch straps and shoulder straps
- Molded HTH velcro fastener
- Positive anchoring system achieved through two-way stretch binding and rubberized interior pockets with spring steel stays conforms to the body providing lower back support and preventing belt from riding up
- Available in black with adjustable 1 1/2" elastic sewn-on suspenders



DECADÉ®
RESEARCH DRIVEN

Model No.	Mfg No.	Size	Fits Waist"	Price /Each
SE537	4643-XS	X-Small	23 - 27	49.42
SE538	4643-S	Small	28 - 32	49.42
SE539	4643-M	Medium	33 - 37	49.42
SE540	4643-L	Large	38 - 44	49.42
SE541	4643-XL	X-Large	45 - 51	49.42
SE542	4643-2XL	2X-Large	52 - 56	49.42

ACCUPRESSURE® BELTS

- Proprietary acupressure-effect pad made with composite lightweight materials works bio-mechanically to reduce the over-reaction of the back muscles during an unexpected loading event
- High-density woven elastic cinch straps give consistent superior performance over long-term use
- Triple lock cinch strap feature
- Variable number of spring steel orthopaedic boning stays according to support size
- Quick-release shoulder straps provide flexibility and safety for wearers
- Measurement is made around hips below the navel
- Sizes differ from other supports to place *Accupressure®* pad correctly over the hips



DECADÉ®
RESEARCH DRIVEN

Model No.	Mfg No.	Size	Fits Waist"	Price /Each
SAK691	48030	X-Small	23 - 27	98.82
SAK692	48031	Small	28 - 32	98.82
SAK693	48032	Medium	33 - 37	98.82
SAK694	48033	Large	38 - 44	98.82
SAK695	48034	X-Large	45 - 51	98.82
SAK696	48035	2X-Large	52 - 56	98.82

PRICING

The prices shown in this catalogue are for "REFERENCE AND BUDGET PURPOSES ONLY" as of July 2012, and should be used exclusively as a guideline.

Freight charges and applicable taxes (GST, PST & HST) are extra.

In the event of a pricing or typographical error, we reserve the right to charge the correct price without prior notice.

We also reserve the right to modify prices based on changing manufacturer and economic conditions.

SPECIAL ORDERS

This catalogue represents only a portion of the products that are available to you. If you can't find what you need, please call us!

Canada's Best Value in Industrial Tools... Period.



aurora tools®

GLOVE SELECTION GUIDE



LEATHER MATERIALS

COWHIDE GRAIN

- Excellent comfort and durability
- Good abrasion resistance and dexterity
- Resists oil and water
- Smooth finish



PIGSKIN

- Excellent comfort and dexterity
- Superior performance in wet applications
- Superior breathability



COWHIDE SPLIT

- Good abrasion resistance
- Economical
- Rough suede like finish



DEERSKIN

- Superior dexterity
- Extremely comfortable and soft



COATED & CHEMICAL RESISTANT MATERIALS

NITRILE (SYNTHETIC RUBBER)

- Resists abrasions, snags, cuts and punctures
- Excellent resistance to many oils, fuels, acids and solvents
- Suitable for people with latex allergies
- Superior dexterity



PVC/VINYL

- Excellent resistance to many oils, chemicals and acids
- Provides good abrasion resistance
- Good flexibility



NATURAL RUBBER/LATEX

- Resists cuts, punctures and slashes
- Superior elasticity



POLYURETHANE

- Excellent dexterity and flexibility
- Superior grip and abrasion resistance
- Resists many chemicals



FOAM NITRILE

- Absorbs oils better than flat coating
- Superior grip in oil and grease environments
- Resists abrasions, snags, cuts and punctures



GENERAL PURPOSE MATERIALS

COTTON

- Excellent comfort and breathability
- Good abrasion resistance
- Moderate heat protection in heavyweight styles
- Economical



POLY/COTTON

- Polyester and cotton blend
- Moderate abrasion resistance
- Excellent dexterity and breathability



JERSEY

- Superior fit and comfort
- Moderate heat protection



CUFF STYLES

Safety Cuff



Starched, rubberized or plasticized, 2" to 3" long. Designed with a slit at the side to enable quick removal in emergency situations.

Knit Wrist Cuff



Stretch-knit fabric, 2" to 3" long. Designed for basic protection and to prevent debris from entering the glove.

Gauntlet Cuff



Same features as safety cuff, but longer – 4" to 5" long. Provides extra forearm protection and allows sleeves to be tucked in.

Slip-On Cuff



No cuff, ends at the wrist. Easy and quick donning and doffing.

Beaded Cuff



Rolled cuff, increased strength and protection to prevent liquid from entering the glove.

CUFF MATERIALS

STARCHED

Laminated double layer of fabric, minimal protection

CANVAS

Single layer of cotton, minimal protection

DENIM

Single layer of fabric, minimal protection

PLASTICIZED (PE)

Washable polyethylene layer sandwiched by fabric layers, moderate protection

RUBBERIZED

Durable rubber layer sandwiched by fabric layers, excellent protection

LEATHER

Heavy layer of split cowhide, superior protection

Call us for all your
Safety Equipment
& Supplies
requirements!



INSPECTION GLOVES

POLY/COTTON INSPECTION GLOVES

- Protects products from fingerprints, hand oils and scratches
- Can be worn as a liner with liquid proof gloves to absorb perspiration
- Medium and heavyweight have hemmed cuff
- Slip-on style

Applications: General inspection in industries where product protection is essential.

Case Qty: 1200

Priced per Pair

Model No.	Description	Size	Price /Each
LIGHTWEIGHT COTTON			
SEE783	Rough Edge	Ladies	0.32
SM515	Rough Edge	Men's	0.60
MEDIUM WEIGHT POLY /COTTON			
SF928	Sewn Edge	Ladies	0.70
SE350	Sewn Edge	Men's	0.67
HEAVYWEIGHT COTTON			
SM880	Sewn Edge	Ladies	0.77
SAI432	Sewn Edge	Men's	0.82

NYLON INSPECTION GLOVES

- Tricot nylon fabric construction
- Low lint material provides excellent product protection
- Superior touch sensitivity
- Hemmed cuff provides secure fit

Applications: Electronics inspection, paint line inspection and other low lint applications.

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SEE791	Ladies	1.20
SEE792	Large	1.25

POLY/COTTON KNIT WRIST INSPECTION GLOVES

- Blend of 65% polyester and 35% cotton knit
- Protects against fingerprints, hand oils and scratches
- May be used as a liner with unlined liquid proof gloves

Applications: Cleanliness inspection.

Case Qty: 600

Priced per Pair

Model No.	Size	Price /Each
SI771	Ladies	0.65
SI770	Men's	0.79

PARADE/WAITER'S GLOVES

- 100% cotton white parade/waiter's glove with hemmed cuff

Case Qty: 300

Priced per Pair

Model No.	Size	Price /Each
SAJ763	Small	0.96
SAJ764	Medium	0.96
SAJ765	Large	0.96
SAJ766	X-Large	0.96

PREMIUM STRING KNIT GLOVES

- Cotton/nylon/spandex blend
- Elastic knit wrist
- Optimal fit
- Superior comfort
- Premium dexterity and sensitivity

Model No.	Size	Price /Each
SED611	Small	1.95
SED612	Medium	1.95
SED613	Large	1.95

POLY/COTTON STRING KNIT GLOVES

- String knit design provides excellent breathability
- Reversible pattern extends wear life
- Superior comfort
- Reduced hand fatigue
- Launderers exceptionally well
- Knit wrist prevents debris from entering the glove
- Accepted for use in Canadian food processing facilities

Applications: Parts handling, assembly, food processing and glove liner.



Case Qty: 600

Price per Pair

Model No.	Size	Price /Each
SEE932	X-Small	0.55
SEE933	Small	0.55
SEE934	Medium	0.60
SEE935	Large	0.60
SEE936	X-Large	0.65
SEE937	2X-Large	0.70



SEE933

POLY/NYLON STRING KNIT GLOVES

- String knit polyester/nylon blend
- Knit wrist prevents debris from entering the glove
- Known as a fisherman's glove
- Ideal for food processing
- Repels liquids
- Remains lightweight when wet

Case Qty: 360

Price per Pair

Model No.	Size	Price /Each
SAP722	Medium	1.68
SAP723	Large	1.66



SAP722

THERMASTAT® KNIT GLOVES

- Thermal insulation for warmth
- Knitted from DuPont's Thermastat® fibre
- Soft and non-chaffing with fast wicking action for greater dryness
- Use as a liner or on its own
- Ambidextrous
- CE intermediate design
- Accepted for use in Canadian food processing facilities

Applications: Food and fishing industries, construction, food retailing and general outdoor work.



Case Qty: 144

Price per Pair

Model No.	Mfg. No.	Size	Price /Each
SAJ772	KT1	One size fits all (9 1/2")	4.38



SAJ772

Call us for all your
Safety Equipment
& Supplies
requirements!



JERSEY & CANVAS GLOVES

COTTON CANVAS GLOVES

- Excellent comfort, dexterity and breathability
- Moderate abrasion resistance
- Knit wrist
- Heavier weights provide enhanced protection and extended wear

Applications: Material handling, automotive, assembly and construction.



Case Qty: 300

Priced per Pair

Model No.	Fabric Weight oz	Size	Price /Each
SEE846	7	Large	0.90
SEE847	8	Medium	0.94
SEE848	8	Large	0.94
SEE849	8	X-Large	0.98
SEE850	12	Large	1.30



BROWN JERSEY GLOVES

- Durable poly/cotton fabric construction
- 65% polyester, 35% cotton
- Moderate abrasion resistance
- Excellent comfort, dexterity and breathability
- Provides moderate warmth

Applications: Light-duty material handling, warehousing, automotive and as winter liner.



Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
SEE949	Slip-on style, red fleece lining	Large	144	1.65
SEE950	Knit wrist	Large	300	0.90



SEE950



SEE949

ORIGINAL SUPER GREEN KING™ GLOVES

- Unique extra heavy weight cotton flannel
- High quality fabric allows for repeated launderings with minimal colour loss
- Excellent comfort and warmth
- Snug green and white knit wrist maintains stretch even after numerous washing



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SED899	SGK	Large	8.30



SPLIT COWHIDE PATCH PALM FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Patch palm design
- Starched safety cuff
- Full leather-tipped fingers and knuckle straps

Applications: Material handling, fabrication, metal handling and construction



SAP225



SAN382



SAN636

Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
SA622	Standard Quality, Striped Cuff	Large	1.70
SAN636	Better Quality, Denim Cuff	Large	1.80
SAN382	Better Quality, Striped Cuff	Large	1.80
SAP231	Better Quality, Striped Cuff	X-Large	2.00
SAP225	Superior Quality, Striped Cuff	Large	2.15

SUPERIOR QUALITY SPLIT COWHIDE FITTERS DOUBLE PALM GLOVES

- Double layer of leather for premium protection
- Excellent abrasion resistance
- Absorbent cotton-lined palm
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Heavy-duty material handling, fabrication and metal handling



SM578

SD604

SE349



SM579

Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
SM578	Outside Double Palm & Index Finger	Large	2.55
SM579	Outside Double Palm & Index Finger, 4" Gauntlet Cuff	Large	2.75
SD604	Outside Double Palm, Index Finger & Finger Tips	Large	3.40
SE349	Inside Double Palm & Index Finger	Large	3.10

SPLIT COWHIDE LEATHER PALM GLOVES

- Rugged split cowhide leather construction
- Good abrasion resistance
- Cotton back provides superior breathability
- Knit wrist

Applications: Material handling, automotive, assembly and construction



SAP296



SM573



SAP297

Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
SM572	Standard Quality, White Back, Patch Palm	Large	144	1.65
SN266	Better Quality, White Back	Ladies	120	1.70
SAP274	Better Quality, White Back	Medium	300	1.70
SA616	Better Quality, White Back	Large	144	1.75
SAP294	Better Quality, White Back	X-Large	300	1.95
SM573	Better Quality, White Back, Full Index Finger	Large	300	1.85
SAP297	Better Quality, Stripped Back	Large	300	1.75
SAP296	Superior Quality, White Back	Large	120	1.95



SM572

LEATHER GLOVES

SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Material handling, fabrication, metal handling and construction



SAP224



SM575



SM576

Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
SAN638	Standard Quality	Large	120	2.10
SM575	Better Quality	Large	120	2.20
SAP228	Better Quality	X-Large	60	2.70
SM576	Better Quality, 4" Gauntlet Cuff	Large	60	2.55
SAP224	Superior Quality	Large	120	2.80

SUPERIOR QUALITY SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Launderable PE cuff on order SAP226

Applications: Material handling, fabrication, metal handling and construction



SAP227



SAP226



SD603

Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
SAS503	Rubberized Cuff	Ladies	120	2.40
SG281	Rubberized Cuff	Medium	120	2.40
SD602	Rubberized Cuff	Large	120	2.45
SD603	Rubberized Cuff	X-Large	120	2.75
SAP229	Rubberized Cuff	2X-Large	120	2.95
SAP298	Rubberized 4" Gauntlet Cuff	Large	60	2.65
SAP227	Premium Quality, Rubberized Cuff	Large	120	2.65
SAP226	PE Cuff	Large	120	2.45



SAP298

SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton-lined palm
- Full leather-tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SED160	Large	4.25

SUPERIOR QUALITY SPLIT COWHIDE LEATHER GLOVES

- Top split cowhide leather construction
- Good abrasion resistance
- Unlined palm
- Full split leather cuff

Applications: Material handling, fabrication, metal handling and construction



Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
SAL592	2" Cuff	Large	2.90
SAL253	4" Cuff	Large	3.30

GRAIN COWHIDE PATCH PALM FITTERS GLOVES

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton-lined palm
- Resists oil and water absorption better than split leather

- Patch palm design delivers added savings
- Full leather-tipped fingers and knuckle strap provide increased protection

Applications: Material handling, fabrication, metal handling and construction



Case Qty: 120

Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
YC386	Standard Quality, Safety Cuff	Large	120	3.35
SAJ497	Better Quality, Safety Cuff	Large	120	3.80
SEC594	Better Quality, 4 3/4 Gauntlet Cuff	Large	120	4.30
SAP230	Better Quality, Rubberized Cuff	X-Large	120	4.15
SAP234	Superior Quality, Rubberized Cuff	Large	120	4.15



YC386

SUPERIOR QUALITY LINED GRAIN COWHIDE FITTERS GLOVES

- Cotton-lined palm keeps hands dry
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability
- Rubberized cuff for ultimate protection

- Full leather-tipped fingers and knuckle strap provide increased protection

Applications: Material handling, fabrication, metal handling and construction



Priced per Pair

Model No.	Description	Size	Case Qty	Price /Each
SAS502	Superior Quality	Ladies	120	4.15
SM582	Superior Quality	Medium	120	4.40
SAJ023	Superior Quality	Large	120	4.55
SAP232	Superior Quality	X-Large	60	5.20
SM583	Superior Quality, 4" Gauntlet Cuff	Large	120	5.10
SAP223	Double Palm & Index, Premium Quality	Large	120	7.10
SAP233	Premium Quality	Large	120	5.10



SM583



SAP223

SUPERIOR QUALITY UNLINED GRAIN COWHIDE FITTERS GLOVES

- Unlined palm for improved dexterity and sensitivity
- Resist oil and water absorption better than split leather
- Superior abrasion resistance
- Excellent comfort and durability

- Rubberized cuff for ultimate protection
- Full leather-tipped fingers and knuckle strap provide increased protection

Applications: Material handling, fabrication, metal handling and construction



Priced per Pair

Model No.	Size	Case Qty	Price /Each
SEC139	Ladies	120	4.20
SEB100	Medium	120	4.40
SA619	Large	120	4.55
SEB101	X-Large	120	5.20
SEB102	2X-Large	120	5.45



SA619

GRAIN COWHIDE FITTERS STANDARD QUALITY GLOVES

- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Starched safety cuff

- Full leather-tipped fingers and knuckle strap

Applications: Material handling, fabrication, metal handling and construction



Priced per Pair

Model No.	Description	Size	Price /Each
SA0051	Unlined Palm	Large	4.05
SA0052	Cotton-Lined Palm	Large	4.05



SA0052

LEATHER GLOVES



PREMIUM QUALITY GRAIN COWHIDE LEATHER GLOVES

- Superior abrasion resistance
- Unlined, full grain cowhide palm
- Full split leather 4" gauntlet cuff

Applications: Material handling, fabrication, metal handling and construction



Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
SI842	Split Back	Large	5.85
SM592	Cowhide Back	Large	7.50



PREMIUM QUALITY GRAIN COWHIDE LEATHER GLOVES

- Premium cow grain palm and index leather construction
- Top split cowhide leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional durability



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SEE287	Small	8.20
SEE288	Medium	8.75
SEE289	Large	9.15
SEE290	X-Large	9.50
SEE291	2X-Large	10.10



GRAIN COWHIDE FURNITURE LEATHER GLOVES

- Durable construction
- Resists oil and water
- Cotton-lined patch palm style
- Starched safety cuff
- Smooth grain leather finish

Applications: Material handling, fabrication, metal handling and construction



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAN270	Large	2.50



GRAIN PIGSKIN FITTERS GLOVES

- Good abrasion resistance
- Good dexterity
- Superior comfort and breathability
- Performs well in wet applications
- Absorbent cotton-lined palm
- Safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Material handling, fabrication and construction

Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
STANDARD QUALITY			
SM580	Safety Cuff	Large	4.25
PREMIUM QUALITY			
SAP222	Rubberized Cuff	Large	4.70



SPLIT PIGSKIN FITTERS GLOVES

- Good abrasion resistance
- Good dexterity
- Superior comfort and breathability
- Performs well in wet applications
- Absorbent cotton-lined palm
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Material handling, fabrication and construction

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SA0156	Large	2.20
SAP353	X-Large	2.40



SPLIT BACK DRIVERS GRAIN PALM GLOVES

- Grain leather provides excellent dexterity and abrasion resistance
- Unlined palm with a split leather back
- Gunn-cut design with keystone thumb and elastic back



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAJ651	Small	4.90
SAJ652	Medium	5.10
SAJ653	Large	5.25
SAJ654	X-Large	5.55



GRAIN COWHIDE DRIVERS GLOVES

- Excellent comfort, durability and dexterity
- Oil and water resistant
- Smooth leather finish
- Unlined palm
- Provides a snug fit and a good sense of touch

Applications: Forklift and truck driver use, construction and farm equipment handling



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SM584	Small	6.90
SM585	Medium	7.10
SM586	Large	7.30
SM587	X-Large	7.80



BISON DRIVERS GLOVES

- Premium grain bison leather palm with split cowhide back provides superior comfort, durability and dexterity
- Driver style pattern features a smooth leather finish, unlined palm and provides a snug fit for a great sense of touch
- Bison leather is tougher than cowhide and offers better tear and abrasion resistance
- Keystone thumb and elastic wrist band ensure a comfortable fit
- Kevlar® stitching improves seam strength and reduces seam burnout
- Ideal for forklift and truck drivers as well as operators of construction and farm equipment



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SEA795	Medium	17.65
SEA796	Large	17.65
SEA797	X-Large	17.65



GRAIN COWHIDE ROPERS GLOVES

- Oil and water resistant
- Excellent comfort, durability and dexterity
- Snug fit and good sense of touch
- Adjustable snap back
- Smooth leather finish

Applications: Forklift and truck driver use, construction and farm equipment operators



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SM588	Small	7.15
SM589	Medium	7.25
SM590	Large	7.60
SM591	X-Large	7.95



LEATHER GLOVES

GOAT GRAIN PREMIUM QUALITY GLOVES

- Premium goat grain palm and index leather construction
- Top split goatskin leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional dexterity



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SEB752	Small	8.20
SEB733	Medium	8.75
SEB734	Large	9.15
SEB735	X-Large	9.50
SEB736	2X-Large	10.10

FITTER'S GLOVES

These heavy-duty gloves are excellent for general work.

- High quality Canadian-made cowhide grain leather construction, free of defects and resistant to cracking
- A leather binding over most exposed seams adds strength and increases glove life dramatically
- 2 1/2" split leather gauntlet provides resistance against tearing and wear
- Glove is stamped with brand and size for identification



Case Qty: 120

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAK375	200-S	Small	30.88
SAK376	200-M	Medium	30.88
SAK377	200-L	Large	30.88
SAK378	200-XL	X-Large	30.88

OILBLOC GLOVES WITH NITRILE LINING

- Excellent grip on wet or oily surfaces and stays dry and clean longer
- Full palm lining of cut and oil resistant nitrile, inside a premium quality split leather glove
- Ideal glove for metal workers handling oily parts or metal



Case Qty: 96

Priced per Pair

Model No.	Size	Price /Each
SG145	Medium	8.96
SG144	Large	8.96

PALM GLOVES

- Provides protection to palms
- Used when fingers must be fully mobile
- Grain cowhide palm
- Thumb elastic straps on back



Case Qty: 72

Priced per Pair


Model No.	Price /Each
SA523	17.99

FINGER & THUMB GUARDS

For some industrial assembly line or grinding applications where only the thumb and/or index finger need protection.

SF936

SF938



Case Qty: 240

Priced per Guard

Model No.	Description	Price /Each
DURABLE SPLIT LEATHER		
SF936	Front, Elastic Back, Taper Fit	1.11
SF937	Taper Fit, Small	1.26
SF938	Taper Fit, Medium	1.26
SF939	Taper Fit, Large	1.26



SPLIT COWHIDE FITTERS FULL COTTON FLEECE-LINED GLOVES

- Good abrasion resistance
- Safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Moderate cold material handling, fabrication, metal handling and construction.



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SD613	Large	3.10
SAP299	X-Large	3.40



SD613

SPLIT COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Premium construction
- Provides excellent warmth
- Good abrasion resistance
- Rubberized cuff
- Full leather-tipped fingers and knuckle strap

Applications: Moderate/extreme cold material handling, fabrication, metal handling and construction.



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAP240	Medium	4.10
SAP241	Large	4.25
SAP242	X-Large	4.60



SAP241



SAP240

SPLIT COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium construction
- Provides superior warmth
- Good abrasion resistance
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap provide increased protection

Applications: Extreme cold material handling, fabrication, metal handling and construction.



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SD614	Large	4.55
SAP247	X-Large	5.10



SD614



SAP247

SPLIT COWHIDE FITTERS THINSULATE™-LINED GLOVES

- Premium construction
- Good abrasion resistance
- Provides superior warmth
- Good dexterity
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Extreme cold material handling, fabrication, metal handling and construction.



SAL544



SAP249

Priced per Pair

Model No.	Size	Lining Weight g	Case Qty	Price /Each
SAS500	Ladies	100	72	5.70
SAN637	Medium	100	60	5.85
SAL544	Large	40	72	6.20
SM609	Large	100	72	6.40
SAP248	X-Large	100	72	6.80
SAP249	2X-Large	100	72	7.00



SM609



SAN637

R33036E

WINTER LINED GLOVES

SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS THINSULATE™-LINED GLOVES

- Superior quality
- Good abrasion resistance
- 100-g Thinsulate™ liner provides superior warmth
- Full leather-tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SED161	Large	8.10

GRAIN COWHIDE FURNITURE LEATHER COTTON FLEECE-LINED GLOVES

- Full cotton fleece lining provides moderate warmth
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton-lined patch palm style
- Safety cuff provides added protection
- Smooth grain leather finish

Applications: Material handling, fabrication, metal handling and construction.



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SEA198	Large	4.30

GRAIN FURNITURE LEATHER FITTERS ACRYLIC BOA-LINED GLOVES

- Excellent abrasion resistance
- Provides superior warmth
- Resists oil and water well
- Patch palm design
- Starched safety cuff
- Full leather-tipped fingers and knuckle strap
- Smooth grain leather finish

Applications: Extreme cold material handling, fabrication, metal handling and construction.



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAP290	Large	3.95

GRAIN PIGSKIN FITTERS COTTON FLEECE-LINED GLOVES

- Smooth top grain construction
- Good abrasion resistance
- Provides moderate warmth
- Superior comfort and breathability
- Good dexterity
- Performs well in wet applications
- Full leather-tipped fingers and knuckle strap
- Safety cuff

Applications: Moderate cold material handling, fabrication and construction.



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAP295	Large	4.85

GRAIN PIGSKIN FITTERS ACRYLIC BOA-LINED GLOVES

- Good abrasion resistance
- Provides superior warmth
- Superior comfort and breathability
- Good dexterity
- Performs well in wet applications
- Full leather-tipped fingers and knuckle strap
- Safety cuff

Applications: Extreme cold material handling, fabrication and construction.



Case Qty: 72

Priced per Pair

Model No.	Description	Size	Price /Each
SAP300	Superior Quality, Rubberized Cuff	Large	6.85



SAP300

GRAIN PIGSKIN FITTERS THINSULATE™-LINED GLOVES

- Premium construction
- Good abrasion resistance
- Provides superior warmth
- Superior comfort and breathability
- Performs well in wet applications
- Good dexterity
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff
- 100-g Thinsulate™ lining

Applications: Extreme cold material handling, fabrication and construction.



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SM615	Large	8.10
SAP251	X-Large	8.45



SM615



SAP251

GRAIN COWHIDE FITTERS COTTON FLEECE-LINED GLOVES

- Premium construction
- Full cotton fleece lining
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff

Applications: Moderate cold material handling, fabrication, metal handling and construction.



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SM610	Ladies	5.85
SD605	Large	5.85
SAP245	X-Large	6.45



SD605



SAP245

SM610

GRAIN COWHIDE FITTERS COTTON FLEECE-LINED GLOVES

- Superior abrasion resistance
- Provides moderate warmth
- Excellent comfort and durability
- Resists oil and water well
- Patch palm design
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap

Applications: Moderate cold material handling, fabrication, metal handling and construction.



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SR521	Large	4.45
SAM023	X-Large	4.70



SR521

WINTER LINED GLOVES

SUPERIOR QUALITY GRAIN COWHIDE FULL COTTON FLEECE-LINED GLOVES

- Premium construction, superior quality
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- 2 1/2" elastic cuff eliminates dirt and debris from entering the glove



Case Qty: 12

Priced per Pair

Model No.	Size	Price /Each
SEB613	Large	6.75



GRAIN COWHIDE FITTERS FOAM FLEECE-LINED GLOVES

- Premium construction
- Provides excellent warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff

Applications: Moderate/extreme cold material handling, fabrication, metal handling and construction.



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SM611	Large	6.30



GRAIN COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium construction
- Provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff

Applications: Extreme cold material handling, fabrication, metal handling and construction.



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SA0053	Large	7.95



GRAIN COWHIDE FITTERS THINSULATE™-LINED GLOVES

- Premium construction
- Provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Provides good dexterity
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Rubberized safety cuff

Applications: Extreme cold material handling, fabrication, metal handling and construction.



Priced per Pair

Model No.	Size	Case Qty	Price /Each
SA5501	Ladies	120	8.40
SM613	Large	60	8.65
SAP246	X-Large	72	9.25



SM613

SUPERIOR QUALITY HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™-LINED GLOVES

- Premium construction, superior quality
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SED428	Large	11.85



GRAIN COWHIDE DRIVERS & ROPERS FLEECE-LINED GLOVES

- Superior abrasion resistance
- Resists oil and water well
- Excellent comfort and durability
- Provides moderate warmth
- Drivers' style comes with elastic wrist
- Ropers' style comes with adjustable strap with snap



Applications: Forklift and truck drivers, operators of construction and farm equipment.

Case Qty: 120

Priced per Pair

Model No.	Description	Size	Price /Each
SM616	Drivers	Small	7.50
SM617	Drivers	Medium	7.70
SM618	Drivers	Large	8.00
SM619	Drivers	X-Large	8.65
SAP250	Drivers	2X-Large	9.40
SAP215	Ropers	Small	8.30
SAP216	Ropers	Medium	9.10
SAP217	Ropers	Large	9.50
SAP218	Ropers	X-Large	10.00



GOAT GRAIN PREMIUM QUALITY FLEECE-LINED GLOVES

- Premium goat grain palm and index leather construction
- Top split goatskin leather back and cuff construction
- Velcro tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional dexterity
- Palm and back cotton fleece liner provides added warmth



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SEE313	Medium	9.70
SEE314	Large	10.15
SEE315	X-Large	10.50



THERMAL WATERPROOF GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Hipora waterproof and windproof liner
- 500D nylon back and gauntlet cuff
- Amara synthetic leather palm
- EVA knuckle pad with reflective dots
- PVC reinforced palm and fingers
- Machine washable

Applications: For all workers who demand products built to withstand the toughest jobs, used everywhere work demands extra protection.



Case Qty: 6

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAP866	16042	Small	134.28
SAP867	16043	Medium	134.28
SAP868	16044	Large	134.28
SAP869	16045	X-Large	134.28
SAP870	16046	2X-Large	134.28



SAP866

WINTER LINED GLOVES

HI-VIZ THERMAL WATERPROOF GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Hipora breathable waterproof and windproof liner
- 3M™ Scotchlite™ reflection
- Abrasion-resistant textured PVC on palm and fingers
- Durable synthetic leather palm and fingers
- PVC-reinforced thumb/index finger saddle
- Padded knuckle for added protection
- Breathable neoprene cuff with hook and loop closure
- Reinforced fingertips
- Machine washable

Applications: Lifting, packing, shipping and traffic directing.



Case Qty: 6

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAP871	16412	Small	99.07
SAP872	16413	Medium	99.07
SAP873	16414	Large	99.07
SAP874	16415	X-Large	99.07
SAP875	16416	2X-Large	99.07

BROWN JERSEY GLOVES

- Durable poly/cotton fabric construction
- 65% polyester, 35% cotton
- Moderate abrasion resistance
- Excellent comfort, dexterity and breathability
- Provides moderate warmth

Applications: Light-duty material handling, warehousing, automotive and as winter liner.



SEE949

Case Qty: 144

Priced per Pair

Model No.	Description	Size	Price /Each
SEE949	Slip-on style, red fleece lining	Large	1.65
SEE950	Knit wrist	Large	0.90

HEAVYWEIGHT NITRILE-IMPREGNATED GLOVES

- Soft cotton jersey lining
- Exceptional abrasion cut and puncture-resistance
- Safety cuff provides added protection
- Excellent dry grip resists oil and grease
- Outperforms leather work gloves

Applications: Rough industrial applications, sheet metal handling, fabrication workshops and automotive.



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAM643	9	5.40
SAM644	10	5.40
SAM645	11	5.40

NATURAL RUBBER LATEX PALM-COATED FLEECE-LINED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell
- Warm fleece lining
- Resists abrasion, cuts and punctures
- Exceptional comfort and fit
- Textured coating provides superior wet and dry grip
- Palm coated
- Knit wrist

Applications: Glass handling, construction, wood handling, masonry and general maintenance.



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAN431	8	3.20
SAN432	9	3.20
SAN433	10	3.20
SAN434	11	3.20

HI-VIZ NATURAL RUBBER LATEX PALM-COATED ACRYLIC-LINED GLOVES

- 100% acrylic thermal liner offers superior cold protection
- 7-gauge seamless terry knitted and brushed lining
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- Natural rubber latex palm coating
- Uncoated back permits breathability and limits perspiration
- Fluorescent yellow shell and blue coating offer maximum visibility
- Crinkle finish coating provides superior wet and dry grip

Applications: Fishing industry, cold/outdoor environments, glass/wood handling, masonry and general maintenance.

Case Qty: 60

Model No.	Size	Price /Each
SEC797	7	6.50
SEC798	8	6.50
SEC799	9	6.50
SEC800	10	6.50
SEC801	11	6.50



SEC799

SKINNY DIP® THERMAL PALM-COATED GLOVES

- Crinkle finish natural rubber palm coating
- Warm fleece lined-shell with a knit wrist
- Exceptional warmth as well as a snug fit for excellent dexterity
- Improved grip for wet and dry conditions

Applications: Sheet metal, metal stamping as well as glass manufacturers and glaziers, agricultural and general assembly applications.

Case Qty: 72

Model No.	Mfg. No.	Size	Price /Each
SAJ985	451-07	Small	5.09
SAJ986	451-08	Medium	5.09
SAJ987	451-09	Large	5.09
SAJ988	451-10	X-Large	5.09



SAJ985

WINTER LINED PVC GLOVES

- Fluorescent orange PVC glove provides excellent protection against oils and other liquids
- Foam fleece lining for added warmth in harsh winter conditions
- Colour: Orange



SO104



SAP922



SAN383



POWERFLEX® T° HI-VIZ YELLOW™ 80-400

- Natural rubber latex-coated acrylic thermal liner
- Excellent insulation for cold environment
- Strong combination of abrasion, liquid repellency and dry grip
- Superior flexibility and dexterity
- Uncoated back allows for air circulation to keep hands drier
- Ergonomically designed for unmatched fit and comfort
- Palm-coated crinkle finish
- Accepted for use in Canadian food processing facilities

Applications: Fishing industry, cold storage, winter transportation, unheated warehouses, yard and field work, freight handling.



SEA278



Case Qty: 72

Model No.	Size	Price /Each
SEA278	7	8.15
SEA279	8	8.15
SEA280	9	8.15
SEA281	10	8.15
SEA282	11	8.15

Model No.	Description	Case Qty	Price /Each
SAN383	Gauntlet 12"	72	6.20
SO104	Knit Wrist	120	5.00
SAP922	Safety Cuff	72	6.25

Priced per Pair

Priced per Pair

R33042E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

787

WINTER LINED GLOVES

POLAR GRIP® 23-700 GLOVES

- PVC-coated rough finish that remains soft when cold
- Excellent foam insulation against cold temperatures
- Curved fingers, wing thumb and soft insulating lining provide comfort
- Offers resistance to oils, acids, caustics and alcohols
- Rough finish surface provides excellent grip for handling of both wet and dry materials
- 11" long with nylon liner
- Accepted for use in Canadian food processing facilities

Applications: Fishing industry, cold storage, construction, winter transportation, yard and field work, freight handling and trash collection.

Ansell

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SEA274	9	17.59
SEB089	10	17.59



HYD-TUF® 52-590 GLOVES

- Medium to heavy-duty A.C.P. impregnated winter gloves
- Outperforms standard cotton and leather gloves
- Snug and comfortable fit
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repels oil, grease and grime
- Safety cuff
- Accepted for use in Canadian food processing facilities

Applications: Operating machinery and equipment, shipping and receiving, maintenance.

Ansell

Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SEA275	9	7.91
SEA276	10	7.91



WINTER MONKEY GRIP® 23-193 GLOVES

- PVC-coated foam-insulated
- Tough PVC coating stays soft when cold
- Keep hands warm and dry
- Protect from abrasion
- Curved fingers, wing thumb, and soft jersey lining make them very comfortable
- Fully coated
- Safety cuff
- Accepted for use in Canadian food processing facilities

Applications: Cold storage, winter transportation, yard and field work, unheated warehouses, construction.

Ansell

Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SBA993	10	12.69



PROFLEX® 925F (X) WP DORSAL IMPACT REDUCING GLOVES

- Breathable, waterproof and windproof liner
- Reinforced flex zones for high dexterity
- Abrasion-resistant PVC on palm and three fingers limits liquid penetration
- Reinforced Kevlar® palm stitching for extended wear and durability
- Molded TPR reinforcement on knuckles, fingers and carpal bone for great protection
- Non-slip reinforcement zones on thumb saddle and index for enhanced grip and durability
- Reflective accents and colorful scheme for optimal hand visibility

Applications: Oil/Gas drilling, extraction and refining, fracking, tool pushing, mining, demolition, heavy construction, cargo handling and ironwork.



Case Qty: 6

Price per Pair

Model No.	Mfg. No.	Size	Price /Each
SED154	16192	Small	116.89
SED155	16193	Medium	116.89
SED156	16194	Large	116.89
SED157	16195	X-Large	116.89
SED158	16196	2X-Large	116.89
SED159	16197	3X-Large	116.89



PROFLEX® 817 THERMAL UTILITY GLOVES

THERMAL UTILITY: DEXTERITY AND WARMTH IN ONE GLOVE

- 40-g 3M™ Thinsulate™ insulation
- Low-profile closure with woven elastic cuff
- Padded spandex back and neoprene knuckle pad
- Double reinforced Amara palm
- Terry thumb brow wipe

Applications: Cold storage, marine, winter work, construction, hunting/fishing, outdoor recreation.



Case Qty: 6

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAK292	16332	Small	68.18
SAK293	16333	Medium	68.18
SAK294	16334	Large	68.18
SAK295	16335	X-Large	68.18
SAK296	16336	2X-Large	68.18

SQUIDS® GRABBERS

- Easy to use with a comfortable feel
- Keeps gloves close at hand
- Clips to clothing, belts, tool belts and D-rings
- Breakaway feature
- Dielectric/non-conductive material

Applications: Carpentry, electrician, contractors, trades, roofing, construction, warehousing, maintenance, mechanics, HVAC, plumbing, mitten security.



SAO182



SAO184

Model No.	Mfg. No.	Colour	Price /Each
GRABBERS			
SAO180	19112	Black	7.47
SAO181	19117	Blue	7.47
SAO182	19118	Orange	7.47
SAO183	19119	Yellow	7.47
GRABBERS W/BELT CLIP			
SAO184	19122	Black	7.47
SAO185	19127	Blue	7.47
SAO186	19128	Orange	7.47
SAO187	19129	Yellow	7.47

HAND WARMERS

- Perfect for people who work in the cold for long hours
- Air-activated and will provide up to 10 hours of heat (130°F)
- Environmentally friendly, contains all natural ingredients
- Non-toxic, non-flammable
- Sold per pair



Model No.	Mfg. No.	Description	Price /Each
SAR429	HH-26	Hand Warmers	1.70



RMP-ECO® cleaning products are the Green solution to industrial cleaning.
All RMP-ECO® products are EcoLogo® certified.
RMP-ECO® is safe for you and the environment.



R33044E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

**SAFETY
EQUIPMENT &
SUPPLIES**

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

COATED GLOVES

HEAVYWEIGHT NITRILE IMPREGNATED GLOVES

- Soft cotton jersey lining
- Exceptional abrasion, cut and puncture-resistance
- Safety cuff provides added protection
- Excellent dry grip resists oil and grease
- Outperforms leather work gloves

Applications: Rough industrial applications, sheet metal handling, fabrication workshops and automotive



SAM643

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAM643	9	5.40
SAM644	10	5.40
SAM645	11	5.40

LIGHTWEIGHT NITRILE COATED GLOVES

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior abrasion, cut and puncture resistance
- Premium comfort and breathability
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove

Applications: Metal stamping, material handling, automotive assembly and small parts handling



SAO159

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAO157	7	1.80
SAO158	8	1.80
SAO159	9	1.80
SAO160	10	1.80
SAP355	11	1.80

BLACK NYLON NITRILE COATED GLOVES

- Seamless black nylon knit provides ultimate dexterity and reduces hand fatigue
- Black liner with grey palm hides the dirt and extends life
- Superior abrasion, cut and puncture resistance
- Premium comfort and breathability
- Excellent dry grip
- Durable nitrile coated palm
- Knit wrist prevents dirt and debris from entering the glove



SAP933

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAP931	7	1.85
SAP932	8	1.85
SAP933	9	1.85
SAP934	10	1.85
SAP935	11	1.85

MEDIUMWEIGHT NITRILE COATED GLOVES

- Interlock cotton lining
- Superior abrasion, cut and puncture resistance
- Excellent comfort and breathability
- Greater dexterity than heavyweight
- Open back coating provides a cool and comfortable fit
- Knit wrist eliminates dirt and debris from entering the glove

Applications: Light to medium fabrication, material handling, automotive, and general maintenance



SAO150

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAO150	7	1.70
SAO151	8	1.70
SAO152	9	1.70
SAO153	10	1.70
SAO154	11	1.70

HYFLEX® 11-920 GLOVES

- Special nylon fine gauge liner
- Ansell Grip Technology™ nitrile coating on palm repels oils and other lubricants away from the surface via microscopic channels
- Increases surface contact for enhanced grip and control
- Prevents oil penetration and reduces the risk of dermatitis and liquid exposure
- Provides softness, comfort and breathability to the glove
- Ergonomic, natural fit
- Available in a wide range of sizes to protect more workers
- Accepted for use in Canadian food processing facilities

Applications: Engine and transmission assembly, handling machine parts free from shavings and sharp edges, handling small castings, gears and other abrasive edged parts, light metal fabrication and parts handling, light stamping in oily environments and product inspection

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SAW772	6	4.66
SAW773	7	4.66
SAW774	8	4.66
SAW775	9	4.66
SAW776	10	4.66
SAW777	11	4.66

Ansell



SAW772

HYFLEX® 11-900 GLOVES

- Blue light-duty nitrile coating on palm, white knit nylon liner
- Excellent dry grip for applications involving small to medium sized parts
- Abrasion resistance
- Oil repellency, nitrile coating prevents oil from penetrating through the glove, protecting hands from dermatitis
- Accepted for use in Canadian food processing facilities

Applications: Automotive assembly and metal fabrication

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SAW979	6	4.24
SAW980	7	4.24
SAW981	8	4.24
SAW982	9	4.24
SAW983	10	4.24

Ansell



SAW979

HYLITE® 47-400 GLOVES

- Nitrile-coated, interlock knit-lined, medium-duty
- Outwear cotton up to 12 to 1, light leather 5 to 1 and PVC coated gloves 3 to 1
- Exceptional snag, puncture, abrasion and cut resistance
- Extra comfort
- Accepted for use in Canadian food processing facilities

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SAW984	7	4.28
SAW985	8	4.28
SAW986	8.5	4.28
SAW987	9	4.28
SAW988	10	4.28

Ansell



SAW984

NITRI-FLEX LITE® NITRILE PALM COATED GLOVES

- Seamless nylon knit gloves with a textured green nitrile palm coat
- Resist cuts, snags and abrasion with non slip grip
- Snug fitting knit wrist glove is extremely flexible
- Accepted for use in Canadian food processing facilities

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SQ136	4500-7	Small	5.18
SQ137	4500-8	Medium	5.18
SQ138	4500-9	Large	5.18
SQ139	4500-10	X-Large	5.18



SQ137

COATED GLOVES

HYFLEX® 11-800/11-801 GLOVES

- Light-duty foam nitrile palm coating
- Knit nylon liner
- Excellent grip in light oil applications, oil is channelled away from the glove surface
- Highest level of comfort and protection
- Resistant to snags and abrasions
- Accepted for use in Canadian food processing facilities

Applications: Automotive assembly, handling small parts (especially where oil is present)

Case Qty: 144

Model No.	Size	Price /Each
11-800 (GREY PALM, WHITE LINER)		
SAW921	6	4.84
SAW922	7	4.84
SAW923	8	4.84
SAW924	9	4.84
SAW925	10	4.84
SAW926	11	4.84

Priced per Pair

Model No.	Size	Price /Each
11-801 (BLACK PALM, GREY LINER)		
SAW962	6	4.84
SAW963	7	4.84
SAW964	8	4.84
SAW965	9	4.84
SAW966	10	4.84
SAW967	11	4.84



HYFLEX® 11-830 GLOVES

- Grey metallic nitrile foam coating
- New foam coating for increased wear life
- Enhanced elasticity in the cuff area for easier donning and doffing
- Sure grip in dry or light oil environment
- 100% silicone and natural rubber latex free
- Minimal shrinkage and excellent recovery for longer wear life

Case Qty: 144

Model No.	Size	Price /Each
SEB820	6	3.84
SEB821	7	3.84
SEB822	8	3.84
SEB823	9	3.84
SEB824	10	3.84
SEB825	11	3.84

Priced per Pair



LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Lightweight nitrile foam palm coating
- 13-gauge seamless knitted nylon shell
- Resists abrasion, cuts and punctures
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Knit wrist
- Palm coating provides a cool comfortable fit

Applications: Metal stamping, material handling, automotive assembly and small oily parts handling

Case Qty: 120

Model No.	Size	Price /Each
SAM629	6	2.50
SAM630	7	2.50
SAM631	8	2.50
SAM632	9	2.50
SAM633	10	2.50
SAM634	11	2.50

Priced per pair



BLACK LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Lightweight nitrile foam palm coating
- 13-gauge seamless polyester shell provides a cool comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists prevents debris from entering the glove

Applications: Metal stamping, material handling, automotive assembly and small oily parts handling

Case Qty: 120

Model No.	Size	Price /Each
SBA837	6	2.55
SAX783	7	2.55
SAX784	8	2.55
SAX785	9	2.55
SAX786	10	2.55
SAQ179	11	2.55

Priced per Pair



ZORB-IT™ SPONGE NITRILE PALM COATED GLOVES

- Zorb-IT™'s unique, patent-pending "sponge nitrile" technology is changing the rules of what a flat-dip nitrile glove can be
- The sponge nitrile produces an extra-absorbent nitrile dip that conforms and adheres to the nylon shell like no other glove
- Beats the competition in laundering nearly three-to-one, and absorbs almost twice as much oil and grease while still delivering a sure grip
- Stands up to repeated washing with no shrinkage
- Accepted for use in Canadian food processing facilities
- Made of FDA compliant materials



Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAK964	4550-06	X-Small	5.18
SAK965	4550-07	Small	5.18
SAK966	4550-08	Medium	5.18
SAK967	4550-09	Large	5.18
SAK968	4550-10	X-Large	5.18



SAK966

POLYESTER SHELL LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Lightweight nitrile foam palm coating
- 13-gauge seamless polyester shell provides a comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists prevents debris from entering the glove

Applications: Metal stamping, material handling, automotive assembly and small oily parts handling



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SBA605	6	1.95
SBA606	7	1.95
SBA607	8	1.95
SBA608	9	1.95
SBA609	10	1.95
SBA610	11	1.95



SBA609

BREATHABLE LIGHTWEIGHT NITRILE FOAM PALM COATED GLOVES

- Lightweight nitrile foam palm coating
- Ultra light nitrile foam offers maximum breathability and tactile sensitivity
- 13-gauge seamless nylon shell provides a cool comfortable fit
- Superior dexterity, comfort and wet grip reduces hand fatigue
- Resists abrasion, cuts and punctures
- Knit wrists prevents debris from entering the glove

Applications: Metal stamping, material handling, automotive assembly and small oily parts handling



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SBA611	6	3.00
SBA612	7	3.00
SBA613	8	3.00
SBA614	9	3.00
SBA615	10	3.00
SBA616	11	3.00



SBA613

POWERFLEX® 80-100 GLOVES

- Natural rubber latex, crinkle finish
- Soft seamless poly/cotton knit liner
- Superior wet and dry grip
- Combination of cut, abrasion and puncture resistance
- Fully-coated thumb provides added protection in this high-risk area
- Uncoated back allows air to circulate which keeps hands cooler and drier
- Ergonomically designed, unbelievable comfort
- Accepted for use in Canadian food processing facilities

Applications: General maintenance, shipping and receiving, assembly, concrete and brick handling and lumber handling

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals

Case Qty: 144

Priced per Pair

Model No.	Description	Size	Price /Each
SAY841	Palm Coated,	6	4.37
SAY842	Grey Poly/Cotton	7	4.37
SAY843	Knit Lining	8	4.37
SAY844		9	4.37
SAY845		10	4.37



SAY841

COATED GLOVES

NATURAL RUBBER LATEX COATED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell
- Resists abrasion, cuts and punctures
- Exceptional comfort and fit
- Palm coating provides a cool comfortable fit
- Textured coating provides superior wet and dry grip
- Knit wrist prevents debris from entering the glove

Applications: Glass handling, construction, wood handling, masonry and general maintenance

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SEB865	7	2.35
SAL255	8	2.35
SAL256	9	2.35
SAL257	10	2.35
SAL258	11	2.35



SAL258

NATURAL RUBBER LATEX PALM COATED CRINKLE FINISH GLOVES

- Natural rubber latex palm coating
- High density 100 % cotton jersey lining
- Exceptional cut and abrasion resistance
- Superior comfort and flexibility
- Crinkle finish coating provides superior grip
- Safety cuff provides added protection

Applications: Glass handling, sheet metal handling and general handling of any sharp-edged materials

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAN435	10	4.35



SAN435

NATURAL RUBBER LATEX PALM COATED FLEECE LINED GLOVES

- Natural rubber latex palm coating
- 10-gauge seamless knitted poly/cotton shell
- Warm fleece lining
- Resists abrasion, cuts and punctures
- Exceptional comfort and fit
- Textured coating provides superior wet and dry grip
- Palm Coated
- Knit wrist

Applications: Glass handling, construction, wood handling, masonry and general maintenance

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAN431	8	3.20
SAN432	9	3.20
SAN433	10	3.20
SAN434	11	3.20



SAN434

ATLAS THERMA FIT® 451 COATED GLOVES

- Flexible rubber coating
- Wrinkled finish for excellent gripping action
- Combines a mixture of acrylic loop in Terry cotton liner for warmth and lightweight feel
- Launderable

Applications: Cold storage, cold weather construction, landscaping, food handling, maintenance, outdoor work, garbage collection, highway work, mines, shipping and receiving

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAJ985	451-07	Small	5.09
SAJ986	451-08	Medium	5.09
SAJ987	451-09	Large	5.09
SAJ988	451-10	X-Large	5.09



SAJ985

ATLAS FIT® 300 RUBBER LATEX COATED GLOVES

- Durable rubber coating
- Cotton/polyester lining provides extremely comfortable fit
- Rough textured gripping
- An elastic knit-wrist secures the glove above the wrist for comfort and prevents debris from entering the glove
- Launderable
- Colour: Blue

Applications: Construction, landscaping, carpentry, floor tiling, maintenance, masonry, garbage collection, highway work, roofing, shipping and receiving



SAO815

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAO815	300-07	Small	3.64
SAO816	300-08	Medium	3.64
SAO817	300-09	Large	3.64
SAO818	300-10	X-Large	3.64

HYFLEX® 11-600/11-601 GLOVES

- Light-duty polyurethane palm coating, knit nylon liner
- Silicone-free
- Snug fit for maximum dexterity and tactile sensitivity
- New palm dipping technology – keeps back of hands and knuckles open, reducing hand fatigue and promoting comfort and coolness
- Seamless
- Accepted for use in Canadian food processing facilities

Applications: Electronics assembly and computer assembly



SAW968



SAW974

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
11-600 (WHITE PALM, WHITE LINER)		
SAW968	6	2.59
SAW969	7	2.59
SAW970	8	2.59
SAW971	9	2.59
SAW972	10	2.59
SAW973	11	2.59
11-601 (GREY PALM, BLACK LINER)		
SAW974	6	2.59
SAW975	7	2.59
SAW976	8	2.59
SAW977	9	2.59
SAW978	10	2.59

LIGHTWEIGHT POLYURETHANE PALM COATED GLOVES

- Excellent abrasion resistance
- Premium comfort and breathability
- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Superior dry grip
- Ultra soft polyurethane coated palm
- Knit wrist

Applications: Clean room environments, quality control, electronics assembly and general manufacturing



SAO164



SAX694

Case Qty: 120

Priced per Pair

White Model No.	Black Model No.	Size	Price /Each
SAO161	SAX694	6	1.55
SAO162	SAX695	7	1.55
SAO163	SAX696	8	1.55
SAO164	SAX697	9	1.55
SAO165	SAX698	10	1.55
SAO166	SAX699	11	1.55

COATED GLOVES

HI-TECH ASSEMBLY PALM COATED GLOVES

- Seamless 13-gauge 100% black nylon liner
- Abrasion, tear and small cut resistant
- Open back eliminates perspiration and offers superb user comfort
- Grey polyurethane-coated palm
- Anatomical shape facilitates movement

Applications: Car mechanics, handling of greasy parts, industrial assembly, precision mechanics



Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SA0085	B0500B-06	6	2.87
SA0086	B0500B-07	7	2.87
SA0087	B0500B-08	8	2.87
SA0088	B0500B-09	9	2.87

HYCRON® 27-805 GLOVES

- Heavy-duty nitrile coated
- Outwears standard heavy-duty leather palm gloves by 3 to 1
- Soft jersey knitting eliminates seams from the working areas for greater comfort
- Excellent dry grip and superior service when handling rough, abrasive materials
- Excellent resistance to snags, puncture, abrasions, cuts, grease and oils
- Fully coated, 2 1/2" safety cuff
- Accepted for use in Canadian food processing facilities



Case Qty: 144

Priced per pair

Model No.	Size	Price /Each
SAY787	10	4.97

HEAVYWEIGHT NITRILE COATED SAFETY CUFF GLOVES

- High density 100% cotton jersey lining
- Superior abrasion, cut and puncture resistance
- Exceptional durability, grip and flexibility
- Safety cuff
- Full coating for maximum protection
- Palm coating provides a cool comfortable fit

Applications: Rough industrial applications, sheet metal handling, fabrication workshops and automotive



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
FULLY COATED		
SAN445	10	3.10
SAN446	11	3.10
PALM COATED		
SAN447	10	3.10
SAN448	11	3.10

HEAVYWEIGHT NITRILE FULLY COATED KNIT WRIST GLOVES

- High density 100% cotton jersey lining
- Superior abrasion, cut and puncture resistance
- Exceptional durability, grip and flexibility
- Full coating
- Knit wrist prevents debris from entering the glove

Applications: Rough industrial applications, sheet metal handling, fabrication workshops and automotive



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAN441	8	3.00
SAN442	9	3.00
SAN443	10	3.00
SAN444	11	3.00

MEDIUMWEIGHT NITRILE 3/4 COATED GLOVES

- Resists abrasion, cut and punctures
- Excellent dexterity and dry grip
- Open back coating provides a cool comfortable fit
- 13-gauge seamless knitted cotton shell
- Knit wrist prevents dirt and debris from entering the glove

Applications: Metal stamping, material handling, automotive, small parts handling and general maintenance



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAM646	7	2.40
SAM647	8	2.40
SAM648	9	2.40
SAM649	10	2.40



SAM646

NATURAL POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted version extends wear life
- Accepted for use in Canadian food processing facilities

Applications: General maintenance, shipping and receiving, assembly and parts handling



Case Qty: 240

Priced per Pair

Model No.	Size	Price /Each
SINGLE SIDE DOTTED		
SAN480	X-Small	0.59
SEE939	Small	0.62
SEE940	Medium	0.66
SEE941	Large	0.67
SEE942	X-Large	0.72
BOTH SIDES DOTTED		
SEE943	Small	0.72
SEE944	Medium	0.73
SEE945	Large	0.77
SEE946	X-Large	0.79



SAN480

WHITE POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Bleached white poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted version extends wear life
- Accepted for use in Canadian food processing facilities



Case Qty: 240

Priced per Pair

Model No.	Size	Price /Each
ONE SIDE DOTTED		
SAN489	Small	0.63
SAN490	Medium	0.67
SAN491	Large	0.67
SAN492	X-Large	0.68
BOTH SIDES DOTTED		
SAN493	Small	0.70
SAN494	Medium	0.74
SAN495	Large	0.76
SAN496	X-Large	0.78



SAN489

COATED GLOVES

COTTON CANVAS DOTTED PALM GLOVES

- Durable cotton fabric construction
- PVC dots on palm and back of index finger extend wear life
- Superior grip
- Moderate abrasion resistance
- Excellent comfort, dexterity and breathability
- Knit wrist eliminates dirt and debris from entering the glove

Applications: Material handling, automotive, assembly and construction



Case Qty: 300

Priced per Pair

Model No.	Size	Price /Each
SEE947	Small	1.25
SEE948	Large	1.25



SEE947

PVC PALM COATED GLOVES

- String knit design for excellent breathability and comfort
- PVC palm coating provides superior abrasion resistance, grip and durability
- Knit wrist eliminates dirt and debris from entering the glove
- Black on white

Applications: Parts handling, assembly and metal stamping



Case Qty: 240

Priced per Pair

Model No.	Size	Price /Each
SAP211	Small	0.69
SAP212	Medium	0.71
SAP213	Large	0.73
SAP214	X-Large	0.80



SAP211

MULTICOLOUR POLY/COTTON DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Poly/cotton seamless string knit provides a cool comfortable fit
- Multicolour hides the dirt and extends wear life



Case Qty: 240

Priced per Pair

Model No.	Size	Price /Each
SAM662	Small	0.68
SAM663	Large	0.70



SAM662

Call us for
quantity
pricing!



PVC CRISS CROSS GLOVES

- Spun acrylic polyester knit
- Reversible PVC criss cross pattern on palm and back
- Ribbed knit wrist
- Reinforced finger tips and thumb make them ideal for construction material handling and food industry applications

Case Qty: 144

Priced per pair

Model No.	Wt. Grams	Size	Price /Each
SM484	120	Small	4.91
SM485	120	Medium	4.94
SA498	120	Large	4.91
SM486	120	X-Large	4.91



SM484

VINYL IMPREGNATED GLOVES

- Stretch fit provides excellent dexterity
- Abrasion and water resistance
- Rough surface for a superior grip
- Colour: Red

Applications: Assembly work, bottling plants, warehousing, packaging, maintenance

Case Qty: 300

Priced per Pair

Model No.	Description	Price /Each
SF929	Ladies	1.70
SEF066	Men's	1.75



SEF066

NITRILE LAMINATED GLOVES

- Slip-on style, laminated nitrile
- Nitrile coating makes for a durable glove
- Economical hand protection for a wide variety of jobs where dexterity, grip and snag resistance are required
- Perforated back style to keeps hands cool
- Colour: Blue

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
FULLY LAMINATED		
SAJ640	7	2.25
SAJ641	8	2.25
SAJ642	9	2.25
SAJ643	10	2.25
PERFORATED BACK		
SAJ644	7	2.45
SAJ645	8	2.45
SAJ646	9	2.45
SAJ647	10	2.45



SAJ647



SAJ642

Call us for all your
Safety Equipment
& Supplies
requirements!



COATED GLOVES

BEX™ SOF PAW GLOVES

- The *Sof Paw* gloves are made of a breathable full vinyl impregnated stretch fabric
- Great tactile sensitivity and comfort
- Offer excellent abrasion resistance and good grip, wet or dry
- Washable



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SC434	70-6	X-Small	2.49
SC435	70-7	Small	2.49
SC436	70-8	Medium	2.49
SC437	70-9	Large	2.49



SC435

THE KNIT PICKER KPG® VINYL GLOVES

- Lightweight, breathable vinyl coating and textured finish for sure grip
- 100% cotton seam free knit liner
- Outwears cotton many times on straight abrasion
- Machine washable

Applications: Furniture manufacturing, automotive subassembly, general maintenance, inspection, packaging, shipping, receiving, light fabrication and general assembly



Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price Each
SLIP-ON			
SC414	960-S	Small	3.98
SC415	960-M	Medium	3.98
SA600	960-L	Large	3.98
KNIT WRIST			
SC416	961-S	Small	3.98
SC417	961-M	Medium	3.98
SC418	961-L	Large	3.98



SC415



SC417

Can't find what
you're looking for?
Call us today!






Cut-resistant gloves come in various fabrics offering different levels of cut resistance. It is important to consider the requirements of a particular application when choosing a glove material.

WHAT IS CUT RESISTANCE?

Cut resistance is a function of a glove's material composition and thickness. Increased cut protection can be achieved with:

- Increased material weight; for example, ounces per square yard
- Use of high performance materials such as *Spectra*®, *Kevlar*®, etc.
- Use of composite yarns made with varying combinations of stainless steel, fibreglass, synthetic yarns and high performance yarns



NOTE: Cut-resistant gloves are extremely cut-resistant but not cut-proof. Do not subject to high-speed or highly serrated blades. Always disconnect power before cleaning or removing slicer blades.

HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Excellent cut, abrasion, and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Accepted for use in Canadian food processing facilities
- Meets EN388 level 4 for cut resistance



Case Qty: 12

Priced per Pair

Model No.	Size	Price /Each
SAW908	7	12.45
SAW909	8	12.45
SAW910	9	12.45
SAW911	10	12.45
SAW912	11	12.45

HPPE NITRILE-COATED GLOVES

- Stretchable seamless liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable nitrile palm coating
- Excellent abrasion and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Accepted for use in Canadian food processing facilities
- Meets EN388 Level 3 for cut resistance



Case Qty: 144

Sold per Pair

Model No.	Size	Price /Each
SEB090	7	12.95
SEB091	8	12.95
SEB092	9	12.95
SEB093	10	12.95
SEB094	11	12.95

CUT RESISTANT GLOVES

HYFLEX® 11-624 GLOVES

- Advanced cut protection with ergonomic design
- *Dyneema*®, *Spandex*® and nylon liner combined for excellent dexterity
- Yarn combination moulds naturally to prevent hand fatigue
- Polyurethane coating provides a sure grip in dry and light oil applications
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance

Applications: Assembly areas for use when handling metal components, glass handling and installation, small parts stamping, forming, machining and bending of small parts

Ansell



Case Qty: 144

Sold per Pair

Model No.	Size	Price /Each
SAW989	6	9.30
SAW990	7	9.30
SAW991	8	9.30
SAW992	9	9.30
SAW993	10	9.30
SAW994	11	9.30

HYFLEX® 11-627 GLOVES

- *Dyneema*® innovative yarn liner with polyurethane coating
- Exceptional cut resistance with an optimal level of *Dyneema*®
- *Lycra*® and nylon combined for excellent dexterity
- Polyurethane palm coating for excellent grip
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 1, EN388 Level 3 for cut resistance

Applications: Automotive, metal, glass, aeronautics, white goods manufacturing

Ansell



Case Qty: 144

Sold per Pair

Model No.	Size	Price /Each
SAY080	6	14.47
SAY081	7	14.47
SAY082	8	14.47
SAY083	9	14.47
SAY084	10	14.47



BUILT

100% Canadian Owned

KLETON

TOUGH!



Kleton builds quality and dependability into all of their products. The same is true for products specially built to meet your specifications. Look throughout the catalogue for the *Kleton Custom Symbol* indicating which products can be customized to meet your specific needs.

HPPE GLOVES WITH POLYURETHANE COATING

- HPPE liners provide excellent abrasion, tear and good cut resistance barrier
- Nitrile foam coating provides excellent grip in oily working conditions
- 3/4 coated back provides additional hand protection
- May be laundered for repeated uses, does not shrink
- Excellent fit and dexterity
- Meets EN388 Level 5 for cut resistance



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SEC142	Y9259-SM	Small	19.45
SEC143	Y9259-M	Medium	19.45
SEC144	Y9259-L	Large	19.45
SEB866	Y9259-XL	X-Large	19.45



SALT & PEPPER KNIT WITH BLACK POLYURETHANE PALM GLOVES

- Breathable polyurethane palm coating
- Floats on water
- High energy absorption and low elongation
- Anatomically formed for added comfort
- Resistant to abrasion, moisture, UV rays, mildew, chemicals and detergents
- Cut resistance unaffected by washing
- Colour: Black on salt & pepper
- Meets EN388 Level 3 for cut resistance



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAN298	Y9248-7S&P	7	12.24
SAN299	Y9248-8S&P	8	12.24
SAN300	Y9248-9S&P	9	12.24
SAN301	Y9248-10S&P	10	12.24



WHITE KNIT WITH WHITE POLYURETHANE PALM GLOVES

- Floats on water
- High energy absorption and low elongation
- Anatomically formed for added comfort
- Resistant to abrasion, moisture, UV rays, mildew, chemicals and detergents
- Cut resistance unaffected by washing
- Colour: White on white
- Meets EN388 level 2 for cut resistance



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAJ773	Y9266-7	7	13.16
SAJ774	Y9266-8	8	13.16
SAJ775	Y9266-9	9	13.16
SAJ776	Y9266-10	10	13.16



POWERFLEX® 80-813

- Combines high levels of flame resistance and cut protection
- ARC flash-hazard category 1, helps protect workers against electrical hazards
- Special, soft foam coating ensures a secure grip in wet, oily and dry environments
- Ergonomic design provides superior comfort, dexterity and flexibility
- Meets EN407 Level 4 resistance to flammability
- Meets ANSI/ISEA 105 Level 4, EN388 Level 5 for cut resistance



Case Qty: 144

Sold per Pair

Model No.	Size	Price /Each
SEB814	6	19.19
SEB815	7	19.19
SEB816	8	19.19
SEB817	9	19.19
SEB818	10	19.19
SEB819	11	19.19



CUT RESISTANT GLOVES

T-FLEX® PLUS SEAMLESS GLOVES

- Dyneema®-Spectra®, engineered fibre
- Coated glove offers superior dexterity and grip
- 13-gauge seamless knit glove for high performance, cut resistant technology
- Thermax® lined knit for warmth
- Stretch feel and breathable comfort
- Ambidextrous
- Fully launderable
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 level 4 for cut resistance

Applications: Sheet metal, food processing, meat and poultry industry



Case Qty: 6

Priced per Glove

Model No.	Mfg. No.	Size	Price /Each
SAP622	8113-06	X-Small	12.50
SAP623	8113-07	Small	12.50
SAP624	8113-08	Medium	12.50
SAP625	8113-09	Large	12.50
SAP626	8113-10	X-Large	12.50
DOTTED STYLE			
SAL093	8113C-06	X-Small	14.17
SAL094	8113C-07	Small	14.17
SAL095	8113C-08	Medium	14.17
SAL096	8113C-09	Large	14.17
SAL097	8113C-10	X-Large	14.17

KLEENGUARD® G60 PURPLE NITRILE CUT RESISTANT GLOVES

- High level of cut resistance with enhanced dexterity, grip and comfort
- Ambidextrous and breathable with a flexible dotted palm for better grip
- Meets ANSI/ISEA 105 level 3, EN388 level 3 for cut resistance

Applications: Metal fabrication, glass handling, handling of sharp objects, automotive assembly



Case Qty: 12

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAQ352	97430	Small	17.71
SAQ353	97431	Medium	17.71
SAQ354	97432	Large	17.71
SAQ355	97433	X-Large	17.71
SAQ356	97434	2X-Large	17.71

HYFLEX® 11-500 GLOVES

- Black foam nitrile palm coating
- Cut resistant stretch Kevlar® liner provides a comfortable fit
- Excellent protection from nuisance nicks and abrasion
- Excellent choice when working with sharp edged materials and tools
- Unique foam nitrile coating channels away oil from the surface of the gloves
- Extended cuff offers extra cut protection around the wrist
- Sure grip in light oil applications
- Soil hiding black palm
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 2 for cut resistance

Applications: Automotive assembly, handling sharp and/or pointed small parts, handling wire harnesses, sheet metal assembly, durable goods assembly, maintenance



Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SAW931	6	8.16
SAW932	7	8.16
SAW933	8	8.16
SAW934	9	8.16
SAW935	10	8.16
SAW936	11	8.16

HYFLEX® 11-501 GLOVES

- Intercept Technology® yarn liner developed by Ansell and Dupont™
- Lightweight fit and feel with superior cut resistance
- Outstanding dexterity
- Superior oil grip, tactile sensitivity, dexterity and comfort
- Cut prevention improves productivity and profitability
- Teal foam nitrile palm coating
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance

Applications: Automotive assembly, sheet metal assembly, handling sharp small parts, handling glass

Ansell



Case Qty: 144

Sold per Pair

Model No.	Size	Price /Each
SAW951	6	18.80
SAW952	7	18.80
SAW953	8	18.80
SAW954	9	18.80
SAW955	10	18.80

POWERFLEX® PLUS 80-600 GLOVES

- 100% Kevlar® liner with crinkle latex palm coating
- Provides cut, abrasion and puncture resistance
- Superior wet and dry grip
- Seamless Kevlar® knit
- Uncoated back allows air to circulate which keeps hands cooler and drier
- Fully coated thumb provides added protection in this high-risk area
- Ergonomically designed
- Unbelievable comfort
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance

Applications: Canning, sheet metal, glass handling, recycling, bottling

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals

Ansell



Case Qty: 72

Sold per Pair

Model No.	Size	Price /Each
SAV719	7	15.17
SAV720	8	15.17
SAV721	9	15.17
SAV722	10	15.17

HYFLEX® 11-510 GLOVES

IMPROVED COMFORT & DURABILITY

- Unique product design engineered for light to medium cut protection applications
- Designed to provide cut protection in applications where abrasion resistance and dexterity are a "must have"
- Protects hands from abrasion in the palm area as well as the back of the hand, giving workers more confidence when working in restrictive spaces
- Sure grip and protection
- Knitted with Kevlar® yarn from DuPont™, offers flexibility and comfort
- New ComfortFlex cuff provides additional protection as well as a soft feel around the sensitive wrist area
- Black foam nitrile ensures a sure grip in light oil and dry applications
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance

Applications: Carpentry, HVAC, pipefitting, final assembly, glass installation, maintenance operations, sheet metal press, small part stamping, small part handling, small scale stamping & assembly, and wiring

Ansell



Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SEB165	6	8.56
SEB166	7	8.56
SEB167	8	8.56
SEB168	9	8.56
SEB169	10	8.56
SEB170	11	8.56

CUT RESISTANT GLOVES

HYFLEX® 11-511

CUT PROTECTION & DURABILITY COMBINED

- An unprecedented combination of cut resistance and dexterity with improved durability
- Lightweight and ergonomically designed with incredible cut protection and a relaxed fit
- Features *Intercept Technology*® yarn - developed by Ansell and DuPont which incorporates Kevlar® Stretch Armor Technology
- Extended cuff provides additional cut protection in the highly sensitive wrist area
- New foam nitrile formulation provides longer wear for increased durability
- Offers superior grip and tactility in light oil or dry environments, therefore providing sure grip of product and assurance when handling sharp objects and knives
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance

Applications: Door and wood framing, glass installation, knife handling, maintenance operations, paper slitting, sharp small part handling, sheet metal press and small part stamping

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SEB171	6	19.74
SEB172	7	19.74
SEB173	8	19.74
SEB174	9	19.74
SEB175	10	19.74
SEB176	11	19.74

Ansell



LATEX-COATED KEVLAR® GLOVES

- Natural rubber latex palm coating
- Seamless 10 gauge Kevlar® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance

Applications: Material handling, automotive, glass handling and waste handling

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAP927	8	9.85
SAP928	9	10.80
SAP929	10	11.35
SAP930	11	11.85

ZENITH®
Safety Products



KEVLAR® GLOVES WITH LATEX COATED PALM

- Seamless 10-gauge 100% Kevlar® shell with latex palm
- Excellent protection against cuts, slashes and punctures
- Non-slip surface allows workers to work faster and with confidence
- Open uncoated back allows hand to breathe
- Meets EN388 Level 4 for cut resistance

Applications: Glass or sheet metal handling, canning, recycling, lumber, general manufacturing

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAP610	Y9245-S	Petit	15.45
SAP611	Y9245-M	Moyen	15.45
SAP612	Y9245-L	Grand	15.45
SAP613	Y9245-XL	T-Grand	15.45

JOMAC
CANADA



ATLAS® GRIP KV300 GLOVES

- Offers outstanding dexterity, greater comfort with the added benefit of an ergonomic design
- Wrinkle finish flat dipped rubber, with a knit wrist and a 100% Kevlar® Aramid shell
- Cut-resistant glove is also breathable
- Colour: Blue
- Meets ANSI/ISEA 105 level 3 for cut resistance

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SEC412	4811-7	7	13.07
SEC413	4811-8	8	13.07
SEC414	4811-9	9	13.07
SEC415	4811-10	10	13.07

SHOWA-BEST
GLOVE



ZORB-IT® ULTIMATE SPONGE NITRILE COATED GLOVES

- Ergo-design for maximum comfort
- Cut resistant stretch *Aramid-Lycra*® liner
- Sponge nitrile coating, flat dipped
- Sanitized*
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 level 3 for cut resistance



Applications: Mechanical and automotive industries, waste handling and recycling, metal handling

Priced per Pair

Case Qty: 72

Model No.	Mfg. No.	Size	Price /Each
SAP755	4560-06	6 (XS)	9.50
SAP756	4560-07	7 (S)	9.50
SAP757	4560-08	8 (M)	9.50
SAP758	4560-09	9 (L)	9.50
SAP759	4560-10	10 (XL)	9.50



NITRILE COATED KEVLAR® GLOVES

- Stretchable seamless 13-gauge *Kevlar*® liner
- Nitrile palm coating
- Excellent cut, abrasion and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance



Applications: Component assembly, waste handling, automotive and metal handling

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SEC137	7	8.35
SAP923	8	8.40
SAP924	9	8.85
SAP925	10	9.75
SAP926	11	9.95
SEC138	12	10.15



VANTAGE® 70-765 GLOVES

- Premium longevity and cut protection through advanced technology
- 10-gauge medium weight knit with *Kevlar*® fibre
- Durable leather pad double-stitched, with *Kevlar*® fibre
- Reinforced thumb crotch
- Excellent abrasion resistance and long-lasting
- Puncture and snag protection all the way to fingertips while providing enhanced grip
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance



Applications: Press, welding, handling heavy, oily metal pieces, oily, with sharp or irregular edged metal parts, heat protection

Case Qty: 36

Sold per Pair

Model No.	Size	Price /Each
SAV665	8	18.82
SAV666	9	18.82
SAV667	10	18.82
SAV668	11	18.82



HANDGUARD II GLOVES

- The patented combination of *Kevlar*®, *Spectra*® and stainless steel makes this a heavy-duty glove
- Unmatched combination of cut resistance and comfort
- Excellent thermal properties
- Ambidextrous
- Colour: White
- Meets ANSI/ISEA 105 Level 3 for cut resistance



Case Qty: 6

Priced per Glove

Model No.	Mfg. No.	Size	Price /Each
SQ232	134147	XX-Small	30.06
SQ233	333019	X-Small	30.06
SQ234	333021	Small	30.06
SQ235	333023	Medium	30.06
SQ236	333025	Large	30.06
SQ237	333027	X-Large	30.06



CUT RESISTANT GLOVES



KEVLAR® KNIT GLOVES

100% Kevlar® string knit glove with a continuous cuff is the solution for many high performance metal working and general industrial applications requiring these properties:

- High tensile strength
- Low density
- Resistance to corrosion
- Cut protection without sacrificing comfort and dexterity
- Ambidextrous
- Colour: Yellow
- Meets ANSI/ISEA 105 Level 2 for cut resistance



Case Qty: 120

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
LIGHT WEIGHT			
SA5480	Y1700S	Small	4.91
SA5481	Y1700M	Medium	4.91
SA5482	Y1700L	Large	4.91
MEDIUM LIGHT WEIGHT			
SA0851	1876S	Small	7.33
SA0852	1876M	Medium	7.33
SA0853	1876L	Large	7.33

Case Qty: 120

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
MEDIUM WEIGHT			
SQ273	1800S	Small	8.58
SQ274	1800M	Medium	8.58
SQ275	1800L	Large	8.58
HEAVY WEIGHT			
SA0854	1802S	Small	9.84
SA0855	1802M	Medium	9.84
SA0856	1802L	Large	9.84

DOTTED MEDIUM WEIGHT KEVLAR® KNIT GLOVES

- 100% Kevlar® string type
- Continuous cuff
- PVC dots provide increased grip on wet or dry surfaces
- Colour: Blue on yellow



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAJ924	1887-S	Small	8.46
SAJ925	1887-M	Medium	8.46
SAJ926	1887-L	Large	8.46

KEVLAR® KNIT GLOVES WITH PVC DOTS

- 100% Kevlar® knit gloves with PVC dots on both sides provide quality cut protection when grip is necessary
- Ambidextrous design
- Excellent dexterity and comfort
- Continuous cuff
- Colour: Yellow with blue dots

Applications: Automotive, sheet metal and metal stamping



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SQ279	1811	Small	9.84
SQ280	1810	Large	9.84

STAINLESS STEEL MESH GLOVES

This double interlocked metal mesh glove is formed using state-of-the-art micro plasma welding techniques. The result is stronger, smoother, hermetically sealed ring connections that have no gaps or weak spots.

The self-adjusting tensioning system allows for easy fit with no straps or buckles to fasten. There is no fabric cuff to wear out or become contaminated. The glove is easy to clean.

- Meets ANSI/ISEA 105 Level 5 for cut resistance

Priced per Glove

Model No.	Mfg. No.	Size	Price /Each
SAI314	CM030000	XX-Small	159.01
SAI315	CM030001	X-Small	159.01
SAI316	CM030002	Small	159.01
SAI317	CM030003	Medium	159.01
SAI318	CM030004	Large	159.01
SAI319	CM030005	X-Large	159.01



Micro plasma weld



Resistance weld

Micro plasma welds create value. Links are stronger so the gloves wear longer. There is also a lower risk of contamination because, unlike resistance-welded mesh rings, micro plasma welded rings leave no gaps to trap soil.

PROTECT YOUR HANDS... USE THE CORRECT GLOVE FOR YOUR APPLICATION



POLYMERS

Naturally occurring and man-made polymers are essential building blocks of hand protection. Specific polymers protect workers from specific hazards. There is no ideal glove that works in every situation. Best® utilizes a variety of polymer coatings and fabrics, designed for a variety of tasks.

NEOPRENE (POLYCHLOROPRENE, CR)

Strong, durable neoprene gloves provide excellent protection from physical hazards such as cuts and abrasions and also provide excellent chemical resistance for protection from exposure to organic and inorganic acids. Neoprene gloves also provide excellent protection from many organic solvents, oils, greases and petrochemicals and resist degradation from ozone, sunlight and oxidation. In addition, neoprene remains functional and flexible at temperatures ranging from -10° to 300°F (-23° to 150°C).



Neoprene

NITRILE (ACRYLONITRILE-BUTADIENE RUBBER)

Nitrile, a versatile synthetic copolymer, is used to make a variety of gloves ranging from heavy-duty work gloves to ultra-thin medical and clean room gloves. Nitrile coating provides tough protection from physical hazards such as cut, puncture or abrasion. Nitrile-dipped gloves also provide chemical resistance to petrochemicals (especially fuels), oils, greases, pesticides and other agricultural chemicals while providing excellent dexterity.



Nitrile

VITON® (FLUOROELASTOMER)

Viton® provides excellent chemical resistance to fuels used in the aerospace industry. It provides excellent protection from exposure to aromatic hydrocarbons such as benzene, toluene or xylene. Viton® gloves are available in unsupported version only. For working with extremely hazardous chemicals such as carcinogenic or highly toxic chemicals, Viton® works where no other glove works.



Viton®

NATURAL RUBBER

Natural rubber, the most elastic substance known, is found in over two hundred plants including the rubber tree (*Hevea Brasiliensis*), the source of natural rubber latex used to manufacture gloves.

Natural rubber is a flexible and soft, yet tough and durable coating that provides excellent protection from physical hazards and provides an outstanding grip. Natural rubber provides excellent protection from exposure to aqueous chemicals such as acids and caustics, and limited protection from alcohols and ketones. Natural rubber gloves do not hold up well in organic solvents, oils, greases or fuels such as kerosene or gasoline.

CAUTION: Natural rubber latex has been shown to cause allergic reactions in sensitised individuals.



Natural Rubber

PVC (POLYVINYL CHLORIDE)

PVC is an economical synthetic thermoplastic polymer that is exceptionally durable. PVC gloves provide excellent protection from limited chemical exposure and physical hazard protection. They are noted for being durable and function well in temperatures ranging from -30° up to 212°F (-34° up to 100°C).



PVC

BUTYL® (BUTYL RUBBER)

Butyl® rubber's tight molecular structure provides excellent chemical resistance to gases and ketones. Butyl® gloves are manufactured in unsupported version only and are used by the military for protection from chemical warfare agents. Butyl® rubber is severely affected by exposure to fuels and aliphatic and aromatic hydrocarbon solvents.



Butyl®

TYPES OF GLOVES

DISPOSABLE GLOVES

This category of unsupported gloves is generally characterised as a thin-gauge glove that is not intended for repeated use. They may have a donning agent such as powder or a polyurethane slip coating, or powder-free.

LAMINATED GLOVES

This special nitrile-coated fabric is made by transfer-coating the nitrile polymer onto a textured surface and then laminating the nitrile film onto Sanitized® poly-cotton fabric for superior comfort and flexibility.

IMPREGNATED GLOVES

This special nitrile or PVC-coated fabric is made by knife-coating nitrile or PVC directly onto Sanitized® cotton fabric.

SUPPORTED GLOVES

These gloves offer a polymer coating over a cotton, nylon or aramid liner. The textile substrate imparts adds strength and resistance to abrasion, cuts and punctures.

UNSUPPORTED GLOVES

These are polymer gloves with no textile lining. These gloves include heavyweight, medium weight or disposable gloves. They may be chlorinated or have a cotton flock lining for easier donning.

CUT RESISTANT GLOVES

This special category is characterized by the utility of the gloves and includes either polymer-coated gloves or special high performance yarns that are designed to impart cut-resistance or combinations of these.

CHEMICAL RESISTANT GLOVES



CHEMICAL RESISTANCE GLOVE GUIDE

Chemical Hazards	Neoprene	Nitrile	PVC
Acetaldehyde	E	F	NR
Acetic Acid (Conc.)	E	G	F
Acetone	G	NR	NR
Ammonium Hydroxide (Conc.)	E	E	E
Amyl Acetate	NR	F	F
Aniline	G	F	NR
Benzyl Alcohol	E	E	E
Bleach	E	E	E
Boric Acid	E	E	E
Butyl Acetate	NR	F	F
Carbon Tetrachloride	F	G	F
Chloracetone	E	NR	NR
Chromic Acid 50%	NR	F	G
Citric Acid 10%	E	E	E
Creosote	E	E	E
Cyclohexane	F	E	NR
Diesel Fuel	F	E	NR
Diethanolamine	E	E	E
Diethyl Ether	E	E	F
Diethyl Phtalate (DOP)	G	G	NR
Ethyl Acetate	F	NR	NR
Ethyl Alcohol (Ethanol)	E	E	F
Ethylene Glycol (Anti-freeze)	E	E	E
Formaldehyde 37% (Formalin)	E	E	E
Gasoline	G	E	F
Hexane	NR	E	F
Hydraulic Fluid	E	E	G
Hydrochloric Acid 30%	E	E	G
Hydrofluoric Acid 30%	E	E	G
Hydrogen Peroxide	E	E	NR
Kerosene	F	E	F
Methyl Alcohol (Methanol)	E	E	G
Methyl Ethyl Ketone (MEK)	P	NR	NR
Methyl Formate	E	F	F
Mineral Oils	F	E	F
Naphtha	F	E	F
Naphthalene	F	G	F
Nitric Acid 20%	G	F	F
Nitrobenzene	F	F	NR
Oleic Acid	E	E	F
Perchloroethylene	F	G	NR
Phosphoric Acid	E	E	E
Potassium Hydroxide 50% KOH	E	F	E
Propylene Dichloride	NR	F	NR
Silicates	E	E	E
Sodium Hydroxide 50% NaOH	E	F	F
Sodium Hypochlorite	E	E	E
Stearic Acid	E	G	G
Sulfuric Acid (Conc.)	G	NR	G
Tetrahydrofuran (THF)	NR	NR	NR
Toluene (Toluol)	NR	F	F
Trichloroethylene	F	F	NR
Trinitrobenzene	F	G	F
Turpentine	F	E	G
Weed Killer	E	E	E
Wood Preservative	F	E	F

Key: E - excellent, G - good, F - fair, P - poor, NR - not rated

Note: This chart provides guidelines for choosing chemical resistant gloves.
A glove professional should be consulted to help evaluate other factors that influence resistance.

PHYSICAL PERFORMANCE DATA

Glove Type	Neoprene-Coated	Latex-Coated	PVC-Coated	PVC-Textured	Nitrile-Coated	Neoprene	Nitrile	Latex	Vinyl
Abrasion Resistance	F	F	E	E	E	G	E	E	F
Heat Resistance	E	F	F	F	E	E	F	F	F
Cut Resistance	E	E	G	G	E	G	F	G	F
Puncture Resistance	E	E	G	G	E	F	F	G	F
Tear Resistance	-	-	-	-	-	G	G	-	F
Ozone Resistance	E	G	E	G	G	E	G	G	F
Flexibility	G	G	F	G	E	E	E	G	F
Elongation	-	-	-	-	-	E	G	-	F
Grip	G	G	E	E	E	E	G	E	F

Key: E - excellent, G - good, F - fair

COATED GLOVE QUICK REFERENCE GUIDE

Glove Material	Temperature Range	Protects Against
Natural Rubber	0° to 300°F -17° to 150°C	All water soluble liquids, such as Alcohols and Acetones
Polyvinyl Chloride "PVC"	25° to 200°F -4° to 65°C	Petroleum, Acids, Fats, Hydrocarbons, Oils, Caustics, Alcohols and Glycol Ethers
Neoprene	-10° to 200°F -23° to 93°C	Acids, Alcohol, Oils, Greases, Caustics, Inks, Detergents, Fertilizers, Refrigerants and Ketones
Nitrile	25° to 300°F -4° to 150°C	Oils, Greases, Acids, Caustics and most all Petroleum Based Products

Call us for quantity pricing!



RMP-ECO® cleaning products are the Green solution to industrial cleaning. All RMP-ECO® products are EcoLogo® certified. RMP-ECO® is safe for you and the environment.

SOL-VEX® UNSUPPORTED NITRILE 37-175 GLOVES

- Embossed, flock-lined
- Good protection against snags, punctures, abrasions and cuts
- Outstanding combination of strength and chemical resistance, when exposed to aromatic and petroleum solvents, as well as caustics and animal fats, they won't swell, weaken or degrade
- Superior choice over rubber or neoprene
- 13" length, 15-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Food processing (red meat, poultry, vegetables, fruit, dairy and canning), automotive assembly and painting, aerospace and automotive degreasing, chemical processing, oil refining, petrochemicals, machining operations using cutting oil and coolants, metal fabrication, graphic arts, printing cleanup, furniture manufacturing, electronics (semiconductors, circuit board manufacturing)

Case Qty: 144

Priced per Pair

Model No.	Size	Price /Each
SAW941	6	1.80
SAW942	7	1.80
SAW943	8	1.80
SAW944	9	1.80
SAW945	10	1.80
SAW946	11	1.80

Ansell



SAW941

FLOCKED-LINED GREEN NITRILE GLOVES

- Cotton flock-lined
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- 13" length, 15-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAN475	7	2.10
SAN476	8	2.10
SAN477	9	2.10
SAN478	10	2.10
SAN479	11	2.10

ZENITH®
Safety Products



SAN476

UNLINED 11 MIL GREEN NITRILE GLOVES

- Lightweight unlined nitrile gloves
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture, and abrasion
- 13" length
- Accepted for use in Canadian food processing facilities

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAS063	7	2.05
SAS064	8	2.05
SAS065	9	2.05
SAS066	10	2.05
SAS067	11	2.05

ZENITH®
Safety Products



SAS063

UNLINED 15 MIL GREEN NITRILE GLOVES

- Double dipped unlined nitrile gloves
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture, and abrasion
- 13" length
- Accepted for use in Canadian food processing facilities

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAS068	7	2.30
SAS069	8	2.30
SAS070	9	2.30
SAS071	10	2.30
SAS072	11	2.30

ZENITH®
Safety Products



SAS068

CHEMICAL RESISTANT GLOVES

UNLINED GREEN NITRILE GLOVES

- Unlined for improved dexterity
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- 18" length, 22-mil thick

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

Case Qty: 60

Priced per Pair

Model No.	Size	Price /Each
SEF080	8	7.35
SEF081	9	7.35
SEF082	10	7.35

NITRI-SOLVE® GLOVES

- Nitri-Solve® provides excellent protection against abrasion, punctures, cuts and snags
- Resistant to a broad range of solvents, animal fats and other chemicals
- Case-hardened finish enhances both chemical and abrasion resistance and makes it easy to pull on and off
- Non-slip grip makes wet work easier and safer
- Available in flock-lined and unlined styles in varying thickness and lengths
- Each hand is embossed with glove size for ease of pairing after laundering
- Colour: Green
- Accepted for use in Canadian food processing facilities
- Made of FDA compliant materials

Priced per Pair

Model No.	Mfg. No.	Size	Length"	Thickness Mils	Case Qty	Price /Each
FLOCK-LINED						
SA578	730-7	7	13	15	144	2.39
SA579	730-8	8	13	15	144	2.39
SA580	730-9	9	13	15	144	2.39
SA576	730-10	10	13	15	144	2.39
SA577	730-11	11	13	15	144	2.39
UNLINED						
SA566	717-7	7	13	11	144	2.39
SA567	717-8	8	13	11	144	2.39
SA568	717-9	9	13	11	144	2.39
SA564	717-10	10	13	11	144	2.39
SA565	717-11	11	13	11	144	2.39
UNLINED, HEAVY-DUTY						
SA0807	737-8	8	15	22	72	9.00
SA0808	737-9	9	15	22	72	9.00
SA0809	737-10	10	15	22	72	9.00
SA0810	737-11	11	15	22	72	9.00

NSK24™ NITRI-SOLVE KNIT GLOVES

- Super flexible, watertight nitrile glove
- Interlock knit liner offers an added degree of comfort and protection
- Provides excellent protection from an array of solvents, oils and acids
- Rough finish texture delivers a sure grip in even the most oily and wet applications
- Length: 12"

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAN698	NSK24-09	9	7.29
SAN699	NSK24-10	10	7.29
SAN700	NSK24-11	11	7.29

SILVER SHIELD® 4H SERIES GLOVES

- Flexible Norfoil laminate
- Resistant to over 290 different chemicals: alcohols, aliphatics, aromatics, chlorines, ketones, esters
- Resists permeation and breakthrough by an array of toxic/hazardous chemicals
- Low cost, disposable gloves, no recycling
- Does not contain chemical accelerators that can cause allergic reactions
- Maximum protection in heavy-duty jobs
- Ambidextrous • Can be used as a secondary glove

Applications: Chemical/petrochemical laboratories, spill cleanups, hazmat control operations and medical labs

Case Qty: 50

Priced per Pair

Model No.	Mfg. No.	Length"	Size	Price /Each
SAJ958	SSG/6XS	14 1/2	X-Small	5.83
SAJ959	SSG/7S	14 1/2	Small	5.83
SAJ960	SSG/8M	14 1/2	Medium	5.83
SAJ961	SSG/9L	14 1/2	Large	5.83
SAJ962	SSG/10XL	14 1/2	X-Large	5.83
SAJ963	SSG/11XXL	14 1/2	2X-Large	5.83

ZENITH®
Safety Products

SHOWA-BEST GLOVE

SHOWA-BEST GLOVE

NORTH
by Honeywell



SAP431



SA580



SA808



SA568



SAN698



SAJ958

STANSOLV® Z-PATTERN GRIP GLOVES

- Unique Z-pattern feature provides an excellent grip
- The lightweight A-10 provides outstanding dexterity and protection
- A-15, AF-18 and A-18 are all double-dipped to insure a leakproof barrier against chemical permeation
- Resistant to cuts, punctures and abrasion
- Made of FDA compliant materials

Applications: Plating, chemical processing, meat and poultry processing, degreasing operations, solvent washing and acid etching

Case Qty: 12

Priced per Pair

Model No.	Mfg. No.	Size	Gauge"	Price /Each
STYLE A-18 DOUBLE DIPPED, UNLINED, LENGTH 18", 22 MIL				
SN788	A-18-7	7	0.022	13.61
SN789	A-18-8	8	0.022	13.61
SN790	A-18-9	9	0.022	13.61
SN791	A-18-10	10	0.022	13.61
SN792	A-18-11	11	0.022	13.61

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Gauge"	Price /Each
STYLE AF-18 DOUBLE DIPPED, FLOCK LINED, LENGTH 13", 18 MIL				
SN773	AF-18-6	6	0.018	2.97
SN774	AF-18-7	7	0.018	2.97
SI808	AF-18-8	8	0.018	2.97
SI809	AF-18-9	9	0.018	2.97
SI810	AF-18-10	10	0.018	2.97
SN775	AF-18-11	11	0.018	2.97



SN788

MAPA
PROFESSIONAL

PROTECTOR™ NITRILE GLOVES

- AFR-282 heavyweight blend gloves are economical and provide outstanding protection
- Blue nitrile blend over-dip
- Resistant to cuts, punctures and abrasion
- Flock lined natural rubber body provides excellent comfort and flexibility
- Embossed chain grip prevents fluids and greasy solids build-up on working surface
- Two-tone construction provides visual indicator of glove wear-through
- Length: 13", 28 mil
- Made of FDA compliant materials

Applications: Chemical processing, acid cleaning, construction, food processing, metal machining, plating, agriculture chemicals, plant and janitorial maintenance

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SN793	AFR-282-S	Small	2.70
SN794	AFR-282-M	Medium	2.70
SN795	AFR-282-L	Large	2.70
SN796	AFR-282-XL	X-Large	2.70
SN797	AFR-282-2XL	2X-Large	2.70



SN795

MAPA
PROFESSIONAL

STANSOLV® EMBOSSED Z-PATTERN GRIP GLOVES

- The most liquid-tight knit-lined nitrile glove available
- Shell-and-liner construction prevents leaks paths, normally caused by liner fibers penetration of the nitrile shell
- The soft, two-way-stretch interlock cotton liner absorbs perspiration and helps provide insulation
- Lightweight nitrile shell provides excellent comfort and dexterity
- Z-pattern grip channels fluids off the working surface to insure a secure grip
- Made of FDA compliant material
- Medium weight, length 14"
- Accepted for use in Canadian food processing facilities

Applications: Chemical processing, construction, maintenance, metal fabrication, petrochemical processing and seafood processing

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SN740	AK-22-7	7	9.72
SN741	AK-22-8	8	9.72
SN742	AK-22-9	9	9.72
SN743	AK-22-10	10	9.72
SN744	AK-22-11	11	9.72



SN740

MAPA
PROFESSIONAL

CHEMICAL RESISTANT GLOVES

NITRI-DEX™ GLOVES

- "Hybrid" nitrile glove offers chemical performance, with the fit, feel and comfort associated with low modulus gloves
- Unique 9-mil 12" glove with tractor tread grip and hand specific design
- Packaged in a conceptually revolutionary poly bag that has specific compartments for the left and right hand, to facilitate one-hand specific use opportunities that exist in food and pharmaceutical industries
- Colour: Blue
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities

Applications: Food processing, agricultural produce, janitorial/sanitation, automotive, aeronautics, pharmaceutical/manufacturing

Case Qty: 150

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SA0779	707-6	6	1.29
SA0803	707-7	7	1.29
SA0804	707-8	8	1.29
SA0805	707-9	9	1.29
SA0834	707-10	10	1.29
SA0835	707-11	11	1.29



NATURAL RUBBER 200 SERIES GLOVES

- Medium-duty natural rubber unsupported latex
- Cotton flock-lined
- Increased snag, puncture, abrasions and cut resistance
- High degree of tensile strength
- Excellent sensitivity
- Added wrist and forearm protection
- Improved grip on wet or dry objects
- Accepted for use in Canadian food processing facilities

Applications: Canning and food processing, Agriculture, Automotive assembly, Chemical plants, Janitorial, Petroleum refineries, Plant maintenance, Pharmaceutical manufacturing

Caution: These products contain natural rubber latex which may cause allergic reactions in some individuals.

Case Qty: 144

Priced per Pair

Model No.	Description	Size	Price /Each
SAW947		7	1.48
SAW948	Pebble-Embossed	8	1.48
SAW949	12", 20 mils	9	1.48
SAW950		10	1.48



SAW947

Ansell

ORANGE HEAVYWEIGHT 200 SERIES GLOVES

- 29-mil palm is 50% thicker than most standard flock-lined glove
- Increased tensile strength and puncture/cut protection against chemical and physical hazard
- 100% cotton flock lining increases user comfort
- Recessed diamond design provides grip on wet or dry objects

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Colour	Price /Each
SAX914	0020811070	Small	Citrus Orange	2.69
SAX915	0020811080	Medium	Citrus Orange	2.69
SAX916	0020811090	Large	Citrus Orange	2.69
SAX917	0020811100	X-Large	Citrus Orange	2.69
SAX918	0020811110	2X-Large	Citrus Orange	2.69



SAX914

Ansell

NATURAL RUBBER LATEX GLOVES

- Embossed diamond pattern provides superior grip
- Chlorinated for easy donning
- 12" length, 15-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Food processing, plant maintenance and janitorial applications

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
COTTON FLOCK LINED		
SAN467	7	1.35
SAN468	8	1.35
SAN469	9	1.35
SAN470	10	1.35



SAN469

ZENITH
Safety Products

NATURAL RUBBER LATEX CANNERS

- Unlined
- Embossed diamond pattern provides superior grip
- Chlorinated for easy donning
- Beaded cuff for added tear resistance
- 12" length, 15-mil thick
- CFIA approved

Applications: Food processing, plant maintenance and janitorial applications

Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SAN471	7	1.11
SAN472	8	1.11
SAN473	9	1.11
SAN474	10	1.11



SAN473

NATURAL RUBBER HEAVYWEIGHT GLOVES

- Provides superior protection from water-based chemicals such as acids, alkalis, alcohols and caustics
- Heavy rolled bead cuff for excellent tear resistance
- Smooth finish resists punctures and snags
- Unlined for less risk of product contamination
- 30-mil thickness

Applications: Chemical handling, plating, sandblasting, plant maintenance and laboratories

Case Qty: 72

Priced per Pair

Model No.	Description	Price /Each
SAP220	14"	6.75
SAP221	18"	8.25



SAP220

VALUE MASTER® NATURAL RUBBER GLOVES

- Provides unequalled value, comfort and flexibility, outstanding tactile sensitivity, strength, dexterity and elasticity
- Form-fitting 12", 18-mil 100% natural rubber-latex
- Features a self-flushing tractor-tread pattern that provides an excellent grip, wet or dry, and encourages run-off of fluids often trapped by diamond-shaped embossed patterns

YELLOW

- The yellow *Value Master*® features 100% cotton flocking for added comfort



SA626

- Resists a wide range of chemicals, including animal fats, caustics, acids, oils, salts, alcohols and detergents
- Available in four sizes for a perfect fit as well as unlined, either amber or flock lined, yellow

AMBER

- The amber *Value Master*® is chlorinated to provide extra, case-hardened chemical resistance and to ease donning and doffing



SC463



Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Description	Size	Price /Each
SA627	VM-S	Flock Lined, 12"	Small	1.76
SA626	VM-M	Flock Lined, 12"	Medium	1.76
SA625	VM-L	Flock Lined, 12"	Large	1.76
SA628	VM-XL	Flock Lined, 12"	X-Large	1.76

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Description	Size	Price /Each
SC462	VMU-S	Unlined, 12"	Small	1.83
SC463	VMU-M	Unlined, 12"	Medium	1.83
SC464	VMU-L	Unlined, 12"	Large	1.83
SC465	VMU-XL	Unlined, 12"	X-Large	1.83

ORANGE SUPAWEIGHT GLOVES

- High resistance to water-based chemicals
- Tough general purpose 30 mil natural rubber latex glove
- Roughened finish for excellent grip in damp conditions
- Beaded cuff for tear resistance and easy pull on
- Extra length fluted cuff for ventilation and maximum protection
- Ideal for laboratories and a broad range of chemical applications
- Accepted for use in Canadian food processing facilities

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAJ545	G02T/450-S	Small	3.58
SAJ546	G02T/450-M	Medium	3.58
SAJ547	G02T/450-L	Large	3.58
SAJ548	G02T/450-XL	X-Large	3.58



SAJ547

CHEMICAL RESISTANT GLOVES

HEAVYWEIGHT BLACK RUBBER GLOVES

- High resistance to water-based chemicals
- Comfortable and sensitive natural rubber latex glove withstands rough treatment
- Beaded cuff for tear resistance and easy pull on
- Longer gauntlet style cuff for extra protection
- Ideal for use in heavy industry, assembly, maintenance work and local authorities
- Length: 12", 30 mil
- CE complex design
- Accepted for use in Canadian food processing facilities

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAJ993	G17K/459-S	Small	3.62
SAJ994	G17K/459-M	Medium	3.62
SAJ995	G17K/459-L	Large	3.62
SAJ996	G17K/459-XL	X-Large	3.62
SAJ997	G17K/459-XXL	2X-Large	3.62



SAJ995



ASTROFLEX™ NATURAL LATEX RUBBER GLOVES

- Blue natural latex rubber coated nylon liner with unique knitted elastic cuff for superb fit and comfort
- High tensile strength and resilience for use in water soluble liquids
- Crinkled gripping surface for safer wet and dry grip
- Pinked cuff

Applications: Machining, fishing, glass handling, sanitation, maintenance, handling water soluble chemicals

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Length"	Size	Price /Each
SAP536	Astroflex-S	12	Small	5.65
SAP537	Astroflex-M	12	Medium	5.65
SAP538	Astroflex-L	12	Large	5.65
SAP539	Astroflex-XL	13	X-Large	5.65



SAP536



BLUE-GRIP™ HEAVYWEIGHT NATURAL RUBBER LATEX GLOVES

- Unique etched surface of the Blue-Grip™ provides a non-slip grip even on hard-to-grasp materials
- Heavy gauge rubber gives excellent mechanical and chemical protection, high cut resistance and tear strength
- Interlock knit cotton liner absorbs perspiration for all-day comfort, provides easy on-off, thermal protection
- Curved-finger, contoured palm design for excellent fit, low hand fatigue
- Pinked cuff, launderable
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities

Applications: Food processing, handling frozen food, hot containers, agricultural chemicals, oyster farming, masonry, sheet metal assembly, glass handling and maintenance

Case Qty: 48

Priced per Pair

Model No.	Mfg. No.	Length"	Size	Price /Each
SN727	LL-301-S	12	Small	6.12
SN728	LL-301-M	12	Medium	6.12
SN729	LL-301-L	12	Large	6.12
SN730	LL-301-XL	13	X-Large	6.12



SAN728



ALPHATEC™ 58-535 GLOVES

- Nitrile with Ansell Grip Technology™
- New anatomical hand shape
- Easier donning
- Good grip
- Excellent chemical protection, repel oils and other lubricants
- Provides dexterity, comfort and touch sensitivity without any compromise in chemical protection
- Reducing hand fatigue and carpal tunnel syndrome related injuries
- Fully coated with 12" knitted seamless liner
- Accepted for use in Canadian food processing facilities

Applications: Chemical handling, agriculture, automotive / OEM, mining, aerospace, printing

Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAY030	8	9.66
SAY031	9	9.66
SAY032	10	9.66
SAY033	11	9.66



SAY030



SHOULDER LENGTH NITRILE GLOVES

- Seamless nitrile makes glove water tight
- Elastic closure near the shoulder ensures dryness and comfort
- Rough finish for excellent wet grip and abrasion resistance
- Shoulder length; 26" overall length

Applications: Commercial and recreational fishing, chemical handling, food processing, maintenance and cleanup, handling greasy and oily equipment

Case Qty: 12

Model No.	Mfg. No.	Size	Price /Each
SAP527	772-08	Medium	19.49
SAP528	772-09	Large	19.49
SAP529	772-10	X-Large	19.49



SAP527

Priced per Pair

CANNERS & HANDLERS 392 GLOVES

- Pebble-embossed, pinked cuff
- Medium-duty unsupported, unlined, natural rubber latex
- Excellent dexterity, tensile strength and elasticity
- Excellent grip on wet or dry surfaces
- Good choice for snag, punctures, abrasion and cut resistance
- Protection against chemical hazards
- 12" length, 20-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Food processing, poultry, small parts assembly, pharmaceutical manufacturing, janitorial and plant maintenance

Caution: These products contain natural rubber latex which may cause allergic reactions in some individuals.

Case Qty: 144

Model No.	Size	Price /Each
SAX939	6.5	1.54
SAX940	7	1.54
SAX941	7.5	1.54
SAX942	8	1.54
SAX943	8.5	1.54
SAX944	9	1.54
SAX945	9.5	1.54
SAX946	10	1.54
SAX947	11	1.54



SAX939

Priced per Pair

NEOPRENE™ 29-865 GLOVES

- Flock-lined unsupported neoprene, embossed
- Increase chemical and abrasion resistance over standard neoprene gloves
- Broad-spectrum protection
- Excellent resistance to a wide range of chemicals, including oils, acids, caustics and solvents
- 13" length, 18-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Petrochemicals, degreasing, electronics, refining, handling oils, acids, caustics, alcohols and solvents

Case Qty: 144

Model No.	Size	Price /Each
SAX979	7	5.53
SAX980	8	5.53
SAX981	9	5.53
SAX982	10	5.53



SAX979

Priced per Pair

NEOPRENE/NATURAL RUBBER LATEX GLOVES

- Natural rubber latex with blue neoprene over-dip
- Cotton flock-lined
- Raised diamond pattern provides superior grip
- Superior chemical resistance
- 12" length, 28-mil thick
- Accepted for use in Canadian food processing facilities

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

Case Qty: 120

Model No.	Size	Price /Each
SAM650	7	2.40
SAM651	8	2.40
SAM652	9	2.40
SAM653	10	2.40



SAM650

Priced per Pair

CHEMICAL RESISTANT GLOVES

PREMIUM GRADE NEOPRENE GLOVES

- Caustics, oils, greases and solvents resistant
- Excellent all-round protection against physical hazards such as abrasion and cuts
- Choice of smooth or rough grip
- One size

Applications: Degreasing, petrochemicals, refining, metal fabricating, plating, galvanizing and general material handling



Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Length"	Grip	Price /Each
SC454	6780	12	Smooth	13.71
SC455	6780R	12	Rough	14.27
SC456	6784	14	Smooth	15.17
SC457	6784R	14	Rough	15.78



SC454

SC455

TEMP-TEC® INSULATED NEOPRENE GLOVES

- Unique multi-layer construction to avoid the thin spots and pinholes common to single-dipped supported gloves
- Durable 100% neoprene for excellent dexterity, mechanical and chemical protection
- Soft absorbent interlock liner adds comfort, easy on/off, high and low temperature
- Roughed grip non-abrasive over dip provides a positive non-slip grip
- Two-colour construction for a visual indicator of glove wear through
- Contoured palm and curved fingers assure excellent fit and dexterity
- Launderable
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities

Applications: Hot melt adhesive manufacturing, cleaning operations, petrochemical hot sampling, plastic extrusion operations, resin hot sampling.



Case Qty: 6

Priced per Pair

Model No.	Length"	Size	Price /Each
SAN268	17	8	34.97
SAN269	17	9	34.97
SAM869	17	10	34.97



SAM869

ULTRAFLEX® II NEOPRENE® GLOVES

- Premium grade neoprene rubber glove
- Nearly as flexible as an unsupported glove yet offers the protection of a heavy coated glove
- Rough finish provides an excellent wet grip and abrasion resistance

Applications: Petrochemical and refinery applications, handling chemicals, cleaning equipment, electronics and general utility



Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Length"	Size	Price /Each
SAP530	3414-08	14	Small	12.32
SAP531	3414-09	14	Medium	12.32
SAP532	3414-10	14	Large	12.32
SAP533	3414-11	14	X-Large	12.32



SAP530

CHLOROFLEX® NEOPRENE GLOVES

- Unsupported neoprene gloves
- Pattern finish assures a firm grip, wet or dry
- Flock lined embossed grip, 24 mil
- Chloroflex® delivers excellent protection in applications for the petrochemical industry, refining, electronics, lab use, degreasing and handling materials in acids, alcohols, caustics and oils



Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Length"	Size	Price /Each
SAK074	723-7	12	7	6.81
SAK075	723-8	12	8	6.81
SAK076	723-9	12	9	6.81
SAK077	723-10	12	10	6.81



SAK074

CHEMICAL RESISTANT GLOVES

SHOULDER LENGTH NEOPRENE GLOVES

- Shoulder length glove in multi-dipped liquid proof neoprene
- Very comfortable with ergonomically designed sleeves that contour to the arm and shoulder joints, as well as a grommet to securely attach to sleeves, aprons or other PPE
- Cotton flannel lining also allows a comfortable extended wear
- Designed for applications where handling drums and large volume containers of chemicals and solvents are commonplace

Applications: For environments involving a wide array of chemicals and caustics

Case Qty: 1

Model No.	Mfg. No.	Size	Price /Each
SA0802	6731-10	Large	68.54



Priced per Pair

SNORKEL® 4-412 GLOVES

- PVC fully coated
- Jersey lining for cushioning and moderate insulation
- PVC compound provides greater flexibility and comfort
- Unique nitrile blend PVC rough finish provides outstanding chemical resistance, wear and flexibility and contains nylon particles that increase the glove's cut and abrasion resistance and wet grip capabilities
- 12" length
- Size: 10
- Accepted for use in Canadian food processing facilities
- Case Qty: 72
- **Priced per Pair**

Applications: Petrochemicals and refining, handling equipment and abrasive materials coated with acids, caustics, solvents, grease and oil

Model No. SAY023

Price/Each \$6.78



PVC DOUBLE DIPPED GREEN GLOVES

- PVC coating on jersey liner
- Double dipped for superior abrasion resistance
- Resists most oils, acids, greases and solvents
- Rough coated



Priced per Pair

Model No.	Description	Case /Qty	Price /Each
SEE800	Gauntlet 12"	120	3.45
SEE801	Gauntlet 14"	60	3.80
SEE802	Gauntlet 18"	60	5.20
SEE803	Knit Wrist	120	3.30



SEE803



SEE800

ULTRA FLEXIBLE PVC GLOVES

- Premium ultra flexible PVC coating
- Seamless 13-gauge interlock liner
- Double dipped for added durability
- Pre-formed shape for ultimate dexterity and comfort
- Rough finish provides superior grip

Applications: Fishery, automotive, maintenance, and petrochemical

Case Qty: 120

Model No.	Size	Price/Each
SAP878	9	4.80
SAP879	10	4.90



Priced per Pair



SAP878

WINTER LINED PVC GLOVES

- Fluorescent orange PVC glove provides excellent protection against oils and other liquids
- Foam fleece lining for added warmth in harsh winter conditions
- Colour: Orange



Priced per Pair

Model No.	Description	Case /Qty	Price /Each
SAN383	Gauntlet 12"	120	6.20
SO104	Knit Wrist	120	5.00
SAP922	Safety Cuff	60	6.25



SO104



SAP922



SAN383

R33014E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

819

CHEMICAL RESISTANT GLOVES

PVC ROUGH FINISH GLOVES

- PVC coating on jersey liner
- Resists most oils, acids, greases and solvents
- Rough finish
- Colour: Yellow



Case Qty: 120

Priced per Pair

Model No.	Description	Price /Each
SEE797	Gauntlet 12"	2.60
SEE798	Gauntlet 14"	2.85
SEE799	Knit Wrist	2.30



SEE797



SEE799

PVC SMOOTH FINISH GLOVES

- PVC coating on jersey liner
- Resists most oils, acids, greases and solvents
- Ideal for general chemical handling
- Smooth finish
- Colour: Red



Case Qty: 120

Priced per Pair

Model No.	Description	Price /Each
SEE804	Gauntlet 12"	2.45
SEE805	Gauntlet 14"	2.75
SEE806	Knit Wrist	1.90



SEE806



SEE804

HUSTLER® PVC GLOVES

- Premium grade PVC and reinforced with nitrile
- Jersey liner
- Rough finish
- Colour: Red

Applications: Petrochemical, refining, general chemical handling, ship building and material handling in acids, oil, grease, caustics and many solvents



Priced per Pair

Model No.	Mfg. No.	Description	Case /Qty	Price /Each
SA574	725R-10	Gauntlet 12"	72	6.68
SA573	724R-10	Gauntlet 14"	72	7.20
SA575	728R-11	Gauntlet 18"	48	12.83



SA574

INSULATED ROUGH TOUGH® PVC GLOVES

- PVC coated glove with a triple-layer construction resists chemicals and abrasion
- Unique crinkle finish for excellent grip

Applications: Municipalities, cold storage, trash collection, fishing and lumber industries



Priced per Pair

Model No.	Mfg. No.	Description	Case /Qty	Price /Each
SC460	273	Knit Wrist	72	12.68
SA532	276	Safety Cuff	48	14.17
SC461	274	Gauntlet 14"	72	18.56



SC461



SC460



SA532

CHEMICAL RESISTANT GLOVES

BLACK KNIGHT® PVC GLOVES

- Economical, PVC fully coated, jersey lined glove
- Choice of smooth or rough grip

Applications: Petrochemicals, refining, mining, automotive subassembly and handling slick, abrasive materials



Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Description	Grip	Price /Each
SA583	7703	Knit Wrist	Smooth	4.54
SAJ729	7703-R	Knit Wrist	Rough	4.54
SA584	7712	Gauntlet 12"	Smooth	5.12
SC452	7712-R	Gauntlet 12"	Rough	5.12
SA585	7714	Gauntlet 14"	Smooth	6.17
SC453	7714-R	Gauntlet 14"	Rough	6.17



CANNONBALL® PVC

- High grade PVC multi-dipped glove with a rough finish for extra protection and grip
- Cannonball's® high-grade PVC coating provides outstanding chemical resistance, wear and flexibility
- Jersey liner
- Rough finish
- Accepted for use in Canadian food processing facilities

Applications: Fishing, petrochemicals, refining construction, mining, utilities and handling abrasive materials coated with oil and grease



Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SC450	812-10	Gauntlet 12"	5.95
SC451	814-10	Gauntlet 14"	6.88



TRAWLER KING PVC LONG SLEEVE GLOVES

- Rough sandy finish provides superior grip
- Curved hand design provides maximum comfort
- Extended sleeve provides added protection on the arms
- Available with elastic closure or suspender straps
- Colour: Green



by Honeywell

Case Qty: 24

Priced per Pair

Model No.	Mfg. No.	Description	Size	Price /Each
SAJ972	1812FWG24	24", Elastic Closure	X-Large	61.18
SAJ973	1812FWG01	30", Suspender Straps	X-Large	75.63

BEMAC PETROCHIEF® GLOVES

- Red PVC/NBR blended coating designed to handle petroleum products
- Resists most oils, acids, fats, alcohols and glycol ethers
- Performs well in temperature ranging from 25°F to 150°F
- Available in 10 1/2" gauntlet and safety cuff jersey lined
- Model SAL117 features a removable, washable foam lining



Priced per Pair

Model No.	Mfg. No.	Description	Case /Qty	Price /Each
SAI404	PC830	Safety Cuff Jersey Lined	72	7.76
SAI405	PC893	Safety Cuff Jersey/Foam Lined	36	12.01
SAL117	PC889L	10 1/2" Gauntlet/Foam Lined	36	15.00



SAI404

EASY TO LAUNDER REMOVABLE LINERS

Petrochief® gloves feature removable liners. These liners wash clean in minutes with no balling or pilling and reassemble with ease.



- 1 -
Remove
lining.



- 2 -
Wash. Wring out
the water.
Let dry.



- 3 -
Place fingers in
the finger openings
and slip liner back into glove.



- 4 -
Use other hand to
ensure all fingers are
firmly set in place

DISPOSABLE GLOVES

TOUCH N TUFF® 92-600 GLOVES

- Nitrile with smooth fingertips
- Contains absolutely no fillers, silicones or plasticizers
- Provide three times the puncture resistance of competitive latex or vinyl gloves
- Durable yet soft for improved comfort
- Smooth fingertips for exceptional grip
- Powder-free • Rolled cuff • 5 mils
- Accepted for use in Canadian food processing facilities

Applications: Manufacturing, maintenance and cleanup, intricate parts handling, laboratory analysis/technical work, HazMat

Case Qty: 10

Model No.	Size	Price /Each
SAW927	7	19.17
SAW928	8	19.17
SAW929	9	19.17
SAW930	10	19.17

Ansell

Priced per Box of 100 Gloves



TNT® BLUE 92-675 GLOVES

- Nitrile with textured fingertips
- Provides three times the puncture resistance of competitive latex or vinyl gloves
- Durable yet soft for improved comfort
- Textured fingertips for exceptional grip
- Powder-free • Rolled cuff • 5 mils
- Accepted for use in Canadian food processing facilities

Applications: Automotive, manufacturing, maintenance and cleanup, intricate parts handling, laboratory analysis/technical work

Case Qty: 10

Model No.	Size	Price /Each
SAW937	Small	18.62
SAW938	Medium	18.62
SAW939	Large	18.62
SAW940	X-Large	18.62

Ansell

Priced per Box of 100 Gloves



BLACK NITRILE GLOVES

- Textured fingertips provide superior wet and dry grip
- Superior puncture and tear resistance
- Excellent tactile sensitivity and dexterity
- Beaded cuff for added strength
- Latex-free • Ambidextrous design
- 4 mil • AQL 1.5

Applications: Manufacturing, maintenance, small parts handling, laboratory and automotive, law enforcement

Case Qty: 10

Model No.	Size	Price /Each
SEB085	Small	17.70
SEB086	Medium	17.70
SEB087	Large	17.70
SEB088	X-Large	17.70
SED981	2X-Large	19.55

ZENITH®
Safety Products

Priced per Box of 100 Gloves



EXAMINATION GRADE NITRILE

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture resistance
- Latex-free
- Ambidextrous design • 4 mil
- 9.5" length • AQL 1.5 • Not for medical use
- Accepted for use in Canadian food processing facilities

Applications: Manufacturing, maintenance, small parts handling, laboratory applications and automotive

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
POWDERED		
SEA916	X-Small	12.50
SAP320	Small	12.50
SAP321	Medium	12.50
SAP322	Large	12.50
SAP323	X-Large	12.50
SEA917	2X-Large	14.70

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
POWDER-FREE		
SEA918	X-Small	13.35
SAP324	Small	13.35
SAP325	Medium	13.35
SAP326	Large	13.35
SAP327	X-Large	13.35
SEA919	2X-Large	15.75

ZENITH®
Safety Products



N-DEX® GLOVES

- N-Dex's low-modulus formulation reduces hand fatigue caused by elastomeric stress
- Provides much greater puncture resistance than natural rubber and vinyl disposables
- Available in both lightly powdered, USP vegetable starch and powder-free styles
- Acceptable for food and pharmaceutical applications
- Extremely puncture resistant, once violated N-Dex® gloves readily tear so the wearer knows the glove should be replaced
- Accepted for use in Canadian food processing facilities

N-DEX® ORIGINAL 7005 INDUSTRIAL GRADE GLOVES

- 100% nitrile glove
- Made of FDA compliant materials
- Ambidextrous
- Not intended for medical use
- 4 mils • 9.5" length • AQL 4.0

Case Qty: 20

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
SAL254	7005XS	X-Small	19.55
SA561	7005S	Small	19.55
SN581	7005M	Medium	19.55
SN582	7005L	Large	19.55
SAF954	7005XL	X-Large	19.55

N-DEX® PLUS 8005 INDUSTRIAL GRADE GLOVES

- 100% nitrile glove
- Made of FDA compliant materials
- Ambidextrous • Powder-free
- Not for medical use
- 8 mils • 9.5" length • AQL 4.0

Case Qty: 20

Priced per Box of 50 Gloves

Model No.	Mfg. No.	Size	Price /Each
SAK070	8005PF-S	Small	19.74
SAK071	8005PF-M	Medium	19.74
SAK072	8005PF-L	Large	19.74
SAK073	8005PF-XL	X-Large	19.74



N-DEX® NIGHTHAWK™ GLOVES

- Textured fingertips
- Patented accelerator-free nitrile formulation
- Low-modulus comfort and feel
- Static-dissipative properties (ESD)
- 4 mils • 9" length • AQL 1.5
- Colour: Black

Applications: Automotive, electronic assembly, laboratory, law-enforcement and security environments

Case Qty: 20

Priced per Box of 50 Gloves

Model No.	Mfg. No.	Size	Price /Each
POWDER-FREE, TEXTURED FINGERTIPS			
SAL084	7700PFTS	Small	10.85
SAL085	7700PFTM	Medium	10.85
SAL086	7700PFTL	Large	10.85
SAL087	7700PFTXL	X-Large	10.85



N-DEX® FREE GLOVES

- Free from accelerators common in all disposable nitrile gloves which have been linked to dermatitis and allergic reactions
- Hi-Viz green colour is great for jobs where increased visibility and colour-coded operations are critical
- This utility grade glove offers great grip, comfort and dexterity
- Ambidextrous • 4 mils • Colour: Green • AQL 1.5
- Made of FDA compliant materials

Applications: Laboratory, pharmaceutical and industrial

Case Qty: 20

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
TEXTURED FINGERTIPS			
SAI712	7705PFT-XS	X-Small	21.86
SAI713	7705PFT-S	Small	21.86
SAI714	7705PFT-M	Medium	21.86
SAI715	7705PFT-L	Large	21.86
SAI716	7705PFT-XL	X-Large	21.86



DISPOSABLE GLOVES

QUALATRILE™ BLUE NITRILE DISPOSABLE GLOVES

- Formulation ensures a tough, durable glove free of objectionable chemical odours and harsh, irritating deodorants
- Beaded cuffs
- Textured palms and fingers offer exceptional wet or dry grip
- Pure 100% nitrile polymer
- Absolutely no natural rubber latex proteins, fillers, extenders or additives
- Rugged – three times more puncture-resistant than vinyl or natural rubber latex gloves of equal thickness
- Comfortable – flexible silky feel eliminates the tiring, constant hand pressure of latex gloves
- 5 mils • AQL 1.5



Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Length"	Size	Price /Each
POWDERED				
SN844	BQP09-S	9	Small	23.24
SN845	BQP09-M	9	Medium	23.24
SN846	BQP09-L	9	Large	23.24
SN847	BQP09-XL	9	X-Large	23.24
POWDER-FREE				
SAI803	BQF09-S	9	Small	21.88
SAI804	BQF09-M	9	Medium	21.88
SAI805	BQF09-L	9	Large	21.88
SAI806	BQF09-XL	9	X-Large	21.88
SAI807	BQF12-S	12	Small	35.66
SAI808	BQF12-M	12	Medium	35.66
SAI809	BQF12-L	12	Large	35.66
SAI810	BQF12-XL	12	X-Large	35.66



QUALATRILE™ XC CLEAN ROOM WHITE NITRILE GLOVES

- Processed and packaged for ISO 5 (Class 100) clean room applications
- 100% powder-free nitrile and manufactured without plasticizers, silicone or powders
- Features superior snags and puncture resistance, excellent flexibility and a fresh clean scent
- 5-mil film for great tactile sensitivity
- Beaded cuff add strength and make for easier donning
- Textured surface for enhanced wet/dry grip
- Antistatic
- Can be used for ISO 5 (Class 100) applications
- Packaged in a double-bag dispensing system to meet clean room donning protocols



Applications: Clean rooms, microelectronics, pharmaceutical and laboratory areas, food industries

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
9" LENGTH			
SM740	Q095S	Small	35.34
SM741	Q095M	Medium	35.34
SM742	Q095L	Large	35.34
SM743	Q095X	X-Large	35.34
12" LENGTH			
SM745	Q125S	Small	40.75
SM746	Q125M	Medium	40.75
SM747	Q125L	Large	40.75
SM748	Q125X	X-Large	40.75



PURPLE NITRILE EXAM GLOVES

- Latex-free • Powder-free
- Textured fingertips
- Ambidextrous • Beaded cuff
- 6 mils • AQL 1.5



Case Qty: 10

Priced per Box

Model No.	Mfg. No.	Size	Qty /Box	Price /Each
9.5" LENGTH				
SAQ782	55080	X-Small	100	19.91
SAQ783	55081	Small	100	19.91
SAQ784	55082	Medium	100	19.91
SAQ785	55083	Large	100	19.91
SAQ786	55084	X-Large	90	19.91
12" LENGTH				
SAQ787	55090	X-Small	50	16.68
SAQ788	50601	Small	50	17.54
SAQ789	50602	Medium	50	17.54
SAQ790	50603	Large	50	17.54
SAQ791	50604	X-Large	50	17.54



KLEENGUARD® G10 NITRILE BLUE GLOVES

- Designed for maximum dexterity
- For food handling and chemical processing
- Latex-free • Powder-free • Colour: Blue
- Accepted for use in Canadian food processing facilities



Kimberly-Clark

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
SAQ332	57370	X-Small	16.23
SAQ333	57371	Small	16.23
SAQ334	57372	Medium	16.23
SAQ335	57373	Large	16.23
SAQ336	57374	X-Large	16.23



CONFORM® 69-210 GLOVES

- Smooth finish latex • Low protein
- Highest degree of dexterity • Strength and comfort
- Powdered • Rolled cuff
- Natural • 5 mils
- Accepted for use in Canadian food processing facilities

Applications: Food processing and handling, laboratory analysis/technical work, intricate parts handling, quality control, electronics assembly, light-duty maintenance and cleanup

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
SAY723	Small	13.76
SAY724	Medium	13.76
SAY725	Large	13.76
SAY726	X-Large	13.76

Ansell



CONFORM® XT 69-318 GLOVES

- Textured latex • Low protein
- Contains no silicone-based materials in formulation
- Powder-free • Rolled cuff
- Natural • 5 mils
- Accepted for use in Canadian food processing facilities

Applications: Food processing and handling, laboratory analysis/technical work, quality control, electronics assembly, light-duty maintenance and cleanup

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
SAY727	Small	15.79
SAY728	Medium	15.79
SAY729	Large	15.79
SAY730	X-Large	15.79

Ansell



ACCUTECH® STERILE GLOVES

- A low particle glove with a low level of extractable
- 100% natural rubber, free of pigments or fillers
- Ergonomically designed, hand-specific gloves provide exceptional dexterity
- Beaded cuff make donning easier and stays in position on the arm
- Gamma irradiated to 10⁻⁶ Sterility Assurance Level (SAL)

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals

Case Qty: 6

Priced per Box of 20 Gloves

Model No.	Mfg. No.	Size	Colour	Price /Each
SED410	87011060	6	White	39.07
SED411	87011065	6.5	White	39.07
SED412	87011070	7	White	39.07
SED413	87011075	7.5	White	39.07
SED414	87011080	8	White	39.07
SED415	87011085	8.5	White	39.07

Ansell



DISPOSABLE GLOVES

EXAMINATION GRADE LATEX GLOVES

- Pure 100% premium Malaysian natural latex
- Textured surface on powder-free gloves provides superior wet and dry grip
- Exceptional tactile sensitivity
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- 9.5" length, 4-mil thick • AQL 1.5
- Not for medical use
- Accepted for use in Canadian food processing facilities

Applications: Light manufacturing, maintenance, food processing, laboratory applications and quality control



Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
POWDERED		
SAP338	X-Small	10.75
SAP339	Small	10.75
SAP340	Medium	10.75
SAP341	Large	10.75
SAP342	X-Large	10.75

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
POWDER-FREE		
SAP343	X-Small	12.35
SAP344	Small	12.35
SAP345	Medium	12.35
SAP346	Large	12.35
SAP347	X-Large	12.35

BEST® LATEX GLOVES

- Natural colour latex features a textured finish that ensures excellent barrier protection without compromising tactile sensitivity
- Lightly powdered
- 9.5" length, 5-mil thick
- Accepted for use in Canadian food processing facilities
- Class 2 medical device

Applications: Auto body, clinical laboratory and critical environments



Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
SAJ735	5005XS	X-Small	11.80
SA546	5005S	Small	11.80
SA545	5005M	Medium	11.80
SA544	5005L	Large	11.80
SAJ736	5005XL	X-Large	11.80

BIOTEK® LATEX DISPOSABLE GLOVES

- Provide broad-based protection from acids, alkalis and bases
- Beaded cuff
- Textured for enhanced wet/dry grip
- Non-slip beaded cuff for easy donning and resistance to rolldown
- Acceptable for use in food and pharmaceutical applications
- 9" length, 6-mil thick
- AQL 1.5 • Colour: White
- Made of FDA compliant materials

Applications: Food handling, small parts handling, general lab, inspection, photo lab, painting and finishing, metal plating, assembly, paper processing and manufacturing



Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
POWDERED			
SM882	609BPS	Small	20.70
SM883	609BPM	Medium	20.70
SM884	609BPL	Large	20.70
SM885	609BPXL	X-Large	20.70
POWDER-FREE			
SAI811	609BPF-S	Small	22.92
SAI812	609BPF-M	Medium	22.92
SAI813	609BPF-L	Large	22.92
SAI814	609BPF-XL	X-Large	22.92

QUALATEX® MIRACLE GRIP™ HIGH RISK LATEX GLOVES

- Ideal for applications requiring more than the traditional 6 mils glove protection
- The high risk series delivers added insurance against glove snags, punctures and tears
- Non-slip beaded 12" cuff makes for easy donning and resistance to roll-down
- Ambidextrous • 14 mils • AQL 1.5
- Meets all NFPA requirements

Applications: Law enforcement, emergency medicine providers, correctional facilities and food processing



Case Qty: 10

Priced per Box of 50 Gloves

Model No.	Mfg. No.	Size	Price /Each
POWDER-FREE			
SAJ741	MGHR-S	Small	35.02
SAJ742	MGHR-M	Medium	35.02
SAJ743	MGHR-L	Large	35.02
SAJ744	MGHR-XL	X-Large	35.02
SAP522	MGHR-2XL	2X-Large	35.02



EXAMINATION GRADE VINYL GLOVES

- Pure 100% premium vinyl
- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design • 4 mils
- Length: 9 1/2" • AQL 1.5
- Not for medical use
- Accepted for use in Canadian food processing facilities

Applications: Light manufacturing, maintenance, food processing, laboratory applications, painting and janitorial



Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
POWDERED		
SAP328	X-Small	7.35
SAP329	Small	7.35
SAP330	Medium	7.35
SAP331	Large	7.35
SAP332	X-Large	7.35

Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
POWDER-FREE		
SAP333	X-Small	7.85
SAP334	Small	7.85
SAP335	Medium	7.85
SAP336	Large	7.85
SAP337	X-Large	7.85



DURA-TOUCH® 34-725 GLOVES

- Smooth vinyl
- Offer near "bare hand" dexterity and sensitivity
- Rolled cuff • Clear, 3 mils
- Accepted for use in Canadian food processing facilities

Applications: Food handling and preparation, light manufacturing, maintenance and cleanup, painting, janitorial use



Case Qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
SEE771	Small	5.08
SEE772	Medium	5.08
SEE773	Large	5.08
SEE774	X-Large	5.08



EXAMINATION GRADE BLUE VINYL GLOVES

- Pure 100% premium vinyl
- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- Beaded cuff for added strength
- Ambidextrous design
- 4 mils • AQL 1.5
- Not for medical use
- Accepted for use in Canadian food processing facilities

Case qty: 10

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
SAQ700	Small	7.85
SAQ701	Medium	7.85
SAQ702	Large	7.85
SAQ703	X-Large	7.85



DISPOSABLE GLOVES

DISPOSABLE POLYETHYLENE GLOVES

- Most economical glove
- Short term use
- Talc-free
- Offers mild chemical resistance
- Thin enough for fingertip sensitivity
- 0.02 mm, ambidextrous
- Accepted for use in Canadian food processing facilities



Case Qty: 100

Priced per Box of 100 Gloves

Model No.	Size	Price /Each
SAQ704	Small	0.80
SAQ705	Medium	0.80
SAQ706	Large	0.80
SAQ707	X-Large	0.80

Case Qty: 20

Priced per Box of 500 Gloves

Model No.	Size	Price /Each
SEB043	Small	3.70
SEB044	Medium	3.70
SEB045	Large	3.70
SEB046	X-Large	3.70

DELUXE TRIPLE GLOVES DISPENSERS

- Constructed of clear crystal acrylic
- Mounted horizontally allowing to change one box without affecting the others
- Will hold most disposable glove boxes
- Dispenser size: 20" W x 4" D x 11 13/16" H



Model No.	Mfg. No.	Description	Price /Each
SA0743	GD03DL	Deluxe triple dispenser	121.23



Look for this symbol



for environmentally friendly products!

When the heat goes up . . . it's time to cool down!



MATRIX INDUSTRIAL PRODUCTS

ZM100 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Improved dexterity, grip and durability

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications



Case Qty: 60

Priced per pair

Model No.	Size	Price /Each
SEB047	Medium	14.40
SEB048	Large	14.40
SEB049	X-Large	14.40
SEB050	2X-Large	14.40



SEB048

ZM200 MECHANIC GLOVES

- Ergonomic style combined with stylish look
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Stretchable nylon on knuckles improves dexterity and comfort
- Textured patches on palm and thumb permits superior grip and durability

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications



Case Qty: 60

Priced per pair

Model No.	Size	Price /Each
SEB051	Medium	18.70
SEB052	Large	18.70
SEB053	X-Large	18.70
SEB054	2X-Large	18.70



SEB052

ZM300 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Grain leather palm and fingers improve tactility and protection
- Hook and loop cuff permits an adjustable fit
- Leather reinforced thumb and fingers offer increased durability
- Improved dexterity and grip

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications



Case Qty: 72

Priced per pair

Model No.	Size	Price /Each
SEB228	Medium	18.20
SEB229	Large	18.20
SEB230	X-Large	18.20
SEB231	2X-Large	18.20



SEB229

DIY UTILITY GLOVES

- Easy on and off elastic cuff and nylon web pull tab
- Synthetic leather palm wraps around to the thumb and index finger for extra protection and better wear
- Continuous stretch panels between fingers and a special panel in the thumb crease area provide a snug fit
- Trek Dry® material around wrist, thumb and fingers wicks away moisture to keep hands cool, dry and comfortable
- Machine washable
- Colour: Grey



Priced per pair

Model No.	Mfg. No.	Size	Price /Each
SED993	D15-05-008	Small	22.03
SED994	D15-05-009	Medium	22.03
SED995	D15-05-010	Large	22.03
SED996	D15-05-011	X-Large	22.03
SED997	D15-05-012	2X-Large	22.03



SED993

MECHANIX GLOVES

ORIGINAL GLOVES

- New and improved fingertip design
- Ultra-thin molded TPR (thermal plastic rubber) hook and loop cuff closure
- Easy-entry, elastic cuff
- Two-way, form-fitting stretch *Spandex* top
- Index finger knuckle reinforcement band
- *Lycra*® insert panels between fingers
- Smooth surface thumb and index finger
- Tapered *Clarino*® synthetic leather on index, middle and ring fingertips
- Long-life *Clarino*® synthetic leather palm
- Concealed interior seam stitching
- Easy-on, easy-off pull-tab



Case Qty: 120

Priced per Pair

Size	Model No. Yellow	Mfg. No.	Model No. Blue	Mfg. No.	Model No. Black	Mfg. No.	Price /Each
X-Small	-	-	-	-	SAN421	MG-05-007	30.71
Small	SAN885	MG-01-08	SAN895	MG-03-08	SAN422	MG-05-008	30.71
Medium	SAN886	MG-01-09	SAN896	MG-03-09	SAN423	MG-05-009	30.71
Large	SAN887	MG-01-10	SAN897	MG-03-10	SAN424	MG-05-010	30.71
X-Large	SAN888	MG-01-11	SAN898	MG-03-11	SAN425	MG-05-011	30.71
XX-Large	SAN889	MG-01-12	SAN899	MG-03-12	SAN497	MG-05-012	30.71

HEAVY-DUTY GLOVES

- Two-way, stretch *Spandex* top increases ventilation, comfort and fit
- Anatomically-designed TPR (thermal plastic rubber) molded rib panels offer flexible protection for back of hand and fingers
- Genuine professional-grade leather palm and fingertips offer the finest in comfort and protection
- Lightly padded palm reduces bulk for increased grip and control
- Palm-pattern guards side of hand against wear and abrasion
- Stretch *Lycra*® panels between fingers add comfort and ventilation
- Spyder-patterned leather surface provides superior grip under all working conditions
- Molded TPR (Thermal Plastic Rubber) cuff tab with hook and loop closures provides secure
- Elastic cuff increases comfort
- Padded knuckle provides maximum flexibility and protection fit



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAP852	H40-05-008	Small	48.29
SAP853	H40-05-009	Medium	48.29
SAP854	H40-05-010	Large	48.29
SAP855	H40-05-011	X-Large	48.29

CG4X UTILITY GLOVES

- Material 4X™ reinforced fingertips and thumb for added durability
- Wide-opening elastic cuff makes it easy to pull on and off
- Two-way stretch spandex top with moisture wicking thumb panel adds comfort and control
- Colour: Moss



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SEE031	CG4U-29-008	Small	25.25
SEE032	CG4U-29-009	Medium	25.25
SEE033	CG4U-29-010	Large	25.25
SEE034	CG4U-29-011	X-Large	25.25
SEE035	CG4U-29-012	2X-Large	25.25

IMPACT/ANTI-VIBRATION GLOVES

PROFLEX 925F(X) DORSAL IMPACT-REDUCING GLOVES

- Molded TPR armor on knuckles, fingers and carpal bone for great protection
- Armor "flex zones" for high dexterity
- Abrasion-resistant PVC on palm and three fingers limits liquid penetration
- Non-slip reinforcement zones on thumb saddle and index for enhanced grip and durability
- Reinforced Kevlar® palm stitching for extended wear and durability
- Reflective accents and colorful scheme for optimal hand visibility



Price per pair

Model No.	Mfg. No.	Size	Price /Each
SEB129	16052	Small	92.45
SEB130	16053	Medium	92.45
SEB131	16054	Large	92.45
SEB132	16055	X-Large	92.45
SEB133	16056	2X-Large	92.45
SED143	16057	3X-Large	92.45



SEB129

PROFLEX 925F(X) WP DORSAL IMPACT REDUCING GLOVES

- Breathable, waterproof and windproof liner
- Reinforced flex zones for high dexterity
- Abrasion-resistant PVC on palm and three fingers limits liquid penetration
- Reinforced Kevlar® palm stitching for extended wear and durability
- Molded TPR reinforcement on knuckles, fingers and carpal bone for great protection
- Non-slip reinforcement zones on thumb saddle and index for enhanced grip and durability
- Reflective accents and colorful scheme for optimal hand visibility



Price per pair

Model No.	Mfg. No.	Size	Price /Each
SED154	16192	Small	116.89
SED155	16193	Medium	116.89
SED156	16194	Large	116.89
SED157	16195	X-Large	116.89
SED158	16196	2X-Large	116.89
SED159	16197	3X-Large	116.89



SED154

DIY IMPACT PRO GLOVES

- Strategically placed rubberized and padded panels throughout the glove resist abrasion and provide extra protection
- Durable rubber panels atop fingers protect hands in tight places
- To counteract high abrasion, a strategically placed panel of rubberized material rests between the thumb and index finger on the top of the hand
- Colour: Grey



Price per pair

Model No.	Mfg. No.	Size	Price /Each
SEE018	D30-05-008	Small	38.63
SEE019	D30-05-009	Medium	38.63
SEE020	D30-05-010	Large	38.63
SEE021	D30-05-011	X-Large	38.63
SEE022	D30-05-012	2X-Large	38.63



SEE018

IMPACT/ANTI-VIBRATION GLOVES

M-PACT® GLOVES

- New rubberized grip on thumb, index finger and palm, and sonic-welded molded rubber on knuckles and fingertips
- Double stitching and dual panels in critical wear areas
- Hook and loop wrist closure for a secure fit
- Patent pending *Impact Guard™* index finger replaces molded thermal plastic rubber for more dexterity when using hand tools
- Heavy-duty comfort: The Trek Dry spandex top provides moisture wicking comfort, breathability and flexibility

SED998



Priced per Pair



Size	Model No. Grey	Mfg. No.	Model No. Red	Mfg. No.	Model No. Yellow	Mfg. No.	Model No. Covert	Mfg. No.	Price /Each
Small	SED998	MPT-58-008	SEE003	MPT-52-008	SEE008	MPT-51-008	SEE013	MPT-55-008	39.99
Medium	SED999	MPT-58-009	SEE004	MPT-52-009	SEE009	MPT-51-009	SEE014	MPT-55-009	39.99
Large	SEE000	MPT-58-010	SEE005	MPT-52-010	SEE010	MPT-51-010	SEE015	MPT-55-010	39.99
X-Large	SEE001	MPT-58-011	SEE006	MPT-52-011	SEE011	MPT-51-011	SEE016	MPT-55-011	39.99
2X-Large	SEE002	MPT-58-012	SEE007	MPT-52-012	SEE012	MPT-51-012	SEE017	MPT-55-012	39.99

M-PACT 2® HEAVY-DUTY GLOVES

- Two-ply synthetic leather palm with anatomically die cut EVA foam padded impact zones
- Non-slip rubberized *Zeus™ Clarino®* palm panel provides grip and longer wear
- Stretch *Spandex* cuff insert provides maximum adjustability while sealing out dirt
- Neoprene cuff allows easier access with additional wrist protection and comfort
- Streamlined knuckle panel with high-density accordion design reduces impact
- Side finger panels feature .5 mm synthetic leather with breathable mesh inserts for comfort and flexibility
- Finger and thumb grippers made from non-slip rubberized *Zeus™ Clarino®* improve grip and control
- High-profile, impact absorbing moulded TPR (Thermal Plastic Rubber) finger protection
- Hook and loop closure with moulded TPR (Thermal Plastic Rubber) pull-tab secures fit

SAN960



Priced per Pair



Case Qty: 120

Size	Model No. Black	Mfg. No.	Model No. Red	Mfg. No.	Model No. Blue	Mfg. No.	Price /Each
Small	SAN965	MP2-05-08	SAN955	MP2-02-08	SAN960	MP2-03-08	44.86
Medium	SAN966	MP2-05-09	SAN956	MP2-02-09	SAN961	MP2-03-09	44.86
Large	SAN967	MP2-05-10	SAN957	MP2-02-10	SAN962	MP2-03-10	44.86
X-Large	SAN968	MP2-05-11	SAN958	MP2-02-11	SAN963	MP2-03-11	44.86
2X-Large	SAN969	MP2-05-12	SAN959	MP2-02-12	SAN964	MP2-03-12	44.86

M-PACT® OIL RIGGER HEAVY-DUTY GLOVES

- Rubber-molded exoskeleton integrates with a stamped foam padded top of hand
- Extended cuff for complete protection
- Rubber molding extends to the fingertips for pinch point protection
- Palm is double reinforced with rubberized grip for extra durability and grip in slick situations
- High visibility reflective material on the fingertips, wrist and palm

SEE026



Price per pair



Model No.	Mfg. No.	Size	Price /Each
SEE026	SHD-91-008	Small	61.18
SEE027	SHD-91-009	Medium	61.18
SEE028	SHD-91-010	Large	61.18
SEE029	SHD-91-011	X-Large	61.18
SEE030	SHD-91-012	2X-Large	61.18

IMPACT/ANTI-VIBRATION GLOVES

CG4X IMPACT PRO GLOVES

- Flexible molded rubber exoskeleton protects the top of your hand from impact and abrasion
- Additional *Material 4X™* reinforces your knuckles, fingers and palm
- Extremely durable *Material 4X™* palm and finger panels for comfort and protection



Price per pair

Model No. Moss	Mfg. No.	Model No. Rust	Mfg. No.	Size	Price /Each
SEE041	CG4M-29-008	SEE046	CG4M-28-008	Small	47.21
SEE042	CG4M-29-009	SEE047	CG4M-28-009	Medium	47.21
SEE043	CG4M-29-010	SEE048	CG4M-28-010	Large	47.21
SEE044	CG4M-29-011	SEE049	CG4M-28-011	X-Large	47.21
SEE045	CG4M-29-012	SEE050	CG4M-28-012	2X-Large	47.21



SEE046

ANTI-IMPACT GLOVE LINERS

Fingerless four-way stretch poly/cotton lycra glove makes an excellent liner for leather work gloves. Visco-elastic polymer (VEP) full palm padding absorbs and dissipates shock. Also available with split leather palm for abrasion resistance in applications where it will be used on its own. Ideal for general assembly and material handling applications.



Priced per Glove

Model No. Right	Mfg. No.	Model No. Left	Mfg. No.	Size	Price /Each
GLOVE LINER					
SR191	501-00XS-R	SR196	501-00XS-L	X-Small	10.07
SR192	501-00S-R	SR197	501-00S-L	Small	10.07
SR193	501-00M-R	SR198	501-00M-L	Medium	10.07
SR194	501-00L-R	SR199	501-00L-L	Large	10.07
SR195	501-00XL-R	SR200	501-00XL-L	X-Large	10.07
SPLIT LEATHER PALM					
SR203	501-10XS-R	SR208	501-10XS-L	X-Small	10.92
SR204	501-10S-R	SR209	501-10S-L	Small	10.92
SR205	501-10M-R	SR210	501-10M-L	Medium	10.92
SR206	501-10L-R	SR211	501-10L-L	Large	10.92
SR207	501-10XL-R	SR212	501-10XL-L	X-Large	10.92



SR193

SR210

PREMIUM IMPACT & REPETITIVE STRAIN PROTECTIVE GLOVES

Fingerless glove provides excellent protection in applications where constant impact or vibration is a concern. Visco-elastic polymer (VEP) palm and thumb crotch padding absorbs and dissipates shock. Detachable leather wrist support for wrist repetitive strain protection. Nylon Lycra™ with grain leather palm for abrasion resistance in applications where it will be used on its own. Ideal for heavy industrial use, jackhammer, grinding and impact tool applications.



Priced per Glove

Model No. Right	Mfg. No.	Model No. Left	Mfg. No.	Size	Price /Each
GRAIN LEATHER PALM					
SR263	704-20XS-R	SR268	704-20XS-L	X-Small	25.55
SR264	704-20S-R	SR269	704-20S-L	Small	25.55
SR265	704-20M-R	SR270	704-20M-L	Medium	25.55
SR266	704-20L-R	SR271	704-20L-L	Large	25.55
SR267	704-20XL-R	SR272	704-20XL-L	X-Large	25.55



SR263

PROFLEX® 9015 VIBRATION REDUCTION GLOVES

Certified AV glove w/ dorsal protection offers max impact/vibe protection, plus tough dorsal guard

- ANSI S3.40/ISO 10819-1996/EN420 certified
- Patented Nu202® polymer pad
- Pigskin leather palm and fingers
- Moulded TPR for extra protection on back
- Low-profile closure with woven elastic cuff
- Anti-bacterial treatment
- Pull-on tab



Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAI282	16232	Small	122.81
SAI283	16233	Medium	122.81
SAI284	16234	Large	122.81
SAI285	16235	X-Large	122.81
SAI286	16236	2X-Large	122.81

SAI282



R33359E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

833

IMPACT/ANTI-VIBRATION GLOVES

CG4X PADDED PALM GLOVES

- Reduces fatigue and protects against vibration and abrasion
- Material 4X™ padded top of knuckle for abrasion protection
- Material 4X™ reinforced fingers and thumb for added durability and protection
- Anatomically patterned dual layer palm padded fights hand fatigue
- Colour: Moss



Model No.	Mfg. No.	Size	Price /Each
SEE036	CG4P-29-008	Small	40.62
SEE037	CG4P-29-009	Medium	40.62
SEE038	CG4P-29-010	Large	40.62
SEE039	CG4P-29-011	X-Large	40.62
SEE040	CG4P-29-012	2X-Large	40.62

Priced per Pair



SEE036

BLACKMAXX VIBRATION DAMPENING GLOVES

- Economical cotton/poly knitted vibration damping gloves are coated with "pods" of lightweight cellular polyurethane
- Uses encapsulated air to cushion and dampen vibration, giving the user good dexterity, a lightweight feel, and reduced bunching



Model No.	Mfg. No.	Size	Price /Each
SED170	4731	Medium	17.11
SED171	4732	Large	17.11
SED172	4733	X-Large	17.11

Priced per Pair



SED170

ANTI-VIBRATION AIR GLOVE® MECHANICS STYLE

- Synthetic Ultra Suede leather provides excellent wear and flexibility
- Mesh back allows hand ventilation
- Adjustable wrist tab with hook and loop closure
- Durable urethane air bladder protects the palm, fingers and thumb
- Individual chambers for long lasting wear and consistent protection
- Excellent dexterity and comfort
- Certified to ANSI standard S2.73-2002(R2007)/ISO10819:1996



Model No.	Mfg. No.	Size	Price /Each
SED166	BG408M	Medium	50.00
SED167	BG408L	Large	50.00
SED168	BG408XL	X-Large	50.00
SED169	BG408XXL	2X-Large	50.00

Priced per Pair



SED166

ANTI-VIBRATION AIR GLOVE®

- Breathable, stretchy nylon Lycra® back
- Soft pearl leather in the palm and thumb ensures tactile feedback and hand dexterity
- Adjustable elastic wrist with hook and loop closure
- Helps prevent Hand-Arm Vibration syndrome (HAVS)
- Certified to ANSI standard S2.73-2002 (R2007)/ISO10819:1996



Model No.	Mfg. No.	Size	Price /Each
SED162	BG413M	Medium	82.13
SED163	BG413L	Large	82.13
SED164	BG413XL	X-Large	82.13
SED165	BG413XXL	2X-Large	82.13

Priced per Pair



SED162

PROFLEX 925F(X) DORSAL IMPACT-REDUCING GLOVES

- Molded TPR armor on knuckles, fingers and carpal bone for great protection
- Armor "flex zones" for high dexterity
- Abrasion-resistant PVC on palm and three fingers limits liquid penetration
- Non-slip reinforcement zones on thumb saddle and index for enhanced grip and durability
- Reinforced Kevlar® palm stitching for extended wear and durability
- Reflective accents and colorful scheme for optimal hand visibility



Model No.	Mfg. No.	Size	Price /Each
SEB129	16052	Small	92.45
SEB130	16053	Medium	92.45
SEB131	16054	Large	92.45
SEB132	16055	X-Large	92.45
SEB133	16056	2X-Large	92.45
SED143	16057	3X-Large	92.45



N-DEX® FREE GLOVES

- Free from accelerators common in all disposable nitrile gloves which have been linked to dermatitis and allergic reactions
- Hi-Viz green colour is great for jobs where increased visibility and colour-coded operations are critical
- This utility grade glove offers great grip, comfort and dexterity
- Can be used in laboratory, pharmaceutical and industrial applications
- Ambidextrous, 4 mils
- Colour: Green
- AQL 1.5
- Made of FDA compliant materials



Case Qty: 20

Priced per Box of 100 Gloves

Model No.	Mfg. No.	Size	Price /Each
TEXTURED FINGERTIPS			
SAI712	7705PFT-XS	X-Small	21.86
SAI713	7705PFT-S	Small	21.86
SAI714	7705PFT-M	Medium	21.86
SAI715	7705PFT-L	Large	21.86
SAI716	7705PFT-XL	X-Large	21.86



M-PACT® OIL RIGGER HEAVY-DUTY GLOVES

- Rubber-molded exoskeleton integrates with a stamped foam padded top of hand
- Extended cuff for complete protection
- Rubber molding extends to the fingertips for pinch point protection
- Palm is double reinforced with rubberized grip for extra durability and grip in slick situations
- High-visibility reflective material on the fingertips, wrist and palm



Model No.	Mfg. No.	Size	Price /Each
SEE026	SHD-91-008	Small	61.18
SEE027	SHD-91-009	Medium	61.18
SEE028	SHD-91-010	Large	61.18
SEE029	SHD-91-011	X-Large	61.18
SEE030	SHD-91-012	2X-Large	61.18



HI-VIZ GLOVES

POWERFLEX® T° HI VIZ YELLOW™ 80-400

- Natural rubber latex coated acrylic thermal liner
- Excellent insulation for cold environment
- Strong combination of abrasion, resistance liquid repellency and dry grip
- Superior flexibility and dexterity
- Uncoated back allows for air circulation to keep hands drier
- Ergonomically designed for unmatched fit and comfort
- Palm coated crinkle finish
- Accepted for use in Canadian food processing facilities

Applications: Fishing industry, cold storage, winter transportation, unheated warehouses yard and field work, freight handling.

Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.

Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SEA278	7	8.15
SEA279	8	8.15
SEA280	9	8.15
SEA281	10	8.15
SEA282	11	8.15

Ansell



HI-VIZ NATURAL RUBBER ACRYLIC LINED GLOVES

- Latex palm coating
- 100% acrylic thermal liner offers superior cold protection
- 7-gauge seamless terry knitted and brushed lining
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- Uncoated back permits breathability and limits perspiration
- Fluorescent yellow shell and blue coating offer maximum visibility
- Crinkle finish coating provides superior wet and dry grip

Applications: Fishing industry, cold/outdoor environments, glass/wood handling, masonry and general maintenance

Case Qty: 60

Price per Pair

Model No.	Size	Price /Each
SEC797	7	6.50
SEC798	8	6.50
SEC799	9	6.50
SEC800	10	6.50
SEC801	11	6.50

ZENITH®
Safety Products



PROFLEX 925F(X) WP DORSAL IMPACT REDUCING GLOVES

- Breathable, waterproof and windproof liner
- Reinforced flex zones for high dexterity
- Abrasion-resistant PVC on palm and three fingers limits liquid penetration
- Reinforced Kevlar® palm stitching for extended wear and durability
- Molded TPR reinforcement on knuckles, fingers and carpal bone for great protection
- Non-slip reinforcement zones on thumb saddle and index for enhanced grip and durability
- Reflective accents and colourful scheme for optimal hand visibility

Case Qty: 72

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SED154	16192	Small	116.89
SED155	16193	Medium	116.89
SED156	16194	Large	116.89
SED157	16195	X-Large	116.89
SED158	16196	2X-Large	116.89
SED159	16197	3X-Large	116.89



HI-VIZ THERMAL WATERPROOF GLOVES

- 40-g 3M™ Thinsulate™ insulation
- Hipora breathable waterproof and windproof liner
- 3M™ Scotchlite™ reflection
- Abrasion-resistant textured PVC on palm and fingers
- Durable synthetic leather palm and fingers
- PVC-reinforced thumb/index finger saddle
- Padded knuckle for added protection
- Breathable neoprene cuff with hook and loop closure
- Reinforced fingertips
- Machine washable



Applications: Lifting, packing, shipping and traffic directing

Case Qty: 6

Priced Per Pair

Model No.	Mfg. No.	Size	Price /Each
SAP871	16412	Small	99.07
SAP872	16413	Medium	99.07
SAP873	16414	Large	99.07
SAP874	16415	X-Large	99.07
SAP875	16416	2X-large	99.07



HI-VIZ SPLIT COWHIDE FITTERS GLOVES

- Superior quality
- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff



Case Qty: 120

Priced per Pair

Model No.	Size	Price /Each
SED160	Large	4.25



HI-VIZ SPLIT COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Superior quality
- Good abrasion resistance
- 100-g Thinsulate™ liner provides superior warmth
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff



Case Qty: 72

Price per Pair

Model No.	Size	Price /Each
SED161	Large	8.10



HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Premium construction, superior quality
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two gray reflective stripes offer maximum visibility
- Rubberized safety cuff



Case Qty: 72

Price per Pair

Model No.	Size	Price /Each
SED428	Large	11.85



HEAT-RESISTANT GLOVES

WOOL-LINED KEVLAR® SEAMLESS GLOVES

- 100% Kevlar® outer shell with seamless wool liner
- Flame resistant and self-extinguishing
- Cut resistant
- Excellent dexterity
- Protects to 700°F (371°C)
- Colour: Yellow

Applications: Foundries, castings and steel mill work.



SQ154

Case Qty: 12

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SQ154	1863	Large	25.05

FELT-LINED KEVLAR® GLASS MITTS & GLOVES

- Protects to 1000°F
- Heavyweight Kevlar® blended with fiberglass material
- Fully lined
- Size: Large
- Colour: Yellow



SA506

SA505

Case Qty: 12

Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SAK009	M340KGL	13" Mitt, Ambidextrous	54.91
SA505	M342KG	15" Mitt	62.92
SA506	442KG	12 1/2" Glove	84.65



CARBO-KING™ HEAT PROTECTIVE MITTS & GLOVES

- Special composition of aramid, glass and Preox® provides amazing heat protection
- For applications up to 2000°F
- Fully melton-lined
- Lightweight and pliable
- Fabric does not fray like conventional fiberglass products
- Excellent direct heat resistance

Note: The degree of heat resistance a glove may offer is directly related to the duration of exposure and weight of the object being handled.



SAP573

SAP575

Case Qty: 24

Priced per Pair

Model No.	Mfg. No.	Description	Size	Price /Each
SAP573	M340CA-L	Mitt	Large	64.98
SAP574	436CA-L	Glove	Large	75.04
SAP575	H-280-CA	Cover Mitt	Large	32.37



SAP574

KEVLAR®/NOMEX® KNIT GLOVES

- Cotton lining provides comfort
- Outside provides excellent thermal properties allowing you to handle hot objects
- Protects to 500°F (260°C)



SAR526

Case Qty: 144

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAR526	2610S	Small	14.53
SAR527	2610M	Medium	14.53
SAR528	2610L	Large	14.53



HEAT-RESISTANT GLOVES

HOT MILL GLOVES

- Top quality heavy cotton fabric construction
- Heavy cotton-lined palm provides superior heat resistance
- 4" gauntlet cuff provides extra protection

Applications: Forging, foundries, plastic extrusions and other operations that require heat protection.



Case Qty: 144

Model No.	Description	Size	Price /Each
SEF067	24-oz. Yellow Palm	Large	2.55
SEF068	32-oz. Green Palm	Large	2.95

SEF067



SEF068



CHAR-GUARD™ HEAT-RESISTANT GLOVES

- Comfortable non-woven liner to provide flexibility and fit
- Superior tactile dexterity
- Non-slip grip
- Heat-resistant coating protects up to 500°F
- Can withstand multiple washings
- Black colour extends wearable life as it does not show dirt and grime easily
- Accepted for use in Canadian food processing facilities

Applications: Hot castings for intermittent heat, lab sampling with hot glassware or moldings, plastic molding, plant maintenance controls up to 500°F, food processing and service.



SAP618



Case Qty: 12

Model No.	Mfg. No.	Size	Length"	Price /Each
SAP618	8814-07	6	14	18.84
SAP619	8814-08	7	14	18.84
SAP620	8814-09	8	14	18.84
SAP621	8814-10	9	14	18.84

DRAGON SERIES - EXTREME HI-HEAT GLOVES

Outer shell of 100% Kevlar® for extreme heat protection of up to 1000°F (535°C). Fully lined with a 100% wool terry liner. The seamless knit construction results in unparalleled dexterity and comfort for a high-heat glove. Colour: Yellow.

Case Qty: 12

Model No.	Description	Price /Each
SF900	12" Mitt	90.13
SF902	12" Glove, Extra Layer of Leather Lining	69.31

SF902



SF900



Call us for
quantity
pricing!



HEAT-RESISTANT GLOVES

HEAT-RESISTANT LEATHER GLOVES

- Specially tanned split cowhide leather gloves are foam-insulated
- Provide HIGH HEAT protection for handling very hot metals and other hot handling jobs
- Leather is resistant to cuts and abrasions and remains flexible in high heat situations
- Made extra large for easy donning and removal

Case Qty: 12

Model No.	Description	Price /Each
SA516	2" Cuff	26.21
SA514	5" Cuff	41.28
SA515	5" Cuff, Mitt	34.24



TERRY & HEAVYWEIGHT TERRY CLOTH GLOVES

- Ambidextrous
- Abrasion protection plus heat resistance
- Dissipates heat quickly
- Absorbs oils for better grip and perspiration for comfort
- Stands up to repeat laundering with minimal shrinkage
- Colour: Beige

Model No.	Mfg. No.	Description	Case Qty	Price /Each
SM603	-	Men's Size	240	1.81
SQ153	1966	Large, Heavyweight 350°F (176.6°C)	120	3.41



ALUMINIZED GLOVES

- Designed with a combination of heat-resistant palm and an aluminized back to deflect heat
- Fully aluminized style
- For extreme situations where temperatures are higher and molten splash and flame is present
- 14" overall length

Model No.	Description	Price /Each
SA509	Aluminized Back	59.57
SA510	Aluminized Back, One-Finger Mitt	51.04
SA507	Fully Aluminized	109.48
SA508	Fully Aluminized, Mitt	80.03



HAND PADS

- Hand pads can be worn over a glove to extend the wear or worn alone to protect the palm area, but leave the fingers free for delicate work
- Back pads are worn over welding gloves to protect the back of the hand from radiant heat
- Glove not included



Model No.	Description	Case Qty	Price /Each
SE549	Heat Back Patch, Aluminized Rayon with 2 Elastic Straps	300	8.85



DEERSKIN TIG WELDING GLOVES

- Premium split deerskin leather construction
- Designed for precision welding applications
- Superior fit and dexterity
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection
- Exceptionally soft finish



Priced per Pair

Case Qty: 120

Model No	Size	Price /Each
SM597	Small	9.85
SM598	Medium	10.20
SM599	Large	10.50
SM600	X-Large	10.95
SAP293	2X-Large	11.95



PIGSKIN TIG WELDING GLOVES

- Premium grain pigskin leather construction
- Designed for precision welding applications
- Excellent fit and dexterity
- Exceptional durability
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection



Priced per Pair

Case Qty: 120

Model No	Size	Price /Each
SAN639	Small	6.90
SAN640	Medium	7.15
SAN641	Large	7.40
SAN642	X-Large	7.70



SOFTOUCH™ PIGSKIN TIG WELDING GLOVES

- Seamless index finger construction provides unobstructed control over small diameter welding rods and ultra light TIG torches
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Extra long cuff offers wrist and forearm protection against heat
- 4" split pigskin cuff, seamless index finger



Priced per Pair

Case Qty: 72

Model No	Size	Price /Each
610-2008M	Medium	14.65
610-2008	Large	14.95



WELDERS' STANDARD QUALITY GLOVES

- Rugged split cowhide leather construction
- Excellent abrasion resistance
- Full thermal cotton lining provides added heat protection
- Weltd seams at all critical points



Priced per Pair

Case Qty: 72

Model No.	Description	Size	Price /Each
SAO130	Gloves	Large	4.40
SAO131	One-Finger Mitt	Large	4.40



SAO130

SAO131

WELDING GLOVES

WELDERS' SUPERIOR QUALITY GLOVES

- Top split cowhide leather construction
- Excellent abrasion resistance
- Double thumb patch extends wear life
- Full thermal cotton lining provides added heat protection
- Weltd seams at all critical points



Case Qty: 72

Priced per Pair

Model No.	Description	Size	Price /Each
SA0128	Gloves	Large	5.50
SAP352	Gloves	X-Large	6.05
SA0129	One-Finger Mitt	Large	5.50



WELDERS' PREMIUM QUALITY GLOVES

- Premium split cowhide leather construction
- Excellent abrasion resistance
- Double thumb strap extends wear life
- Full thermal cotton lining provides added heat protection
- Weltd seams at all critical points
- Sewn with Kevlar® thread to avoid burning



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAN635	Large	5.90



WELDERS' PREMIUM QUALITY FOAM LINED GLOVES

- Premium split cowhide leather construction
- Excellent abrasion resistance
- Full reinforced thumb patch extends wear life
- Cotton covered foam lining provides superior heat protection
- Weltd seams at all critical points
- Sewn with Kevlar® thread to avoid burning



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAN277	Large	6.90



WELDERS' COMFOFLEX™ PREMIUM QUALITY GLOVES

- Heat and flame resistant shoulder split cowhide
- Fully sock lined for added comfort
- Kevlar® stitched weltd seams
- 13 1/2" long with reinforced thumb



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
610-0328	Large	9.90



WELDERS' COMFOFLEX™ PREMIUM LINED GLOVES

- Flame retardant, air cushioned, sweat absorbent lining
- Provides incomparable comfort and extra insulation
- 14" buck tan, heat resistant side split cowhide
- Kevlar® thread



Case Qty: 72

Priced per Pair

Model No.	Description	Price /Each
610-2000	Welding Gloves	16.70
610-2178	One-Finger Mitts	17.00
610-2076	Pigskin Gloves	19.15



PIPELINER WELDING GLOVES

- Premium split cowhide leather exterior construction
- Full grain cowhide leather interior provides incomparable comfort
- Protective leather patch on back of left hand
- Excellent abrasion resistance
- Sewn with Kevlar® thread to avoid burning
- Reinforced thumb extends wear life



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
SAV008	Large	14.40
SEB930	X-Large	15.80



BISON TIG WELDING GLOVES

- Premium grain bison leather construction
- Bison leather is more form fitting and has a greater resistance to heat and flame than other leathers
- Unparalleled fit and dexterity with exceptional durability
- Kevlar® stitching improves seam strength and reduces seam burnout
- Weltd seams and straight thumb for expert control
- 4" gauntlet cuff provides superior protection
- Designed for precision welding applications



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
TTU540	Medium	24.95
TTU541	Large	24.95
TTU542	X-Large	24.95



FABRICATOR GLOVES

- High-dexterity glove designed exclusively for intricate fabrication of sheet metal, welding and bodywork
- 100% genuine leather construction
- Three heat-resistant cowhide panels on heel, inside, and outer edge of palm
- Fingertip reinforcements on index, middle and ring fingers
- Dual-layer leather knuckle band
- Plush, suede deerskin top and fingers
- Stretch Kevlar® protective wedge insert
- Oversize, easy-entry, hook and loop closure
- Colour Black/Tan
- CE approved



Case Qty: 120

Priced per Pair

Model No.	Mfg. No.	Size	Price /Each
SAN869	MFG-05-008	Small (8)	53.84
SAN870	MFG-05-009	Medium (9)	53.84
SAN871	MFG-05-010	Large (10)	53.84
SAN872	MFG-05-011	X-Large (11)	53.84
SAN873	MFG-05-012	2X-Large (12)	53.84



R30439E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

WELDING GLOVES

HEAVY-DUTY GENERAL PURPOSE BISON WELDERS' GLOVES

- Premium grain bison leather construction with split bison leather palm
- Bison leather is more form fitting and has a greater resistance to heat and flame than other leathers
- Unlined palm for increased comfort and dexterity
- *Comfoflex*™ lining on back of hand provides superior heat and sweat absorption
- Fully welted *Kevlar*® stitched seams improves seam strength and reduces seam burnout
- 6" gauntlet cuff for increased protection
- Reinforced thumb extends wear life



Case Qty: 72

Priced per Pair

Model No.	Size	Price /Each
TTU543	Medium	36.55
TTU544	Large	36.55
TTU545	X-Large	36.55



WELDERS' COMFOFLEX® PEARL DEERSKIN GLOVES

- Flame retardant, air cushioned, sweat absorbent lining
- A thick pliable layer of protection that easily molds to your hand for added comfort
- 14 1/2" incredibly soft, genuine North American deer hides



Case Qty: 40

Priced per Pair

Model No.	Size	Price /Each
610-2850	Large	39.15



HIGH HEAT HAND SHIELDS

- Aluminized PFR rayon reflects 95% radiant heat
- 5-ply DuPont® Kevlar® sewn and split cowhide backing for extra durability
- Leather and elastic strap system



Case Qty: 144

Priced per Shield

Model No.	Price /Each
SE549	8.85





BUILT 100% Canadian Owned

KLEITON TOUGH!

Kleiton builds quality and dependability into all of their products. The same is true for products specially built to meet your specifications. Look throughout the catalogue for the *Kleiton Custom Symbol* indicating which products can be customized to meet your specific needs.



WORK BOOTS

- Steel toe work boot; available in 6" and 8" models
- Injection construction with PU mid-sole for extreme comfort
- T.T. Works traction rubber, oil and acid resistant work outsole
- T.T. Works Breathe-Free lining with Durafoam™ padding
- T.T. Thermolite™ insulation and rear comfort pull-on tab (8" models)
- Clinic™ comfort system removable footbed (washable)
- Padded PU collar
- Hexagon eyelets
- Rugged Dura-TTW4 stitch seams
- Electric Shock Resistant sole-ESR
- Available in black oil grain leather or tan nubuck leather
- CSA Grade #1 approved steel toe
- CSA Grade #1 steel sole plate



T.T. WORKS

Model No.	Mfg. No.	Size	Price /Each
BLACK - 6"			
SAL042	T04503/B20-8	8	116.36
SAL043	T04503/B20-9	9	116.36
SAL044	T04503/B20-10	10	116.36
SAL045	T04503/B20-11	11	116.36
SAL046	T04503/B20-12	12	116.36
SAL047	T04503/B20-13	13	116.36
BLACK - 8"			
SAL054	T04504/B20-8	8	124.92
SAL055	T04504/B20-9	9	124.92
SAL056	T04504/B20-10	10	124.92
SAL057	T04504/B20-11	11	124.92
SAL058	T04504/B20-12	12	124.92
SAL059	T04504/B20-13	13	124.92
TAN - 6"			
SAL048	T04503/T20-8	8	116.36
SAL049	T04503/T20-9	9	116.36
SAL050	T04503/T20-10	10	116.36
SAL051	T04503/T20-11	11	116.36
SAL052	T04503/T20-12	12	116.36
SAL053	T04503/T20-13	13	116.36

MEN'S BOOTS WITH TOE CAP

- Steel toe work boot
- Injection construction with PU mid-sole for extreme comfort
- T.T. Works traction rubber, oil and acid resistant work outsole
- T.T. Thermolite™ insulation
- T.T. Works Breathe-Free lining with Durafoam™ padding
- Clinic™ comfort system removable footbed (washable)
- Padded PU collar
- Rear comfort pull-on tab
- Rugged Dura-TTW4 stitch seams
- Electric Shock Resistant sole-ESR
- Hexagon eyelets
- Available in both black oil full grain leather and tan nubuck leather
- CSA Grade #1 approved steel toe
- CSA Grade #1 steel sole plate



T.T. WORKS

Model No.	Mfg. No.	Size	Price /Each
BLACK			
SAL066	T04505/B20-8	8	102.00
SAL067	T04505/B20-9	9	102.00
SAL068	T04505/B20-10	10	102.00
SAL069	T04505/B20-11	11	102.00
SAL070	T04505/B20-12	12	102.00
SAL071	T04505/B20-13	13	102.00

BULLY

- Acid and oil-resistant Ultraflex™ compound
- Generous wider fit
- Self-cleaning outsole
- GelFlex fatigue resistant mid sole
- Slip resistant first impact heel strike design
- Also available in white
- Certified to CSA standard Z195

BAFFIN
TECHNOLOGY

RECOMMENDED APPLICATIONS:



Model No.	Mfg. No.	Size	Price /Each
STEEL TOE			
SAL013	9677-587-7	7	64.80
SAL014	9677-587-8	8	64.80
SAL015	9677-587-9	9	64.80
SAL016	9677-587-10	10	64.80
SAL017	9677-587-11	11	64.80
SAL018	9677-587-12	12	64.80
SAL019	9677-587-13	13	64.80
STEEL TOE / STEEL PLATE			
SAL020	9679-587-7	7	69.64
SAL021	9679-587-8	8	69.64
SAL022	9679-587-9	9	69.64
SAL023	9679-587-10	10	69.64
SAL024	9679-587-11	11	69.64
SAL025	9679-587-12	12	69.64
SAL026	9679-587-13	13	69.64

Other sizes available

EXPRESS

- Economical compound
- Self-cleaning outsole
- Slip resistant
- Certified to CSA standard Z195

BAFFIN
TECHNOLOGY

RECOMMENDED APPLICATIONS:



Model No.	Mfg. No.	Size	Price /Each
STEEL TOE			
SAL027	8057-001-7	7	40.42
SAL028	8057-001-8	8	40.42
SAL029	8057-001-9	9	40.42
SAL030	8057-001-10	10	40.42
SAL031	8057-001-11	11	40.42
SAL032	8057-001-12	12	40.42
SAL033	8057-001-13	13	40.42
STEEL TOE / STEEL PLATE			
SAL034	8059-001-7	7	46.42
SAL035	8059-001-8	8	46.42
SAL036	8059-001-9	9	46.42
SAL037	8059-001-10	10	46.42
SAL038	8059-001-11	11	46.42
SAL039	8059-001-12	12	46.42
SAL040	8059-001-13	13	46.42

Other sizes available

FOOT PROTECTION

REFINERY BOOTS

- Acid and oil-resistant oarprene compound
- -40°C/-40°F felt inner boot system
- 1" snow cuff
- Long wear self-cleaning outsole
- Steel toe and plate
- Certified to CSA standard Z195
- ESR/EH rated



SAP945

RECOMMENDED APPLICATIONS:



Model No.	Mfg. No.	Size	Price /Each
SAP945	8574-001-6	6	85.11
SAP946	8574-001-7	7	85.11
SAP947	8574-001-8	8	85.11
SAP948	8574-001-9	9	85.11
SAP949	8574-001-10	10	85.11
SAP950	8574-001-11	11	85.11
SAP951	8574-001-12	12	85.11
SAP952	8574-001-13	13	85.11
SAP953	8574-001-14	14	85.11

WORKHORSE BOOTS

- New Safety Resin Technology SRT, features non-metallic safety toe and sole protection
- Compound injected in a dense format providing superior non-metallic protection while maintaining a sleek profile
- Non-metallic puncture-resistant sole comprised of 5 layers of ballistic nylon fused together with safety resin
- Users are able to walk through security screening without having to remove their safety footwear
- Technologically advanced safety boot design to keep your feet warm and safe in cold climate applications (-60°C/-76°F)
- Acid and oil-resistant rubber outsole
- Self-cleaning outsole provides multi directional traction support significantly improving slip resistance
- Polyurethane shell makes base extremely lightweight and resistant to oil and acid
- Features full grain durable leather uppers
- Certified to CSA standard Z195 for impact and sole protection



SAQ013



RECOMMENDED APPLICATIONS:



Model No.	Mfg. No.	Size	Price /Each
SAQ013	7157-0238-001-7	7	212.78
SAQ014	7157-0238-001-8	8	212.78
SAQ015	7157-0238-001-9	9	212.78
SAQ016	7157-0238-001-10	10	212.78
SAQ017	7157-0238-001-11	11	212.78
SAQ018	7157-0238-001-12	12	212.78
SAQ019	7157-0238-001-13	13	212.78

Other sizes available


HUNTER

- Lightweight and flexible TR compound
- -40°C/-40°F felt inner boot system
- Longwearing self-cleaning outsole
- 1" snow cuff
- Certified to CSA standard Z195
- ESR/EH rated



SAL009

RECOMMENDED APPLICATIONS:



Model No.	Mfg. No.	Size	Price /Each
STEEL TOE			
SAK998	8563-394-7	7	63.84
SAK999	8563-394-8	8	63.84
SAL001	8563-394-9	9	63.84
SAL002	8563-394-10	10	63.84
SAL003	8563-394-11	11	63.84
SAL004	8563-394-12	12	63.84
SAL005	8563-394-13	13	63.84
STEEL TOE / STEEL PLATE			
SAL006	8564-033-7	7	72.54
SAL007	8564-033-8	8	72.54
SAL008	8564-033-9	9	72.54
SAL009	8564-033-10	10	72.54
SAL010	8564-033-11	11	72.54
SAL011	8564-033-12	12	72.54
SAL012	8564-033-13	13	72.54

Other sizes available

BARROW

- Acid and oil-resistant Oarprene base
- Tear-resistant *Bulldog* leather upper -100°C/-148°F comfort rated inner boot system
- Aggressive, longwearing, self-cleaning outsole design
- Cinched lacing system allows most coveralls to fit over the boots
- Acid and oil-resistant lacing and stitching throughout
- Microcellular waffle foot bed traps air and moisture
- Gelflex fatigue resistant mid sole
- Rust resistant hardware
- Steel toe and plate
- Certified to CSA standard Z195
- ESR/EH rated



SAK980



RECOMMENDED APPLICATIONS:



Model No.	Mfg. No.	Size	Price /Each
SAK977	9857-998-001-7	7	193.43
SAK978	9857-998-001-8	8	193.43
SAK979	9857-998-001-9	9	193.43
SAK980	9857-998-001-10	10	193.43
SAK981	9857-998-001-11	11	193.43
SAK982	9857-998-001-12	12	193.43
SAK983	9857-998-001-13	13	193.43

Other sizes available

WHITE PVC BOOTS

- Designed for use where mild chemical resistance is required
- Designed to help processing plants comply with HACCP guidelines
- Injected molded seamless construction
- Steel toe style complies with ASTM F2413-05
- Safety-Lok outsole
- Reinforced steel shank for added safety and comfort
- Replaceable cushion insoles
- Cut-off bands for height adjustment
- Pull-up and kick-off lugs for easy on and off

Model No.	Mfg. No.	Size	Price /Each
PLAIN TOE			
SC563	81011-6	6	28.21
SC564	81011-7	7	28.21
SC565	81011-8	8	28.21
SC566	81011-9	9	28.21
SC567	81011-10	10	28.21
SC568	81011-11	11	28.21
SC569	81011-12	12	28.21
SC570	81011-13	13	28.21

Model No.	Mfg. No.	Size	Price /Each
STEEL TOE			
SC573	81012-6	6	31.82
SC574	81012-7	7	31.82
SC575	81012-8	8	31.82
SC576	81012-9	9	31.82
SC577	81012-10	10	31.82
SC578	81012-11	11	31.82
SC579	81012-12	12	31.82
SC580	81012-13	13	31.82



MONARCH ECONOMY KNEE BOOTS

- Durable 16" economy knee boot
- Designed for wet, muddy conditions where chemical resistance is not a factor
- Injected molded seamless construction
- Steel toe complies with ASTM F2413-05
- Reinforced shank
- Replaceable cushion insoles
- Pull-up and kick off lugs for easy on and off
- Cut off band for height adjustment
- Manufactured using a minimum of 88% pre-consumer recycled materials
- Cleated outsole
- 100% waterproof

Model No.	Mfg. No.	Size	Price /Each
PLAIN TOE			
SC351	86605-6	6	20.61
SC352	86605-7	7	20.61
SC353	86605-8	8	20.61
SC354	86605-9	9	20.61
SC355	86605-10	10	20.61
SC356	86605-11	11	20.61
SC357	86605-12	12	20.61
SC358	86605-13	13	20.61

Model No.	Mfg. No.	Size	Price /Each
STEEL TOE			
SC359	86606-6	6	24.08
SC360	86606-7	7	24.08
SC361	86606-8	8	24.08
SC362	86606-9	9	24.08
SC363	86606-10	10	24.08
SC364	86606-11	11	24.08
SC365	86606-12	12	24.08
SC366	86606-13	13	24.08



FLEX 3 BOOTS

- 100% waterproof, Polyblend® PVC compound with nitrile for superior resistance to fats, oil and chemicals
- Steel toe complies with ASTM F2413-05
- Power-lug outsole provides superior wear resistance, slip resistance and cushioning for indoor traction
- Kick-off lug for easy removal
- Removable air cushion insole for added comfort
- Steel shank for firm arch support
- Use in oil rigs, refineries, food processing, general industrial areas, lawn care, dairies, breweries and utilities

Model No.	Mfg. No.	Size	Price /Each
16" PLAIN TOE			
SAP813	89904-6	6	44.63
SAP814	89904-7	7	44.63
SAP815	89904-8	8	44.63
SAP816	89904-9	9	44.63
SAP817	89904-10	10	44.63
SAP818	89904-11	11	44.63
SAP819	89904-12	12	44.63
SAP820	89904-13	13	44.63
SAP821	89904-14	14	44.63
SAP822	89904-15	15	44.63

Model No.	Mfg. No.	Size	Price /Each
16" STEEL TOE			
SAP823	89908-6	6	48.26
SAP824	89908-7	7	48.26
SAP825	89908-8	8	48.26
SAP826	89908-9	9	48.26
SAP827	89908-10	10	48.26
SAP828	89908-11	11	48.26
SAP829	89908-12	12	48.26
SAP830	89908-13	13	48.26
SAP831	89908-14	14	48.26
SAP832	89908-15	15	48.26



FOOT PROTECTION

SUREFLEX™ BOOTS

- Designed with high chemical and abrasion resistance properties
- 100% waterproof, high molecular weight PVC/nitrile sole and soft flexible, high performance PVC compound upper
- Steel toe complies with ASTM F2413-05
- Resists animal fats, petroleum, oils, grease and chemicals
- Orange slip-resistant *Safety-Loc™* outsole
- Removable insole for added comfort
- Steel shank for firm arch support
- Kick-off lug for easy removal
- Excellent for use in chemicals, farming and food processing



SAP795



SAP805



Model No.	Mfg. No.	Size	Price/Each
-----------	----------	------	------------

6" WORK SHOE – PLAIN TOE

SED085	879800600	6	71.99
SED086	879800700	7	71.99
SED087	879800800	8	71.99
SED088	879800900	9	71.99
SED089	879801000	10	71.99
SED090	879801100	11	71.99
SED091	879801200	12	71.99
SED092	879801300	13	71.99

6" WORK SHOE – STEEL TOE

SAP805	87981-6	6	41.46
SAP806	87981-7	7	41.46
SAP807	87981-8	8	41.46
SAP808	87981-9	9	41.46
SAP809	87981-10	10	41.46
SAP810	87981-11	11	41.46
SAP811	87981-12	12	41.46
SAP812	87981-13	13	41.46

16" KNEE BOOT – PLAIN TOE

SED093	879830500	6	85.09
SED094	879830600	7	85.09
SED095	879830700	8	85.09
SED096	879830800	9	85.09
SED097	879830900	10	85.09
SED098	879831000	11	85.09
SED099	879831100	12	85.09
SED100	879831200	13	85.09
SED101	879831300	14	85.09
SED102	879831400	15	85.09
SED103	879831500	16	85.09

16" KNEE BOOT – STEEL TOE

SAP795	87982-6	6	51.93
SAP796	87982-7	7	51.93
SAP797	87982-8	8	51.93
SAP798	87982-9	9	51.93
SAP799	87982-10	10	51.93
SAP800	87982-11	11	51.93
SAP801	87982-12	12	51.93
SAP802	87982-13	13	51.93
SAP803	87982-14	14	51.93
SAP804	87982-15	15	51.93

LADY MONARCH BOOTS

- Steel toe style complies with ASTM F2413-05
- Injection molded for seamless construction
- Reinforced PVC shank for added support
- Cut off band for height adjustment
- Replaced cushion insoles
- 100% waterproof



SED071



Model No.	Mfg. No.	Size	Price/Each
-----------	----------	------	------------

14" WOMEN'S KNEE BOOT - PLAIN TOE

SED071	536050500	5	45.42
SED072	536050600	6	45.42
SED073	536050700	7	45.42
SED074	536050800	8	45.42
SED075	536050900	9	45.42
SED076	536051000	10	45.42
SED077	536051100	11	45.42

14" WOMEN'S KNEE BOOT - STEEL TOE

SED078	536060500	5	45.82
SED079	536060600	6	45.82
SED080	536060700	7	45.82
SED081	536060800	8	45.82
SED082	536060900	9	45.82
SED083	536061000	10	45.82
SED084	536061100	11	45.82

HAZMAX® 16" KNEE BOOTS

- Steel toe complies with ASTM F2413-05 and CSA Z195
- CSA *Green Patch* (sole protection and Grade 1 protective toe)
- Steel toe, steel shank and steel mid-sole for complete protection
- One-piece injection molded construction, eliminates seams
- Boots are constructed of high viscosity and flexible PVC alloy
- Non-absorbent polyester lining for easy cleaning and quick drying
- Replaceable cushioned insoles
- Cut off bands
- Kick off lug
- For use in situations involving dangerous chemicals, gasses or biological hazards and waste
- Exceeds CSA standards for dielectric footwear
- Certified by SEI to meet the requirements of NFPA 1991, 2005 edition



SC620



Model No.	Mfg. No.	Size	Price/Each
-----------	----------	------	------------

SC620	87012-6	6	127.65
SC621	87012-7	7	127.65
SC622	87012-8	8	127.65
SC623	87012-9	9	127.65
SC624	87012-10	10	127.65
SC625	87012-11	11	127.65
SC626	87012-12	12	127.65
SC627	87012-13	13	127.65
SAP837	87012-14	14	127.65
SAP838	87012-15	15	127.65

ULTRA LIGHT KNEE BOOTS

- Steel toe is ASTM F2413-05 compliant
- Lightweight and abrasion resistant
- Graduated boot height (median height is 15")
- Polyurethane upper and outsole
- Resists a wide range of chemicals, fats and acids (specifically for food processing)
- Reduced weight decreases foot fatigue for increased productivity
- Abrasion resistant sole provides up to three times longer wear than traditional PVC footwear



Model No.	Mfg. No.	Size	Price /Each
SAS295	88121-7	7	140.58
SAS296	88121-8	8	140.58
SAS297	88121-9	9	140.58
SAS298	88121-10	10	140.58
SAS299	88121-11	11	140.58
SAS300	88121-12	12	140.58
SAS301	88121-13	13	140.58
SAS302	88121-14	14	140.58
SAS303	88121-15	15	140.58

DIELECTRIC STEEL TOED BOOTS

ULTRAGRIP SIPE OUTSOLE

- Electric shock resistant footwear is tested to meet or exceed ASTM standard F-2413-05 EH
- Electric shock resistant footwear will withstand 14 000 volts of AC current for one minute, showing no leakage in excess of 3.0 milliamperes
- Steel toed, injected molded seamless construction
- Replacement cushion insoles
- Cut-off bands and kick off lug
- Steel toe complies with ASTM F2413-05

Applications:

Utilities, municipalities engineers, construction workers.



Model No.	Mfg. No.	Size	Price /Each
SAR442	88722-6	6	96.88
SAR443	88722-7	7	96.88
SAR444	88722-8	8	96.88
SAR445	88722-9	9	96.88
SAR446	88722-10	10	96.88
SAR447	88722-11	11	96.88
SAR448	88722-12	12	96.88
SAR449	88722-13	13	96.88

PVC OVERSHOES

- Four-Way cleated outsole
- Heavy FLEX-O-THANE PVC construction for added durability
- Premium overshoe and overboot protection
- Excellent cold weather flexibility
- Self-cleaning, slip resistance outsole
- Kick off lug for easy on and off
- Fits over most work shoes and boots

Applications: Construction, farming, utilities and food processing.



Model No.	Mfg. No.	Size	Price/Each
4" PVC OVERSHOE			
SED420	86010-XS	X-Small	21.61
SAP584	86010-S	Small	21.61
SAP585	86010-M	Medium	21.61
SAP586	86010-L	Large	21.61
SAP587	86010-XL	X-Large	21.61
SED421	86010-2XL	2X-Large	21.61
17" PVS OVERBOOT			
SED422	86030-XS	X-Small	28.83
SAO188	86030-S	Small	28.83
SAO189	86030-M	Medium	28.83
SAO190	86030-L	Large	28.83
SAO191	86030-XL	X-Large	28.83
SED423	86030-2XL	2X-Large	28.83

10" BLACK PVC OVERBOOTS

- Injected molded seamless construction
- Excellent cold weather flex
- Kick-off lug
- Fits over most work shoes and boots
- Self-cleaning slip resistant sole
- Special fold line with non-corrosive snap for snug fit

Applications: Farming, construction, utilities.



Model No.	Mfg. No.	Description	Price /Each
SED424	86020-XS	X-Small	25.56
SAS322	86020-S	Small	25.56
SAS323	86020-M	Medium	25.56
SAS324	86020-L	Large	25.56
SAS325	86020-XL	X-Large	25.56
SED425	86020-2XL	2X-Large	25.56

TURBO TOE SAFETY TOE CAPS

- 100% waterproof, will not harden, stiff or crack
- Perfect for visitors, casual or temporary workers, management, clerical staff and sales people
- Can be comfortably worn over low-heel, dress and running shoes, and most boots
- Ideal for many working environment that carry a risk of toe damage, or has a steel toe cap requirement



Model No.	Mfg. No.	Description	Price /Each
SED175	TTXS	X-Small Grey (4-5)	31.76
SED176	TTS	Small White (6-7)	31.76
SED177	TTM	Medium Yellow (8-9)	31.76
SED178	TTL	Large Red (10-11)	31.76
SED179	TTXL	X-Large Blue (12-13)	31.76
SED180	TTXXL	2X-Large Green (13-14)	31.76

BOOT COVERS

12" LATEX HAZMAT

Made of 0.60 mm, high visibility yellow latex rubber, the *Hazmat* boot cover offers protection from a broad range of materials. Seamless covers provide a snug fit over existing footwear for an added layer of protection. The ribbed and textured sole provides traction on a variety of slippery surfaces. Strong enough to be worn many times, yet economical enough to be disposed of after a single use. 100% waterproof.

15" PVC BOOT/SHOE COVER

Made of a strong 0.20 mm PVC upper. Heat-welded to a hard, embossed 0.50 mm PVC sole for superior slip resistance. Completely waterproof, equipped with an elastic top for easy pullover comfort and a secure snug fit. 100% waterproof.

Model No.	Mfg. No.	Size	Fits Size	Price /Each
12" LATEX HAZMAT				
SD588	97591-L	Large	7 - 9	7.31
SD589	97591-XL	X-Large	10 - 12	7.31
SAP794	97591-2X	2X-Large	13 - 16	6.22
15" PVC BOOT/SHOE COVER				
SD636	97590-M	Medium	6 - 8	5.16
SD637	97590-L	Large	9 - 11	5.16
SD638	97590-XL	X-Large	12 - 14	5.16



SD638



HIP WADERS

- Superior, waterproof protection to the hips
- Steel toe and steel mid sole hip wader with *Ultragrip*® sipe outsole
- Injected molded seamless boot construction
- CSA *Green Patch* (sole protection and Grade 1 protective toe)
- Excellent cold weather flexibility
- Lightweight/durable PVC upper with polyester backing
- Adjustable polyester nylon strap
- Can be folded or rolled without cracking
- Resist oil, grease, gasoline, saltwater and ozone
- Non-absorbent lining
- Replaceable cushion insoles
- Measurement from heel to top of wader: Inseam 32", outseam 35"
- Excellent for use in utilities, municipalities, aquaculture and commercial fishing
- Steel toe complies with ASTM F2413-05 and CSA



Model No.	Mfg. No.	Size	Price /Each
SAP602	86856-6	6	133.93
SAP603	86856-7	7	133.93
SAP604	86856-8	8	133.93
SAP605	86856-9	9	133.93
SAP606	86856-10	10	133.93
SAP607	86856-11	11	133.93
SAP608	86856-12	12	133.93
SAP609	86856-13	13	133.93

CHEST WADERS

- Superior, waterproof protection
- Injected molded seamless boot construction
- Steel toe complies with ASTM F2413-05 and CSA
- CSA *Green Patch* (sole protection and Grade 1 protective toe)
- Steel midsole
- *Ultragrip*® sipe outsole
- Excellent cold weather flexibility
- Durable, heavy-duty PVC upper with polyester backing
- Adjustable polyester nylon strap
- Can be folded or rolled without cracking
- Resists oil, grease, gasoline, salt water and ozone
- Top drawstring closure for snug fit
- Non-corrosive, reinforced suspender buttons
- Built-in belt loops with adjustable belt
- Non-absorbent lining
- Replaceable cushion insoles
- For use in utilities, municipalities, aquaculture and commercial fishing



Model No.	Mfg. No.	Size	Price /Each
SA0732	86867-6	6	196.59
SA0733	86867-7	7	196.59
SA0734	86867-8	8	196.59
SA0735	86867-9	9	196.59
SA0736	86867-10	10	196.59
SA0737	86867-11	11	196.59
SA0738	86867-12	12	196.59
SA0739	86867-13	13	196.59

FOOD PROCESSING OVERSHOES

- Extremely lightweight, provide resistance to animal fats, fish oils and 100% waterproof
- Offer comfort and slip protection
- Easy donning and doffing and very easy to sanitize inside and out
- Prevent dust and liquid going in overshoes from top
- Blue TPU upper fabric, polyurethane outsole
- For temperatures up to 0° F (-17.7° C)



SED265

SERVUS
by Honeywell

Model No.	Mfg. No.	Size	Fits Size	Price/Each
SED265	IT12PT17BLUXSM	X-Small	3.5-5	130.03
SED266	IT12PT17BLUSML	Small	5.5-7	130.03
SED267	IT12PT17BLUMED	Medium	7.5-9	130.03
SED268	IT12PT17BLULRG	Large	9.5-11	130.03
SED269	IT12PT17BLU1XL	X-Large	11.5-13	130.03
SED270	IT12PT17BLU2XL	2X-Large	13.5-15	130.03
SED271	IT12PT17BLU3XL	3X-Large	15.5-17	135.76

VOYAGER OVERSHOES

- Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Very quick and snug fit adjustment
- Nylon upper fabric, *Perma* outsole
- For temperatures up to 0° F (-17.7° C)



SEA906

SERVUS
by Honeywell

Model No.	Mfg. No.	Size	Fits Size	Price/Each
SEA906	VNN1BLKXSM	X-Small	3.5-5	122.76
SEA907	VNN1BLKSML	Small	5.5-7	122.76
SEA908	VNN1BLKMED	Medium	7.5-9	122.76
SEA909	VNN1BLKLRG	Large	9.5-11	122.76
SEA910	VNN1BLK1XL	X-Large	11.5-13	122.76
SED272	VNN1BLK2XL	2X-Large	13.5-15	122.76
SED273	VNN1BLK3XL	3X-Large	15.5-17	124.32

UPTOWNER X OVERSHOES

- Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Very quick and snug fit adjustment
- Nylon upper fabric, *Perma* outsole
- For temperatures up to -20° F (-28.9° C)



SED274

SERVUS
by Honeywell

Model No.	Mfg. No.	Size	Fits Size	Price/Each
SED274	UNX1BLKXSM	X-Small	3-4.5	145.65
SED275	UNX1BLKSML	Small	5-6.5	145.65
SED276	UNX1BLKMED	Medium	7-8.5	145.65
SED277	UNX1BLKLRG	Large	9-10.5	145.65
SED278	UNX1BLK1XL	X-Large	11-12.5	145.65
SED279	UNX1BLK2XL	2X-Large	13-14.5	145.65

EXPLORER OVERSHOES

- Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Very quick and snug fit adjustment
- Nylon upper fabric, *Superlite* outsole
- For temperatures up to -20° F (-28.9° C)



SED280

SERVUS
by Honeywell

Model No.	Mfg. No.	Size	Fits Size	Price/Each
SED280	EXPGBLKXSM	X-Small	3-4.5	150.84
SED281	EXPGBLKSM	Small	5-6.5	150.84
SED282	EXPGBLKMED	Medium	7-8.5	150.84
SED283	EXPGBLKLRG	Large	9-10.5	150.84
SED284	EXPGBLK1XL	X-Large	11-12.5	150.84
SED285	EXPGBLK2XL	2X-Large	13-14.5	150.84
SED286	EXPGBLK3XL	3X-Large	14-16.5	156.57

NAVIGATOR OVERSHOES

- Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Very quick and snug fit adjustment
- Polyester upper fabric, *Vibram Ninja* outsole
- For temperatures up to -20° F (-28.9° C)



SED287

SERVUS
by Honeywell

Model No.	Mfg. No.	Size	Fits Size	Price/Each
SED287	N5P3GRYXSM	X-Small	3-4.5	186.22
SED288	N5P3GRYSML	Small	5-6.5	186.22
SED289	N5P3GRYMED	Medium	7-8.5	186.22
SED290	N5P3GRYLRG	Large	9-10.5	186.22
SED291	N5P3GRY1XL	X-Large	11-12.5	186.22
SED292	N5P3GRY2XL	2X-Large	13-14.5	186.22

VOYAGER STABILICERS OVERSHOES

- Extremely lightweight and offer durable long lasting overshoes
- Provide warmth to feet, are 100% waterproof and windproof
- Extra traction and reduces risk of slips and falls
- Tighten or loosen studs very quickly
- Nylon upper fabric, *Stabilicers* outsole
- For temperatures up to 0° F (-17.7° C)



SED293

SERVUS
by Honeywell

Model No.	Mfg. No.	Size	Fits Size	Price/Each
SED293	VNS1BLKXSM	X-Small	3-4.5	141.49
SED294	VNS1BLKSML	Small	5-6.5	141.49
SED295	VNS1BLKMED	Medium	7-8.5	141.49
SED296	VNS1BLKLRG	Large	9-10.5	141.49
SED297	VNS1BLK1XL	X-Large	11-12.5	141.49
SED298	VNS1BLK2XL	2X-Large	13-14.5	141.49
SED299	VNS1BLK3XL	3X-Large	15-16.5	147.22

FOOT PROTECTION



MINER 49ER PROFESSIONAL MINING BOOTS

- Handcrafted 100% waterproof ozone-resistant natural rubber
- Heavy-duty cotton canvas lining
- Air-cushioned sole pockets
- Achilles tendon and ankle protection
- Oil and chemical-resistant nitrile lug sole
- Removable comfort felt insole
- ANSI MT/75 metatarsal protection
- CSA class #1 steel toe and plate
- CSA Omega – electric shock resistant



Model No.	Mfg. No.	Size	Price /Each
REGULAR 14"			
SAN663	VW 49-7	7	149.64
SAN664	VW 49-8	8	149.64
SAN665	VW 49-9	9	149.64
SAN666	VW 49-10	10	149.64
SAN667	VW 49-11	11	149.64
SAN668	VW 49-12	12	149.64
SAN669	VW 49-13	13	149.64
TALL 16"			
SAN684	VW49T-7	7	157.89
SAN685	VW49T-8	8	157.89
SAN686	VW49T-9	9	157.89
SAN687	VW49T-10	10	157.89
SAN688	VW49T-11	11	157.89
SAN689	VW49T-12	12	157.89
SAN690	VW49T-13	13	157.99

Other sizes available



FOOT GUARDS

- Lightweight and resistant plastic construction
- 30-lb. impact rating
- Rubber straps on heel and sole permit adjustability and optimal fit
- Weight: 12 oz. per pair
- Colour: Green
- 4.5" W
- One size fits all

Model No. SEE902
Price/Each \$25.00



TOE GUARDS

- Resistant 15-gauge carbon steel construction for maximum toe protection
- 75-lb. impact rating
- Adjustable straps permit adjustability and optimal fit
- Weight: 14 oz. per pair
- 4.5" W
- One size fits all

Model No. SEE903
Price/Each \$30.00



FOOT GUARDS WITH RUBBER TOE

Foot guards are metal shields worn over shoes for maximum protection to the entire foot - instep as well as toes - against falling, rolling, or flying objects or accidental tool blows.

They are designed to withstand an impact of 75 ft-lbs. with a large safety factor designed in. Foot guards fit any shoe (no rights or lefts), with 5" (average) and 5 1/2" (large) widths.

They are light enough to be worn comfortably all day. To keep the guard properly positioned, it has a rubber toe clip, crossbar, and a one-piece rubber strap with a tension buckle.



Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SC534	200-5	Aluminum Alloy, Aircraft Quality (0.081") 2 lbs./Pair w/Rubber Strap	89.16
SC535	201-5	16-Ga. Carbon Steel (0.059") 3 1/8 lbs./Pair w/Rubber Strap	77.21
SC536	200X-6	Extra Large Version of Model SC534 2 lbs./Pair w/Rubber Strap	115.33

PLASTIC SHIN GUARDS

Formed to the contour of the leg, with reinforcing ribs for extra strength and rigidity. Sponge pads, top and bottom inside, add comfort, absorb shock

Maximum shin protection with totally free foot and leg movement. Plastic will not lose shape due to dampness. 12" high, 5" wide at top, 3" wide at bottom, 0.140" thick with elastic straps.

Combine with foot guard for total protection and freedom of movement.

KNEE-SHIN GUARDS

Combines the shin guard above attached to a knee guard with web, sponge rubber hinge. Knee guards 5 1/2" high, 6 1/2" wide, 0.140" thick; full guard 18" high.



Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SC544	304	Shin Guards	117.58
SD515	314	Knee-Shin Guards	209.96

PLASTIC SHIN-INSTEP GUARDS

Combines the shin guard attached to a 6" instep guard with web, sponge rubber hinge. Instep 5" wide, 0.140" thick; full guard 20" long.

PLASTIC KNEE-SHIN-INSTEP GUARDS

Combines all parts attached with web, sponge rubber hinges; total length 27".

Priced per Pair

Model No.	Mfg. No.	Description	Price /Each
SC538	324	Shin-Instep Guards	199.30
SD516	334	Knee-Shin-Instep Guards	298.14

METATARSAL GUARDS

- Lightweight and resistant steel construction
- Designed to fit on work boot laces
- Spring fasteners permit adjustability and optimal fit
- Weight: 8 oz. per pair
- One size fits all

Model No. SEE904
Price/Each \$35.00



Boot not included

ICER'S® SAFETY SOLES

Icer's® antiskid detachable safety soles provide a high degree of secure footing and safety in slippery conditions, particularly ice, snow, and slush. Ideal for all type of outdoor activities. Icer's® features a unique design that insulates feet from the ground keeping them warmer and dryer. Using the basic principle of studded snow tires, the Vibram® soles bristle with deep chevron-shaped lugs and soccer-style cleats is armed with 20 screw-head studs. Grips to snow or ice, yet does not impede traction on rocky trails or dry pavement. Velcro straps allow the Icer's® to slide on over regular footwear easily. Re-studding kit is also available. Each kit contains 35 studs and tool.



Priced per Pair

Model No.	Mfg. No.	Size	Dimensions L" x W"	Price /Each
SAF849	ICERSTOESTRAPXSMALL	X-Small	11 x 4	43.99
SAF850	ICERSTOESTAPSMALL	Small	11 3/4 x 4 1/2	43.99
SAF851	ICERSTOESTRAPMEDIUM	Medium	12 1/4 x 4 5/8	43.99
SAF852	ICERSTOESTRAPLARGE	Large	13 x 4 3/4	43.99
SC555	ICERSTOESTRAPXLARGE	X-Large	13 3/4 x 5	43.99
SAF856	ICERSTOESTRAPXXLARGE	XX-Large	14 1/4 x 5 1/8	43.99
SC560	STUDKIT	Re-Studding Kit	-	6.07

METATARSAL GUARDS

- Unlike traditional metatarsal guards, the *Metguard* is non-conductive for heat and electricity
- Fits all safety shoes and boots with optional attachment straps sold separately
- Used with existing footwear and transferable between users and footwear
- Practical, comfortable, easy to fit and simple to use
- Suitable for use in all workplaces and industries including mining, construction, manufacturing, transport, storage, forestry, retail trade, warehousing, storage, forestry, retail trade
- Tested to conform with stringent Worldwide Safety Footwear Standards

Model No. SED173
Mfg. No. METGUARD
Price/Each \$47.14

OPTIONAL METSTRAP

Model No. SED174
Mfg. No. METSTRAP
Price/Each \$6.96



Boot not included

ANTI-SLIP SNOW SHOES

- Special non-split studs offer excellent traction on ice and snow
- Non-slip flexible snow shoes
- Includes 10 durable spikes
- Made from thermoplastic elastomer
- Flexible up to -40°C

Model No. SEA004
Medium, fits shoe size 5-8

Model No. SEA005
Large, fits shoe size 8-11

Model No. SEA006
X-Large, fits shoe size 11-13

Price/Each \$19.75



Boot not included

FOOT PROTECTION

FOOT WARMERS

- Non-adhesive to provide flexible warmth
- They are ideal for those who will be sitting still and not generating much body heat
- Supplies up to six hours of 100°F heat
- Safe, non-toxic, non-flammable
- Environmentally friendly, contains all natural ingredients
- 1 pair/package

Model No. SAR441

Mfg. No. HF-1

Price/Each \$1.39

FOOTWARM-UP



ADHESIVE TOE WARMERS

- Comfortable, form-fitted
- Air activated with full adhesive that sticks to your sock
- Best used by one who will be walking or moving continuously while outdoors
- Up to five hours of warmth
- Environmentally friendly, contains all natural ingredients
- 1 pair/package

Model No. SAN461

Mfg. No. TT-1

Price/Each \$2.68



INSOLE FOOT WARMERS

- Perfect accessory for cold weather outdoor activities
- Perfect for construction
- The warmers are activated by simply opening the package and exposing them to air
- Odourless and ultra thin, providing up to nine hours of effective warmth
- Contains all natural ingredients and are environmentally friendly
- 1 pair/package

Model No. SAL120

Mfg. No. HFINSPDQ

Price/Each \$5.07



IMPACTO® INSOLES

IMPACTOSOL FLAT INSOLES

- Open cell structure full flat insoles
- Heel to toe *Epofolex* visco-elastic polymer material
- Inherently anti-bacterial
- *Poron*® foam top layer provides constant cushioning and even distribution of weight to protect pressure points
- Helps relieve foot fatigue
- Ideal for most types of footwear, great with low cut footwear



IMPACTO®
Protective Products Inc.





SHOE & BOOT LACES



Model No.	Mfg. No.	Men's Size	Women's Size	Price /Each
IMPACTOSOL FLAT INSOLES				
SAG380	IMFLATA	2 - 4	4 - 6	26.47
SAG381	IMFLATB	5 - 7	7 - 9	26.47
SAG382	IMFLATC	8 - 10	10 - 12	26.47
SAG383	IMFLATD	11 - 13	N/D	26.47

Model No.	Mfg. No.	Description	Price /Each
SM674	VLACBRU160	Round Brown Nylon, 160 cm/65" for High Cut Boots	2.99
SM675	VLACNOI160	Round Black Nylon, 160 cm/65" for High Cut Boots	2.99
SM676	VLACTAN160	Round Tan Nylon, 160 cm/65" for High Cut Boots	3.23
SM677	VLACNOI115	Round Black Nylon, 115 cm/45" for Low Cut Boots	2.55
SM678	VLACTAN115	Round Tan Nylon, 115 cm/45" for Low Cut Boots	2.55
SM679	VLACNOI115P	Flat Black Nylon, 115 cm/45" for Low Cut Boots	1.92
SM680	VLACNOI180	Round Black Nylon, 180 cm/72" for Winter/Lined Boots	3.61
SM681	VLACNOI77P	Flat Black Nylon, 77 cm/30" for Shoes	1.48





ZENITH®
Safety Products

We guarantee your safety!

3M™ SCOTCHLITE™ DIAMOND GRADE™ CONSPICUITY SHEETING SERIES 983

Series 983 sheeting features superior reflective qualities. It is also DOT-C2 certified and guaranteed to meet or exceed all NHTSA requirements. Series 983 sheeting offers the following:

- Brightness — six times brighter than conventional sheeting. Maintains its superior conspicuity with a bright white appearance during the day and high reflectivity at night
- Angularity — reflects well at angles up to nearly 90°
- Outlining Capabilities — helps identify vehicle size and type
- Durability — resists weather, dirt and aging
- Seven-year warranty — strong performance backed by more than 50 years of experience in reflective technology



Available in pre-cut strips and 50-yard rolls in solid white or alternating pattern. Alternating patterns conspicuity material with 7" white and 11" red, designed for balanced retroreflectivity between the two colours, or conspicuity material designed for more versatile applications with the 6" red and 6" white colour in 12" increments. Pre-cut strips are cut at the colour change for faster application. 100 strips per case.



Priced per Package

Model No.	Mfg. No.	Size	Qty /Pkg.	Price /Each
SOLID WHITE				
SN566	983-10-2X50	2" x 50 Yards	1	119.50
SN567	983-10-3X50	3" x 50 Yards	1	179.25
SN568	983-10-4X50	4" x 50 Yards	1	239.00
SN569	983-10-2X12(100)	2" x 12" Strips	100	79.90
ALTERNATING 7" WHITE THEN 11" RED				
SN570	983-32-2X50	2" x 50 Yards	1	119.50
SN571	983-32-3X50	3" x 50 Yards	1	179.25
SN572	983-32-4X50	4" x 50 Yards	1	239.00
SN573	983-32-2X18(100)	2" x 18" Strips	100	108.82
ALTERNATING 6" WHITE THEN 6" RED				
SN574	983-326-2X50	2" x 50 Yards	1	119.50
SN575	983-326-3X50	3" x 50 Yards	1	179.25
SN576	983-326-4X50	4" x 50 Yards	1	239.00
SR390	983-326-2X12(100)	2" x 12" Strips	100	79.90
SR391	983-326-2X24(100)	2" x 24" Strips	100	159.32

* Inquire about other colours and sizes



Strips



Tape

RIGID PLASTIC



Plastic placards are made with a long-lasting plastic that will withstand many repeated uses in any weather. The printing is done using a silk screen process.

TAGBOARD



Tagboard placards are made from a semi-rigid paper card stock with a water resistant coating on both sides. This material is intended for single trip usage.

ADHESIVE VINYL




Adhesive vinyl placards are intended for permanent application on the transport vehicle/vessel. They are constructed with an outdoor grade 4-mil vinyl with an aggressive permanent adhesive backing.

ALUMINUM



For the ultimate in long-term durability choose aluminum TDG placards, made from a 0.032" aluminum, these will offer years of outdoor service.

NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION (NHTSA) RECOMMENDATIONS (DOT-C2)



R19308E

VEHICLE IDENTIFICATION

CLASS 1

INCOM
TOP TAPE & LABEL



A



B



C



D

Material	A. Explosive 1.1A		B. Explosive 1.1D		C. Explosive 1.4G		D. Explosive 1.5D	
	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.
Rigid Plastic	SJ334	TT110ASS	SAH452	TT110DSS	SJ347	TT140GSS	SJ350	TT150DSS
Tagboard	SJ335	TT110ATB	SAH453	TT110DTB	SJ348	TT140GTB	SJ351	TT150DTB
Adhesive Vinyl	SD299	TT110ATB	SAH454	TT110DPS	SD301	TT140GTB	SD303	TT150DTB
Aluminum	SD300	TT110AAL	SAH455	TT110DAL	SD302	TT140GAL	SD304	TT150DAL

CLASS 2

INCOM
TOP TAPE & LABEL



E



F



G



H

Material	E. Flammable Gas		F. Compressed Gas		G. Poison Gas		H. Oxidizer	
	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.
Rigid Plastic	SJ356	TT210SS	SJ358	TT220SS	SJ360	TT230SS	SJ364	TT232SS
Tagboard	SJ357	TT210TB	SJ359	TT220TB	SJ361	TT230TB	SJ365	TT232TB
Adhesive Vinyl	SD307	TT210PS	SD311	TT220PS	SD315	TT230PS	SD309	TT232PS
Aluminum	SD308	TT210AL	SD312	TT220AL	SD316	TT230AL	SD310	TT232AL

CLASS 3



I

INCOM
TOP TAPE & LABEL

Material	I. Flammable Liquids	
	Model No.	Mfg. No.
Rigid Plastic	SJ368	TT300SS
Tagboard	SJ369	TT300TB
Adhesive Vinyl	SD319	TT300PS
Aluminum	SD320	TT300AL

PLACARD PRICING


Material	Price /Each
Rigid Plastic (SS)	1.99
Tagboard (TB)	0.84
Adhesive Vinyl (PS)	1.99
Aluminum (AL)	12.21

VEHICLE IDENTIFICATION

CLASS 4



CLASS 5



INCOM
TOP TAPE & LABEL

Material	J. Flammable Solid Model No.	Mfg. No.	K. Spontaneously Comb. Model No.	Mfg. No.	L. Dangerous When Wet Model No.	Mfg. No.	M. Oxidizers Model No.	Mfg. No.	N. Organic Peroxides Model No.	Mfg. No.
Rigid Plastic	SJ370	TT410SS	SJ372	TT420SS	SJ374	TT430SS	SJ376	TT510SS	SEC884	TT521SS
Tagboard	SJ371	TT410TB	SJ373	TT420TB	SJ375	TT430TB	SJ377	TT510TB	SEC885	TT521TB
Adhesive Vinyl	SD321	TT410PS	SD323	TT420PS	SD325	TT430PS	SD327	TT510PS	SEC886	TT521PS
Aluminum	SD322	TT410AL	SD324	TT420AL	SD326	TT430AL	SD328	TT510AL	SEC887	TT521AL

CLASS 6



CLASS 7



CLASS 8



INCOM
TOP TAPE & LABEL

Material	O. Poison, Poisonous Sub. Model No.	Mfg. No.	P. Infectious Substances Model No.	Mfg. No.	Q. Radioactive Material Model No.	Mfg. No.	R. Corrosive Model No.	Mfg. No.
Rigid Plastic	SJ380	TT600SS	SAG840	TT620SS	SJ384	TT700SS	SJ386	TT800SS
Tagboard	SJ381	TT600TB	SAG841	TT620TB	SJ385	TT700TB	SJ387	TT800TB
Adhesive Vinyl	SD331	TT600PS	SAG842	TT620PS	SD335	TT700PS	SD337	TT800PS
Aluminum	SD332	TT600AL	SAG843	TT620AL	SD336	TT700AL	SD338	TT800AL

CLASS 9



INCOM
TOP TAPE & LABEL

PLACARD PRICING

Material	S. Misc Dangerous Goods Model No.	Mfg. No.	T. Danger, Mixed Loads Model No.	Mfg. No.
Rigid Plastic	SJ419	TT960SS	SJ390	TT950SS
Tagboard	SJ420	TT960TB	SJ391	TT950TB
Adhesive Vinyl	SD339	TT960PS	SD345	TT950PS
Aluminum	SD340	TT960AL	SD346	TT950AL

Material	Price /Each
Rigid Plastic (SS)	1.99
Tagboard (TB)	0.84
Adhesive Vinyl (PS)	1.99
Aluminum (AL)	12.21

VEHICLE IDENTIFICATION

PLACARD HOLDERS

Manufactured of natural aluminum with stainless steel clips for years of service. Holders come with 10 pre-drilled mounting holes for easy application. The back plate has several dimples to ease the placards out of the holder and up and over the clip assembly.


INCOM
TOP TAPE & LABEL

Model No.	Mfg. No.	Description	Price /Each
SAQ008	PH223	Placard holder	12.11
SAQ009	PH227	Easy Access Design	28.44
SAG844	PH225	Split Frame Design	14.92

SAG844

SAQ009

SAQ008



SIGNS



18" X 18"



18" X 18"



18" X 18"



18" X 18"



10" X 14"

Model No.	Mfg. No.
SD350 - PS	LX-45-PS
SD351 - AL	LX-45-AL

Model No.	Mfg. No.
SE256 - PS	FLX-45-PS
SE257 - AL	FLX-45-AL

Model No.	Mfg. No.
SD352 - PS	WT-45-PS
SD353 - AL	WT-45-AL

Model No.	Mfg. No.
SE258 - PS	FWT-45-PS
SE259 - AL	FWT-45-AL

Model No.	Mfg. No.
SD348 - PS	A-2150-PS
SD349 - AL	A-2150-AL

Description	Price /Each
Plastic - 18" x 18"	68.46
Aluminum - 18" x 18"	78.95
Plastic - 10" x 14"	31.73
Aluminum - 10" x 14"	41.79

Call us for
quantity
pricing!



CANADIAN 5 LEGEND FLIP CHART PLACARDS

With 5 Canadian T.D.G. legends at your disposal, you can use this flip chart for almost any load. Exclusive design is built for durability, heavy .031" white aluminum back plate for wind protection with baked-on polyester finish to resist fading. Pages are made from a durable powder coated aluminum for longevity.

LEGENDS



INCOM
TOP TAPE & LABEL


Model No.	Mfg. No.	Description	Price /Each
SAK381	FC5010WH	5-Legend Flip Chart	87.03



CANADIAN 14 LEGEND FLIP CHART PLACARDS

Be ready for any shipment with 13 Canadian T.D.G. legends plus a blank white page. Exclusive design is built for durability, heavy .031" aluminum back plate for wind protection with baked-on polyester finish to resist fading. Pages are made from a durable powder coated aluminum for longevity.

LEGENDS



INCOM
TOP TAPE & LABEL

Model No.	Mfg. No.	Description	Price /Each
SAK382	FC5000WH	14-Legend Flip Chart	144.67



FUEL FLIP CHART PLACARDS

These popular units are enamel and comply with the new "Clear Language" Transport Canada Regulations for bulk shipments for these products. Both pages are Class 3 Flammable Liquid. One page has the UN number 1202, and the other page has the UN number 1203. Units are constructed of all aluminum and stainless steel parts for added longevity.

LEGENDS



INCOM
TOP TAPE & LABEL

Model No.	Mfg. No.	Description	Material	Price /Each
SAG845	FC4020AL	Flammable Class 3 (UN 1202)	Aluminum Base	46.73
SD357	FC4020WH	Flammable Class 3 (UN 1203)	White Base	46.78



VEHICLE IDENTIFICATION

DANGEROUS GOODS SHIPPING LABELS 4" X 4" (100 MM X 100 MM)

Priced per Roll

- Shipping labels are essential for packages that contain dangerous goods
- Labels are available in two materials, paper for indoor applications and vinyl for extended outdoor usage
- Manufactured to Transport Canada specifications with fade resistant inks
- 500 labels/roll

Material	Price /Each
Paper	32.16
Vinyl	50.90

CLASS 2



CLASS 3



INCOM
TOP TAPE & LABEL

Material	Flammable Gas Model No.	Mfg. No.	Compressed Gas Model No.	Mfg. No.	Poison Gas Model No.	Mfg. No.	Oxidizer Model No.	Mfg. No.	Flammable Liquids Model No.	Mfg. No.
Paper	SAG852	TT21-PAPER	SAG854	TT22-PAPER	SAG856	TT23-PAPER	SAG858	TT50-PAPER	SAG860	TT30-PAPER
Vinyl	SAG853	TT21-VINYL	SAG855	TT22-VINYL	SAG857	TT23-VINYL	SAG859	TT50-VINYL	SAG861	TT30-VINYL

CLASS 4



CLASS 5



INCOM
TOP TAPE & LABEL

Material	Flammable Solid Model No.	Mfg. No.	Spontaneously Comb. Model No.	Mfg. No.	Dangerous When Wet Model No.	Mfg. No.	Oxidizers Model No.	Mfg. No.	Organic Peroxides Model No.	Mfg. No.
Paper	SAG862	TT41-PAPER	SAG864	TT42-PAPER	SAG866	TT43-PAPER	SAG868	TT51-PAPER	SED444	TT53-PAPER
Vinyl	SAG863	TT41-VINYL	SAG865	TT42-VINYL	SAG867	TT43-VINYL	SAG869	TT51-VINYL	SED445	TT53-VINYL

CLASS 6



CLASS 7



INCOM
TOP TAPE & LABEL

Material	Poison, Poisonous Sub. Model No.	Mfg. No.	Infectious Substances Model No.	Mfg. No.	Radioactive I Model No.	Mfg. No.	Radioactive II Model No.	Mfg. No.	Radioactive III Model No.	Mfg. No.
Paper	SAG872	TT60-PAPER	SAG874	TT63-PAPER	SAG876	TT71-PAPER	SAG878	TT72-PAPER	SAG880	TT73-PAPER
Vinyl	SAG873	TT60-VINYL	SAG875	TT63-VINYL	SAG877	TT71-VINYL	SAG879	TT72-VINYL	SAG881	TT73-VINYL

CLASS 8



CLASS 9



INCOM
TOP TAPE & LABEL

Material	Corrosive Model No.	Mfg. No.	Misc. Dangerous Goods Model No.	Mfg. No.	Marine Pollutant Model No.	Mfg. No.
Paper	SAG882	TT80-PAPER	SAG884	TT91-PAPER	SAK383	TT74-PAPER
Vinyl	SAG883	TT80-VINYL	SAG885	TT91-VINYL	SAK384	TT74-VINYL




EMERGENCY RESPONSE GUIDEBOOK - ERG

- Helps drivers, paramedics, police, fire personnel and other emergency responders to quickly identify the hazards of the material(s) involved in an incident
- Helps first responders protect themselves and the public during an incident
- Numerically indexed and colour coded so that vital information is easy to find
- Use this guidebook to help satisfy DOT's requirement that Hazmat shipments be accompanied by emergency response information (49 CFR Section 172.602)
- Pocket sized, softbound (5 1/2" L x 4" W)

INCOM
TOP TAPE & LABEL

Model No.	Mfg. No.	Price /Each
SEC888	140RSA	9.18




REGULATIONS PLACARDING WALL CHARTS

Canadian regulations chart displays all the classes for both placards and shipping labels. It has been designed as a valuable reference for TDG legislation. For use in truck terminals, shipping/receiving or as a training aid. The chart is made from a rigid flextop plastic material and is 24" x 36".

INCOM
TOP TAPE & LABEL

Model No.	Mfg. No.	Description	Price /Each
SJ392	TD4001	Bilingual	59.28



BILINGUAL DRIVERS DAILY LOGS WITH DVIR

- Easy to use Canada/US format helps drivers properly record daily log information as required under Canada's Commercial Vehicle Drivers Hours of Service Regulations
- Both logs feature bilingual language and accommodate the new hours of service regulations effective January 1, 2007
- Feature Cycle 1 and Cycle 2 boxes, Daily Recap, 24 Hour Grid, Monthly Log Summary
- Includes the National Safety Code Standard 13 DVIR (Drivers Vehicle Inspection Report)
- **SAQ098** is a full size log with DVIR on front; **SAQ097** offers half the size with the DVIR on the back of the log pages

INCOM
TOP TAPE & LABEL

Model No.	Mfg. No.	Dimensions	Price /Each
SAQ097	661LD	8.5" x 5.5"	2.18
SAQ098	663LD	8.5" x 11"	4.40



ROLL-UP CONSTRUCTION SIGNS

- Lightweight, flexible fabric
- Highly visible 36" x 36" orange sign with contrasting black messages and symbols
- Designed with four corner pockets to insert cross-ribs (sold separately)

Fluorescent Vinyl (FL) Non-reflective fluorescent orange roll-up sign, constructed of a fabric reinforced with UV stable vinyl. Will not delaminate and provides excellent durability and colour stability. Intended for daytime use only.

Reflective Vinyl (RV) Reflective vinyl is a flexible glossy and UV-stabilized material, designed for traffic control signs used in work zones and emergency traffic control areas. Designed to provide higher nighttime sign brightness. Backed with a heavy-duty vinyl-coated fabric.

Model No.	Mfg. No.	Symbol Sign	Price /Each
FLUORESCENT VINYL			
SEE384	FRC303FL	Flagman	86.67
SEE386	FRC309FL	Merge Left	86.67
SEE388	FRC307FL	Workman	86.67
SEE390	FRC311FL	Merge Right	86.67
REFLECTIVE VINYL			
SEE385	FRC303RV	Flagman	208.16
SEE387	FRC309RV	Merge Left	208.16
SEE389	FRC307RV	Workman	208.16
SEE391	FRC311RV	Merge Right	208.16



TILT-ADJUST™ SIGN STANDS

- Assure roll-up sign is standing straight, even on uneven ground
- Stand is angle-adjustable with unique Tilt-Adjust™ feature
- Set stand on ground at most any slope angle or grade, yet still display sign straight-up
- Powder-coated galvanized steel frame construction resists rust and corrosion

Model No SEE392

Mfg. No FRC750

Price Each \$134.73




CROSS RIBS SIGN SUPPORTS

- Designed to insert 36" x 36" signs in its four corner pockets to provide rigid support
- Made of durable and flexible fibreglass

Model No SEE393

Mfg. No FRC836

Price Each \$24.23



Call us for all your Safety Equipment & Supplies requirements!



TRAFFIC SAFETY FLAGS

For use as hand flags or vehicle flags. Heavy-duty fluorescent knitted flag with plastic trim resists tearing, fraying or snagging. Comes with 24" or 36" wooden staff (36" model is ideal for use on moving vehicles). Fluorescent vinyl blend flag comes with a heat sealed hem and 24" or 36" wooden staff. Flag size: 18" x 18".

Colour: Red/Orange

Model No.	Mfg. No.	Description	Wooden Staff"	Price /Each
FLAG WITH STAFF				
SC140	26472	Knitted Flag	24	9.73
SC141	26473	Knitted Flag	36	8.81
SAP711	25939	Vinyl Flag	24	8.78
SC143	26557	Vinyl Flag	36	4.98
FLAG ONLY				
SAI342	26572	Knitted Flag	-	6.41
SAI343	25934	Vinyl Flag	-	3.70



TRAFFIC CONTROL SIGNS

This 18" x 18" double-sided hand-held traffic sign directs traffic by signalling the desired warning towards oncoming vehicles. STOP legend is Type III hi-intensity red sheeting with retro-reflective white legend and border. SLOW legend has a micro-prismatic fluorescent yellow/green sheeting with black legend and border. Optional 5' plastic handle available. Meets 2001 MTO TC-22 standards.

Model No.	Mfg. No.	Description	Price /Each
ENGLISH			
S0101	20876	STOP/SLOW Sign - Regulated	174.89
SC147	20879	5' Plastic Handle	17.61



MUNICIPAL TRAFFIC SIGNS

STOP/STOP reflective plastic sign is for use by school crossing guards. STOP/SLOW reflective sign is for use in low speed construction areas. Signs come with 15" aluminum handle with rubber grip. Octagonal shaped signs are 12" across the flats. French signs available in 10" aluminum handle.

Model No.	Mfg. No.	Description	Price /Each
SC148	20878	STOP/STOP Sign w/Handle	63.58
SC149	20877	STOP/SLOW Sign w/Handle	61.11
SC504	PTF001PRF	ARRÊT/ARRÊT Sign w/Handle	23.40
SC505	PTF002PRF	ARRÊT/LENTEMENT Sign w/Handle	23.40
SC147	20879	5' Plastic Handle	17.61



PARKING & HIGHWAY

TRAFFIC VESTS

- 2" reflective stripes
- High-visibility lightweight polyester mesh provides daytime visibility
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-way feature on shoulders, sides and front for easy quick release



ZENITH®
Safety Products

Model No.	Size	Price /Each
SAS089	Medium	9.25
SAS090	Large	9.25
SAS091	X-Large	9.25
SAS092	2X-Large	9.25

TRAFFIC SAFETY VESTS

- 2" reflective stripes
- High-visibility lightweight polyester mesh provides daytime visibility
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-way feature on shoulders, sides and front for easy quick release
- Stripes meet CSA standard Z96-09 Level 2 requirements for reflectivity



ZENITH®
Safety Products

Model No.	Size	Price /Each
SAR859	Medium	18.75
SAR860	Large	18.75
SAR861	X-Large	18.75
SAR862	2X-Large	18.75

MESH TRAFFIC VESTS

- Fluorescent orange polyester fabric
- 2" yellow reflective stripes
- Velcro front closure
- 5-point tear away
- Machine washable
- Meets CSA standard Z96-09 Class 1, Level 2 requirements



**safe+
sound**
SAFETYWEAR

Model No.	Mfg. No.	Size	Price /Each
SEB523	TSF-ORY-M	Medium	33.46
SEB524	TSF-ORY-L	Large	33.46
SEB525	TSF-ORY-XL	X-Large	33.46
SEB526	TSF-ORY-2XL	2X-Large	36.70

FIRE RETARDANT TRAFFIC VESTS

- Bright orange fire retardant treated cotton fabric
- 2" yellow or silver reflective stripes
- Velcro front closure
- 5-point tear away
- Machine washable
- Meets CSA standard Z96-09 Class 1, Level 2 requirements



**safe+
sound**
SAFETYWEAR

Model No.	Mfg. No.	Stripes Colour	Size	Price /Each
SEB528	TF2-ORY-M	Yellow	Medium	54.17
SEB529	TF2-ORY-L	Yellow	Large	54.17
SEB530	TF2-ORY-XL	Yellow	X-Large	54.17
SEB531	TF2-ORY-2XL	Yellow	2X-Large	59.59
SAR651	TF2-ORS-M	Silver	Medium	54.17
SAR652	TF2-ORS-L	Silver	Large	54.17
SAR653	TF2-ORS-XL	Silver	X-Large	54.17
SAR654	TF2-ORS-2XL	Silver	2X-Large	59.59

CSA COMPLIANT TRAFFIC SAFETY VESTS

- Lightweight and comfortable, fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- Reflective stripes offer maximum nighttime visibility
- Front velcro enclosure permits optimal fitting
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



ZENITH®
Safety Products

Model No.	Colour	Size	Price /Each
SEB698	Orange	Medium	12.95
SEB699	Orange	Large	12.95
SEB700	Orange	X-Large	12.95
SEB701	Orange	2X-Large	12.95
SEB702	Lime-Yellow	Medium	12.95
SEB703	Lime-Yellow	Large	12.95
SEB704	Lime-Yellow	X-Large	12.95
SEB705	Lime-Yellow	2X-Large	12.95

Call us for
quantity pricing!



POLYCOTTON SAFETY VESTS

- Fluorescent lime-yellow poly/cotton twill
- 2" silver reflective stripes
- Two radio loops
- Two lower pockets with flaps
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Size	Price /Each
SEA619	SP2-FLY-M	Medium	62.86
SEA620	SP2-FLY-L	Large	62.86
SEA621	SP2-FLY-XL	X-Large	62.86
SEA622	SP2-FLY-2XL	2X-Large	69.15



SAFETY VESTS WITH CONTRASTING STRIPE

- Fluorescent lime-yellow wicking polyester fabric
- 4" fluorescent orange/silver stripes
- 5-point tear-away
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Size	Price /Each
SAR636	SI4-FLY-M	Medium	19.42
SAR637	SI4-FLY-L	Large	19.42
SAR638	SI4-FLY-XL	X-Large	19.42
SAR639	SI4-FLY-2XL	2X-Large	21.36



MESH SURVEYORS SAFETY VESTS

- Fluorescent orange sports mesh knit fabric
- Contrasting yellow trim for daytime visibility
- 2" reflective stripes
- 5-point tear-away
- Two lower pockets
- Upper radio pocket
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Size	Price /Each
SAR618	SS5-ORS-M	Medium	23.14
SAR619	SS5-ORS-L	Large	23.14
SAR620	SS5-ORS-XL	X-Large	23.14
SAR621	SS5-ORS-2XL	2X-Large	25.45



FIRE RETARDANT SAFETY VESTS

- Bright orange fire retardant treated cotton fabric
- 2" silver reflective stripes
- Contrasting yellow trim for daytime visibility
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 FR requirements



Model No.	Mfg. No.	Size	Price /Each
SAR655	SF1-ORS-M	Medium	64.00
SAR656	SF1-ORS-L	Large	64.00
SAR657	SF1-ORS-XL	X-Large	64.00
SAR658	SF1-ORS-2XL	2X-Large	70.39



INSULATED SAFETY VESTS

- Polyurethane-coated polyester outer shell
- 2" silver reflective stripes
- Insulated for extra warmth in the fall and winter
- Waterproof, windproof, breathable and washable
- Two outside pockets lined with polar fleece
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Colour	Size	Price /Each
SEB281	VT2-FLY-M	Lime-yellow	Medium	69.71
SEB282	VT2-FLY-L	Lime-yellow	Large	69.71
SEB283	VT2-FLY-XL	Lime-yellow	X-Large	69.71
SEB284	VT2-FLY-2XL	Lime-yellow	2X-Large	95.08
SEB276	VT2-ORS-M	Orange	Medium	69.71
SEB277	VT2-ORS-L	Orange	Large	69.71
SEB278	VT2-ORS-XL	Orange	X-Large	69.71
SEB279	VT2-ORS-2XL	Orange	2X-Large	95.08



SEB281



SEB276

SPORTS MESH SAFETY T-SHIRTS

- Fluorescent lime-yellow sports mesh knit fabric
- 2" silver reflective stripes
- Machine washable
- Meets CSA standard Z96-09 Class 2, Level 2 requirements



Model No.	Mfg. No.	Size	Price /Each
SAV013	KS1-FLY-M	Medium	27.02
SAV014	KS1-FLY-L	Large	27.02
SAV015	KS1-FLY-XL	X-Large	27.02
SAV016	KS1-FLY-2XL	2X-Large	29.72



PARKING & HIGHWAY

FLAGSTAFF HEAVY-DUTY SAFETY WHIPS

WARN OTHERS OF YOUR VEHICLE'S PRESENCE BY ATTACHING A FLAGSTAFF SAFETY WHIP TO YOUR OFF-ROAD VEHICLE

- Available with Hi-Viz flag or flag and light
- Provide quick and easy identification of other vehicles or equipment in your area
- Bolt-on mounting for easy attachment
- Industrial series 5', 8', or 10' flexible white fiberglass whip includes heavy-duty flag and mounting base for vehicle attachment
- Optional lighted models feature lamp socket, internal electrical wiring, and hot plug for power connection
- Choose traditional lens or *Glo-Worm* lights for lighted models
- Various lens, *Glo-Worm* lights and mounting options available as accessories

CHECKERS®
INDUSTRIAL SAFETY PRODUCTS, INC.

Model No.	Mfg. No.	Description	Price /Each
5' FLAGSTAFF			
SAK933	FS5	Mounting Base - No Lamp Socket	67.95
SAK934	FS5X	w/Reflective "X", Mounting Base - No Lamp Socket	91.69
SAK935	FS5-L	Mounting Base, Lamp Socket and Hot Plug	108.54
SAK936	FS5X-L	w/Reflective "X", Mounting Base, Lamp Socket and Hot Plug	127.05
8' FLAGSTAFF			
SAK937	FS8	Mounting Base - No Lamp Socket	87.23
SAK938	FS8X	w/Reflective "X", Mounting Base - No Lamp Socket	113.77
SAK939	FS8-L	Mounting Base, Lamp Socket and Hot Plug	137.81
SAK940	FS8X-L	w/Reflective "X", Mounting Base, Lamp Socket and Hot Plug	156.09
10' FLAGSTAFF			
SAK941	FS10	Mounting Base - No Lamp Socket	100.08
SAK942	FS10X	w/Reflective "X", Mounting Base - No Lamp Socket	127.02
SAK943	FS10-L	Mounting Base, Lamp Socket and Hot Plug	160.01
SAK944	FS10X-L	w/Reflective "X", Mounting Base, Lamp Socket and Hot Plug	179.13

TRADITIONAL LENS OPTIONS

Model No.	Mfg. No.	Description	Price /Each
SAK951	FS7020-A	High Impact Plastic Lens, Amber	15.45
SAK952	FS7020-R	High Impact Plastic Lens, Red	15.45
SAK953	FS7004	Chrome Plated Metal Lens Cap	3.85


Note: Lens, metal cap and bulbs must be ordered separately to complete Flagstaff System with light

GLO-WORM LED LIGHT OPTIONS

Model No.	Mfg. No.	Description	Price /Each
SAK954	FSLED12-6-A	12 V, 6" length, Amber	43.52
SAK955	FSLED12-6-R	12 V, 6" length, Red	43.52


ACCESSORIES & REPLACEMENT PARTS

Model No.	Mfg. No.	Description	Price /Each
SAK945	FS7006	Chrome Plated Heavy-Duty Spring Mount for Lighted Models up to 8'	77.41
SAK946	FS7008	Easy Mount Adapter for Quick Mounting and Removal	32.03
SAK947	FS9024	Heavy-Duty, Plastic Coated, Nylon Mesh, Orange Flag 11" H x 12" W (Mounting Clips Included)	12.39
SAK948	FS9025	Heavy-Duty Flag w/Reflective "X"	36.09
SAK949	FS9026	Hot Plug	2.06
SAK950	FS9028	Hot Plug with 6" Wire Pigtail	6.03



Traditional Lens

Glo-Worm



HIGHWAY BANNERS

- Screened "WIDE LOAD" on one side and "OVERSIZE LOAD" on reverse made of durable material
- Black on yellow 18" x 96" complete with 5' tie down ropes
- "D" banners are white with red bars and "D" symbol, 12" x 96" PVC roll up

Model No.	Mfg. No.	Description	W"	Size x	H"	Price /Each
SC150	17271	Wide Load/Oversize Load	96	x	18	38.77

WIDE LOAD

OVERSIZE LOAD

SLOW MOVING VEHICLE SIGNS

Available in two styles. Heavy duty, aluminum backed triangle mounts easily using screwholes provided. Self-adhesive decal triangle mounts quickly to any smooth, clean surface. Meets all provincial and federal specifications.

Model No.	Mfg. No.	Description	Price /Each
SC153	17276	Aluminum Sign	23.19
SC154	TTR006-AC	Self-Adhesive Sign	30.67



TRIANGULAR REFLECTOR KITS

INDUSTRIAL

- TRIANGULAR REFLECTOR KIT
- Set of 3 triangular reflectors in reusable storage container
- Constructed of molded polypropylene plastic with red acrylic plastic reflectors
- Air-flow design helps reduce wind resistance
- Meets FMVSS-125 Standards



SAV007

Model No.	Mfg. No.	Description	Price /Each
SAV007	16947	Industrial Kit	31.82

SAFETY FLARES

- Visible in fog, rain, or snow
- Easy to ignite with self-contained striker
- 20 or 30-minute duration
- Spike or wire stands available
- UL approved



Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
20 MINUTES				
SAI373	0117956	Spike	72	351.81
SAI374	0117932	Wire stand	72	409.85
30 MINUTES				
SAI375	0117267	Spike	36	229.83
SAI376	0117920	Wire stand	36	268.19





6" CYALUME® LIGHTSTICKS

Provides a light source more dependable than flashlights and safer than flares or candles.

- Convenient, safe emergency back-up lighting for applications at night, in confined space or in blackout
- Lightsticks visible even in dense smoke
- Just bend, snap and shake for instant light
- Non-toxic, non-flammable and weatherproof
- Regular and hi-intensity products available
- 6" length ideal for vehicle identification markers, maintenance/refueling lights, route markers and disaster preparedness lights

OmniGlow™



Model No.	Mfg. No.	Colour	Price /Each
12 HOURS			
SAK740	27017	Green	2.56
SAK741	27054	Red	2.56
SAK742	27020	Yellow	2.56
SAK743	27019	Orange	2.56
8 HOURS			
SAK744	27078	White	2.56
SAK745	27077	Blue	2.56

Model No.	Mfg. No.	Colour	Price /Each
30-MINUTE HI-INTENSITY			
SAK746	27061	Yellow	2.56
SAK747	27021	White	2.56
SAK748	27063	Red	2.56

REFLEXTOR™ II SPEED BUMPS

- Effective speed reduction in parking lots, school zones, public and private areas
- Flexible, adapts to any road surface
- Manufactured from 100% recycled rubber
- Embedded glass bead reflective tape
- Resistant to UV, moisture, oil and extreme temperature variation
- Will not warp, crack, chip or rot
- Channeled bottom, 2" x 1" channels, allows for cabling or piping and facilitates drainage



Model No.	Mfg. No.	Description	Dimensions					Length'	Spikes required	Wt. lbs.	Price /Each
			L"	x	W"	x	H"				
SAJ226	SB48Y	Black/Yellow	48	x	11	x	2.25	4	3	35	112.07
SAJ175	SB72Y	Black/Yellow	72	x	11	x	2.25	6	5	52	155.78
SAJ227	CLP-14	14" Rebar Spike									5.39



SPEED BUMPS

- Lightweight, durable speed bump is designed to help keep speed levels down
- Made with 100% recycled plastic, they are impervious to road chemicals and corrosion
- Molded-in colour, which eliminates the need for painting traffic marks
- Can be installed side by side to create lengths of 6, 9, 12 feet or more
- Dirt is easily removed with either soap and water or a commercial solvent
- Lightweight; 3-bolt anchoring system facilitates relocation
- Hardware included
- Colour: Safety yellow

SPECIFICATIONS:

Dimensions: 36" L x 10 1/2" W x 2" H
Securing Holes: Countersunk 1/2" diameter


Model No.	Length'	Wt. lbs.	Price /Each
SEC432	3	35	79.88



DBS
Driven to Satisfy

CAR STOPS

- Durable, bring order to parking lots
- Solid colouring throughout means they never need painting and will retain an attractive appearance
- Made with 100% recycled plastic, they are protected against damages brought on by road chemicals, deterioration and corrosion, eliminating the danger of exposed reinforcing rods seen in traditional concrete car stops
- Predrilled and can be installed by one person
- Hardware sold separately
- Available in 4' or 6' lengths in safety yellow, handicap blue and cement grey



		4'	6'
Hardware:	- 1/2" x 8" lag screws	2	3
	- 9/16" washers	2	3
	- Expanding nylon anchors	3	3
Securing holes:	Countersunk 1/2" diameter		

Yellow Model No.	Mfg. No.	Blue Model No.	Mfg. No.	Grey Model No.	Mfg. No.	Length'	Wt. lbs.	Price /Each
CAR STOPS								
SE102	7040	-	-	-	-	4	29.5	71.77
SE105	7050	SE106	7052	SE107	7053	6	41.5	106.05

HARDWARE								
Model No.	Mfg. No.	Description					Wt. lbs.	Price /Each
SE108	7056	For 4' Car Stops					1	10.51
SE109	7055	For 6' Car Stops					1	12.43

PARK-IT™ PARKING CURBS

- Ideal for effective delineation of parking and for use in the protection of walls, vehicles and other valuables in garages and surface parking applications
- Lightweight 100% recycled rubber is resistant to UV, moisture, oil and extreme temperature variations
- Superior construction and durability, will not warp, crack, chip or rot
- Flexible, conform to the contour of virtually any surface
- Yellow polyurethane glass beaded paint for maximum reflectivity
- Can be installed by one person, permanently with 12" rebar spike (not included), or temporarily with PL premium polyurethane adhesive
- One 12" rebar spike per anchor hole; 3' (36") curb has 3 anchor holes, and 6' (72") has 4 anchor holes
- Dimensions: 6" W x 4" H



Model No.	Mfg. No.	Description	Length'	Wt. lbs.	Price /Each
SE116	17643	Parking curb	3	17	62.64
SE117	17644	Parking curb	6	34	108.31
SE118	17679	12" Rebar Spike	-	-	4.84
SE119	1403221	PL Premium Adhesive	-	-	8.40



PARKING & HIGHWAY



JACKSON
SAFETY GROUP

COLOURED CONES

Ideal for parking lots, temporary off highway traffic delineation, festivals and sporting events. Made from durable, lightweight injection molded polyethylene. 18" high.

Choice of six colours.

Model No.	Mfg. No.	Colour	Price /Each
SC095	14671	Red	19.97
SC096	14674	White	19.97
SC097	14673	Blue	19.79
SC098	14672	Yellow	19.97
SC099	14670	Orange	19.97
SC100	14675	Green	19.97

TRAFFIC CONE HOLDERS

Bolts to vehicle bumper.
Conserves valuable inside storage space.
Holds 18" and 28" cones only.

Model No. SB832 Mfg. No. 3001749
Price/Each \$31.93

JACKSON
SAFETY GROUP



PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Available with 6" and 4" 3M™ Hi-Intensity collars
- High density interlocking base offers maximum stability
- Meets Minister of Transport regulations for Quebec, Ontario and Alberta

ZENITH
Safety Products

Model No.	Description	Wt. lbs.	Price /Each
TRAFFIC CONE			
SEB768	12"	2	6.95
SEB769	18"	3.3	11.10
SEB771	28"	7	18.90

TRAFFIC CONE W/ COLLAR			
SEB770	18" w/ 6" Collar (QC, ON, AB)	3.3	18.05
SEB772	28" w/ 6" and 4" Collars (QC, ON, AB)	7	32.25
SEB826	28" w/ 4" Collar (ON, AB)	7	22.55

SEB772



RECESSED CONES

- One-piece wide body design and construction
- Easier stacking - no pinch points with collars
- Increased durability for reflective sheeting; recessed collars resist direct wear
- Protected reflective translates into longer service life lowering overall usage costs
- 28" cone with 6" reflective collar on top and 4" reflective collar on bottom
- Weight: 7 lbs.
- Meets MUTCD standards

Model No. SAQ093
Mfg. No. 3004604
Price/Each \$39.26

JACKSON
SAFETY GROUP




PACK & POP™ COLLAPSIBLE CONES

- Constructed of orange waterproof nylon
- Internal light has two settings: steady burn and flashing
- Cone light endures 100 000 flashes or 36 hours of steady burn
- Collapses flat for easy storage
- Replaceable lithium battery
- Sold in packs of 4 with one carrying bag included
- Meets MUTCD Standards

JACKSON
SAFETY GROUP

Model No.	Mfg. No.	Size"	Price /Each
SAR385	20301	18	121.91
SAR386	30633	28	204.47



TENSACONE TOPPERS

- Transforms your line of traffic cones into a cost effective temporary barrier system
- Ideal for use in health and safety, roadside maintenance and engineering applications, or anywhere where a temporary barrier is required
- For use with a base weight and fits most standard traffic cones
- Fits securely to the top of the cone; retracting heavy-duty belt is connected to the next cone providing up to 12' of barrier
- More effective at restricting access than cones alone
- Faster and easier to use than string or traffic tape
- Lighter and easier to set up than rigid barriers
- Less cones are required, saving space and money
- Robust construction, stands up to heavy-duty use
- 13' red and white diagonal stripe belt

LAWRENCE
A TENSATOR GROUP COMPANY



* Cones Not Included

Model No.	Mfg. No.	Wt. lbs.	Price /Each
SAQ141	TC114-30/D3	2	77.20

ECONOMY CONES

- Narrow wind resistant profile with orange base
- Flow molded, day glow red/orange PVC with white inner liner

JACKSON
SAFETY BRAND



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SAS367	16398	18"	2.4	14.05
SAS368	16421	28"	5.5	27.83

T-TOP CHANNELIZER CONES

- 42" high channelizer cone is made of high impact orange polyethylene
- Comes with 13" reflective collar for improved day or night visibility
- Unique T-shaped handle has mounting hole for light. Also provides a convenient grip for moving cone
- Choice of 11 lbs. or 15 lbs. black rubber base
- Cone dimensions: 4" at top tapering to 8" at bottom
- Base size: 16 1/2" octagon, 2" thick

Base sold separately.

JACKSON
SAFETY BRAND



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SC102	20849	T-Top Cone	2	72.50
SC104	17450	Rubber Base	15	27.59

PREMIUM DELINEATOR POSTS

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" 3M™ Hi-Intensity reflective tape collars
- High density interlocking 16" x 16" base offers maximum stability and durability

ZENITH
Safety Products

SEC153



Model No.	Description	Wt. lbs.	Price /Each
SEB773	Delineator Post Only	1.8	23.70
SEB774	Rubber Base	10	21.20
SEC153	Delineator Post w/Base	12	44.65

STACKABLE DELUXE DELINEATOR POSTS

- Durable, 42" high, linear low density polyethylene post
- Comes complete with two 4" hi-intensity reflective bands
- Comfortable grip handle make posts easy to move
- Posts are stackable for space preservation
- Bases are 100% recycled rubber, octagon shape

10-lb. black rubber base sold separately.

JACKSON
SAFETY BRAND



Model No.	Mfg. No.	Description	Price /Each
SAS369	21086	Delineator Post	43.41

TRAFFIC DELINEATORS

- Conforms to Ontario standard for TC-52 delineators
- Tube portion is designed to separate from the base in case of collision with little or no damage to vehicle and will paste itself to the front of the vehicle
- Avoids potentially fatal injuries that could result from delineator flying through the air and striking workers or other vehicles. Manufactured of recycled plastic
- 47" high black delineator comes with sand-fillable base and five 4" high intensity grade reflective stripes
- Base slips over the tube and is easily filled with sand ballast through 2" opening
- Stackable for easy transport to job site
- Unit will accommodate optional barricade flasher SAR344 (see page 875)

JACKSON
SAFETY BRAND

Model No.	Mfg. No.	Description	Price /Each
SC109	20882	Delineator with Base	165.19



PARKING & HIGHWAY

CHANNELIZERS

- Molded from linear low density polyethylene
- Two-piece channelizer drum is stackable and available in orange or black
- Rubber sidewall tire base sold separately
- Meets or exceeds M.T.O. TC-54 specifications

JACKSON
SAFETY GROUP

Model No.	Mfg. No.	Description	Provincial Specifications	Wt. lbs.	Price /Each
SAS370	20890	Black/Orange	Ontario, Manitoba	-	116.38
SAS371	20894	Orange/White	BC, Alberta, Sask. and Maritime	-	143.81
SAS373	22616	Orange/White	Quebec Only	-	107.17
BASES					
SAS372	20892	Base for SAS370 and SAS371		-	13.22
SEC002	20893	Base for SAS373		35	16.99



TRAILBOSS CHANNELIZER DRUMS

- Constructed of high density polyethylene
- Drum designed to inhibit roll after impact to eliminate further hazards or potential damage
- Tapered drum design enables nesting for storage or transport
- Drum handle accommodates one or two Type A or C lights designed to be attached with a standard size bolt and bolt protector
- Meets MUTCD and NCHRP-350 requirements with or without barricade lights
- Drum height: 41.27"
- Drum diameter (at bottom): 23"

JACKSON
SAFETY GROUP

CHANNELIZERS

Model No.	Mfg. No.	Reflective Stripes	Price /Each
SAS571	22972	High Intensity Grade	107.17

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
SAS572	22975	Base, 25 lbs.	42.15
SAS573	22976	Base, 40 lbs.	66.40

BOLLARDS


- Surface mount bollard helps limit access to bike paths, parking facilities, etc.
- Made with 100% recycled plastic and guaranteed against rot and deterioration, graffiti from paint or dirt
- Can be cleaned with either soap and water or a commercial solvent
- Molded-in colour, no painting is ever required
- Guaranteed to be rust free
- Hardware included
- Colour: Yellow

SPECIFICATIONS:

Width	Height
Post - 6" square	33"
Base - 8 1/2" square	
Weight	Hardware
38 lbs.	(3) 1/2" x 8" lag screws
	(3) 9/16" washers
	(3) Expanding nylon anchors




Model No. SE101
Mfg. No. 7100.1
Price/Each \$158.29



SNOW/SAFETY FENCES

Non-toxic, polyethylene mesh fencing is ideal for a temporary or permanent enclosure. **Diamond Safety Fence** has traditional chain link design. Comes with 2" mesh openings. **Square Mesh Fence** has a finished edge on top and bottom. 1 7/8" square mesh openings. **Oval Mesh Snow Fence** has 50% porosity for the most efficient snow control available. 1/4 of the weight of cube and wooden slat fence. Roll size: 4' x 50'. Colour: Orange

Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
SC155	3015488	Diamond Safety Fence	17	133.00
SC156	3015489	Square Mesh Safety Fence	18	133.00
SC157	3015490	Oval Mesh Snow Fence	21	182.00



ADDGARDS III ENCLOSURES

The *Addgards* enclosure system completely surrounds danger zones. Modular panel system provides a quickly assembled, continuously enclosed fence barrier suitable for indoor pedestrian or outdoor urban sidewalk protection. Snap hinge feature allows for fast assembly. Any number of barriers can be linked together enabling large areas to be fenced off in minutes. 40" W x 36" H panels are only 1 1/4" thick, allows for easy carrying of numerous panels at the same time. Horizontal striped sign and vertical "Men Working" sign provide additional warning. Panel weight: 11 lbs.

Model No.	Mfg. No.	Description	Price /Each
SC111	2173710	Four orange panels with six fixed hinges and two snap hinges	517.80
SC112	2191308	Single orange panel w/two snap hinges	142.45



ACCESSORIES:

17-lb. flat weight attaches to the base of each panel for added stability. 8" x 30" horizontal inserts with orange and white diagonal stripes with high intensity grade reflectivity. 15 7/8" x 11 7/8" Vertical Safety "Men Working" sign.

Model No.	Mfg. No.	Description	Price /Each
SC113	2173708	17-lb. Flat Weight Attachment	57.12
SC115	2173734	High Intensity-Horizontal Insert	54.77
SC117	2173942	Men Working-Vertical Insert	36.47



SC117



SC115

MANHOLE GUARD RAILS

Simple one-piece construction offers easy, no-tools assembly. Rail locks open and two hooking chains provide protected entry and exit. For safety, the rail accommodates signs, flags or lights, and for convenience, it can be used with guard rail tents, umbrellas or a winch. Designed to protect an area 33" x 33", this 42" high guard rail collapses to only 32" square x 4" for easy storage. The strong, one-inch tubular 0.078 gauge steel construction is powder coated in safety yellow for a durable finish and for high visibility.

Weight: 37 lbs.

Model No. BB195

Mfg. No. 9401

Price/Each \$458.52


ALLEGRO
INDUSTRIES



PARKING & HIGHWAY

PERIMETER GUARDS

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49 1/2" overall height, and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Safety yellow or Kleton blue finish



Mesh style



Tubular style

MESH STYLE KITS

Blue Model No.	Yellow Model No.	Description	Dimensions W" x H"			Wt. lbs.	Price /Each
KH945	RL848	Starter Section	48	x	48	46	172.00
KH946	RL849	Add-On Section	48	x	48	34	129.00
KH947	RL850	Starter Section	96	x	48	65	209.00
KH948	RL851	Add-On Section	96	x	48	53	166.00

Note: Includes assembly fasteners, floor anchors and post caps

MESH STYLE INDIVIDUAL COMPONENTS

Blue Model No.	Yellow Model No.	Description	Dimensions W x H			Wt. lbs.	Price /Each
KD036	KD130	Mesh Panel	4'	x	4'	20	84.70
KD037	KD131	Mesh Panel	8'	x	4'	39	122.00
KH861	KD129	Post Universal	49 1/2" H			13	40.10

HARDWARE REQUIRED

Model No.	Description	Price/Each
KD001	Floor Anchors (2 per post)	0.85
MLK389	5/16" x 3" Carriage Bolt (4 per frame)	0.26
MLK714	5/16" Hex Nut (1 nut for each MLK389)	0.05
KD116	Post Caps (1 per post)	1.36

SAFETY GUARDS

- Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 1" diameter holes for anchoring to floor
- Safety yellow powder coat finish



Customize it to your specifications.

Model No.	Dimensions L" x H"			Wt. lbs.	Price /Each
KD127	24	x	18	65	246.10
KH855	36	x	18	75	293.83
KD128	48	x	18	85	297.36
KD136	24	x	42	95	327.70
KD856	36	x	42	110	385.92
KD139	48	x	42	115	370.02

TUBULAR STYLE

Model No.	Description	Dimensions W x H			Wt. lbs.	Price /Each
KD132	Starter Section	4'	x	49 1/2"	45	248.28
KD133	Add-On Section	4'	x	49 1/2"	32	199.82
KD134	Starter Section	8'	x	49 1/2"	66	324.19
KD135	Add-On Section	8'	x	49 1/2"	53	287.73

Note: Hardware to attach add-on sections is included

HARDWARE REQUIRED

Model No.	Description	Price/Each
KD001	Floor Anchors (4 per starter section / 2 per add-on section)	0.85
KD116	Post Caps (1 per post)	1.36

UPRIGHT PROTECTORS

- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- Four pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coat finish



Model No.	Dimensions W" x D" x H"				Wt. lbs.	Price /Each
KH858	7	x	7	x	12	35.95
RB925	7	x	7	x	18 1/4	47.95

HEAVY-DUTY STEEL BOLLARDS

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base, complete with four 1" diameter holes for anchoring to floor
- Safety yellow powder coat finish



Model No.	Height"	Wt. lbs.	Price /Each
KD125	24	30	127.39
KH857	36	40	159.75
KD126	48	50	179.19



PLASTIC A-FRAME BARRICADES



For complete unit as shown,
order two legs and one board.

- Ideal for use as parade route barricade
- Impact-resistant polypropylene with special additive is weather resistant in extreme conditions
- Made of 30% recycled material
- Accommodates up to two 2" x 8" x 8' plastic rails, sold separately
- Rails are reinforced to resist bowing in hot weather conditions
- Rails come with engineer grade reflective sheeting on both sides
- Lightweight, easy to handle
- NCHRP-350 certified and meets MUTCD standards

A-FRAME LEG

Model No. SAX690 Mfg No. 3001784
Price/Each \$43.45

BARRICADE BOARD

Model No. SAX691 Mfg. No. 3007876
Price/Each \$120.68

JACKSON
SAFETY PRODUCTS

STREET BARRICADES



Ideal for construction and utility repair. One reflective striping wood board, 2" thick x 6" wide x 8' long, warns of hazardous areas. Board is inserted on iron supports, on black steel A-frame legs.

O.A. height: 4'. All components sold individually.

For complete unit, order two iron supports and one barricade board

Model No.	Description	Price/Each
SAO203	Iron Support	55.66
SAO204	Barricade Board	110.14

PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Overall size is 102" L x 40" H
- Distance between vertical bars is 5 1/4"
- Rail diameter is 1 5/8"
- Weight: 56 lbs.



ZENITH
Safety Products

Model No.	Description	Price /Each
SEE395	Galvanized Finish	150.00
SEE396	Safety Yellow Finish	175.00

EZ-SPAN™ EXPANDABLE PLASTIC BARRICADES

SIGNATURE
FENCING

- Made of durable recyclable polypropylene
- Expandable plastic barricade providing an attractive, visible warning barrier
- Rugged enough for outdoor use and it is weatherproof, maintenance free and contains no parts that will rust or corrode
- Retracts and expands up to 11 1/2', but folds down to a compact 16 1/2" x 3' high
- Plastic feet will not scratch or mar expensive floors
- Weight: 15 lbs.



Model No. SAQ195
Price/Each \$309.18

SUNDOWNER – BARRICADE LIGHTS

- Ambient photocell with a timed delay that reacts to light in the environment
- Operates on 4 easy-to-install D-cell batteries
- Compact base with battery contacts that work with gravity for greater conductivity
- LED encased in high-impact plastic
- 90° angle lens offers increased visibility
- 3-way switching options:
Steady Burn, Flashing, and Off
- Meets MUTCD requirements
- ITE certified

JACKSON
SAFETY PRODUCTS



Model No. SAR344
Mfg. No. 3019298
Price/Each \$35.21

PARKING & HIGHWAY

GALVANISED FOLDING SECURITY GATES

- Secure outside access during the day and add security at night with heavy-duty, 15-gauge steel folding gates
- Constructed of galvanized steel U channels riveted using aircraft quality rivets for durability
- Centre drop pin rests in your pre-drilled holes to secure gate when extended
- Locks can be located on right or left side of single gates
- Durable 3" rubber casters that fully retract when not in use
- Installation hardware included



SINGLE FOLDING GATES

Lock Location		Usable Width'	Height Collapsed'	Height Expanded'	Weight lbs.	Price /Each
Left Model No.	Right Model No.					
KA035	KA036	3 to 4	6.5	6	69	352.45
KA037	KA038	3 to 4	7	6.5	73	389.39
KA039	KA040	3 to 4	7.5	7	77	426.32
KA041	KA042	3 to 4	8	7.5	80	463.26
KA043	KA044	3 to 4	8.5	8	84	482.25
KA045	KA046	4 to 5	6.5	6	73	370.40
KA047	KA048	4 to 5	7	6.5	74	407.33
KA049	KA050	4 to 5	7.5	7	78	445.32
KA051	KA052	4 to 5	8	7.5	80	482.25
KA053	KA054	4 to 5	8.5	8	82	500.19
KA055	KA056	5 to 6	6.5	6	76	407.33
KA057	KA058	5 to 6	7	6.5	79	445.32
KA059	KA060	5 to 6	7.5	7	81	482.25
KA061	KA062	5 to 6	8	7.5	84	519.18
KA063	KA064	5 to 6	8.5	8	86	537.13
KA065	KA066	6 to 7	6.5	6	82	445.32
KA067	KA068	6 to 7	7	6.5	85	482.25
KA069	KA070	6 to 7	7.5	7	87	519.18
KA071	KA072	6 to 7	8	7.5	90	556.12
KA073	KA074	6 to 7	8.5	8	92	574.06
KA075	KA076	7 to 8	6.5	6	88	500.19
KA077	KA078	7 to 8	7	6.5	92	537.13
KA079	KA080	7 to 8	7.5	7	96	574.06
KA081	KA082	7 to 8	8	7.5	99	612.05
KA083	KA084	7 to 8	8.5	8	104	648.98
KA085	KA086	8 to 9	7	6.5	102	648.98
KA087	KA088	8 to 9	7.5	7	104	685.91
KA089	KA090	8 to 9	8	7.5	106	722.85
KA031	KA032	9 to 10	7	6.5	109	666.92
KA033	KA034	9 to 10	8	7.5	112	741.85

DOUBLE FOLDING GATES

Model No.	Usable Width'	Height Collapsed'	Height Expanded'	Weight lbs.	Price /Each
KA026	6 to 8	6.5	6	120	612.05
KA027	6 to 8	7	6.5	124	666.92
KA028	6 to 8	7.5	7	129	685.91
KA029	6 to 8	8	7.5	134	722.85
KA030	6 to 8	8.5	8	139	741.85
KA001	8 to 10	6.5	6	144	648.98
KA002	8 to 10	7	6.5	148	685.91
KA003	8 to 10	7.5	7	153	722.85
KA004	8 to 10	8	7.5	158	759.78
KA005	8 to 10	8.5	8	162	796.72
KA006	10 to 12	6.5	6	168	695.42
KA007	10 to 12	7	6.5	172	741.85
KA008	10 to 12	7.5	7	177	778.77
KA009	10 to 12	8	7.5	182	852.64
KA010	10 to 12	8.5	8	187	889.58
KA011	12 to 14	6.5	6	180	796.72
KA012	12 to 14	7	6.5	184	833.65
KA013	12 to 14	7.5	7	189	880.08
KA014	12 to 14	8	7.5	196	926.51
KA015	12 to 14	8.5	8	199	972.94
KA016	14 to 16	6.5	6	192	908.58
KA017	14 to 16	7	6.5	196	945.50
KA018	14 to 16	7.5	7	199	1000.38
KA019	14 to 16	8	7.5	201	1075.31
KA020	14 to 16	8.5	8	206	1167.11
KA021	16 to 18	7	6.5	204	1130.18
KA022	16 to 18	7.5	7	208	1223.04
KA023	16 to 18	8	7.5	211	1278.96
KA024	18 to 20	7	6.5	216	1278.96
KA025	18 to 20	8	7.5	230	1463.64

PORTABLE EXPANDING GATES

- Great for many applications: Blocking equipment, personnel and entrances
- Gates expand and lock to close off any opening
- When not in use, simply fold up, roll away and store
- Purchase optional add-on section to create larger barriers


Model No.	Collapsed		Expanded		Weight lbs.	Price /Each
	Width"	Height"	Width"	Height"		
KA091	78	79.5	144	73.5	144	1428.39
KA126	Add-On Section 6' Long When Expanded		72	73.5	60	824.83



VERSA-GUARD® GATES

- Constructed of steel and aluminum
- Free-standing design allows setting up quickly wherever and whenever they are needed
- Protects workers or customers from injuries
- Collapsed design also allows unit to store easily
- Painted black and yellow to provide high visibility

Model No.	Expanded Width'	Height"	Number of Posts	Description	Wt. lbs.	Price /Each
SE921	11	37	2	With Stationary feet	25	602.00
SEE437	11	39	2	With 3" locking casters	29	749.00
SEE438	15	37	3	With Stationary feet	35	735.00
SEE439	15	39	3	With 3" locking casters	39	949.00



PORTABLE MOBILE BARRIERS

Close off an area for maintenance or to isolate a potential safety hazard. Mobile, easy to transport, set up, take down and efficient to store.

Model No. SAJ714 Mfg. No. 9S11 Price/Each \$842.00

- For indoor use
- 13' long with 16 articulating panels
- Two 5" non-marking wheels
- Four locking straps to secure barrier in closed position
- Flexible, can be set straight, curved or in a circle
- Easy to store
- Open: 13' L x 1" W x 40" H
- Closed: 2' L x 13" W x 40" H
- Weight: 32 lbs.
- ANSI approved colour and graphics
- Colour: Yellow



TRAFFIC CONES

Provides a clear warning to pedestrian traffic of a hazardous or potentially hazardous condition. Traffic cones are imprinted with a contrasting colour Caution symbol. Size: 35" H. Colour: Yellow. Wt. 5 lbs.

CONES ONLY

Model No.	Message	Price /Each
NC672	Plain Cone (no imprint)	47.80
NC673	Caution	47.80
NC674	Danger People Working Above	47.80

Model No.	Message	Price /Each
NC677	No Parking	47.80
NC680	Wet Floor	47.80
NC682	Safety First	47.80

MESSAGE LABELS

Black on yellow. 8" W x 8" H adhesive backed, vinyl message label adheres to the Lock-in sign frame. Safety messages for maintenance, retail, institutional and industrial use are available.

Model No.	Message
NC694	Slippery
NC698	Hard Hat Area
NC700	Watch Your Step

Model No.	Message
NC706	Caution-Wet Floor
NC713	No Entry
	Rest-room Closed

Price/Each \$3.45

ACCESSORIES

- Red, 9" W x 9" H lock in sign frame locks securely into the slot on top of cone (message labels sold separately)
- Yellow plastic chain fits into specially designed slots on the sides of cone
- Flashing red LED light locks into the accessory slot on top of cone
- LED light features a convenient on/off switch, flashes brighter, longer, and requires no replacement bulb
- 2 AA batteries (not included) required for flashing duration of up to 300 hours per set of batteries
- Black ring weight fits over the top of cone and rests securely on the base, adding extra stability

JACKSON
SAFETY EQUIPMENT

Model No.	Description	Price /Each
NC688	Lock-in Sign (Red Frame)	12.35
NC690	Plastic Yellow Chain 2" Link, 20 ft.	43.09

Model No.	Description	Price /Each
NG651	Lock-in Flashing Red Light	32.76
NC692	Ring Weight: 10 lbs.	32.02



TAPE & MARKING FLAGS

BARRICADE TAPE

Barricade tapes warn against hazards or dangerous work zones. Ideal for temporary use outdoors or permanent indoor warning. Available in different legends and background colours. Highly visible message can be tied, stapled or nailed to posts, fences or metal barricades. Printed on one side. Each roll is 3" x 1000'.

SAB535



ENGLISH BARRICADE TAPE

Model No.	Description	Colour	Price /Each
STANDARD			
SAD258	Caution Do Not Enter	Black on Yellow	19.86
SAB585	Caution High Voltage	Black on Yellow	19.86
SAB586	Caution Keep Out	Black on Yellow	19.86
SAB594	Danger Do Not Enter	Black on Red & White Strip	19.86
HEAVY-DUTY			
SAB543*	Authorized Personnel Only	Black on Yellow	28.60
SAB535	Caution	Black on Yellow	28.60
SAB534	Caution Biohazard	Black on Orange	28.60
SAB538	Caution Construction Area	Black on Yellow	28.60
SAB536	Caution Do Not Enter	Black on Yellow	28.60
SAB542	Caution High Voltage	Black on Yellow	28.60
SAB537	Caution Men Working	Black on Yellow	28.60
SAB548*	Caution Wet Paint	Black on Yellow	27.23
SAB578*	Caution Workmen Above	Black on Yellow	27.23
SAC827	Danger	Black on Yellow	28.60
SAB508	Danger	Black on Red	28.60
SAB539	No Legend	Black & Yellow Strips	28.60

* Legend is on 2 lines

FRENCH BARRICADE TAPE

Model No.	Description	Colour	Price /Each
HEAVY-DUTY			
SAD001	Attention-Entrée Interdite	Black on Yellow	26.01
SAD010*	Attention-Risques de Radiation	Magenta on Yellow	26.01
SAC827	Danger	Black on Yellow	28.60
SAB508	Danger	Black on Red	28.60
SAC997	Danger	Black on Red	26.27
SAC998	Entrée Interdite	Black on Yellow	25.77
SAB539	Espace Restreint-Entrée Interdite	Black on Yellow	28.60
	No Legend	Black & Yellow Strips	28.60

* Legend is on 2 lines

BILINGUAL BARRICADE TAPE

Model No.	Description	Colour	Price /Each
HEAVY-DUTY			
SAI346	Attention Entrée Interdite/ Caution Do Not Enter	Black on Yellow	26.01
SAB577	Attention Zone de Construction/ Caution Construction Zone	Black on Yellow	26.01

BIO-DEGRADABLE FLAGGING TAPE

- Made with 69% wood fibre
- Non-toxic, will not harm wildlife, livestock or the environment
- Complete degradation will occur in 6 to 12 months, depending on environmental conditions
- Five stock legends available
- 3" x 50 yards roll
- Choose from two colours:
Black on red or black on yellow



BRADY®



Model No.	Mfg. No.	Description	Colour	Price /Each
SAB488	91088	Danger	Black on Red	13.00
SAB489	91089	Danger Do Not Enter	Black on Red	13.00
SAB490	91090	Caution	Black on Yellow	13.00
SAB491	91091	Caution Do Not Enter	Black on Yellow	13.00
SAD253	91092	Caution-Men Working Overhead	Black on Yellow	13.00

Call us for all your



Safety Equipment & Supplies requirements!

BARRICADE TAPE



ECONOMY GRADE BARRICADE TAPE - 1000'

- Cost effective way to restrict entry to hazardous areas
- Made of 1.5-mil standard grade polyethylene
- Ideal for both indoor and temporary outdoor usage
- Rolls are 3" x 1000'

Model No.	Mfg. No.	Description	Colour	Price /Each
SED020	19000	Caution	Black on Yellow	8.96
SED021	19004	Do Not Enter	Black on Yellow	8.96
SED022	19041	Attention	Black on Yellow	8.96
SED023	19005	Danger	Black on Red	8.96

STANDARD BARRICADE TAPE - 1000'

- A fast and effective way to restrict entry to hazardous areas
- Made of 2-mil standard grade polyethylene
- Ideal for both indoor and temporary outdoor usage
- Rolls are 3" x 1000'
- Custom prints available upon request

Model No.	Mfg. No.	Description	Colour	Price /Each
SAJ606	16000	Caution	Black on Yellow	15.48
SAJ607	16004	Danger Do Not Enter	Black on Yellow	15.48
SED024	16009	Caution Construction Area	Black on Yellow	15.45
SED025	16001	Caution Wet Paint	Black on Yellow	15.45
SED026	16005	Danger Do Not Enter	Black on Red	15.45
SAJ608	16041	Attention	Black on Yellow	15.48
SAJ609	16003	Danger	Black on Red	15.48

STANDARD SMALLER BARRICADE TAPE - 300'

- A fast and effective way to restrict entry to hazardous areas
- Made of 2-mil standard grade polyethylene
- Ideal for both indoor and temporary usage
- Rolls are 3" x 300'
- Custom prints available upon request

Model No.	Mfg. No.	Description	Colour	Price /Each
SED027	16100	Caution	Black on Yellow	6.67
SED028	16104	Caution Do Not Enter	Yellow	6.67
SED029	16103	Danger	Black on Red	6.67

PENNANTS

Pennants are vinyl-coated nylon with a tensile strength of 107 lbs. Choose from pennant with legend or coloured pennants. Pennant with legend is 12" x 18" on a 60' string. Available in all red printed "Danger Keep Out". Coloured pennants come in 9" x 12" on 60' long string. Available in red, orange, and multicolour. Standard 50 pennants per string. Pennants are ideal to draw attention to construction sites and work areas.



JACKSON
SAFETY BRAND

Model No.	Mfg. No.	Message	Price /Each
PENNANT W/LEGEND			
NG127	0118883	Red w/Danger Keep Out	12.33
COLOURED PENNANTS			
NG128	0118845	Red	16.72
NG129	0118871	Orange	16.72
NG132	0118895	Multicolour	15.22

FLAGGING TAPE

- Superior visibility when laying out boundaries
- Economical and reusable
- 1 3/16" wide
- Fluorescent colour tapes are 150' long, standard colour tapes are 300' long



Model No.	Mfg. No.	Colour	Price /Each
1 3/16" X 150' FLUORESCENT			
SAM827	17000	Orange Fluorescent	2.12
SAM828	17001	Lime Fluorescent	2.12
SAM829	17002	Red Fluorescent	2.12
SAM830	17003	Pink Fluorescent	2.12
SAM831	17004	Green Fluorescent	2.12
SAM832	17005	Yellow Fluorescent	2.12
1 3/16" X 300' STANDARD			
SAM833	17023	Standard Blue	2.12
SAM834	17027	Standard Black	2.12

Look for this symbol for environmentally friendly products!



TAPE & MARKING FLAGS

AIRPORT WINDSOCKS

- Made of strong vinyl-coated nylon fabric
- Dayglow orange colour
- Reinforced at both ends with extra stitching
- Hardware package includes hemi-rings, bolts, nuts, machine screws and half rings (sold separately)
- Dimensions: 2' L x 8' W x 11" H



JACKSON
SAFETY BRAND

Model No.	Mfg. No.	Description	Price /Each
SAN541	3006697	8' Airport Windsock	209.87
SAN542	3006663	Hardware Package	126.26

DRIVEWAY "T" POSTS

These strong, durable and reusable posts can be used as snow clearing, parking lot or roadway markers. Bright brilliant colour and reflective characteristics on both sides offer excellent visibility day or night. Will not rust and tough enough to be driven into the ground with a sledge hammer.

Auto impact resistant.
Standard size: 5'



Reflective
Strips On
Both Sides!

LIFESAFE

Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SH407	RE94706	Lime Strip	6	86.38
SH408	RE88906	Red/Silver Strip	6	86.38

Call us for
quantity pricing!



SNOW FLAGS

Used to locate important fittings that are covered with snow such as fire hydrants, water valves and natural gas valves. Flags are made out of high visibility 9" x 12" low temperature triangular-shaped red flag fabric. Available with 6' fiberglass poles.



JACKSON
SAFETY BRAND

Model No.	Mfg. No.	Description	Pole'	Price /Each
SH420	3006233	Flag	6	16.09

MARKING FLAGS

- For surveying, construction and agriculture
- Mark location of underground sprinklers, pipes and lines
- 2 1/2" x 3 1/2"
- Available with 21" and 30" staff
- 100 flags per bundle
- Sold per bundle



C.H. HANSON
Since 1866 • Tools for Generations™

Model No.	Mfg. No.	Description	Price/Each
WITH 21" STAFF			
SAQ792	15079	Orange Fluorescent	14.27
SAQ793	15080	Red Fluorescent	14.27
SAQ794	15081	Pink Fluorescent	14.27
SAQ795	15082	Lime Fluorescent	14.27
SAQ796	15084	Yellow	14.27
WITH 30" STAFF			
SAQ797	15042	Lime Fluorescent	15.33
SAQ798	15064	Pink Fluorescent	15.33
SAQ799	15089	Orange Fluorescent	15.33
SAQ800	15093	Red Fluorescent	15.33

FIBREGLASS REFLECTIVE WALKWAY STICKS

Impact resistant and flexible fiberglass construction offers excellent durability in all types of weather conditions. Reflective strips provide 360° visibility and stand out during night-time or day-time use. One end is tapered for easy installation and the opposite end has a protective cap.



LIFESAFE


Priced per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SH409	RE9712	4' Safety Yellow Stick, 6" Reflective Band	12	8.17

COLOURED VINYL ARROWS & DOTS

- Great choice for marking direction of travel or demarcation of hazards
- Commonly used for production work flow, inventory management and pedestrian directional aids
- Arrows and dots are all made from a durable solid coloured vinyl so there is no print to wear off
- Adhesive backing
- Custom sizes and colours available upon request

INCOM
TOP TAPE & LABEL



Priced per roll

Model No.	Mfg. No.	Colour	Price /Each
ARROW 4" - 100 PER ROLL			
SAS533	VA400W	White	18.64
SAS534	VA400K	Black	18.64
SAS535	VA400G	Green	18.64
SAS536	VA400R	Red	18.64
SAS537	VA400B	Blue	18.64
SAS538	VA400Y	Yellow	18.64
CIRCLE 3" - 500 PER ROLL			
SAS539	VA300W	White	47.94
SAS540	VA300K	Black	47.94
SAS541	VA300G	Green	47.94
SAS542	VA300R	Red	47.94
SAS543	VA300B	Blue	47.94
SAS544	VA300Y	Yellow	47.94


AISLE MARKING TAPE

- PVC tapes made from a durable 6-mil thick vinyl film with a rubber adhesive system that will adhere to most any clean, dry surface
- Matte smooth conformable tape that is great for marking hazards on floors, walls and equipment
- Commonly used in aisle demarcation, colour coding and pipe banding applications
- 108' per roll

INCOM
TOP TAPE & LABEL

RECOMMENDED GUIDELINES

Blue: General Information	Green: Safety and First Aid Equipment
White: Traffic and Housekeeping	Black: Boundaries
Orange: Warning/Hazardous	Red: Fire Protection/Danger/Stop
Yellow: Biohazard	Stripes: Hazard/Warning
Yellow: Caution	



Model No.	Mfg. No.	Width"	Colour	Price /Each
SAL689	PST221	2	Blue	10.85
SAL688	PST218	2	Orange	10.85
SAL684	PST211	2	Green	10.85
SAL685	PST212	2	Red	10.85
SAL686	PST213	2	White	10.85
SAL683	PST210	2	Yellow	10.85
SAL687	PST215	2	Black	10.85
SAL696	PST321	3	Blue	16.28
SAL695	PST318	3	Orange	16.28
SAL691	PST311	3	Green	16.28
SAL692	PST312	3	Red	16.28
SAL693	PST313	3	White	16.28
SAL690	PST310	3	Yellow	16.28
SAL694	PST315	3	Black	16.28

TOUGHSTRIPE™ FLOOR MARKING TAPE

ToughStripe™ floor marking products are made with Brady's new B-514 polyester. ToughStripe™ products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress pathways.

- Service Temperature range of 0°F-129°F
- Resists harsh chemicals
- Exceeds safety standards for clean, dry non-slip surfaces
- 100' per roll

BRADY®



FLOOR MARKING TAPE - 2"

Model No.	Mfg. No.	Width"	Colour	Price /Each
SED030	104311	2	White	51.60
SED031	104313	2	Red	51.60
SED032	104315	2	Green	51.60
SED033	104314	2	Blue	51.60
SED034	104312	2	Yellow	51.60
SED035	104317	2	Black/Yellow	51.60

FLOOR MARKING TAPE - 3"

Model No.	Mfg. No.	Width"	Colour	Price /Each
SED036	104341	3	White	73.38
SED037	104343	3	Red	73.38
SED038	104345	3	Green	73.38
SED039	104344	3	Blue	73.38
SED040	104342	3	Yellow	73.38
SED041	104347	3	Black/Yellow	73.38

FLOOR MARKING TAPE - 4"

Model No.	Mfg. No.	Width"	Colour	Price /Each
SED042	104371	4	White	97.46
SED043	104373	4	Red	97.46
SED044	104375	4	Green	97.46
SED045	104374	4	Blue	97.46
SED046	104372	4	Yellow	97.46
SED047	104377	4	Black/Yellow	97.46

FLOOR TAPE APPLICATORS

- Designed for applying tape accurately and securely to floors and ground
- Economy style designed to apply tape in straight lines only; accepts tape roll widths up to 4"



INCOM
TOP TAPE & LABEL

Model No.	Mfg. No.	Max. Roll Diameter"	Overall Height"	Price /Each
SED019	WTD-200	4	39	150.25

TAPE & MARKING FLAGS

HAZARD WARNING TAPE

NON-LAMINATED

- PVC tapes will quickly bring attention to any workplace hazard
- Made from a 6-mil conformable vinyl film with a rubber adhesive system to adhere to most any clean, dry surface
- Smooth semi-matte surface
- Ideal for floors, walls, pipes and equipment
- 108' per roll

LAMINATED

- PVC tape with a durable, clear laminating film over top
- Smooth gloss finish will resist wear and is easily cleaned
- Over-lamination improves tape's ability to withstand heavy abrasion
- 108' per roll

RECOMMENDED GUIDELINES

Red/White
Fire Protection Equipment



Yellow/Black
Physical Hazards



Black/White
Traffic and Housekeeping



Green/White
Safety and First Aid Equipment



INCOM
TOP TAPE & LABEL

Priced per Roll

Model No.	Mfg. No.	Width"	Colour	Price /Each
NON-LAMINATED				
SAL701	WT2300	2	Black/White	13.07
SAL697	WT2110	2	Yellow/Black	13.07
SAL699	WT2200	2	Red/White	13.07
SAL702	WT2310	3	Black/White	19.60
SAL698	WT2130	3	Yellow/Black	19.60
SAL700	WT2210	3	Red/White	19.60
LAMINATED				
SAL668	LWT221	2	Red/White	24.97
SAL667	LWT220	2	Yellow/Black	24.97
SAL669	LWT222	2	Black/White	24.97
SAL670	LWT223	2	Green/White	24.97
SAL672	LWT321	3	Red/White	37.44
SAL671	LWT320	3	Yellow/Black	37.44
SAL673	LWT322	3	Black/White	37.44
SAL674	LWT323	3	Green/White	37.44
SAL676	LWT421	4	Red/White	49.96
SAL675	LWT420	4	Yellow/Black	49.96
SAL677	LWT422	4	Black/White	49.96
SAL678	LWT423	4	Green/White	49.96
SAL680	LWT621	6	Red/White	74.87
SAL679	LWT620	6	Yellow/Black	74.87
SAL681	LWT622	6	Black/White	74.87
SAL682	LWT623	6	Green/White	74.87

GLOW IN THE DARK TAPE

- Protect your workers during darkness or evacuation
- Glow in the dark material automatically absorbs energy from any light source
- Vinyl-coated on one side with a pressure-sensitive adhesive
- Perfect to locate emergency equipment and identify evacuation routes during emergency situations
- 30' rolls



ENGINEER GRADE REFLECTIVE TAPE

- Offer vibrant daytime visibility with reflective properties for night time use
- Rated for use outdoors for a 7-year life span
- Aggressive adhesive that will adhere to almost any clean, dry, smooth surface
- Hazard striped products have a protective lamination to ensure the printed stripe will not wear off
- Comes with removable release liner
- Not intended for flexible vehicle graphics
- 30' roll



Model No.	Mfg. No.	Width"	Colour	Price /Each
SN611	RST106	2	Black/Yellow	48.49
SN612	RST107	2	Red/White	48.49
SAS555	RST101	2	White	27.99
SAS556	RST102	2	Red	27.99
SAS557	RST104	2	Yellow	27.99
SAS558	RST105	2	Orange	27.99

INCOM
TOP TAPE & LABEL

Model No.	Mfg. No.	Width"	Price /Each
PLAIN			
NC938	523522P	2	62.46
NC939	523524P	4	124.87
NC940	523526P	6	187.43
BLACK STRIPES			
SAS545	GT230BK	2	70.95
SAS546	GT430BK	4	141.91
SAS547	GT630BK	6	213.06
RED STRIPES			
SAS548	GT230RD	2	70.95
SAS549	GT430RD	4	141.91
SAS550	GT630RD	6	213.06

TRUEGRIP® GENERAL PURPOSE NON-SKID TAPE


- Silicon Carbide 46-grit mineral abrasive surface
- Good abrasion, chemical and water resistance
- Meets NFSI 101-A, ANSI B101.1, OSHA 1910.24, and 1910.26
- Colour: Black
- 60' roll



Model No.	Mfg. No.	Width"	Price /Each
SEC957	SG7001CB	1	13.70
SEC958	SG7002CB	2	27.41
SEC959	SG7004CB	4	54.81
SEC960	SG7006CB	6	82.22
SEC961	SG7012CB	12	164.44

PREMIUM GRADE COLOURED ANTI-SKID TAPE

- Effective way to offer visual warning of a slip and fall hazard
- Surface is an aggressive mineral abrasive compound on a thick PVC liner
- Adheres to most any clean, dry surface with an acrylic adhesive system
- Tape and adhesive are water, chemical and oil resistant for use in both indoor and outdoor applications
- Effective anti-slip protection on stair nosing
- Tape meets NFSI 101-A "High Traction" and meets or exceeds OSHA 1910.24 and 1910.26.
- 60' roll



Priced per roll

Model No.	Mfg. No.	Width"	Colour	Price /Each
SI747	SG3802RW	2	Red/White	44.27
SI749	SG3902YB	2	Yellow/Black	44.27
SK377	SG3302Y	2	Yellow	43.06

PREMIUM GRADE ANTI-SKID TAPE

- Premium brand high traction system to help ensure an OSHA compliant workplace
- Constructed from a thick PVC base layer impregnated with an aggressive 60-grit mineral abrasive compound
- Backing has an aggressive acrylic adhesive system for longevity
- Forms a strong, water-proof bond to most any clean, dry surface while still being temporarily repositionable during the application process
- Great choice for both indoor and outdoor environments
- Offers highest wear resistance and weather ability
- Excellent chemical and oil resistance for a wide variety of applications
- Recommended for long term and OEM applications
- Certified by the National Flooring Safety Institute 101-A "High-Traction" and meets or exceeds OSHA 1910.24 and 1910.26
- RoHS compliant and lead free
- 60' roll




Priced per roll

Model No.	Mfg. No.	Width"	Price /Each
BLACK			
NC910	SG3101B	1	16.63
NC383	SG3102B	2	33.27
NC385	SG3104B	4	66.58
NC386	SG3106B	6	99.75
NC381	SG3112B	12	182.66
CLEAR			
NC912	SG3601CL	1	21.56
NC913	SG3602CL	2	43.06
NC914	SG3604CL	4	86.18
NC915	SG3606CL	6	118.34

PREMIUM GRADE TRACTION CLEATS

- Die cut shapes are made from the same material as our Gator Grip products
- Pre-cut to give a finished look on your floor or equipment
- All Gator Grip traction shapes have rounded corners to reduce edge "flagging" and corners from lifting
- Acrylic adhesive system forms a strong bond to most any clean, dry surface
- Work well in both indoor and outdoor applications
- Water, chemical and oil resistant
- NFSI certified as a high traction surface and meets or exceeds OSHA 1910.24 and 1910.26



Priced per package

Model No.	Mfg. No.	Description	Size W" x L"	Qty /Pkg	Price /Each
NB396	SG3125BS	Cleat	3/4 x 24	50	45.98
SAS551	SG3132BS	Cleat	3 x 24	50	138.54
NB395	SG3126BS	Cleat	6 x 24	50	254.27
SAS552	SG3134BS	Cleat	6 x 30	50	351.75
NB394	SG3127BS	Squares	5 1/2 x 5 1/2	50	67.99
SAS553	SG3126BHV	Black Cleat w/Yellow Stripe	6 x 24	10	137.84
SAS554	SG3126REF	Black Cleat w/Reflective Yellow Stripe	6 x 24	10	137.84

TAPE & MARKING FLAGS

3M™ SAFETY-WALK™ SLIP RESISTANT TAPES

The easy, economical way to help prevent slips and falls, and help meet OSHA and ADA requirements.

GENERAL PURPOSE

- Mineral-coated, slip-resistant material features a highly durable surface
- Low-profile design reduces trip hazard
- Available in a variety of colors and sizes

CONFORMABLE

- High-friction, slip-resistant material has a special aluminum backing that conforms around corners and adheres to irregular surfaces
- Available in black and safety yellow in a range of sizes

MEDIUM RESILIENT


- Resilient, non-mineral, slip-resistant material
- Soft surface is suitable for bare feet
- Available in black and gray in a variety of sizes

FINE RESILIENT

- This fine-textured, slip-resistant material provides increased safety and comfort in light traffic, barefoot areas
- Available in white and clear in a variety of sizes

LITE

- Mineral-coated polyester surface laminated with a photo luminescent strip
- Provides up to six hours of visibility in dark conditions
- Ideal for emergency exits or work areas that require additional safety



Model No.	Mfg. No.	Colour	Description	W	Dim. x L	Price /Each
GENERAL PURPOSE						
NG062	F-610-BLK-3/4X60	Black	Roll	3/4"	x 60'	30.43
NG063	F-610-BLK-1X60	Black	Roll	1"	x 60'	38.54
NG064	F-610-BLK-2X60	Black	Roll	2"	x 60'	77.09
NG065	F-610-BLK-6X60	Black	Roll	6"	x 60'	231.25
NG066	F-610-BLK-3/4X24	Black	Strips (50/pkg.)	3/4"	x 24"	71.29
NG067	F-610-BLK-6X24	Black	Strips (50/pkg.)	6"	x 24"	411.91
NG069	F-630-SYL-1X60	Yellow	Roll	1"	x 60'	38.54
NG070	F-630-SYL-2X60	Yellow	Roll	2"	x 60'	77.09
CONFORMABLE						
NG073	F-510-BLK-2X60	Black	Roll	2"	x 60'	100.82
NG074	F-510-BLK-4X60	Black	Roll	4"	x 60'	201.64
NG075	F-510-BLK-6X60	Black	Roll	6"	x 60'	302.40
NG076	F-510-BLK-6X24	Black	Strips (50/pkg.)	6"	x 24"	543.21
NG077	F-530-SYL-2X60	Yellow	Roll	2"	x 60'	100.82
NG078	F-530-SYL-4X60	Yellow	Roll	4"	x 60'	201.64
NG079	F-530-SYL-6X60	Yellow	Roll	6"	x 60'	302.40
MEDIUM RESILIENT						
NG081	F-310-BLK-1X60	Black	Roll	1"	x 60'	48.31
NG082	F-310-BLK-2X60	Black	Roll	2"	x 60'	96.63
NG083	F-310-BLK-6X60	Black	Roll	6"	x 60'	289.99
NG084	F-310-BLK-6X24	Black	Strips (50/pkg.)	6"	x 24"	520.06
NG085	F-370-GRY-1X60	Grey	Roll	1"	x 60'	48.31
NG086	F-370-GRY-2X60	Grey	Roll	2"	x 60'	96.63
NG087	F-370-GRY-6X60	Grey	Roll	6"	x 60'	289.99
FINE RESILIENT						
NG089	F-280-WHT-1X60	White	Roll	1"	x 60'	45.77
NG090	F-280-WHT-2X60	White	Roll	2"	x 60'	91.54
NG091	F-7705-WHT-3/4X17	White	Strips (50/pkg.)	3/4"	x 17"	72.26
NG092	F-220-CLR-1X60	Clear	Roll	1"	x 60'	45.77
NG093	F-220-CLR-2X60	Clear	Roll	2"	x 60'	91.54
LITE						
SA0054	F-SWLITE-50MMX20M	Black w/ Luminescent Strip	Roll	2"	x 60'	100.00



BIG FOOT™ ANTI-SLIP FLOOR COATINGS

HEAVY-DUTY PEDESTRIAN GRADE

For areas with heavy pedestrian or light rolling traffic. Ideal for ramps, walkways, locker rooms, stairs and assembly areas.



AA603

Model No.	Mfg. No.	Description	Colour	Coverage Ft²	Price /Each
AA603	96211	1 gallon	Black	50	130.03
AA604	96261	1 gallon	Grey	50	130.03

PRICING

The prices shown in this catalogue are for "REFERENCE AND BUDGET PURPOSES ONLY" as of July 2012, and should be used exclusively as a guide-line.

Freight charges and applicable taxes (GST, PST & HST) are extra.

In the event of a pricing or typographical error, we reserve the right to charge the correct price without prior notice.

We also reserve the right to modify prices based on changing manufacturer and economic conditions.

SPECIAL ORDERS

This catalogue represents only a portion of the products that are available to you. If you can't find what you need, please call us!

When the heat goes up . . . it's time to cool down!



MATRIX
INDUSTRIAL PRODUCTS



FREE-STANDING CROWD CONTROL BARRIERS

- 4-way connection permits all posts to receive up to three tapes from any direction
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Receiver post without tape cassette for use at the end of a line of posts
- Height: 35"
- Tape length: 7'
- Recommended post spacing: 6'6"



Locking Mechanism prevents accidental release!



STANDARD FREE-STANDING BARRIERS



Photo consists of
1 x SAS226 & 1 x SAS230

Model No.	Description	Tape Colour	Tape Length'	Price /Each
SAS226	Stainless Steel Post with Cassette	Red	7	258.00
SAS227	Black Post with Cassette	Black	7	232.00
SAS230	Stainless Steel Receiver Post	-	-	248.00
SAS231	Black Receiver Post	-	-	222.00

SAFETY FREE-STANDING BARRIERS





Photo consists of
1 x SAS228 & 1 x SAS229

Model No.	Description	Tape Colour	Tape Length'	Price /Each
SAS228	Yellow Post with Cassette	Yellow	7	199.00
SAS229	Yellow Post with Cassette	Yellow	7	217.00
SEE818	Yellow Post with Cassette	Yellow (Caution Do Not Enter)	7	217.00
SAS232	Yellow Receiver Post	- (Attention Ne Pas Entrer)	-	186.00

WALL MOUNT BARRIERS

- Wall mount barrier is ideal where floor space is essential
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Wall mount barrier includes one wall receiver and hardware
- Dimensions: 3 5/8" L x 3" W x 5 5/8" H
- Tape length: 7'



SED813



SAS233

Model No.	Description	Tape Colour	Price /Each
SAS233	Black Wall Mount	Black	134.00
SED813	Stainless Steel Wall Mount	Black	134.00
SAS234	Replacement Wall Receiver	-	13.35

BUILD YOUR OWN CROWD CONTROL BARRIERS

- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Tape length: 7'




Free-standing Crowd Control Barriers:

- 4-way connection permits all posts to receive up to three tapes from any direction
- Receiver post without tape cassette for use at the end of a line of posts
- Assembled height: 35"
- Recommended post spacing: 6'6"

To build your own free-standing crowd control barrier follow these instructions:

1. Select a post style. You will need a minimum of 2 posts.
2. Select a base style. You will need 1 base for every post ordered.
3. Select a Tape Cassette. The quantity required will depend on your setup.
4. Order an Empty Cassette for any posts that will be used as a receiver.




Wall Mount Barriers:

- Ideal where floor space is essential
- Wall mount barrier includes one wall receiver and hardware
- Dimensions: 3 5/8"L x 3"W x 5 5/8"H

To build your own wall mount barrier follow these instructions:

1. Select a Wall Mount style. You only need one Wall Mount since the receiver for the other side is included.
2. Select a Tape Cassette.



COMPONENTS FOR FREE-STANDING & WALL MOUNT BARRIERS

POSTS

Model No.	Style	Price/Each
SEC868	Stainless Steel	103.00
SEC869	Black	89.55
SEC870	Yellow	79.60

BASES

Model No.	Style	Price/Each
SAS312	Stainless Steel, tapered	87.75
SAS314	Black, tapered	77.95
SAS316	Yellow, flat	69.65

WALL MOUNTS

Model No.	Style	Price/Each
SEC360	Black	69.50
SEC497	Stainless Steel	69.50

TAPE CASSETTES

Model No.	Colour	Tape Length'	Price/Each
SAW917	Red	7	64.50
SAW918	Black	7	64.50
SAW995	Yellow	7	64.50
SEB179	Yellow w/ Caution Do Not Enter	7	67.75
SEC956	Yellow w/ Attention Ne Pas Entrer	7	67.75
SEC362	Blue	7	64.50
SEC363	Green	7	64.50
SEC364	Black w/ White stripe	7	64.50
SEC365	Yellow and Black stripes	7	67.75

EMPTY CASSETTES

Model No.	Description	Price/Each
SEC361	For Receiver Posts	55.50

CROWD CONTROL



UTILITY TENSABARRIER®

Utility *TensaBarrier*® is a lower cost alternative. A sturdy post ideal for warehouses and other utilitarian applications. The post is constructed of a powder coated steel tube in white, red or yellow mounted on a scuff resistant black base. Each post comes with a 7' 6", 2-way retractable tape with printed message "Caution-Do Not Enter". Also available as receiver-only post without cassette. Replacement tape cassettes can be easily installed in the event of wear or damage. Posts are 38" high with a 13 1/2" diameter base, 2 1/2" O.D. Weight: 20 lbs.

LAWRENCE
A TENSATOR GROUP COMPANY



Model No.	Mfg. No.	Tape Description	Tube Colour	Tape Colour	Price /Each
POST/TAPE COMBINATION					
SAM964	887-STD/35-D4	7'6"	Yellow	Yellow/Black Diagonal	221.27
SAM965	887-STD/32-D4	7'6"	White	Yellow/Black Diagonal	221.22
SAM966	887-STD/21-D4	7'6"	Red	Yellow/Black Diagonal	221.22
SF973	887-STD/35-720855	7'6" Caution Do Not Enter	Yellow	Yellow w/Black Message	240.47

Model No.	Mfg. No.	Tube Colour	Price /Each
RECEIVER POSTS			
SF974	887-RCV/32	White	204.69
SF975	887-RCV/21	Red	204.69
SF976	887-RCV/35	Yellow	204.69

OUTDOOR TENSABARRIER®

Constructed of UPVC white, red, or yellow mounted on a rugged PVC grey base to be filled with water or sand for stability. Each post comes complete with retractable tape cassette in 7' 6", 2-way retractable tape with printed message "Caution Do Not Enter" or 13' striped tape, for restricting access and other light-duty use. These posts are also available as receiver only posts, without tape cassette. Posts are 37" high with a 15" diameter base, 2 1/2" O.D. Weight: 4 lbs.

LAWRENCE
A TENSATOR GROUP COMPANY

Model No.	Mfg. No.	Tape Description	Tube Colour	Tape Colour	Price /Each
POST/TAPE COMBINATION					
SAM967	885-STD/35-D4	7'6"	Yellow	Yellow/Black Diagonal	221.25
SAM968	885-STD/32-D4	7'6"	White	Yellow/Black Diagonal	221.22
SAM969	885-STD/21-D4	7'6"	Red	Yellow/Black Diagonal	221.22
SF979	885-STD/35-720855	7'6" Caution Do Not Enter	Yellow	Yellow w/Black Message	240.47
POST/TAPE COMBINATION STRIPED					
SF980	885-MAX/32-D3	13'	White	Red/White Diagonal	237.27
SF981	885-MAX/21-D3	13'	Red	Red/White Diagonal	237.27
SF982	885-MAX/35-D4	13'	Yellow	Yellow/Black Diagonal	237.27
RECEIVER POSTS					
SF983	885-RCV/32	-	White	-	204.69
SF984	885-RCV/21	-	Red	-	204.69
SF985	885-RCV/35	-	Yellow	-	204.69



STOWAWAY® POST KITS

- The take-it-anywhere, store-it-anyplace *TensaBarrier*®
- For indoor or outdoor use
- Quick and easy set-up/break-down
- Compact, lightweight and portable; four posts to a bag
- Multiple distinctive applications may be used to mark off hazardous spills, broken glass, uneven surfaces and construction sites
- Each post is 36" high with a base width of 22 3/4"; belt length is 13'
- Safety yellow UPVC tube and black powder coated legs with yellow and black safety striped belt
- Storage bag included

LAWRENCE
A TENSATOR GROUP COMPANY

Model No.	Mfg. No.	Tube Colour	Tape Colour	Price /Each
SAQ143	SA1-35-4PACK/D4	Yellow	Yellow/Black Diagonal	1081.50



REPLACEMENT CASSETTES FOR UTILITY, OUTDOOR & STOWAWAY® TENSABARRIER®

Cassettes are 2-way and quick retracting. Includes tape, spring mechanism, receiver and tape end piece.

Model No.	Mfg. No.	Tape Description	Tape Colour	Price /Each
SAM970	720620	7'6"	Yellow/Black Diagonal	89.46
SF987	720855	7'6" Caution Do Not Enter	Yellow w/Black Message	126.13
SF988	720410	13' Striped	Red/White Diagonal	208.75
SF989	720420	13' Striped	Yellow/Black Diagonal	208.75

PORTABLE POSTS

Portable posts provide a flexible railing system for traffic direction and crowd control. Posts can be set-up, moved or stored easily to meet your changing needs. Choose from three portable post styles in different finishes and two types of rope ends. Posts available with or without tapped holes for frames or brackets.

Standard Post: Popular post for guiding traffic. A proven design sturdily built for years of dependable service. Forged universal loop, recommended maximum rope length of 6' 0". Available in polished chrome, satin chrome on steel or polished brass finish. 2" O.D. tube.

Modern Portable Post: Clean, functional design and lighter weight distinguishes this post from all others. Maximum recommended rope length of 6' 0". Forged universal loop in polished chrome, satin chrome on steel or polished brass finish. 2" O.D. tube.

Safety Post: In bright yellow and black powder coating, ideal for warehouses, factories or anywhere that a highly visible, rugged barrier is called for. Scuff resistant ABS plastic base cover for added durability. Forged universal loop, recommended maximum length of 7' 0" rope. Complete with yellow tube, black top and loop, and black ABS plastic base cover.

Wall Plates: Base 1 5/8" x 1 1/4". Extends 7/8" from wall. Accepts one rope end only. The 2-rope end plate has 1 1/2" x 2" base and extends 1 1/2" from wall.

LAWRENCE
A TENSATOR GROUP COMPANY

POSTS

Without Tapped Holes		With Tapped Holes		Finish	Base Dia."	O.A. Height"	Wt. lbs.	Price /Each
Model No.	Mfg. No.	Model No.	Mfg. No.					
STANDARD								
SF990	310T-1P	SI835	310T-1P-T	Polished Chrome	11 1/2	39	35	258.41
SF991	310T-1S	SI836	310T-1S-T	Satin Chrome on Steel	11 1/2	39	35	262.26
SF992	310T-2P	SI837	310T-2P-T	Polished Brass	11 1/2	39	35	370.77
MODERN PORTABLE								
SF993	314U-1P	SI838	314U-1P-T	Polished Chrome	11 1/2	34	25	200.49
SF994	314U-1S	SI839	314U-1S-T	Satin Chrome on Steel	11 1/2	34	25	200.49
SF995	314U-2P	SI840	314U-2P-T	Polished Brass	11 1/2	34	25	295.18
SAFETY								
SF996	303	SI841	CUSOL-303TAP	Yellow w/Black Top & Base	13 1/2	36	25	163.08



ROPE ENDS

Available in two styles, open hook and snap type, in polished chrome, satin chrome or polished brass finish for 1 1/2" diameter ropes. Open hook and snap type ends are permanently attached to rope at factory. Order 2-rope ends for each length of rope. 1 1/2" Diameter ropes available upon request. Call customer service for more information.

LAWRENCE
A TENSATOR GROUP COMPANY

1 1/2" DIAMETER



Model No.	Mfg. No.	Finish	Price /Each
OPEN HOOKS			
SG010	540-1P	Polished Chrome	34.09
SG011	540-1S	Satin Chrome on Steel	34.09
SG012	540-2P	Polished Brass	34.09
SNAPS			
SG013	550-1P	Polished Chrome	36.08
SG014	550-1S	Satin Chrome on Steel	36.08
SG015	550-2P	Polished Brass	36.08

PLASTIC PORTABLE POSTS

An economical alternative where utilitarian use is a consideration. Perfect for outdoor area. Use as is or, for maximum stability, fill base with sand or gravel. Can be used with plastic chain. Base diameter of 14" and overall height of 40". Posts available in white or black. Weight: 3 lbs.

Model No. SG194
Mfg. No. 300-33
Black
Price/Each \$76.95

Model No. SG193
Mfg. No. 300-32
White
Price/Each \$76.95



LAWRENCE
A TENSATOR GROUP COMPANY

PLASTIC CHAINS

Durable 2" link plastic chain for light duty decorative or outdoor use. Sold per foot. Connects permanently to post or wall plate with connecting link or temporarily with "S" hook. Available in white, black or yellow.



Description	White Model No.	Mfg. No.	Black Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Price /Each
Chain (per foot)	SG195	966-32	SG196	966-33	SG197	50002-100	2.74
Connecting Link	SG198	966CL-32	SG199	966CL-33	SG200	50702	1.85
"S" Hook	SG201	966S-32	SG202	966S-33	SG203	50302	1.85

CROWD CONTROL

TENSABARRIER® WALL MOUNTED UNITS

- Handsomely styled wall-mounted *TensaBarrier*®
- Designed for indoor use where only a limited area of traffic control is necessary
- Tape spans 15' wide by 5 3/4" high
- Available in chrome or impact resistant ABS plastic casing with tape
- Wall receptacle is in black only

LAWRENCE
A TENSATOR GROUP COMPANY

Model No.	Mfg. No.	Description	Tape Colour	Price /Each
SF968	897-1P-33/L5	Black and Chrome Case	Blue	156.59
SF969	897-21-33/R5	Black and Red Case	Red	148.56
SF970	897-33-33/S3	Black Case	Black w/White Stripe	148.56
SF959	898	Wall Receptacle	-	18.40



SF959
Wall
Receptacle



SF970 Case

ROLLABARRIER®

- Wheelable, stackable convenience and contemporary good looks
- Patented *SlowRetract™* braking mechanism insures that belt will retract slowly and safely if accidentally released
- Locking belt receivers prevent the belt from being accidentally released
- Nylon grommet to prevent belt from fraying, belt will look fresh year after year
- Unique nesting mechanism for moving three to four posts at once
- Each post is 39" high with a tube diameter of 2 1/2" and a base diameter of 13 1/2"
- Lifetime limited warranty

LAWRENCE
A TENSATOR GROUP COMPANY

Model No.	Mfg. No.	Description	Tape Colour	Price /Each
SAQ142	RB1-73-R5	Grey Hammertone	Red	319.28
SAQ145	RB1-73-L5	Grey Hammertone	Blue	319.28
SAQ146	RB1-73-B9	Grey Hammertone	Black	319.28
SAQ147	RB1-73-S3	Grey Hammertone	Black w/White Stripe	319.28
SAQ148	RB1-73-S4	Grey Hammertone	Black w/Yellow Stripe	319.28
SAQ149	RB1-73-Y5	Grey Hammertone	Yellow	319.28
SAQ150	RB1-73-B5	Grey Hammertone	Grey	319.28



REPLACEMENT TAPE CASSETTES FOR TENSABARRIER® & ROLLABARRIER®

Model No.	Mfg. No.	Tape Colour	Price /Each	Model No.	Mfg. No.	Tape Colour	Price /Each
SF960	730740	Red	106.13	SF964	730710	Black w/White Stripe	106.13
SF961	730730	Blue	106.13	SF965	730714	Black w/Yellow Stripe	106.13
SF962	730760	Black	106.13	SG168	730855	Yellow w/Message (Caution Do Not Enter)	132.80
SF963	730775	Yellow	106.13				

SUPERHOLD SIGN ADAPTORS

Keep sign frames and sign brackets firmly attached. Locks in any one of eight different positions. To be used with sign bracket and sign frames. Sign bracket accepts and firmly grips acrylic signs or any other 0.235" thick material. Frames are designed to accept any 1/8" thick material. Available in finishes to match posts. Frames, signs and brackets ordered separately.

Note: Sign bracket adaptor must be ordered with a sign bracket. Signs sold separately.

LAWRENCE
A TENSATOR GROUP COMPANY

Chrome Finish			Black Finish			Description
Model No.	Mfg. No.	Price /Each	Model No.	Mfg. No.	Price /Each	
SG043	1701-1P	40.10	SG044	1701-33	42.07	Sign Bracket
SG027	711V-1P	74.59	SG039	711V-33	60.21	Frame, 7" W x 11" H
SG028	711H-1P	74.59	SG040	711H-33	60.21	Frame, 11" W x 7" H
SG029	1114V-1P	93.25	SG041	1114V-33	76.79	Frame, 11" W x 14" H
SG030	1114H-1P	93.25	SG042	1114H-33	76.79	Frame, 14" W x 11" H



Bracket

ADAPTORS

For sign bracket
Model No. SAJ590
Mfg. No. 899HD-B
Price/Each \$60.21


For sign frame
Model No. SAQ831
Mfg. No. HDSC-33
Price/Each \$60.21

DOME MIRRORS

Maximize safety at a glance. Safety mirrors in quarter, half or full dome reduce the chances of accidents due to blind corners in the plant or warehouse. Made of heavy-duty acrylic for durability. All mirrors have a black protective edge.

Ideal Locations:

- 360°** 4-way intersections
- 180°** T-intersections
- 90°** Corner intersections



FULL DOME 360°

Model No.	Mfg. No.	Mirror Dia***	Wt. lbs.	Price /Each
OPEN TOP				
SA732*	2000FD18	18	7	94.21
SA735*	2000FD24	24	6.5	121.71
SA738*	2000FD33	33	15	225.37
SA741*	2000FD48	48	33	424.58
CLOSED TOP				
SAQ963	2000FDE18	18	8.4	126.95
SAQ964	2000FDE24	24	8.7	156.58
SAQ965	2000FDE33	33	19.8	270.03
SAQ966	2000FDE48	48	41	509.53

* Comes with hanging hardware.

**The dimensions listed are that of a full dome.

HALF DOME 180°

Model No.	Mfg. No.	Mirror Dia***	Wt. lbs.	Price /Each
OPEN TOP				
SA731	2000HD18	18	3	56.42
SA734	2000HD24	24	4	66.68
SA737	2000HD33	33	9	124.74
SA740	2000HD48	48	17	242.03
CLOSED TOP				
SAQ967	2000HDE18	18	5.5	109.93
SAQ968	2000HDE24	24	8	167.38
SAQ969	2000HDE33	33	18	222.45
SAQ970	2000HDE48	48	35	469.73

**The dimensions listed are that of a full dome.

QUARTER DOME 90°

Model No.	Mfg. No.	Mirror Dia***	Wt. lbs.	Price /Each
SA733	2000QD18	18	1.35	34.84
SA736	2000QD24	24	1.9	44.92
SA739	2000QD33	33	7	70.92
SA742	2000QD48	48	17.5	143.24


**The dimensions listed are that of a full dome.

RALSTON MIRRORS

Manufacturers of SureWay™ Safety & Security Acrylic Mirrors



MIRRORS



CONVEX MIRRORS

Prevent accidents and increase surveillance with a lightweight acrylic convex mirror. Adjustable mounting hardware included with each mirror. Have 100° viewing angle and mounted ball and swivel. Telescoping arm adjusts from 15" to 21". For indoor or outdoor use.

RALSTON MIRRORS
Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

USE FURNITURE POLISH
TO CLEAN MIRRORS.
GLASS CLEANER WILL
DAMAGE SURFACE.

INDOOR

Mirror Dia."	Model No.	Mfg. No.	Wt. lbs.	Price /Each
12	SA725	1000CI12	2	45.55
18	SA726	1000CI18	3	59.18
26	SA727	1000CI26	6	95.90
30	SA728	1000CI30	7	113.50
36	SA729	1000CI36	9	152.38

OUTDOOR

Model No.	Mfg. No.	Wt. lbs.	Price /Each
SA720	1100CE12	4	56.18
SA721	1100CE18	5	74.13
SA722	1100CE26	9	110.18
SA723	1100CE30	11	156.15
SA724	1100CE36	15	204.33

ROUNDTAGULAR CONVEX MIRRORS

- The top and bottom of these convex mirrors have been trimmed or "cropped" to fit into smaller spaces
- Provides the same larger view as the full sized convex but takes up less space
- Use when mounting space is limited such as lower ceilings or overhangs
- Exteriors models are enclosed

RALSTON MIRRORS
Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

USE FURNITURE POLISH
TO CLEAN MIRRORS.
GLASS CLEANER WILL
DAMAGE SURFACE.



INDOOR

Dim."	Model No.	Mfg. No.	Wt. lbs.	Price /Each
12 x 18	SAQ971	1300TM18	3.5	63.85
18 x 26	SAQ972	1300TM26	4.75	103.28
20 x 30	SAQ973	1300TM30	6.7	124.03
24 x 36	SAQ974	1300TM36	9.3	156.63

OUTDOOR

Model No.	Mfg. No.	Wt. lbs.	Price /Each
SAQ975	1300TME18	4.7	104.43
SAQ976	1300TME26	8	170.53
SAQ977	1300TME30	12.5	208.88
SAQ978	1300TME36	18.25	280.65

FLAT MIRRORS

Ideal for locations where accurate depth perception is essential. Mirrors are made of acrylic with galvanized steel back. Framed mirrors have an aluminum edge. Arm adjusts from 15" to 21". Ball and swivel, and telescoping arm and bracket are included with each mirror.

RALSTON MIRRORS
Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

USE FURNITURE POLISH
TO CLEAN MIRRORS.
GLASS CLEANER WILL
DAMAGE SURFACE.

UNFRAMED

Model No.	Mfg. No.	Size"	Price /Each
SA744	3000FL1212	12 x 12	64.18
SA745	3000FL1218	12 x 18	72.90
SA746	3000FL1824	18 x 24	102.08
SA747	3000FL2430	24 x 30	152.55
SA748	3000FL3036	30 x 36	223.28

FRAMED

Model No.	Mfg. No.	Size"	Price /Each
SA749	3000FF1212	12 x 12	120.65
SA750	3000FF1218	12 x 18	133.03
SA751	3000FF1824	18 x 24	179.55
SA752	3000FF2430	24 x 30	259.85
SA753	3000FF3036	30 x 36	346.50



SUSPENDED SECURITY DOME MIRRORS

- Fixed camera dome
- 10" full sphere pendant
- Housing mounts to standard 3/4" EMT conduit
- Offers superior optical quality and is camera ready
- Dome has "non-yellowing" white top with smoked bottom where visual appeal is preferred
- Unique design requires "No-Tools" to install and is ideal for open ceiling applications

Model No. SAQ803
Mfg. No. 2000D10WBZ
Price/Each \$118.43



DROP CEILING SMOKED DOME MIRRORS

- Fixed camera dome
- For suspended ceiling installations that require a more discreet appeal
- Simplistic design includes dome, 2' x 2' white PVC ceiling replacement tile and a uniquely designed ABS plastic back-box with integral camera bracket
- Lightweight and ready for installation



RALSTON MIRRORS

Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

RALSTON MIRRORS

Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

Model No.	Mfg. No.	Dia."	Price/Each
SAQ804	2000DD08BZ	8	140.95
SAQ805	2000DD12BZ	12	140.95

DROP-IN CEILING PANEL DOMES

- Attractive 24" dome mirror for 360° viewing
- This one-piece drop-in dome includes a mirrored ceiling panel to fit a standard 2' x 2' drop-ceiling tile
- Can also fit a standard 2' x 4' drop-ceiling tile (simply cut the ceiling tile in half)

Model No. SAR052
Mfg. No. 2000FDCO24
Price/Each \$121.50

USE FURNITURE POLISH
 TO CLEAN MIRRORS.
 GLASS CLEANER WILL
 DAMAGE SURFACE.



RALSTON MIRRORS

Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

SECURITY INSPECTION MIRRORS

DELUXE

- 8" convex mirror for wider angle viewing
- 52" handle
- Shoulder strap and side handle to reduce fatigue
- Padded hand grips
- Bracket and flashlight are included
- Lightweight

Model No. SAQ806
Mfg. No. 2100ML5087
Price/Each \$315.52



ECONOMY

- 8" convex mirror for wider angle viewing
- 22" handle for single-hand use
- Lightweight

Model No. SAQ807
Mfg. No. 2100ML5086
Price/Each \$153.01



RALSTON MIRRORS

Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

MIRRORS

REAR VIEW MIRRORS

- Designed for use on forklifts, delivery trucks or other transit vehicles
- Helps eliminate dangerous blind spots
- 2 3/4" x 7" rectangular convex mirror
- Complete with mounting bracket
- Adjustable swivel mount

Model No. SED112
Mfg. No. 2100RV2X3
Price/Each \$85.50



ROUND INSPECTION MIRRORS

- 2 1/4" round inspection mirror
- Telescoping handle: 7" extends to 36"
- Handle has non-slip, black cushion grip

Model No. SED113
Mfg. No. 2100ML2
Price/Each \$18.43



VIEW-ALL TRANSPORTATION & INSPECTION MIRRORS

- Designed for use indoors or outdoors, in transportation, manufacturing or construction
- 8", 360° dome mirror provides panoramic view for equipment or trucks
- Reduces "blind spots" on large vehicles, especially important area immediately around the wheels
- Can be used as a portable security inspection mirror, when mounted to a long handle or pole, or as an inspection mirror for production areas such as over bins or hoppers
- Comes equipped with a standard telescoping bracket and arm that extends from 12" to 18"

Model No. SA743
Mfg. No. 2100LT08
Price/Each \$160.79



RECTANGULAR INSPECTION MIRRORS

- Facilitates inspection of inaccessible workpieces and machines
- 2" x 3 3/4" rectangular steel mirror
- Telescoping handle: 10 3/4" extends to 26"

Model No. SED114
Mfg. No. 2100ME2X3
Price/Each \$28.47



RALSTON MIRRORS
 Manufacturers of SureWay™ Safety & Security Acrylic Mirrors

NOTE: Not to be used for backing up a vehicle

Call us for all your
 Safety Equipment
 & Supplies
 requirements!



COMMERCIAL LAMINATED LOCKS

- Greater strength against attacks than competitive alternatives
- Laminated steel body for superior strength
- Hardened steel and boron alloy shackles for extra cut resistance
- Multiple layered steel plates with countersunk rivets repel attacks on the lock body
- Hardened steel bottom plate with hourglass-shaped keyhole opening protects against drills and plug-pullers
- Superior cylinder-and-key protection versus off-brand substitutes
- Cylinder design and production results in a greater range of unique cylinder-and-key cuts
- Cover all edges, preventing scratches to paint and finished surfaces
- Includes two keys

NO. 22 & NO. 500

- Steel shackle provides strong cut resistance
- Warded locking mechanism minimizes jamming from dirt and grime
- No. 500 is rust proofed for extended wear

NO. 7

- Steel shackle provides strong cut resistance
- 4-pin cylinder helps prevent picking
- Hundreds of key changes maximize key integrity
- Proprietary rust proofing for longer life

NO. 1, NO. 3 & NO. 5

- Hardened steel shackle for extra cut resistance
- 4-pin cylinder helps prevent picking
- Dual locking levers provide extra pry resistance
- Thousands of key changes maximize key integrity
- Proprietary rust proofing for longer life


KEYED DIFFERENT vs. KEYED ALIKE

Each keyed different lock has a unique key for higher security. Keyed alike locks have the same key for each lock. Keyed alike locks add an extra convenience where many locks are involved. Extra locks can be ordered later to fit the same key number.



Master Lock

Model No.	Mfg. No.	Security Level	Key Type	Body Width"	Dimensions			Wt. lbs.	Price /Each
					A"	B"	C"		
SA886	22	Medium	Different	1 1/2	1/4	5/8	9/16	0.3	4.50
SA887	22KA		Alike	1 1/2	1/4	5/8	9/16	0.3	6.02
SA888	500	Medium	Different	1 3/4	9/32	13/16	13/16	0.5	5.64
SA889	500KA		Alike	1 3/4	9/32	13/16	13/16	0.5	6.65
SA890	7	Medium	Different	1 1/8	3/16	9/16	1/2	0.2	9.54
SA891	7KA		Alike	1 1/8	3/16	9/16	1/2	0.2	11.38
SA892	7LJ	Medium	Different	1 1/8	3/16	2 1/2	1/2	0.2	12.35
SA893	7LJKA		Alike	1 1/8	3/16	2 1/2	1/2	0.2	13.72
SA894	3	High	Different	1 9/16	9/32	3/4	5/8	0.5	11.72
SA895	3KA		Alike	1 9/16	9/32	3/4	5/8	0.5	13.41
SA896	3LH	High	Different	1 9/16	9/32	2	5/8	0.5	16.35
SA897	3LHKA		Alike	1 9/16	9/32	2	5/8	0.5	17.42
SA898	1	High	Different	1 3/4	5/16	15/16	3/4	0.6	13.44
SA899	1KA		Alike	1 3/4	5/16	15/16	3/4	0.6	15.10
SA900	1LJ	High	Different	1 3/4	5/16	2 1/2	3/4	0.6	16.45
SA901	1LJKA		Alike	1 3/4	5/16	2 1/2	3/4	0.6	17.81
SR890	5D	High	Different	2	3/8	1	15/16	0.8	18.14
SR867	5KA		Alike	2	3/8	1	15/16	0.8	18.89
SAL432	5LJ	High	Different	2	3/8	2 1/2	15/16	0.8	21.28




Look for this symbol for environmentally friendly products!



LOCKS & LOCKOUT DEVICES

HEAVY-DUTY MAXIMUM SECURITY SOLID STEEL LOCKS

- This 2 1/2" wide padlock has a unique 10-blade tumbler cylinder to protect equipment and machines that will be exposed to excessive sand, dirt or ice. It provides trouble-free operation and resists jamming under extreme conditions.
- Shackle dimension: 7/16" x 1 1/8" x 7/8"



Master Lock

Model No. SN708

Mfg. No. 6230

Price/Each \$36.24

Qty 3 Qty Price/Each \$32.62

SOLID STEEL PADLOCKS

- Solid steel body
- Dual deadbolt locking for extreme resistance to pry
- Keyed different; 5-pin W6000 cylinder
- **SN715** features shrouded shackle for exceptional cut resistance
- **SN707** and **SAL442** feature hardened steel shackles for superior cut resistance

SN715



SN707



SAL442



Master Lock

Model No.	Mfg. No.	Body Width"	Shackle Dimensions				Price /Each
			A"	x	B"	x C"	
SN715	7035	1 9/16	1/4	x	1 1/16	x 25/32	42.29
SN707	7045	1 3/4	5/16	x	1 3/16	x 29/32	41.27
SAL442	7040	1 3/4	5/16	x	1 3/16	x 29/32	23.53

RESETTABLE COMBINATION LOCKS

- Enhanced round stainless steel shackles are twice as hard to cut as standard hardened shackles
- Extreme weather resistance dial dust cover and shackle seals keep dust and grit out of the internal mechanism
- Dead locking mechanism holds against pry, shim and rap attacks
- 10 000 possible combinations
- No special reset tool required
- Shackle dimension: 5-16" x 1 1/16" x 1"



Model No. SED595

Mfg. No. 1174

Price/Each \$41.98

OUTDOOR PROTECTION LOCKS

Master Lock® covered padlock combines a 1 9/16" wide laminated steel body with case hardened steel shackle and a hi-tech plastic cover. The hi-tech plastic withstands temperature extremes and exposure to sunlight without becoming brittle or cracked. It protects the lock body while preventing scratching and marring of surrounding surfaces. The quick-snap cap on the bottom protects the lock mechanism from weather, dust and dirt for long, trouble-free performance. Case hardened 1" steel shackle, protects against cutting and sawing.



Master Lock

Model No. SN706

Mfg. No. 312

Price/Each \$14.61

WEATHER TOUGH®

- Laminated steel body for superior strength
- Hardened boron alloy shackle for superior cut resistance
- High security solid iron shackle shroud resists harsh physical attacks
- 5-spool pin tumbler cylinder for added pick resistance
- Removable cylinder can be replaced or repinned
- Dual ball bearing locking mechanism resists pulling and prying
- Body and cylinder covers on *Weather Tough*® padlocks protect locks from water, dirt and grime

SAL433




SA902



SA904



Model No.	Mfg. No.	Security Level	Key Type	Body Width"	Shackle Dimensions					Wt. lbs.	Price /Each
					A"	x	B"	x	C"		
WEATHER TOUGH® PADLOCKS											
SAL433	6121	High	Different	2 1/8	5/16	x	1 1/8	x	7/8	1.1	27.06
SAL434	6121LJ	High	Different	2 1/8	5/16	x	2 1/2	x	29/32	1.1	30.04
SA902	6125	High	Different	2 3/8	3/8	x	1 3/8	x	7/8	1.3	32.85
SA903	6125KA	-	Alike	2 3/8	3/8	x	1 3/8	x	7/8	1.3	32.62
HIGH SECURITY PADLOCKS											
SA904	6325	High	Different	2 3/8	3/8	x	3/4	x	7/8	1.6	43.57
SA905	6325KA	-	Alike	2 3/8	3/8	x	3/4	x	7/8	1.6	45.35




LOCKS & LOCKOUT DEVICES

BRASS LOCKS

- Solid brass bodies and cylinders provide excellent corrosion resistance
- Hardened steel shackle for extra cut resistance
- Stainless steel ball bearing
- 5-spool pin tumbler cylinder for added pick resistance
- Removable cylinder can be replaced or repinned

Master Lock

SAL508




SAL507

RESETTABLE COMBINATION BRASS LOCKS

- Set-your-own combination convenience
- Resettable to any of 10,000 personalized combinations



SAS366



Model No.	Mfg. No.	Body Width"	Shackle Dimensions				Price /Each
			A"	x	B"	x	C"
SAL507	6840	1 3/4	5/16	x	1 3/16	x	29/32
SAL508	6830	1 9/16	1/4	x	1 1/16	x	25/32

Model No.	Mfg. No.	Body Width"	Shackle Dimensions				Price /Each
			A"	x	B"	x	C"
SAS366	175	2	5/16	x	1	x	1
SAG162	175LH	2	5/16	x	2 1/4	x	1

ECONOMY V-LINE BRASS LOCKS

- Case hardened shackle resists sawing and filing
- Brass body and cylinder provide extra resistance to the elements
- Pin tumbler cylinder provide greater pick resistance

Master Lock



SAS395



Model No.	Mfg. No.	Key Type	Body Width"	Dimensions				Price /Each
				A"	x	B"	x	C"
SAS395	4120	3-Pin Tumbler, Key Different	3/4	5/32	x	7/16	x	3/8
SAS396	4120KA	3-Pin Tumbler, Key Alike	3/4	5/32	x	7/16	x	3/8
SAS397	4130	3-Pin Tumbler, Key Different	1 1/8	3/16	x	9/16	x	9/16
SAS398	4130KA	3-Pin Tumbler, Key Alike	1 1/8	3/16	x	9/16	x	9/16
SAS015	4140	4-Pin Tumbler, Key Different	1 1/2	1/4	x	13/16	x	13/16
SAS400	4140KA	4-Pin Tumbler, Key Alike	1 1/2	1/4	x	13/16	x	13/16
SAS401	4150	5-Pin Tumbler, Key Different	1 7/8	9/32	x	15/16	x	1
SAS402	4150KA	5-Pin Tumbler, Key Alike	1 7/8	9/32	x	15/16	x	1

COMBINATION LOCKS


- World's best selling combination lock
- Hardened steel shackle for extra cut resistance
- Combination security for keyless convenience
- Double-armored stainless steel body
- 3-digit dialing and 1500 combinations for maximum security
- Model SAX608 has key control override for supervisory access (key sold separately)
- Different combinations

BLACK GUARD
Anti-Shim Technology

Master Lock



SR914



SAX608

Model No.	Mfg. No.	Body Width"	Shackle Dimensions				Price /Each	Qty Price /Each
			A"	x	B"	x	C"	
SR914	1500	1 7/8	9/32	x	3/4	x	13/16	6.26
SAL506	1500LH	1 7/8	9/32	x	2	x	13/16	10.00
SAX608	1525	1 7/8	9/32	x	3/4	x	13/16	10.49
SAX609	K1525	-	Control Key for Model SAX608					5.21

Call us for all your



Safety Equipment & Supplies requirements!

LOCKS & LOCKOUT DEVICES

ZENEX™ SAFETY LOCKOUT PADLOCKS

- Designed exclusively for lockout/tagout
- Durable, lightweight, non-conductive Zenex™ lock body is easy to carry
- Customized on-site with permanent, write-on "Danger" and "Property of" labels in English, French and Spanish
- High security, 6-pin tumbler cylinder; up to 100,000 key changes
- Key retaining, ensures that padlocks are not left unlocked
- Laser engraving service available for an additional charge
- Compliance with OSHA "one employee, one lock, one key" directive
- Keyed different

Master Lock

Model No.	Mfg. No.	Colour	Vertical Shackle Clearance"	Body Width"	Body Height"	Shackle Diameter"	Price /Each
SAL134	410BLK	Black	1 1/2	1 1/2	1 3/4	1/4	16.51
SAL135	410BLU	Blue	1 1/2	1 1/2	1 3/4	1/4	16.51
SAL136	410GRN	Green	1 1/2	1 1/2	1 3/4	1/4	16.51
SAL137	410ORG	Orange	1 1/2	1 1/2	1 3/4	1/4	16.51
SAL138	410RED	Red	1 1/2	1 1/2	1 3/4	1/4	16.51
SAL140	411BLK	Black	1 1/2	1 1/2	3	1/4	18.44
SAL141	411BLU	Blue	1 1/2	1 1/2	3	1/4	18.44
SAL142	411GRN	Green	1 1/2	1 1/2	3	1/4	18.44
SAL143	411ORG	Orange	1 1/2	1 1/2	3	1/4	18.44
SAL144	411RED	Red	1 1/2	1 1/2	3	1/4	18.44



SAL134



SAL135



SAL137



SAL142



SAL144

STAINLESS STEEL SHACKLE PADLOCKS

- Marine grade 316 stainless steel shackle provides superior corrosion resistance
- Special thermoplastic body offers superior performance against chemicals, moisture, heat, cold and UV
- Operates from -70°F to +350°F (-56°C to +176°C)
- Key retaining, cannot remove key unless shackle is closed
- 3/16" shackles allows for lockout in European OEM equipment

Model No.	Mfg. No.	Colour	Verticle Shackle Clearance"	Body Width"	Body Height"	Shackle Diameter"	Price /Each
SED617	S31BLK	Black	1 1/2	1 3/8	1 1/2	3/16	16.50
SED618	S31BLU	Blue	1 1/2	1 3/8	1 1/2	3/16	16.50
SED619	S31GRN	Green	1 1/2	1 3/8	1 1/2	3/16	16.50
SED620	S31ORG	Orange	1 1/2	1 3/8	1 1/2	3/16	16.50
SED621	S31RED	Red	1 1/2	1 3/8	1 1/2	3/16	16.50



SED617

DIELECTRIC SAFETY PADLOCKS

- Ideal for confined spaces, medical, military and electrical lockout
- Nylon shackle does not conduct electricity and is non-sparking
- Zenex™ plastic and brass components are non-magnetic

Model No.	Mfg. No.	Description	Price /Each
SAR833	406RED	Red	17.51
SAR834	406OR	Orange	17.51
SAR835	406YLW	Yellow	17.51
SAR836	406GRN	Green	17.51
SAR837	406BLU	Blue	17.51
SAR838	406BLK	Black	17.51
SAR839	406PRP	Purple	17.51
SAR840	406TEAL	Teal	17.51



SAR838



Master Lock



ALUMINUM SAFETY PADLOCKS

- Lightweight and durable aluminum body for lockout/tagout
- Stands up to chemicals, temperature extremes and is UV stable
- Ideal for corrosive and tough environments
- Safety colour recognition, plus high security
- Hardened shackles for superior resistance to cutting

- Removable 5-pin cylinder can be replaced or repined
- Tens of thousands of key changes available
- Your facility's padlocks can be key charted to ensure no duplicate keys on site
- Laser engraving service available for an additional charge
- Keyed different

AMERICAN LOCK

- Steel shackle 1 1/2" wide solid body, with 1/4" dia. x 1" long shackle
- Durable anodized finish suitable for lockout in food processing facilities
- Available in nine colours



**AMERICAN
LOCK®**

MASTER LOCK

- Steel shackle 1 9/16" wide solid body, 1/4" diameter x 1 1/16 long shackle
- Baked on powder-coated finish stays bright
- Available in six colours

**Master
Lock®**



SN709

SN710

SN711

SN712

SN713

SN714


Model No.	Mfg. No.	Colour	Price /Each
SA0716	A1105RED	Red	15.79
SA0717	A1105YLW	Yellow	15.79
SA0718	A1105BRN	Brown	15.79
SA0719	A1105CLR	Clear	15.79
SA0720	A1105PRP	Purple	15.79

Note: Keyed-alike & different colours available upon request

Model No.	Mfg. No.	Colour	Price /Each
SN709	6835RED	Red	15.10
SN710	6835BLU	Blue	15.10
SN711	6835GRN	Green	15.10
SN712	6835YLW	Yellow	15.10
SN713	6835ORJ	Orange	15.10
SN714	6835BLK	Black	15.10

STEEL BODY SAFETY LOCKOUT PADLOCKS

- Reinforced laminated steel construction
- Hardened steel shackle for extra cut resistance
- 4-pin cylinder helps prevent picking
- Six bumper colours for easy identification
- Up to 1100 unique key codes
- Extra length 2" high shackle available
- Two keys included



**Master
Lock®**

Model No.	Mfg. No.	Colour	Body Width"	Shackle Dimensions					Price /Each
				A"	x	B"	x	C"	
SAL146	3BLU	Blue	1 9/16	9/32	x	3/4	x	5/8	13.28
SAL147	3RED	Red	1 9/16	9/32	x	3/4	x	5/8	13.28
SAL148	3YLW	Yellow	1 9/16	9/32	x	3/4	x	5/8	13.28
SAL149	3GRN	Green	1 9/16	9/32	x	3/4	x	5/8	13.28
SAL150	3BLK	Black	1 9/16	9/32	x	3/4	x	5/8	13.28
SAL151	3WHT	White	1 9/16	9/32	x	3/4	x	5/8	13.28
SAL152	3LHBLU	Blue	1 9/16	9/32	x	2	x	5/8	17.38
SAL153	3LHRED	Red	1 9/16	9/32	x	2	x	5/8	17.38
SAL154	3LHYLW	Yellow	1 9/16	9/32	x	2	x	5/8	17.38
SAL155	3LHGRN	Green	1 9/16	9/32	x	2	x	5/8	17.38
SAL156	3LHBLK	Black	1 9/16	9/32	x	2	x	5/8	17.38
SAL157	3LHWHT	White	1 9/16	9/32	x	2	x	5/8	17.38

SAL146



SAL147



SAL148



SAL149



SAL156



SAL157



LOCKS & LOCKOUT DEVICES

LOK BOX

The Lok Box stands up to the toughest industrial work environments. Ready to use, it will provide employees with a focal point to pick up the required products when following their lockout / tagout procedures. The Lok Box is painted with a high-visibility industrial safety yellow acrylic polyester paint that is baked in for improved durability. Available in three different sizes - you choose the one best suited to your needs. Complete with padlocks, lockout hasps and tags or empty if you choose to assemble your own kit.

W/COMPONENTS

Model No.	Mfg. No.	Size	Price /Each
SG951	65646	Small	218.35
SA952	65648	Medium	66.55
SA953	65650	Large	66.55

W/O COMPONENTS

Model No.	Mfg. No.	Size	Price /Each
SG954	65647	Small	64.99
SG955	65649	Medium	79.48
SG956	65651	Large	139.08

DIMENSIONS & COMPONENTS

Size	Dimensions					No. of Padlocks	No. of Lockout Hasps	No. of Lockout Tags
	W"	x	D"	x	H"			
Small	7	x	3	x	8	4	3	25
Medium	11	x	3	x	8	8	4	25
Large	16	x	3	x	12	20	9	75



LATCH TIGHT™ LOCK BOXES

- Integrated storage organizes up to 12 keys or hundreds of bulk keys
- Can only release when no padlocks are fastened to the lock box
- Works with all safety padlock shackle sizes and lengths
- Traditional bulk key storage is also possible through the key slot in front of the lock box lid
- Has lockout points for 14 padlocks or hasps
- Unit can be mounted to a wall or carried with the comfortable form fitted handle
- Powder coated finish on heavy-duty steel box and stainless steel handle withstand harsh industrial environments



Master Lock

Model No.	Mfg. No.	Colour	Price /Each
SA0597	503RED	Red	83.29
SA0628	503YEL	Yellow	83.29

LATCH TIGHT™ PORTABLE LOCK BOXES

- With new Latch Tight™ locking mechanism
- English, Spanish, French message on box
- Accepts 12 padlocks or lockout hasps
- Complements SA0597 and SA0628 wall mount lock box (call for more info)

Model No SA0519
Mfg. No. 498A
Price/Each \$88.19

Master Lock



COMPLIANCE CENTRES

- Zippered binder keeps important safety information in while keeping dirt and grime out
- Use for MSDS, Lockout Procedures, Right-To-Know or customize to your needs
- Includes wall bracket labels and binder face sheets in English, French and Spanish

Master Lock



Model No.	Mfg. No.	Description	Price /Each
SAP977	S315	Wall Bracket Compliance Centre with 1.5" Binder	81.52
SAP978	S317	Wall Bracket Compliance Centre with two 1.5" Binder	137.34
SAP979	S330	Wall Bracket Compliance Centre with 3" Binder	85.81

LOCKOUT STATIONS

VIRTUALLY INDESTRUCTIBLE, THE STRONGEST STATIONS AVAILABLE!

- Integrated, one-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- Innovative hinge holds cover open for easy product selection
- Available with your choice of safety lock design with highly visible red locks keyed different of Zenex™, aluminum or laminated steel in 4, 10 or 20 lock format
- Zenex™ locks available with up to 100 000 key changes available to fit even the largest lockout systems
- Compliant with OSHA "One employee, One lock, One key" directive
- Lockout stations are bilingual with English/ French labels and lockout tags

4-LOCK STATIONS INCLUDE:

- 4 Master Lock® Safety Series™ padlocks
- 2 Safety Series™ hasps for lockouts by up to six workers
- 12 Safety Series™ heavy-duty bilingual "Do Not Operate" lockout I.D. tags with brass grommets
- Dimensions: 12.25" x 16" x 1.75"

Model No	Mfg. No.	Description	Price /Each
SA0598	1482BFRC	Base only (unfilled)	92.21
SA0601	1482BP3FRC	Station with Laminated Padlocks	169.14
SA0602	1482BP410FRC	Station with Zenex™ Padlocks	181.80
SA0603	1482BP1106FRC	Station with Aluminum Padlocks	179.39

10-LOCK STATIONS INCLUDE:

- 10 Master Lock® Safety Series™ padlocks
- 2 Safety Series™ hasps for lockouts by up to six workers
- 24 Safety Series™ heavy-duty bilingual "Do Not Operate" lockout I.D. tags with brass grommets
- Dimensions: 15.5" x 22" x 1.75"

Model No	Mfg. No.	Description	Price /Each
SA0599	1483BFRC	Base only (unfilled)	135.31
SA0604	1483BP3FRC	Station with Laminated Padlocks	311.63
SA0605	1483BP410FRC	Station with Zenex™ Padlocks	353.51
SA0606	1483BP1106FRC	Station with Aluminum Padlocks	341.36

20-LOCK STATIONS INCLUDE:

- 20 Master Lock® Safety Series™ padlocks
- 4 Safety Series™ hasps for lockouts by up to six workers
- 48 Safety Series™ heavy-duty bilingual "Do Not Operate" lockout I.D. tags with brass grommets
- Dimensions: 22" x 22" x 1.75"

Model No	Mfg. No.	Description	Price /Each
SA0600	1484BFRC	Base only (unfilled)	179.39
SA0607	1484BP3FRC	Station with Laminated Padlocks	579.18
SA0608	1484BP410FRC	Station with Zenex™ Padlocks	671.44
SA0609	1484BP1106FRC	Station with Aluminum Padlocks	640.69

Master Lock®

SA0601



SA0605



SA0609



LOCKS & LOCKOUT DEVICES

DELUXE LOCKOUT STATIONS

- Durable construction ensures long life in your facility
- Covered compartments protect devices and keep dust and grime out
- Upper and lower section are lockable ensuring lockout devices are there when needed
- Add a combination lock for simple access control
- 16 hanger clips holds two padlocks or hasps each
- Moveable dividers in top and bottom trays help organize devices
- Holes provided along with bottom for optional peg hook hangers to hang bulky devices
- Lower half has two tip-out drawers, each measuring 10" W x 6 7/8" H x 1/4" D
- Dividers included to create 2, 3, 4, 5 or 6 compartments
- Each compartment in lower section holds 25 tags, 150 tags total
- Lockout stations are bilingual with English/French labels and lockout tags
- Dimension: 23.5" W x 4.5" D x 27" H
- Station includes: 6 padlocks, 2 hasps, 1 snap-on hasp, 1 adjustable cable lockout, 4 gate valve lockout, 2 ball valve lockout, 1 compact plug prong lockout, 1 plug cover, 6 circuit breaker lockout, 2 wall switch covers, 2 packs of tags (12/pack)

Model No.	Mfg. No.	Description	Price /Each
SAS415	S1900FRC	Base only (unfilled)	236.38
SAS412	S1900VE410FRC	Station with Zenex™ Padlocks	755.25
SAS413	S1900VE1106FRC	Station with Aluminum Padlocks	761.98
SAS414	S1900VE3FRC	Station with Steel Padlocks	729.47

LOCKOUT STATIONS

- Durable construction for years of use in corrosive environments
- Eight hanger clips holds two padlocks or lockout hasps each
- Top and bottom compartments each have five moveable dividers
- Holes provided along with bottom for optional peg hook hangers to hang bulky devices
- Lockable - use a combination padlock to limit access to authorized employees
- Covered compartments protect devices and keep dust and grime out
- Lockout stations are bilingual with English/French labels and lockout tags
- Dimensions: 23.5" W x 4.5" D x 15.5" H
- Electrical focus station includes: 6 padlocks, 1 hasp, 1 snap-on hasp, 1 compact plug prong lockout, 1 plug cover, 6 circuit breaker lockout, 2 wall switch covers, 2 packs of tags (12/pack)
- Valve lockout focus station includes: 6 padlocks, 1 hasp, 1 snap-on hasp, 3 gate valve lockout, 2 ball valve lockout, 2 tags (12/pack)

Model No.	Mfg. No.	Description	Price /Each
ELECTRICAL FOCUS STATIONS			
SAS416	S1850FRC	Base only (unfilled)	150.44
SAS417	S1850E410FRC	Station with Zenex™ Padlocks	429.29
SAS418	S1850E1106FRC	Station with Aluminum Padlocks	436.02
SAS419	S1850E3FRC	Station with Steel Padlocks	403.50
VALVE LOCKOUT FOCUS STATIONS			
SAS416	S1850FRC	Base only (unfilled)	150.44
SAS420	S1850V410FRC	Station with Zenex™ Padlocks	468.85
SAS421	S1850V1106FRC	Station with Aluminum Padlocks	436.02
SAS422	S1850V3FRC	Station with Steel Padlocks	443.06

DELUXE TAG CENTRES

- Two tip-out bins each have three compartments for tags
- Each compartment holds 25 tags, capacity 150 tags
- Compartments can also hold safety eyewear and ear protection
- Each tip-out drawer measures 10" W x 6 7/8" H x 3 1/4" D
- Eight hanger clips can hold safety padlocks or hasps
- Lockable - use a combination padlock to limit access to authorized employees
- Dimension: 22" W x 4 1/8" D x 11" h

Model No. SAS423
Mfg. No. S1800
Price/Each \$85.94

Master Lock®



SAS412



SAS417



SAS420



SAS423

LOCKS & LOCKOUT DEVICES

PADLOCK CADDIES

- Durable plastic construction
- Allows user to carry or store safety locks to address all lockout points
- Can be customized to the number of padlocks needed by user for lockout points (max 12 locks)
- Can be carried, mounted on belt or hung at lockout site
- Collated key holder ensures user's key is with the locks
- Dimensions: 7 1/4" W x 5 1/8" H x 19/32" Thick
- Ergonomic carry handle

Master Lock

Model No. SAR846
Mfg. No. S125
Price/Each \$10.71



Note: Padlocks and key not included

HEAVY-DUTY PADLOCK RACK STATIONS

- Locate padlocks near lockout point
- Heavy gauge steel with durable powder coat finish ensures long life in manufacturing environment
- Includes labels in English, French and Spanish



SAP986



SAP985

Master Lock

Model No.	Mfg. No.	Description	Padlock Capacity	Price/Each
SAP985	S1506	6 1/4" x 1 1/2"	6 to 8	22.83
SAP986	S1518	17 1/2" x 1 1/2"	18 to 22	34.28

TAG STATIONS

- Durable tag centre holds 18 tags
- Hanger clips hold padlocks and hasps
- Includes face labels in English, French and Spanish
- Dimensions: 9 3/4" x 5 3/4" x 1 1/2"

Master Lock

Model No.	Mfg. No.	Description	Price/Each
SAP987	S1601	Tag Centre (unfilled)	17.11
SAP988	S1601A	Tag Centre, 12 English Tags	39.37
SAP989	S1601FRC	Tag Centre, 12 Bilingual Tags	39.37



SAP987

LOCKS AND HASPS NOT INCLUDED



SAP988

COMPACT LOCKOUT STATIONS

- Ideal for locating machine specific lockout devices, tags and padlocks near lockout point
- 6 1/2" W x 2 7/8" D x 2 7/8" H bin holds circuit breaker lockouts
- Valve lockouts, plug lockouts, tags and much more
- Hanger clips hold padlocks and hasps
- Dimensions: 9 3/4" x 7 7/8" x 2 7/8"
- Includes face labels in English, French and Spanish

Master Lock



SAP993



SAP990

Model No.	Mfg. No.	Description	Contains	Price/Each
SAP990	S1700	Compact Lockout Station	Unfilled	35.72
SAP991	S1705P410	Compact Lockout Station	One hasp, two tags, 1 Zenex™ Lock	66.65
SAP992	S1720E410	Circuit Breaker Lockout Station	Two SA0595 breaker lockouts, four tags and two Zenex™ Locks	119.11
SAP993	S1745E410	Plug Lockout Station	One plug lockout, one tag and one Zenex™ Lock	74.89

LOCKS & LOCKOUT DEVICES

MINI LOCKOUT STATIONS

- Four solid *Master Lock*™ padlocks with blue trim
- 25 durable lockout tags, 3" x 5 3/4", printed with "Do Not Operate"
- Tags are made of 20 mil styrene
- Three metal scissor-type lockouts
- Lockouts are 4 3/8" long, have a 1" hasp and a perforated tab that is painted red and can accommodate up to six locks
- Lockout station is made of double-walled polystyrene, comes with pre-drilled mounting holes and metal hooks
- Size of station: 11" x 14"

NORTH
by Honeywell



English Model No.	Mfg. No.	French Model No.	Mfg. No.	Description	Price /Each
SI957	LSE104	SE323	LSF104	Station Only	50.25
SI958	LSE104F	SE324	LSF104F	Station w/Accessories	154.81



SINGLE LOCKOUT STATIONS

- 10 solid *Master Lock*™ padlocks with blue trim
- 50 durable lockout tags, 3" x 5 3/4", printed with "Do Not Operate"
- Tags are made of 20 mil styrene
- Three metal scissor-type lockouts
- Lockouts are 4 3/8" long, have a 1" hasp and a perforated tab that is painted red and can accommodate up to six locks
- Lockout station is made of double-walled polystyrene, comes with pre-drilled mounting holes and metal hooks
- Size of station: 14" x 21"

NORTH
by Honeywell

English Model No.	Mfg. No.	French Model No.	Mfg. No.	Description	Price /Each
SI959	LSE105	SE325	LSF105	Station Only	76.69
SI960	LSE105F	SE326	LSF105F	Station w/Accessories	403.72

DEPARTMENT LOCKOUT STATIONS

- 20 solid *Master Lock*™ padlocks with blue trim
- 100 durable lockout tags, 3" x 5 3/4", printed with "Do Not Operate"
- Tags are made of 20 mil styrene
- Six metal scissor-type lockouts
- Lockouts are 4 3/8" long, have a 1" hasp and a perforated tab that is painted red and can accommodate up to six locks
- Lockout station is made of double-walled polystyrene, comes with pre-drilled mounting holes and metal hooks
- Size of station: 21" x 29"

NORTH
by Honeywell



English Model No.	Mfg. No.	French Model No.	Mfg. No.	Description	Price /Each
SI961	LSE106	SE327	LSF106	Station Only	113.71
SI962	LSE106F	SE328	LSF106F	Station w/Accessories	874.50

LOCKOUT TOOL BOXES WITH COMPONENTS

A crucial part of any lockout/tagout program is to prevent worker injury by cutting the power on a piece of equipment that is being serviced. The Lockout Tool Box, 17" W x 5" D x 4 1/2" H, has what you need to lock and mark your equipment preventing its use until repairs have been completed.

KIT CONTAINS:

- | | |
|-----------------------------------|---------------------------------------|
| 1 Plastic lockout tool box w/tray | 5 Lockout tags |
| 1 1" to 2.5" gate valve lockout | 1 Universal multi-pole lockout |
| 1 Small ball valve lockout | 1 277 V "No Hole" breaker lockout |
| 1 3/4" blue padlock | 1 480/600 V "No Hole" breaker lockout |
| 1 2" blue padlock | 1 Small plug lockout |
| 1 Wall switch lockout | |
| 1 Labeled lockout hasp | |

Model No. SG946
Mfg. No. 65289
Price/Each \$201.77



COMBINATION LOCKOUT STARTER KITS

Protect your employees and comply with OSHA standards with the *Combination Lockout Starter Kit*. Whether you want to secure breakers wall switches, plugs or gate and ball valves, this kit has the lockout devices to get you started.

KIT CONTAINS:

- | | |
|---|---------------------------------------|
| 6 Single pole breaker lockouts | 2 Small ball valve lockouts |
| 6 227 V "No Hole" breaker lockouts | 2 Large ball valve lockouts |
| 6 Universal multi-pole breaker lockouts | 5 Red labeled lockout hasps |
| 6 Wall switch lockouts | 6 3/4" blue padlocks |
| 1 Small plug lockout | 6 2" blue padlocks |
| 1 Large plug lockout | 25 Lockout tags |
| 2 1" to 2.5" gate valve lockouts | 2 Yellow canvas locking carrying bags |
| 2 2.5" to 5" gate valve lockouts | |

Model No. SG947
Mfg. No. 65779
Price/Each \$743.52



ELECTRICAL LOCKOUT TOOLBOXES

All the basics for locking out breakers, electrical plugs, wall switches and fuses.

KIT CONTAINS:

- 2 Mini cable lockouts
- 2 120 V snap-on breaker lockouts
- 2 120 V/277 V clamp-on breaker lockouts w/cleats
- 2 480 V/400 V Clamp-On Breaker Lockouts w/cleats
- 2 Universal multi-pole breaker lockouts
- 1 Oversized breaker lockout
- 1 3-in-1 plug lockout
- 1 Wall switch lockout
- 1 Small fuse blockout
- 1 Large fuse blockout
- 1 Extra-large lockout toolbox



PERSONAL BREAKER LOCKOUT POUCHES

- Pouch contains one each of the most popular circuit breaker lockouts
- Covers 120 V/277 V and 480 V/600 V breakers in single- and multi-pole configurations

KIT CONTAINS:

- 1 120 V/277 V clamp-on breaker lockout w/cleat
- 1 480 V/600 V clamp-on breaker lockout w/cleat
- 1 Universal multipole breaker lockout
- 2 1" group lockout hasps
- 2 Heavy-duty lockout tags w/nylon cable ties
- 1 Lockout belt pouch

SEC367



SEC368

Model No.	Mfg. No.	Description	Price /Each
SEC369	99310	Electrical Lockout Toolbox Kit	248.59
SEC370	99312	Kit w/2 Safety Padlocks & 2 Tags	286.57

Model No.	Mfg. No.	Description	Price /Each
SEC367	105966	Personal Breaker Lockout Pouch Kit	85.80
SEC368	105967	Kit w/2 Keyed-Alike Safety Padlocks	137.53

LOCKS & LOCKOUT DEVICES

ELECTRICAL POUCH LOCKOUT KITS

- Easy to carry pouch holds lockout essentials
- Holds one worker's personal padlocks, tags and circuit breaker devices

KIT CONTAINS:

- 1 Padlock **SAL138** for **SAL515** and **SAL147** for **SAL516**
- 1 Pouch **SAL538**
- 1 Breaker switch padlock **SAL525**
- 1 Hasp **SA875**
- 2 Circuit breaker lockouts **SAO595**
- 1 Circuit breaker lockouts **SAO594**
- 12 "DO NOT OPERATE" tags - see **SJ137** for replacement tags (25/pkg.)



Master Lock

Model No.	Mfg. No.	Description	Price/Each
SAL515	1456E410	Large Pouch w/Zenex™ Padlock	117.89
SED602	51010E410	Compact pouch w/Zenex™ padlock	19.96
SED603	51010	Compact pouch only	107.37
SAL538	1456	Large Pouch Only	34.80

ELECTRICAL LOCKOUT KITS

(KEYED ALIKE PADLOCKS)

- Safety lockout carrying case keeps important lockout devices and padlocks together
- Personal kits are for the individual worker; padlocks supplied are keyed-alike for added worker convenience
- Kits include high-use components, satisfying most applications

KIT CONTAINS:

- 3 Zenex™ Padlocks
- 1 Portable safety carrying case **SAL539**
- 1 Breaker switch padlock **SAL525**
- 1 Hasp **SA875**
- 1 Snap-on hasp **SAL541**
- 3 Circuit breaker lockouts **SAO595**
- 2 Circuit breaker lockouts **SAO594**
- 1 Wall switch cover - see **SC912** for replacement cover
- 12 "DO NOT OPERATE" tags - see **SJ137** for replacement tags (25/pkg.)



Master Lock

Model No.	Mfg. No.	Description	Price/Each
SAL536	1457E410KA	w/Zenex™ Padlocks	186.86
SAL537	1457E3BLUKA	w/Steel Padlocks	179.39
SEC446	51017	Carrying Case Only	29.57

ELECTRICAL & VALVE LOCKOUT KITS

- Modular lockout/tagout organizers
- Lightweight safety lockout carrying case with modular, translucent storage compartments for improved organization and fast component selection
- Separate compartments for effective grouping of (1) padlocks and hasps, (2) valve lockout and (3) electrical lockout components
- Kits include high-use components, satisfying most applications
- Group kits are for multiple workers; padlocks supplied are keyed-different, so that no unwanted key interchange occurs
- Include permanent write-on labels (English, French and Spanish) that allow instant on-site customization for each worker

KIT CONTAINS:

- 6 Padlocks. **SAL138** for **SAL517** and **SAL147** for **SAL518**
- 1 Portable safety organizer **SAL543**
- 2 Breaker switch padlocks **SAL525**
- 1 Hasp **SA875**
- 1 Snap-on hasp **SAL541**
- 1 Adjustable cable lockout **SAL534**
- 1 Plug cover lockout **SAL520**
- 1 Plug cover lockout **SAL521**
- 1 **SAL526**, **SAL527** and **SAL528** gate valve cover
- 2 Ball valve covers - see **SA0596** for replacement covers
- 6 Circuit breaker lockouts **SA0595**
- 3 Circuit breaker lockouts **SA0594**
- 2 Wall switch covers - see **SC912** for replacement cover
- 24 "DO NOT OPERATE" tags - see **SBD042** for replacement tags (25/pkg.)




Master Lock

Model No.	Mfg. No.	Description	Price/Each
SAL517	1458VE410	w/Zenex™ Padlocks	530.27
SAL543	1458	Portable Safety Organizer Only	61.46

ADJUSTABLE CABLE LOCKOUTS

- Infinitely adjustable for a secure fit every time
- Integrated, single-piece safety hasp and cable for ease-of-use
- Ideal for both multiple circuit breaker panel and side-by-side gate valve lockouts
- Tough, lightweight, *Zenex™* thermoplastic body withstands chemicals; performs effectively in extreme conditions
- Tough flexible multistranded steel cable is insulated with a clear plastic coating
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Custom cable lengths available



Master Lock

Model No.	Mfg. No.	Description	Price /Each
SED596	S806CBL3	Cable lockout w/3' cable	30.25
SED597	S806	Cable lockout w/6' cable	30.25
SED598	S806BL15	Cable lockout w/12' cable	39.48

R32622E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

LOCKS & LOCKOUT DEVICES

LABELED SNAP-ON HASPS

- Combines multiple-person lockout and tagout identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodized aluminum and stainless steel construction for combined corrosion resistance and strength
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Available in nine different colours




Master Lock

Model No.	Mfg. No.	Colour	Price /Each
SAL541	427	Red	14.76
SAP994	427BLK	Black	14.76
SAP995	427BLU	Blue	14.76
SAP998	427GRN	Green	14.76
SAP999	427ORJ	Orange	14.76
SAQ002	427YLW	Yellow	14.76
SAQ003	427AST	Assorted 6/pkg.	97.68

SAFETY LOCKOUT HASPS

- Keeps equipment inoperative while repairs or adjustments are made
- Attach device to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed
- Up to six workers at each lockout point
- Heavy gauge steel jaws resist prying against unauthorized access
- Lockout hasp has vinyl coated handles and is plated to resist rust
- Compatible with nos. 3, 410, 411, 6835 and 6836 safety lockout padlocks with shackle diameters as large as 3/8"




Master Lock

Model No.	Mfg. No.	Diameter	Price /Each
RED W/O LOCKING TABS			
SA875	420	1"	8.28
SA876	421	1 1/2"	8.83
YELLOW (ECONOMY) W/LOCKING TABS			
SAN507	422	1"	5.39
SAN508	424	1 1/2"	6.25
ALUMINUM			
SEA314	422	1"	8.72
SEA315	424	1 1/2"	10.11

LOCKOUT HASPS

Multiple lockouts provide a means of locking control devices for machinery or electrical power sources, while maintenance or repairs are being carried out. Designed for use on fuse and switchboxes, air, steam, or acid valves. Accommodates padlock shackles up to 3/8" diameter and hasp is 1" diameter.



Model No.	Mfg No.	Description	Dimensions"	Price /Each
SC703	RSE66	Dual Scissor, Steel Polyester-Coated	5 1/4	6.63
XA231	RAE60	Single Scissor, Aluminum Polyester-Coated	4 3/8 x 3/8	4.74
SC706	MS01	Nylon Dielectric Single Vertical Line Lock	1 5/8 x 6 7/8	4.97
SA0703	429	Dual Jaw Aluminum	2 x 5 7/8	11.84
SA0704	418	4-Lock Heavy-Duty Steel	2 3/8 x 3 1/4	9.08
SA0705	419	8-Lock Heavy-Duty Steel	2 3/8 x 6 5/8	10.71
SED601	S430	4 mm Steel Hasp	2 1/4 x 3	6.88

**NEED A LOCK?
SEE PAGES 1357-1361**



ROTATING ELECTRICAL PLUG LOCKOUTS

- Outward/inward rotation allows for easier installation and storage
- Unique outward rotation allows for easier installation in confined space applications
- Surrounds the electrical plug; protects against accidental reconnection
- Each size rotates into itself to fit effectively into safety tool boxes
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Complete with high-visibility permanent safety labels (English, French and Spanish)
- The **SALS21** labels can be written-on to identify the responsible person and then erased for the next job

Model No.	Mfg. No.	For Electrical Plugs Sizes Up To	Price /Each
SALS20	487	2 1/4" Dia. x 3 1/4" w/Cord Dia. up to 3/4" (Most 110- and Many 220-Volt Plugs)	14.54
SALS21	488	3" Dia. x 6" w/Cord Dia. up to 3/4" (Most 220- and 550-Volt Plugs)	18.93



GRIP TIGHT™ CIRCUIT BREAKER LOCKOUTS

- Exclusive design accommodates virtually all styles of breaker toggles
- Fits all *American Lock*® and *Master Lock*® safety padlocks and hasps
- Two products replace at least five. **SAO595** is used for single and double breaker toggles, while **SAO594** is appropriate for tall and wide breaker toggles
- Grips tight with a simple thumb turn and clamping handle
- Narrow profile permits side-by-side breaker lockout
- Made of powder coated steel and reinforced polymer to operate in harsh conditions



Model No.	Mfg. No.	Description	Price /Each
SAO594	491B	Tall & Wide Toggles	9.49
SAO595	493B	Standard Single and Double Toggles	7.13
SAO707	506	Set of each SAO594 and SAO595	15.28

CIRCUIT BREAKER SWITCH PADLOCKS

- Provides the flexibility to effectively lock out breaker switches
- Flexi-cable allows the lock body to be moved out of the way and panel door to be closed properly
- Fits the tight space constraints within a circuit breaker shutoff boxes
- Numerous key changes are available to minimize the possibility of unwanted key duplication
- 1 1/8" wide steel body; 4-pin cylinder; 5" flexible steel cable

Model No. SALS25
Mfg. No. 7CSRED
Price/Each \$12.96

Master Lock



UNIVERSAL WALL SWITCH LOCKOUTS

- Prevent unintentional toggling of wall switch to "ON" position
- One-time installation uses the existing wall plate screws
- Hinges open for unobstructed normal operation switch
- Lock the switch in either the "ON" or "OFF" position by closing the cover over the switch, then applying padlock
- Locks out both toggle and decor paddle wall switches

Model No. SAO708
Mfg. No. 496B
Price/Each: \$9.89



Master Lock



COMPACT PLUG PRONG LOCKOUTS

- Compact design locks out 110 V – 120 V electrical plugs
- Works with two-prong or two-prong with ground plugs
- Can be used with safety padlocks or lockout hasps, no key needed
- New S2005 design can now accommodate larger shackle locks and safety hasps



Master Lock

Model No.	Mfg. No.	Description	Price /Each
SAR841	S2005	Electrical Outlet Lockout	9.64

LOCKS & LOCKOUT DEVICES



CIRCUIT BREAKER LOCKOUTS

SINGLE POLE CIRCUIT BREAKER LOCKOUT

Requires a switch breaker with a recessed hole in it. Accommodates breakers up to 9/16" (14 mm) wide.

Model No. SC909

Mfg. No. CB01

Price/Each \$6.95



SC909



SC910



SC911

DOUBLE POLE CIRCUIT BREAKER LOCKOUT

Requires the breakers to be connected with a cross bar for lockout applications. Accommodates breakers with an overall width of 1 7/8" (48 mm).

Model No. SC910

Mfg. No. CB02

Price/Each \$12.22

SINGLE POLE CIRCUIT BREAKERS LOCKOUT

Does not require a switch breaker with a recessed hole in it. Accommodates circuit breakers with an overall width of 1/2" (13 mm).

Model No. SC911

Mfg. No. CB03

Price/Each \$4.97



by Honeywell

STEERING WHEEL COVERS

- Bilingual steering wheel covers notify employees not to start or move vehicles
- Lock in place with a **SA876** hasp and a safety padlock (see pages 895 to 899 for padlocks)
- For added security, use **SAL534** lockout cable around the steering wheel and foot pedals (see pages 895 to 899 for padlocks)
- Three sizes available for various diameter steering wheels



**ACCUFORM
SIGNS®**

Model No.	Mfg. No.	Steering Wheel Diameter"	Price /Each
SED181	KDD712	16	37.77
SED182	KDD723	20	49.67
SED183	KDD734	24	59.12

ELECTRICAL PLUG LOCKOUTS

- Lockout electrical plugs from any accidental reconnection
- Made of high visibility red plastic which is entirely dielectric
- Model **SA864** will accept 110 V, plug 3 1/4" x 1 3/4" with a maximum of 1/2" cable
- Model **SA865** will accept 220 to 550 V, plug 6 3/4" x 3" with a maximum 1" cable



by Honeywell

Model No.	Mfg. No.	Dimensions					Volts	Price /Each
		L"	x	W"	x	H"		
SA864	LP110	3 1/4	x	1 3/4	x	1 3/4	110	14.53
SA865	LP550	6 3/4	x	3	x	3	220-550	21.39

SEAL TIGHT™ HANDLE-ON BALL VALVE LOCKOUTS

- Patent-pending innovative design locks out the ball valves from 1/4" to 4"
- Lightweight and compact ergonomic design allows easy use and storage
- Constructed of metal alloy, this lockout device withstands corrosive environments and operates in extreme temperatures
- Works in virtually all ball valve installations – metal and PVC valves, insulated pipes, and pipes with tight access due to close proximity to other valves, pipes or structures
- Works with all Master Lock® and American Lock® safety padlocks and safety hasps

Model No. SAS463

Mfg. No. S3068

Price/Each \$38.17

**Master
Lock.**




PADLOCK
NOT
INCLUDED

STANDARD BALL VALVE LOCKOUT DEVICES

- Patented design fits all major brand ball valves
- Simple one-piece design makes it easy to use
- Assist in compliance with lockout regulations
- Fits most valves up to 3"

BRADY®



Model No.	Mfg. No.	Valve Size"	Max. Shackle Diameter"	Max. handle Width"	Max. handle Thickness"	Material	Price /Each
SAC622	65666	1/4 - 1	9/32	1	3/4	Super-tough Nylon	19.60
SAC636	65692	1/4 - 1	3/8	1	3/4	Powder-coated Steel	30.77
SAC624	65669	1 1/4 - 3	9/32	13/5	1 1/4	Powder-coated Steel	38.38
SAC637	65693	1 1/4 - 3	3/8	13/5	1 1/4	Powder-coated Steel	38.85

BALL VALVE LOCKOUTS

Available in three sizes for valves from 3/8" to 8". Constructed of heavy-duty, high visibility red polypropylene that is fully dielectric and chemical and solvent resistant. Model SA857 allows you to lock valves in the open or closed position.

NORTH

by Honeywell



Model No.	Mfg. No.	Fits Valve Size"	Price /Each
SA857	BS01R	3/8 to 1 1/4	18.21
SA858	BS02R	1 1/2 to 2 1/2	29.46
SA859	BS03R	2 to 8	34.39

LOCKS & LOCKOUT DEVICES

SEAL TIGHT™ BALL VALVE LOCKOUTS

- Compact, lightweight, flexible and easy to use, the Seal Tight™ valve lockout works on virtually every valve size and applications
- Eliminates the risk of accidentally moving a handle by removing it and concealing the stem
- Effectively locks out all valves from 3/8" to 4", thus eliminating specific valve lockout systems
- Simple to apply, with an intuitive wrapping strap and locking mechanism
- Works on virtually all valves; metal and PVC, insulated pipes, ceiling or wall-mounted pipes and hard to reach valves
- Made of PVC polyester fabric and HDPE plastic, it withstands corrosive environments and operates in temperatures from -40°F to 300°F

Model No. SAO596
Mfg. No. 468L
Price/Each \$30.70

**Master
Lock**



CINCH SACS – LARGE ELECTRICAL CONNECTORS

- Offers broad application solutions sized at 7" diameter by 17" tall
- Insert PVC tubing to block access to control buttons for hoist control lockout
- Flexible and durable rip-stop nylon bag fits easily in safety tool boxes
- Lock out with up to six padlocks or hasps
- Trilingual lock out warning printed on bag

Model No. SAO706
Mfg. No. 453L
Price/Each \$36.39

**Master
Lock**



ROTATING GATE VALVE LOCKOUTS

- Outward/inward rotation allows for easier installation and storage
- Unique, patent-pending outward rotation allows for easier installation in confined space applications
- Surrounds the valve operating handle, protects against accidental valve opening
- Each size rotates into itself to fit effectively into safety tool boxes
- Each size nests within the next larger size to save space in storage
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job



SAL529



SAL528



SAL531

**Master
Lock**

Model No.	Mfg. No.	Description	Price /Each
SAL526	480	Fits 1" to 3" Dia. Valve Handle	17.43
SAL527	481	Fits 2" to 5" Dia. Valve Handle	26.60
SAL528	482	Fits 4" to 6 1/2" Dia. Valve Handle	36.90
SAL529	483	Fits 6" to 10" Dia. Valve Handle	46.13
SAL530	484	Fits 8" to 13" Dia. Valve Handle	76.88
SAL531	485	1 Set Consists of 1 x SAL526, SAL527, SAL528, SAL529 & SAL530	176.76

Look for this symbol
for environmentally
friendly products!



SAFETY TAGS

Header style tags meet Occupational Safety and Health Administration requirements. Choose from a variety of common styles and legends that apply to a variety of situations. Tags are available in two materials: **PF-cardstock** and **RV-plastic**. 25 per package.


PF-Cardstock

- 5 7/8" x 3 1/8" with 3/8" hole
- Pliable, 10-mil plastic
- Pulp-free, no wood-paper content
- Waterproof, tear-resistant for short-term use

RV-Plastic

- 5 7/8" x 3 3/8" with 3/8" hole, reinforced with metal grommet
- 15-mil tear-resistant plastic
- Weather and chemical-resistant

BLANK HEADER TAGS



Material
PF-Cardstock
RV-Plastic


Front Back
SAU650
SAU651



Front Back
SAU654
SAU655



Front Back
SAU658
SAU659



Front Back
SAU662
SAU663

STANDARD SAFETY TAGS



Material
PF-Cardstock
RV-Plastic

SAT022
SAT045



SAU606
SAU607



SAU610
SAU611



SAU614
SAU615




Material
PF-Cardstock
RV-Plastic

SAU618
SAU619



SAU626
SAU627




SAU638
SAU639



Standard Back

EQUIPMENT STATUS & INSPECTION TAGS




Material
PF-Cardstock
RV-Plastic

Front Back
SAU702
SAU703




Front Back
SAU698
SAU699



Front Back
SAU706
SAU707



Front Back
SAU714
SAU715



Front Back
SAU718
SAU719

Material	Size"	Price/Pkg. 25
PF-Cardstock	5 7/8 x 3 1/8	18.68
RV-Plastic	5 7/8 x 3 3/8	49.76



**ACCUFORM
SIGNS®**

SAFETY TAGS

LOCKOUT TAGS



Material
PF-Cardstock
RV-Plastic

SAU778
SAU779



SAU782
SAU783




SAU790
SAU791



SAU806
SAU807



SAU810
SAU811



Std. Lockout Back

FRENCH SAFETY TAGS

BLANK HEADER TAGS



Material
PF-Cardstock
RV-Plastic

SED646
SED647



SED648
SED649



SED650
SED651



SED652
SED653

STANDARD SAFETY



Material
PF-Cardstock
RV-Plastic

SAU834
SAU835



SAU838
SAU839



SAU846
SAU847



SAU842
SAU843



Material
PF-Cardstock
RV-Plastic

SAU854
SAU855



SAU866
SAU867



SAU858
SAU859



Standard French
Back

Material	Size"	Price/Pkg. 25
PF-Cardstock	5 7/8 x 3 1/8	18.68
RV-Plastic	5 7/8 x 3 3/8	49.76



**ACCUFORM
SIGNS®**

EQUIPMENT STATUS & INSPECTION TAGS



SED654
SED655



SED656
SED657



SED658
SED659



SED660
SED661

Material
PF-Cardstock
RV-Plastic

LOCKOUT



SAU870
SAU871



SAU874
SAU875



SAU878
SAU879



SAU882
SAU883



Material
PF-Cardstock
RV-Plastic

Material	Size"	Price/Pkg. 25
PF-Cardstock	5 7/8 x 3 1/8	18.68
RV-Plastic	5 7/8 x 3 3/8	49.76



**ACCUFORM
SIGNS®**



Canada's Leading
Material Handling Manufacturer




SAFETY TAGS

ENGLISH LOCKOUT IDENTIFICATION TAGS

These durably tags are designed to create visibility and awareness. All tags have 3/8" grommets and are 2 3/4" x 6 1/2" in size. For use indoor or outdoor. Tags can be written on with most types of markers and pens. Colour: Yellow on red. 25/pkg.

INCOM
MANUFACTURING GROUP
TOP TAPE & LABEL



SC935



SC937



SC938



SC939



SC940

Priced per Package

Model No.	Mfg. No.	Description	Price /Each
SC935	32669	This Equipment Locked Out	66.58
SC937	32668	Do Not Operate	66.58
SC938	32663	Do Not Operate-Maintenance Dept	66.58
SC939	32667	Locked Out	66.58
SC940	32665	Do Not Start-Electrician At Work	66.58

FRENCH LOCKOUT IDENTIFICATION TAGS

All lockout tags are 3" x 5 3/4" in size and made of rugged stain and mildew resistant 20 mil styrene. The textured surface allows you to write all important information such as names, dates and expected completion time as well as any other remarks. These tags are sold in packs of 25 identical tags with necessary fasteners. Available with grommets for greater strength. Tags are striped red for easier identification.

NORTH
by Honeywell



SE338




SE339



SE340



SE341



SE342



SE343



SE344

Priced per Package

Model No.	Mfg. No.	Description	Price /Each
SE338	ELF290G/1	Danger - Ne pas opérer	46.55
SE339	ELF265G/1	Danger - Équipement verrouillé	46.55
SE340	ELF255G/1	Danger - Ne pas ouvrir	46.55
SE341	ELF250G/1	Danger - Ne pas démarrer	46.55
SE342	ELF235G/1	Danger - Ne pas opérer - Département de maintenance	46.55
SE343	ELF230G/1	Danger - Équipement verrouillé - Ne pas opérer	46.55
SE344	ELF240G/1	Danger - Équipement verrouillé - Electriciens au travail	46.55

TAGS BY-THE-ROLL: NEVER RUN OUT OF TAGS AGAIN!

- Tag size: 6 1/4" x 3", with 3/8" hole
- 10-mil PF-Cardstock tags
- Tear-resistant, waterproof 'pulp-free' material
- Writable matte surface
- Dispenser size: 9 1/4" x 9 1/4" x 3 1/2"
- Available in rolls of 100 or 250 tags



Per Roll	Price/Roll
100	63.72
250	141.58



ENGLISH TAGS




Front Back
100/Roll 250/Roll
SAS755 SAS449



Front Back
100/Roll 250/Roll
SAS757 SAS782



Front Back
100/Roll 250/Roll
SAS783 SAS784



Front Back
100/Roll 250/Roll
SAS785 SAS764

FRENCH TAGS (ROLLS OF 250 TAGS)

Model No.	Mfg. No.	Description
SAS452	TAR123	<i>Danger; Ne pas faire fonctionner</i>
SAS453	TAR127	<i>Danger; Ne pas faire fonctionner (w/Stripes)</i>
SAS454	TAR425	<i>Danger; Verrouillé; Ne pas faire fonctionner (w/Stripes)</i>

LOOP 'N STRAP™ TAGS

- Attach tags by self-fastening strap for quick marking
- 0.023" polyethylene plastic tags resist dirt, grease and moisture
- Write on tag with permanent marker
- Tag body is 5 1/4" X 3 1/4", with 1 3/8" x 6" strap
- 25/pkg.



Price/Pkg. of 25
49.76




ENGLISH TAGS



SAS435 SAS747 SAS748 SAS749 SAS750

FRENCH TAGS

Model No.	Mfg. No.	Description
SAS440	TAL357	<i>Danger; Ne Pas Entrer</i>
SAS441	TAL351	<i>Danger; Ne pas faire fonctionner</i>
SAS442	TAL356	<i>Danger; Hors service</i>
SAS443	TAL322	<i>Danger</i>
SAS444	TAL326	<i>Attention</i>




SAFETY TAGS




BLANK TAGS

We offer tags available blank so that you can write any message in pen, pencil, or marker. Use for coding, marking, quick identification, production status, or inventory.



MANILA BLANK CARDSTOCK TAGS

- 13 pt. Manila Cardstock Tags have patch-reinforced 3/16" hole
- Available plain hole, looped with 12" galvanized steel wire, or looped with 12" cotton string
- Available in pack of 100, or box of 1000




Hole Only Size No.	Size"	100	1000	Price 100/Pkg.	Price 1000/Box
1	2 3/4 x 1 3/8	SI966	SAG441	4.86	21.28
2	3 1/4 x 1 5/8	SAW514	SAG442	5.48	23.28
3	3 3/4 x 1 7/8	SI968	SAG443	6.43	24.80
4	4 1/4 x 2 1/8	SI969	SAG444	7.43	26.91
5	4 3/4 x 2 3/8	SI970	SAG445	8.66	28.65
6	5 1/4 x 2 5/8	SI971	SAG446	9.99	30.70
7	5 3/4 x 2 7/8	SAW515	SAG447	11.15	34.29
8	6 1/4 x 3 1/8	SAW516	SAG448	13.23	37.12

Hole with Wire Size No.	Size"	100	1000	Price 100/Pkg.	Price 1000/Box
1	2 3/4 x 1 3/8	SAW517	SAG449	14.48	68.17
2	3 1/4 x 1 5/8	SAW518	SAG450	15.59	69.44
3	3 3/4 x 1 7/8	SAW519	SAG451	16.03	70.58
4	4 1/4 x 2 1/8	SBB051	SAG452	17.11	71.86
5	4 3/4 x 2 3/8	SBB053	SAG453	18.11	72.78
6	5 1/4 x 2 5/8	SAW522	SAG454	19.71	77.08
7	5 3/4 x 2 7/8	SAW523	SAG455	21.62	79.47
8	6 1/4 x 3 1/8	SAW524	SAG456	22.61	79.71

Hole with String Size No.	Size"	100	1000	Price 100/Pkg.	Price 1000/Box
1	2 3/4 x 1 3/8	SAW525	SAG457	11.29	59.36
2	3 1/4 x 1 5/8	SAW526	SAG458	12.44	60.68
3	3 3/4 x 1 7/8	SAW527	SAG459	12.91	62.16
4	4 1/4 x 2 1/8	SAW528	SAG460	13.91	63.90
5	4 3/4 x 2 3/8	SAW529	SAG461	15.26	66.17
6	5 1/4 x 2 5/8	SAW530	SAG462	16.55	68.33
7	5 3/4 x 2 7/8	SAW531	SAG463	17.72	70.70
8	6 1/4 x 3 1/8	SAW532	SAG464	19.61	73.23

STANDARD COLOR BLANK CARDSTOCK TAGS

- 13 pt. coated color cardstock tags have a patch-reinforced 3/16" hole
- Available plain hole, looped with 12" galvanized steel wire, or looped with 12" cotton string
- Available in pack of 100, or box of 1000.



Hole Only Size No.	Size"	Blue		Green		Red		White		Yellow		Price 100/Pkg.	Price 1000/Box
1	2 3/4 x 1 3/8	SAW536	SAG501	SAW560	SAG486	SAW584	SAG479	SAW608	SAG465	SAW632	SAG472	5.77	23.80
2	3 1/4 x 1 5/8	SAW537	SAG502	SAW561	SAG487	SAW585	SAG480	SAW609	SAG466	SAW633	SAG473	6.58	26.22
3	3 3/4 x 1 7/8	SAW538	SAG503	SAW562	SAG488	SAW586	SAG481	SAW610	SAG467	SAW634	SAG474	7.78	29.07
4	4 1/4 x 2 1/8	SAW539	SAG504	SAW563	SAG489	SAW587	SAG482	SAW611	SAG468	SAW635	SAG475	9.01	32.34
5	4 3/4 x 2 3/8	SAW540	SI978	SAW564	SI977	SAW588	SI976	SAW612	SI974	SAW636	SI975	10.46	34.60
6	5 1/4 x 2 5/8	SAW541	SAG505	SAW565	SAG490	SAW589	SAG483	SAW613	SAG469	SAW637	SAG476	12.02	40.42
7	5 3/4 x 2 7/8	SAW542	SAG506	SAW566	SAG491	SAW590	SAG484	SAW614	SAG470	SAW638	SAG477	13.55	44.85
8	6 1/4 x 3 1/8	SAW543	SAG507	SAW567	SAG492	SAW591	SAG485	SAW615	SAG471	SAW639	SAG478	15.86	44.54

Hole with Wire Size No.	Size"	Blue		Green		Red		White		Yellow		Price 100/Pkg.	Price 1000/Box
1	2 3/4 x 1 3/8	SAW552	SAG555	SAW576	SAG539	SAW600	SAG531	SAW624	SAG515	SAW648	SAG523	17.42	70.70
2	3 1/4 x 1 5/8	SAW553	SAG556	SAW577	SAG540	SAW601	SAG532	SAW625	SAG516	SAW649	SAG524	18.65	72.97
3	3 3/4 x 1 7/8	SAW554	SAG557	SAW578	SAG541	SAW602	SAG533	SAW626	SAG517	SAW650	SAG525	19.31	75.67
4	4 1/4 x 2 1/8	SAW555	SAG558	SAW579	SAG542	SAW603	SAG534	SAW627	SAG518	SAW651	SAG526	20.60	78.72
5	4 3/4 x 2 3/8	SAW556	SAG559	SAW580	SAG543	SAW604	SAG535	SAW628	SAG519	SAW652	SAG527	21.80	80.11
6	5 1/4 x 2 5/8	SAW557	SAG560	SAW581	SAG544	SAW605	SAG536	SAW629	SAG520	SAW653	SAG528	23.78	86.32
7	5 3/4 x 2 7/8	SAW558	SAG561	SAW582	SAG545	SAW606	SAG537	SAW630	SAG521	SAW654	SAG529	26.02	90.49
8	6 1/4 x 3 1/8	SAW559	SAG562	SAW583	SAG546	SBB093	SAG538	SAW631	SAG522	SAW655	SAG530	27.08	95.08

Hole with String Size No.	Size"	Blue		Green		Red		White		Yellow		Price 100/Pkg.	Price 1000/Box
1	2 3/4 x 1 3/8	SAW544	SAG611	SAW568	SAG595	SAW592	SAG587	SAW616	SAG571	SAW640	SAG579	13.60	61.89
2	3 1/4 x 1 5/8	SAW545	SAG612	SAW569	SAG596	SAW593	SAG588	SAW617	SAG572	SAW641	SAG580	14.93	64.16
3	3 3/4 x 1 7/8	SAW546	SAG613	SAW570	SAG597	SAW594	SAG589	SAW618	SAG573	SAW642	SAG581	15.53	66.85
4	4 1/4 x 2 1/8	SAW547	SAG614	SAW571	SAG598	SAW595	SAG590	SAW619	SAG574	SAW643	SAG582	16.74	69.91
5	4 3/4 x 2 3/8	SAW548	SAG615	SAW572	SAG599	SAW596	SAG591	SAW620	SAG575	SAW644	SAG583	18.41	73.71
6	5 1/4 x 2 5/8	SAW549	SAG616	SAW573	SAG600	SAW597	SAG592	SAW621	SAG576	SAW645	SAG584	19.85	77.51
7	5 3/4 x 2 7/8	SAW550	SAG617	SAW574	SAG601	SAW598	SAG593	SAW622	SAG577	SAW646	SAG585	21.26	81.73
8	6 1/4 x 3 1/8	SAW551	SAG618	SAW575	SAG602	SAW599	SAG594	SAW623	SAG578	SAW647	SAG586	23.59	86.32

TYVEK® BLANK TAGS

Tyvek® is a lightweight pressure-bonded fibre. This flexible 7.5-pt. material is abrasion- and tear-resistant, and can withstand moisture, chemicals, and frequent handling.

- Tags have patch- and metal-reinforced 3/16" hole
- Hole is available plain or looped with 12" galvanized steel wire
- Available in pack of 100 or box of 1000



WHITE TYVEK®

Hole Only Size No.	Size"	100	1000	Price 100/Pkg.	Price 1000/Box
5	4 3/4 x 2 3/8	SAW683	SAG747	26.12	94.49
8	6 1/4 x 3 1/8	SAW694	SAG749	43.37	121.20

Hole with Wire Size No.	Size"	100	1000	Price 100/Pkg.	Price 1000/Box
5	4 3/4 x 2 3/8	SAW695	SAG750	33.77	132.77
8	6 1/4 x 3 1/8	SAW697	SAG752	50.61	164.84




COLOURED TYVEK®

Hole Only Size No.	Size"	Blue 100	Blue 1000	Green 100	Green 1000	Red 100	Red 1000	Yellow 100	Yellow 1000	Price 100/Pkg.	Price 1000/Box
5	4 3/4 x 2 3/8	SAW656	SAW657	SAW665	SAW666	SAW674	SAW675	SAW686	SAW687	51.15	440.30
8	6 1/4 x 3 1/8	SAW658	SAG759	SAW667	SAG758	SAW676	SAG757	SAW535	SAG756	69.39	268.54

Hole With Wire Size No.	Size"	Blue 100	Blue 1000	Green 100	Green 1000	Red 100	Red 1000	Yellow 100	Yellow 1000	Price 100/Pkg.	Price 1000/Box
5	4 3/4 x 2 3/8	SAW662	SAW663	SAW671	SAW672	SAW680	SAW681	SAW691	SAW692	62.51	531.65
8	6 1/4 x 3 1/8	SAW664	SAG764	SAW673	SAG763	SAW682	SAG762	SAW693	SAG761	82.74	213.12

FLUORESCENT BLANK CARDSTOCK TAGS

- 10 pt. fluorescent cardstock tags have patch-reinforced 3/16" hole
- Available plain hole, looped with 12" galvanized steel wire, or looped with 12" cotton string
- Available in pack of 100, or box of 1000



HOLE ONLY

Size No.	Size"	Fluorescent Green 100	Fluorescent Green 1000	Fluorescent Pink 100	Fluorescent Pink 1000	Fluorescent Red 100	Fluorescent Red 1000	Fluorescent Yellow 100	Fluorescent Yellow 1000	Price 100/Pkg.	Price 1000/Box
5	4 3/4 x 2 3/8	SAW698	SAW699	SAW716	SAW717	SAW734	SAW735	SAW752	SAW753	17.03	147.98
6	5 1/4 x 2 5/8	SAW700	SAW701	SAW718	SAW719	SAW736	SAW737	SAW754	SAW755	19.44	168.80
8	6 1/4 x 3 1/8	SAW702	SAW703	SAW720	SAW721	SAW738	SAW739	SAW756	SAW757	25.11	218.11

HOLE WITH WIRE

Size No.	Size"	Fluorescent Green 100	Fluorescent Green 1000	Fluorescent Pink 100	Fluorescent Pink 1000	Fluorescent Red 100	Fluorescent Red 1000	Fluorescent Yellow 100	Fluorescent Yellow 1000	Price 100/Pkg.	Price 1000/Box
5	4 3/4 x 2 3/8	SAW704	SAW705	SAW722	SAW723	SAW740	SAW741	SAW758	SAW759	27.81	241.82
6	5 1/4 x 2 5/8	SAW706	SAW707	SAW724	SAW725	SAW742	SAW743	SAW760	SAW761	29.90	259.88
8	6 1/4 x 3 1/8	SAW708	SAW709	SAW726	SAW727	SAW744	SAW745	SAW762	SAW763	34.56	300.46

HOLE WITH STRING

Size No.	Size"	Fluorescent Green 100	Fluorescent Green 1000	Fluorescent Pink 100	Fluorescent Pink 1000	Fluorescent Red 100	Fluorescent Red 1000	Fluorescent Yellow 100	Fluorescent Yellow 1000	Price 100/Pkg.	Price 1000/Box
5	4 3/4 x 2 3/8	SAW710	SAW711	SAW728	SAW729	SAW746	SAW747	SAW764	SAW765	23.12	201.10
6	5 1/4 x 2 5/8	SAW712	SAW713	SAW730	SAW731	SAW748	SAW749	SAW766	SAW767	24.98	217.10
8	6 1/4 x 3 1/8	SAW714	SAW715	SAW732	SAW733	SAW750	SAW751	SAW768	SAW769	29.51	256.45

SAFETY TAGS

TAG FINISHING OPTIONS

STRING TIES


- 12" string ties
- Available in Bundles of 100



Model No.	Price/Bn.
SAU888	9.32

BEADED NYLON TIES

- 5" white nylon 6/6
- Self locking design with 18-lb pull strength



Model No.	Qty.	Price/Bn.
SAU889	1000/Pkg.	66.33
SAU890	100/Pkg.	8.04



SNAP HOOK LOOP

- Zinc-plated steel loop
- Inside dimensions: 1 1/2" x 2 13/16"



Model No.	Qty.	Price/Bn.
SAU891	100/Pkg.	45.00
SAU892	Each	0.58

TAG HOLDERS



- Hold a pack of tags in the location they are needed
- Plastic single-pocket tag holder
- 9" H x 4" W aluminum back
- Four corner mounting holes
- Adhesive mounting strips included



Model No.	Price/Each
SAT748	21.39

BLANK BRASS TAGS

Identify equipment, materials and pipes by stamping description directly onto tag. 18-gauge brass tags. Packages of 100.



Priced per Package						
Model No.	Mfg. No.	Shape	Tag Size"	Hole Size"	Wt. lbs.	Price /Each
SA963	41857	Round	1 1/2	3/16	2.2	102.14
SA961	41432	Square	1 1/4	3/16	1.9	86.15
SA962	41527	Octagon	1 1/4	3/16	1.9	79.49

Other sizes, styles available upon request.

NUMBERED BRASS TAGS

Black filled numbers. 18-gauge brass. 1 1/2" diameter tags with 3/16" hole. Available only in unbroken series of 25.

Wt.: 0.5 lb per series.



Priced per Series			
Model No.	Mfg. No.	Number Series	Price /Each
SA949	40023	001 - 025	66.55
SA950	40024	026 - 050	66.55
SA951	40025	051 - 075	66.55
SA952	40026	076 - 100	66.55

Priced per Series			
Model No.	Mfg. No.	Number Series	Price /Each
SA953	40027	101 - 125	66.55
SA954	40028	126 - 150	66.55
SA955	40029	151 - 175	66.55
SA956	40030	176 - 200	66.55

aurora tools®

The best value in industrial tools . . . period



TIES

LADDER TIES

Lightweight, low cost nylon ties are strong yet flexible.
Natural colour. Bags of 1000.



Priced per Bag

Model No.	Mfg. No.	Length"	Bundle Dia. Min" - Max"	Tensile Strength lbs.	Price /Each
PA876	8470	7	1/16 - 1 3/4	40	42.18
PA877	8471	11	1 1/16 - 3	40	47.45



METALLIC CORD TIES

- 26 gauge
- 12" long
- 1000/pkg.

Priced per Package


Model No. SC960
Price/Each \$10.23

PLASTIC TAG FASTENERS

- 5" long
- 200/pkg.

Priced per Package

Model No. SI980
Price/Each \$7.88



LEAD SECURITY SEALS & SEALING PRESSES

Provides security in a wide variety of situations. Slip twisted wire through the hole in lead seal disc and crush with sealing press. Can't be opened or tampered with, without detection. 7/16" diameter lead seals with 10" two-ply annealed steel wires. Lead sealing press comes with two blank dies.



Model No.	Mfg. No.	Description	Price /Each
SA947	27905	Sealing Press	106.59
SA948	27911	Seals, 100/pkg.	27.48

SPLIT KEY RINGS

Designed for holding and preventing the loss of metal checks and tags.



Rings



Spring Sleeve

Price per Package

Model No.	Mfg. No.	Description	Qty /Pkg.	Price /Each
SA957	40082	1" Ring	100	29.59
SA958	40084	1 1/2" Ring	50	34.31
SA959	40085	2" Ring	50	48.27
SA960	40087	Spring Sleeve	100	97.04

S HOOKS

- For quick, permanent fastening of checks and tags
- Easily closed with pliers
- Available in nickel in three sizes
- 100/pkg.




Priced per Package

Model No.	Mfg. No.	Size"	Price /Each
SC945	41003	7/8	25.70
SC944	41004	1 1/8	28.73
SAG889	41005	1 1/2	32.37

BEADED CHAINS

- For quick, permanent fastening of checks and tags
- Easily closed by hand
- Flexible for hard-to-fasten places
- Available in 4 1/2" nickel or brass plated or 6" brass plated
- 100/pkg.



Priced per Package

Model No.	Mfg. No.	Description	Length"	Price /Each
SAG886	40096	Nickel Plated	4 1/2	16.33
SAG887	40097	Brass Plated	4 1/2	22.48
SAG888	40098	Brass Plated	6	26.85

STEEL HAND STAMPS

- For hand-held, hammer struck applications
- Manufactured from high quality steel
- Induction hardened for added durability and extended life
- Bevelled striking edge prevents breakage and accidents during use
- Stamping end is hardened at 58-62 HRC and the striking end is hardened to 38-43 HRC to prevent splintering
- Letter sets contain 27 pieces, "A" through "Z" and "&"-ampersand
- Number sets contain 9 pieces, "0" through "9", numbers "6" and "9" are interchangeable



aurora tools®

Model No.	Stamp Size"	Type	Price /Each
TLZ389	1/8	Number	12.25
TLZ392	1/8	Letter	33.95
TLZ390	3/16	Number	19.95
TLZ393	3/16	Letter	48.50
TLZ391	1/4	Number	25.90
TLZ394	1/4	Letter	63.40

STEEL HAND STAMP SETS



FOR HAND-HELD HAMMER STRUCK APPLICATIONS



Standard Steel Stamps

- Standard-high quality stamps for general purpose uses at low cost
- Crowned striking surface
- Textured shank



Heavy-Duty Stamps

- Heavy-duty marking performance
- Tempered shanks for extra durability and safety
- Crowned striking surface
- Larger shanks than standard



Premier Tempered Stamps

- Large shanks are tempered designed to hold up under continuous hard hammering
- Top quality tempered shanks



Round Face Low Stress Stamps

- Rounded characters produce minimum stress on the marked surface
- Meets government specifications for minimum stress marking
- Crowned striking surface
- Textured shanks
- Larger shanks than heavy-duty



Low Stress Dot Design

- Made on premier size shanks
- Interrupted dot design has a radius on the character end
- Make a permanent mark with minimum stress on the marked metal
- Meets U.S. Atomic Energy specifications
- Applications where metal strength and/or risk of fracture is critical
- Ideal for use in aircraft, missile, oil supply and nuclear power

Call us for more information!



Model No.	Mfg. No.	Size"	Type	Dimensions Sq." x L"	Wt. lbs.	Price /Each
STANDARD GENERAL PURPOSE						
SF090	20150	3/32	Letters	1/4 x 2 3/8	1.50	73.09
SF091	20521	3/32	Numbers	1/4 x 2 3/8	0.50	26.54
SE234	20200	1/8	Letters	1/4 x 2 3/8	1.50	73.09
SE235	20541	1/8	Numbers	1/4 x 2 3/8	0.50	26.54
SE236	20250	3/16	Letters	5/16 x 2 3/8	2.13	88.70
SE237	20561	3/16	Numbers	5/16 x 2 3/8	0.75	29.57
SE238	20300	1/4	Letters	3/8 x 2 5/8	3.00	98.81
SE239	20581	1/4	Numbers	3/8 x 2 5/8	1.13	35.63
SAK459	20350	3/8	Letters	1/2 x 2 3/4	6.00	144.25
SAK460	20601	3/8	Numbers	1/2 x 2 3/4	2.00	51.96
SF092	20400	1/2	Letters	3/4 x 3 3/4	10.00	214.42
SF093	20621	1/2	Numbers	3/4 x 3 3/4	3.25	77.31

HEAVY-DUTY GRADE						
SF082	20801	3/32	Letters	5/16 x 2 1/2	2.25	113.31
SF083	21340	3/32	Numbers	5/16 x 2 1/2	0.88	40.86
SA932	20851	1/8	Letters	5/16 x 2 1/2	2.30	113.31
SA935	21360	1/8	Numbers	5/16 x 2 1/2	0.88	40.86
SA933	20951	3/16	Letters	3/8 x 2 3/4	3.30	135.71
SA936	21400	3/16	Numbers	3/8 x 2 3/4	1.10	48.88
SA934	21051	1/4	Letters	7/16 x 3	5.00	157.13
SA937	21440	1/4	Numbers	7/16 x 3	1.80	56.63
SF084	21201	1/2	Letters	3/4 x 3 3/4	17.00	378.56
SF085	21500	1/2	Numbers	3/4 x 3 3/4	2.63	126.22

PREMIER INDUSTRIAL GRADE						
SF086	22100	3/32	Letters	5/16 x 2 3/4	2.38	130.56
SF087	22841	3/32	Numbers	5/16 x 2 3/4	0.88	47.04
SA938	22150	1/8	Letters	3/8 x 2 3/4	3.30	130.56
SA941	22861	1/8	Numbers	3/8 x 2 3/4	1.30	47.04
SA939	22250	3/16	Letters	7/16 x 2 3/4	3.50	156.33
SA942	22901	3/16	Numbers	7/16 x 2 3/4	1.40	56.35
SA940	22350	1/4	Letters	1/2 x 3	6.00	180.37
SA943	22941	1/4	Numbers	1/2 x 3	2.30	65.01
SF088	22550	1/2	Letters	3/4 x 3 3/4	3.25	435.84
SF089	23021	1/2	Numbers	3/4 x 3 3/4	6.00	145.30

ROUND FACE LOW STRESS						
SF094	25750	3/32	Letters	5/16 x 2 3/8	2.38	145.04
SF095	26081	3/32	Numbers	5/16 x 2 3/8	0.88	52.28
SF096	25800	1/8	Letters	3/8 x 2 5/8	3.25	145.04
SF097	26101	1/8	Numbers	3/8 x 2 5/8	1.25	52.28
SF098	25850	3/16	Letters	7/16 x 2 3/4	3.50	172.88
SF099	26121	3/16	Numbers	7/16 x 2 3/4	1.38	62.33
SF100	25900	1/4	Letters	1/2 x 3	6.00	227.34
SF101	26141	1/4	Numbers	1/2 x 3	2.25	81.95
SF102	26000	1/2	Letters	3/4 x 3 3/4	18.25	523.09
SF103	26181	1/2	Numbers	3/4 x 3 3/4	6.00	176.60
SAS103	25950	3/8"	Letters	3/8 x 3 1/8	10.50	345.78
SAS104	26161	3/8"	Numbers	5/8 x 3 1/8	3.50	115.26

DOTTED LOW STRESS						
SAS093	26200	1/8	Letters	3/8 x 2 3/4	3.25	198.16
SAS094	26601	1/8	Numbers	3/8 x 2 3/4	1.25	71.42
SAS095	26250	3/16	Letters	7/16 x 2 3/4	3.5	233.28
SAS096	26621	3/16	Numbers	7/16 x 2 3/4	1.38	84.06
SAS097	26300	1/4	Letters	1/2 x 3	6.00	300.08
SAS098	26641	1/4	Numbers	1/2 x 3	2.25	100.04
SAS099	26350	3/8	Letters	5/8 x 3 1/8	10.50	458.78
SAS100	26661	3/8	Numbers	5/8 x 3 1/8	3.50	152.93
SAS101	26400	1/2	Letters	3/4 x 4	18.25	698.75
SAS102	26681	1/2	Numbers	3/4 x 4	6.00	232.91

INDIVIDUAL STANDARD GENERAL PURPOSE STEEL HAND STAMP PIECES

- For hand-held, hammer struck applications
- Dimensions of characters in inches

Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.	Model No.	Mfg. No.
3/32"	1/8"	3/16"	1/4"	1/2"	3/32"	1/8"	3/16"	1/4"	1/2"	3/32"	1/8"
LETTERS											
A SF444	20150-A	SF480	20200-A	SF516	20250-A	SF552	20300-A	SF588	20400-A	T SF463	20150-T
B SF445	20150-B	SF481	20200-B	SF517	20250-B	SF553	20300-B	SF589	20400-B	U SF464	20150-U
C SF446	20150-C	SF482	20200-C	SF518	20250-C	SF554	20300-C	SF590	20400-C	V SF465	20150-V
D SF447	20150-D	SF483	20200-D	SF519	20250-D	SF555	20300-D	SF591	20400-D	W SF466	20150-W
E SF448	20150-E	SF484	20200-E	SF520	20250-E	SF556	20300-E	SF592	20400-E	X SF467	20150-X
F SF449	20150-F	SF485	20200-F	SF521	20250-F	SF557	20300-F	SF593	20400-F	Y SF468	20150-Y
G SF450	20150-G	SF486	20200-G	SF522	20250-G	SF558	20300-G	SF594	20400-G	Z SF469	20150-Z
H SF451	20150-H	SF487	20200-H	SF523	20250-H	SF559	20300-H	SF595	20400-H		
I SF452	20150-I	SF488	20200-I	SF524	20250-I	SF560	20300-I	SF596	20400-I		
J SF453	20150-J	SF489	20200-J	SF525	20250-J	SF561	20300-J	SF597	20400-J		
K SF454	20150-K	SF490	20200-K	SF526	20250-K	SF562	20300-K	SF598	20400-K		
L SF455	20150-L	SF491	20200-L	SF527	20250-L	SF563	20300-L	SF599	20400-L		
M SF456	20150-M	SF492	20200-M	SF528	20250-M	SF564	20300-M	SF600	20400-M		
N SF457	20150-N	SF493	20200-N	SF529	20250-N	SF565	20300-N	SF601	20400-N		
O SF458	20150-O	SF494	20200-O	SF530	20250-O	SF566	20300-O	SF602	20400-O		
P SF459	20150-P	SF495	20200-P	SF531	20250-P	SF567	20300-P	SF603	20400-P		
Q SF460	20150-Q	SF496	20200-Q	SF532	20250-Q	SF568	20300-Q	SF604	20400-Q		
R SF461	20150-R	SF497	20200-R	SF533	20250-R	SF569	20300-R	SF605	20400-R		
S SF462	20150-S	SF498	20200-S	SF534	20250-S	SF570	20300-S	SF606	20400-S		
Price/Each	3.44	3.44	4.76	5.18	12.24						
NUMBERS											
0 SF470	20150-0	SF506	20200-0	SF542	20250-0	SF578	20300-0	SF614	20400-0		
1 SF471	20150-1	SF507	20200-1	SF543	20250-1	SF579	20300-1	SF615	20400-1		
2 SF472	20150-2	SF508	20200-2	SF544	20250-2	SF580	20300-2	SF616	20400-2		
3 SF473	20150-3	SF509	20200-3	SF545	20250-3	SF581	20300-3	SF617	20400-3		
4 SF474	20150-4	SF510	20200-4	SF546	20250-4	SF582	20300-4	SF618	20400-4		
5 SF475	20150-5	SF511	20200-5	SF547	20250-5	SF583	20300-5	SF619	20400-5		
6 SF476	20150-6	SF512	20200-6	SF548	20250-6	SF584	20300-6	SF620	20400-6		
7 SF477	20150-7	SF513	20200-7	SF549	20250-7	SF585	20300-7	SF621	20400-7		
8 SF478	20150-8	SF514	20200-8	SF550	20250-8	SF586	20300-8	SF622	20400-8		
9 SF479	20150-9	SF515	20200-9	SF551	20250-9	SF587	20300-9	SF623	20400-9		
Price/Each	3.44	3.44	4.76	5.18	12.24						



STEEL TYPE & TYPE HOLDER KITS


Save time when you mark metal. In one stroke, a series of letters and numbers can be stamped on a product or name plate with uniform legibility. Type holder has spring pin to hold notched type securely. 1/8" and 3/16" holder has a 15 character capacity. 1/4" holder handles 12 characters. Letters, numbers, blanks must always equal full capacity of holder. Kit contains 40 pieces: A through Z, 0 through 9, dash, and 3 blank spacers. Packed in a sturdy wooden box with plastic insert for character storage.



Model No.	Mfg. No.	Character Size"	Wt. lbs.	Price /Each
SA944	27774	1/8	3.3	825.73
SA945	27778	3/16	3.7	882.56
SA946	27782	1/4	4.6	989.34

Please observe the standard method of character size measurement as diagrammed below. The size chart below is based on this standard. If in doubt when re-ordering stamps, send us an impression for identification size.

	B	B	B	B	B	B	B	B	B
1/32"	1/16"	3/32"	1/8"	5/32"	3/16"	1/4"	5/16"	3/8"	1/2"
mm	0.8	1.6	2.4	3.2	4.0	4.8	6.4	7.9	9.5



STAMPS & STENCILS

GOTHIC BRASS INTERLOCKING STENCILS

- Durable brass for long-lasting service
- Stencils slide together and come apart easily
- Quick, legible signs on all surfaces
- Use with brush or spray ink, paint or markers
- Clean up easily with paint solvent
- Horizontal composition



LETTERS AND NUMBERS – 92-PIECE SETS

Contains: 4 E's; 3 each of A, I, N, O, S, and Spacers; 1 Q; 2 each of the remaining letters and Periods; and 1 each of Beginner, Plain Ender, Period Ender, Comma, and Dash. Numbers include 3 each of 0 and 1; 2 each of 2, 3, 4, 5, 6, 7, 8 and 9.

Model No.	Mfg. No.	Character Height"	Pcs /Kit	Wt. lbs.	Price /Each
SA926	10148	1	92	0.8	107.09
SA927	10151	2	92	1.3	160.40
SA928	10153	3	92	2.1	258.84
SA929	10154	4	92	3.7	379.19
SA930	10155	5	92	4.9	479.61
SA931	10156	6	92	6.8	562.17

SINGLE LETTERS ONLY – 33 PIECE SETS

Contains: 1 each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, & Beginner, Period Ender, Apostrophe, Comma, Dash, and Period.

Model No.	Mfg. No.	Character Height"	Pcs /Kit	Wt. lbs.	Price /Each
SAK464	10028	1	33	0.24	35.77
SAK465	10031	2	33	0.52	55.15
SAK466	10033	3	33	0.84	87.27
SAK467	10034	4	33	1.20	121.21
SAK468	10036	6	33	2.60	181.91
SF076	10165	8	33	8.40	983.29
SF077	10166	10	33	10.70	1257.95
SF078	10167	12	33	12.50	1437.75

NUMBERS ONLY – 15 PIECE SETS

Contains: 0, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 and a Beginner, Plain Ender, Dash and Period.

Model No.	Mfg. No.	Character Height"	Pcs /Kit	Wt. lbs.	Price /Each
SAK469	10008	1	15	0.14	18.80
SAK470	10011	2	15	0.28	28.07
SAK471	10013	3	15	0.42	43.96
SAK472	10014	4	15	0.58	65.15
SAK473	10016	6	15	1.06	98.67
SC672*	10160	8	13	3.00	332.57
SC673*	10161	10	13	4.80	529.25
SC674*	10162	12	13	5.10	610.19

* 13 Piece set contains one 0 only and no dash.
Other sizes and separate letter and number sets available.
Vertical composition also available. Please inquire.

INDIVIDUAL LETTERS & NUMBERS

Character	Model No.	Model No.	Model No.	Model No.	Model No.	Model No.	Model No.
	2"	3"	4"	5"	6"	8"	10"
LETTERS							
A	SF156	SF192	SF228	SF264	SF300	SF336	SF372
B	SF157	SF193	SF229	SF265	SF301	SF337	SF373
C	SF158	SF194	SF230	SF266	SF302	SF338	SF374
D	SF159	SF195	SF231	SF267	SF303	SF339	SF375
E	SF160	SF196	SF232	SF268	SF304	SF340	SF376
F	SF161	SF197	SF233	SF269	SF305	SF341	SF377
G	SF162	SF198	SF234	SF270	SF306	SF342	SF378
H	SF163	SF199	SF235	SF271	SF307	SF343	SF379
I	SF164	SF200	SF236	SF272	SF308	SF344	SF380
J	SF165	SF201	SF237	SF273	SF309	SF345	SF381
K	SF166	SF202	SF238	SF274	SF310	SF346	SF382
L	SF167	SF203	SF239	SF275	SF311	SF347	SF383
M	SF168	SF204	SF240	SF276	SF312	SF348	SF384
N	SF169	SF205	SF241	SF277	SF313	SF349	SF385
O	SF170	SF206	SF242	SF278	SF314	SF350	SF386
P	SF171	SF207	SF243	SF279	SF315	SF351	SF387
Q	SF172	SF208	SF244	SF280	SF316	SF352	SF388
R	SF173	SF209	SF245	SF281	SF317	SF353	SF389
S	SF174	SF210	SF246	SF282	SF318	SF354	SF390
T	SF175	SF211	SF247	SF283	SF319	SF355	SF391
U	SF176	SF212	SF248	SF284	SF320	SF356	SF392
V	SF177	SF213	SF249	SF285	SF321	SF357	SF393
W	SF178	SF214	SF250	SF286	SF322	SF358	SF394
X	SF179	SF215	SF251	SF287	SF323	SF359	SF395
Y	SF180	SF216	SF252	SF288	SF324	SF360	SF396
Z	SF181	SF217	SF253	SF289	SF325	SF361	SF397
NUMBERS							
0	SF191	SF227	SF263	SF299	SF335	SF371	SF407
1	SF182	SF218	SF254	SF290	SF326	SF362	SF398
2	SF183	SF219	SF255	SF291	SF327	SF363	SF399
3	SF184	SF220	SF256	SF292	SF328	SF364	SF400
4	SF185	SF221	SF257	SF293	SF329	SF365	SF401
5	SF186	SF222	SF258	SF294	SF330	SF366	SF402
6	SF187	SF223	SF259	SF295	SF331	SF367	SF403
7	SF188	SF224	SF260	SF296	SF332	SF368	SF404
8	SF189	SF225	SF261	SF297	SF333	SF369	SF405
9	SF190	SF226	SF262	SF298	SF334	SF370	SF406
Price/Each	2.65	3.44	5.66	7.07	8.96	45.47	64.13

Call us for all your
Safety Equipment
& Supplies
requirements!



SAFETY SIGN STENCILS

Economical and reusable plastic stencils are pre-cut. Use brush or spray paint to make a sign on wood, metal, paper, plastic or masonry. Made of durable .015" PVC plastic. Signs conform to OSHA regulations.



Model No.	Mfg. No.	Description	Overall Stencil Size"	Letter Size"	Wt. lbs.	Price /Each
LETTER STENCILS						
SA983	12401	No Parking	6 x 22	2	0.8	14.10
SA986	12406	Danger	6 x 22	2.5	0.8	14.10
SA987	12407	Caution	6 x 22	2.5	0.8	14.10
SA990	12410	Flammable	6 x 22	2	0.8	14.10
SA991	12411	Exit	6 x 22	2	0.8	14.10
SA992	12412	High Voltage	6 x 22	2	0.8	14.10
SA993	12413	Fire Extinguisher	6 x 22	2	0.8	14.10
SA999	12421	Keep Aisle Clear	7 x 22	3	0.8	41.13
SYMBOL STENCILS						
SA989	12409	Arrow symbol	6 x 22	2 x 10	0.8	14.10
SA995	12416	Handicap symbol	6 x 22	15 1/2 dia.	0.35	35.77
SA996	12417	No parking symbol	6 x 22	15 1/2 dia.	0.35	35.77
SA997	12418	No smoking symbol	6 x 22	15 1/2 dia.	0.35	35.77

PARKING LOT STENCILS

Large parking lot stencils promote safety and direct traffic. Stencils are made of durable .015" PVC plastic. Use on a variety of surfaces with paints formulated for parking lot use. Reusable, durable and flexible. 12" high letters.



Model No.	Mfg. No.	Description	Overall Stencil Size"	Letter Size"	Wt. lbs.	Price /Each
LETTER STENCILS						
SB001	12430	No Parking	18 x 75	12	2	62.90
SB002	12431	Handicap	18 x 75	12	2	62.90
SB003	12432	Fire Lane	18 x 75	12	2	62.90
SB005	12434	Reserved	18 x 75	12	2	62.90
SB006	12435	Visitors	18 x 75	12	2	62.90
SYMBOL STENCILS						
SB007	12436	Straight arrow	18 x 75	8 x 20	3.5	62.90
SB008	12437	Curved arrow	18 x 75	8 x 27	3.5	62.90
SB009	12438	Handicap	18 x 75	43" Dia.	3.5	66.08

PLASTIC INTERLOCKING STENCILS

- Made of interlocking flexible PVC plastic
- Easy-to-use interlocking corners
- Clean with water or paint solvent
- More economical than brass
- Available in 46 pieces and 138 pieces

46 pieces includes: 2 each A, E, R, S - 1 each of remaining letters and numbers, \$, &, large and small spacers, period, and dash.

138 pieces includes: 3 sets of the 46-piece set.

Model No.	Mfg. No.	Size"	Wt. lbs.	Price /Each	Model No.	Mfg. No.	Size"	Wt. lbs.	Price /Each
46 PIECES					138 PIECES				
SF079	10191	1	1.60	10.85	SAK461	10189	1	2.1	30.03
SF080	10192	2	2.10	13.06	SAK462	10190	2	5	32.01
SF081	10193	3	4.10	15.23	SAK463	10195	3	7.5	36.05





HAND ROLLERS & PAD

This hand roller gives clear, distinct markings at an economical price. Unique open cell, skinless foam roller holds more ink, gives more marks with each inking. Protective cover included. Choice of 1 1/2" or 3" rollers. Stencil ink pads sold separately.



Model No.	Mfg. No.	Description	Wt. lbs.	Price /Each
FOUNTAIN ROLLERS				
PA265	310215	1 1/2" Fountain Roller	1.0	93.40
PA266	310112	1 1/2" Replacement Roller	0.2	23.60
PA267	310230	3" Fountain Roller	1.0	93.40
PA268	310030	3" Replacement Roller	0.2	23.60
HAND ROLLERS				
PA262	310021	1 1/2" Hand Roller	0.3	25.75
PA260	310011	1 1/2" Replacement Roller	0.2	17.25
PA263	310023	3" Hand Roller	0.3	25.75
PA261	310013	3" Replacement Roller	0.2	17.25
PA264	310050	Ink Pad	0.2	14.15

ROLMARK FOUNTAIN ROLLERS

For stenciling applications on porous and non-porous surfaces. Large ink reservoir in handle; pump action button for fast, uniform dispensing of ink. Unique open cell, skinless foam roller for clear, solid-coverage marks. Protective cover included. Choice of 1 1/2" or 3" rollers.

ROLMARK INKS

For use with fountain rollers and hand rollers. Waterproof, permanent and fast drying. For marking on cartons, wood boxes, metal drums, pipes and other porous and non-porous surfaces. Comes in 1-quart cans. Wt. 3 lbs.



STENCIL INKS

Spray stencil ink works on almost any surface. Available in a 12-oz. can, this spray stencil ink does not contain fluorocarbons.



Model No.	Mfg. No.	Colour	Price /Each
SC668	803108	Black	7.80
SC670	803105	White	7.80
SC669	803106	Red	7.72
SC671	803127	Yellow	7.72

Model No.	Mfg. No.	Colour	Price /Each
PA269	310300	Black	32.35
PA270	310310	Blue	37.75
PA271	310320	Brown	45.03
PA272	310330	Green	37.75
PA274	310350	Red	37.75
PA275	310360	White	37.75
PA276	310370	Yellow	37.75
PA277	310380	Rolmark Cleaning Solvent	22.30

FOUNTAIN BRUSHES

For big stenciling jobs where speed and convenience are important factors, fountain brushes are the ideal answer. Recommended for use with quick drying inks, comes with cover.

Model No.	Mfg. No.	Description	Price /Each
SC651	-	Automatic Fountain Brush	63.70
SC652	-	Extra Tip	22.75



Look for this symbol for environmentally friendly products!





IDENTIFY LOCATIONS, SUPPLIES & TOOLS

Mark on equipment, products, machinery, and shelves for unique identification.
Self-adhesive vinyl labels have peel-off back liner and mount to any clean, dry surface.

INDIVIDUAL LETTER & NUMBER MARKERS

Identically printed characters are ideal for multiple marking and identification.

- Markers are printed on adhesive vinyl to be self-aligning so that the characters are spaced evenly
- Printed in high-contrast black on yellow
- Choose and use only the characters you require without having to order letter and number sets
- Available per sheet

LETTERS

	1" 10/Sheet	1 15/16" 10/Sheet	2 15/16" 6/Sheet	3 7/8" 5/Sheet
A	SC743	SC769	SR590	SC795
B	SC744	SC770	SR591	SC796
C	SC745	SC771	SR592	SC797
D	SC746	SC772	SR593	SC798
E	SC747	SC773	SR594	SC799
F	SC748	SC774	SR595	SC800
G	SC749	SC775	SR596	SC801
H	SC750	SC776	SR597	SC802
I	SC751	SC777	SR598	SC803
J	SC752	SC778	SR599	SC804
K	SC753	SC779	SR600	SC805
L	SC754	SC780	SR601	SC806
M	SC755	SC781	SR602	SC807
N	SC756	SC782	SR603	SC808
O	SC757	SC783	SR604	SC809
P	SC758	SC784	SR605	SC810
Q	SC759	SC785	SR606	SC811
R	SC760	SC786	SR607	SC812
S	SC761	SC787	SR608	SC813
T	SC762	SC788	SR609	SC814
U	SC763	SC789	SR610	SC815
V	SC764	SC790	SR611	SC816
W	SC765	SC791	SR612	SC817
X	SC766	SC792	SR613	SC818
Y	SC767	SC793	SR614	SC819
Z	SC768	SC794	SR615	SC820

Also available in other sizes and Reflective Vinyl (black on yellow only), which adds visibility, especially in low light and dark areas when directing light on it. Please call for quote.

Character height: 1"
10 characters per sheet
Marker size: 1 1/2"H x 7/8"W



Character height: 1 15/16"
10 characters per sheet
Marker size: 2 1/4"H x 7/8"W



Character height: 2 15/16"
6 characters per sheet
Marker size: 3 1/2"H x 1 1/2"W



Character height: 3 7/8"
5 characters per sheet
Marker size: 5"H x 1 3/4"W



Character Height	Character Per Sheet	Price/Sheet
1"	10	3.88
1 15/16"	10	4.59
2 15/16"	6	5.21
3 7/8"	5	7.88

NUMBERS

	1" 10/Sheet	1 15/16" 10/Sheet	2 15/16" 6/Sheet	3 7/8" 5/Sheet
0	SC821	SC831	SE822	SC841
1	SC822	SC832	SE823	SC842
2	SC823	SC833	SE824	SC843
3	SC824	SC834	SE825	SC844
4	SC825	SC835	SE826	SC845
5	SC826	SC836	SE827	SC846
6	SC827	SC837	SE828	SC847
7	SC828	SC838	SE829	SC848
8	SC829	SC839	SE830	SC849
9	SC830	SC840	SE831	SC850

PRESSURE SENSITIVE NUMBERING KITS

- Pressure sensitive pre-spaced numbers are easy to align and affix to vehicle placards or for numbering ratings and specific information
- Numbers are 3 1/2" high printed black on clear Mylar™ or black on white vinyl, with permanent adhesive
- Available in a kit containing 500 numbers; 50 of each number 0 to 9
- Single numbers sold 50 per package



KITS

Model No. Black on Clear	Mfg. No.	Model No. Black on White	Mfg. No.	Packaging	Price /Each
SA0097	UNCLKIT	SA0098	UNWHKIT	500	145.98

SINGLE NUMBERS (50/PKG.)

Priced per Package

Model No. Black on Clear	Mfg. No.	Model No. Black on White	Mfg. No.	Numbers	Price /Each
SA0099	UNCL0	SA0108	UNWH0	0	18.08
SA0100	UNCL1	SA0091	UNWH1	1	18.08
SA0101	UNCL2	SA0110	UNWH2	2	18.08
SA0102	UNCL3	SA0103	UNWH3	3	18.08
SA0111	UNCL4	SA0092	UNWH4	4	18.08
SA0104	UNCL5	SA0095	UNWH5	5	18.08
SA0096	UNCL6	SA0094	UNWH6	6	18.08
SA0105	UNCL7	SA0112	UNWH7	7	18.08
SA0106	UNCL8	SA0093	UNWH8	8	18.08
SA0107	UNCL9	SA0109	UNWH9	9	18.08

SAFETY SIGNS



CUSTOM SIGNS MADE EASY!

- No set-up fees
- Unlimited colours with no additional charges
- No minimum order requirements
- High-definition, full-colour graphics at no additional charge
- Comprehensive, free design support



DEVELOP YOUR MESSAGE

The message on your custom sign is critical. Whether conveying instructions, policies, directions, or motivational themes, your sign should be quickly and easily understood. Graphics or pictorials can help communicate your message effectively. Add more value and pride by adding a full-colour custom logo. Write a detailed description or draw a sketch to send in with your order.



Full-Colour Photographic Quality Images

Unique Eye-Catching Design Layout

Impactful Motivational Message

Personalised with Corporate Identity

SELECT YOUR MATERIAL

We offer a comprehensive selection of custom sign materials built for flexibility and durability for any environmental condition. From light-duty, indoor, single-use needs to long-lasting, harsh requirements, we have a material to meet the need.

KEY FACTORS TO CONSIDER:

- **Environment:** Consider the environmental conditions where you will be placing your sign, including indoors or outdoors, direct sunlight or low-light, and high or low temperature.
- **Installation:** Think about where your sign is needed. Will it be on a curved, rough, or flat surface? What material will attach properly to the required surface? What is the best mounting option?

DETERMINE YOUR SIZE & ORIENTATION

A sign not seen is an opportunity lost. Determining the size of your custom sign, and where it will be placed, is a key factor to ensuring that your message is communicated effectively. Consider the reading distance in relation to the letter height. The length of your message will then determine your size. Remember, we are available to assist you in determining the ideal size for your custom sign. Provide us with your message and we will do the work for you!

SEND US YOUR ORDER

Call, email or fax your order. Be sure to email any high resolution graphics (images, logos, etc.) along with your sketch or description. Our artists will go right to work creating your custom sign for approval.



Our comprehensive selection of custom sign materials are designed to meet virtually every application and environmental demand. Customize the size and materials to fit your need, and add your company logo for added personalization!

Self stick sign is for indoor or sheltered areas. Adhere to most flat, clean, dry surfaces. Ideal for basic identification purposes or short term outdoor applications.

- PLASTIC:**

Semi-flexible thick plastic sign for standard, medium-duty use. Use long-term indoor and sheltered outdoor locations – or temporary outdoor exposure, such as construction sites.

- Dual-layered vinyl that outperforms standard vinyl.
Printed image is protected by a high-gloss 2-mil UV resistant polyester over laminate to prevent fading for outdoor use.

- 

DURA-PLASTIC™:

Polycarbonate plastic offers high impact resistance and durability for outdoor applications and harsh environments. Printed image is protected by 2-mil, high-gloss polyester overlamine with UV resistance to fading.

- 

Provides the strength of metal, yet does not rust. Printed image is UV protected by 2-mil, high-gloss polyester overlaminate to resist fading. Ideal choice for indoor and outdoor use where a metal sign is required.

- 

High strength, yet lightweight composite aluminum sign.
40% lighter than same thick solid aluminum, yet the same
durability, stiffness and rigidity. UV protected by 2-mil, high-
gloss polyester overlaminate to resist fading and abrasions.

- 

Highest performance sign with superior construction for extreme conditions - outstanding UV protection, high impact strength, tough under harsh conditions such as chemicals, corrosion, and abrasions, and nearly indestructible to vandalism. Reverse printed image on the underside of the thick face and further protected underneath. Rugged appearance with a thick-edge design and pebble-textured backside.

- 



SAFETY SIGNS



ACCIDENT PREVENTION SIGNS

The Occupational Safety and Health Administration (OSHA 29 CFR§ 1910.145) provides specifications, design, application and use of header signs. These signs are intended to indicate potential, type and degree of the hazard that may lead to accidental injury or property damage. They define specific hazards by conveying a clear and rapidly understood message.

ACCIDENT PREVENTION HEADERS



DANGER — Indicates an imminently hazardous situation which, if not avoided, will result in death or serious injury. This signal word is to be limited to the most extreme situations. The signal word Danger should not be used for property damage hazards unless personal injury risk appropriate to the level is also involved.

WARNING — Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury. This signal word should not be used for property damage hazards unless personal injury risk appropriate to this level is also involved.

CAUTION — Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury. It may also be used to alert against unsafe practices that may cause property damage.

NOTICE — Indicates a statement of company policy directly or indirectly related to the safety of personnel or protection of property. This signal word should not be associated directly with a hazard or hazardous situation.

SAFETY FIRST, THINK, EMERGENCY — Indicates general instructions relative to safe work practices, reminds of proper safety procedures and indicates the location of safety equipment.

ACCIDENT PREVENTION SIGN CONTENTS



Header

A specific or "signal" word (or words) to designate a degree or level of safety alerting, always located in the uppermost portion of the sign. Intended to capture and direct attention to the potential hazardous situation.

Legend

The specific short message conveys the need to pay attention to a potential hazard or hazards, or take a necessary action to avoid such hazard(s).



Many signs consist of just header and legend — Signs can also contain a symbol...

Symbol

Pictorials are graphic representations to clearly convey a specific alerting message compatible with and supplemental to the legend message. Universal in design, many are standardized to be easily understood.

MATERIALS

ADHESIVE VINYL (VS)

For light-duty applications. The ideal choice for indoor and sheltered outdoor marking needs. Mounts to all curved areas such as pipes, poles and secondary containers.

- 4-mil thick surface printed matte surface
- Permanent acrylic adhesive
- Moisture-resistant
- Service temperature range: -20°F to 140°F
- Durability: 2 years outdoors
- Square corners and scored backing for quick peel-off and application

PLASTIC (VP)

Semi-flexible, economical and appropriate for medium-duty use - ideal for indoor and sheltered outdoor environments.
































- Ideal for flat surfaces with enough flex to mount on slightly curved areas
- 0.055" thick with good impact resistance and surface image with non-glare finish
- Contains UV inhibitors
- Service temperature range: -90°F to 168°F
- Durability: 2 years outdoors
- Rounded corners and 3/16" mounting holes

ALUMINUM (VA)

Get the strength of metal, without the rust. Superior abrasion and chemical resistance for indoor and outdoor environments.

- Printed image on rigid 0.040" aluminum backing
- Protected by 2-mil high-gloss UV polyester over-laminate film
- Service temperature range: -20°F to 140°F
- Withstands splashes and washdowns
- Endures outdoor environmental conditions
- Durability: 5 years outdoors
- Rounded corners and 3/16" mounting holes

ENGLISH ADMITTANCE & EXIT

												
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAS590	SAS593	SAS596	SAS599	SJS19	SJS20	SAS608	SAS611	SAP697	SAP698	SAP695	SAP696
VP	SAS591	SAS594	SAS597	SAS600	SJS17	SJS18	SAS609	SAS612	SAP695	SAP696	SAP693	SAP694
VA	SAS592	SAS595	SAS598	SAS601	SJS15	SJS16	SAS610	SAS613				
												
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SJ659	SJ660	SAS614	SAS617	SAS620	SAS623	SS666	ST282	SJ437	SJ438	SJ435	SJ436
VP	SJ657	SJ658	SAS615	SAS618	SAS621	SAS624	ST805	SV073	SJ433	SJ434		
VA	SBA426	SJ656	SAS616	SAS619	SAS622	SAS625	SU494	SW117				
												
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAS656	SAS659	SAP737	SAP738	SAS674	SAS677	SAS680	SAS683	SAS681	SAS684	SAS682	SAS685
VP	SAS657	SAS660	SAP736	SJ725	SAS675	SAS678	SAS676	SAS679				
VA	SAS658	SAS661	SAP735	SJ724	SJ718	SJ719						
												
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAS692	SAS695	SJ760	SJ767	SJ811	SJ812	SAS728	SAS731	SJ852	SJ853	SJ850	SJ851
VP	SAS693	SAS696	SJ758	SJ759	SJ809	SJ810	SAS729	SAS732	SJ848	SJ849		
VA	SAS694	SAS697	SJ756	SJ757	SJ807	SJ808	SAS730	SAS733				
												
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SJ878	SJ879	SAS740	SAS743	SL022	SL023	SS556	ST174	SAS797	SAS800	SAS799	SAS802
VP	SJ876	SJ877	SAS741	SAS744	SL021	SAS786	ST689	SU928	SAS798	SAS801		
VA	SJ874	SJ875	SAS742	SAS745	SL020	SAS787	SU390	SV981				
												
Mat'l	7" x 10"	10" x 14"										
VS	SS607	ST223										
VP	ST757	SV008										
VA	SU448	SW052										

Price/Each			
Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl	9.74	13.99
VP	Plastic	10.82	16.15
VA	Aluminum	16.67	28.03

Price/Each







Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl	9.74	13.99
VP	Plastic	10.82	16.15
VA	Aluminum	16.67	28.03









IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!







SAFETY SIGNS

ENGLISH CHEMICALS & HAZ-MAT




																	
Mat'l	7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"
VS	SAT225	SAT226		SK174	SK175		SK216	SK217		SAT249	SAT250		SK368	SK369		SK375	SK376
VP	SAT223	SAT224		SK172	SK173		SK214	SK215		SAT247	SAT248		SK366	SK367		SK373	SK374
VA	SAT221	SAT222		SK170	SK171		SK212	SK213		SAT245	SAT246		SK364	SK365		SK371	SK372




																	
Mat'l	7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"
VS	SAT339	SAT340		SAT345	SAT346		SAT369	SAT370		SK495	SK496		SAT375	SAT376		SK613	SK614
VP	SAT337	SAT338		SAT343	SAT344		SAT367	SAT368		SK493	SK494		SAT373	SAT374		SK611	SK612
VA	SAT335	SAT336		SAT341	SAT342		SAT365	SAT366		SK491	SBC479		SAT371	SAT372		SK609	SK610

ENGLISH CONFINED SPACE

																	
Mat'l	7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"
VS	SAT405	SAT406		SAT429	SAT430		SAT489	SAT490		SAT505	SAT506		SBC569	SBC575		SAT535	SAT536
VP	SAT403	SAT404		SAT427	SAT428		SAT487	SAT488		SAT503	SAT504		SBC568	SBC574		SAT533	SAT534
VA	SAT401	SAT402		SAT425	SAT426		SAT486	SAD049		SAT501	SAT502		SBC567	SBC573		SAT531	SAT532

ENGLISH ELECTRICAL

																	
Mat'l	7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"
VS	SAT541	SAT542		SAT571	SAT572		SK867	SK868		SAT008	SAT011		SJ562	SJ563		SL115	SL116
VP	SAT539	SAT540		SAT569	SAT570		SK865	SK866		SAT009	SAT158		SJ560	SJ561		SL113	SL114
VA	SAT537	SAT538		SAT567	SAT568		SK863	SK864		SAT010	SAT159		SJ558	SJ559		SL111	SL112

																	
Mat'l	7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"		7" x 10"	10" x 14"
VS	SAT705	SAT708		SAT711	SAP725		SAT720	SAT723		SJ597	SJ598		SAT915	SAT918			
VP	SAT706	SAT709		SAT712	SL118		SAT721	SAT724		SJ595	SJ596		SAT916	SAT919			
VA	SAT707	SAT710		SAT713	SL117		SAT722	SAT725		SJ593	SJ594		SAT917	SAT920			







Price/Each			
Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl	9.74	13.99
VP	Plastic	10.82	16.15
VA	Aluminum	16.67	28.03









**ACCUFORM
SIGNS®**

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!







ENGLISH ELECTRICAL (CONTINUED)







						
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAT921	SAT924	SAT927	SAT930	SAT987	SAT990
VP	SAT922	SAT925	SAT928	SAT931	SAT988	SAT991
VA	SAT923	SAT926	SAT929	SAT932	SAT989	SAT992



ENGLISH EQUIPMENT

						
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAU012	SAU015	SS401	SAU031	SAU086	SAU089
VP	SAU013	SAU016	SAU029	SAU032	SAU087	SAU090
VA	SAU014	SAU017	SAU030	SAU033	SAU088	SAU091

ENGLISH FIRE & EMERGENCY

						
Mat'l	10" x 7"	14" x 10"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAT760	SAT763	SAT795	SAT798	SL005	SL006
VP	SAT761	SAT764	SAT796	SAT799	SL002	SL003
VA	SAT762	SAT765	SAT797	SAT800	SK999	SL001

						
Mat'l	7" x 10"	10" x 14"	10" x 7"	14" x 10"	10" x 7"	14" x 10"
VS	SAT840	SAT843	SAT886	SAT889	SAT892	SAP765
VP	SAT841	SAT844	SAT887	SAT890	SAT893	SL597
VA	SAT842	SAT845	SAT888	SAT891	SAT894	SL596

		
Mat'l	7" x 10"	10" x 14"
VS	SAT905	SAT906
VP	SL626	SAT907
VA	SL625	SAT908

Price/Each

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl	9.74	13.99
VP	Plastic	10.82	16.15
VA	Aluminum	16.67	28.03



**ACCUFORM
SIGNS®**

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

**SAFETY
EQUIPMENT
& SUPPLIES**

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

SAFETY SIGNS

ENGLISH FIRST AID



Mat'l	7" x 10"	10" x 14"
VS	SAU127	SAU130
VP	SAU128	SAU131
VA	SAU129	SAU132



7" x 10"	10" x 14"
SAU145	SAU148
SAU146	SAU149
SAU147	SAU150



7" x 10"	10" x 14"
SAU163	SAU166
SAU164	SAU167
SAU165	SAU168



7" x 10"	10" x 14"
SAU169	SAU172
SAU170	SAU173
SAU171	SAU174



7" x 10"	10" x 14"
SAU181	SAU184
SAU182	SAU185
SAU183	SAU186



7" x 10"	10" x 14"
SL809	SL810
SL808	SAU199
SL807	SAU200



Mat'l	7" x 10"	10" x 14"
VS	SAU201	SAU204
VP	SAU202	SAU205
VA	SAU203	SAU206



7" x 10"	10" x 14"
SAU207	SAU210
SAU208	SAU211
SAU209	SAU212



10" x 7"	14" x 10"
SAU213	SAU216
SAU214	SAU217
SAU215	SAU218



7" x 10"	10" x 14"
SAU219	SAU222
SAU220	SAU223
SAU221	SAU224



7" x 10"	10" x 14"
SAU231	SAU234
SAU232	SAU235
SAU233	SV761



7" x 10"	10" x 14"
SAU248	SAU251
SAU249	SAU252
SAU250	SAU253



Mat'l	7" x 10"	10" x 14"
VS	SAU254	SAU257
VP	SAU255	SAU258
VA	SAU256	SAU259



7" x 10"	10" x 14"
SAU266	SAU269
SAU267	SAU270
SAU268	SAU271



7" x 10"	10" x 14"
SAU284	SAU287
SAU285	SAU288
SAU286	SAU289



7" x 10"	10" x 14"
SAU296	SAU299
SAU297	SAU300
SAU298	SAU301



7" x 10"	10" x 14"
SAU302	SAU305
SAU303	SAU306
SAU304	SAU307



7" x 10"	10" x 14"
SAU326	SAU329
SAU327	SAU330
SAU328	SAU331

ENGLISH PERSONAL PROTECTION



Mat'l	7" x 10"	10" x 14"
VS	SAU332	SAU335
VP	SAU333	SAU336
VA	SAU334	SAU337



7" x 10"	10" x 14"
SAU356	SAU359
SAU357	SAU360
SAU358	SAU361



7" x 10"	10" x 14"
SAU368	SAU371
SAU369	SM254
SAU370	SM253



7" x 10"	10" x 14"
SAU372	SAU375
SAU373	SAU376
SAU374	SAU377



7" x 10"	10" x 14"
SAU384	SAU387
SAU385	SAU388
SAU386	SAU389



7" x 10"	10" x 14"
SAU402	SAU405
SAU403	SAU406
SAU404	SAU407



Mat'l	7" x 10"	10" x 14"
VS	SAU414	SAU417
VP	SAU415	SAU418
VA	SAU416	SAU419



7" x 10"	10" x 14"
SM340	SM341
SM338	SM339
SM336	SM337



7" x 10"	10" x 14"
SM068	SM069
SM066	SM067
SM064	SM065



7" x 10"	10" x 14"
SAU447	SAU450
SAU448	SAU451
SAU449	SAU452



7" x 10"	10" x 14"
SAU458	SAU461
SAU459	SAU462
SAU460	SAU463



7" x 10"	10" x 14"
SK764	SK765
SK762	SK763
SK760	SK761



Mat'l	7" x 10"	10" x 14"
VS	SAU464	SAU467
VP	SAU465	SM282
VA	SAU466	SM281

Price/Each

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl	9.74	13.99
VP	Plastic	10.82	16.15
VA	Aluminum	16.67	28.03



**ACCUFORM
SIGNS®**

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

ENGLISH PERSONAL PROTECTION (CONTINUED)



Mat'l	7" x 10"	10" x 14"
VS	SAU534	SAU537
VP	SAU535	SAU538
VA	SAU536	SAU539



7" x 10"	10" x 14"
SK791	SK792
SK789	SK790
SK787	SK788



7" x 10"	10" x 14"
SAU506	SAU509
SAU507	SM245
SAU508	SM244



7" x 10"	10" x 14"
SAU522	SAU525
SAU523	SAU526
SAU524	SAU527



7" x 10"	10" x 14"
SAU540	SAU543
SAU541	SAU544
SAU542	SAU545



7" x 10"	10" x 14"
SAU546	SAU549
SAU547	SAU550
SAU548	SAU551



Mat'l	7" x 10"	10" x 14"
VS	SM295	SM296
VP	SM293	SM294
VA	SM291	SM292



7" x 10"	10" x 14"
SAU570	SAU573
SAU571	SAU574
SAU572	SAU575



7" x 10"	10" x 14"
SM355	SM356
SM353	SM354
SM351	SM352



7" x 10"	10" x 14"
SA5905	SA5908
SA5906	SA5909
SA5907	SA5910



7" x 10"	10" x 14"
SA5983	SA5914
SA5984	SA5915
SA5985	SA5916



7" x 10"	10" x 14"
SA5986	SA5920
SA5987	SA5921
SA5988	SA5922

ENGLISH SAFETY INCENTIVE

ENGLISH SMOKING CONTROL



Mat'l	7" x 10"	10" x 14"
VS	SL892	SL893
VP	SL890	SL891
VA	SL888	SL889



7" x 10"	10" x 14"
SA5911	SA5917
SA5912	SL895
SA5913	SL894



7" x 10"	10" x 14"
SA5971	SA5974
SA5972	SA5975
SA5973	SA5976



7" x 10"	10" x 14"
SL956	SL957
SL955	SA5918
SL954	SA5919



7" x 10"	10" x 14"
SA5989	SA5992
SA5990	SA5993
SA5991	SA5994



7" x 10"	10" x 14"
SL969	SL970
SL967	SL968
SL965	SL966



Mat'l	7" x 10"	10" x 14"
VS	SAT020	SAT023
VP	SL691	SAT024
VA	SL690	SAT025



7" x 10"	10" x 14"
SAT014	SAT017
SAT015	SAT018
SAT016	SAT019



10" x 7"	14" x 10"
SL981	SL982
SL979	SL980
SL977	SL978



7" x 10"	10" x 14"
SAT026	SAT029
SAT027	SAT030
SAT028	SAT031



7" x 10"	10" x 14"
SAT038	SAT041
SAT039	SAT042
SAT040	SAT043



7" x 10"	10" x 14"
SAT044	SAT047
SL973	SAT048
SL972	SAT049

ENGLISH TRAFFIC INDUSTRIAL



Mat'l	7" x 10"	10" x 14"
VS	SAT050	SAT053
VP	SAT051	SAT054
VA	SAT052	SAT055



7" x 10"	10" x 14"
SAT062	SAT065
SAT063	SAT066
SAT064	SAT067



7" x 10"	10" x 14"
SAT068	SAT071
SAT069	SAT072
SAT070	SAT073



7" x 10"	10" x 14"
SAT074	SAT077
SAT075	SAT078
SAT076	SAT079



7" x 10"	10" x 14"
SAT092	SAT095
SAT093	SAT096
SAT094	SAT097



7" x 10"	10" x 14"
SAT104	SAT107
SAT105	SAT108
SAT106	SAT109



Mat'l	7" x 10"	10" x 14"
VS	SAT110	SAT113
VP	SAT111	SAT114
VA	SAT112	SAT115



7" x 10"	10" x 14"
SAT116	SAT119
SAT117	SAT120
SAT118	SAT121



7" x 10"	10" x 14"
SAT122	SAT125
SAT123	SAT126
SAT124	SAT127



7" x 10"	10" x 14"
SAT128	SAT131
SAT129	SAT132
SAT130	SAT133



7" x 10"	10" x 14"
SAT134	SAT137
SAT135	SAT138
SAT136	SAT139



7" x 10"	10" x 14"
SAT140	SAT143
SAT141	SAT144
SAT142	SAT145

Price/Each

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl	9.74	13.99
VP	Plastic	10.82	16.15
VA	Aluminum	16.67	28.03



**ACCUFORM
SIGNS®**

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT
& SUPPLIES







JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE







935







SAFETY SIGNS

FRENCH ADMITTANCE & EXIT





						
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAZ545	SAZ546	S0124	S0125	S0188	S0189
VP	S0179	S0180	S0122	SAZ541	S0186	S0187
VA	S0177	S0178	S0120	S0121	S0184	S0185
			SAZ543	SAZ544		
					S0222	S0223
					S0220	S0221
					S0218	S0219





FRENCH CHEMICAL & HAZ-MAT

						
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	S0161	S0162	S0203	S0196	SQ103	SQ104
VP	S0159	S0160	S0201	S0194	SQ101	SQ102
VA	S0157	S0158	S0199	S0192	SQ099	SQ100
					S0393	S0394
					S0391	S0392
					S0389	S0390
					SAZ563	SAZ564

						
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	S0535	S0536	SQ066	SQ067	SP066	SP067
VP	S0533	S0534	SQ064	SQ065	SP064	SP065
VA	SAZ565	S0532	SQ062	SQ063	SAZ607	SP063
			S0493	S0494	S0621	S0622
			S0491	S0492	S0619	S0620
			S0489	S0490	S0617	S0618

FRENCH CONFINED SPACE

						
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	S0300	S0301	S0132	S0133	S0258	S0259
VP	S0298	SAZ554	S0130	S0131	S0256	S0257
VA	S0296	S0297	SAZ542	S0129	S0254	S0255
			S0244	S0245	S0842	S0843
			S0242	S0243	S0840	S0841
			S0240	S0241	S0838	S0839

				
Mat'l	7" x 10"	10" x 14"	10" x 7"	14" x 10"
VS	S0878	S0879	S0797	S0798
VP	S0876	S0877	S0795	S0796
VA	S0874	SAZ577	SAZ569	SAZ570
		S0786	S0787	
				S0229
				S0227
				S0225
				S0230
				S0228
				S0226

Price/Each

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl	9.74	13.99
VP	Plastic	10.82	16.15
VA	Aluminum	16.67	28.03



IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

FRENCH ELECTRICAL (CONTINUED)



Mat'l	7" x 10"	10" x 14"
VS	S0835	S0836
VP	S0833	S0834
VA	S0831	S0832



Mat'l	10" x 7"	14" x 10"
VS	SAZ578	SQ089
VP	SQ086	SQ087
VA	SQ084	SQ085



Mat'l	7" x 10"	10" x 14"
VS	S0870	S0871
VP	S0869	SAZ576
VA	S0868	SAZ575



Mat'l	7" x 10"	10" x 14"
VS	SP526	SP527
VP	SP524	SP525
VA	SP522	SP523



Mat'l	7" x 10"	10" x 14"
VS	SP259	SP260
VP	SP257	SP258
VA	SP255	SP256



Mat'l	7" x 10"	10" x 14"
VS	SP575	SP576
VP	SP573	SP574
VA	SP571	SP572



Mat'l	7" x 10"	10" x 14"
VS	SP164	SP165
VP	SP162	SP163
VA	SP160	SP161



Mat'l	7" x 10"	10" x 14"
VS	SP171	SP172
VP	SP169	SP170
VA	SP167	SP168



Mat'l	7" x 10"	10" x 14"
VS	SP596	SP597
VP	SP594	SP595
VA	SP592	SP593



Mat'l	10" x 7"	14" x 10"
VS	SP483	SP484
VP	SP481	SP482
VA	SAZ644	SP480



Mat'l	7" x 10"	10" x 14"
VS	SP468	SP469
VP	SAZ642	SAZ643
VA	SAZ640	SAZ641



Mat'l	7" x 10"	10" x 14"
VS	SP437	SP438
VP	SP435	SP436
VA	SP433	SP434

FRENCH FIRE & EMERGENCY



Mat'l	7" x 10"	10" x 14"
VS	SP059	SP060
VP	SP057	SP058
VA	SP055	SP056



Mat'l	7" x 10"	10" x 14"
VS	SAZ611	SAZ612
VP	SQ093	SQ094
VA	SQ091	SQ092



Mat'l	7" x 10"	10" x 14"
VS	SP038	SP039
VP	SP036	SP037
VA	SP034	SP035



Mat'l	10" x 7"	14" x 10"
VS	SAZ619	SAZ620
VP	SAZ618	SP077
VA	SAZ617	SP076



Mat'l	10" x 7"	14" x 10"
VS	SAZ627	SAZ628
VP	SP081	SAZ626
VA	SP080	SAZ625



Mat'l	10" x 7"	14" x 10"
VS	SAZ633	SAZ634
VP	SAZ631	SAZ632
VA	SAZ629	SAZ630



Mat'l	7" x 10"	10" x 14"
VS	SAZ605	SAZ606
VP	S0998	SAZ604
VA	SAZ602	SAZ603



Mat'l	10" x 7"	14" x 10"
VS	SAZ623	SAZ624
VP	SAZ622	SP084
VA	SAZ621	SP083



Mat'l	7" x 10"	10" x 14"
VS	SAZ590	SAZ591
VP	SP003	SAZ589
VA	SP002	SAZ588



Mat'l	7" x 10"	10" x 14"
VS	SAZ586	SAZ587
VP	SP007	SAZ585
VA	SP006	SAZ584



Mat'l	7" x 10"	10" x 14"
VS	SP693	SP694
VP	SP691	SP692
VA	SP689	SP690



Mat'l	7" x 10"	10" x 14"
VS	S0984	S0985
VP	S0983	SAZ583
VA	S0982	SAZ582

FRENCH EMERGENCY



10" X 14"
SED439



5" X 14"
SED440 (left)
SED441 (right)



2" X 14"
SED443



3" X 14"
SED442

Pressure Sensitive Only



4" X 12"
SE253

Size"	Material	Price /Each
2 x 14	Aluminum	10.31
3 x 14	Aluminum	10.31
4 x 12	Adhesive Vinyl	17.77
5 x 14	Aluminum	16.67
10 x 14	Aluminum	28.03

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl	9.74	13.99
VP	Plastic	10.82	16.15
VA	Aluminum	16.67	28.03



IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

OFFICE PRODUCTS

INSTRUMENTS, SCALES & ELECTRICAL

SHIPPING & PACKAGING

TOOLS & EQUIPMENT

WELDING & METALWORKING

SAFETY EQUIPMENT & SUPPLIES

JANITORIAL & MAINTENANCE

MATERIAL HANDLING & STORAGE

SAFETY SIGNS

FRENCH FIRE & EMERGENCY (CONTINUED)

FRENCH FIRST AID

	SORTIE DE SECOURS		SORTIE DE SECOURS SEULEMENT L'ALARME VA SONNER		SORTIE DE SECOURS VEUILLEZ MAINTENIR CETTE PORTE FERMÉE		SORTIE D'URGENCE SEULEMENT		SÉCURITÉ AVANT TOUT DOUCHE OCULAIRE		ÉQUIPEMENT DE PREMIERS SOINS	
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAZ600	SAZ601	SP103	SP104	SP095	SP096	SEA333	SEA330	SP603	SP604	SAZ653	SAZ654
VP	SAZ598	SAZ599	SP100	SP101	SP093	SP094	SEA332	SEA329	SP601	SP602	SP655	SAZ652
VA	SAZ596	SAZ597	SP098	SP099	SP091	SP092	SEA331	SEA328	SP599	SP600	SP654	SAZ651

FRENCH HOUSEKEEPING & HYGIENE

	PREMIERS SOINS		TROUSSE DE PREMIERS SOINS		AVIS PAS DE NOURRITURE NI DE BREUVAGE DANS CETTE ZONE		AVIS PAS DE NOURRITURE NI DE BREUVAGE PASSÉ CE POINT		S.V.P. GARDER CET ENDROIT PROPRE ET EN ORDRE		RECYCLABLE MÉTAUX SEULEMENT	
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SAZ649	SAZ650	SAZ657	SAZ658	SP744	SP745	SP730	SP731	SP764	SP765	SP823	SP824
VP	SP637	SAZ648	SP659	SAZ656	SP742	SP743	SP728	SP729	SP762	SP763	SP821	SP822
VA	SP636	SAZ647	SP658	SAZ655	SP740	SP741	SP726	SP727	SAZ670	SP761	SP819	SP820

FRENCH PERSONAL PROTECTION

	RECYCLABLE PAPIER SEULEMENT		RECYCLABLE PLASTIQUE SEULEMENT		DANGER ENTRÉE INTERDITE SANS PROTECTION AUDITIVE		DANGER ENTRÉE INTERDITE SANS VÊTEMENTS DE PROTECTION		ATTENTION CASQUES DE PROTECTION OBLIGATOIRES		ATTENTION PROTECTION AUDITIVE OBLIGATOIRE	
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	SP791	SAZ673	SP815	SP816	S0719	S0720	S0110	S0111	S0277	S0278	S0293	S0294
VP	SP789	SP790	SP813	SP814	S0717	S0718	S0108	S0109	S0275	S0276	S0291	S0292
VA	SAZ671	SAZ672	SAZ676	SAZ677	S0715	S0716	S0106	S0107	S0273	S0274	S0289	S0290

	ATTENTION PROTECTION OCULAIRE OBLIGATOIRE		ATTENTION UNE PROTECTION OCULAIRE ET DES GANTS DOIVENT ÊTRE PORTÉS LORS DE LA MANUTENTION DE PRODUITS CHIMIQUES		ATTENTION VISIÈRE OBLIGATOIRE		AVIS PROTÉGEZ VOS YEUX PORTEZ UNE PROTECTION OCULAIRE		AVIS ZONE À NIVEAU DE BRUIT ÉLEVÉ PORTER DES BOUCHONS AUDITIFS		SÉCURITÉ AVANT TOUT UNE PROTECTION OCULAIRE OBLIGATOIRE DANS CETTE ZONE	
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	S0285	S0286	S0356	S0357	S0264	S0265	S0683	S0684	S0754	S0755	S0662	S0663
VP	S0283	S0284	S0354	S0355	SAZ551	S0263	S0681	S0682	S0752	S0753	S0660	S0661
VA	S0281	S0282	S0352	S0353	SAZ549	SAZ550	S0679	S0680	S0750	S0751	S0658	S0659

FRENCH SLIPS, TRIPS & FALLS

FRENCH SMOKING CONTROL

	DANGER TROU D'HOMME OUVERT		ATTENTION À LA MARCHÉ		ATTENTION UTILISER LA RAMPE		DANGER ENTREPOSAGE DE CARBURANT DÉFENSE DE FUMER		DANGER GAZ EXPLOSIF DÉFENSE DE FUMER		ATTENTION DÉFENSE DE FUMER	
Mat'l	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"	7" x 10"	10" x 14"
VS	S0957	SAZ581	S0929	S0930	S0894	S0895	SP045	SP046	SP851	SP852	SP837	SP838
VP	S0955	S0956	S0927	SAZ580	S0892	S0893	SP043	SP044	SP849	SP850	SP835	SP836
VA	S0953	S0954	S0925	S0926	S0890	S0891	SP041	SP042	SP847	SP848	SP833	SP834

Price/Each

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl	9.74	13.99
VP	Plastic	10.82	16.15
VA	Aluminum	16.67	28.03



IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!



SAFETY SIGNS

FRENCH TRAFFIC INDUSTRIAL



Mat'l	7" x 10"	10" x 14"
VS	SP143	SP144
VP	SP141	SP142
VA	SP139	SP140



7" x 10"	10" x 14"
SP150	SP151
SP148	SP149
SP146	SP147



7" x 10"	10" x 14"
SP359	SP360
SP357	SP358
SP355	SP356



7" x 10"	10" x 14"
SP679	SP680
SP677	SP678
SAZ669	SP676

FRENCH SAFETY INCENTIVE



7" x 10"	10" x 14"
SP993	SP994
SP991	SP992
SP989	SP990

Price/Each

Material Code	Material	7" x 10"	10" x 14"
VS	Adhesive Vinyl	9.74	13.99
VP	Plastic	10.82	16.15
VA	Aluminum	16.67	28.03



**ACCUFORM
SIGNS®**

CALL US FOR
CUSTOM SIGNS



ZENITH®
Safety Products

We guarantee your safety!

R33786E

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT
& SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

939

IDENTIFICATION



PROJECTION™ SIGNS

- 0.10" thick high-impact plastic
- 3D signs, projecting 45° from the wall, provide optimum viewing from front and sides
- 90D signs, projecting 90° from the wall, are viewed from either side
- Includes: mounting holes and hardware



3D



90D

ENGLISH



3D

SAW419



90D

SAW420



3D

SAW431



90D

SAW432



3D

SAW437



90D

SAW438



3D

SAW439



90D

SAW440



3D

SAW443



90D

SAW444



3D

SAW445



90D

SAW446



3D

SAW449



90D

SAW450



3D

SAW453



90D

SAW454



3D

SAW463



90D

SAW464

FRENCH



3D

SED960



90D

SED961



3D

SED962



90D

SED963



3D

SED964



90D

SED965



3D

SED966



90D

SED967



3D

SED968



90D

SED969



3D

SED970



90D

SED971



3D

SED972



90D

SED973



3D

SEE292



90D

SEE293



3D

SEE294



90D

SEE295

Panel Size	Overall Size	Standard 3D Price/Each	Standard 90D Price/Each
6" x 5"	6" x 8 1/2" x 4"	17.42	—
8" x 8"	8" x 8" x 1 1/2"	—	18.85



**AccuFORM
SIGNS®**

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

CANADIAN STANDARDS ASSOCIATION IDENTIFICATION SAFETY SIGNS

Communicate regulatory, warning, or informational messages in a symbol to employees and visitors in the workplace. Use Canadian Standards Association (CSA) Z321 symbols designed to be easily understood for specific safety and/or health hazards. Symbols are divided into three classifications with each containing two sub-groups - for a combination of six colours and three shapes.

1. REGULATORY



1.1 PROHIBITION

Forbids an Action
(red and black
on white)



1.2 MANDATORY

Requires/Obligatory Action
(white on black)

2. WARNING



2.1 CAUTION


Potential Hazard
(black on yellow)



2.2 DANGER


Definite Hazard
(white on red)

3. INFORMATION



3.1 EMERGENCY

First Aid, Health, Fire Protection, Fire Fighting, and Emergency Equipment
(white on green)



3.2 GENERAL INFORMATION

Permission or Public Information
(white on blue)

CSA SIGNS

Safety Signs meet the Canadian Standards Association (CSA) Z321 standard for Signs and Symbols for the Workplace. Signs contain symbol with text to provide flexibility in conveying the sign message. The safety symbol is contained in a geometric shape with accompanying colours. These are uniform designs for an easily understood sign. The particular shape and colour combination distinguish the type of safety classification category. These attention-getting signs communicate the text safety information message. Signs measure 355 mm x 254 mm (14" x 10").

Available in English Only, Bilingual French-English, and French Only formats.


DESIGN YOUR OWN CUSTOM CSA SIGN!

PROVIDE A MESSAGE,
SELECT A PICTOGRAM SYMBOL
AND MATERIAL AND
LET US DO THE WORK.



Ear
protection
required

Mat'l English
VS SAU896
VP SU564
VA SAU897



Protection auditive
obligatoire
Ear protection
required

Bilingual
SAU898
SU573
SAU899



Protection
auditive
obligatoire

French
SAU900
SR643
SAU901



Foot
protection
required

Mat'l English
VS SAU902
VP SU567
VA SAU903



Chaussures de
sécurité obligatoires
Foot protection
required

Bilingual
SAU904
SU554
SAU905



Chaussures
de sécurité
obligatoires

French
SAU906
SR648
SAU907




Gloves
required

Mat'l English
VS SAU908
VP SU569
VA SAU909




Gants obligatoires
Gloves required

Bilingual
SAU910
SU568
SAU911



Gants
obligatoires

French
SAU912
SR646
SAU913



Hard
hats
required

Mat'l English
VS SAU914
VP SU570
VA SAU915



Casques de protection
obligatoires
Hard hats
required

Bilingual
SAU916
SU552
SAU917



Casques de
protection
obligatoires

French
SAU918
SR645
SAU919



Respiratory
protection
required

Mat'l English
VS SAU920
VP SU576
VA SAU921




Appareil respiratoire
obligatoire
Respiratory protection
required

Bilingual
SAU922
SU577
SAU923



Appareil
respiratoire
obligatoire

French
SAU924
SR644
SAU925



Safety
glasses
required

Mat'l English
VS SAU926
VP SU578
VA SAU927



Lunettes de sécurité
obligatoires
Safety glasses
required

Bilingual
SAU928
SU571
SAU929



Lunettes
de sécurité
obligatoires

French
SAU930
SR642
SAU931

Price/Each

Material Code	Material	14" x 10"
VS	Adhesive Vinyl	13.99
VP	Plastic	16.15
VA	Aluminum	28.03



**ACCUFORM
SIGNS®**

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

**SAFETY
EQUIPMENT &
SUPPLIES**

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

IDENTIFICATION



Mat'l
VS
VP
VA

English
SAU932
SAI723
SAU933



Bilingual
SAU934
SAI724
SAU935



French
SAU936
SR651
SAU937



Mat'l
VS
VP
VA

English
SAU938
SAI727
SAU939



Bilingual
SAU940
SAI728
SAU941



French
SAU942
SR652
SAU943



Mat'l
VS
VP
VA

English
SAU944
SAU945
SAU946



Bilingual
SAU947
SAU948
SAU949



French
SAU950
SAU951
SAU952



Mat'l
VS
VP
VA

English
SAU953
SAU954
SAU955



Bilingual
SAU956
SAU957
SAU958



French
SAU959
SAU960
SAU961



Mat'l
VS
VP
VA

English
SAU962
SAU963
SAU964



Bilingual
SAU965
SAU966
SAU967



French
SAU968
SAU969
SAU970



Mat'l
VS
VP
VA

English
SAU971
SAU972
SAU973



Bilingual
SAU974
SAU975
SAU976



French
SAU977
SAU978
SAU979



Mat'l
VS
VP
VA

English
SAU980
SAI721
SAU981



Bilingual
SAU982
SAI722
SAU983



French
SAU984
SQ118
SAU985



Mat'l
VS
VP
VA

English
SAU986
SU565
SAU987



Bilingual
SAU988
SU563
SAU989



French
SAU990
SQ117
SAU991



Mat'l
VS
VP
VA

English
SAU992
SAU993
SAU994



Bilingual
SAU995
SAU996
SAU997



French
SAU998
SAU999
SAV194



Mat'l
VS
VP
VA

English
SAV195
SAV196
SAV197



Bilingual
SAV198
SAV199
SAV200



French
SAV201
SAV202
SAV203



Mat'l
VS
VP
VA

English
SAV204
SU566
SAV205



Bilingual
SAV206
SU572
SAV207



French
SAV208
SR650
SAV209



Mat'l
VS
VP
VA

English
SAV210
SAV211
SAV212



Bilingual
SAV213
SAV214
SAV215



French
SAV216
SAV217
SAV218

Price/Each

Material Code	Material	14" x 10"
VS	Adhesive Vinyl	13.99
VP	Plastic	16.15
VA	Aluminum	28.03



**ACCUFORM
SIGNS®**

R27994E

CSA PICTOGRAM SIGNS

Pictogram signs are easily recognizable and understood symbols for communicating safety without words. Using the CSA Z321 colour symbol scheme, the signs are specific in shapes and colours to distinguish the type of message. Pictograms are ideal for conveying a message across any language barrier.

DESIGN YOUR OWN CUSTOM CSA PICTOGRAM SIGN!

FOR OTHER CSA PICTOGRAM SIGNS,
PLEASE CONTACT US AND SPECIFY
SYMBOL, SHAPE, SIZE AND LET US
DO THE WORK.



Mat'l 15 cm (6")
VS SD124
VP SAW837
VA SEA362



15 cm (6") SD116
30 cm (12") SD117
SAW839
SEA364



15 cm (6") SD114
30 cm (12") SD115
SAW841
SEA366



15 cm (6") SD112
30 cm (12") SD113
SAW843
SEA368



15 cm (6") SD120
30 cm (12") SD121
SAW845
SEA370



15 cm (6") SD122
30 cm (12") SD123
SAW847
SEA372



Mat'l 15 cm (6")
VS SD101
VP SAW849
VA SEA374



15 cm (6") SD103
30 cm (12") SD107
SAW851
SEA376



15 cm (6") SD108
30 cm (12") SD109
SAW853
SEA378



15 cm (6") SD110
30 cm (12") SD111
SAW855
SEA380



15 cm (6") SD106
30 cm (12") SD107
SAW857
SEA382



15 cm (6") SD109
30 cm (12") SD111
SAW859
SEA385



Mat'l 15 cm (6")
VS SD140
VP SAW861
VA SEA386



15 cm (6") SD141
30 cm (12") SD144
SAW863
SEA388



15 cm (6") SD145
30 cm (12") SD146
SAW865
SEA390



15 cm (6") SD136
30 cm (12") SD138
SAW867
SEA392



15 cm (6") SD152
30 cm (12") SD153
SAW869
SEA394



15 cm (6") SD149
30 cm (12") SD150
SAW871
SEA396



Mat'l 15 cm (6")
VS SD142
VP SAW873
VA SEA398



15 cm (6") SD143
30 cm (12") SD146
SAW875
SEA400



15 cm (6") SD147
30 cm (12") SD148
SAW877
SEA402



15 cm (6") SD132
30 cm (12") SD134
SAW879
SEA404



15 cm (6") SD154
30 cm (12") SD155
SAW880
SEA406



15 cm (6") SD156
30 cm (12") SD157
SAW881
SEA407



Mat'l 15 cm (6")
VS SD091
VP SAW776
VA SEA410



15 cm (6") SD092
30 cm (12") SD087
SAW778
SEA412



15 cm (6") SD088
30 cm (12") SD089
SAW779
SEA414




15 cm (6") SD083
30 cm (12") SD084
SAW780
SEA415




15 cm (6") SD077
30 cm (12") SD078
SAW782
SEA417




15 cm (6") SD078
30 cm (12") SD079
SAW783
SEA418



Mat'l 15 cm (6")
VS SD089
VP SAW784
VA SEA419



15 cm (6") SD085
30 cm (12") SD086
SAW774
SEA420



15 cm (6") SD086
30 cm (12") SD087
SAW775
SEA421



15 cm (6") SD087
30 cm (12") SD088
SAW776
SEA422



15 cm (6") SD088
30 cm (12") SD089
SAW777
SEA423



15 cm (6") SD089
30 cm (12") SD090
SAW778
SEA424

Price/Each

Material Code	Material	15 cm (6")	30 cm (12")
VS	Adhesive Vinyl	9.74	18.26
VP	Plastic	10.82	20.20
VA	Aluminum	23.62	39.20



**ACCUFORM
SIGNS®**

IDENTIFICATION



Mat'l 15 cm (6") 30 cm (12")
VS SD064 SD065
VP SAW885 SAW886
VA SEA422 SEA423



15 cm (6") 30 cm (12")
SD053 SD055
SAW887 SAW888
SEA424 SEA425



15 cm (6") 30 cm (12")
SD058 SD059
SAW889 SAW890
SEA426 SEA427



15 cm (6") 30 cm (12")
SD068 SD070
SAW891 SAW892
SEA428 SEA429



15 cm (6") 30 cm (12")
SD079 SD081
SAW893 SAW894
SEA430 SEA431



15 cm (6") 30 cm (12")
SD066 SD067
SAW895 SAW896
SEA432 SEA433



Mat'l 15 cm (6") 30 cm (12")
VS SD060 SD061
VP SAW897 SAW898
VA SEA434 SEA435



15 cm (6") 30 cm (12")
SD075 SD076
SAW899 SAW900
SEA436 SEA437



15 cm (6") 30 cm (12")
SD056 SD057
SAW901 SAW902
SEA438 SEA439



15 cm (6") 30 cm (12")
SD062 SD063
SAW770 SAW771
SEA440 SEA441



15 cm (6") 30 cm (12")
SD072 SD074
SAW772 SAW773
SEA442 SEA443



15 cm (6") 30 cm (12")
SEA523 SEA524
SAW786 SAW787
SEA444 SEA445




Mat'l 15 cm (6") 30 cm (12")
VS SD207 SD209
VP SAW812 SAW813
VA SEA446 SEA447



15 cm (6") 30 cm (12")
SD243 SD244
SAW790 SAW791
SEA448 SEA449



15 cm (6") 30 cm (12")
SD203 SD205
SAW828 SAW829
SEA450 SEA451



15 cm (6") 30 cm (12")
SD195 SD197
SAW794 SAW795
SEA452 SEA453



15 cm (6") 30 cm (12")
SD235 SD236
SAW796 SAW797
SEA454 SEA455



15 cm (6") 30 cm (12")
SD199 SD201
SAW798 SAW799
SEA456 SEA457



Mat'l 15 cm (6") 30 cm (12")
VS SD238 SD240
VP SAW800 SAW801
VA SEA458 SEA459



15 cm (6") 30 cm (12")
SD211 SD213
SAW802 SAW803
SEA460 SEA461



15 cm (6") 30 cm (12")
SD231 SD233
SAW804 SAW805
SEA462 SEA463



15 cm (6") 30 cm (12")
SD215 SD217
SAW806 SAW807
SEA464 SEA465



15 cm (6") 30 cm (12")
SD227 SD229
SAW808 SAW809
SEA466 SEA467



15 cm (6") 30 cm (12")
SD219 SD221
SAW810 SAW811
SEA468 SEA469



Mat'l 15 cm (6") 30 cm (12")
VS SD191 SD193
VP SAW788 SAW789
VA SEA470 SEA471



15 cm (6") 30 cm (12")
SD188 SD189
SAW814 SAW815
SEA472 SEA473



15 cm (6") 30 cm (12")
SD168 SD170
SAW816 SAW817
SEA474 SEA475



15 cm (6") 30 cm (12")
SD175 SD176
SAW818 SAW819
SEA476 SEA477



15 cm (6") 30 cm (12")
SD165 SD166
SAW820 SAW821
SEA478 SEA479



15 cm (6") 30 cm (12")
SD178 SD180
SAW822 SAW823
SEA480 SEA481



Mat'l 15 cm (6") 30 cm (12")
VS SD158 SD159
VP SAW824 SAW825
VA SEA482 SEA483



15 cm (6") 30 cm (12")
SD182 SD183
SAW826 SAW827
SEA484 SEA485



15 cm (6") 30 cm (12")
SD185 SD186
SAW792 SAW793
SEA486 SEA487



15 cm (6") 30 cm (12")
SD223 SD225
SAW830 SAW831
SEA488 SEA489



15 cm (6") 30 cm (12")
SD161 SD163
SAW832 SAW833
SEA490 SEA491



15 cm (6") 30 cm (12")
SD172 SD173
SAW834 SAW835
SEA492 SEA493

Price/Each

Material Code	Material	15 cm (6")	30 cm (12")
VS	Adhesive Vinyl	9.74	18.26
VP	Plastic	10.82	20.20
VA	Aluminum	22.94	40.67



**ACCUFORM
SIGNS®**

ENGLISH FACILITY SIGNS



Mat'l 10" x 14" 14" x 20"
VP SAX621 SEA498
VA SEA497 SAZ775



14" x 10"
SAX645
SEA507



14" x 10"
SAX648
SEA508



4" x 12"
SAX666
SAX667



4" x 12"
SAX669
SAX670

FRENCH FACILITY SIGNS



Mat'l 10" x 14" 14" x 20"
VP SEE296 SEE298
VA SEE297 SEE299



14" x 10"
SEE300
SEE301



14" x 10"
SEE302
SEE303



4" x 12"
SEE304
SEE305



4" x 12"
SEE306
SEE307

BILINGUAL FACILITY SIGNS



Mat'l 14" x 10"
VP SAX654
VA SEA509



14" x 10"
SAX657
SEA510



14" x 10"
SAX660
SAX661



Price/Each

Material Code	Material	4" x 12"	10" x 14"	14" x 20"
VP	Plastic	8.18	16.15	16.15
VA	Aluminum	10.31	28.03	51.44



FOLD-UPST™

- Free-standing signs to identify temporary hazardous conditions
- 0.125" rugged, high-impact plastic for multiple uses and rough handling
- 20" H x 12" W with handle cut-out, folds flat
- Same message both sides
- Available in French upon request

Price/Each

46.98



SEA514



SEA520



SEA521



SEA522

IDENTIFICATION



ISO SAFETY LABELS

- Communicate safety using internationally recognized labels as set forth by the International Organization for Standardization (ISO)
- Shapes and colours distinguish the type of safety
- Symbols communicate the specific safety message
- Adhere to documents, machinery, packaging and other areas requiring safety symbol messages

High-performance, self-adhesive vinyl with overlaminated graphics for long wear and durability. Available in two sizes — specify when ordering.

ISO labels are available in three categories distinguishable by their shape and colour format:

Mandatory - take action to avoid the hazard.

Prohibition - forbid an action to avoid the hazard.

Warning - identify the hazard to avoid.

MANDATORY

Label Size 2" (~50 mm) 4" (~100 mm)						
	Wear Eye Protection SAX255 SAX256	Wear Hearing Protection SAX316 SAX317	Wear Head Protection SAX318 SAX319	Wear Hand Protection SAX267 SAX268	Wear Face Shield & Eye Protection SAX257 SAX258	Wear Foot Protection SAX269 SAX270
Label Size 2" (~50 mm) 4" (~100 mm)						
	Wear Respiratory Protection SAX263 SAX264	Wear Mask SAX320 SAX321	Wear Protective Clothing SAX322 SAX323	Wear Head & Eye Protection SAX324 SAX325	Wear Head, Hearing & Eye Protection SAX326 SAX327	Wear Respiratory & Head Protection SAX328 SAX329
Label Size 2" (~50 mm) 4" (~100 mm)						
	Wear Safety Harness SAX330 SAX331	Unplug Electrical Supply SAX332 SAX333	Use Pedestrian Route SAX334 SAX335	Consult Technical Manual for Proper Procedure SAX336 SAX337	Wash Hands SAX338 SAX339	Lockout in De-Energized State SAX340 SAX341

PROHIBITION

Label Size 2" (~50 mm) 4" (~100 mm)						
	No Pedestrians SAX342 SAX343	No Access SAX344 SAX345	Do Not Extinguish with Water SAX346 SAX347	Not Drinking Water SAX348 SAX349	Do Not Expose to Water SAX350 SAX351	No Smoking SAX352 SAX353
Label Size 2" (~50 mm) 4" (~100 mm)						
	No Fire or Open Flame SAX354 SAX355	Do Not Remove Guard SAX356 SAX357	Do Not Throw Switch SAX358 SAX359	Do Not Touch Electrical Hazard SAX360 SAX361	Do Not Touch Surface SAX362 SAX363	Do Not Touch SAX364 SAX365
Label Size 2" (~50 mm) 4" (~100 mm)						
	No Pacemakers SAX366 SAX367	No Portable Transmitters SAX368 SAX369	No Eating or Drinking SAX370 SAX371	No Industrial Trucks SAX372 SAX373		

Label Size	Qty/Pkg.	Price/Pkg.
2" (~50 mm)	10	35.37
4" (~100 mm)	5	31.42

WARNING



Label Size
2" (~50 mm)
4" (~100 mm)

General Warning Hazard
SAX374
SAX375



Tripping Hazard
SAX376
SAX377



Slippery
Surface Hazard
SAX378
SAX379



Tipping Hazard
SAX380
SAX381



Lifting Hazard
SAX382
SAX383



Step Off Hazard
SAX384
SAX385



Label Size
2" (~50 mm)
4" (~100 mm)

Lift Truck Hazard
SAX386
SAX387



Crush Hazard
SAX388
SAX389



Crush Hazard
SAX390
SAX391



Pinch Point Hazard
SAX392
SAX393



Belt Drive
Entanglement Hazard
SAX394
SAX395



Chain Drive
Entanglement Hazard
SAX396
SAX397



Label Size
2" (~50 mm)
4" (~100 mm)

Gear
Entanglement Hazard
SAX398
SAX399



Cut or Sever Hazard
SAX400
SAX401



Automatic or Remote
Starting Hazard
SAX402
SAX403



Corrosive/Acid Hazard
SAX404
SAX405



Splash Hazard
SAX406
SAX407



Toxic Hazard
SAX408
SAX409



Label Size
2" (~50 mm)
4" (~100 mm)

Battery Hazard
SAX410
SAX411



Electric
Ground Hazard
SAX412
SAX413



Static
Sensitive Hazard
SAX414
SAX415



Electro
Magnetic Hazard
SAX416
SAX417



Strong Magnetic
Field Hazard
SAX418
SAX419



Electric
Voltage Hazard
SAX420
SAX421



Label Size
2" (~50 mm)
4" (~100 mm)

Voltage
Discharge Hazard
SAX422
SAX423



Radioactive
Material Hazard
SAX424
SAX425



Low Temperature
Hazard
SAX426
SAX427



Explosive
Atmosphere Hazard
SAX428
SAX429



Explosives Hazard
SAX430
SAX431



Fire Hazard
SAX432
SAX433



Label Size
2" (~50 mm)
4" (~100 mm)

Heated/Hot
Surface Hazard
SAX434
SAX435



Oxidizing
Materials Hazard
SAX436
SAX437



Laser Hazard
SAX438
SAX439



UV Hazard
SAX440
SAX441



Label Size	Qty/Pkg.	Price/Pkg.
2" (~50 mm)	10	35.37
4" (~100 mm)	5	31.42

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

IDENTIFICATION


Post traffic signs to safely direct and regulate the flow of vehicles and pedestrians in and around parking areas, dock areas, and roadways. Keep driveways, throughways, and curbs free of vehicles and direct to designated parking locations with proper signs.

- Heavy-duty, 0.064" aluminum signs will not rust
- Reflective sign face provides added visibility in low-light conditions
- UV-resistant inks prevent fading during long-term outdoor use
- Supplied with top and bottom centre holes for post- or fence-mounting

MATERIAL

High Intensity (HP) – High intensity prismatic sheeting is over three times brighter than standard engineer-grade sheeting.


TRAFFIC REGULATORY SIGNS



Size	Price/Each High Intensity – HP
24" x 24" (60 cm x 60 cm)	152.21
30" x 30" (75 cm x 75 cm)	210.53
36" x 36" (90 cm x 90 cm)	265.28



30" x 24"
HP
SAX463
SAX464
SAX465
SAX466
SAX467













30" x 24"
HP
SAX473
SAX474
SAX475
SAX476
SAX477



Size	Price/Each High Intensity – HP
8" x 24" (20 cm x 60 cm)	54.35
12" x 36" (30 cm x 90 cm)	54.83
24" x 24" (60 cm x 60 cm)	66.32
30" x 24" (75 cm x 60 cm)	183.08

WARNING SIGNS

High Intensity (HP) – High intensity prismatic sheeting is over three times brighter than standard engineer-grade sheeting.

				
Mat'l HP 30" x 30" SAX538	24" x 24" SAX543 30" x 30" SAX544	24" x 24" SAX546	30" x 30" SAX552	30" x 30" SAX558
				
Mat'l HP 24" x 24" SAX561 48" x 36" SEA956	30" x 30" SAX562 24" x 24" SAX565 30" x 30" SAX566	24" x 6" SAX573 36" x 12" SAX574	24" x 6" SAX577 36" x 12" SAX578	36" x 36" SAX586

Price/Each



Size	High Intensity – HP
24" x 6" (60 cm x 15 cm)	51.52
18" x 18" (45 cm x 45 cm)	95.31
36" x 12" (90 cm x 30 cm)	114.23
24" x 24" (60 cm x 60 cm)	152.15
36" x 24" (90 cm x 60 cm)	196.83
30" x 30" (75 cm x 75 cm)	210.53
36" x 36" (90 cm x 90 cm)	265.28

PARKING SIGNS

Engineer Reflective (RA) – Engineer grade reflective sign face provides added visibility in low-light condition.

				
12" x 12" SAX504	18" x 12" SAX505	18" x 12" SAX506	18" x 12" SAX507	18" x 12" SAX508
				
18" x 12" SAX509	18" x 12" SAX511	18" x 12" SAX513 24" x 18" SAX514	18" x 12" SAX515 24" x 18" SAX516	18" x 12" SAX523
				 6" x 12" SAX527



Price/Each

Size	Engineer Reflective – RA
6" x 12" (15 cm x 30 cm)	26.63
12" x 12" (30 cm x 30 cm)	42.39
18" x 12" (45 cm x 30 cm)	47.00
24" x 18" (60 cm x 45 cm)	93.96

SIGN POSTS & HARDWARE

- Posts available in three sizes*: 8-ft post, 10-ft post, 12-ft post
- Hardware set (sold separately) contains one nut, one bolt, one washer and one spacer

Length'	Galvanized Model No.	Price/Each
8	SA0195	47.00
10	SA0196	65.14
12	SA0197	69.92
Model No.		Price/Set
Hardware Set		SA0201 2.61



*Other lengths also available. Contact us for details.

SAFETY AWARENESS

MOTIVATION & SAFETY AWARENESS

Reaching your safety goals ultimately means saving money, increased production, and happy, healthy employees. Studies show that employees who are motivated and happy on the job are less likely to suffer a serious injury and are all-together more productive.

Personalize safety at your facility today by choosing from our variety of motivation products, including Digi-Day® electronic scoreboards, banners, posters and more!

LOGO:

- Unlimited colours
- No minimums
- No setup fees

PERSONALIZE IT!

It's much more than adding your logo to stock artwork...

It's about communicating an underlying concept or idea that motivates your workforce. It could be the idea of making it home safe to see your family, or it could be the pride that is felt in a job well done. A unified visual campaign is an excellent way to reinforce the importance of safety, wellness or production excellence throughout your facility, from front gate to back dock.

Whatever your message we can help you create custom artwork and implement a consistent message throughout your facility. Give us a call!

- Personalize with corporate identity
- Full colour photography
- Personalize with your employees
- Communicate your message



STORE-BOARDS™

Store-Boards™ can be used in your facility to ensure organization, increased productivity and safety! They are used in the 5S process and other lean initiatives to organize tools, equipment and materials.

BENEFITS OF STORE-BOARDS™:

- Provide striking, graphical visual point-of-storage for the tools
- Shadow outlines with words identify where tools should be when not in use
- Show readily available tools to maintain machinery, equipment, and operations
- Account for missing tools and equipment, avoiding time wasted looking for and replacing them, and ensuring availability when needed next time

Personalize your Store-Boards™ to any size and style you require – use any colours, and include logos, messages, symbols or even full-colour images.

GETTING STARTED WITH PERSONALIZED STORE-BOARDS™

If you can think it, we can build it. We will put you in contact with a Personalization Specialist that will walk you through every step and ensure your vision becomes reality.



BEFORE

DEPENDING ON YOUR NEEDS, YOU SHOULD CONSIDER:

- **Where will your board be placed? And how will it be used?**
 - For most general use boards, a material intended for large signs will work, like the Max Plastic-Lite (call us for more information)
 - Other materials may be required for special uses. For instance, if you plan on cleaning equipment directly on the board the highly durable Accu-Shield™ (see page 929) is the best choice to withstand the abuse and keep your print protected
 - Our customer service representatives will be able to guide you to the material that best suits your needs
- **What equipment would you like to have shadowed on your board?**
 - You'll be asked to provide size specifications for your equipment. Manufacturer model numbers are helpful but if they are not available then detailed sizing and straight-on photos on a plain background can be used
 - Our customer service representatives will provide guidance on how to provide size specifications for your equipment
- **What's the best way to hang your items?**
 - For instance, consider if hanging a broom bristle side up could cause debris issues.
 - Also consider the hanging mechanism; we can provide any type of unique hanging device, from pegs to hooks, to shelves
- **Don't forget to think about incorporating your company logo, colours and images!**



AFTER

CALL OUR CUSTOMER SERVICE TO HELP GUIDE YOU IN DESIGNING YOUR PERSONALIZED STORE-BOARD™ TODAY!

DIGI-DAY® CHANGEABLE FACES

Keep the appearance in your scoreboard fresh, new and noticeable - Change the face in seconds!

- Frame features one open end to slip in and slip out for a quick change.
- 30" x 22" aluminum frame
- Changeable face made with durable gloss-laminate
- Wall-mount brackets on the backside
- Brightly-lit LED number display as an internal clock that advances your safe days every 24 hours
- Operates on 12 VAC with 6' power cord
- Set includes the most popular face (SEE769 English and SEE770 French) and a changeable face of your choice

You can personalize your own changeable face with bold, colourful graphics and an impactful message.



Description	Price/Each
Set	624.81
Face Only	53.88



Face Only

SEE769



Face Only

SEE770



Set
Face Only

SEE330
SEE331



Set
Face Only

SEE662
SEE663



Set
Face Only

SEE332
SEE333



Set
Face Only

SEE664
SEE665

DIGI-DAY® ELECTRONIC SCOREBOARDS

KEEP TRACK OF SAFE DAYS!

Electronically and automatically counts the days without accident, eliminating the daily task to manually change numbers or write-in safe work days. Brightly-lit LED number display as an internal clock that advances your safe days every 24 hours. Tamper-proof electronic display is controlled by an easy-to-use handheld remote, and stores the last number in the event of power failure.

- Intended for indoor use
- Printed image goes to the edge and wraps around the sides for depth and visual impact
- 28" x 20" aluminum construction
- 4-digit bright LED display with 2 1/2" H numbers
- Built in hidden mounting system
- Operates on 12 VAC with 6' power cord

Want to create your own? Call our customer service department today to get started!

PERSONALIZE IT!

Size	Price/Each
28" x 20"	410.04



SED513



SED514



SED515



SED516




SED517



SED518



SED519



SED520



SED521



SED522

SAFETY AWARENESS



REALLY BIG SIGNAL SCOREBOARDS

PROMOTE SAFETY AWARENESS IN A BIG WAY WITH A SIGNAL SAFETY SCOREBOARD

- Attention-getting scoreboard is large at 6-feet wide and 3-feet tall with 6" deep aluminum frame surrounding the sign cabinet
- Includes full-size three-signal traffic light
- Operate red, yellow and green light to promote the safety status of the workplace with steady-on or flashing lights (relay available separately)
- Signal lights individually controlled by switches
- Bold colours and large letters are printed onto durable plastic front face

- Choose numbering system to keep track and notify of "safe working" days- *Digi-Day™* Numbers - bright, red LED digital numbers automatically advance by one every 24 hours. Set it and run it from a remote control.
- Operates on 110 VAC with 8-ft power cord and grounded plug
- For indoor use only



SAS428
SAS429

2 1/2" *Digi-Day™*
4" *Digi-Day™*



SAS431
SAS432

2 1/2" *Digi-Day™*
4" *Digi-Day™*

English Model No.	French Model No.	Description	Price /Each
SAS428	SAS431	w/2 1/2" <i>Digi-Day™</i> Numbers	2494.40
SAS429	SAS432	w/4" <i>Digi-Day™</i> Numbers	2792.63

*Customized scoreboards also available. Call for details.

ACCESSORIES

Model No.	Description	Price /Each
SAS434	Flashing Signal Light Relay	35.01

WRITE-A-DAY SCOREBOARDS

- Easily update safe working days with dry-erase marker
- Wipe-off and write-in on poly-coated space
- Constructed of durable plastic for indoor locations
- Has corner mounting holes

Size	Price/Each
20" x 14"	49.32
28" x 20"	70.03

ACCESSORIES

Model No.	Description	Price/Each
OTK147	Chisel Tip Dry Erase Marker	1.99
OTK168	Bullet Tip Dry Erase Marker	1.99



20" x 14"
SAV221

28" x 20"
SAV222



20" x 14"
SEE334

28" x 20"
SEE335

RMP-ECO® cleaning products are the Green solution to industrial cleaning.

All RMP-ECO® products are EcoLogo® certified.

RMP-ECO® is safe for you and the environment.

PPE-ID™ CHART & LABEL KITS

- Allows to create and display a visual chart identifying Personal Protective Equipment (PPE) where required
- Template chart measuring 24" x 18" with blank spaces provided, that is filled by placing PPE product pictorials from the included label booklet
- Label booklet contains 2" x 2" self-adhesive vinyl images of commonly recognized standardized PPE, broken down into popular categories: Body, eye, foot, hand, head, hearing and respiratory
- Chart is printed on sturdy 1/8" over-laminated plastic lite

Model No.	Mfg. No.	Description	Price /Each
ENGLISH			
SED561	PPE248	Personal Protection Equipment Identification™ Chart & Label Booklet	70.11
SED562	PPE357	PPE-ID™ Chart Only	46.71
SED563	PPE468	Label Booklet Only	35.01
FRENCH			
SED564	PPE251	Personal Protection Equipment Identification™ Chart & Label Booklet	70.11
SED565	PPE362	PPE-ID™ Chart Only	46.71
SED566	PPE473	Label Booklet Only	35.01



THE GLOVE BOARD™

- Designed to prominently identify the type of glove, provide information on specific glove use
- Board calls attention to "required hand protection" with bold print header and stripe graphic
- Constructed of heavy-duty galvanized steel
- Hang representative hand protection samples by the mounted bulldog-style clips
- Measures 12" x 36"

THE GLOVE BOARD™ KIT INCLUDES:

- 1 board with mounted bulldog-style clips
- 5 blank yellow magnetic strips
- 15 blank white magnetic strips
- 1 permanent marking pen
- 20 pre-printed yellow magnetic strips, each with a different common name of hand protection glove group

Model No.	Description	Price /Each
SED800	Glove Board™ Kit English	161.63
SED801	Printed Glove Groups Magnetic Strips Yellow (20)	48.33
SED802	Glove Kit Blank Yellow Magnetic Strips (5)	9.05
SED803	Glove Kit Blank White Magnetic Strips (5)	9.05
SED804	Glove Board™ Kit French	161.63
SED805	Printed Glove Groups for Magnetic Strips Yellow (20)	48.33



EVACUATION MAP HOLDERS

- Printed with clear bold letters in the border to readily identify evacuation map, and is designed to easily accommodate 8.5" x 11" or 11" x 17" clear transparency film inserts (sold separately)
- Map can be printed from any computer and slides easily into the holder
- Made from 0.040" clear durable polycarbonate face with a plastic back
- Includes adhesive foam strips for mounting
- Available in English only


ENGLISH STANDARD HOLDERS

Model No.	Mfg. No.	Fits Insert Sizes"	Overall Size"	Price /Each
SEC863	DTA235	8 1/2 x 11	11 1/2 x 12	59.50
SEC864	DTA237	11 x 17	15 x 17 1/2	73.42

CLEAR INSERTS

Sold in packages of 2

Model No.	Mfg. No.	Size"	Price /Each
SEC866	DTA213	8 1/2 x 11	11.48
SEC867	DTA215	11 x 17	19.33



LABELLING SYSTEMS & SUPPLIES

PORTABLE LABEL PRINTERS

CREATE CUSTOM LABELS ANYTIME... ANY PLACE...



Model No. SEA912
Mfg. No BMP21
Price/Each \$159.00

BMP™21 LABEL PRINTERS

Simple to operate and quick to print, the *BMP™21 Label Printer* is the must-have labeling tool for voice/datacomm., electrical and general industrial crews. The *BMP™21* thermal transfer printer creates clear, legible, industrial strength labels that will stay stuck for years - even in the harshest environments.

- One-handed operation to enhance work efficiencies
- Large display with backlight for easy reading
- Dual cutter buttons cuts and holds printed labels until you need them
- Automated serialization, barcoding and 80 symbols for multiple applications
- Terminal block and patch panel functions for accurate label formatting



Model No. SAL822
Mfg. No XPERT-ABC
Price/Each \$450.74

IDXPRT™ PORTABLE LABEL PRINTERS

Brady's *IDXPRT™ Portable Label Printer* is the ideal tool for on-the-spot labeling in datacomm, electrical, material handling and industrial workplaces. It offers more sizes, symbols and types of labels. The 300 dpi thermal transfer label printing creates professional-looking die-cut labels, self-laminating labels, sleeves, slide-in punch block strips and continuous tape labels.

Create more than 140 different high-performance labels specifically for your application, including wire and cable markers, panel, rack and frame identification labels, datacomm labels, facilities labels and more.



Model No. SEC447
Mfg. No BMP71
Price/Each \$1189.81

BMP™71 LABEL PRINTERS

The *BMP™71 Label Printer* is our most versatile labeler for on-the-job printing. It prints on more than 400 different label parts, and has a convenient handle and rechargeable battery.

- Large, full color graphical display
- Simple step-by-step label design
- High-speed print (1.5" per second!)
- Hundreds of symbols and graphics including bar codes
- 200 MB of storage for all your label saving needs
- No calibration required for setup or supply changes

**HandiMark Tapes compatible with this printer*

	BMP™21 Label Printers	IDXPRT™ Portable Label Printers	BMP™71 Label Printers
Max Labels per Day	75 labels/day	250 labels/day	1000 labels/day
Print Resolution	203 dpi	300 dpi	300 dpi
Print Technology	Thermal Transfer	Thermal Transfer	Thermal Transfer
Print Speed	10 mm / sec	10 mm / sec	38 mm/sec
Tape Widths	1/4", 3/8", 1/2", 3/4"	0.25", 0.318", 0.375", 0.475", 0.50", 0.625", 0.75", 1.00", 1.50"	Various sizes from 0.25" to 2.00"
Max Label Width	0.75"	1.50"	2.00"
Max Print Width	N/A	1.250"	1.75"
Memory	12 labels	10 labels	200Mb
Materials Supported	Continuous/43 Stock Parts	Continuous, Die Cut, Over 140 Stock Parts	Continuous, Die Cut labels, Bulk, over 400 stock parts
Continuous vs Die Cut Labels	Continuous Labels only	Can print both continuous and die cut labels	Can print both continuous and die cut labels
Peripheral Printing	No	Yes	Yes
File Transfer from PC to printer	No	No	Yes
Stand Alone Printing	Yes	Yes	Yes
Connectivity Options	None	USB	USB
Keyboard	ABC	ABC and QWERTY	QWERTY
Backlit Screen	Yes	No	Yes
Text Sizes	6 (6 to 40 pt)	11 (7 to 128 pt)	4 to 174 pt
Multi-Line Print	Yes	Yes	Yes
Serialization	Yes	Yes	Yes - multiple and linked
Barcode	39 and 128	39 and 128	39 and 128
Symbols	80	82	Over 500
Portability	Yes	Yes	Yes
Label Types or Application Functions?	Wire, Banner Portrait, Banner Landscape, Terminal Block, Patch Panel, Fixed Length	Banner Portrait, Banner Landscape, Wire, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length	Banner Portrait, Banner Landscape, Wire, Flag Labels, Patch Panel, Terminal Block, Desi Strip, 110 Block, 66 Block, Bix Block, Fixed Length, Pipe Markers, Safety Labels
Applications	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Wire & Cable Marking	Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Panel Identification, Wire & Cable Marking	Circuit Board Labeling, Data Communications Labeling, Facility, Safety & Maintenance Identification, General & Industrial Labeling, Health Care Identification, Laboratory Identification, Panel Identification, Security Identification, Wire & Cable Marking, Pipe Marking
Power Supply	6 AA's, AC Power (optional)	6 AA's, AC Power (optional)	Rechargeable Battery, AC Power
Weight	1.66 lbs	2.4 lbs	5.49 lbs

BMP™21 LABEL PRINTER

Simple to operate and quick to print, the BMP™21 Label Printer is the must-have labeling tool for voice/datacomm., electrical and general industrial crews. The BMP™21 thermal transfer printer creates clear, legible, industrial strength labels that will stay stuck for years - even in the harshest environments.

- One-handed operation to enhance work efficiencies
- Large display with backlight for easy reading
- Dual cutter buttons cuts and holds printed labels until you need them
- Automated serialization, barcoding and 80 symbols for multiple applications
- Terminal block and patch panel functions for accurate label formatting



Model No.	Mfg. No.	Description	Price/Each
SEA912	BMP21	Mobile Printer	159.00
SEA913	BMP21-AC	AC Adapter	46.35
SEA914	BMP21-HC	Hard Side Carrying Case	45.00
SEC608	BMP21-MAGNET	Magnet	30.81
SEC609	BMP21-TOOL	Multifunctional Accessory	61.93

Note: The HandiMark labeling machine is now obsolete. Tapes and ribbons are still available and are compatible with the BMP™21 Label Printer.

BMP™21 TAPES & RIBBONS



SELF-LAMINATING VINYL - CONTINUOUS BLACK ON WHITE SELF-LAMINATING WIRE MARKER - 14' ROLL (#M)


Priced per roll

Size"	Model No.	Price/Each
3/4	SEC610	47.36
1	SEC611	52.49
1 1/4	SEC612	55.67
1 1/2	SEC613	55.03

PERMASLEEVE™ WIRE MARKER SLEEVES - 7' ROLL (#M) CONTINUOUS CUT-TO-LENGTH HEAT SHRINKABLE SLEEVES

Priced per roll

Size"	Model No.	Price/Each
0.125	SEC614	62.64
0.187	SEC615	67.36
0.250	SEC616	76.89
0.375	SEC617	85.20



Call us for all your



Safety Equipment & Supplies requirements!

INDOOR/OUTDOOR GRADE VINYL TAPE - 21' CARTRIDGE SUPER-TOUGH VINYL TAPE - PERFECT FOR VOICE, DATA, AUDIO, VIDEO, HV/AC CONTROL, BINS, SAFETY AND ELECTRICAL APPLICATIONS

Priced per roll

Size	Black on White Model No.	White on Red Model No.	White on Blue Model No.	White on Green Model No.	Black on Orange Model No.	Price /Each
3/8" x 21'	SEB059	SEB061	SEB062	SEB063	SEB064	32.73
1/2" x 21'	SEB065	SEB071	SEB068	SEB069	SEB070	32.91
3/4" x 21'	SEA915	SEB079	SEB076	SEB077	SEB078	41.99

POLYESTER - 21' ROLL BLACK ON WHITE FOR COMPONENTS, INSTRUMENTS, RACKS AND BINS

Priced per roll

Size"	Model No.	Price/Each
3/8	SEB055	23.40
1/5	SEB056	23.40
3/4	SEB073	25.65

POLYESTER - 21' ROLL BLACK ON CLEAR FOR COMPONENTS, INSTRUMENTS, RACKS AND BINS

Priced per roll

Size"	Model No.	Price/Each
3/8	SEB057	23.40
1/5	SEB058	23.40
3/4	SEB074	26.10

NYLON CLOTH - 16' ROLL FOR WIRE, CABLE, PATCH PANELS AND FACE-PLATES

Priced per roll

Size"	Model No.	Price/Each
3/8	SEB067	29.00
1/5	SEB072	29.00
3/4	SEB081	33.00

LABELLING SYSTEMS & SUPPLIES

IDXPERT™ HANDHELD LABELER

Printer includes:

- Hard carry case
- 1.5" x 30' continuous tape
- PC cable for upgrades only
- Product CD with tutorials



SAL824
KEYBOARD layout



SAL822
ABC layout



SAL826



Model No.	Mfg. No.	Description	Price/Each
SAL822	XPRT-ABC	Printer ABC Layout	450.74
SAL824	XPRT-KEY	Printer KEYBOARD Layout	450.74
ACCESSORIES			
SAL823	XPRT-HC-ABC	Hard Case for ABC Layout	84.53
SAL825	XPRT-HC-KEY	Hard Case for KEYBOARD Layout	84.53
SAL826	XPRT-AC	AC Adapter	46.35
SAL827	PCCABLE-1	Spare PC Cable for Upgrades Only	21.08
SAL828	PCK-4	Cleaning Kit	40.11

IDXPERT™ CARTRIDGES

BINS & STORAGE ID, GENERAL INDUSTRIAL ID, COMPONENT ID

A variety of sizes and extra-aggressive adhesives for bins, drawers, tools and equipment.

METALLIZED POLYESTER

- Permanent adhesive
- Silver finish
- Temperature range: -40°F to 176°F (-40°C to 80°C)
- UL recognised

NYLON CLOTH

- Permanent adhesive
- Pliable, for rough or smooth surfaces
- Temperature range: -94°F to 194°F (-70°C to 90°C)
- UL recognised

GLOSS POLYESTER

- Permanent adhesive
- For smoother surfaces
- Temperature range: -40°F to 212°F (-40°C to 100°C)
- UL recognised




Diagram	Model No.	Labels /Cartridge	Dimensions A" B"	Material	Price /Each
BLACK ON WHITE					
C	SAL844	300	0.5" Dia.	Nylon Cloth	42.66
A	SAL845	350	0.5 0.5	Gloss Polyester	44.57
A	SAL847	250	1 1	Gloss Polyester	50.32
A	SAL850	250	1.5 0.75	Gloss Polyester	61.86
BLACK ON SILVER					
A	SAL846	500	1 0.5	Metallized Polyester	71.93
B	SAL848	500	1.13 0.5	Metallized Polyester	63.31
A	SAL849	500	1.5 0.5	Metallized Polyester	82.02
A	SAL851	100	2 1	Metallized Polyester	46.02

IDXPERT™ LABELS

INDOOR/OUTDOOR GRADE FACILITY & SAFETY LABELS

- This indoor/5-year outdoor vinyl material is very pliable and conforms well to smooth or rough surfaces such as pipes, walls, doors, panels, shelving, bins and equipment
- Aggressive permanent adhesive
- Excellent resistance to oils, detergents, dirt, grime and many solvents
- Temperature range: -40°F to 248°F (-40°C to 120°C)
- 30' rolls




Pipe marking



Component identification



Terminal block marking




Size"	Black on Orange Model No.	Black on Yellow Model No.	White on Red Model No.	White on Green Model No.	White on Blue Model No.	Price /Each
1/2	SAL829	SAL832	SAL835	SAL838	SAL841	68.15
1	SAL830	SAL833	SAL836	SAL839	SAL842	85.77
1 1/2	SAL831	SAL834	SAL837	SAL840	SAL843	101.37

WIRE & CABLE MARKERS – SELF-LAMINATING

- Printer automatically "multiple repeats" your text in the white print area
- B-427 vinyl self-laminating material, resistant to water, oil, solvent and abrasion

Model No.	Max Wire Diameter	Wire Gauge	Labels/ Cartridge	Width"	Dimensions Height"	Printable Height"	Colour	Price /Each
SEC618	0.16" (4 mm)	16-10 Gauge	500	0.5	0.75	0.375	Black on White	73.26
SEC619	0.16" (4 mm)	16-10 Gauge	250	1	0.75	0.375	Black on White	52.28
SEC620	0.21" (5 mm)	12-10 Gauge	500	0.5	1	0.375	Black on White	85.50
SEC621	0.21" (5 mm)	12-10 Gauge	250	0.75	1	0.375	Black on White	60.04
SEC622	0.21" (5 mm)	12-10 Gauge	250	1	1	0.375	Black on White	67.79
SEC623	0.27" (7 mm)	10-4 Gauge	250	0.5	1.25	0.375	Black on White	48.40
SEC624	0.27" (7 mm)	10-4 Gauge	250	1	1.25	0.5	Black on White	77.54
SEC625	0.27" (7 mm)	10-4 Gauge	250	1.5	1.25	0.5	Black on White	69.76
SEC626	0.32" (8 mm)	10-4 Gauge	250	0.75	1.5	0.5	Black on White	65.87
SEC627	0.32" (8 mm)	10-4 Gauge	250	1	1.5	0.5	Black on Yellow	89.16
SEC628	0.32" (8 mm)	10-4 Gauge	227	1.5	1.5	0.5	Black on White	91.09
SEC629	0.53" (14 mm)	3 Gauge-2/0	100	1	0.75	0.75	Black on Yellow	60.04
SEC630	0.53" (14 mm)	3 Gauge-2/0	100	1	0.75	0.75	Black on White	54.23
SEC631	0.85" (22 mm)	3/0-400 kcmil	85	1.5	4	1	Black on White	87.21



BMP™71 LABEL PRINTER

The BMP™71 Label Printer is our most versatile labeler for on-the-job printing. It prints on more than 400 different label parts, and has a convenient handle and rechargeable battery.

- Large, full color graphical display
- Simple step-by-step label design
- High-speed print (1.5" per second!)
- Hundreds of symbols and graphics including bar codes
- 200 MB of storage for all your label saving needs
- No calibration required for setup or supply changes

*HandiMark Tapes compatible with this printer



SEC447



Model No.	Mfg. No.	Description	Price /Each
SEC447	BMP71	Label Printer	1189.81
SEC659	BMP71-LM	Label Printer With Labelmark Software	1144.60
SEC660	BMP71-MW	Label Printer With Markware Lean Software	2312.86
SEC661	BMP71-QC	Label Printer With Quick Charger	1652.04
SEC662	BMP71-SC	Label Printer With Soft Case	1561.94
SEC663	BMP71-SC-QC	Label Printer With Soft Case And Quick Charger	1727.12
SEC664	M71-AC-BC	AC/Battery Adaptor	103.73
SEC665	M71-ADAPT	TLS/HandiMark Media Adaptor	34.82
SEC666	M71-BATT	Battery Pack	27.68
SEC667	M71-CLEAN	Cleaning Kit	132.49
SEC668	M71-HC	Hard Case	201.28
SEC669	M71-QC	Quick Charger	147.09

SELF-LAMINATING WIRE MARKERS

Protected printing area offers superior chemical and abrasion resistance. Features a non-printed clear area that wraps around and overlaminates the printed text.



SEC755

Model No.	Labels/ Roll	Approx. Wire Gauge	Label Dimensions"	Price /Each
SEC755	1000	Cables	1 x 2.5 x 0.75	286.53
SEC756	100	Cables	1 x 2.5 x 0.75	40.75
SEC757	5000	16-10	0.50 x 0.75 x 0.38	391.02
SEC758	5000	12-10	0.50 x 1 x 0.38	418.18
SEC759	2500	12-10	1 x 1 x 0.38	373.45
SEC760	250	12-10	1 x 1 x 0.38	53.24
SEC761	5000	10-4	0.50 x 1.5 x 0.5	506.33
SEC762	250	10-4	0.75 x 1 x 0.38	48.16
SEC763	2500	10-4	1 x 1.5 x 0.5	482.89
SEC764	250	10-4	1 x 1.5 x 0.5	68.06
SEC765	250	10-4	1.5 x 1.5 x 0.5	69.88

PERMASLEEVES™ WIRE MARKERS

These full circle heat-shrink sleeves are the ultimate in marker durability, performance and an aesthetic appearance. Fast shrink rate saves time and costs during installation.

Model No.	Labels/ Roll	Approx. Wire Gauge	Label Dimensions"	Price /Each
SEC740	2500	28-12	1.02 x 0.18	1197.51
SEC741	100	28-18	1.02 x 0.18	67.38
SEC742	1000	22-16	1.02 x 0.24	499.06
SEC743	100	22-16	1.02 x 0.24	72.15
SEC744	1000	22-16	1.77 x 0.24	670.53
SEC745	100	18-12	1.02 x 0.34	556.78
SEC746	100	18-12	1.02 x 0.34	80.33
SEC747	1000	16-10	1.02 x 0.44	673.61
SEC748	100	16-10	1.02 x 0.44	96.84
SEC749	1000	16-10	1.77 x 0.44	906.85
SEC750	1000	12-6	1.02 x 0.65	994.09

INDOOR/OUTDOOR GRADE VINYL TAPE – 50' ROLL

Indoor/outdoor pliable vinyl conforms to smooth or rough surfaces such as pipes, walls, doors, panels, shelving, bins and equipment. Aggressive permanent adhesive; labels offer excellent resistance to oils, detergents, dirt, grime and many solvents.



SEC537



Model No.	Label Dimensions"	Colour	Price/Each
SEC537	1/2	Black	63.30
SEC531	1/2	Blue	63.30
SEC525	1/2	Green	63.30
SEC534	1/2	Orange	63.30
SEC519	1/2	White	69.29
SEC522	1/2	Yellow	63.30
SEC538	1	Black	89.68
SEC532	1	Blue	89.68
SEC526	1	Green	89.68
SEC535	1	Orange	89.68
SEC520	1	White	89.68
SEC523	1	Yellow	89.68

BMP™71 RIBBONS

- 2" x 150'

Model No.	Series	Description	Price/Each
SEC791	6000	Black Ribbon	84.79
SEC792	4300	Black Ribbon	84.79
SEC793	4400	White Ribbon	100.21
SEC794	6900	Red Ribbon	100.21
SEC795	6900	Blue Ribbon	100.21
SEC796	6900	Yellow Ribbon	100.21



SEC791

Can't find what you're looking for?
Call us today!



Look for this symbol for environmentally friendly products!



LABELLING SYSTEMS & SUPPLIES

BENCH TOP PRINTERS



BBP™31 SIGN & LABEL PRINTERS

This monochrome sign and label printer can print on labels 1/2" wide to 4" wide. Designed for ease of use and versatility, this printer features an intuitive touch screen display, simple label design, and a wide variety of material applications.

Model No. SEC766
Mfg. No BB931
Price/Each \$2334.60



GLOBALMARK®2 INDUSTRIAL LABEL MAKERS

The *GlobalMark Industrial Label Maker* is a make-it yourself industrial grade, heavy-duty label-production printer. Users have the ability to print custom labels, tags, decals, badges and signs on demand.

Model No. SAG893
Mfg. No 76800
Price/Each \$3900.00



BRADY BP-IP™300 THERMAL TRANSFER PRINTERS

Brady's *IP™ Thermal Transfer Printer* is a new, smart solution for high-performance printing. Is a fully integrated, easy-to-use pinter, material, and software system that offers user-friendly printer features for labels, sleeves and tags.

Model No. SAS073
Mfg. No BP-IP300
Price/Each \$2394.95



	BBP™31 Sign & Label Printers	GlobalMark® Industrial Label Makers	Brady BP-IP™300 Thermal Transfer Printers
Display	Adjustable tilt view	Fixed Angle	Fixed Angle
Display Size	4" x 6", 24 sq. inches	3.3" x 4.2", 14 sq. inches	1.6" x 2.8"
Print Resolution	306 dpi	300 dpi	300 dpi
Tape Widths	1/2" thru 4.25"	1/2" thru 4.25"	0.25" thru 4.0"
Max Length	120"	100"	40"
Total Tape Colours	16	16	N/A
Total Print Colours	8 spot colors	8	3
Applications	Facility and Plant Maintenance Safety and Compliance Lean Manufacturing and Visual Workplace Laboratory Identification Electrical Voice and Data Communications	Facility and Plant Maintenance Safety and Compliance Lean Manufacturing and Visual Workplace Laboratory Identification Electrical Voice and Data Communications	Industrial Manufacturing Electrical, Wire and Cable Identification Electronics Government & Defense Transportation (Aerospace, Rail, Mass Transit) Data Communication Laboratory/Healthcare
Supplies Loading	Drop-Lock & Print Cartridges with Full Smart Chip Set-Up Just Walk Up and Print!	Drop-Lock & Print Cartridges with Full Smart Chip Set-Up Fast Set-Up	Manual Installation Full Smart Chip Technology
Print Speed	3 ips	1 ips	8 ips
Process Speed	Fast selection, very fast response Quicker click & drag	Slight delay between screens Touch Screen: Medium response speed	Very Fast
Footprint Size	12" W x 11" D x 9" H	18" W x 15" D x 12" H	9.4" W x 17" D x 11" H
Weight	14.3 lbs.	27 lbs.	13 lbs.

BBP™31 SIGN & LABEL PRINTERS

This monochrome sign and label printer can print on labels 1/2" to 4" wide. Designed for ease of use and versatility, this printer features an intuitive touch screen display, simple label design, and a wide variety of material applications.



Model No.	Mfg. No.	Description	Price /Each
SEC766	BBP31	Sign & Label Maker	2334.60
SEC767	B31-WIPER	Media Wiper Pack	44.52
SEC768	B31-STYLUS	Replacement Stylus	24.95
SEC769	B31-CCT	Cutter Cleaning Tool	24.95



INDOOR/OUTDOOR VINYL B-595 TAPE

- For general facility identification
- Durable, low-shrink vinyl with our most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces



Colour	4" x 100' Model No.	Price /Each	3" x 100' Model No.	Price /Each	2.25" x 100' Model No.	Price /Each	1.125" x 100' Model No.	Price /Each	0.5" x 100' Model No.	Price /Each
White	SEC632	384.95	SEC638	342.17	SEC640	256.59	SEC646	171.05	SEC652	106.81
Yellow	SEC633	384.95	SEC639	342.17	SEC641	256.59	SEC647	171.05	SEC653	106.81
Red	SEC634	384.95	N/A	-	SEC642	256.59	SEC648	171.05	SEC654	106.81
Blue	SEC635	384.95	N/A	-	SEC643	256.59	SEC649	171.05	SEC655	106.81
Green	SEC636	384.95	N/A	-	SEC644	256.59	SEC650	171.05	SEC656	106.81
Orange	SEC637	384.95	N/A	-	SEC645	256.59	SEC651	171.05	SEC657	106.81

LOW-HALIDE POLYESTER B-569 TAPE

- For labelling stainless steel and smooth surfaces

Colour	2.25" x 100' Model No.	Price /Each	1.125" x 100' Model No.	Price /Each
White	SEC770	275.31	SEC776	190.58
Yellow	SEC771	275.31	SEC777	190.58
Blue	SEC772	275.31	SEC778	190.58
Green	SEC773	275.31	SEC779	190.58
Orange	SEC774	275.31	SEC780	190.58
Red	SEC775	275.31	SEC781	190.58

SELF-LAMINATING CABLE & WIRE LABELS B-427


- For wire and cable identification
- Features a white printable area with a clear "tail" that wraps around the marker to serve as an over-laminate



Model No.	Labels/ Roll	Wire Gauge	Price /Each
SEC782	4000	16-10 Gauge, 0.16" max dia	154.67
SEC783	1800	10-4 Gauge, 0.27" max dia	254.82
SEC784	1500	10-4 Gauge, 0.32" max dia	254.82
SEC785	1000	3 Gauge-2/0, 0.53" max dia	254.82

RIBBONS

- "Drop & Click" print ribbons for quick and easy supply changes
- Print can withstand years in industrial areas and outdoor conditions
- 4.33" x 200'



Colour	Model No.	Price/Each
White	SEC786	179.97
Black	SEC787	179.97
Black*	SEC790	179.97
Red	SEC788	179.97
Blue	SAG989	109.99

* Black is for use with B-427 material only

Call us for all your
Safety Equipment
& Supplies
requirements!



Look for this symbol



for environmentally
friendly products!



GLOBALMARK®2 INDUSTRIAL LABEL MARKERS

COLOUR & CUT

- Prints in one colour, multiple spot colours, blended colours and full process colour
- Unit has an additional built-in cutter for cutting out characters and shapes
- Optional *MarkWare™* label making software, import and print full colour logos, artwork, even photographs
- Tape saver feature

Model No. SAG892 Mfg. No. 76801
Price/Each \$4990.00

MULTICOLOUR

- Same as the **Colour & Cut** model without the additional built-in character cutter

Model No. SAG893 Mfg. No. 76800
Price/Each \$3900.00



GLOBALMARK®2
INDUSTRIAL LABEL MAKER

GLOBALMARK®2 INDUSTRIAL GRADE PRINT RIBBONS

- Super-tough smear-proof ribbons assure your printed text lasts for years outdoors and in an industrial environment
- Ribbons are self-contained in cartridges that drop straight into the *GlobalMark®* with a "click"
- 4-colour panelled ribbons are used to print labels and signs containing more than 1 print colour



GLOBALMARK®2
INDUSTRIAL LABEL MAKER

SINGLE COLOUR PRINT RIBBON CARTRIDGES - 200'/ROLL

Priced per Roll

Colour	Model No.	Panels	Price /Each
Black	SAG953	4.11" x 200'	124.68
White	SAG954	4.11" x 200'	124.68
Red	SAG955	4.11" x 200'	124.68
Blue	SAG956	4.11" x 200'	124.68
Green	SAG957	4.11" x 200'	124.68
Magenta	SAG958	4.11" x 200'	124.68
Yellow	SAG959	4.11" x 200'	124.68

TWO COLOUR PRINT RIBBON CARTRIDGES - 200'/ROLL

Priced per Roll

Colour	Model No.	Panels	Price /Each
Black and Red	SAG964	4.11" x 8"	127.07
Black and Blue	SAG965	4.11" x 8"	127.07
Black and Orange	SAG967	4.11" x 8"	127.07
Black and Red	SAG969	4.11" x 16"	127.07
Black and Blue	SAG970	4.11" x 16"	127.07
Black and Orange	SAG972	4.11" x 16"	127.07

FOUR COLOUR PRINT RIBBON CARTRIDGES - 200'/ROLL

Priced per Roll

Colour	Model No.	Panels	Price /Each
Black/Red/Blue/Yellow	SAG975	4.11" x 8"	129.48
Black/Red/Blue/Green	SAG977	4.11" x 16"	129.48
Cyan/Magenta/Yellow/Black	SAG979	4.11" x 16"	129.48


INDOOR/OUTDOOR GRADE VINYL TAPE

- Labels adhere well to pipes, walls, equipment, windows and most clean, dry surfaces
- Conforms well to irregular, curved or rough surfaces, it even stands up to grease, oil and most industrial chemicals
- 5-year average outdoor durability in temperatures from 180°F to -40°F
- 100' per roll



REFLECTIVE TAPE

- Permanent adhesive/outdoor grade
- Shines back at viewer brightly when light shines on label
- 50' per roll



Colour	4" W Model No.	Price /Each	3" W Model No.	Price /Each	2.25" W Model No.	Price /Each	1.125" W Model No.	Price /Each	0.5" W Model No.	Price /Each
White	SAG895	415.10	SAG909	368.97	SAG911	276.72	SAG925	184.44	SAG939	115.20
Yellow	SAG896	415.10	SAG910	368.97	SAG912	276.72	SAG926	184.44	SAG940	115.20
Red	SAG897	415.10	N/A	-	SAG913	276.72	SAG927	184.44	SAG941	115.20
Green	SAG898	415.10	N/A	-	SAG914	276.72	SAG928	184.44	SAG942	115.20
Blue	SAG899	415.10	N/A	-	SAG915	276.72	SAG929	184.44	SAG943	115.20
Black	SAG900	415.10	N/A	-	SAG916	276.72	SAG930	184.44	SAG944	115.20
Grey	SAG903	415.10	N/A	-	SAG919	276.72	SAG933	184.44	SAG947	115.20
Orange	SAG905	415.10	N/A	-	SAG921	276.72	SAG935	184.44	SAG949	115.20

Size"	Colour	Model No.	Price /Each
4	Black	SAG997	370.51
2.25	Black	SAG998	237.09
1.125	Black	SAG999	148.16

BP-IP™300 THERMAL TRANSFER PRINTERS

- Smart solution for high-performance printing
- Fully integrated, easy-to-use printer, material, and software system
- Smart cell technology allows the printer, materials, and ribbon to communicate with each other
- Offers material recognition, automatic formatting, and user-friendly printer features for labels, sleeves, and tags
- Detects loaded material and displays the user information on the LCD
- Material information is sent to the software, where template and settings are automatically populated



Model No.	Size	Weight lbs.	Price/Each
SAS073	15.4" x 21.1" x 16.6"	19.05	2394.95

B-487 MATTE POLYIMIDE LABELS

- Applications: Printed circuit board electronic component process labelling
- Permanent static dissipative adhesive
- Matte topcoat provides excellent resistance to solder bailing

Model No.	Labels /Pkg.	Labels /Row	Labels Colour	Label Size W" x H"	Recommended Ribbon	Price /Each
SEC983	10 000	4	White	0.66" x 0.20"	SED012	509.39
SEC982	10 000	4	White	0.76" x 0.26"	SED012	707.24
SEC984	10 000	4	White	1.27" x 0.26"	SED013	1200.27

B-478 GLOSSY POLYIMIDE LABELS

- Applications: Printed circuit board electronic component process labeling
- Permanent static dissipative adhesive
- Matte topcoat provides excellent resistance to solder bailing

Model No.	Labels /Pkg.	Labels /Row	Labels Colour	Label Size W" x H"	Recommended Ribbon	Price /Each
SEC989	10 000	1	White	1.02" x 0.26"	SED013	597.21
SEC988	10 000	1	White	1.27" x 0.56"	SED013	1029.74
SEC987	10 000	3	White	1.02" x 2.38"	SED012	963.51

B-423 GLOSSY POLYESTER LABELS


- Applications: Electronic PCB and component identification, bar code label and rating plates and solar panel identification
- Permanent acrylic adhesive



Model No.	Labels /Pkg.	Labels /Row	Labels Colour	Label Size W" x H"	Recommended Ribbon	Price /Each
SED003	10 000	5	White	0.51" x 0.20"	SED012	73.13
SED001	10 000	4	White	0.66" x 0.20"	SED012	82.02
SEC996	10 000	4	White	0.77" x 0.26"	SED012	81.58
SEC997	10 000	3	White	0.92" x 0.26"	SED014	110.21
SED006	10 000	1	White	1.40" x 0.26"	SED013	135.03
SEC999	10 000	3	White	1.02" x 0.51"	SED012	176.25
SED009	10 000	1	White	1.02" x 0.51"	SED013	176.25
SED007	3000	1	White	2.03" x 0.51"	SED011	107.10
SED000	10 000	2	White	1.52" x 0.77"	SED012	322.51
SED010	10 000	1	White	2.03" x 3.66"	SED015	187.63

B-426 MATTE AMBER POLYIMIDE LABELS

- Applications: Printed circuit board electronic component process labeling
- Permanent static dissipative adhesive
- Matte topcoat provides excellent resistance to solder bailing



Model No.	Labels /Pkg.	Labels /Row	Labels Colour	Label Size W" x H"	Recommended Ribbon	Price /Each
SEC990	10 000	4	Amber	0.77" x 0.26"	SED014	707.24
SEC991	10 000	3	Amber	0.92" x 0.26"	SED014	746.56
SEC995	10 000	1	Amber	0.92" x 0.26"	SED018	746.73
SEC994	10 000	1	Amber	1.27" x 0.26"	SED016	1200.27
SEC992	10 000	3	Amber	1.02" x 2.38"	SED014	1204.08

BLACK 4300 SERIES THERMAL TRANSFER PRINTER RIBBONS

- Strong environmental resistance against smearing and chemicals
- Reliable, sharp-edge print quality to maximize bar code readability

Model No.	Panels	Price/Each
SED014	3.27" x 984'	179.24
SED015	2.36" x 984'	130.75
SED016	1.57" x 984'	86.34
SED017	4.33" x 984'	257.06
SED018	1.00" x 984'	55.20

BLACK 6000 SERIES THERMAL TRANSFER PRINTER RIBBONS

- High density ribbon with excellent solvent resistance
- Low vulnerability to scratches
- High heat resistance

Model No.	Panels	Price/Each
SED011	2.36" x 984'	122.26
SED012	3.27" x 984'	168.30
SED013	1.57" x 984'	80.85

Call us for
quantity
pricing!





PIPE MARKERS – WHAT YOU NEED TO KNOW

The proper marking of contents and flow direction in pipes and piping systems is a vital component of a thorough safety and identification program.



A13.1 – 2007 scheme for the identification of piping systems... A uniform system for the identification of piping contents has been established to warn personnel when the piping contents are inherently hazardous... This standard has been prepared to specify the identification of the contents of piping systems on the basis of legends, it also suggests the use of colour as a supplementary means of identifying the type of hazard of the material contained in the system.

Pipe markers are designed to meet or exceed ASME (ANSI) A13.1-2007 recommendations for size, colour and visibility.



29 CFR 1910.253 Oxygen-fuel gas welding and cutting (d)(4)(ii) Aboveground piping systems shall be marked in accordance with the American National Standard Scheme for the identification of piping systems, ANSI A13.1

1910.261 Pulp, paper, and paperboard mills (a)(3) General incorporation of standards. Establishments subject to this section shall comply with the following standards:

1910.261(a)(3)(ii) Scheme for the identification of piping systems, A13.1

1910.262 Textiles

1910.262(c)(7) Identification of piping systems. Identification of piping systems shall conform to American National Standard A13.1

Pipe markers are quick visual cues, providing immediate identification information of pipe contents for emergency responders and workers to safely carry out their responsibilities when working in and around piping systems.

The legend or wording on the pipe marker is to be the primary means of naming the contents of the pipe. The name is to be brief, yet complete or in understood abbreviated format. Arrows are to accompany the legend to indicate the directional flow of the contents. Additional information may be necessary to identify the content details such as pressure and temperature.

Installation recommendations:

- Above or below centre visual line of pipe
- Frequent intervals on straight pipe runs (visible from any point along the length)
- Close to valves
- Near branches and T's in piping
- Any change in direction of piping
- Near points before and after pipe going through walls, ceilings, and floors

LETTER HEIGHT & PIPE MARKER SIZES


The outside diameter of the pipe determines the letter height and background field length of the marker.

Outside Diameter of Pipe"	Length of Pipe Marker Colour Field"	Size of Letters"
3/4 to 1 1/4	8	1/2
1 1/2 to 2	8	3/4
2 1/2 to 6	12	1 1/4
8 to 10	24	2 1/2
Over 10*	32	3 1/2

*Available as custom pipe markers

LEGEND

The legend on the marker gives the name of the contents in full or abbreviated form. Arrows should be used to indicate direction of flow.




COLOURS

Colours identify the characteristic hazards of the contents of the piping system.

Contents of the Pipe	Colour
Fire quenching fluids	WHITE ON RED
Toxic and corrosive fluids	BLACK ON ORANGE
Flammable fluids	BLACK ON YELLOW
Combustible fluids	WHITE ON BROWN
Potable, cooling, boiler feed, and other water	WHITE ON GREEN
Compressed Air	WHITE ON BLUE

VISIBILITY & LOCATION

Where pipe lines are located high or low, place the lettering below or above the horizontal centerline of the pipe. Affix markers onto piping close to valves or flanges and adjacent to changes in direction, branches, and where pipes pass through walls or floors; and at 25' to 50' intervals on long straight pipe runs.



Pipes installed at a distance may make pipe markers difficult to read (refer to the distance reading chart). We can provide larger, legible pipe markers to meet your requirements. Please contact us for solutions.



CGSP PIPE MARKERS

MARK PIPES TO IDENTIFY AND LABEL HAZARDOUS AND NON-HAZARDOUS SUBSTANCES CONTAINED IN PIPING SYSTEMS BY USING COLOUR, LEGEND, AND PICTOGRAM.

Create pipe markers based on the Canadian General Standard Board CAN/CGSB-24.3-92

The combination of text with Workplace Hazard Materials Information System (WHMIS) symbols provides an impact and quick understanding of the pipe contents.

Comply with the guidelines in marking pipes by providing workers and emergency personnel the ability to easily identify contents of pipes in the event the contents could release into the environment.

When WHMIS controlled substances are contained in piping systems, the appropriate WHMIS symbol(s) are to be included on the pipe marker with the legend.

WHMIS SYMBOLS:



HOW TO ORDER:

1. SPECIFY WHMIS HAZARD SYMBOL(S) – IF NECESSARY.
2. SPECIFY LEGEND OF PIPE CONTENT.
3. SPECIFY DIRECTIONAL ARROW – IF NECESSARY.



4. POINT OUT COLOUR COMBINATION.

Contents of the Pipe	Colour
Hazardous	BLACK ON YELLOW
Low Hazard Material	WHITE ON GREEN
Low Hazard Gas	WHITE ON BLUE
Fire Protection	WHITE ON RED

5. CHOOSE SIZE BASED ON PIPE SIZE.

Outside Diameter of Pipe Marker	Length Colour Field	Size of Letters
19 to 32 mm (3/4" to 1 1/4")	200 mm (8 inches)	13 mm (1/2")
38 to 51 mm (1 1/2" to 2")	200 mm (8 inches)	19 mm (3/4")
64 to 150 mm (2 1/2" to 6")	300 mm (12 inches)	32 mm (1 1/4")
200 to 250 mm (8" to 10")	600 mm (24 inches)	64 mm (2 1/2")
Over 250 mm (Over 10")	800 mm (32 inches)	89 mm (3 1/2")

6. SELECT PIPE MARKER TYPE BY PART NUMBER ALONG WITH QUANTITY.

SELF-STICK VINYL MARKERS

One legend is printed on the 4-mil flexible vinyl marker. Install on clean, smooth surface. Peel off liner backing and affix to the pipe with the high tack adhesive back. Marker withstands various environmental conditions. Arrow is provided for proper directional flow indication.

		Price/Each				
Fit Pipe Diameter	Marker Size	No.	1	2 - 5	6 - 9	10+
19 to 32 mm (3/4" to 1 1/4")	25 x 200 mm (1" x 8")	Custom	34.94	19.75	11.84	6.43
38 to 51 mm (1 1/2" to 2")	38 x 200 mm (1 1/2" x 8")	Custom	36.76	20.80	12.46	6.78
64 to 150 mm (2 1/4" to 6")	64 x 300 mm (2 1/2" x 12")	Custom	37.42	21.53	13.18	7.51
200 to 250 mm (8" to 10")	100 x 600 mm (4" x 24")	Custom	40.20	24.61	16.27	10.58
Over 250 mm (10")	114 x 800 mm (4 1/2" x 32")	Custom	44.31	29.19	20.82	15.16
Other Size		Custom	Call for Quote			

SNAP TITE™ MARKERS

Pre-coiled design 'snaps' back around to fit around the pipe. 20-mil rigid vinyl is printed repeatedly with the legend and directional flow arrow, upright and upside-down, around the marker for universal direction fit and visibility. Ideal for warm and cool pipes – easily install on and remove from pipes that are insulated, unpainted, and less perfection conditions.

		Price/Each				
Fit Pipe Diameter	Marker Size	No.	1	2 - 5	6 - 9	10+
19 to 32 mm (3/4" to 1 1/4")	150 x 200 mm (6" x 8")	Custom	42.07	25.92	17.24	11.34
38 to 51 mm (1 1/2" to 2")	229 x 200 mm (9" x 8")	Custom	43.81	27.88	19.22	13.32
64 to 76 mm (2 1/4" - 3")	355 x 300 mm (14" x 12")	Custom	49.06	33.71	25.03	19.14
83 to 127 mm (3 1/4" to 5")	483 x 300 mm (19" x 12")	Custom*	73.71	50.67	37.68	28.84
133 to 150 mm (5 1/4" to 6")	635 x 300 mm (25" x 12")	Custom*	78.26	55.69	42.70	33.86

* Comes with self-adhesive leading edge.

LABELLING SYSTEMS & SUPPLIES



SELF-STICK VINYL PIPE MARKERS

Adhere self-stick pipe markers to clearly identify the pipe contents and flow direction.

- Bold, single legend on contrasting colour
- Included arrow* provides proper directional flow marking
- 4-mil flexible vinyl marker has UV-resistant polyester overlaminates with high-tack, acrylic adhesive back
- Durable, protective gloss surface withstands fading, abrasions, splashes, grease, dust, and dirt that wipes off
- Easy to install by peeling off back liner, apply to a smooth, clean pipe surface - align and press firmly into place.
- Service temperature is -40° to 176°F

Available per each.



*Directional flow arrow tapes are also available (sold separately) to increase the visibility by banding around the pipe and hold the marker in place.

SNAP TITE™ PIPE MARKERS

It's a 'SNAP' to wrap around and identify contents in pipes with the flow direction. *Snap Tite™* is pre-coiled to install quickly and easily - simply uncurl over the pipe, release it, and it 'SNAPS' into place.

- 360° coverage encircles the pipe for marker to be seen from virtually any angle
- Bold legend and directional flow arrow on contrasting colour is repeated upright and upside-down, for universal direction fit and visibility
- Heavy gauge 20-mil rigid vinyl plastic is lightweight, yet durable to withstand tough industrial environments
- Fits over pipes with dirty, greasy, or rough surfaces - even over insulation or other less than perfect surfaces, and easy to remove and reapply
- Service temperature range is -4° to 158°F

Available per each.



Not recommended for hot pipes.

Self Stick Vinyl Pipe Markers				Pipe Marker Legend	Snap Tite™ Pipe Markers				
Style PA	Style PB	Style PD	Style PH		Style PA	Style PB	Style PC	Style PE	Style PF
SAV229	SAV230	SAV231	SAV232	ACETONE	SAV613	SAV614	SAV615	SAV616	SAV617
SAV233	SAV234	SH426	SH425	ACETYLENE GAS	SAV618	SAV619	SAV620	SAV621	SAV622
SAV235	SAV236	SAV237	SAV238	ACID	SAV623	SAV624	SAV625	SAV626	SAV627
SAV239	SAV240	SH438	SH437	ACID WASTE	SAV628	SAV629	SAV630	SAV631	SAV632
SAV241	SAV242	SH450	SH449	AIR	SAV633	SAV634	SAV635	SAV636	SAV637
SAV243	SAV244	SH446	SH445	AIR	SAV638	SAV639	SAV640	SAV641	SAV642
SAV245	SAV246	SH442	SH441	AIR	SAV643	SAV644	SAV645	SAV646	SAV647
SAV247	SAV248	SH462	SH461	AIR SUPPLY	SAV648	SAV649	SAV650	SAV651	SAV652
SAV249	SAV250	SH470	SH469	ALCOHOL	SAV653	SAV654	SAV655	SAV656	SAV657
SAV251	SAV252	SH478	SH477	AMMONIA	SAV658	SAV659	SAV660	SAV661	SAV662
SAV253	SAV254	SAV255	SAV256	ARGON	SAV663	SAV664	SAV665	SAV666	SAV667
SAV257	SAV258	SAV259	SAV260	ARGON	SAV668	SAV669	SAV670	SAV671	SAV672
SAV261	SAV262	SH494	SH493	ASBESTOS FREE INSULATION	SAV673	SAV674	SAV675	SAV676	SAV677
SAV263	SAV264	SAV265	SAV266	BOILER DRAIN	SAV678	SAV679	SAV680	SAV681	SAV682
SAV267	SAV268	SAV269	SAV270	BOILER FEED	SAV683	SAV684	SAV685	SAV686	SAV687
SAV271	SAV272	SAV273	SAV274	BOILER FEED WATER	SAV688	SAV689	SAV690	SAV691	SAV692
SAV275	SAV276	SAV277	SAV278	BREATHING AIR	SAV693	SAV694	SAV695	SAV696	SAV697
SAV279	SAV280	SH570	SH569	CARBON DIOXIDE	SAV698	SAV699	SAV700	SAV701	SAV702

SELF-STICK

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	1 x 8	1/2	2.43
PB	1 1/2 to 2	1 1/2 x 8	3/4	2.57
PD	2 1/2 to 6	2 1/2 x 12	1 1/4	3.05
PH	8 to 10	4 x 24	2 1/2	7.70

SNAP TITE™

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	6 x 8	1/2	5.42
PB	1 1/2 to 2	9 x 8	3/4	7.22
PC	2 1/4 to 3	14 x 12	1 1/4	13.40
PE	3 1/4 to 5	19 x 12*	1 1/4	14.80
PF	5 1/4 to 6	25 x 12*	1 1/4	15.39

*Sizes PE and PF have self-adhesive leading edge for a secure fit.

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

LABELLING SYSTEMS & SUPPLIES

Self Stick Vinyl Pipe Markers				Pipe Marker Legend	Snap Tite™ Pipe Markers				
Style PA	Style PB	Style PD	Style PH		Style PA	Style PB	Style PC	Style PE	Style PF
SAV281	SAV282	SAV283	SAV284	CAUSTIC	SAV703	SAV704	SAV705	SAV706	SAV707
SAV285	SAV286	SH582	SH581	CAUSTIC SODA	SAV708	SAV709	SAV710	SAV711	SAV712
SAV287	SAV288	SH586	SH585	CHEMICAL	SAV713	SAV714	SAV715	SAV716	SAV717
SAV289	SAV290	SH598	SH597	CHILLED WATER	SAV718	SAV719	SAV720	SAV721	SAV722
SAV291	SAV292	SBB333	SH601	CHILLED WATER RETURN	SAV723	SAV724	SAV725	SAV726	SAV727
SAV293	SAV294	SBB334	SH605	CHILLED WATER SUPPLY	SAV728	SAV729	SAV730	SAV731	SAV732
SAV295	SAV296	SH630	SH629	CITY GAS	SAV733	SAV734	SAV735	SAV736	SAV737
SAV297	SAV298	SH634	SH633	CITY WATER	SAV738	SAV739	SAV740	SAV741	SAV742
SAV299	SAV300	SH638	SH637	COLD WATER	SAV743	SAV744	SAV745	SAV746	SAV747
SAV301	SAV302	SH646	SH645	COLD WATER SUPPLY	SAV748	SAV749	SAV750	SAV751	SAV752
SAV303	SAV304	SH650	SH649	COMPRESSED AIR	SAV753	SAV754	SAV755	SAV756	SAV757
SAV305	SAV306	SH658	SH657	COMPRESSED AIR	SAV758	SAV759	SAV760	SAV761	SAV762
SAV307	SAV308	SH662	SH661	CONDENSATE	SAV763	SAV764	SAV765	SAV766	SAV767
SAV309	SAV310	SAV311	SAV312	CONDENSATE DRAIN	SAV768	SAV769	SAV770	SAV771	SAV772
SAV313	SAV314	SH678	SH677	CONDENSATE RETURN	SAV773	SAV774	SAV775	SAV776	SAV777
SAV315	SAV316	SAV317	SAV318	CONDENSATE SUPPLY	SAV778	SAV779	SAV780	SAV781	SAV782
SAV319	SAV320	SH698	SH697	COOLING WATER	SAV783	SAV784	SAV785	SAV786	SAV787
SAV321	SAV322	SH702	SH701	COOLING WATER RETURN	SAV788	SAV789	SAV790	SAV791	SAV792
SAV323	SAV324	SAV325	SAV326	COOLING WATER SUPPLY	SAV793	SAV794	SAV795	SAV796	SAV797
SAV327	SAV328	SH710	SH709	DEIONIZED WATER	SAV798	SAV799	SAV800	SAV801	SAV802
SAV329	SAV330	SH730	SH729	DIESEL OIL	SAV803	SAV804	SAV805	SAV806	SAV807
SAV331	SAV332	SAV333	SAV334	DISCHARGE	SAV808	SAV809	SAV810	SAV811	SAV812
SAV335	SAV336	SH754	SH753	DOMESTIC COLD WATER	SAV813	SAV814	SAV815	SAV816	SAV817
SAV337	SAV338	SH766	SH765	DOMESTIC HOT WATER	SAV818	SAV819	SAV820	SAV821	SAV822
SAV339	SAV340	SAV341	SAV342	DOMESTIC HOT WATER RECIRCULATION	SAV823	SAV824	SAV825	SAV826	SAV827
SAV343	SAV344	SH770	SH769	DOMESTIC HOT WATER RETURN	SAV828	SAV829	SAV830	SAV831	SAV832
SAV345	SAV346	SH774	SH773	DOMESTIC HOT WATER SUPPLY	SAV833	SAV834	SAV835	SAV836	SAV837
SAV347	SAV348	SH782	SH781	DRAIN	SAV838	SAV839	SAV840	SAV841	SAV842
SAV349	SAV350	SH790	SH805	DRINKING WATER	SAV843	SAV844	SAV845	SAV846	SAV847
SAV351	SAV352	SH802	SH801	ELECTRIC TRACED	SAV848	SAV849	SAV850	SAV851	SAV852
SAV353	SAV354	SH818	SH817	EXHAUST AIR	SAV853	SAV854	SAV855	SAV856	SAV857
SAV355	SAV356	SBB335	SH857	FIRE PROTECTION WATER	SAV858	SAV859	SAV860	SAV861	SAV862
SAV357	SAV358	SAV359	SAV360	FIRE SPRINKLER WATER	SAV863	SAV864	SAV865	SAV866	SAV867
SAV361	SAV362	SH866	SH865	FREON	SAV868	SAV869	SAV870	SAV871	SAV872
SAV363	SAV364	SH870	SH869	FRESH WATER	SAV873	SAV874	SAV875	SAV876	SAV877
SAV365	SAV366	SH874	SH873	FUEL GAS	SAV878	SAV879	SAV880	SAV881	SAV882
SAV367	SAV368	SH878	SH877	FUEL OIL	SAV883	SAV884	SAV885	SAV886	SAV887
SAV369	SAV370	SH882	SH881	FUEL OIL RETURN	SAV888	SAV889	SAV890	SAV891	SAV892



SELF-STICK

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	1 x 8	1/2	2.43
PB	1 1/2 to 2	1 1/2 x 8	3/4	2.57
PD	2 1/2 to 6	2 1/2 x 12	1 1/4	3.05
PH	8 to 10	4 x 24	2 1/2	7.70

SNAP TITE™

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	6 x 8	1/2	5.42
PB	1 1/2 to 2	9 x 8	3/4	7.22
PC	2 1/4 to 3	14 x 12	1 1/4	13.40
PE	3 1/4 to 5	19 x 12*	1 1/4	14.80
PF	5 1/4 to 6	25 x 12*	1 1/4	15.39

*Sizes PE and PF have self-adhesive leading edge for a secure fit.

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

965

LABELLING SYSTEMS & SUPPLIES



Self Stick Vinyl Pipe Markers				Pipe Marker Legend	Snap Tite™ Pipe Markers				
Style PA	Style PB	Style PD	Style PH		Style PA	Style PB	Style PC	Style PE	Style PF
SAV371	SAV372	SH886	SH885	FUEL OIL SUPPLY	SAV893	SAV894	SAV895	SAV896	SAV897
SAV373	SAV374	SH894	SH893	GAS	SAV898	SAV899	SAV900	SAV901	SAV902
SAV375	SAV376	SAV377	SAV378	GASOLINE	SAV903	SAV904	SAV905	SAV906	SAV907
SAV379	SAV380	SH902	SH901	GLYCOL	SAV908	SAV909	SAV910	SAV911	SAV912
SAV381	SAV382	SH906	SH905	GLYCOL RETURN	SAV913	SAV914	SAV915	SAV916	SAV917
SAV383	SAV384	SH910	SH909	GLYCOL SUPPLY	SAV918	SAV919	SAV920	SAV921	SAV922
SAV385	SAV386	SH918	SH917	HEATING RETURN	SAV923	SAV924	SAV925	SAV926	SAV927
SAV387	SAV388	SH926	SH925	HEATING SUPPLY	SAV928	SAV929	SAV930	SAV931	SAV932
SAV389	SAV390	SH962	SH961	HIGH PRESSURE CONDENSATE	SAV933	SAV934	SAV935	SAV936	SAV937
SAV391	SAV392	SH966	SH965	HIGH PRESSURE GAS	SAV938	SAV939	SAV940	SAV941	SAV942
SAV393	SAV394	SH970	SH969	HIGH PRESSURE NATURAL GAS	SAV943	SAV944	SAV945	SAV946	SAV947
SAV395	SAV396	SBB336	SH977	HIGH PRESSURE STEAM	SAV948	SAV949	SAV950	SAV951	SAV952
SAV397	SAV398	SH990	SH989	HOT	SAV953	SAV954	SAV955	SAV956	SAV957
SAV399	SAV400	SAV401	SAV402	HOT WATER	SAV958	SAV959	SAV960	SAV961	SAV962
SAV403	SAV404	SH998	SH997	HOT WATER	SAV963	SAV964	SAV965	SAV966	SAV967
SAV405	SAV406	SI007	SI006	HOT WATER RETURN	SAV968	SAV969	SAV970	SAV971	SAV972
SAV407	SAV408	SI011	SI010	HOT WATER SUPPLY	SAV973	SAV974	SAV975	SAV976	SAV977
SAV409	SAV410	SAV411	SAV412	HYDRAULIC FLUID	SAV978	SAV979	SAV980	SAV981	SAV982
SAV413	SAV414	SAV415	SAV416	HYDRAULIC LINE	SAV983	SAV984	SAV985	SAV986	SAV987
SAV417	SAV418	SAV419	SAV420	HYDRAULIC OIL	SAV988	SAV989	SAV990	SAV991	SAV992
SAV421	SAV422	SI039	SI038	HYDROCHLORIC ACID	SAV993	SAV994	SAV995	SAV996	SAV997
SAV423	SAV424	SI043	SI042	HYDROGEN	SAV998	SAV999	SAW001	SAW002	SAW003
SAV425	SAV426	SI047	SI046	HYDROGEN PEROXIDE	SAW004	SAW005	SAW006	SAW007	SAW008
SAV427	SAV428	SAV429	SAV430	INDUSTRIAL WATER	SAW009	SAW010	SAW011	SAW012	SAW013
SAV431	SAV432	SAV433	SAV434	INSTRUMENT AIR	SAW014	SAW015	SAW016	SAW017	SAW018
SAV435	SAV436	SAV437	SAV438	INSTRUMENT AIR	SAW019	SAW020	SAW021	SAW022	SAW023
SAV439	SAV440	SAV441	SAV442	LIQUID NITROGEN	SAW024	SAW025	SAW026	SAW027	SAW028
SAV443	SAV444	SI115	SI114	LOW PRESSURE CONDENSATE	SAW029	SAW030	SAW031	SAW032	SAW033
SAV445	SAV446	SI123	SI122	LOW PRESSURE NATURAL GAS	SAW034	SAW035	SAW036	SAW037	SAW038
SAV447	SAV448	SI131	SI130	LOW PRESSURE STEAM	SAW039	SAW040	SAW041	SAW042	SAW043
SAV449	SAV450	SI139	SI138	LUBE OIL	SAW044	SAW045	SAW046	SAW047	SAW048
SAV451	SAV452	SAV453	SAV454	MED-PRESSURE STEAM	SAW049	SAW050	SAW051	SAW052	SAW053
SAV455	SAV456	SAV457	SAV458	MIXED GAS	SAW054	SAW055	SAW056	SAW057	SAW058
SAV459	SAV460	SBB338	SI182	NATURAL GAS	SAW059	SAW060	SAW061	SAW062	SAW063
SAV461	SAV462	SI195	SI194	NITROGEN	SAW064	SAW065	SAW066	SAW067	SAW068
SAV463	SAV464	SI191	SI190	NITROGEN	SAW069	SAW070	SAW071	SAW072	SAW073
SAV465	SAV466	SI203	SI202	NON-POTABLE WATER	SAW074	SAW075	SAW076	SAW077	SAW078
SAV467	SAV468	SI207	SI206	OIL	SAW079	SAW080	SAW081	SAW082	SAW083



SELF-STICK

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	1 x 8	1/2	2.43
PB	1 1/2 to 2	1 1/2 x 8	3/4	2.57
PD	2 1/2 to 6	2 1/2 x 12	1 1/4	3.05
PH	8 to 10	4 x 24	2 1/2	7.70

SNAP TITE™

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	6 x 8	1/2	5.42
PB	1 1/2 to 2	9 x 8	3/4	7.22
PC	2 1/4 to 3	14 x 12	1 1/4	13.40
PE	3 1/4 to 5	19 x 12*	1 1/4	14.80
PF	5 1/4 to 6	25 x 12*	1 1/4	15.39

*Sizes PE and PF have self-adhesive leading edge for a secure fit.

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

LABELLING SYSTEMS & SUPPLIES

Self Stick Vinyl Pipe Markers				Pipe Marker Legend	Snap Tite™ Pipe Markers				
Style PA	Style PB	Style PD	Style PH		Style PA	Style PB	Style PC	Style PE	Style PF
SAV469	SAV470	SI227	SI226	OXYGEN	SAW084	SAW085	SAW086	SAW087	SAW088
SAV471	SAV472	SAV473	SAV474	OXYGEN	SAW089	SAW090	SAW091	SAW092	SAW093
SAV475	SAV476	SI231	SI230	OXYGEN	SAW094	SAW095	SAW096	SAW097	SAW098
SAV477	SAV478	SAV479	SAV480	PLANT AIR	SAW099	SAW100	SAW101	SAW102	SAW103
SAV481	SAV482	SI239	SI238	PLANT WATER	SAW104	SAW105	SAW106	SAW107	SAW108
SAV483	SAV484	SAV485	SAV486	PLUMBING VENT	SAW109	SAW110	SAW111	SAW112	SAW113
SAV487	SAV488	SI247	SI246	POLYMER	SAW114	SAW115	SAW116	SAW117	SAW118
SAV489	SAV490	SI263	SI262	POTABLE WATER	SAW119	SAW120	SAW121	SAW122	SAW123
SAV491	SAV492	SAV493	SAV494	PROCESS WATER	SAW124	SAW125	SAW126	SAW127	SAW128
SAV495	SAV496	SI283	SI282	PROCESS WATER	SAW129	SAW130	SAW131	SAW132	SAW133
SAV497	SAV498	SI295	SI294	PROPANE GAS	SAW134	SAW135	SAW136	SAW137	SAW138
SAV499	SAV500	SI303	SI302	RAINWATER	SAW139	SAW140	SAW141	SAW142	SAW143
SAV501	SAV502	SAV503	SAV504	RAW WATER	SAW144	SAW145	SAW146	SAW147	SAW148
SAV505	SAV506	SI363	SI362	RETURN	SAW149	SAW150	SAW151	SAW152	SAW153
SAV507	SAV508	SI355	SI354	RETURN	SAW154	SAW155	SAW156	SAW157	SAW158
SAV509	SAV510	SI375	SI374	ROOF DRAIN	SAW159	SAW160	SAW161	SAW162	SAW163
SAV511	SAV512	SI383	SI382	SANITARY DRAIN	SAW164	SAW165	SAW166	SAW167	SAW168
SAV513	SAV514	SAV515	SAV516	SANITARY SEWER	SAW169	SAW170	SAW171	SAW172	SAW173
SAV517	SAV518	SAV519	SAV520	SANITARY VENT	SAW174	SAW175	SAW176	SAW177	SAW178
SAV521	SAV522	SAV523	SAV524	SERVICE AIR	SAW179	SAW180	SAW181	SAW182	SAW183
SAV525	SAV526	SI443	SI442	SODIUM HYPOCHLORITE	SAW184	SAW185	SAW186	SAW187	SAW188
SAV527	SAV528	SI447	SI446	SOFT WATER	SAW189	SAW190	SAW191	SAW192	SAW193
SAV529	SAV530	SI455	SI454	SPRINKLER	SAW194	SAW195	SAW196	SAW197	SAW198
SAV531	SAV532	SI459	SI458	SPRINKLER FIRE	SAW199	SAW200	SAW201	SAW202	SAW203
SAV533	SAV534	SI463	SI462	SPRINKLER WATER	SAW204	SAW205	SAW206	SAW207	SAW208
SAV535	SAV536	SI467	SI466	STEAM	SAW209	SAW210	SAW211	SAW212	SAW213
SAV537	SAV538	SI471	SI470	STEAM RETURN	SAW214	SAW215	SAW216	SAW217	SAW218
SAV539	SAV540	SI475	SI474	STEAM SUPPLY	SAW219	SAW220	SAW221	SAW222	SAW223
SAV541	SAV542	SI487	SI486	STORM WATER	SAW224	SAW225	SAW226	SAW227	SAW228
SAV543	SAV544	SI503	SI502	SULFURIC ACID	SAW229	SAW230	SAW231	SAW232	SAW233
SAV545	SAV546	SAV547	SAV548	SUPPLY	SAW234	SAW235	SAW236	SAW237	SAW238
SAV549	SAV550	SI515	SI514	SUPPLY	SAW239	SAW240	SAW241	SAW242	SAW243
SAV551	SAV552	SI531	SI530	TOWER WATER RETURN	SAW244	SAW245	SAW246	SAW247	SAW248
SAV553	SAV554	SI535	SI534	TOWER WATER SUPPLY	SAW249	SAW250	SAW251	SAW252	SAW253
SAV555	SAV556	SI543	SI542	TREATED WATER	SAW254	SAW255	SAW256	SAW257	SAW258
SAV557	SAV558	SI551	SI550	VACUUM	SAW259	SAW260	SAW261	SAW262	SAW263
SAV559	SAV560	SI555	SI554	VACUUM	SAW264	SAW265	SAW266	SAW267	SAW268
SAV561	SAV562	SI567	SI566	VENT	SAW269	SAW270	SAW271	SAW272	SAW273



SELF-STICK

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	1 x 8	1/2	2.43
PB	1 1/2 to 2	1 1/2 x 8	3/4	2.57
PD	2 1/2 to 6	2 1/2 x 12	1 1/4	3.05
PH	8 to 10	4 x 24	2 1/2	7.70

SNAP TITE™

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	6 x 8	1/2	5.42
PB	1 1/2 to 2	9 x 8	3/4	7.22
PC	2 1/4 to 3	14 x 12	1 1/4	13.40
PE	3 1/4 to 5	19 x 12*	1 1/4	14.80
PF	5 1/4 to 6	25 x 12*	1 1/4	15.39

*Sizes PE and PF have self-adhesive leading edge for a secure fit.

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

967

LABELLING SYSTEMS & SUPPLIES



Self Stick Vinyl Pipe Markers				Pipe Marker Legend	Snap Tite™ Pipe Markers				
Style PA	Style PB	Style PD	Style PH		Style PA	Style PB	Style PC	Style PE	Style PF
SAV563	SAV564	SI571	SI570	VENT	SAW274	SAW275	SAW276	SAW277	SAW278
SAV565	SAV566	SAV567	SAV568	WASTE	SAW279	SAW280	SAW281	SAW282	SAW283
SAV569	SAV570	SAV571	SAV572	WASTE WATER	SAW284	SAW285	SAW286	SAW287	SAW288
SAV573	SAV574	SI591	SI590	WASTE WATER	SAW289	SAW290	SAW291	SAW292	SAW293
SAV575	SAV576	SI603	SI602	WATER	SAW294	SAW295	SAW296	SAW297	SAW298
SAV577	SAV578	SI599	SI598	WATER	SAW299	SAW300	SAW301	SAW302	SAW303
SAV579	SAV580	SI607	SI606	WELL WATER	SAW304	SAW305	SAW306	SAW307	SAW308
SAV581	SAV582	SAV583	SAV584	→	SAW309	SAW310	SAW311	SAW312	SAW313
SAV585	SAV586	SAV587	SAV588	→	SAW314	SAW315	SAW316	SAW317	SAW318
SAV589	SAV590	SAV591	SAV592	→	SAW319	SAW320	SAW321	SAW322	SAW323
SAV593	SAV594	SAV595	SAV596	→	SAW324	SAW325	SAW326	SAW327	SAW328
SAV597	SAV598	SAV599	SAV600	→	SAW329	SAW330	SAW331	SAW332	SAW333
SAV601	SAV602	SAV603	SAV604	→	SAW334	SAW335	SAW336	SAW337	SAW338
SAV605	SAV606	SAV607	SAV608	→	SAW339	SAW340	SAW341	SAW342	SAW343
SAV609	SAV610	SAV611	SAV612	→	SAW344	SAW345	SAW346	SAW347	SAW348



SELF-STICK

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	1 x 8	1/2	2.43
PB	1 1/2 to 2	1 1/2 x 8	3/4	2.57
PD	2 1/2 to 6	2 1/2 x 12	1 1/4	3.05
PH	8 to 10	4 x 24	2 1/2	7.70


SNAP TITE™

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	6 x 8	1/2	5.42
PB	1 1/2 to 2	9 x 8	3/4	7.22
PC	2 1/4 to 3	14 x 12	1 1/4	13.40
PE	3 1/4 to 5	19 x 12*	1 1/4	14.80
PF	5 1/4 to 6	25 x 12*	1 1/4	15.39

*Sizes PE and PF have self-adhesive leading edge for a secure fit.

CUSTOM PIPE MARKERS MADE SIMPLE & FAST!

- Write or sketch out your marker



- Include the following specifications:
 - Model number for appropriate pipe size and material
 - Legend (including directional flow arrows)
 - Colour specifications
 - Quantity

Black on Orange	Black on Yellow
White on Green	White on Blue
White on Red	White on Brown

ASME Colors



SELF STICK VINYL

- 4-mil flexible vinyl with 2-mil overlamine
- UV resistant polyester film withstands elements
- High-tack, acrylic adhesive back and peel off liner
- Directional flow arrow marker included



Call for Pricing

Fit Pipe Dia"	Marker Size"
3/4 to 1 1/4	1 x 8
1 1/2 to 2	1 1/2 x 8
2 1/4 to 6	2 1/2 x 12
8 to 10	4 x 24
Over 10	4 1/2 x 32
Other Size	



SNAP TITE™

- Markers 'Snap' around to fit 360° over pipe
- 20-mil rigid vinyl with repeating message and directional arrow
- Ideal for irregular surfaces, insulated pipes, or where removal is necessary
- Not recommended for hot pipes



Call for Pricing

Fit Pipe Dia"	Marker Size"
up to 1/4	2 x 4
up to 1/2	4 x 6
3/4 to 1 1/4	6 x 8
1 1/2 to 2	9 x 8
2 1/4 - 3	14 x 12
3 1/4 to 5	19 x 12*
5 1/4 to 6	25 x 12*

*Comes with self-adhesive leading edge

LABELLING SYSTEMS & SUPPLIES

Self Stick Vinyl Pipe Markers				Pipe Marker Legend	Snap Tite™ Pipe Markers				
Style PA	Style PB	Style PD	Style PH		Style PA	Style PB	Style PC	Style PE	Style PF
SAY902	SAY903	SQ300	SAH018	ACIDE CHLORHYDRIQUE	SAZ086	SAZ087	SAZ088	SAZ089	SAZ090
SAY904	SAY905	SQ302	SAH020	ACIDE NITRIQUE	SAZ091	SAZ092	SAZ093	SAZ094	SAZ095
SAY906	SAY907	SQ306	SAH022	ACIDE SULFURIQUE	SAZ096	SAZ097	SAZ098	SAZ099	SAZ100
SAY908	SAY909	SQ310	SAH024	AIR	SAZ101	SAZ102	SAZ103	SAZ104	SAZ105
SAY910	SAY911	SQ313	SAH025	AIR	SAZ106	SAZ107	SAZ108	SAZ109	SAZ110
SAY912	SAY913	SQ315	SAH027	AIR	SAZ111	SAZ112	SAZ113	SAZ114	SAZ115
SAY914	SAY915	SQ328	SAH036	AIR COMPRIMÉ	SAZ116	SAZ117	SAZ118	SAZ119	SAZ120
SAY916	SAY917	SQ331	SAH037	AIR COMPRIMÉ	SAZ121	SAZ122	SAZ123	SAZ124	SAZ125
SAY918	SAY919	SQ334	SAH038	AIR COMPRIMÉ	SAZ126	SAZ127	SAZ128	SAZ129	SAZ130
SAY920	SAY921	SQ370	SAH066	ALIMENTATION	SAZ131	SAZ132	SAZ133	SAZ134	SAZ135
SAY922	SAY923	SQ372	SAH068	ALIMENTATION	SAZ136	SAZ137	SAZ138	SAZ139	SAZ140
SAY924	SAY925	SQ375	SQ374	ALIMENTATION	SAZ141	SAZ142	SAZ143	SAZ144	SAZ145
SAY926	SAY927	SQ380	SAH072	ALIMENTATION DE CHAUDIERE	SAZ146	SAZ147	SAZ148	SAZ149	SAZ150
SAY928	SAY929	SQ386	SAH078	ALIM. DE REFRIGERISSEMENT	SAZ151	SAZ152	SAZ153	SAZ154	SAZ155
SAY930	SAY931	SQ392	SAH088	ALIMENTATION EN EAU CHAUDE	SAZ156	SAZ157	SAZ158	SAZ159	SAZ160
SAY932	SAY933	SQ395	SQ394	ALIM. EN EAU DE CHAUFFAGE	SAZ161	SAZ162	SAZ163	SAZ164	SAZ165
SAY934	SAY935	SQ402	SAH094	ALIM. EN EAU FROIDE	SAZ166	SAZ167	SAZ168	SAZ169	SAZ170
SAY936	SAY937	SQ407	SQ406	ALIM. D'EAU REFRIGEREE	SAZ171	SAZ172	SAZ173	SAZ174	SAZ175
SAY938	SAY939	SQ409	SAH099	ALIMENTATION EN GLYCOL	SAZ176	SAZ177	SAZ178	SAZ179	SAZ180
SAY940	SAY941	SQ411	SAH101	ALIMENTATION EN MAZOUT	SAZ181	SAZ182	SAZ183	SAZ184	SAZ185
SAY942	SAY943	SQ415	SAH105	ALIMENTATION HYDRAULIQUE	SAZ186	SAZ187	SAZ188	SAZ189	SAZ190
SAY944	SAY945	SQ425	SAH115	ASPIRATION DE REFRIGERANT	SAZ191	SAZ192	SAZ193	SAZ194	SAZ195
SAY946	SAY947	SQ427	SAH117	ARGON	SAZ196	SAZ197	SAZ198	SAZ199	SAZ200
SAY948	SAY949	SQ430	SAH118	ARGON	SAZ201	SAZ202	SAZ203	SAZ204	SAZ205
SAY950	SAY951	SQ438	SAH121	AZOTE	SAZ206	SAZ207	SAZ208	SAZ209	SAZ210
SAY952	SAY953	SQ441	SAH122	AZOTE	SAZ211	SAZ212	SAZ213	SAZ214	SAZ215
SAY954	SAY955	SQ450	SAH129	BASSE PRESSION	SAZ216	SAZ217	SAZ218	SAZ219	SAZ220
SAY956	SAY957	SQ473	SAH141	CARBURANT DIESEL	SAZ221	SAZ222	SAZ223	SAZ224	SAZ225
SAY958	SAY959	SQ476	SAH142	CAUSTIQUE	SAZ226	SAZ227	SAZ228	SAZ229	SAZ230
SAY960	SAY961	SQ490	SAH148	CHLORE	SAZ231	SAZ232	SAZ233	SAZ234	SAZ235
SAY962	SAY963	SQ503	SQ502	CONDENSÉ	SAZ236	SAZ237	SAZ238	SAZ239	SAZ240
SAY964	SAY965	SQ506	SBA683	CONDENSATS A BASSE PRESSION	SAZ241	SAZ242	SAZ243	SAZ244	SAZ245
SAY966	SAY967	SQ531	SQ530	DESCENTE D'EAUX PLUVIALES	SAZ246	SAZ247	SAZ248	SAZ249	SAZ250
SAY968	SAY969	SQ556	SAH179	DRAIN DE CONSENSAT	SAZ251	SAZ252	SAZ253	SAZ254	SAZ255
SAY970	SAY971	SQ558	SAH181	DRAIN DE CONSENSAT	SAZ256	SAZ257	SAZ258	SAZ259	SAZ260
SAY972	SAY973	SQ567	SAH185	EAU	SAZ261	SAZ262	SAZ263	SAZ264	SAZ265
SAY974	SAY975	SQ571	SQ570	EAU	SAZ266	SAZ267	SAZ268	SAZ269	SAZ270



SELF-STICK

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	1 x 8	1/2	2.43
PB	1 1/2 to 2	1 1/2 x 8	3/4	2.57
PD	2 1/2 to 6	2 1/2 x 12	1 1/4	3.05
PH	8 to 10	4 x 24	2 1/2	7.70

SNAP TITE™

Size Code	Pipe Diameter	Marker Size	Letter Height	Price/Each
PA	3/4 to 1 1/4	6 x 8	1/2	5.42
PB	1 1/2 to 2	9 x 8	3/4	7.22
PC	2 1/4 to 3	14 x 12	1 1/4"	13.40
PE	3 1/4 to 5	19 x 12*	1 1/4"	14.80
PF	5 1/4 to 6	25 x 12*	1 1/4"	15.39

*Sizes PE and PF have self-adhesive leading edge for a secure fit.

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

969

LABELLING SYSTEMS & SUPPLIES



Self Stick Vinyl Pipe Markers				Pipe Marker Legend	Snap Tite™ Pipe Markers				
Style PA	Style PB	Style PD	Style PH		Style PA	Style PB	Style PC	Style PE	Style PF
SAY976	SAY977	SQ576	SAH188	EAU À HAUTE PRESSION	SAZ271	SAZ272	SAZ273	SAZ274	SAZ275
SAY978	SAY979	SQ583	SQ582	EAU CHAUDE	SAZ276	SAZ277	SAZ278	SAZ279	SAZ280
SAY980	SAY981	SQ589	SAH195	EAU CHAUDE DOMESTIQUE	SAZ281	SAZ282	SAZ283	SAZ284	SAZ285
SAY982	SAY983	SQ597	SAH203	EAU D'APPOINT	SAZ286	SAZ287	SAZ288	SAZ289	SAZ290
SAY984	SAY985	SQ627	SAH219	EAU DE PLUIE	SAZ291	SAZ292	SAZ293	SAZ294	SAZ295
SAY986	SAY987	SQ639	SQ638	EAU DE TOUR D'EAU	SAZ296	SAZ297	SAZ298	SAZ299	SAZ300
SAY988	SAY989	SQ657	SQ656	EAU FROIDE	SAZ301	SAZ302	SAZ303	SAZ304	SAZ305
SAY990	SAY991	SQ661	SQ660	EAU FROIDE DOMESTIQUE	SAZ306	SAZ307	SAZ308	SAZ309	SAZ310
SAY992	SAY993	SQ668	SQ667	EAU MUNICIPALE	SAZ311	SAZ312	SAZ313	SAZ314	SAZ315
SAY994	SAY995	SBA712	SAH241	EAU NON POTABLE	SAZ316	SAZ317	SAZ318	SAZ319	SAZ320
SAY996	SAY997	SQ673	SAH243	EAU POTABLE	SAZ321	SAZ322	SAZ323	SAZ324	SAZ325
SAY998	SAY999	SQ676	SQ675	EAU POTABLE	SAZ326	SAZ327	SAZ328	SAZ329	SAZ330
SAZ001	SAZ002	SQ679	SQ678	EAU RECIRCULÉE	SAZ331	SAZ332	SAZ333	SAZ334	SAZ335
SAZ003	SAZ004	SQ681	SAH247	EAU RECIRCULÉE	SAZ336	SAZ337	SAZ338	SAZ339	SAZ340
SAZ005	SAZ006	SQ683	SR038	EAU RÉFRIGÉRÉE	SAZ341	SAZ342	SAZ343	SAZ344	SAZ345
SAZ007	SAZ008	SQ688	SQ687	EAU SYSTÈME D'INCENDIE	SAZ346	SAZ347	SAZ348	SAZ349	SAZ350
SAZ009	SAZ010	SQ723	SAH277	ÉVÈNT	SAZ351	SAZ352	SAZ353	SAZ354	SAZ355
SAZ011	SAZ012	SQ727	SQ726	ÉVÈNT	SAZ356	SAZ357	SAZ358	SAZ359	SAZ360
SAZ013	SAZ014	SQ730	SAH278	ÉVÈNT	SAZ361	SAZ362	SAZ363	SAZ364	SAZ365
SAZ015	SAZ016	SQ741	SQ740	FILTREUR	SAZ366	SAZ367	SAZ368	SAZ369	SAZ370
SAZ017	SAZ018	SQ742	SAH290	FLUIDE FRIGORIGÈNE	SAZ371	SAZ372	SAZ373	SAZ374	SAZ375
SAZ019	SAZ020	SQ744	SAH292	FRÉON	SAZ376	SAZ377	SAZ378	SAZ379	SAZ380
SAZ021	SAZ022	SQ748	SQ747	GAZ	SAZ381	SAZ382	SAZ383	SAZ384	SAZ385
SAZ023	SAZ024	SQ762	SBA741	GAZ COMBUSTIBLE	SAZ386	SAZ387	SAZ388	SAZ389	SAZ390
SAZ025	SAZ026	SQ776	SQ775	GAZ NATUREL	SAZ391	SAZ392	SAZ393	SAZ394	SAZ395
SAZ027	SAZ028	SQ781	SAH308	GAZ PROPANE	SAZ396	SAZ397	SAZ398	SAZ399	SAZ400
SAZ029	SAZ030	SQ784	SAH309	GICLÉUR	SAZ401	SAZ402	SAZ403	SAZ404	SAZ405
SAZ031	SAZ032	SQ787	SAH310	GICLÉUR D'EAU	SAZ406	SAZ407	SAZ408	SAZ409	SAZ410
SAZ033	SAZ034	SQ792	SQ791	GICLÉUR D'INCENDIE	SAZ411	SAZ412	SAZ413	SAZ414	SAZ415
SAZ035	SAZ036	SQ810	SAH320	HUILE	SAZ416	SAZ417	SAZ418	SAZ419	SAZ420
SAZ037	SAZ038	SQ825	SAH325	HYDROXYDE DE SODIUM	SAZ421	SAZ422	SAZ423	SAZ424	SAZ425
SAZ039	SAZ040	SQ864	SAH336	OXYGÈNE	SAZ426	SAZ427	SAZ428	SAZ429	SAZ430
SAZ041	SAZ042	SQ870	SAH337	OXYGÈNE	SAZ431	SAZ432	SAZ433	SAZ434	SAZ435
SAZ043	SAZ044	SQ915	SAH365	RETOUR	SAZ436	SAZ437	SAZ438	SAZ439	SAZ440
SAZ045	SAZ046	SQ918	SQ917	RETOUR	SAZ441	SAZ442	SAZ443	SAZ444	SAZ445
SAZ047	SAZ048	SQ922	SQ921	RETOUR	SAZ446	SAZ447	SAZ448	SAZ449	SAZ450
SAZ049	SAZ050	SQ928	SQ927	RETOUR D'EAU CHAUDE	SAZ451	SAZ452	SAZ453	SAZ454	SAZ455
SAZ051	SAZ052	SQ931	SQ930	RETOUR D'EAU DE CHAUFFAGE	SAZ456	SAZ457	SAZ458	SAZ459	SAZ460



SELF-STICK

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	1 x 8	1/2	2.43
PB	1 1/2 to 2	1 1/2 x 8	3/4	2.57
PD	2 1/2 to 6	2 1/2 x 12	1 1/4	3.05
PH	8 to 10	4 x 24	2 1/2	7.70

SNAP TITE™

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	6 x 8	1/2	5.42
PB	1 1/2 to 2	9 x 8	3/4	7.22
PC	2 1/4 to 3	14 x 12	1 1/4	13.40
PE	3 1/4 to 5	19 x 12*	1 1/4	14.80
PF	5 1/4 to 6	25 x 12*	1 1/4	15.39

*Sizes PE and PF have self-adhesive leading edge for a secure fit.

IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

LABELLING SYSTEMS & SUPPLIES

Self Stick Vinyl Pipe Markers				Pipe Marker Legend	Snap Tite™ Pipe Markers				
Style PA	Style PB	Style PD	Style PH		Style PA	Style PB	Style PC	Style PE	Style PF
SAZ053	SAZ054	SQ934	SQ933	RETOUR D'EAU DE CONDENSEUR	SAZ461	SAZ462	SAZ463	SAZ464	SAZ465
SAZ055	SAZ056	SQ939	SQ938	RETOUR D'EAU RÉFRIGÉRÉE	SAZ466	SAZ467	SAZ468	SAZ469	SAZ470
SAZ057	SAZ058	SQ951	SAH385	RETOUR DE CONDENSATS	SAZ471	SAZ472	SAZ473	SAZ474	SAZ475
SAZ059	SAZ060	SQ955	SAH389	RETOUR DE GLYCOL	SAZ476	SAZ477	SAZ478	SAZ479	SAZ480
SAZ061	SAZ062	SQ958	SQ957	RETOUR DE L'EAU DE TOUR D'EAU	SAZ481	SAZ482	SAZ483	SAZ484	SAZ485
SAZ063	SAZ064	SQ960	SAH392	RETOUR DE MAZOUT	SAZ486	SAZ487	SAZ488	SAZ489	SAZ490
SAZ065	SAZ066	SQ962	SAH394	RETOUR DE VAPEUR	SAZ491	SAZ492	SAZ493	SAZ494	SAZ495
SAZ067	SAZ068	SQ978	SAH407	SORTIE	SAZ496	SAZ497	SAZ498	SAZ499	SAZ500
SAZ069	SAZ070	SQ980	SAH409	SORTIE DE POMPE À CONDENSATS	SAZ501	SAZ502	SAZ503	SAZ504	SAZ505
SAZ071	SAZ072	SR002	SR001	TUYAU D'ÉCHAPPEMENT	SAZ506	SAZ507	SAZ508	SAZ509	SAZ510
SAZ073	SAZ074	SR004	SAH424	TUYAU D'ÉCHAPPEMENT	SAZ511	SAZ512	SAZ513	SAZ514	SAZ515
SAZ075	SAZ076	SR007	SR006	VAPEUR	SAZ516	SAZ517	SAZ518	SAZ519	SAZ520
SAZ077	SAZ078	SR011	SR010	VAPEUR À BASSE PRESSION	SAZ521	SAZ522	SAZ523	SAZ524	SAZ525
SAZ079	SAZ080	SR014	SR013	VAPEUR À HAUTE PRESSION	SAZ526	SAZ527	SAZ528	SAZ529	SAZ530
SAV581	SAV582	SAV583	SAV584	→	SAW309	SAW310	SAW311	SAW312	SAW313
SAV585	SAV586	SAV587	SAV588	→	SAW314	SAW315	SAW316	SAW317	SAW318
SAV589	SAV590	SAV591	SAV592	→	SAW319	SAW320	SAW321	SAW322	SAW323
SAV593	SAV594	SAV595	SAV596	→	SAW324	SAW325	SAW326	SAW327	SAW328
SAV597	SAV598	SAV599	SAV600	→	SAW329	SAW330	SAW331	SAW332	SAW333
SAV601	SAV602	SAV603	SAV604	→	SAW334	SAW335	SAW336	SAW337	SAW338
SAV605	SAV606	SAV607	SAV608	→	SAW339	SAW340	SAW341	SAW342	SAW343
SAV609	SAV610	SAV611	SAV612	→	SAW344	SAW345	SAW346	SAW347	SAW348



SELF-STICK

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	1 x 8	1/2	2.43
PB	1 1/2 to 2	1 1/2 x 8	3/4	2.57
PD	2 1/2 to 6	2 1/2 x 12	1 1/4	3.05
PH	8 to 10	4 x 24	2 1/2	7.70




SNAP TITE™

Size Code	Pipe Diameter"	Marker Size"	Letter Height"	Price/Each
PA	3/4 to 1 1/4	6 x 8	1/2	5.42
PB	1 1/2 to 2	9 x 8	3/4	7.22
PC	2 1/4 to 3	14 x 12	1 1/4	13.40
PE	3 1/4 to 5	19 x 12*	1 1/4	14.80
PF	5 1/4 to 6	25 x 12*	1 1/4	15.39

*Sizes PE and PF have self-adhesive leading edge for a secure fit.

KLETON

Canada's Leading Material Handling Manufacturer



IF YOU DO NOT SEE THE LEGEND OR SIZE YOU ARE LOOKING FOR PLEASE CALL US!

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE

MATERIAL
HANDLING &
STORAGE

971

LABELLING SYSTEMS & SUPPLIES





DIRECTIONAL FLOW ARROW TAPES

Provide 360° visibility for flow direction with printed arrows repeated the entire tape length. 6-mil vinyl tape has self-adhesive back. Available in four standard ANSI colours. Available wound in 54' rolls.



ASME A13.1, 3.1 "Arrows shall be used to indicate direction of flow."



Roll Size	Black/Yellow Model No.	Mfg No.	White/Green Model No.	Mfg No.	White/Blue Model No.	Mfg No.	Price /Roll
1" x 54'	SAW353	RAW252BKYL	SAW356	RAW252GNWT	SAW359	RAW252BUWT	20.72
2" x 54'	SAW354	RAW254BKYL	SAW357	RAW254GNWT	SAW360	RAW254BUWT	26.66
4" x 54'	SAW355	RAW258BKYL	SAW358	RAW258GNWT	SAW361	RAW258BUWT	51.47

Roll Size	White/Red Model No.	Mfg No.	White/Brown Model No.	Mfg No.	Black/Orange Model No.	Mfg No.	Price /Roll
1" x 54'	SAW362	RAW252RDWT	SAW365	RAW252WTBR	SAW368	RAW252BKOR	20.72
2" x 54'	SAW363	RAW254RDWT	SAW366	RAW254WTBR	SAW369	RAW254BKOR	26.66
4" x 54'	SAW364	RAW258RDWT	SAW367	RAW258WTBR	SAW370	RAW258BKOR	51.47



COLOUR BANDING PIPE MARKING TAPES

Available in a variety of colours and are ideal for coding pipes.

The 5-mil solid colour and 6-mil colour pattern tapes have self-adhesive back and is self-wound in rolls with no peel-off liner. Apply tape to clean, smooth, dry surface. Service temperature range is -20° to 140°F.



Roll Size	Red Model No.	Mfg No.	Green Model No.	Mfg No.	Blue Model No.	Mfg No.	Gray Model No.	Mfg No.	Brown Model No.	Mfg No.	Price /Roll
1" x 108'	SAW389	PTM613RD	SAW392	PTM613GN	SAW395	PTM613BU	SAW398	PTM613GY	SAW401	PTM613BN	7.66
2" x 108'	SAW390	PTM623RD	SAW393	PTM623GN	SAW396	PTM623BU	SAW399	PTM623GY	SAW402	PTM623BN	14.68
3" x 108'	SAW391	PTM633RD	SAW394	PTM633GN	SAW397	PTM633BU	SAW400	PTM633GY	SAW403	PTM633BN	21.28

Roll Size	Black Model No.	Mfg No.	Yellow Model No.	Mfg No.	Orange Model No.	Mfg No.	White Model No.	Mfg No.	Purple Model No.	Mfg No.	Price /Roll
1" x 108'	SAW404	PTM613BK	SAW407	PTM613YL	SAW410	PTM613OR	SAW413	PTM613WT	SAW416	PTM613PR	7.66
2" x 108'	SAW405	PTM623BK	SAW408	PTM623YL	SAW411	PTM623OR	SAW414	PTM623WT	SAW417	PTM623PR	14.68
3" x 108'	SAW406	PTM633BK	SAW409	PTM633YL	SAW412	PTM633OR	SAW415	PTM633WT	SAW418	PTM633PR	21.28

IF YOU DO NOT SEE THE SIZE YOU ARE LOOKING FOR PLEASE CALL US!

ERGONOMIC FLOORING VS ERGONOMIC MATTING


ERGONOMIC FLOORING

Ergonomic flooring covers a larger area than standard work station mats and is available for work areas subject to moisture and oily substances. Ergonomic flooring also comes in various solidity levels to accommodate different weight requirements for applications and equipment. Harder flooring can be used when working with heavy materials, thereby allowing employees to use transport devices such as carts and dollies. This reduces heavy lifting and strenuous physical activity. In addition, ergonomic flooring reduces the risk of serious bodily injury due to its inherently softer surface.

Ergonomic flooring comes in various sizes using what *Wearwell*® calls a "Positive Lock." This refers to a seamless installation that stays intact unless you "unzip" the components. Also, different colours are available to match the look of your work environment. No fasteners or adhesives are used. You simply interconnect the tiles according to your floor plan. Materials can be trimmed and cut to respect the angles of walls, equipment and traffic areas.

Maintenance is simple because tiles can easily be replaced without having to remove giant sections of the flooring. However, not all modular matting can be used for ergonomic flooring. *Wearwell* describes the concept of the "Three P's" in regards to installation:

- **"Positive" locking:** These are the only products used. They make for snug seams and do not move around unless taken apart intentionally.
- **"Permanent" locking:** These require adhesives, heat bonding or mechanical fasteners, making repair and reconfiguration very difficult.
- **"Passive" locking:** These have connectors that overlay each other but do not tightly lock together



ERGONOMIC MATTING

Used primarily for work stations and assembly line applications, ergonomic matting is typically a turnkey solution that comes in a variety of materials for application issues such as:

- Comfort
- Slip prevention
- Static discharge
- Weld sparks
- Contamination control
- Flame risk

Because ergonomic matting comes in so many shapes and materials, employees have considerable choices to satisfy their desired comfort level in their respective work areas. The different surfaces available include diamond plate, marbled tile-top, corrugated and pebbled.

Ergonomic matting is usually ready right out of the box and does not require additional preparation. Some products are available in rolls and can be customized in shape, length and width beforehand, so you do not need to make on-the-spot modifications in the workspace.



MATTING - ERGONOMIC

ERGODECK™ ERGONOMIC FLOORING SYSTEMS

Simple-to-install, *ErgoDeck™* is comprised of super-sized (18" x 18"), professional grade ergonomic tiles designed to quickly cover large and custom-sized areas.

- The patented *LockSafe™* system securely connects the tiles for a neat, clean, installation that will withstand heavy use
- The incredibly substantial design creates a floor above the facility floor, covering up imperfections and safety hazards
- *ErgoDeck™* tiles can be unlocked and repositioned to create a different configuration when work flow changes
- Available in Open Grid and Solid tile designs:
 - Open Grid** - for use in wet (non-greasy) or dry areas where small debris or fluids are present
 - Solid** - for use in dry areas where small parts fall to the floor, or where ease of maintenance is a priority
- Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so *ErgoDeck™* can be attached to the floor
- 7/8" thick
- Designed specifically for heavy cart traffic with load capacity of 64 PSI
- Sold per case

ERGODECK™ OPEN GRID NO. 560


- For use in wet (non-greasy) or dry areas where small debris or fluids are present

ERGODECK™ SOLID NO. 562

- For use in dry areas where small parts fall to the floor, or where ease of maintenance is a priority

**3-YEAR
WARRANTY**

Model No.	Description	Dim. W" x L" x D"	Qty /Case	Price /Each
ERGODECK™ OPEN GRID NO. 560				
SAL215	Single Tile	18 x 18 -	10	43.91
ERGODECK™ SOLID NO. 562				
SAL224	Single Tile	18 x 18 -	10	43.91
RAMP & CORNER ACCESSORIES				
SAL219	Ramp - Yellow	6 x 18 -	10	18.92
SAL217	Outside Corner - Yellow	6 x 15 x 15	4	59.44



ERGODECK™ SOFT NO. 564 & NO. 566

- Softer version of the original *ErgoDeck™* specifically designed to increase worker productivity
- Combination of the 68 durometer compound and the Flex-points on the underside provides flexibility underfoot
- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- Patented *LockSafe™* system securely connects the tiles for a neat installation to withstand heavy use and cart traffic
- Tiles can be unlocked and repositioned to create different configurations
- Optional 6" wide safety ramps and corners
- 7/8" thick
- Colour: Charcoal
- Sold per case

**3-YEAR
WARRANTY**


ERGODECK™ SOFT

Model No.	Description	Dim. W" x L"	Qty /Case	Price /Case
SAQ312	Open Grid No. 564	18 x 18	10	364.08
SAQ313	Solid Grid No. 566	18 x 18	10	404.53

RAMP & CORNER ACCESSORIES

Priced per Case

Model No.	Description	Dim. W" x L"	Qty /Case	Price /Case
SAQ314	Ramp - Charcoal	6 x 18	10	158.97
SAQ315	Outside Corner - Charcoal	15 x 15	4	231.85
SAL219	Ramp - Yellow	6 x 18	10	18.92
SAL217	Outside Corner - Yellow	15 x 15	4	59.44



F.I.T. NO. 540-543

FUNCTIONAL INTERLOCKING TILES FOR INDUSTRIAL AND COMMERCIAL AREAS

Innovation made simple: The most versatile, functional and comfortable 12" x 12" modular tile ever created.



- Best interlocking system – angular LockSafe interlocking system provides a stronger connection, yet the tiles easily "zip" apart for re-positioning
- Exceptional comfort – ergonomic design and PVC formula dramatically reduce fatigue and lead to increased productivity
- Easy ramp system – one ramp fits both "male" and "female" edges
- No-fuss installation – just snap the tiles together and configure to fit your exact work spaces
- Outstanding value for your cost reduction initiatives – save on replacement costs, installation time, and employee lost time -
- Thickness: 5/8"
- Green rating: > 40% post consumer PVC

GritWorks!® provides 40% more traction than OSHA recommends for wet areas.

Unlike any other modular ergonomic flooring system, large installations of F.I.T. can be rolled-up for quick cleaning, repositioning or storage. It's amazing LockSafe interlocking system works like flexible hinges to hold tiles together even when large connected sections are tightly rolled.


F.I.T. is designed for onsite customization - the tiles can be cut every 3" and still connect. Just cut the tiles and reconnect for a seamless installation. This unique feature makes F.I.T. the most versatile interlocking tile on the market and facilitates total coverage of areas with multiple work centres and equipment with unusual shapes.

SOLID – for use in dry areas

SOLID WITH GRITWORKS!®
–for use where overspray or the tracking of greases and oils could increase the potential of slip injuries

OPEN – for use in wet areas - surface slants toward holes to facilitate drainage

OPEN WITH GRITWORKS!® – for use in hazardously slippery areas





Model No.	Description	W"	Dimensions x	L"	Qty /Case	Colour	Price /Case
CASE OF TILES							
SBA982	Open No. 540	12	x	12	20	Black	208.91
SBA983	Solid No. 541	12	x	12	20	Black	221.07
SBA984	Open w/ GritWorks!® No. 542	12	x	12	20	Black	400.80
SBA985	Solid w/ GritWorks!® No. 543	12	x	12	20	Black	404.53
CASE OF RAMPS & CORNERS							
SBA986	Ramp No. 540	3	x	12	20	Black	160.20
SBA987	Ramp No. 540	3	x	12	20	Yellow	160.20
SBA988	Ramp w/Corner No. 540	3	x	15	4	Black	32.19
SBA989	Ramp w/Corner No. 540	3	x	15	4	Yellow	32.19



REJUVENATOR CONNECT NO. 502

- Customizable urethane mat, a perfect combination of extremely high performance and exceptional comfort
- Connects on all four sides to accommodate any custom sized area - even an entire floor
- No need for seaming or gluing; mats snap together and stay together
- Robust, abrasion resistant exterior skin totally encapsulates the resilient, crush-resistant urethane sponge interior making mat virtually indestructible
- An elevated square-grid surface creates an appealing symmetrical look for industrial, laboratory, pharmaceutical or commercial environments
- Ideal for dry and heavy use areas and exposure to a wide range of temperatures
- Optional 2" wide urethane bevel for safe access



End Mat
w/ Male Connectors



Center Mat



End Mat
w/ Female Connectors

Model No.	Description	Dim. W' x L'	Price /Each
SAR340	Mat	3' x 3'	265.30
SAR341	Edge, Female	2" x 39"	55.43
SAR342	Edge, Male	2" x 39"	55.43

Model No.	Description	Dim. W' x L'	Price /Each
SED588	Center Mat	3' x 5'	479.75
SED589	End Mat w/ Female Connectors	3' x 5'	479.75
SED590	End Mat w/ Male Connectors	3' x 5'	479.75

COMFORT-KING™ AND COMFORT-KING™ SUPREME

Comfort-King™ offers optimal cushion and resilience for proper fatigue relief and increased productivity!

- Highly energized Zedlan™ sponge combines softness, resilience and durability for exceptional relief
- Extra bounce property stimulates muscles and blood flow to reduce fatigue
- Outwears other sponge products by nearly three to one
- Maintains flexibility even in low temperatures
- Custom sizes available



Ideal for use in all dry work areas!



TOTAL CONFIDENCE WARRANTY

COMFORT-KING™ 3/8"

Model No.	Dim. W' x L'	Price /Each
Black		
NG878	3' x 5'	135.99
NG880	3' x 60'	1392.14
SUPREME 1/2" - PROVIDES 33% MORE COMFORT THAN STANDARD 3/8"		
Steel Grey		
NH790	3' x 5'	169.64
NH796	3' x 60'	1751.70

ERGO-EASE™

- Premium anti-fatigue mat
- Dual-layer foams hermetically sealed in a rubber shell for extreme wear resistance
- High-quality foams provide softness and comfort for leg and back reliefs
- Vulcanized commercial grade SBR rubber surface
- Ribbed surface for extra traction and slip resistance
- Can be used in dry and moderately wet (no submersion) environments
- Excellent chemical resistance
- Colour: Black




TOTAL CONFIDENCE WARRANTY




Model No.	Dim. W' x L'	Price /Each
SAQ116	2' x 3'	184.06
SAQ117	2' x 4'	268.52
SAQ121	3' x 5'	418.06
SAQ122	3' x 10'	725.50
SAQ123	2' x lin.ft.	69.72/lin.ft.
SAQ124	3' x lin.ft.	104.59/lin.ft.

DIAMOND PLATE MATTING GUIDE

	BEST	BETTER	GOOD
	SPONGECOTE®	SELECT	SMART®
PRODUCTS	UltraSoft Diamond-Plate No. 414, Diamond-Plate SpongeCote® No. 415 and Diamond-Plate with GritWorks!® No. 416	Diamond-Plate Select No. 495	Smart® Diamond-Plate No. 497 Wear-Bond Deck Top Solid
SPONGE BASE	Nitricell®—a premium Nitrile rubber composite sponge formulated for crush-resistance and extended performance.	Flex-Link™—Dense, closed cell PVC sponge designed with similar performance characteristics to others on the market.	Smart®—A recycled urethane composite sponge, less durable overall, but truly designed budget or environmentally conscious operations.
RESILIENCE	Best in its class. It continues to bounce back and provides long-term employee satisfaction.	Good resilience, good recovery.	Good rebound, proven for use in many commercial applications as a flooring system underlayment
STANDING AREA	Extends to within 1" of the edge of the mat providing more standing room.	The sponge extends to within 2" - 3" of each edge.	The sponge extends to within 2" - 3" of each edge.
BEVEL	Sponge offers built-in trip prevention bevel on standard sizes.	Sponge features rounded corners on stock sizes.	Sponge edges are not beveled.
WARRANTY	4 years	3 years	1 year
	See page 978	See page 979	See page 979



SAL348



SAJ810

Look for this
symbol for
environmentally
friendly products!



**4-YEAR
WARRANTY**



DIAMOND-PLATE SPONGECOTE® NO. 415

- Resilient *Nitricell*® sponge base provides comfort and enhances productivity
- Ideal for dry work areas
- 9/16" thick
- Beveled safety edges
- Black w/yellow safety borders

ULTRASOFT DIAMOND-PLATE NO. 414

- Unparalleled comfort and enhanced employee productivity and morale
- Double-thick *Nitricell*® sponge base is a PVC loaded with nitrile rubber
- Designed for heavy-use areas
- Popular, high-tech diamond-plate surface resists abrasion and most chemical spills
- Beveled safety edges
- Black with yellow safety borders

**Call for your
FREE
sample!**



NO. 414

Model No.	Dim. W' x L'	Price /Each
15/16" BLACK/YELLOW		
SAJ810	2 x 3	91.90
NG924	3 x 5	229.52
NG925	2 x 75	2295.27
NG926	3 x 75	3281.88
NG927	4 x 75	4382.31
15/16" BLACK		
SAJ809	2 x 3	84.14
NG917	3 x 5	210.29
NG918	2 x 75	2101.58
NG919	3 x 75	3009.51
NG920	4 x 75	4007.03

CUTS UP TO 75' IN LENGTH

Model No.	Dim. W' x L'	Price /Each
15/16" BLACK/YELLOW		
NG928	2 x lin.ft.	34.63/lin.ft.
NG929	3 x lin.ft.	50.74/lin.ft.
NG930	4 x lin.ft.	67.66/lin.ft.
SAL159	5 x lin.ft.	103.60/lin.ft.
SAL161	6 x lin.ft.	116.25/lin.ft.
15/16" BLACK		
NG921	2 x lin.ft.	31.94/lin.ft.
NG922	3 x lin.ft.	46.79/lin.ft.
NG923	4 x lin.ft.	62.39/lin.ft.
SAL158	5 x lin.ft.	95.87/lin.ft.
SAL160	6 x lin.ft.	106.81/lin.ft.

NO. 415

Model No.	Dim. W' x L'	Price /Each
9/16" BLACK/YELLOW		
NB416	2 x 3	72.15
NB430	3 x 5	148.80
NB425	2 x 75	1812.24
NB439	3 x 75	2488.96
SAL165	4 x 75	3318.20
9/16" BLACK		
NB420	2 x 3	63.31
NB431	3 x 5	154.00
NB426	2 x 75	1608.87
NB440	3 x 75	2181.48
SAL164	4 x 75	2909.03


CUTS UP TO 75' IN LENGTH

Model No.	Dim. W' x L'	Price /Each
9/16" BLACK/YELLOW		
NG410	2 x lin.ft.	25.59/lin.ft.
NG411	3 x lin.ft.	37.43/lin.ft.
SAL163	4 x lin.ft.	49.91/lin.ft.
SAL167	5 x lin.ft.	78.27/lin.ft.
SAL169	6 x lin.ft.	87.23/lin.ft.
9/16" BLACK		
NG412	2 x lin.ft.	22.95/lin.ft.
NG413	3 x lin.ft.	33.57/lin.ft.
SAL162	4 x lin.ft.	44.76/lin.ft.
SAL166	5 x lin.ft.	68.26/lin.ft.
SAL168	6 x lin.ft.	78.47/lin.ft.

DIAMOND-PLATE WITH GRITWORKS® NO. 416

- Ideal for primarily dry areas with slight overspray or where grease and oil get tracked onto the mat
- Carbide grit that increases traction by over 50% while also increasing the chemical resistance and durability of the surface
- Super resilient, *Nitricell*® sponge base which is PVC loaded with nitrile rubber
- Exceptional comfort, rebound and long life
- All mats come with safety-beveled edges
- Colour: Black


**Carbide grit increases traction
by over 50%**




**3-YEAR
WARRANTY**



Standard



UltraSoft



NO. 416

Model No.	Dim. W' x L'	Price /Each
STANDARD 9/16"		
SAL632	2 x 3	101.68
SAL634	3 x 5	236.42
SAL638	3 x 75	2930.81

Model No.	Dim. W' x L'	Price /Each
ULTRASOFT 15/16"		
SAL633	2 x 3	149.39
SAL635	3 x 5	310.74
SAL639	3 x 75	3940.46

CUTS UP TO 75' IN LENGTH

Model No.	Dim. W' x L'	Price /Each
STANDARD 9/16"		
SAL642	2 x lin.ft.	35.09/lin.ft.
SAL644	3 x lin.ft.	46.45/lin.ft.
SAL646	4 x lin.ft.	61.93/lin.ft.

Model No.	Dim. W' x L'	Price /Each
ULTRASOFT 15/16"		
SAL643	2 x lin.ft.	45.28/lin.ft.
SAL645	3 x lin.ft.	60.61/lin.ft.
SAL647	4 x lin.ft.	80.82/lin.ft.

DIAMOND-PLATE SELECT NO. 495

COMFORT & INDUSTRIAL STYLE ON A BUDGET!



- *Diamond-Plate Select* is an excellent alternative to similar *SpongeCote*® products
- Priced for those on a tighter budget, it has a specially formulated blown-vinyl sponge base called *Flex-Link*®
- It's designed to prevent worker fatigue in dry industrial applications and is a good choice for areas that require a high-tech look
- Available in two thicknesses:
Standard – 9/16" thick with safety beveled edges
Ultra Thick – 15/16" thick with safety beveled edges designed for extra softness
- Colour: Black, black w/yellow borders



**1-YEAR
WARRANTY**

Model No.	Dim.			Price /Each
	W'	x	L'	
9/16" - BLACK				
SAL348	2	x	3	50.89
SAL357	3	x	5	123.99
SAL360	3	x	75	1756.53
9/16" - BLACK/YELLOW				
SAL349	2	x	3	58.06
SAL358	3	x	5	133.64
SAL361	3	x	75	2003.44
15/16" - BLACK				
SAL200	2	x	3	67.79
SAL206	3	x	5	157.90
SAL208	3	x	75	2369.40
15/16" - BLACK/YELLOW				
SAL201	2	x	3	73.97
SAL207	3	x	5	172.48
SAL209	3	x	75	2587.49

CUTS UP TO 75' IN LENGTH

Model No.	Dim.			Price /Each
	W'	x	L'	
SAL354	3	x	lin.ft.	26.99/lin.ft.
SAL355	3	x	lin.ft.	30.11/lin.ft.
SAL204	3	x	lin.ft.	36.02/lin.ft.
SAL205	3	x	lin.ft.	39.63/lin.ft.

Other lengths available, call for a quote.


SMART DIAMOND-PLATE NO. 497

- Diamond plate surface with a 100% recycled urethane composite sponge base
- Comfortable and functional in dry industrial applications
- Black (BK) and black w/yellow borders (BYL).
Green rating > 80% recycled.



**An economical and
GREEN solution for
preventing worker
fatigue.**

**1-YEAR
WARRANTY**



WEAR-BOND™ DECK-TOP STD

- Medium-duty anti-fatigue *Deck-Top* surface for improved abrasion and puncture resistance
- High-density vinyl top with vinyl sponge base
- Impact-absorbing base foam
- 50% greater puncture resistance and five times the abrasion resistance than traditional sponge products
- Lower cost than deck plate sponge products
- 9/16" thick

Applications: Finishing/assembly stations, factories, work stations, cashier's station, pick modules, pharmacies and service counters



**1-YEAR
WARRANTY**



Model No.	Dim.			Price /Each
	W'	x	L'	
5/8" BLACK				
SBA894	2	x	3	36.76
SBA895	3	x	5	79.86
SBA899	2	x	lin.ft.*	12.61
SBA900	3	x	lin.ft.*	16.77
SBA901	4	x	lin.ft.*	20.41
1" BLACK W/YELLOW BORDERS				
SBA902	2	x	3	39.76
SBA903	3	x	5	80.99
SBA907	2	x	lin.ft.*	13.43
SBA908	3	x	lin.ft.*	17.00
SBA909	4	x	lin.ft.*	21.43

Model No.	Dim.			Price /Each
	W'	x	L'	
1" BLACK				
SBA878	2	x	3	50.53
SBA879	3	x	5	117.42
SBA883	2	x	lin.ft.*	18.15
SBA884	3	x	lin.ft.*	25.00
SBA885	4	x	lin.ft.*	31.28
5/8" BLACK W/YELLOW BORDERS				
SBA886	2	x	3	53.51
SBA887	3	x	5	118.55
SBA891	2	x	lin.ft.*	19.02
SBA892	3	x	lin.ft.*	25.23
SBA893	4	x	lin.ft.*	32.20

Model No.	W'	Dim. x	L'	Price /Each
BLACK				
SAX700	2	x	3	53.79
SAX701	3	x	5	134.44
SAX702	3	x	12	322.68
BLACK W/YELLOW BORDERS				
SAX707	2	x	3	53.79
SAX708	3	x	5	134.44
SAX709	3	x	12	322.68

Available in cuts of up to 75' in length

*Cuts up to 75' in length

OFFICE
PRODUCTS

INSTRUMENTS,
SCALES &
ELECTRICAL

SHIPPING &
PACKAGING

TOOLS &
EQUIPMENT

WELDING &
METALWORKING

SAFETY
EQUIPMENT &
SUPPLIES

JANITORIAL &
MAINTENANCE


MATERIAL
HANDLING &
STORAGE

979

MATTING - ERGONOMIC

WORKSAFE® NO. 477

7/8" THICK, HIGH PERFORMANCE DRAINAGE MAT



A high performance drainage mat designed for safety, cleanliness & worker comfort!

1-YEAR WARRANTY

- Extra-thick, drainage mat designed for worker comfort
- Premium natural rubber compound; use around water, mild chemicals and detergent solutions
- Angled drainage holes and underside knobs allow debris and fluids to flowthrough
- Connect mats side by side with connector strips
- Optional edging also available
- Colour: Black



Model No.	Description	Dim. W' x L'	Price /Each
NB468	Single	2 x 3	75.26
NB469	Single	3 x 4	123.33
NB621	Single	3 x 5	135.37
NB624	Edging	-	6.05/lin.ft.
NB472	Connector	-	7.98

WELDSAFE® NO. 447

PERFORMANCE: BEST




3-YEAR WARRANTY



Anti-fatigue mat specifically designed for welding!

- This extra-thick, versatile drainage mat is designed for overall productivity
- WorkSafe's premium natural rubber compound is ideal for use around water, mild chemicals and detergent solutions.
- An excellent choice for wet areas or in applications with wood or metal shavings.
- Use as individual workstation mats or cover larger spaces by using connector strips, 7/8" Thick.
- Green Rating > 33% post Industrial material
- Color: Black



Model No.	Dim. W' x L'	Price /Each
NG181	2 x 3	67.79
NG182	3 x 5	169.63

CUTS UP TO 75' IN LENGTH

SAL188	2 x lin.ft.	24.46/lin.ft.
NG184	3 x lin.ft.	35.78/lin.ft.
SAL189	4 x lin.ft.	47.71/lin.ft.

Other lengths available, call for a quote.

INDUSTRIAL GRITWORKS!® NO. 487



1-YEAR WARRANTY

- Add the GritWorks!® carbide surface to Industrial WorkSafe® mat and produce an exceptionally safe and functional ergonomic mat
- GritWorks!® surface continues to provide a coefficient of friction that exceeds OSHA recommendations by over 40%
- Available in stock sizes for individual workstations
- 3/4" thick
- Black with yellow or orange borders



Model No.	Description	Dim. W x L	Price /Each
SAP181	Orange Border	2' x 3'	220.22
SAP182	Orange Border	3' x 4'	334.58
SAP183	Orange Border	3' x 5'	377.58
SAP184	Orange Border	3' x 9' 8"	693.24
SAP185	Yellow Border	2' x 3'	220.22
SAP186	Yellow Border	3' x 4'	334.58
SAP187	Yellow Border	3' x 5'	377.58
SAP188	Yellow Border	3' x 9' 8"	693.24

INDUSTRIAL WORKSAFE® NO. 479

- Extra thick, extra comfortable, extra safe, high performance, wet area, ergonomic mat with bright, molded-in safety borders
- Formulated in a CFR (mineral oil cutting fluid resistant) compound that resists many other industrial chemicals and fluids
- Smooth, clean drainage holes and underside knobs allow water, debris and shavings to flow through and under the mat
- Textured surface for extra traction in wet areas
- Available in stock sizes for individual workstations
- 3/4" thick
- Black with yellow or orange borders

1-YEAR WARRANTY



Model No.	Description	Dim. W x L	Price /Each
SAP173	Orange Border	2' x 3'	135.82
SAP174	Orange Border	3' x 4'	240.40
SAP175	Orange Border	3' x 5'	249.93
SAP176	Orange Border	3' x 9' 8"	493.78
SAP177	Yellow Border	2' x 3'	135.82
SAP178	Yellow Border	3' x 4'	240.40
SAP179	Yellow Border	3' x 5'	249.93
SAP180	Yellow Border	3' x 9' 8"	493.78

24/SEVEN® COMFORTABLE, MODULAR, SIMPLE TO USE

- The 3' x 3' mats also interlock on all four sides to cover large areas, or can be used as single stations
- Optional yellow and black borders provide safe access

What is your application? Choose from 5 formulations

General purpose rubber - Natural rubber formulation designed for general application, such as areas with water or debris

CFR rubber - Designed for areas with mineral oil based cutting fluids and solvents

CFR rubber with GritWorks!® - For wet areas that need extra traction

NBR 100% nitrile - Designed for areas with petrochemicals

such as hydrocarbons, naphthenes, paraffins and petroleum distillates


NBR 100% nitrile with GritWorks!® - For wet areas that need extra traction

**1-YEAR
WARRANTY**




WITH DRAINAGE

3" x 39" Male (M)
Ramp snaps into the underside of the mat



SOLID

3" x 39" Female (F)
Ramp snaps onto the protruding mat knobs



REASONS TO CHOOSE 24/SEVEN®

- Modular design
- Quick installation and replacement
- Comfort • 5 formulations
- Can customize on site

5/8"

Model No.	Description	W	Dim. x	L	Price /Each
SOLID					
NH589	General Purpose No. 570 Solid Mat	3'	x	3'	75.21
SAQ100	CFR No. 570 Solid Mat	3'	x	3'	134.20
SAL233	CFR w/Gritworks!® No. 574 Solid Mat	3'	x	3'	201.05
SAQ101	Nitrile No. 570 Solid Mat	3'	x	3'	153.01
SAQ103	Nitrile w/Gritworks!® No. 574 Solid Mat	3'	x	3'	228.72
OPEN					
NH587	General Purpose No. 572 Open Mat	3'	x	3'	65.01
SAL228	CFR No. 572 Open Mat	3'	x	3'	105.94
SAL234	CFR w/Gritworks!® No. 576 Open Mat	3'	x	3'	163.24
SAQ102	Nitrile No. 572 Open Mat	3'	x	3'	117.34
SAQ104	Nitrile w/Gritworks!® No. 576 Open Mat	3'	x	3'	178.45
BLACK RAMPS					
NH591	General Purpose Female	3"	x	39"	14.83
NH594	General Purpose Male	3"	x	39"	14.83
SAQ128	CFR Female	3"	x	39"	24.10
SAQ125	CFR Male	3"	x	39"	24.10
SAQ129	Nitrile Female	3"	x	39"	27.59
SAQ126	Nitrile Male	3"	x	39"	27.59
YELLOW RAMPS					
NH593	General Purpose Female	3"	x	39"	21.23
NH596	General Purpose Male	3"	x	39"	21.23
SAL230	CFR Female	3"	x	39"	33.44
SAL232	CFR Male	3"	x	39"	33.44
SAQ130	Nitrile Female	3"	x	39"	36.50
SAQ127	Nitrile Male	3"	x	39"	36.50

WORKRITE NO. 474

1/2" THICK GENERAL PURPOSE ANTI-FATIGUE DRAINAGE MAT



**1-YEAR
WARRANTY**

**Economical
anti-fatigue mat provides
both safety & comfort!**



- Compounded in a flexible and resilient natural rubber for use around water and non-caustic agents
- Flow-through design and underside knobs also accommodate small parts or debris
- Molded beveled edges allow easy access
- Lightweight design facilitates frequent cleanings
- Provides worker comfort at an exceptional value!
- Colour: Black

Model No.	W'	Dim. x	L'	Price /Each
NB607	3	x	5	84.07
NG013	3	x	10	205.83
NG014	3	x	20	428.56



MATTING - ERGONOMIC

HOG HEAVEN

- Solid textured nitrile rubber surface for better chemical resistance and superior slip resistance
- Closed cell nitrile/PVC cushion
- 100% nitrile border will not crack or curl
- Unmatched durability
- Available in black and black/yellow safety stripes



5/8" THICK


Model No.	Dim. W' x L'	Price /Each
BLACK NO. 421		
SAM152	2 x 3	50.82
SAM153	3 x 5	122.89
SAM154	3 x 12	300.95
SAM155	4 x 6	204.32
BLACK/YELLOW NO. 423		
SAM159	2 x 3	62.12
SAM160	3 x 5	142.54
SAM161	3 x 12	349.13
SAM162	4 x 6	227.92

7/8" THICK

Model No.	Dim. W' x L'	Price /Each
BLACK NO. 422		
SAM166	2 x 3	57.64
SAM167	3 x 5	139.06
SAM168	3 x 12	340.92
SAM169	4 x 6	231.44
BLACK/YELLOW NO. 424		
SAM173	2 x 3	68.92
SAM174	3 x 5	158.73
SAM175	3 x 12	389.09
SAM176	4 x 6	255.07

HAPPY FEET

- Combine exceptional anti-fatigue performance with unique safety features
- Dense closed-cell rubber cushion encapsulated with solid nitrile rubber
- Resistant to chemicals, animal fats and petroleum products
- Static dissipative and safe for use in computer rooms and electrical parts manufacturing
- Safe for welding
- Low profile, beveled edges available with safety striped borders
- Colour: Black, black and yellow, other colours available on request



TEXTURE-SURFACE NO. 480

Model No.	Dim. W' x L'	Price /Each
BLACK		
SAM180	2 x 3	70.06
SAM181	3 x 5	175.16
SAM182	3 x 10	350.35
BLACK/YELLOW		
SAM183	2 x 3	77.47
SAM184	3 x 5	193.60
SAM185	3 x 10	387.26

ORTHO STAND™ NO. 454


DOMED ANTI-FATIGUE MAT INCREASES CIRCULATION



Designed for optimal worker health, comfort & productivity!

- Ergonomically designed to increase worker comfort
- Hollow-domed surface encourages subtle changes in posture increasing circulation and lessening fatigue
- An economical, dry area, single work area mat
- 1/2" thick, natural rubber
- Colour: Black, black w/yellow borders

1-YEAR WARRANTY



Model No.	Dim. W' x L'	Price /Each
BLACK		
NB582	2 x 3	50.39
NB583	3 x 4	73.31
BLACK/YELLOW		
SAL192	2 x 3	62.21
SAL193	3 x 4	89.72

CUSHION MAX™

- Superior anti-microbial, anti-fatigue mat for comfort and ergonomic benefits
- Made of 100% nitrile/PVC closed cell foam
- Diamond patterned surface that is more than twice as durable as traditional PVC foam mats
- Solid pattern helps to reduce slip and fall accidents while beveled borders make for a safe transition from floor to mat
- Cost effective alternative to traditional PVC foam mats
- Ozone resistant
- Recommended for use in warehouses, picking lines, assembly lines, work stations, check out stations, labs or other wet or dry environments
- 5/8" thick
- Colour: Black




Model No.	Dim. W' x L'	Price /Each
SAR819	2 x 3	30.50
SAR820	3 x 5	76.26
SAR821	3 x 2	183.03
SAR822	4 x 6	122.02


Available with drainage holes

TILE TOP MATTING

	BEST	BETTER	GOOD
	SPONGECOTE®	SELECT	SMART®
PRODUCTS	<i>UltraSoft Tile-Top AM No. 419AM, Tile-Top SpongeCote® AM No. 420AM</i>	<i>Tile-Top Select No. 494</i>	<i>Smart® Tile-Top No. 496</i>
SPONGE BASE	Nitricell® – a premium nitrile rubber composite sponge formulated for crush-resistance and extended performance. 100% anti-microbial.	Flex-Link™ – Dense, closed cell PVC sponge designed with similar performance characteristics to others on the market.	Smart® – A recycled urethane composite sponge, less durable overall, but truly designed budget or environmentally conscious operations.
RESILIENCE	Best in its class. It continues to bounce back and provides long-term employee satisfaction.	Good resilience, good recovery.	Good rebound, proven for use in many commercial applications as a flooring system underlayment
STANDING AREA	Extends to within 1" of the edge of the mat providing more standing room.	The sponge extends to within 2" of each edge.	The sponge extends to within 2" of each edge.
BEVEL	Sponge offers built-in trip prevention bevel on standard sizes.	Sponge features rounded corners on stock sizes.	Sponge edges are not beveled.
WARRANTY	4 years	3 years	1 year



NB652



SAQ319

Can't find what
you're looking for?
Call us today!




MATTING - ERGONOMIC

TILE-TOP AM NO. 420 AND ULTRASOFT TILE-TOP AM NO. 419

NOW THESE MATS ARE 100% ANTI-MICROBIAL (AM)

- Especially effective in areas where exposure to micro-organisms and chemicals is common
- *Tile-Top* AM mats are permanently anti-microbial
- The non-porous vinyl surface has an **extra** wear layer for **exceptional** abrasion and **chemical resistance**
- The mats' **superb comfort** comes from its **micro-pure™** (permanently anti-microbial) Nitrile composite sponge base
- *Tile-Top* AM is a standard 1/2" thick while *UltraSoft* *Tile-Top* AM (7/8" thick) features a double-thick sponge base for those employees who need an even more comfortable standing surface



**3-YEAR
WARRANTY**



**100%
antimicrobial!**



TILE-TOP NO. 420AM - 1/2" THICK

Model No.					Dim. W' x L'	Price /Each
Black	Blue	Grey	Tan	Charcoal		
SAQ643	SAQ644	SAQ646	SAQ647	SAQ645	18" x 30"	54.66
SAQ654	SAQ655	SAQ658	SAQ659	SAQ657	2' x 3'	83.28
SAQ670	SAQ671	SAQ674	SAQ675	SAQ673	3' x 5'	201.59
SAQ661	SAQ662	SAQ664	-	SAQ663	2' x 60'	1647.65
SAQ677	SAQ678	SAQ680	-	SAQ679	3' x 60'	2421.42
SAQ686	SAQ687	SAQ689	-	SAQ688	4' x 60'	3228.56

ULTRASOFT TILE-TOP NO. 419AM - 7/8" THICK

Model No.				Dim. W' x L'	Price /Each
Black	Blue	Grey	Charcoal		
SAQ319	SAQ616	SAQ618	SAQ617	2' x 3'	102.91
SAQ320	SAQ628	SAQ630	SAQ629	3' x 5'	257.03
SAQ619	SAQ620	SAQ622	SAQ621	2' x 60'	2022.22
SAQ631	SAQ632	SAQ634	SAQ633	3' x 60'	3030.95
SAQ639	SAQ640	SAQ642	SAQ641	4' x 60'	4043.43


Note: Also available in cuts up to 60' in length

SMART TILE-TOP NO. 496



- Priced like a sponge mat, yet wears five times longer
- Compare to other marbledized anti-fatigue mats and reap the savings!
- Resilient sponge base is called Rebound - a 100% recycled urethane composite
- Comfortable and functional in dry industrial applications
- Green rating > 80% recycled

*A smart solution to
standing worker fatigue,
this mat is economically
priced and GREEN.*




**1-YEAR
WARRANTY**



Model No.				Dim.			Price /Each
Black	Grey	Blue	Charcoal	W'	x	L'	
1/2" THICK							
SBA910	SBA926	SBA942	SBA958	2'	x	3'	52.25
SBA911	SBA927	SBA943	SBA959	3'	x	5'	120.16
SBA912	SBA928	SBA944	SBA960	2'	x	60'	1092.91
SBA913	SBA929	SBA945	SBA961	3'	x	60'	1408.85
SBA914	SBA930	SBA946	SBA962	4'	x	60'	1833.36
SBA915	SBA931	SBA947	SBA963	2'	x	lin.ft.*	20.05
SBA916	SBA932	SBA948	SBA964	3'	x	lin.ft.*	25.84
SBA917	SBA933	SBA949	SBA965	4'	x	lin.ft.*	33.64
7/8" THICK							
SBA918	SBA934	SBA950	SBA966	2'	x	3'	66.38
SBA919	SBA935	SBA951	SBA967	3'	x	5'	154.90
SBA920	SBA936	SBA952	SBA968	2'	x	60'	1355.91
SBA921	SBA937	SBA953	SBA969	3'	x	60'	1841.72
SBA922	SBA938	SBA954	SBA970	4'	x	60'	2378.63
SBA923	SBA939	SBA955	SBA971	2'	x	lin.ft.*	24.87
SBA924	SBA940	SBA956	SBA972	3'	x	lin.ft.*	33.77
SBA925	SBA941	SBA957	SBA973	4'	x	lin.ft.*	43.58

*Cuts up to 60' in length

ERGO-STANCE® NO. 489



- New ergonomic design encourages increased circulation and lessens fatigue
- Provides outstanding comfort and reduces stress on the spine and lower back muscles
- Constructed of high density and low density sponge strips alternating every 12"
- Uniquely constructed, two-density base is designed to shift worker's weight from one leg to another
- 1/2" thick

Application:
All dry work areas

**3-YEAR
WARRANTY**

*Stimulates blood flow
& prevents fatigue!*

Model No.		Dim.			Price /Each
Black	Blue	W	x	L	
NB651	NB652	24"	x	36"	99.53
NB653	NB654	36"	x	48"	198.91
NG139	NG140	36"	x	60"	248.84

CUTS UP TO 30' IN LENGTH

SAJ801	SAJ802	24"	x	lin.ft.	35.64/lin.ft.
SAJ803	SAJ804	36"	x	lin.ft.	53.45/lin.ft.
SAJ805	SAJ806	48"	x	lin.ft.	71.27/lin.ft.

Other lengths available, call for a quote


ENDURABLE NO. 459

NEW, LONGER-WEARING TWO-IN-ONE CONSTRUCTION



*New, longer wearing,
two-in-one construction!*

- This PVC sponge has a remarkably durable and abrasion resistant surface
- The dense PVC surface, created during the manufacturing process, is heat bonded to a comfortable sponge base
- This dual density anti-fatigue mat lasts much longer than similar products, but is very economical
- Edges beveled for safety
- 1/2" thick
- Colour: Black



**1-YEAR
WARRANTY**

Model No.	Dim.			Price /Each
	W'	x	L'	
NG593	2	x	3	49.81
NG596	2	x	60	873.47
NG594	3	x	5	124.49
NG595	3	x	12	298.64
NG597	3	x	60	1309.56
NG598	4	x	60	1745.64

CUTS UP TO 60' IN LENGTH

NG599	2	x	lin.ft.	16.68/lin.ft.
NG600	3	x	lin.ft.	25.02/lin.ft.
NG601	4	x	lin.ft.	33.36/lin.ft.

Other lengths available, call for a quote

REJUVENATOR® CONNECT NO. 502 FOR SINGLE WORKSTATION

- The robust, abrasion-resistant exterior skin totally encapsulates the resilient, crush-resistant urethane sponge interior creating a mat that is virtually indestructible
- An elevated square-grid surface creates an appealing symmetrical look for industrial, laboratory, pharmaceutical or commercial environments
- Ideal for mostly dry areas, and resistant to a wide variety of chemicals and fluids, and to a wide range of temperatures
- These mats have molded-in ramps for easy access
- 5/8" thick
- Colour: Black

Model No.	W'	Dim. x	L'	Price /Each
SED585	2	x	3	191.39
SED587	3	x	5	425.15

SUBSTANCE NO. 513 MATS

- The ultimate combination of comfort and durability in a sponge mat
- 2-layer construction permanently bonded together
- A tough vinyl-nitrile outer layer defends against wear and tear while a resilient inner layer of blown vinyl-nitrile sponge provides comfort for standing workers.
- Nitrile enhanced surface is resistant to many chemicals and oils that might be spilled on the mat
- 1/2" thick
- Colour: Black

Model No.	W'	Dim. x	L'	Price /Each
DIAMOND PLATE SURFACE				
SED591	2	x	3	74.78
SED592	2	x	3	74.78
PEBBLE SURFACE				
SED593	3	x	5	186.46
SED594	3	x	5	186.46



TUF SPONGE NO. 451 & DELUXE TUF SPONGE NO. 442

TOP QUALITY PVC SPONGE MATTING!




Comfort & practicality all rolled into one mat!

- Excellent choices for practical and economical comfort
- Blown-vinyl sponge ergonomically designed to reduce floor hardness up to 50%
- Available in workstation mats and rolls, they can easily be "custom" cut to fit your work areas
- Available in widths up to 6' with all edges safety rounded on full rolls and stock sizes

COLOUR:

- *Tuf Sponge*: Black, grey, black w/yellow borders (available on request)
- *Deluxe Tuf Sponge*: Black, grey
- *Diamond Tuf Sponge*: Black, grey



TUF SPONGE NO. 451

Model No.		Thickness"	W'	Dim.		Price /Each
Black	Grey			x	L'	
NB550	NB551	3/8	2	x	3	20.06
NB565	NB566	3/8	3	x	5	50.22
NB568	NB569	3/8	3	x	60	570.52

CUTS UP TO 60' IN LENGTH

JA083	JA084	3/8	2	x	lin.ft.	7.42/lin.ft.
NG415	NG418	3/8	3	x	lin.ft.	11.13/lin.ft.
NG416	JA087	3/8	4	x	lin.ft.	14.84/lin.ft.
JA085	JA086	3/8	6	x	lin.ft.	22.26/lin.ft.

DELUXE TUF SPONGE NO. 442

Model No.		Thickness"	W'	Dim.		Price /Each
Black	Grey			x	L'	
SAL174	SAL175	5/8	2	x	3	34.58
SAL180	SAL181	5/8	3	x	5	87.16

CUTS UP TO 60' IN LENGTH

SAL172	SAL173	5/8	2	x	lin.ft.	12.85/lin.ft.
SAL178	SAL179	5/8	3	x	lin.ft.	18.88/lin.ft.
SAL184	SAL185	5/8	4	x	lin.ft.	25.17/lin.ft.

TUF SPONGE NO. 452


Model No.		Thickness"	W'	Dim.		Price /Each
Black	Grey			x	L'	
SED577	SED578	1/2	2	x	3	48.36
SED581	SED582	1/2	3	x	5	121.80

CUTS UP TO 60'

SED575	SED576	1/2	2	x	lin.ft.	8.82/lin.ft.
SED579	SED580	1/2	3	x	lin.ft.	8.53/lin.ft.
SED583	SED584	1/2	4	x	lin.ft.	8.53/lin.ft.

ULTRA-TRED ARMORCOTE NO. 440

A URETHANE COATED, PVC SPONGE ANTI-FATIGUE MAT



- Offers the comfort of a PVC sponge plus the chemical and abrasion resistance of a double-thick urethane coating on the surface
- Ideal for use in mostly dry applications such as labs and other medium traffic areas
- 3/8" thick
- Colour: Black w/yellow safety borders




Urethane coating increases durability, resistance to chemicals & clean-up ease!

1-YEAR WARRANTY

Model No.	Dim.			Price /Each
	W'	x	L'	
NB533	2	x	3	32.51
NB537	3	x	5	81.18
NB534	3	x	12	194.82
SAJ811	2	x	60	578.99
NB538	3	x	60	868.49
NB540	4	x	60	1157.97

CUTS UP TO 60' IN LENGTH

JA080	2	x	lin.ft.	11.59/lin.ft.
JA081	3	x	lin.ft.	17.39/lin.ft.
JA082	4	x	lin.ft.	23.19/lin.ft.



WORKSAFE® LIGHT NO. 478 CFR



A NEW compound resistant to mineral oil based cutting fluids.

2-YEAR WARRANTY

- This best-selling, lightweight, high performance drainage mat is now resistant to mineral oil based cutting fluids
- The new CFR (Cutting Fluid Resistant) formulation is perfect for wet industrial areas
- Its lightweight design eases the strain of clean-up, yet keeps employees quite comfortable
- WorkSafe® Light is 1/2" thick with molded beveled edges for easy access
- A well-engineered drainage system that keeps debris from becoming trapped



Model No.	Description	Dim. W' x L'	Price /Each
NB632	-	3 x 5	142.20
NB630	-	3 x 10	319.28
NB631	-	3 x 20	638.42
SAL221	Connector	-	8.73

MODULAR WORKSAFE® LIGHT NO. 472

LIGHTWEIGHT, MODULAR ANTI-FATIGUE MATTING



- 3' x 3' single workstation sections securely interlock to cover large spaces
- Hidden interlock system requires no additional bevels or attachment devices
- Perfect for high maintenance areas, it's lightweight and easy to clean
- Overall thickness of 1/2" with safety rounded edges and excellent drainage
- Available in two compounds:
General-Purpose - natural rubber
Grease Proof - 50% nitrile rubber (for use around greases, chemicals and caustic agents)
- Colour: Black

1-YEAR WARRANTY


Exceptionally comfortable modular design allows you to dimension the mat to your exact requirements!

Model No.	Description	Dim. W' x L'	Price /Each
NC823	General-Purpose	3 x 3	80.64
NC824	Grease-Proof	3 x 3	112.80

GRADE "A" NO. 482

- Specially formulated anti-bacterial nitrile rubber composite designed to withstand solutions used in a wide variety of food processing environments
- 100% anti-microbial with built-in handles to ease pick-up and cleaning of the mats
- NSF Certified
- Hygienic porthole and solid underside design of the mat simplify cleaning and virtually eliminates areas where food can collect
- Substantial underside knobs allow quick drainage and increase the comfort level of the mat
- Flat, but textured surface increases traction when greasy and wet
- 1/2" thick
- Colour: Terra cotta
- Accepted for use in Canadian food processing facilities
- CFIA approved

Built-in Handle



2-YEAR WARRANTY



Model No.	Dim. W' x L'	Price /Each
SAN571	30 x 36	117.17
SAN572	30 x 60	177.75

COMFORT FLOW™

- Fully launderable mat that performs great as an anti-fatigue mat and as a flow-through mat in wet or dry environments
- Constructed of 100% high density nitrile rubber
- For superior resistance to grease and oil
- Provides excellent anti-fatigue properties for added employee comfort and improved ergonomics
- Non-skid backing keeps mat in place
- Drainage holes for easyflow of water and debris
- Beveled edges for safe access
- Anti-microbial treated: Guards against degradation from micro-organisms and minimizes mats being a source of odours
- Recommended for use in kitchens, behind bars and wet industrial applications
- Welding safe; highly resistant to high temperatures
- Low profile, 3/8" thick and slip-resistant surface
- Colour: Black



100%
Customer satisfaction
GUARANTEED



Model No.	Dim. W' x L'	Price /Each
SAR813	2 x 3	47.43
SAR814	3 x 5	106.82
SAR815	4 x 6	170.82
SAR816	3 x 9	213.66

MATTING - ERGONOMIC

SANITIZING FOOTBATH MAT NO. 222


DECONTAMINATES & DISINFECTS FOOTWEAR

- Great for food processing plants, keeps hygienic areas free of contamination and germs
- Has thousands of pliable rubber scrapers that dislodge contaminants from footwear as the shoe soles are immersed in the disinfectant solution
- Holds one gallon of disinfectant solution - chlorine or quaternary
- SAQ090 allows the mat to hold up to 5.5 gallons of sanitizing solution
- When filled to a practical level, the solution will totally immerse the treads of the boot sole while the fingertips release any accumulations
- Colour: Black
- Accepted for use in Canadian food processing facilities

SBR Rubber



Sanitizing Footbath High Wall



**1-YEAR
WARRANTY**



Model No.	Dim. W" x L"	Absorption Capacity	Price /Each
SAL651	24 x 32	1 gallon	67.77
SAQ090	32 x 39	5.5 gallons	155.28

CLEAN ROOM MAT NO. 095

TRAPS IMPURITIES & KEEPS AREAS CLEAN

- Clean Room mat traps impurities in areas that require dirt and dust control
- The tacky surface pulls dirt and dust off shoe soles
- Effective and easy to use, each mat has 30 or 60 layers of tough film
- Once the top layer is contaminated, simply pull it off and discard
- Use on low-profile carpet, tile, or concrete surfaces
- Colours: Blue, white



30 Layers White	Blue	60 Layers White	Dim. W" x L"	30 Layers Price/Each	60 Layers Price/Each
SEB153	SEB152	SEB162	18 x 36	132.58	259.85
SEB155	SEB154	SEB163	18 x 45	170.25	333.64
SEB159	SEB158	-	24 x 36	176.29	-
SEB157	SEB156	SEB164	24 x 45	231.30	453.35
SEB161	SEB160	-	36 x 45	337.19	-

COMFORT KING™ ANTI-MICROBIAL

Offers optimal cushion and resilience while inhibiting bacteria and germ growth!

- Anti-microbial additive inhibits the growth of harmful micro-organisms
- Highly energized Zedlan™ sponge combines softness, resilience and durability for exceptional relief
- Outwears other sponge products by nearly three to one
- Maintains flexibility even in low temperatures
- Ideal for dry environments such as hospitals, nursing homes, daycare facilities, laboratories etc.



**TOTAL
CONFIDENCE
WARRANTY**



Model No.	Dim. W' x L'	Price /Each
SAM328	2 x 3	59.62
SAM330	3 x 5	149.05
SAM334	3 x 60	1502.77
SAM337	2 x lin.ft.	22.27/lin.ft.
SAM338	3 x lin.ft.	33.40/lin.ft.
SAM339	4 x lin.ft.	22.27/lin.ft.

Call us for all your




Safety Equipment & Supplies requirements!

NON-CONDUCTIVE CORRUGATED SWITCHBOARD NO. 702 & DIAMOND PLATE SWITCHBOARD NO. 701

CAN INSULATE UP TO 30 000 V!

- High-performance non-conductive matting protects personnel in areas with dangerous high-voltage equipment
- Designed to insulate against as much as 30 000 V of electricity
- However, its recommended usage is up to 17 000 V
- The corrugated surface is abrasion resistant and easily cleaned
- 1/4" thick
- Conforms to ANSI/ASTM D-178-01 Type 2, Class II
- Passes MSHA IC-246 fire resistance test (mining safety)
- Colour: Black



1-YEAR WARRANTY



NO. 702

Model No.	Dim. W' x L'	Price /Each
CORRUGATED		
SAL242	2 x 75	1232.38
NB657	3 x 75	1606.95
CUTS UP TO 75' IN LENGTH		
SAL241	2 x lin.ft.	18.93/lin.ft.
NB658	3 x lin.ft.	24.67/lin.ft.
NB660	4 x lin.ft.	46.45/lin.ft.

NO. 701

Model No.	Dim. W' x L'	Price /Each
DIAMOND-PLATE		
SAL236	2 x 75	1232.38
SAL238	3 x 75	1606.95
CUTS UP TO 75' IN LENGTH		
SAL235	2 x lin.ft.	18.93/lin.ft.
SAL237	3 x lin.ft.	24.67/lin.ft.
SAL239	4 x lin.ft.	46.45/lin.ft.

ELECTRICALLY CONDUCTIVE ANTI-FATIGUE NO. 786DP



Protects workers from fatigue & electronic equipment from damage!

- Ideal for use in areas at risk for damage from static electricity from workers before it can be passed on to sensitive equipment with microprocessors or to flammable liquids
- Surface prevents the accumulation of static electricity
- Nitricell® sponge base provides superior comfort and productivity
- Will drain electrical charge of 20 000 V in less than 1 second
- This mat must be grounded; for maximum effectiveness, ground every 8' to 10'
- 9/16" thick
- Colour: Black



3-YEAR WARRANTY

Model No.	Dim. W' x L'	Description	Price /Each
NB692	3 x 5	Diamond Plate Surface	254.44
SAL243	2 x 3	Smooth Surface	113.30
SAR335	3 x 5	Smooth Surface	267.81
CUTS UP TO 75' IN LENGTH			
NB693	3 x lin.ft.	-	58.91/lin.ft.
SAJ574	15' L Ground Wire (Sold separately)		15.70

Other lengths available, call for a quote

MODULAR DIAMOND PLATE ESD NO. 788 & MODULAR WORKSAFE® LIGHT ESD NO. 789

- **Resistivity:** RTT = 1×10^4 ohms to 8×10^6 ohms
RTG = 1×10^4 ohms to 8×10^6 ohms
- Unique, modular mats provide reliable, lasting, and economical protection
- Mats have interlocks on two sides so larger mats can be created for virtually any configuration
- Safety rounded edges for no-trip access
- Lightweight and easy to clean
- Colour: Black

1-YEAR WARRANTY

MODULAR DIAMOND-PLATE ESD NO. 788

- High-tech solid Diamond-Plate surface provides additional traction

MODULAR WORKSAFE® LIGHT ESD NO. 789

- Surface with holes for drainage and air-flow

Applications: Dry or wet areas where static discharge could harm sensitive equipment or products; cleanrooms



Maximum safety comfort & slip resistant footing, ideal in industrial environments!

Model No.	Dim. W' x L'	Description	Price /Each
NH541	3 x 3	Diamond-Plate No. 788	116.95
NH542	3 x 3	Worksafe® Light No. 789	119.89

Look for this symbol



for environmentally friendly products!

MATTING - ERGONOMIC

COMFORT-KING™ ANTI-STATIC



**TOTAL
CONFIDENCE
WARRANTY**

- Static dissipative 10⁹ ohms per square
- High energized Zedlan™ sponge combines resilience and durability for exceptional relief
- This dual action mat combines both static dissipative and anti-fatigue properties
- Ground cords are recommended for every 10 feet of matting
- 3/8" thick



*Static dissipative
anti-fatigue mat!*

Model No.		Dim.			Price /Each
Grey	Black	W'	x	L'	
NH804	NH805	2	x	3	79.59
NH810	NH811	3	x	60	1462.21

Measured from surface to surface and surface to ground per EOS/ESD test method DS 7.1 - 1991

STAT-ZAP® CARPET TOP

- Attractive solution to protect electronic equipment from static charges
- Conductive loop carpet with a resistivity of 10⁹ ohms per square feet
- Anti-slip Rug-Hugger™ backing to reduce mat movement on carpeting
- Grounding cord included
- Colour: Grey



Model No.	Dim.			Price /Each
	W'	x	L'	
SAM343	3	x	5	167.84
SAM345	3	x	10	335.67
SAM346	4	x	6	268.54
SAM348	4	x	10	447.56
SAM349	3	x	60	1754.40
SAM352	3	x	lin.ft.	35.22/lin.ft.
SAM353	4	x	lin.ft.	46.96/lin.ft.
SAM354	6	x	lin.ft.	70.44/lin.ft.

Measured from surface to surface and surface to ground per EOS/ESD test method DS 7.1 - 1991

STAT-FREE WORK SURFACE MATS

- Very functional, effective solution in areas where static control is imperative
- Designed for workbenches and desks, underneath computers and at workstations where sensitive components are packaged or repaired
- Flexible, three-layer construction has a conductive scrim sandwiched between two layers of vinyl
- Provides excellent electrical properties
- For maximum effectiveness, ground the mat using SAR851 and ground the worker with SAR852
- Colour: Blue



Model No.	Dim.			Price /Each
	W'	x	L'	
SAR847	2	x	3	69.45
SAR848	2	x	4	92.62
SAR849	2	x	lin.ft.	24.31/lin.ft.
SAR850	3	x	lin.ft.	35.48/lin.ft.

ESD WORK SURFACE ACCESSORIES

SAR851	Common Point Ground Cord 15'	19.39
SAR852	Wrist Strap w/6' Coil Cord	12.81

ESD WORK SURFACE ACCESSORIES

COMMON POINT GROUND CORD 15'

- The molded-in male fastener connects to the snap on the table top mat, while the terminal on the 15' cord connects to a building ground
- For use with a ESD Wrist Strap
- Grounds two wrist straps to one point
- Solderless terminal
- RTG - 1 mega ohm

Model No. SAR851
Price/Each \$19.39



WRIST STRAP WITH 6' COIL CORD

- Use to ground workers to their ESD tabletops matting
- One size fits all comfort strap

Model No. SAR852
Price/Each \$12.81



VINYL GRID GRIPPER TREAD NO. 892 VINYL GRID AIR TREAD NO. 891

- Vinyl grid's duckboard design elevates workers above slippery areas and allows free drainage of fluid and debris
- A perfect choice for wet areas
- UV and mildew resistant
- Features tubes with a narrow air tunnel, which creates a more flexible mat and provides increased comfort

No. 891 - COMFORTABLE, AIR FILLED DESIGN

- Smooth, tubular surface texture
- 3/8" thick
- Colours: Black, blue

No. 892 - RELIABLE SLIP PROTECTION

- Tire-like, *Gripper Tread* surface texture
- 1/2" thick
- Colours: Black, red



NO. 892 - 1/2" THICK

Model No.		Dim.			Price /Each
Black	Red	W'	x	L'	
NB701	NH054	2	x	40	1607.50
NB709	NH058	3	x	40	2378.13
NB715	JA088	4	x	40	3200.53
NB703	NH059	2	x	lin.ft.	46.24/lin.ft.
NB711	NH060	3	x	lin.ft.	68.38/lin.ft.
NH569	NH570	4	x	lin.ft.	143.49/lin.ft.

*Reliable protection
in wet areas & cushioned
comfort at your feet!*



**1-YEAR
WARRANTY**

NO. 891 - 3/8" THICK


Model No.		Dim.			Price /Each
Blue	Black	W'	x	L'	
NH557	NH558	2	x	40	980.06
NH559	NH560	3	x	40	1438.01
NH561	NH562	4	x	40	1933.22
NH563	NH564	2	x	lin.ft.	29.86/lin.ft.
NH565	NH566	3	x	lin.ft.	41.36/lin.ft.
NH567	NH568	4	x	lin.ft.	55.62/lin.ft.

TRAXION GRIP NO. TIP1

- Modular interlocking 12" x 12" tile mat
- Wraparound edging prevents tripping
- 529 holes per tile assures excellent drainage of fluids
- Raised grippers on tiles guard against slippage
- 1/2" PVC is resistant to chemicals, oils, grease and animal fat
- Resistant to mould and mildew
- Fire resistant

Applications:

Wet or dry work areas.



*Modular design
allows you to size
the mat to your exact
specifications!*

Model No.	Colour	Price /Each
TILES		
NB726	Black	15.00
NB727	Blue	15.00
WRAPAROUND EDGES		
NB734	Black	6.00
NB735	Blue	6.00

COMFORT TRED NO. TIL2



- Molded from durable PVC
- Raised ridges scrape off dirt
- Drainage holes allow dirt to fall through tiles
- Resistant to mould and mildew
- 12" x 12" tiles with optional beveled wraparound edges

Applications: Indoor entrances and shower areas.



*Modular design allows you
to dimension the mat to your
exact specifications!*

TILES

Model No.	Colour	Price /Each
NB378	Black	9.85
NB380	Grey	9.69
NB383	Tan	10.31
NC822	Navy	9.72

WRAPAROUND EDGES

Model No.	Price /Each
NB386	3.77
NB388	3.77
NB391	3.77
NG055	3.77

MATTING - ERGONOMIC

STANDARD CORRUGATED VINYL NO. 381

THE MOST POPULAR RUNNER MAT!



1-YEAR WARRANTY

The all-purpose runner that makes floors safer to walk on!

- Protects floors from foot traffic or special events
- Adds traction where needed
- Reduces cleaning costs
- Flexible, yet durable vinyl compound easily rolls up after use
- Won't curl or shrink during use and is resistant to many chemicals and cleaning fluids
- 1/8" thick
- Colour: Black



Model No.	Dim.			Price /Each
	W'	x	L'	
NB374	3	x	105	802.98
NB376	4	x	105	1071.82
NB375	3	x	lin.ft.	8.86/lin.ft.
NB377	4	x	lin.ft.	11.81/lin.ft.

1/8" RUBBER RUNNER



Fine

Wide

- No strong unpleasant odour
- Flexibility in cold weather
- Long wearing, superior abrasion resistance and comfort
- Does not curl up on the edges
- Absorbs noise from hard floor
- 1/8" thick
- Colour: Black

Applications: All entrances.

High resilience for outstanding slip resistance. More effective than vinyl!

Model No.	Dim.			Price /Each
	W'	x	L'	
FINE RIBBED				
JA121	2	x	75	312.26
JA122	3	x	75	465.00
JA123	4	x	75	621.13
JA124	2	x	lin.ft.	5.19/lin.ft.
JA125	3	x	lin.ft.	7.75/lin.ft.
JA126	4	x	lin.ft.	10.36/lin.ft.

Model No.	Dim.			Price /Each
	W'	x	L'	
WIDE RIBBED				
NI363	2	x	75	312.26
NI304	3	x	75	465.00
NI305	4	x	75	621.13
NI364	2	x	lin.ft.	5.19/lin.ft.
NI306	3	x	lin.ft.	7.75/lin.ft.
NI307	4	x	lin.ft.	10.36/lin.ft.

DIAMOND-PLATE RUNNER NO. 385

QUICKLY FOCUSES ATTENTION ON CAUTION AREAS!

- High-tech industrial runner for indoor use
- Protects floors from abuse, adds traction and a measure of safety where needed
- Chemical resistant and self-extinguishing
- 3/16" thick

1-YEAR WARRANTY

Quickly & conveniently focuses on caution areas!



Model No.	Dim.			Price /Each
	W'	x	L'	
BLACK				
SA0032	2	x	75	515.95
SA0033	3	x	75	750.43
SA0034	4	x	75	1001.91

CUTS UP TO 75' IN LENGTH

SA0035	2	x	lin.ft.	7.93/lin.ft.
SA0036	3	x	lin.ft.	11.57/lin.ft.
SA0037	4	x	lin.ft.	15.43/lin.ft.

BLACK W/YELLOW BORDER

NC835	2	x	75	735.27
NC836	3	x	75	1070.22
NC837	4	x	75	1427.28

CUTS UP TO 75' IN LENGTH

NC838	2	x	lin.ft.	12.85/lin.ft.
NC839	3	x	lin.ft.	16.42/lin.ft.
NC840	4	x	lin.ft.	21.90/lin.ft.

1/4" RUBBER RUNNER



- Flexibility in cold weather
- Long wearing, superior abrasion resistance and comfort
- Does not curl up on the edges
- Absorbs noise from hard floor
- 1/4" thick
- Colour: Black

Model No.	Dim.			Price /Each
	W'	x	L'	
JA684	3	x	75	984.30
JA686	3	x	lin.ft.	16.41/lin.ft.

ADD-A-LEVEL® WORK PLATFORMS


- Stackable platform is adjustable to any height for worker comfort
- Modular design permits hundreds of floor plans with interchangeable parts that snap together
- Can be assembled to desired height, length, or width with stacker and Poly-Clip system
- Made from strong, durable, high-impact plastic which resists oils, gas, acids and most chemicals
- No tools required
- Flow-through grid design permits scrap and liquids to fall through or drain below
- Base unit includes 4 rubber feet
- Join the base to one or more add-on units to raise the height
- Each unit is 2 5/8" and includes 4 stackers to connect platforms together vertically
- For horizontal connection use poly clips
- For worker comfort and to prevent worker fatigue place a platform mat on the top platform
- Choose a 1/2" grease-resistant mat or a 7/8" comfort drainage mat, both available in black or black with yellow borders for added visibility
- Plug-Lock system locks mats to platforms
- Ideal to outfit entire machine areas and departments



PLUGS LOCK MATS TO PLATFORMS



ADD-ON UNIT



BASE UNIT

PLATFORM MATS

Model No.	Dim. W' x L'			Price /Each
1/2" GREASE-RESISTANT MAT - BLACK				
NG193	2	x	3	124.44
NG194	2	x	5.5	264.18
NG195	2	x	8	379.28
NG196	3	x	8	496.80
BLACK W/YELLOW BORDERS				
JA006	2	x	3	228.40
JA007	2	x	5.5	402.14
JA008	2	x	8	560.36
JA009	3	x	8	695.39
7/8" COMFORT DRAINAGE MAT - BLACK				
NG201	2	x	3	164.80
NG202	2	x	5.5	360.12
NG203	2	x	8	519.66
NG204	3	x	8	686.77
BLACK W/YELLOW BORDERS				
NG205	2	x	3	265.11
NG206	2	x	5.5	496.50
NG207	2	x	8	688.41
NG208	3	x	8	874.85


ACCESSORIES

Model No.	Description	Dim. W x L			Price /Each
NG209	Poly Clip Connectors (4/pkg.)	-	-	-	11.31


PLATFORMS

NG185	Base Unit	2	x	3	104.22
NG186	Add-On Unit	2	x	3	104.22
NG187	Base Unit	2	x	5.5	193.64
NG188	Add-On Unit	2	x	5.5	193.64
NG189	Base Unit	2	x	8	224.93
NG190	Add-On Unit	2	x	8	224.93
NG191	Base Unit	3	x	8	290.47
NG192	Add-On Unit	3	x	8	290.47

STACKER



ADD-A-MAT



BASE UNIT

HEATING WALKWAY & STAIR MATS

- 120 V
- Electric heat mats eliminate snow and ice accumulation around the facility
- Provide safe walkways and peace of mind 24/7
- Portable, no expensive installations
- Designed to be left outside for the entire winter season
- Snow melt rate: 2" per hour
- Clean, no salty mess

Model. No	Mfg. No.	Size			Price /Each
		W"	x	L'	
HEATING WALKWAY MATS					
SEE812	HTM24-5	24	x	5	574.31
SEE813	HTM36-5	36	x	5	861.44
SEE814	HTM48-6	48	x	6	1493.16
SED567	HTM24-15	24	x	15	2115.78
SED568	HTM36-15	36	x	15	3168.62
HEATING STAIR MATS					
SED569	HRT11-36	11	x	3	300.82
SED570	HRT11-48	11	x	4	411.11
SED571	HRT11-60	11	x	5	461.27
SED572	HRT11-72	11	x	6	521.42



HEATTRAK®
Snow Melting Mats

ENTRANCE MATTING: AN INTELLIGENT SOLUTION!

MATting MAKES FOR A BETTER ENTRANCE

Surprisingly, many people remove matting from the entrance once the spring arrives and elect not to put the matting back until the fall season. Removing matting from your main entrances during these high traffic months is like telling your cleaners to take the spring and fall off. In fact, entrance matting is the only preventive solution to minimize the accumulation of dirt in your building.

PROTECT YOUR INVESTMENT AND MAXIMIZE THE LOOK OF YOUR FLOORS

During the spring and fall season, we spend a considerable amount of money on floor maintenance. This entails cleaning chemicals, mops, brooms, machines, and many times labour costs. The highest traffic flow comes in the spring to fall months and exposes the floors to harmful soils, sand, rocks, and other debris that can permanently damage carpets, tiles, and wood surfaces.

PROTECTION THAT CAN PAY FOR ITSELF


Matting is the first line of defense, and if configured correctly, can prevent up to 80% of accumulated dirt from spreading onto your floors. Matting also does the following:

- Reduces maintenance costs
- Improves air quality
- Enhances the look of your work place
- Diminishes the risk of slips and accidents
- Respects green initiatives




WHAT TYPE OF MATTING DO YOU NEED?

A matting survey will help you identify your needs and determine what type of matting is required. Our knowledgeable and accessible Safety Specialists are available for on-site visits in order to understand your needs, analyze cost savings and maximize employee productivity. See pages 973-993 for ergonomic & specialty matting.



Anti-fatigue



Entrance



Specialty

CHOOSING THE RIGHT MAT

There are three types of matting to consider.

To select the right type for you, we recommend the following steps:

1. Identify the type of area where you wish to install the carpet, taking into account the amount of traffic it will experience. (ex: heavy traffic vs. light traffic)
2. Refer to the collection of products in the following pages and locate the right fit for you. We've categorized each mat to correspond to one of the four traffic categories, colour coded for your convenience
3. Choose a scraper, a wiper/scraper and a wiper mat. Note: for best results, use three types of mats in the following combination (ex: Upfront Scraper, Super Soaker and Proluxe)

1-SCRAPER





- Exterior usage or between two doors
- Aggressive scraper surface, which will capture the majority of dirt from the soles of shoes
- Does not absorb moisture, which facilitates maintenance

2-WIPER/SCRAPER

- Interior usage or between two doors
- Irregular surface which enables trapping moderate dirt that was not captured at the scraper level
- Moderately retains water and moisture that may later evaporate or be extracted at a later time

3-WIPER

- Interior usage
- Plays a major role in the retention of water and fine dust
- Minimizes the risk of slipping and falling

Light Traffic	Light-Medium Traffic	Medium-Heavy Traffic	Heavy Traffic
			
Less than 125 persons per day	Between 125 and 500 persons per day	Up to 1500 Pesons per day	Over 1500 Persons per day
Small business Boutiques Side Entrance Etc.	Office building Small retail store Bank/Postal Service Car Dealership Motel & Inn Etc.	Convenience Store Restaurant Hotel Theatre Museum Convention Centre Etc.	University Airport Hospital Large retail store Shopping Mall School Etc.

DID YOU KNOW?

The proper use of entrance mats is recognized by the Green Building Council of Canada, under LEED® certification system (Leadership in Energy and Environmental Design), visioning a transformed built environment leading to a sustainable future. Some Mat Tech products can contribute to obtaining 2 credits:

1 Credit*: "Permanently use the entrance matting system to capture dirt, particles etc. from entering the building at all high volume entrances"

1 Credit**: Use material with recycled content in order that the sum [...] constitutes at least 7.5% of the total value of the material in the project.

For more information, visit the website: www.cagbc.org

*EQ Credit 5 requirements, Green Building Rating System v1.0

**MR Credit 4.1 requirement, Green Building Rating System v1.0

JA187
UpFront Scraper

SAX726
EcoPlus™

SAX714
Eco Step™

MATTING - ENTRANCE

SCRAPERS - HEAVY-DUTY MULTI-GUARD NO. 220



**Exceptional dirt trapping qualities
solve the problem of damaging
grime & moisture tracking!**

- Thousands of scraping fingers powerfully remove dirt from sight
- Mat holds pounds of dirt between cleanings
- Beveled edges add no-trip safety
- 2,500 rubber scrapers per square foot
- Shake or hose to clean
- 1/2" thick
- Colour: Black

Applications: Heavily trafficked outdoor entrances



**1-YEAR
WARRANTY**

Model No.	Dim.			Price /Each
	W"	x	L"	
NB206	24	x	32	47.62
NB207	28	x	46	81.52
NB208	32	x	39	69.57
NG588	36	x	60	119.62
NB209	36	x	72	140.68

SCRAPERS - UPFRONT SCRAPER MAT NO. 224

- Popular and classic design effectively scrapes dirt, snow and rain off shoes, containing it outside
- Pliable and durable rubber compound is highly resistant to harsh outside elements
- Low profile accommodates tight doorways
- Easy to clean, simply hose it down or shake it off and it's ready to go
- 5/16" thick
- Colour: Black

**1-YEAR
WARRANTY**




Model No.	Dim.			Description	Price /Each
	W'	x	L'		
JA187	3	x	5	Solid	77.31
JA911	3	x	5	w/Slots	83.73

SCRAPERS - OUTFRONT REVERSIBLE SCRAPER NO. 227

- Totally reversible, it's easily flipped over to accommodate all weather conditions
- One side features rows of flexible scrapers alternating with quick-dry drainage ports for a "brush and release" effect
- Other side features clusters of stiff ridges designed to scrape heavier debris and packed snow off outsoles
- Accommodates a single, or double entryway
- 7/16" thick with an evenly tapered border on all four sides
- Colour: Black

**Totally
reversible!**

**1-YEAR
WARRANTY**



Model No.	Dim.			Price /Each
	W'	x	L'	
SAQ318	3	x	6	215.59

SCRAPERS - FORE-RUNNER™

- Enhance the appearance of your entrance with the rich look of a loop-pile tufted mat
- Attractive two tone colors and resilient construction resist fading and crushing
- Non-absorbent abrasive surface scrapes soil and debris from footwear
- Other sizes and colours available

**TOTAL CONFIDENCE
WARRANTY**



Model No.		Dimensions			Price /Each
Brown	Charcoal	W'	x	L'	
NG711	NG719	3	x	5	92.44
NG714	NG722	4	x	6	147.90
NG716	NG724	4	x	60	1479.05
NG717	NG725	3'	x	lin.ft.	22.28/lin.ft

WIPER/SCRAPERS - ECOPLUS™



EcoPlus™: Our green generation recycled wiper/scrapper mat that delivers excellent performance in heavy traffic areas!

- 100% recycled surface, 15% recycled backing
- Non-skid nib backing will effectively grip mat to the floor
- Crush-proof "V" pattern will maintain appearance and performance
- Elevated construction will scrape shoes and hold dirt beneath shoe level, while wiping moisture
- For best results and similar colours, use in combination with our ECO-STEP™ wiper mat
- Other sizes & colors available



TOTAL CONFIDENCE WARRANTY

ECOPLUS™

Model No.		Dimensions			Price /Each
Charcoal	Walnut	W'	x	L'	
SAX726	SAX731	3	x	5	128.82
SAX727	SAX732	3	x	10	254.46
SAX728	SAX733	4	x	6	203.29
SAX729	SAX734	4	x	10	337.74

WIPER/SCRAPERS - SUPER-SOAKER™ WAFFLE PATTERN

Known and respected for years, *Super-Soaker™* is definitely our most reliable wiper/scrapper for demanding environments!

- Non-skid nib backing will effectively grip mat to the floor
- Crush-proof waffle pattern will maintain appearance and performance, extending mat's life
- Elevated construction will scrape shoes and hold dirt beneath shoe level, while wiping moisture
- Thickness: 3/8"
- Other colours and sizes available



TOTAL CONFIDENCE WARRANTY



Model No.			Dim.			Price /Each
Charcoal	Walnut	Grey	W"	x	L"	
NG869	SEB895	NG872	35	x	58	107.79
SEB896	SEB897	SEB898	35	x	116	211.14
NG870	SEB899	NG873	45	x	68	169.23
SEB900	SEB901	SEB902	45	x	119	283.03

WIPER/SCRAPERS - SUPER-SOAKER™ FAN

Includes all the advantages of the *Super-Soaker™* Diamond line of products. Combines exceptional performance with outstanding appearance for that upscale look your entrances deserve!

- High-quality mat will retain colour and appearance for several years
- Molded nitrile rubber backing for increased durability, flexibility and easy maintenance
- Finished with fabric borders for a richer, more aesthetic look
- Thickness: 3/8"
- Other colour and sizes available




TOTAL CONFIDENCE WARRANTY



Model No.			Dim.*			Price /Each
Charcoal	Walnut	Grey	W"	x	L"	
SEB886	SEB887	SEB888	35.5	x	65.5	123.52
SEB889	SEB890	SEB891	35.5	x	134.25	255.23
SEB892	SEB893	SEB894	45	x	93.5	235.40

* Single fan dimensions shown.
Half oval and double fan also available.



CALL CUSTOMER SERVICE TODAY FOR YOUR QUOTE!

MATTING - ENTRANCE

WIPER/SCRAPERS - CROSS-OVER™

- Enhance the appearance of your entrance with the rich look of a loop-pile tufted mat
- Now 30% heavier than before for better performance
- Attractive two tone colors and resilient construction resist fading and crushing
- Non-absorbent, abrasive surface scrapes debris and moisture from footwear while sturdy olefin fibers start the drying process
- Other sizes and colors available



Model No.		Dim.			Price /Each
Brown	Charcoal	W'	x	L'	
NG735	NG743	3	x	5	92.44
NG738	NG746	4	x	6	147.90
NG741	NG749	3'	x	lin.ft.	22.28/lin.ft.

WIPER/SCRAPERS - CHEVRON™

- The decorative *Chevron* V-pattern enables this mat to perform well in multi-directional traffic areas
- The premium vinyl backing guarantees against water penetration
- 50% recycled surface
- Fibres are resistant to ice melts, salts, chlorine, petroleum products, caustic soda as well as mould and mildew
- Recommended for low to moderate traffic areas
- 5/16" thick
- Other sizes and colors available



Attractive & durable multi-directional wiper/scrapper needle punch mat!

Model No.		Dim.			Price /Each
Brown	Charcoal	W'	x	L'	
SAY894	NH544	2	x	3	32.12
SAY896	NH548	3	x	5	80.31
SAY898	NH552	4	x	6	160.62
SAY897	NH550	3	x	10	128.50
SAY899	NH554	4	x	10	214.16

WIPER/SCRAPERS - NEEDLE-RIB™

- Needle punch surface bonded to a vinyl backing
- 50% recycled surface
- Ribbed polypropylene fibre pattern that traps moisture
- Gently brushes debris from shoes
- 5/16" thick
- Other sizes and colors available



The traditional and reliable wiper/scrapper needle punch mat for low traffic areas!

Model No.		Dim.			Price /Each
Brown	Charcoal	W'	x	L'	
NG823	NG833	3	x	5	69.99
NG827	NG837	4	x	6	111.98
NG830	NG840	3'	x	lin.ft.	16.85/lin.ft.
NG831	NG841	4'	x	lin.ft.	22.47/lin.ft.

WIPERS - WALK-A-WAY™

- NG759 wipers- Walk a way mat bullets
- Enhance the appearance of your entrance with the rich look of a loop-pile tufted mat
- Now 35% heavier than before for better performance
- Attractive two tone colors and resilient construction resist fading and crushing
- Dense, fast drying fibers absorb heavy moisture and trap fine dirt particles
- Other sizes and colors available



Model No.		Dim.			Price /Each
Brown	Charcoal	W'	x	L'	
NG759	NG767	3	x	5	92.44
NG761	NG769	3	x	60	1109.29
NG762	NG770	4	x	6	147.90
NG764	NG772	4	x	60	1479.05
NG765	NG773	3'	x	lin.ft.	22.28/lin.ft.



WIPERS - ECO-STEP™

- Retains liquid and fine dirt
- Quality plush surface dries quickly
- Premium vinyl backing with natural organic resin blend prevents water from damaging floors
- For best results and similar colours, use in combination with our ECOPLUS™ wiper/scrapper mat
- Other sizes and colors available



ECO-STEP™





Green generation wiper mat made of 100% P.E.T. fibre recycled surface!

Model No.		Dimensions			Price /Each
Charcoal	Walnut	W'	x	L'	
SAX714	SAX720	3	x	5	63.92
SAX715	SAX721	3	x	10	127.84
SAX717	SAX723	4	x	6	102.27
SAX718	SAX724	4	x	10	170.46

WIPERS - PROLUXE™

- Removes excess water and dirt particles from footwear
- Moisture and dust is absorbed into the bottom of the mat, leaving the top mat surface relatively dry
- Water and dirt particles stay on the mat not on expensive floors and carpets
- 5/16" thick
- Other sizes and colors available



100% olefin super drying mat!

Model No.			Dim.			Price /Each
Charcoal	Pebble Brown	Navy Blue	W'	x	L'	
NG783	NG801	SAR559	3	x	5	58.19
NG786	NG804	SAR561	4	x	8	124.13
NG787	NG805	SAR562	3	x	60	698.22
NG789	NG807	SAR564	3'	x	lin.ft.	14.00/lin.ft.
NG790	NG808	SAR565	4'	x	lin.ft.	18.67/lin.ft.

MATting - ENTRANCE

BOOT TRAYS



- Durable and flexible plastic construction boot tray traps water, mud and dirt
- High ribbed surface protects shoes

Model No.	Dim. W' x L'			Colour	Price /Each
SAS411	14	x	24	Grey	6.68

BOOT-BOY® INDUSTRIAL FOOTWEAR CLEANERS

- Constructed of 14-gauge hot rolled steel
- Nylon brush is long-lasting and easily replaceable
- Brush can be used wet with water, degreasers in pan or dry
- Plugs into any standard outlet
- 1/3 HP ball bearing motor
- CSA Approved
- Powder coated finished in red



Model No. NI593
Price/Each \$1588.85

BOOT 'N SHOE BRUSHES

Brushes thoroughly clean all boot and shoe surfaces. Flip the brushes up to reveal a heavy duty sole scraper. Anchor it in concrete or secure the solid metal frame with a single foot while cleaning the other. Shipped completely assembled. Polypropylene stiff bristle.



Model No.	Description	Dimensions Block Size"						Price /Each
NH576	Boot 'N Shoe Brush, Blue	14 3/4	x	16 1/2	x	7	129.05	
NH577	Replacement Brush, Blue	10	x	4 1/2	x	3 1/2	20.76	

GRIP STRIPS

- Slip-resistant strips for sponge-backed mats
- Designed specifically for use on highly polished or shiny floors, it will prevent mats from moving out of place
- Only a few are needed even in high traffic areas
- Unique polymer is permanently tacky
- If it ever gets dusty or dirty, simply wipe it off with Simple Green® or a similar cleanser; the strip will quickly dry and regain its tack
- See diagram for placement for best results
- One package contains four 6" x 6" strips
- Colour: Blue

Grip Strips on a 2' x 3' mat



Model No.	Mfg. No.	Price /Each
SAR853	051.6 x 6 BL	32.15

MUD CHUCKER NO. 229 15/16" THICK MOBILE SHOE SCRAPER MAT

- Use where shoes or boots are exposed to dirt, grass clippings, snow, salt, or sand
- Pliable "fingers" scrape the bottom and sides of shoes or boots
- Bolt down in permanent applications, or use as a mobile entrance mat for workers who toil in muddy areas and then travel to the next location
- To clean, simply shake or spray off with a hose
- 1" thick at front edge, 2 3/8" on the sides
- Colour: Black

**1-YEAR
WARRANTY**



Model No.	Dim. W" x L"			Price /Each
SAL652	12 3/8	x	15 1/4	49.22